Hydropower Modeling Attachment: Alternative Plan 3, CVP, Future Conditions

Upper San Joaquin River Basin Storage Investigation, California

Prepared by:

United States Department of the Interior
Bureau of Reclamation
Mid-Pacific Region

U.S. Department of the Interior
Bureau of Reclamation

August 2014

Mission Statements

The mission of the Department of the Interior is to protect and provide access to our Nation's natural and cultural heritage and honor our trust responsibilities to Indian Tribes and our commitments to island communities.

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public.

Energy generated (GWh) at CVP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.17	40.17	21.05	40.38	21.38	0.00	144.15
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	20.23	34.35	21.71	12.25	11.14	0.00	99.68
1924	Critical	0.00	0.00	0.00	0.00	0.00	6.49	7.67	18.11	30.49	21.01	16.89	0.00	100.66
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	20.59	46.48	29.30	17.38	15.88	0.00	129.63
1926	Dry	0.00	0.00	0.00	0.00	0.95	8.76	10.24	24.80	15.20	11.50	14.49	0.00	85.94
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.00	45.36	29.86	20.22	8.84	0.00	132.28
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.31	37.74	21.64	14.44	2.37	0.00	97.50
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	11.59	20.72	25.80	11.58	0.00	0.00	69.69
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	8.36	23.55	32.89	15.18	20.85	1.95	102.78
1931	Critical	0.00	0.00	0.00	0.00	0.00	1.78	11.00	20.76	34.10	27.07	17.42	0.00	112.13
1932	Dry	0.00	0.00	0.00	0.00	0.00	4.17	13.89	25.43	22.59	36.96	0.00	0.00	103.04
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	9.99	20.12	33.14	27.16	0.00	0.00	90.41
1934	Critical	0.00	0.00	0.00	0.00	0.00	10.71	11.41	21.54	35.59	25.84	0.00	0.00	105.09
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	9.36	33.92	16.58	14.06	17.59	0.00	91.51
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	12.20	32.51	29.67	17.36	21.71	0.00	113.45
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.19	36.93	24.01	23.20	0.00	93.33
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.68	46.69	40.34	0.00	105.71
1939	Dry	0.00	10.90	0.00	0.00	0.00	0.00	18.35	26.06	38.64	2.39	3.45	0.00	99.79
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	16.47	30.54	25.49	12.17	1.63	0.00	86.30
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	27.03	36.03	34.99	27.61	19.43	0.00	145.09
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.52	37.29	23.54	32.85	11.00	0.00	133.20
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	18.35	36.60	29.93	30.53	11.38	0.00	126.79
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	12.36	21.30	23.73	6.21	14.74	0.00	78.34
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	31.44	52.56	46.35	25.35	12.00	0.00	167.70
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	33.26	48.94	34.44	23.95	11.61	0.00	152.20
1947	Dry	0.00	0.00	0.00	0.00	0.00	7.78	25.01	39.19	30.83	9.76	17.62	0.00	130.19
1948	Below Normal	0.00	0.00	0.00	0.00	4.55	0.00	11.64	23.52	12.85	3.43	0.46	0.00	56.45
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.53	43.90	46.21	14.95	4.92	0.00	141.51
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	16.18	19.50	24.21	4.65	3.66	0.00	68.20
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	32.83	53.01	42.66	28.00	12.16	0.00	168.66
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	13.53	22.81	15.43	48.44	23.15	0.00	123.36
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.74	24.26	28.35	6.33	1.81	0.00	78.49
1954	Above Normal	1.85	0.00	0.00	0.00	0.00	0.00	20.68	28.36	24.00	12.04	0.24	0.00	87.17
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	21.91	38.33	47.27	4.16	20.34	0.00	132.01
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.90	57.40	33.53	29.01	15.57	0.00	167.41
1957	Above Normal	0.00	0.00	0.00	0.00	5.98	0.00	15.66	22.33	23.71	2.90	0.00	0.00	70.58
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	3.20	27.03	13.84	38.85	24.91	0.00	107.83
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	10.97	26.00	22.26	2.82	0.00	0.00	62.05
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.65	22.00	29.27	4.71	2.23	0.00	77.86
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	26.85	37.46	52.19	8.73	0.00	0.00	125.23
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	17.29	24.57	30.04	6.49	1.47	0.00	79.86
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	25.89	39.57	18.05	15.58	7.43	0.00	106.52
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.25	36.16	33.55	6.37	13.52	0.00	113.85
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.40	46.68	42.86	24.13	5.52	0.00	136.59
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	24.02	35.26	38.31	9.90	3.53	0.00	111.02
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	5.11	26.18	13.64	20.76	30.24	0.00	95.93
1968	Below Normal	0.00	0.00	0.00	0.00	3.51	0.00	12.76	27.12	24.99	3.37	0.17	0.00	71.92
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19.42	34.17	44.68	1.24	99.51
1970	Wet	0.00	13.20	0.00	0.00	0.00	0.00	35.42	52.04	48.93	32.33	10.39	0.00	192.31
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	16.69	26.87	21.49	5.29	0.00	0.00	70.34
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.36	31.62	34.32	6.61	1.54	0.00	96.45
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	29.53	47.96	30.08	16.08	6.41	0.00	130.06
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	32.66	53.16	26.80	37.25	7.29	0.00	157.16
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	27.84	35.63	22.41	15.83	1.04	0.00	102.75
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	7.90	24.32	30.42	19.81	20.44	7.33	110.22
1977	Critical	0.00	0.00	0.00	0.00	0.00	3.89	5.24	13.81	26.24	17.90	0.00	5.09	72.17
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	10.11	28.95	16.69	30.88	30.63	0.00	117.26
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.54	38.15	31.97	13.22	5.07	0.00	114.95
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	15.35	37.71	26.00	28.02	20.43	2.00	129.51
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	12.90	20.65	29.05	5.03	2.08	0.00	69.71
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.09	21.52	58.97	30.86	0.00	131.44
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.99	28.31	0.00	63.30
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.66	53.38	41.55	21.78	9.48	0.00	157.85
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.47	44.61	41.80	18.34	11.76	0.00	140.98
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.97	7.01	27.02	10.96	28.49	92.45
1987	Dry	2.24	5.91	0.00	0.00	0.00	0.00	15.93	24.70	21.55	7.66	16.93	0.00	94.92
1988	Critical	0.00	0.00	0.00	0.00	3.42	6.93	6.47	16.31	30.32	2.22	0.00	6.13	71.80
1989	Dry	0.00	0.00	0.00	0.00	0.00	2.44	14.79	30.00	24.31	8.72	9.29	0.00	89.55
1990	Critical	0.00	0.00	0.00	0.00	0.00	4.09	8.16	11.14	24.70	0.00	0.00	5.85	53.94
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.03	3.99	15.70	19.20	5.55	5.99	0.00	50.46
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	10.74	16.33	27.08	5.07	0.00	3.72	62.94
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	27.06	37.61	18.96	10.93	0.02	0.00	94.58
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	21.29	29.24	44.42	2.24	0.00	0.00	97.19
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	6.42	0.00	9.48	16.65	19.21	0.00	51.76
1996	Wet	5.21	0.00	0.00	0.00	0.00	0.00	27.70	26.62	32.45	19.86	1.45	0.00	113.29
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	39.25	57.29	24.43	33.29	8.69	0.00	162.95
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	5.66	20.79	11.90	19.47	21.77	0.00	79.59
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	30.47	47.56	33.91	16.24	6.92	0.00	135.10
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	27.58	40.27	19.61	31.88	5.30	0.00	124.64
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.74	36.60	35.96	2.18	21.26	0.00	115.74
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	23.71	33.08	34.02	6.07	0.42	0.00	97.30
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.83	25.29	28.26	10.47	3.93	0.00	90.78
	Average	0.11	0.37	0.00	0.00	0.22	0.70	17.55	30.26	27.76	17.95	10.60	0.75	106.27
	Wet	0.20	0.51	0.00	0.00	0.00	0.00	18.09	31.22	24.00	27.47	15.41	1.14	118.04
	Above Normal	0.15	0.00	0.00	0.00	0.50	0.00	21.72	35.83	24.85	19.85	8.71	0.17	111.77
	Below Normal	0.00	0.00	0.00	0.00	0.58	0.00	17.73	31.23	28.90	11.96	8.08	0.00	98.48
	Dry	0.12	0.93	0.00	0.00	0.05	1.29	19.14	31.91	32.69	10.35	10.54	0.11	107.13
	Critical	0.00	0.00	0.00	0.00	0.29	2.83	9.62	19.01	30.13	13.79	5.06	2.34	83.06

Energy generated (GWh) at CVP San Luis: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.34	40.03	23.40	39.59	17.90	0.00	142.26
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	19.98	33.91	21.47	11.86	10.97	0.00	98.19
1924	Critical	0.00	0.00	0.00	0.00	0.00	6.50	7.69	18.10	30.54	21.07	16.92	0.00	100.82
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	20.59	46.55	29.34	17.44	15.91	0.00	129.83
1926	Dry	0.00	0.00	0.00	0.00	0.98	8.75	10.21	24.75	15.19	11.44	14.56	0.00	85.88
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.01	45.38	29.89	20.25	8.86	0.00	132.39
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.31	37.73	21.63	14.44	2.36	0.00	97.47
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	11.59	20.71	25.80	11.58	0.00	0.00	69.68
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	8.35	23.54	32.89	15.19	20.84	1.95	102.76
1931	Critical	0.00	0.00	0.00	0.00	0.00	1.77	11.00	20.76	34.11	27.08	17.43	0.00	112.15
1932	Dry	0.00	0.00	0.00	0.00	0.00	5.82	13.86	25.38	22.53	36.82	0.00	0.00	104.41
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	9.99	20.11	33.13	27.15	0.00	0.00	90.38
1934	Critical	0.00	0.00	0.00	0.00	0.00	11.09	11.66	22.13	36.90	27.96	0.00	0.00	109.74
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	9.29	33.62	16.28	13.50	16.49	0.00	89.18
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	12.19	32.49	29.65	17.36	21.70	0.00	113.39
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.15	47.40	22.64	21.09	0.00	102.28
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	4.84	17.10	16.71	40.89	31.26	0.00	110.80
1939	Dry	0.00	9.63	0.00	0.00	0.00	0.00	13.42	24.40	27.38	0.13	1.08	0.00	76.04
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	17.16	31.80	26.72	13.24	1.92	0.00	90.84
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	26.78	47.99	32.68	36.19	14.07	0.00	157.71
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.28	36.88	23.19	32.42	10.84	0.00	131.61
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.97	35.69	24.35	29.31	10.66	0.00	117.98
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	12.48	21.46	22.77	7.03	14.69	0.00	78.43
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	30.97	51.82	45.28	24.52	11.48	0.00	164.07
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	33.19	48.78	35.41	23.81	11.52	0.00	152.71
1947	Dry	0.00	0.00	0.00	0.00	0.00	7.77	25.14	39.40	31.11	9.94	17.11	0.00	130.47
1948	Below Normal	0.00	0.00	0.00	0.00	4.58	0.00	11.65	23.51	12.82	3.43	0.44	0.00	56.43
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.47	43.81	46.13	14.86	4.88	0.00	141.15
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	16.19	19.53	24.23	4.67	3.67	0.00	68.29
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	32.83	53.01	42.65	27.96	12.15	0.00	168.60
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	24.60	23.71	14.96	47.59	25.21	0.00	136.07
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	19.02	29.33	30.66	6.57	1.38	0.00	86.96
1954	Above Normal	2.09	0.00	0.00	0.00	0.00	0.00	21.20	29.70	24.92	13.40	0.32	0.00	91.63
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	21.93	38.40	47.36	4.05	20.53	0.00	132.27
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.90	57.38	33.47	28.86	16.95	0.00	168.56
1957	Above Normal	0.00	0.00	0.00	0.00	5.96	0.00	15.63	22.23	23.66	2.90	0.00	0.00	70.38
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.16	39.38	18.01	45.10	18.91	0.00	138.56
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	11.35	26.52	23.06	3.20	0.00	0.00	64.13
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.59	21.89	29.14	4.61	2.44	0.00	77.67
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	26.84	37.44	52.17	8.70	0.00	0.00	125.15
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	17.30	24.59	30.07	6.50	1.47	0.00	79.93
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	25.75	39.34	17.88	15.34	7.26	0.00	105.57
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.29	36.22	33.66	6.43	13.57	0.00	114.17
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	16.67	44.74	41.05	21.90	3.17	0.00	127.53
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	23.99	35.22	38.26	9.86	3.51	0.00	110.84
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	15.17	26.72	12.91	28.75	26.87	0.00	110.42
1968	Below Normal	0.00	0.00	0.00	0.00	3.49	0.00	12.80	27.16	25.03	3.35	0.16	0.00	71.99
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19.11	33.70	44.13	0.00	96.94
1970	Wet	0.00	13.01	0.00	0.00	0.00	0.00	35.36	51.73	48.26	32.07	11.43	0.00	191.86
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	16.70	26.97	21.52	5.36	0.00	0.00	70.55
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.39	31.68	34.38	6.65	1.56	0.00	96.66
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	29.53	47.96	33.95	15.33	9.39	0.00	136.16
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.69	51.60	26.54	35.10	4.85	0.00	149.78
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.04	35.98	22.72	16.14	1.15	0.00	104.03
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	7.87	24.29	30.37	19.85	20.37	7.30	110.05
1977	Critical	0.00	0.00	0.00	0.00	0.00	3.89	5.24	13.81	26.24	17.90	0.00	5.04	72.12
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	11.92	29.51	26.98	44.71	16.55	0.00	129.67
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	23.33	33.67	26.90	10.98	2.52	0.00	97.40
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	15.49	41.89	34.15	35.35	18.88	0.00	145.76
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	14.91	27.52	32.66	4.94	1.92	0.00	81.95
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.12	36.98	55.55	27.34	0.00	144.99
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.99	28.38	0.00	63.37
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.66	53.38	41.55	21.78	9.48	0.00	157.85
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.48	44.62	41.80	18.34	11.77	0.00	141.01
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.87	12.38	25.99	10.24	27.74	95.22
1987	Dry	2.17	4.64	0.00	0.00	0.00	0.00	15.66	24.18	21.20	6.71	15.39	0.00	89.95
1988	Critical	0.00	0.00	0.00	0.00	3.36	6.96	6.51	16.41	30.38	2.27	0.00	6.11	72.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	2.44	14.71	29.86	24.17	8.60	9.21	0.00	88.99
1990	Critical	0.00	0.00	0.00	0.00	0.00	4.08	8.12	16.52	24.49	0.00	5.35	0.00	58.56
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.03	3.86	15.52	18.83	5.41	5.59	0.00	49.24
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	10.56	16.02	21.58	9.30	0.00	3.80	61.26
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.86	37.36	18.64	10.67	0.00	0.00	93.53
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	21.40	29.46	44.66	2.32	0.00	0.00	97.84
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	7.33	6.76	14.68	11.61	16.34	0.00	56.72
1996	Wet	2.96	0.00	0.00	0.00	0.00	0.00	25.99	24.19	29.75	17.35	0.61	0.00	100.85
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	39.26	57.30	24.39	34.06	7.89	0.00	162.90
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	6.79	20.37	10.05	17.18	20.03	0.00	74.42
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	30.59	47.75	34.15	16.44	7.03	0.00	135.96
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	27.50	40.08	19.33	31.54	5.19	0.00	123.64
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.73	36.57	35.87	2.25	21.63	0.00	116.05
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	23.70	33.03	33.98	6.06	0.42	0.00	97.19
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.80	25.24	28.21	10.44	3.92	0.00	90.61
	Average	0.09	0.33	0.00	0.00	0.22	0.72	17.98	31.06	28.15	18.14	9.89	0.63	107.23
	Wet	0.11	0.50	0.00	0.00	0.00	0.00	19.60	33.22	24.53	27.33	14.01	1.07	120.37
	Above Normal	0.17	0.00	0.00	0.00	0.50	0.00	21.96	36.38	27.02	21.63	7.38	0.00	115.05
	Below Normal	0.00	0.00	0.00	0.00	0.58	0.00	17.47	30.98	29.30	11.60	7.61	0.00	97.54
	Dry	0.12	0.79	0.00	0.00	0.05	1.38	18.96	32.17	32.19	10.20	10.33	0.11	106.30
	Critical	0.00	0.00	0.00	0.00	0.28	2.86	9.62	19.49	29.75	14.32	5.47	1.85	83.65

Difference in Energy generated (GWh) at CVP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.17	(0.14)	2.35	(0.79)	(3.48)	0.00	(0.16)
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.25)	(0.44)	(0.24)	(0.39)	(0.17)	0.00	(0.12)
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.02	(0.01)	0.05	0.06	0.03	0.00	0.01
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.04	0.06	0.03	0.00	0.02
1926	Dry	0.00	0.00	0.00	0.00	0.03	(0.01)	(0.03)	(0.05)	(0.01)	(0.06)	0.07	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.03	0.02	0.00	0.01
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.01	(0.01)	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.01	0.01	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	1.65	(0.03)	(0.05)	(0.06)	(0.14)	0.00	0.00	0.11
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.38	0.25	0.59	1.31	2.12	0.00	0.00	0.39
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.30)	(0.30)	(0.56)	(1.10)	0.00	(0.19)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	0.00	(0.01)	0.00	(0.01)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.96	10.47	(1.37)	(2.11)	0.00	0.75
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	4.84	17.10	(1.97)	(5.80)	(9.08)	0.00	0.42
1939	Dry	0.00	(1.27)	0.00	0.00	0.00	0.00	(4.93)	(1.66)	(11.26)	(2.26)	(2.37)	0.00	(1.98)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.69	1.26	1.23	1.07	0.29	0.00	0.38
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.25)	11.96	(2.31)	8.58	(5.36)	0.00	1.05
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.24)	(0.41)	(0.35)	(0.43)	(0.16)	0.00	(0.13)
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.38)	(0.91)	(5.58)	(1.22)	(0.72)	0.00	(0.73)
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.16	(0.96)	0.82	(0.05)	0.00	0.01
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.47)	(0.74)	(1.07)	(0.83)	(0.52)	0.00	(0.30)
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.16)	0.97	(0.14)	(0.09)	0.00	0.04
1947	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.13	0.21	0.28	0.18	(0.51)	0.00	0.02
1948	Below Normal	0.00	0.00	0.00	0.00	0.03	0.00	0.01	(0.01)	(0.03)	0.00	(0.02)	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.09)	(0.08)	(0.09)	(0.04)	0.00	(0.03)
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.02	0.02	0.01	0.00	0.01
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.04)	(0.01)	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	11.07	0.90	(0.47)	(0.85)	2.06	0.00	1.06
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.28	5.07	2.31	0.24	(0.43)	0.00	0.71
1954	Above Normal	0.24	0.00	0.00	0.00	0.00	0.00	0.52	1.34	0.92	1.36	0.08	0.00	0.37
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.07	0.09	(0.11)	0.19	0.00	0.02
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.06)	(0.15)	1.38	0.00	0.10
1957	Above Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	(0.03)	(0.10)	(0.05)	0.00	0.00	0.00	(0.02)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	13.96	12.35	4.17	6.25	(6.00)	0.00	2.56
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.52	0.80	0.38	0.00	0.00	0.17
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.11)	(0.13)	(0.10)	0.21	0.00	(0.02)
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.03)	0.00	0.00	(0.01)
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.01	0.00	0.00	0.01
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.23)	(0.17)	(0.24)	(0.17)	0.00	(0.08)
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.06	0.11	0.06	0.05	0.00	0.03
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.73)	(1.94)	(1.81)	(2.23)	(2.35)	0.00	(0.76)
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.04)	(0.05)	(0.04)	(0.02)	0.00	(0.02)
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	10.06	0.54	(0.73)	7.99	(3.37)	0.00	1.21
1968	Below Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	0.04	0.04	0.04	(0.02)	(0.01)	0.00	0.01
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.31)	(0.47)	(0.55)	(1.24)	(0.21)
1970	Wet	0.00	(0.19)	0.00	0.00	0.00	0.00	(0.06)	(0.31)	(0.67)	(0.26)	1.04	0.00	(0.04)
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10	0.03	0.07	0.00	0.00	0.02
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.06	0.06	0.04	0.02	0.00	0.02
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.87	(0.75)	2.98	0.00	0.51
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.97)	(1.56)	(0.26)	(2.15)	(2.44)	0.00	(0.61)
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.35	0.31	0.31	0.11	0.00	0.11
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.03)	(0.05)	0.04	(0.07)	(0.03)	(0.01)
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.81	0.56	10.29	13.83	(14.08)	0.00	1.03
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(3.21)	(4.48)	(5.07)	(2.24)	(2.55)	0.00	(1.46)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.14	4.18	8.15	7.33	(1.55)	(2.00)	1.35
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.01	6.87	3.61	(0.09)	(0.16)	0.00	1.02
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.03	15.46	(3.42)	(3.52)	0.00	1.13
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.01
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	5.37	(1.03)	(0.72)	(0.75)	0.23
1987	Dry	(0.07)	(1.27)	0.00	0.00	0.00	0.00	(0.27)	(0.52)	(0.35)	(0.95)	(1.54)	0.00	(0.41)
1988	Critical	0.00	0.00	0.00	0.00	(0.06)	0.03	0.04	0.10	0.06	0.05	0.00	(0.02)	0.02
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.14)	(0.14)	(0.12)	(0.08)	0.00	(0.05)
1990	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.04)	5.38	(0.21)	0.00	5.35	(5.85)	0.39
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.18)	(0.37)	(0.14)	(0.40)	0.00	(0.10)
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.18)	(0.31)	(5.50)	4.23	0.00	0.08	(0.14)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.20)	(0.25)	(0.32)	(0.26)	(0.02)	0.00	(0.09)
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.22	0.24	0.08	0.00	0.00	0.05
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.91	6.76	5.20	(5.04)	(2.87)	0.00	0.41
1996	Wet	(2.25)	0.00	0.00	0.00	0.00	0.00	(1.71)	(2.43)	(2.70)	(2.51)	(0.84)	0.00	(1.04)
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	(0.04)	0.77	(0.80)	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.13	(0.42)	(1.85)	(2.29)	(1.74)	0.00	(0.43)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.19	0.24	0.20	0.11	0.00	0.07
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.19)	(0.28)	(0.34)	(0.11)	0.00	(0.08)
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	(0.09)	0.07	0.37	0.00	0.03
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.05)	(0.04)	(0.01)	0.00	0.00	(0.01)
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)	(0.05)	(0.03)	(0.01)	0.00	(0.01)
	Average	(0.03)	(0.03)	0.00	0.00	(0.00)	0.02	0.43	0.80	0.39	0.20	(0.70)	(0.12)	0.08
	Wet	(0.09)	(0.01)	0.00	0.00	0.00	0.00	1.50	2.00	0.53	(0.14)	(1.40)	(0.08)	0.20
	Above Normal	0.02	0.00	0.00	0.00	(0.00)	0.00	0.25	0.55	2.17	1.78	(1.33)	(0.17)	0.27
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)	(0.25)	0.40	(0.37)	(0.47)	0.00	(0.08)
	Dry	(0.00)	(0.14)	0.00	0.00	0.00	0.09	(0.18)	0.26	(0.50)	(0.15)	(0.21)	0.00	(0.07)
	Critical	0.00	0.00	0.00	0.00	(0.01)	0.03	0.00	0.48	(0.37)	0.54	0.41	(0.49)	0.05

Percent Difference in Energy generated (GWh) at CVP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	1%	0%	11%	-2%	-16%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-3%	-2%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	3%	0%	0%	0%	0%	-1%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	40%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	4%	2%	3%	4%	8%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-4%	-6%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	21%	28%	-6%	-9%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	-	-	-11%	-12%	-23%	0%
1939	Dry	0%	-12%	0%	0%	0%	0%	-27%	-6%	-29%	-95%	-69%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	4%	4%	5%	9%	18%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	-1%	33%	-7%	31%	-28%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	-2%	-2%	-19%	-4%	-6%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	1%	1%	-4%	13%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-3%	-4%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	3%	-1%	-1%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	1%	1%	1%	2%	-3%	0%
1948	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-4%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	82%	4%	-3%	-2%	9%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	7%	21%	8%	4%	-24%	0%
1954	Above Normal	13%	0%	0%	0%	0%	0%	3%	5%	4%	11%	33%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	1%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	436%	46%	30%	16%	-24%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	3%	2%	4%	13%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	9%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-2%	-2%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	-4%	-4%	-4%	-9%	-43%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	197%	2%	-5%	38%	-11%	0%
1968	Below Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	-1%	-6%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-2%	-1%	-1%	-100%
1970	Wet	0%	-1%	0%	0%	0%	0%	0%	-1%	-1%	-1%	10%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	13%	-5%	46%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-3%	-3%	-1%	-6%	-33%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	1%	1%	1%	2%	11%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1978	Above Normal	0%	0%	0%	0%	0%	0%	18%	2%	62%	45%	-46%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-12%	-12%	-16%	-17%	-50%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	1%	11%	31%	26%	-8%	-100%
1981	Dry	0%	0%	0%	0%	0%	0%	16%	33%	12%	-2%	-8%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	25%	72%	-6%	-11%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	77%	-4%	-7%	-3%
1987	Dry	-3%	-21%	0%	0%	0%	0%	-2%	-2%	-2%	-12%	-9%	0%
1988	Critical	0%	0%	0%	0%	-2%	0%	1%	1%	0%	2%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	-1%	-1%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	48%	-1%	0%	-	-100%
1991	Critical	0%	0%	0%	0%	0%	0%	-3%	-1%	-2%	-3%	-7%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-20%	83%	0%	2%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-100%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	1%	1%	1%	4%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	14%	-	55%	-30%	-15%	0%
1996	Wet	-43%	0%	0%	0%	0%	0%	-6%	-9%	-8%	-13%	-58%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-9%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	20%	-2%	-16%	-12%	-8%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	2%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	2%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	1%	9%	3%	3%	1%	-6%	-4%
	Wet	-2%	0%	0%	0%	0%	0%	28%	4%	6%	0%	-10%	-4%
	Above Normal	1%	0%	0%	0%	0%	0%	2%	2%	10%	7%	-6%	-8%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	1%	1%	-1%	-6%	0%
	Dry	0%	-2%	0%	0%	0%	2%	-1%	1%	-1%	-5%	-4%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	4%	-2%	8%	-1%	-8%

Energy generated (GWh) at Folsom Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	24.88	34.92	31.01	26.88	68.96	54.63	70.25	149.23	147.70	47.64	67.59	82.34	806.03
1923	Below Normal	30.25	41.78	85.78	71.76	64.77	29.71	47.34	78.16	49.36	90.55	34.69	56.67	680.82
1924	Critical	48.58	29.92	30.85	25.37	19.97	11.98	11.75	12.18	8.36	8.69	8.53	7.56	223.74
1925	Dry	11.58	11.63	11.70	11.92	74.91	36.52	77.95	78.13	65.80	88.59	63.22	26.24	558.19
1926	Dry	24.59	29.87	31.27	26.13	21.00	13.69	55.99	27.62	55.14	42.60	28.06	12.68	368.64
1927	Wet	22.45	23.12	25.38	56.31	117.65	73.16	123.55	81.46	92.01	84.85	37.11	56.24	793.29
1928	Above Normal	33.19	71.19	31.65	27.91	26.18	132.56	76.87	32.45	50.03	84.95	38.41	32.91	638.30
1929	Critical	22.85	23.49	25.03	20.72	15.87	18.62	18.41	20.78	24.43	25.00	24.03	21.39	260.62
1930	Dry	14.28	14.06	15.62	16.03	15.10	42.63	29.72	31.49	51.96	63.93	30.18	23.55	348.55
1931	Critical	31.77	23.81	24.15	20.38	15.55	12.40	12.03	12.67	10.85	12.64	11.26	23.92	211.43
1932	Dry	22.00	9.69	10.03	12.08	34.82	33.89	29.88	61.16	85.43	60.98	57.47	65.27	482.70
1933	Critical	35.15	41.07	31.09	25.79	19.55	21.78	25.29	23.50	55.32	58.51	24.63	20.69	382.37
1934	Critical	11.10	19.24	11.21	11.89	11.37	9.14	41.32	48.32	57.90	11.24	19.62	7.53	259.88
1935	Below Normal	10.15	9.89	9.94	11.16	11.42	26.76	90.56	72.30	75.16	90.26	31.73	53.21	492.54
1936	Below Normal	45.45	30.40	31.82	81.28	122.38	68.82	86.56	69.79	83.38	90.51	31.95	62.25	804.59
1937	Below Normal	45.44	30.06	31.22	25.83	37.52	70.77	69.67	67.35	37.99	90.11	31.62	61.63	599.21
1938	Wet	25.25	32.20	106.58	45.18	119.88	135.30	127.11	149.15	147.86	59.41	73.94	80.77	1,102.63
1939	Dry	25.38	35.75	32.15	26.87	20.46	13.05	13.67	24.02	24.91	46.42	16.07	12.20	290.95
1940	Above Normal	20.32	19.33	19.52	42.88	123.35	133.80	98.90	53.93	32.80	90.10	43.78	78.57	757.28
1941	Wet	26.93	39.07	28.16	78.96	113.90	78.98	60.33	86.73	55.96	42.11	70.67	82.53	764.33
1942	Wet	25.87	46.74	67.33	132.80	119.14	39.72	96.45	115.68	125.07	57.18	73.46	80.99	980.43
1943	Wet	26.73	75.34	51.66	131.67	102.88	131.94	83.71	43.10	51.45	90.40	32.11	81.55	902.54
1944	Dry	34.88	40.45	29.19	25.24	19.70	22.05	23.02	24.83	45.90	47.55	37.11	24.78	374.70
1945	Below Normal	22.60	23.26	25.31	25.75	107.85	33.16	35.06	59.74	45.48	90.37	44.23	46.60	559.41
1946	Below Normal	43.08	44.76	133.09	81.58	37.44	49.55	56.62	62.34	33.20	90.25	47.34	31.58	710.83
1947	Dry	46.38	30.62	32.68	27.60	22.05	39.69	19.34	20.58	53.41	49.11	32.17	24.04	397.67
1948	Below Normal	22.66	22.24	22.68	19.58	15.99	26.71	28.29	58.32	86.92	62.96	46.98	65.30	478.63
1949	Dry	27.26	34.96	32.74	27.48	21.02	43.49	53.15	41.34	34.74	84.79	56.17	34.67	491.81
1950	Below Normal	24.35	29.24	30.22	27.43	79.24	51.51	75.49	69.94	69.67	90.38	31.84	58.48	637.79
1951	Above Normal	46.35	120.45	110.11	108.02	101.77	57.72	49.02	60.56	32.74	89.47	38.28	64.50	878.99
1952	Wet	24.25	39.18	67.08	133.06	124.17	99.11	138.00	148.47	147.29	77.01	81.71	72.85	1,152.18
1953	Wet	26.45	56.71	32.35	108.87	33.74	29.19	41.10	48.22	108.36	74.18	62.57	67.46	689.20
1954	Above Normal	34.35	47.26	32.27	27.54	42.14	72.67	69.48	32.46	31.89	85.87	29.60	24.92	530.45
1955	Dry	24.36	29.19	30.84	26.38	27.81	23.27	23.28	25.26	30.35	49.49	41.97	24.64	356.84
1956	Wet	24.08	28.86	121.76	122.27	87.04	30.29	46.94	119.39	101.02	53.81	73.99	78.23	887.68
1957	Above Normal	30.52	51.22	31.17	26.12	21.91	73.09	29.66	47.55	48.68	90.21	47.97	43.73	541.83
1958	Wet	25.20	30.67	32.53	41.60	119.30	106.75	137.26	148.98	132.93	52.74	75.17	69.77	972.90
1959	Below Normal	25.77	50.52	31.48	26.68	26.64	14.02	14.22	15.14	25.45	82.06	15.03	12.58	339.59
1960	Dry	22.53	22.19	22.76	19.03	17.05	48.84	33.67	26.92	26.09	36.07	40.97	26.24	342.36
1961	Dry	24.31	29.29	30.68	25.43	19.38	13.23	13.57	14.62	14.68	50.74	13.41	12.55	261.89
1962	Below Normal	13.94	13.78	14.71	11.78	34.25	32.80	62.07	33.85	32.53	89.43	50.96	31.13	421.23
1963	Wet	56.69	68.72	54.05	64.59	115.09	28.35	107.01	122.78	54.06	81.29	32.15	57.28	842.06
1964	Dry	38.30	67.38	32.80	39.84	27.00	27.99	27.59	29.47	30.03	57.35	39.01	24.83	441.59
1965	Wet	23.18	24.86	113.09	114.86	70.58	27.68	88.02	64.17	62.14	90.64	32.33	82.50	794.05
1966	Below Normal	43.42	32.46	31.88	27.97	25.47	13.80	24.25	15.48	21.57	82.98	18.31	13.23	350.82
1967	Wet	23.62	25.49	40.62	107.41	63.91	94.76	64.57	144.98	147.29	70.22	74.19	78.24	935.30
1968	Below Normal	25.64	51.54	33.24	27.68	99.17	33.18	20.48	21.70	20.87	81.04	18.85	18.10	451.49
1969	Wet	22.86	24.31	26.42	125.32	117.30	55.72	104.43	149.30	114.02	49.74	71.78	80.92	942.12
1970	Wet	25.42	42.64	80.27	122.30	83.47	39.38	29.13	31.30	31.11	84.94	31.96	57.93	659.85
1971	Wet	22.04	24.02	67.78	75.58	49.64	64.64	38.81	61.97	85.94	68.73	51.87	72.04	683.06
1972	Below Normal	25.56	50.04	32.32	31.13	46.27	67.43	29.64	31.80	31.54	85.13	31.42	24.49	486.77
1973	Above Normal	24.15	29.65	43.73	132.50	100.81	56.04	36.56	73.98	56.94	82.40	30.84	48.90	716.50
1974	Wet	24.99	100.31	115.10	128.82	60.85	131.73	104.00	83.42	71.83	58.07	74.59	71.94	1,025.65
1975	Wet	25.77	53.81	31.65	26.84	35.56	74.59	33.31	89.18	108.33	55.85	65.46	70.90	671.25
1976	Critical	25.88	69.95	32.02	26.72	20.95	12.59	12.51	13.20	13.69	16.66	13.06	12.37	269.60
1977	Critical	12.29	11.68	11.65	10.82	10.06	7.60	5.15	4.57	5.21	5.36	15.89	4.82	105.10
1978	Above Normal	5.63	6.31	6.44	27.42	66.41	90.25	68.81	65.49	72.41	86.74	32.21	61.52	589.64
1979	Below Normal	25.83	36.25	32.14	27.24	49.33	55.88	29.84	74.38	69.43	61.90	30.68	25.87	518.77
1980	Above Normal	34.35	35.93	36.87	124.96	112.80	58.06	47.25	50.59	54.88	51.55	73.27	82.10	762.61
1981	Dry	25.21	45.94	31.08	26.73	24.43	12.79	13.85	14.82	22.53	53.78	16.76	12.71	300.63
1982	Wet	22.94	69.81	122.72	115.18	103.03	115.27	133.62	149.24	104.67	54.39	73.33	75.57	1,139.77
1983	Wet	35.60	126.80	132.74	119.35	117.25	131.03	109.08	148.81	146.00	105.26	85.83	82.56	1,340.31
1984	Wet	27.39	126.69	115.26	90.67	74.14	47.12	29.77	44.57	48.90	89.54	31.53	46.41	771.99
1985	Dry	35.41	64.28	40.39	28.59	25.74	20.56	34.04	23.18	54.47	49.56	37.07	18.47	431.76
1986	Wet	23.11	24.56	26.75	49.44	105.01	125.92	45.03	46.84	63.35	88.64	31.10	76.06	705.81
1987	Dry	24.29	29.42	30.38	25.11	19.29	12.34	13.12	17.50	27.05	35.17	11.45	10.21	255.33
1988	Critical	11.28	11.85	11.64	11.70	16.42	14.59	9.03	12.15	18.57	17.07	11.50	10.41	156.21
1989	Dry	12.84	12.57	13.25	13.63	11.53	133.84	70.72	60.43	78.84	52.41	30.54	27.60	518.20
1990	Critical	23.16	24.92	26.15	21.86	16.88	17.31	17.73	18.54	28.38	31.58	24.55	16.93	267.99
1991	Critical	21.80	19.65	19.72	15.74	11.19	13.09	16.24	17.61	30.56	45.69	49.29	20.63	281.21
1992	Critical	11.16	10.80	10.98	10.93	10.71	6.69	21.03	24.31	25.31	67.83	6.28	4.42	210.45
1993	Above Normal	6.06	5.53	9.94	13.65	86.65	116.43	70.18	92.53	91.56	68.15	46.51	64.86	672.05
1994	Critical	30.26	49.23	31.51	26.19	19.92	16.16	16.24	17.25	25.30	28.14	17.38	16.03	293.61
1995	Wet	18.23	17.72	19.04	123.28	68.18	129.77	114.31	148.43	147.33	86.44	78.23	72.26	1,023.22
1996	Wet	44.42	42.86	36.44	87.86	118.66	101.60	77.09	142.50	55.75	67.77	43.89	79.27	898.11
1997	Wet	41.88	56.38	125.05	109.48	82.59	27.33	29.01	31.86	31.60	85.98	29.83	66.36	717.35
1998	Wet	20.64	20.01	20.56	74.90	118.26	99.78	92.49	109.43	147.06	73.40	76.09	73.83	926.45
1999	Wet	25.97	62.89	47.68	91.77	118.77	71.69	45.82	85.62	83.61	74.01	39.52	80.91	828.26
2000	Above Normal	29.30	49.16	30.84	33.20	123.00	67.87	44.31	37.27	35.51	88.45	30.71	37.73	607.35
2001	Dry	26.03	35.58	30.95	25.72	19.50	12.68	13.18	14.43	21.91	35.50	19.00	12.62	267.10
2002	Dry	18.02	12.13	19.44	55.70	49.31	52.11	34.72	32.46	32.35	84.12	43.14	26.27	459.77
2003	Above Normal	25.60	29.43	31.49	54.11	36.23	28.88	39.40	88.03	47.41	90.12	31.58	57.35	559.63
	Average	26.51	38.30	41.62	52.54	58.13	53.31	51.93	59.80	59.87	64.96	40.49	45.39	592.85
	Wet	27.38	49.38	65.69	95.32	93.85	80.42	80.77	99.83	94.81	72.18	57.86	72.90	890.38
	Above Normal	26.23	41.70	34.59	53.77	75.85	78.50	58.39	65.34	58.55	79.64	42.56	56.62	671.72
	Below Normal	28.87	33.30	38.99	35.49	54.12	41.01	47.86	52.16	48.75	84.14	33.26	40.08	538.04
	Dry	25.43	30.83	26.55	25.53	26.12	33.48	32.25	31.57	41.98	54.90	34.10	23.31	386.04
	Critical	23.77	27.97	22.17	19.01	15.70	13.50	17.23	18.76	25.32	27.37	18.84	13.89	243.52

Energy generated (GWh) at Folsom Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	24.88	34.92	31.01	26.88	68.96	54.63	70.25	149.23	147.70	47.64	67.59	82.34	806.03
1923	Below Normal	30.25	41.79	85.76	71.76	64.93	29.70	47.17	78.17	49.38	90.54	34.51	56.89	680.85
1924	Critical	48.39	29.93	30.87	25.38	19.98	11.99	11.76	12.19	8.41	8.74	8.57	7.61	223.82
1925	Dry	11.59	11.63	11.70	11.92	74.91	36.52	77.95	78.13	65.84	88.58	63.29	26.24	558.30
1926	Dry	24.59	29.86	31.26	26.12	20.90	13.68	55.99	27.61	55.27	42.58	28.02	12.67	368.55
1927	Wet	22.44	23.11	25.36	56.30	117.65	73.16	123.55	81.46	92.01	84.87	37.10	56.23	793.24
1928	Above Normal	33.19	71.21	31.65	27.90	26.18	132.56	76.87	32.45	50.04	84.95	38.41	32.92	638.33
1929	Critical	22.85	23.49	25.03	20.72	15.87	18.62	18.41	20.78	24.43	25.00	24.02	21.39	260.61
1930	Dry	14.28	14.06	15.61	16.02	15.10	42.64	29.72	31.49	51.94	63.98	30.17	23.55	348.56
1931	Critical	31.76	23.81	24.15	20.38	15.55	12.40	12.03	12.67	10.85	12.65	11.24	23.92	211.41
1932	Dry	22.00	9.69	10.03	12.08	34.83	33.89	29.88	61.16	85.43	60.94	57.50	65.27	482.70
1933	Critical	35.11	41.05	31.09	25.79	19.56	21.78	25.29	23.51	55.30	58.50	24.64	20.70	382.32
1934	Critical	11.82	19.26	11.18	11.87	11.35	9.06	41.26	48.27	57.75	11.21	19.09	7.53	259.65
1935	Below Normal	10.15	9.89	9.94	11.16	11.42	26.76	90.57	72.30	75.16	90.26	31.73	53.21	492.55
1936	Below Normal	45.45	30.40	31.82	81.28	122.38	68.82	86.56	69.79	83.38	90.51	31.95	62.25	804.59
1937	Below Normal	45.43	30.06	31.22	25.83	37.53	70.77	69.67	67.35	37.99	90.11	31.62	61.61	599.19
1938	Wet	25.25	32.22	106.58	45.18	119.88	135.30	127.11	149.15	147.86	59.41	73.94	80.80	1,102.68
1939	Dry	25.38	35.76	32.15	26.86	20.46	13.04	20.43	22.40	23.77	46.23	13.66	12.14	292.28
1940	Above Normal	19.63	18.71	18.92	43.27	123.35	133.80	98.90	53.93	32.80	90.10	43.68	78.58	755.67
1941	Wet	26.96	38.80	28.20	79.31	113.90	78.98	60.33	86.73	55.96	42.11	70.67	82.53	764.48
1942	Wet	26.18	47.55	66.11	132.80	119.14	39.72	96.45	115.68	125.07	57.18	73.46	81.00	980.34
1943	Wet	26.74	75.26	51.74	131.67	102.88	131.94	83.71	43.10	51.45	89.24	32.15	81.68	901.56
1944	Dry	31.77	44.17	29.64	24.87	19.74	22.08	23.05	24.86	47.77	46.73	36.76	24.55	375.99
1945	Below Normal	22.60	23.30	25.35	25.79	107.80	33.16	35.07	59.76	45.50	90.36	44.26	46.62	559.57
1946	Below Normal	42.78	45.11	133.09	81.59	37.44	49.55	56.62	62.34	33.20	90.25	47.35	34.65	713.97
1947	Dry	46.16	30.46	32.52	27.46	21.27	37.25	19.39	20.63	53.18	49.15	32.38	23.95	393.80
1948	Below Normal	22.66	22.23	22.66	19.57	15.97	26.71	28.29	58.34	86.92	62.94	47.00	65.30	478.59
1949	Dry	27.26	34.96	32.74	27.48	21.02	43.49	53.15	41.34	34.73	84.80	56.15	34.74	491.86
1950	Below Normal	24.35	29.23	30.22	27.35	79.24	51.51	75.49	69.94	69.67	90.38	31.84	58.48	637.70
1951	Above Normal	46.46	120.43	110.11	108.02	101.77	57.72	49.02	60.56	32.74	89.47	38.27	64.48	879.05
1952	Wet	24.25	39.20	67.09	133.06	124.17	99.11	138.00	148.47	147.29	77.01	81.71	72.81	1,152.17
1953	Wet	26.26	62.50	32.03	102.68	33.74	29.18	41.15	48.22	108.36	74.21	62.54	67.46	688.33
1954	Above Normal	34.12	47.07	32.29	27.56	42.61	72.67	69.48	32.46	31.89	85.87	29.60	24.92	530.54
1955	Dry	24.36	29.19	30.84	26.38	27.85	23.27	23.28	25.26	30.35	49.55	41.82	24.64	356.79
1956	Wet	24.09	28.87	121.76	122.27	87.04	30.29	46.94	119.39	101.02	53.81	73.99	78.24	887.71
1957	Above Normal	30.52	51.23	31.17	26.12	21.90	73.09	29.66	47.55	48.68	90.21	47.97	43.74	541.84
1958	Wet	25.20	30.67	32.53	41.59	119.30	106.75	137.26	148.98	132.93	52.74	75.17	69.64	972.76
1959	Below Normal	25.77	54.97	31.20	26.44	22.04	14.02	14.22	15.14	25.47	82.05	14.97	12.58	338.87
1960	Dry	22.45	22.25	22.73	19.01	17.03	48.81	33.74	26.93	26.09	36.10	40.92	26.63	342.69
1961	Dry	24.29	29.27	30.65	25.40	19.36	13.23	13.56	14.62	14.67	50.79	13.40	12.54	261.78
1962	Below Normal	13.73	13.58	14.52	11.62	34.55	32.80	62.07	33.84	32.53	89.43	50.96	31.13	420.76
1963	Wet	56.70	68.72	54.05	64.59	115.09	28.35	107.01	122.78	54.06	81.29	32.15	57.27	842.06
1964	Dry	38.30	67.36	32.80	39.86	27.00	27.99	27.59	29.47	30.03	57.35	39.01	24.84	441.60
1965	Wet	23.18	24.86	113.08	114.86	70.58	27.68	88.02	64.17	62.14	90.43	32.34	82.52	793.86
1966	Below Normal	43.40	32.27	31.90	27.99	25.49	13.81	24.73	15.48	21.59	83.17	18.24	13.23	351.30
1967	Wet	23.61	25.44	40.50	107.41	63.91	94.76	64.57	144.98	147.29	70.22	74.19	78.93	935.81
1968	Below Normal	25.62	56.77	32.11	27.43	93.48	33.18	20.48	21.70	20.87	81.04	18.85	18.10	449.63
1969	Wet	22.86	24.31	26.42	125.32	117.30	55.72	104.43	149.30	114.02	49.74	71.78	80.92	942.12
1970	Wet	25.42	42.66	80.25	122.30	83.47	39.37	29.13	31.30	31.11	84.94	31.94	58.10	659.99
1971	Wet	21.98	24.02	67.66	75.58	49.64	64.64	38.81	61.97	85.94	68.68	51.92	72.01	682.85
1972	Below Normal	25.56	50.07	32.32	31.13	46.27	67.43	29.64	31.80	31.54	85.13	31.43	24.49	486.81
1973	Above Normal	24.15	29.65	43.72	132.50	100.81	56.04	36.56	73.98	56.94	82.33	30.84	50.18	717.70
1974	Wet	24.94	99.00	115.10	128.82	60.85	131.73	104.00	83.42	71.83	58.07	74.59	71.94	1,024.29
1975	Wet	25.77	53.47	31.67	26.86	35.91	74.59	33.31	89.18	108.33	55.84	65.47	70.90	671.30
1976	Critical	25.88	70.04	32.01	26.72	20.95	12.59	12.51	13.20	13.68	16.63	13.05	12.37	269.63
1977	Critical	12.29	11.68	11.65	10.82	10.06	7.60	5.15	4.57	5.21	5.36	15.89	4.82	105.10
1978	Above Normal	5.63	6.31	6.44	27.42	66.41	90.28	68.81	65.49	72.41	86.73	32.21	61.67	589.81
1979	Below Normal	26.01	44.34	31.63	26.82	40.37	55.88	29.87	74.42	69.73	67.93	30.41	25.63	523.04
1980	Above Normal	33.61	30.75	36.38	124.96	112.80	58.06	47.25	50.59	54.88	51.55	73.27	82.48	756.58
1981	Dry	25.20	47.17	30.97	26.63	24.34	12.75	13.80	14.77	22.36	53.56	16.49	12.68	300.72
1982	Wet	22.89	69.03	122.72	115.20	103.03	115.27	133.62	149.24	104.67	54.39	73.33	75.57	1,138.96
1983	Wet	35.60	126.80	132.74	119.35	117.25	131.03	109.08	148.81	146.00	105.26	85.83	82.56	1,340.31
1984	Wet	27.39	126.69	115.26	90.67	74.14	47.12	29.77	44.57	48.90	89.54	31.53	46.41	771.99
1985	Dry	35.42	64.28	40.39	28.59	25.74	20.56	34.04	23.18	54.47	49.56	37.07	18.47	431.77
1986	Wet	23.11	24.56	26.75	49.44	105.01	125.92	45.03	46.84	63.35	88.64	31.10	76.07	705.82
1987	Dry	24.29	29.42	30.38	25.10	19.29	12.34	13.12	17.56	26.22	35.88	11.45	10.21	255.26
1988	Critical	11.29	11.85	11.64	11.70	16.76	14.65	9.02	12.13	18.56	17.03	11.50	10.40	156.53
1989	Dry	12.75	12.49	13.17	13.54	11.53	133.86	70.72	60.53	78.96	52.40	30.48	27.59	518.02
1990	Critical	23.15	24.91	26.14	21.85	16.88	17.31	17.73	18.54	28.37	31.54	23.70	16.96	267.08
1991	Critical	22.05	19.91	19.97	15.92	11.30	13.22	16.40	17.79	30.51	45.40	49.66	20.54	282.67
1992	Critical	11.11	10.74	10.92	10.88	10.67	6.68	21.00	24.05	25.77	67.45	5.77	4.42	209.46
1993	Above Normal	6.06	5.53	9.94	13.66	86.65	116.43	70.18	92.53	91.56	68.09	46.45	64.89	671.97
1994	Critical	30.35	49.16	31.52	26.19	19.93	16.17	16.25	17.26	25.42	28.33	17.27	16.04	293.89
1995	Wet	18.17	17.67	18.99	123.28	68.19	129.77	114.31	148.43	147.33	86.44	78.23	72.26	1,023.07
1996	Wet	44.42	49.41	32.01	85.03	118.66	101.60	77.09	142.50	55.75	67.80	43.86	79.30	897.43
1997	Wet	41.17	56.51	125.13	109.48	82.59	27.33	29.01	31.86	31.60	85.98	29.83	66.30	716.79
1998	Wet	20.70	20.00	20.58	74.88	118.26	99.78	92.49	109.43	147.06	73.40	76.09	73.83	926.50
1999	Wet	25.97	62.89	47.68	91.77	118.77	71.69	45.82	85.62	83.61	73.98	39.55	80.91	828.26
2000	Above Normal	29.33	49.19	30.83	33.14	123.00	67.87	44.31	37.27	35.51	88.45	30.71	37.74	607.35
2001	Dry	26.02	35.59	30.95	25.72	19.50	12.68	13.18	14.43	22.00	35.47	18.81	12.62	266.97
2002	Dry	18.15	12.13	19.43	55.70	49.31	52.11	34.72	32.46	32.35	84.14	43.13	26.64	460.27
2003	Above Normal	25.42	29.41	31.48	53.88	36.23	28.88	39.40	88.03	47.41	90.12	31.58	57.37	559.21
	Average	26.44	38.64	41.51	52.41	57.90	53.28	52.02	59.78	59.88	65.01	40.43	45.47	592.76
	Wet	27.36	49.78	65.46	94.99	93.86	80.41	80.77	99.83	94.81	72.12	57.86	72.93	890.18
	Above Normal	26.08	41.20	34.50	53.78	75.89	78.50	58.39	65.34	58.55	79.63	42.55	56.78	671.17
	Below Normal	28.84	34.57	38.84	35.41	52.78	41.01	47.89	52.17	48.78	84.58	33.22	40.30	538.39
	Dry	25.24	31.10	26.55	25.49	26.07	33.34	32.63	31.49	41.97	54.88	33.92	23.33	386.00
	Critical	23.84	27.99	22.18	19.02	15.74	13.51	17.23	18.75	25.36	27.32	18.70	13.89	243.51

Difference in Energy generated (GWh) at Folsom Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.01	(0.02)	0.00	0.16	(0.01)	(0.17)	0.01	0.02	(0.01)	(0.18)	0.22	0.00
1924	Critical	(0.19)	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.05	0.05	0.04	0.05	0.01
1925	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	(0.01)	0.07	0.00	0.01
1926	Dry	0.00	(0.01)	(0.01)	(0.01)	(0.10)	(0.01)	0.00	(0.01)	0.13	(0.02)	(0.04)	(0.01)	(0.01)
1927	Wet	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	(0.01)	0.00
1928	Above Normal	0.00	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1930	Dry	0.00	0.00	(0.01)	(0.01)	0.00	0.01	0.00	0.00	(0.02)	0.05	(0.01)	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.04)	0.03	0.00	0.00
1933	Critical	(0.04)	(0.02)	0.00	0.00	0.01	0.00	0.00	0.01	(0.02)	(0.01)	0.01	0.01	0.00
1934	Critical	0.72	0.02	(0.03)	(0.02)	(0.02)	(0.08)	(0.06)	(0.05)	(0.15)	(0.03)	(0.53)	0.00	(0.02)
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00
1938	Wet	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1939	Dry	0.00	0.01	0.00	(0.01)	0.00	(0.01)	6.76	(1.62)	(1.14)	(0.19)	(2.41)	(0.06)	0.11
1940	Above Normal	(0.69)	(0.62)	(0.60)	0.39	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	0.01	(0.13)
1941	Wet	0.03	(0.27)	0.04	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1942	Wet	0.31	0.81	(1.22)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)
1943	Wet	0.01	(0.08)	0.08	0.00	0.00	0.00	0.00	0.00	0.00	(1.16)	0.04	0.13	(0.08)
1944	Dry	(3.11)	3.72	0.45	(0.37)	0.04	0.03	0.03	0.03	1.87	(0.82)	(0.35)	(0.23)	0.11
1945	Below Normal	0.00	0.04	0.04	0.04	(0.05)	0.00	0.01	0.02	0.02	(0.01)	0.03	0.02	0.01
1946	Below Normal	(0.30)	0.35	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	3.07	0.26
1947	Dry	(0.22)	(0.16)	(0.16)	(0.14)	(0.78)	(2.44)	0.05	0.05	(0.23)	0.04	0.21	(0.09)	(0.32)
1948	Below Normal	0.00	(0.01)	(0.02)	(0.01)	(0.02)	0.00	0.00	0.02	0.00	(0.02)	0.02	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	(0.02)	0.07	0.00
1950	Below Normal	0.00	(0.01)	0.00	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1951	Above Normal	0.11	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.01
1952	Wet	0.00	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00
1953	Wet	(0.19)	5.79	(0.32)	(6.19)	0.00	(0.01)	0.05	0.00	0.00	0.03	(0.03)	0.00	(0.07)
1954	Above Normal	(0.23)	(0.19)	0.02	0.02	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1955	Dry	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.06	(0.15)	0.00	0.00
1956	Wet	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1957	Above Normal	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1958	Wet	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.01)
1959	Below Normal	0.00	4.45	(0.28)	(0.24)	(4.60)	0.00	0.00	0.00	0.02	(0.01)	(0.06)	0.00	(0.06)
1960	Dry	(0.08)	0.06	(0.03)	(0.02)	(0.02)	(0.03)	0.07	0.01	0.00	0.03	(0.05)	0.39	0.03
1961	Dry	(0.02)	(0.02)	(0.03)	(0.03)	(0.02)	0.00	(0.01)	0.00	(0.01)	0.05	(0.01)	(0.01)	(0.01)
1962	Below Normal	(0.21)	(0.20)	(0.19)	(0.16)	0.30	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.04)
1963	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1964	Dry	0.00	(0.02)	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1965	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.21)	0.01	0.02	(0.02)
1966	Below Normal	(0.02)	(0.19)	0.02	0.02	0.02	0.01	0.48	0.00	0.02	0.19	(0.07)	0.00	0.04
1967	Wet	(0.01)	(0.05)	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.04
1968	Below Normal	(0.02)	5.23	(1.13)	(0.25)	(5.69)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.02	(0.02)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.02)	0.17	0.01
1971	Wet	(0.06)	0.00	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.05	(0.03)	(0.02)
1972	Below Normal	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1973	Above Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	1.28	0.10
1974	Wet	(0.05)	(1.31)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)
1975	Wet	0.00	(0.34)	0.02	0.02	0.35	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1976	Critical	0.00	0.09	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	(0.01)	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	(0.01)	0.00	0.15	0.01
1979	Below Normal	0.18	8.09	(0.51)	(0.42)	(8.96)	0.00	0.03	0.04	0.30	6.03	(0.27)	(0.24)	0.36
1980	Above Normal	(0.74)	(5.18)	(0.49)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	(0.50)
1981	Dry	(0.01)	1.23	(0.11)	(0.10)	(0.09)	(0.04)	(0.05)	(0.05)	(0.17)	(0.22)	(0.27)	(0.03)	0.01
1982	Wet	(0.05)	(0.78)	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1987	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.06	(0.83)	0.71	0.00	0.00	(0.01)
1988	Critical	0.01	0.00	0.00	0.00	0.34	0.06	(0.01)	(0.02)	(0.01)	(0.04)	0.00	(0.01)	0.03
1989	Dry	(0.09)	(0.08)	(0.08)	(0.09)	0.00	0.02	0.00	0.10	0.12	(0.01)	(0.06)	(0.01)	(0.01)
1990	Critical	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(0.04)	(0.85)	0.03	(0.08)
1991	Critical	0.25	0.26	0.25	0.18	0.11	0.13	0.16	0.18	(0.05)	(0.29)	0.37	(0.09)	0.12
1992	Critical	(0.05)	(0.06)	(0.06)	(0.05)	(0.04)	(0.01)	(0.03)	(0.26)	0.46	(0.38)	(0.51)	0.00	(0.08)
1993	Above Normal	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.06)	0.03	(0.01)
1994	Critical	0.09	(0.07)	0.01	0.00	0.01	0.01	0.01	0.01	0.12	0.19	(0.11)	0.01	0.02
1995	Wet	(0.06)	(0.05)	(0.05)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1996	Wet	0.00	6.55	(4.43)	(2.83)	0.00	0.00	0.00	0.00	0.00	0.03	(0.03)	0.03	(0.06)
1997	Wet	(0.71)	0.13	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.05)
1998	Wet	0.06	(0.01)	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.03	0.00	0.00
2000	Above Normal	0.03	0.03	(0.01)	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
2001	Dry	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.09	(0.03)	(0.19)	0.00	(0.01)
2002	Dry	0.13	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	0.37	0.04
2003	Above Normal	(0.18)	(0.02)	(0.01)	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.03)
	Average	(0.07)	0.33	(0.11)	(0.13)	(0.23)	(0.03)	0.09	(0.02)	0.01	0.05	(0.07)	0.08	(0.01)
	Wet	(0.03)	0.40	(0.23)	(0.33)	0.01	(0.00)	0.00	0.00	0.00	(0.05)	0.00	0.03	(0.02)
	Above Normal	(0.14)	(0.50)	(0.09)	0.01	0.04	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.16	(0.05)
	Below Normal	(0.03)	1.27	(0.15)	(0.08)	(1.35)	(0.00)	0.03	0.01	0.03	0.44	(0.04)	0.22	0.03
	Dry	(0.19)	0.26	0.00	(0.04)	(0.05)	(0.14)	0.38	(0.08)	(0.01)	(0.02)	(0.18)	0.02	(0.00)
	Critical	0.06	0.02	0.01	0.01	0.03	0.01	0.01	(0.01)	0.03	(0.05)	(0.14)	(0.00)	(0.00)

Percent Difference in Energy generated (GWh) at Folsom Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	1%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	6%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	-3%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	49%	-7%	-5%	0%	-15%	0%
1940	Above Normal	-3%	-3%	-3%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	2%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1944	Dry	-9%	9%	2%	-1%	0%	0%	0%	0%	4%	-2%	-1%	-1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%
1947	Dry	0%	-1%	0%	-1%	-4%	-6%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-1%	10%	-1%	-6%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	9%	-1%	-1%	-17%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-2%	-1%	-1%	-1%	1%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1968	Below Normal	0%	10%	-3%	-1%	-6%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1974	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	1%	22%	-2%	-2%	-18%	0%	0%	0%	0%	10%	-1%	-1%
1980	Above Normal	-2%	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	3%	0%	0%	0%	0%	0%	0%	-1%	0%	-2%	0%
1982	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%	0%
1988	Critical	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1991	Critical	1%	1%	1%	1%	1%	1%	1%	1%	0%	-1%	1%	0%
1992	Critical	0%	-1%	-1%	0%	0%	0%	0%	-1%	2%	-1%	-8%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	15%	-12%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	3%	-1%	0%	-3%	0%	0%	0%	0%	1%	0%	1%
	Dry	-1%	1%	0%	0%	0%	0%	3%	0%	0%	0%	-1%	0%
	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%

Energy generated (GWh) at Judge Francis Carr: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	111.95	16.42	8.48	8.48	7.66	3.39	8.21	0.00	4.71	50.89	50.89	65.66	336.74
1923	Below Normal	25.44	16.42	8.48	3.39	3.06	6.42	8.21	8.48	41.04	67.86	76.33	49.25	314.38
1924	Critical	25.44	16.42	4.96	53.34	3.17	10.91	18.21	6.13	8.21	50.89	50.89	32.83	281.40
1925	Dry	0.00	0.00	0.00	78.36	0.00	0.56	3.28	0.00	24.62	59.37	33.93	24.62	224.74
1926	Dry	8.48	3.28	3.39	3.39	3.06	6.48	3.28	8.48	24.62	59.37	42.41	46.35	212.59
1927	Wet	8.48	3.28	3.39	3.39	0.00	3.39	0.00	0.00	1.13	50.89	50.89	65.66	190.50
1928	Above Normal	42.41	16.42	8.48	8.48	3.17	0.00	3.28	0.00	3.48	22.63	67.85	65.66	241.86
1929	Critical	25.44	16.42	8.48	111.80	3.06	8.48	13.97	8.48	32.83	84.81	50.89	32.83	397.49
1930	Dry	8.48	3.28	4.18	3.39	3.06	3.39	4.38	8.48	32.83	42.41	60.77	32.83	207.48
1931	Critical	8.48	3.28	3.43	3.39	3.06	6.42	13.56	4.19	8.21	50.89	68.52	28.44	201.87
1932	Dry	1.06	16.60	0.00	27.60	0.00	0.00	0.00	0.00	13.32	50.89	39.44	8.21	157.12
1933	Critical	11.38	5.34	1.17	0.50	0.09	8.67	0.00	0.00	8.21	50.89	8.48	8.21	102.94
1934	Critical	40.92	0.00	0.00	0.00	0.00	0.00	13.38	6.02	8.21	50.89	111.89	108.34	339.65
1935	Below Normal	16.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.21	50.89	8.48	8.21	92.47
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	3.39	3.28	0.00	4.62	33.93	42.41	32.83	120.46
1937	Below Normal	8.48	0.00	0.00	0.00	0.00	0.00	0.00	3.39	8.21	59.37	33.93	24.62	138.00
1938	Wet	8.48	0.00	0.00	3.39	0.00	0.00	0.00	0.00	0.00	2.23	50.89	60.13	125.12
1939	Dry	66.17	8.33	17.43	3.39	3.06	0.00	70.90	30.91	58.79	111.54	111.54	79.19	561.25
1940	Above Normal	29.90	33.90	3.39	3.39	0.00	0.00	8.21	0.00	24.62	67.85	67.85	49.25	288.36
1941	Wet	25.44	16.42	0.00	0.00	0.00	0.00	0.00	68.25	15.22	111.54	66.12	89.13	392.12
1942	Wet	63.43	16.42	71.08	0.00	0.00	3.39	10.81	0.00	0.00	60.04	54.74	83.74	363.65
1943	Wet	60.13	16.42	33.26	24.48	12.61	39.56	9.22	0.00	8.03	50.89	50.89	65.66	371.15
1944	Dry	42.41	16.42	8.48	8.48	7.93	44.40	14.06	8.48	49.43	111.54	76.33	49.25	437.21
1945	Below Normal	8.48	3.28	3.39	8.48	0.00	3.39	8.12	0.00	24.62	50.89	59.37	49.25	219.27
1946	Below Normal	8.48	0.00	0.00	0.00	3.06	3.39	6.19	0.00	24.62	50.89	67.85	49.25	213.73
1947	Dry	25.44	16.42	8.48	4.64	3.06	3.39	11.49	8.48	24.62	59.37	76.33	34.61	276.33
1948	Below Normal	8.48	3.28	4.11	3.39	7.93	8.48	8.21	0.00	0.00	0.98	50.89	2.08	97.83
1949	Dry	0.00	0.00	3.48	4.17	3.06	0.00	3.28	0.00	24.62	50.89	67.85	49.25	206.60
1950	Below Normal	25.44	16.42	8.48	8.48	7.66	3.39	8.21	8.48	24.62	67.85	59.37	49.25	287.65
1951	Above Normal	25.44	0.00	0.00	0.00	0.00	6.34	41.57	0.00	1.88	50.89	67.85	65.66	259.63
1952	Wet	42.41	16.42	0.00	0.00	0.00	8.54	80.75	0.00	3.50	96.55	56.86	84.23	389.26
1953	Wet	60.06	0.00	19.96	0.00	13.35	15.30	29.82	0.00	0.00	38.08	59.42	89.37	325.36
1954	Above Normal	60.70	45.62	29.76	19.21	0.00	76.82	75.42	0.00	1.40	50.89	50.89	65.66	476.37
1955	Dry	42.41	16.42	8.48	45.27	3.06	6.32	4.98	8.48	24.62	67.85	67.85	49.25	344.99
1956	Wet	25.44	16.42	0.00	0.00	0.00	28.28	45.62	0.00	0.00	50.89	37.22	55.63	259.50
1957	Above Normal	63.40	3.03	8.48	8.48	7.66	31.75	3.77	0.00	1.37	50.89	50.89	65.66	295.38
1958	Wet	28.14	43.53	55.70	59.76	3.06	0.00	0.00	81.01	0.00	95.26	61.77	85.56	513.79
1959	Below Normal	61.17	0.02	8.48	64.59	2.26	17.93	46.50	0.00	49.25	67.85	89.12	82.08	489.25
1960	Dry	25.44	16.42	8.48	8.48	7.93	3.39	6.56	0.00	1.17	50.89	67.85	49.25	245.86
1961	Dry	25.44	16.42	0.00	3.39	0.00	0.00	4.55	0.00	3.05	50.89	67.85	65.66	237.25
1962	Below Normal	25.44	16.42	8.48	3.39	0.00	3.39	3.61	0.00	24.62	50.89	67.85	49.25	253.34
1963	Wet	0.00	0.00	0.00	3.39	0.00	0.00	0.00	0.00	1.12	50.89	50.89	95.95	202.24
1964	Dry	42.41	16.42	0.08	22.76	28.20	6.36	13.23	8.48	41.04	69.62	86.45	49.25	384.30
1965	Wet	25.44	16.42	0.00	0.00	3.06	4.56	0.00	0.00	4.84	50.89	50.89	49.25	205.35
1966	Below Normal	25.44	16.42	8.48	3.39	3.06	4.65	55.21	0.00	10.53	50.89	111.54	65.66	355.27
1967	Wet	42.41	16.42	2.01	32.08	17.89	29.41	0.00	0.00	0.00	64.34	58.84	86.91	350.31
1968	Below Normal	66.79	3.47	11.40	19.21	0.00	24.15	10.86	0.00	20.02	67.85	67.85	65.66	357.26
1969	Wet	25.44	16.42	8.48	0.00	0.00	0.00	0.00	24.34	0.00	50.89	50.89	54.13	230.59
1970	Wet	61.91	0.32	111.95	67.34	0.00	23.36	10.24	0.00	45.11	67.85	67.85	82.08	538.01
1971	Wet	33.93	16.42	0.00	0.00	3.06	1.09	18.40	0.00	0.00	0.00	50.89	80.14	203.93
1972	Below Normal	59.64	5.61	12.11	30.90	4.56	111.95	3.68	0.00	5.48	0.00	93.30	65.66	392.89
1973	Above Normal	25.44	0.00	0.00	0.00	0.00	11.02	13.71	0.00	0.28	50.89	93.30	65.66	260.30
1974	Wet	25.44	0.00	0.00	64.41	2.65	0.00	16.38	0.00	0.00	50.24	56.76	83.41	299.29
1975	Wet	59.27	0.00	8.48	3.39	3.06	0.00	8.21	0.00	0.00	81.42	56.17	84.39	304.39
1976	Critical	66.37	16.39	20.37	111.95	3.17	3.79	5.80	8.48	68.35	111.47	76.33	49.25	541.72
1977	Critical	8.48	13.80	31.24	12.05	13.30	8.05	16.58	3.39	8.21	50.89	111.95	8.21	286.15
1978	Above Normal	74.17	0.15	1.85	0.00	0.00	0.00	0.00	0.00	0.00	50.89	50.89	49.25	227.20
1979	Below Normal	25.44	0.00	0.08	0.00	0.00	3.39	5.57	3.39	24.62	50.89	59.37	49.25	222.00
1980	Above Normal	21.91	0.00	0.00	0.00	0.00	3.39	3.28	0.00	24.62	50.89	67.85	65.66	237.60
1981	Dry	25.44	8.21	8.48	8.48	3.06	3.39	6.59	3.39	24.62	73.26	100.36	49.25	314.53
1982	Wet	25.44	0.00	0.00	0.00	0.00	37.65	0.00	0.00	0.00	50.89	7.02	20.31	141.31
1983	Wet	77.54	19.91	0.00	0.00	0.00	1.67	0.00	78.11	105.16	111.54	84.81	95.45	574.19
1984	Wet	68.49	68.36	0.00	57.96	3.17	20.26	10.28	0.00	8.85	50.89	93.30	49.25	430.81
1985	Dry	42.41	0.00	0.00	42.04	3.06	5.56	12.90	13.20	62.73	111.54	111.54	49.25	454.23
1986	Wet	25.44	3.28	3.39	3.39	0.00	0.00	76.77	0.00	24.62	67.85	67.85	65.66	338.25
1987	Dry	25.44	16.42	8.48	8.48	7.66	3.39	13.24	8.48	41.04	111.54	111.54	70.57	426.28
1988	Critical	28.38	5.27	3.39	3.39	3.17	8.48	33.79	8.48	35.76	84.81	50.89	32.83	298.64
1989	Dry	8.48	3.28	3.39	62.00	3.06	3.39	3.99	0.00	24.62	59.37	42.41	32.83	246.82
1990	Critical	8.48	3.28	3.47	3.39	3.06	4.59	14.87	3.39	8.21	42.41	50.89	32.83	178.87
1991	Critical	8.48	3.28	3.47	3.49	3.28	0.00	9.10	3.39	8.21	50.89	50.89	8.21	152.69
1992	Critical	0.00	0.00	3.49	3.48	0.00	0.00	1.53	3.39	8.21	50.89	111.54	44.16	226.69
1993	Above Normal	0.00	40.94	0.00	0.00	0.00	3.39	3.28	0.00	0.00	0.00	50.89	32.83	131.33
1994	Critical	12.12	0.00	8.48	3.39	3.06	3.76	14.59	25.48	50.52	76.33	84.81	32.83	315.37
1995	Wet	8.48	3.28	3.39	0.00	0.00	0.00	0.00	0.00	0.00	32.59	57.39	82.52	187.65
1996	Wet	59.34	0.00	53.30	37.33	0.00	52.53	16.57	0.00	1.53	50.89	50.89	49.25	371.63
1997	Wet	25.44	16.42	0.00	0.00	3.06	3.39	45.20	0.00	41.04	67.85	84.81	49.25	336.46
1998	Wet	33.93	17.99	3.39	0.00	0.00	0.00	32.14	0.00	99.27	111.54	68.13	85.33	451.72
1999	Wet	60.62	35.67	38.23	19.17	0.00	38.92	5.57	0.00	0.00	50.89	50.89	62.22	362.18
2000	Above Normal	59.16	17.69	13.70	61.53	0.00	0.00	71.13	0.00	1.34	50.89	50.89	90.29	416.62
2001	Dry	25.44	16.42	8.48	8.48	3.06	3.39	3.28	15.22	49.25	111.54	111.54	49.25	405.35
2002	Dry	67.98	16.42	8.48	0.00	3.06	3.39	10.31	0.00	24.62	50.89	67.85	49.25	302.25
2003	Above Normal	25.44	16.42	0.00	0.00	3.06	3.39	0.00	0.00	1.95	65.54	93.30	90.29	299.39
	Average	31.86	11.05	9.21	15.70	2.95	9.81	14.16	5.83	18.27	59.28	64.88	55.19	298.20
	Wet	37.71	13.84	16.00	14.60	2.50	11.97	16.00	9.68	13.82	60.30	57.58	71.33	325.34
	Above Normal	44.99	15.88	6.18	9.13	1.80	11.62	19.32	0.00	5.47	46.93	63.61	64.29	289.23
	Below Normal	26.10	5.81	5.25	10.37	2.26	13.85	11.98	1.70	19.32	47.93	63.40	45.88	253.84
	Dry	26.83	10.60	5.54	19.04	4.74	5.38	10.57	6.78	30.53	72.38	74.66	46.56	313.62
	Critical	20.33	6.96	7.66	25.85	3.20	5.26	12.95	6.74	21.10	63.01	69.00	34.91	276.96

Energy generated (GWh) at Judge Francis Carr: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	111.95	16.42	8.48	8.48	7.66	3.39	8.21	0.00	4.71	50.89	50.89	65.66	336.74
1923	Below Normal	25.44	16.42	8.48	3.39	3.06	6.42	8.21	8.48	41.04	67.85	76.33	49.25	314.37
1924	Critical	25.44	16.42	4.96	53.21	3.17	10.91	18.21	6.13	8.21	50.89	50.89	32.83	281.27
1925	Dry	0.00	0.00	0.00	78.77	0.00	0.56	3.28	0.00	24.62	59.37	33.93	24.62	225.15
1926	Dry	8.48	3.28	3.39	3.39	3.06	6.48	3.28	8.48	24.62	59.37	42.41	46.31	212.55
1927	Wet	8.48	3.28	3.39	3.39	0.00	3.39	0.00	0.00	1.13	50.89	50.89	65.66	190.50
1928	Above Normal	42.41	16.42	8.48	8.48	3.17	0.00	3.28	0.00	3.48	22.56	67.85	65.66	241.79
1929	Critical	25.44	16.42	8.48	111.80	3.06	8.48	13.97	8.48	32.83	84.81	50.89	32.83	397.49
1930	Dry	8.48	3.28	4.05	3.39	3.06	3.39	4.38	8.48	32.83	42.41	60.91	32.83	207.49
1931	Critical	8.48	3.28	3.43	3.39	3.06	6.42	13.56	4.19	8.21	50.89	69.63	27.20	201.74
1932	Dry	2.56	16.60	0.00	26.52	0.00	0.00	0.00	0.00	12.89	50.89	40.14	8.21	157.81
1933	Critical	11.53	5.38	1.17	0.50	0.09	7.79	0.00	0.00	8.21	50.89	8.48	8.21	102.25
1934	Critical	40.92	0.00	0.72	0.00	0.00	0.00	13.38	6.02	8.21	50.89	111.89	108.34	340.37
1935	Below Normal	15.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.21	50.89	8.48	8.21	91.78
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	3.39	3.28	0.00	4.62	33.93	42.41	32.83	120.46
1937	Below Normal	8.48	0.00	0.00	0.00	0.00	0.00	0.00	3.39	8.21	59.37	33.93	24.62	138.00
1938	Wet	8.48	0.00	0.00	3.39	0.00	0.00	0.00	0.00	0.00	2.23	50.89	60.13	125.12
1939	Dry	66.17	8.33	17.43	3.39	3.06	0.00	23.71	40.71	76.60	111.54	111.54	84.60	547.08
1940	Above Normal	37.89	34.53	3.39	3.39	0.00	0.00	8.21	0.00	24.62	67.85	67.85	82.08	329.81
1941	Wet	25.44	16.42	0.00	0.00	0.00	0.00	0.00	68.25	15.22	111.54	66.12	89.13	392.12
1942	Wet	63.43	16.42	81.27	0.00	0.00	3.39	10.81	0.00	0.00	60.04	54.74	83.74	373.84
1943	Wet	60.13	16.42	33.26	23.84	12.61	39.56	9.22	0.00	8.03	50.89	50.89	65.66	370.51
1944	Dry	42.41	16.42	8.48	8.48	7.93	42.75	14.06	8.48	49.38	111.54	76.33	49.25	435.51
1945	Below Normal	8.48	3.28	3.39	8.48	0.00	3.39	8.12	0.00	24.62	50.89	59.37	49.25	219.27
1946	Below Normal	8.48	0.00	0.00	0.00	3.06	3.39	6.19	0.00	24.62	50.89	67.85	49.25	213.73
1947	Dry	25.44	16.42	8.48	4.64	3.06	3.39	11.49	8.48	24.62	59.37	76.33	35.37	277.09
1948	Below Normal	8.48	3.28	4.11	3.39	7.93	8.48	8.21	0.00	0.00	0.98	50.89	2.08	97.83
1949	Dry	0.00	0.00	3.48	4.17	3.06	0.00	3.28	0.00	24.62	50.89	67.85	49.25	206.60
1950	Below Normal	25.44	16.42	8.48	8.48	7.66	3.39	8.21	8.48	24.62	67.85	59.37	49.25	287.65
1951	Above Normal	25.44	0.00	0.00	0.00	0.00	6.98	41.42	0.00	1.88	50.89	67.85	65.66	260.12
1952	Wet	42.41	16.42	0.00	0.00	0.00	8.69	80.75	0.00	3.50	96.55	56.86	84.23	389.41
1953	Wet	60.06	0.00	19.96	0.00	13.35	15.30	29.76	0.00	0.00	38.14	59.42	89.37	325.36
1954	Above Normal	60.70	45.62	29.76	19.21	0.00	76.82	75.42	0.00	1.40	50.89	50.89	65.66	476.37
1955	Dry	42.41	16.42	8.48	47.12	3.06	6.32	4.98	8.48	24.62	67.85	67.85	49.25	346.84
1956	Wet	25.44	16.42	0.00	0.00	0.00	28.28	45.62	0.00	0.00	50.89	37.26	55.59	259.50
1957	Above Normal	63.40	3.03	8.48	8.48	7.66	31.75	3.77	0.00	1.37	50.89	50.89	65.66	295.38
1958	Wet	28.14	43.53	55.70	59.76	3.06	0.00	0.00	81.01	0.00	95.26	61.77	85.56	513.79
1959	Below Normal	61.17	0.02	8.48	64.59	2.26	17.93	46.59	0.00	49.25	67.85	89.36	82.08	489.58
1960	Dry	25.44	16.42	8.48	8.48	7.93	3.39	6.56	0.00	1.17	50.89	67.85	49.25	245.86
1961	Dry	25.44	16.42	0.00	3.39	0.00	0.00	4.55	0.00	3.05	50.89	67.85	65.66	237.25
1962	Below Normal	25.44	16.42	8.48	3.39	0.00	3.39	3.61	0.00	24.62	50.89	67.85	49.25	253.34
1963	Wet	0.00	0.00	0.00	3.39	0.00	0.00	0.00	0.00	1.12	50.89	50.89	95.98	202.27
1964	Dry	42.41	16.42	0.08	22.69	28.21	6.36	13.23	8.48	41.04	69.64	86.52	49.25	384.33
1965	Wet	25.44	16.42	0.00	0.00	3.06	4.56	0.00	0.00	4.84	50.89	50.89	49.25	205.35
1966	Below Normal	25.44	16.42	8.48	3.39	3.06	4.65	55.21	0.00	10.53	50.89	111.54	65.66	355.27
1967	Wet	42.41	16.42	2.01	32.08	17.89	29.41	0.00	0.00	0.00	64.34	58.84	86.91	350.31
1968	Below Normal	66.79	3.47	11.40	19.21	0.00	24.15	10.86	0.00	20.02	67.85	67.85	65.66	357.26
1969	Wet	25.44	16.42	8.48	0.00	0.00	0.00	0.00	24.34	0.00	50.89	50.89	54.13	230.59
1970	Wet	61.91	0.32	111.95	67.34	0.00	23.36	10.24	0.00	45.11	67.85	67.85	82.08	538.01
1971	Wet	34.77	16.42	0.00	0.00	3.06	0.25	18.39	0.00	0.00	0.00	50.89	80.15	203.93
1972	Below Normal	59.64	5.61	12.11	30.90	4.56	111.95	3.68	0.00	5.48	0.00	93.30	65.66	392.89
1973	Above Normal	25.44	0.00	0.00	0.00	0.00	11.02	13.71	0.00	0.28	50.89	93.30	65.66	260.30
1974	Wet	25.44	0.00	0.00	64.41	2.65	0.00	16.38	0.00	0.00	50.24	56.76	83.41	299.29
1975	Wet	59.27	0.00	8.48	3.39	3.06	0.00	8.21	0.00	0.00	81.42	56.17	84.39	304.39
1976	Critical	66.37	16.39	20.37	111.95	3.17	3.79	5.80	8.48	69.32	111.15	76.33	49.25	542.37
1977	Critical	8.48	13.75	31.16	12.02	12.82	8.05	16.58	3.39	8.21	50.89	111.95	8.21	285.51
1978	Above Normal	74.15	0.15	1.85	0.00	0.00	0.00	0.00	0.00	0.00	50.89	50.89	49.25	227.18
1979	Below Normal	25.44	0.00	3.39	3.39	3.06	0.00	5.57	8.48	24.62	50.89	59.37	49.25	233.46
1980	Above Normal	8.48	0.00	0.00	0.00	0.00	3.39	3.28	0.00	24.62	50.89	67.85	65.66	224.17
1981	Dry	25.44	16.42	8.48	8.48	3.06	3.39	6.59	3.39	24.62	71.29	102.81	49.25	323.22
1982	Wet	25.44	0.00	0.00	0.00	0.00	37.65	0.00	0.00	0.00	50.89	7.19	20.14	141.31
1983	Wet	77.54	19.91	0.00	0.00	0.00	1.67	0.00	78.11	105.16	111.54	84.81	95.45	574.19
1984	Wet	68.49	68.36	0.00	57.96	3.17	20.26	10.28	0.00	8.85	50.89	93.30	49.25	430.81
1985	Dry	42.41	0.00	0.00	42.04	3.06	5.56	12.90	13.21	62.77	111.54	111.54	49.25	454.28
1986	Wet	25.44	3.28	3.39	3.39	0.00	0.00	76.73	0.00	24.62	67.85	67.85	65.66	338.21
1987	Dry	25.44	16.42	8.48	8.48	7.66	3.39	13.24	8.48	41.04	111.54	111.54	71.69	427.40
1988	Critical	30.86	5.27	3.39	3.39	3.17	8.08	33.51	8.48	35.04	84.81	50.89	32.83	299.72
1989	Dry	8.48	3.28	3.39	63.10	3.06	3.39	3.99	0.00	24.62	59.37	42.41	32.83	247.92
1990	Critical	8.48	3.28	3.47	3.39	3.06	4.59	14.87	3.39	8.21	42.41	50.89	32.83	178.87
1991	Critical	8.48	3.28	3.47	3.49	3.28	0.00	9.10	3.39	8.21	50.89	50.89	8.21	152.69
1992	Critical	0.00	0.00	3.49	3.48	0.00	0.00	1.53	3.39	8.21	50.89	111.54	44.89	227.42
1993	Above Normal	0.00	50.11	0.00	0.00	0.00	0.00	3.28	0.00	0.00	0.00	50.89	32.83	137.11
1994	Critical	11.18	0.00	8.48	3.39	3.06	3.76	14.59	24.47	48.76	76.33	84.81	32.83	311.66
1995	Wet	8.48	3.28	3.39	0.00	0.00	0.00	0.00	0.00	0.00	27.35	57.39	82.52	182.41
1996	Wet	59.34	0.00	53.30	37.33	0.00	52.53	16.57	0.00	1.53	50.89	50.89	49.25	371.63
1997	Wet	25.44	16.42	0.00	0.00	3.06	3.39	45.22	0.00	41.04	67.85	84.81	49.25	336.48
1998	Wet	33.93	17.32	3.39	0.00	0.00	0.00	32.14	0.00	99.27	111.54	68.13	85.33	451.05
1999	Wet	60.62	35.67	38.23	19.17	0.00	38.92	5.57	0.00	0.00	50.89	50.89	62.22	362.18
2000	Above Normal	59.16	17.69	13.70	61.53	0.00	0.00	71.13	0.00	1.34	50.89	50.89	90.29	416.62
2001	Dry	25.44	16.42	8.48	8.48	3.06	3.39	3.28	15.31	49.25	111.54	111.54	49.25	405.44
2002	Dry	67.98	16.42	8.48	0.00	3.06	3.39	10.31	0.00	24.62	50.89	67.85	49.25	302.25
2003	Above Normal	25.44	16.42	0.00	0.00	3.06	3.39	0.00	0.00	1.95	65.45	93.30	90.29	299.30
	Average	31.84	11.26	9.38	15.76	2.98	9.69	13.58	6.00	18.47	59.19	64.94	55.67	298.75
	Wet	37.75	13.81	16.39	14.57	2.50	11.95	16.00	9.68	13.82	60.10	57.59	71.32	325.48
	Above Normal	44.54	16.70	6.18	9.13	1.80	11.40	19.31	0.00	5.47	46.92	63.61	67.03	292.07
	Below Normal	26.05	5.81	5.49	10.62	2.48	13.61	11.98	2.06	19.32	47.93	63.42	45.88	254.64
	Dry	26.91	11.05	5.54	19.17	4.74	5.29	7.95	7.33	31.50	72.27	74.84	46.97	313.56
	Critical	20.47	6.96	7.72	25.83	3.16	5.16	12.93	6.65	20.97	62.98	69.09	34.87	276.78

Difference in Energy generated (GWh) at Judge Francis Carr: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1925	Dry	0.00	0.00	0.00	0.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.00	(0.01)
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.11	(1.24)	(0.01)
1932	Dry	1.50	0.00	0.00	(1.08)	0.00	0.00	0.00	0.00	(0.43)	0.00	0.70	0.00	0.06
1933	Critical	0.15	0.04	0.00	0.00	0.00	(0.88)	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)
1934	Critical	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1935	Below Normal	(0.69)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(47.19)	9.80	17.81	0.00	0.00	5.41	(1.18)
1940	Above Normal	7.99	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	32.83	3.45
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	10.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.85
1943	Wet	0.00	0.00	0.00	(0.64)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1944	Dry	0.00	0.00	0.00	0.00	0.00	(1.65)	0.00	0.00	(0.05)	0.00	0.00	0.00	(0.14)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.76	0.06
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.64	(0.15)	0.00	0.00	0.00	0.00	0.00	0.04
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.06	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	1.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	(0.04)	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.24	0.00	0.03
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1964	Dry	0.00	0.00	0.00	(0.07)	0.01	0.00	0.00	0.00	0.00	0.02	0.07	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.84	0.00	0.00	0.00	0.00	(0.84)	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.97	(0.32)	0.00	0.00	0.05
1977	Critical	0.00	(0.05)	(0.08)	(0.03)	(0.48)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1978	Above Normal	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	3.31	3.39	3.06	(3.39)	0.00	5.09	0.00	0.00	0.00	0.00	0.96
1980	Above Normal	(13.43)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.12)
1981	Dry	0.00	8.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.97)	2.45	0.00	0.72
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	(0.17)	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.04	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.12	0.09
1988	Critical	2.48	0.00	0.00	0.00	0.00	(0.40)	(0.28)	0.00	(0.72)	0.00	0.00	0.00	0.09
1989	Dry	0.00	0.00	0.00	1.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73	0.06
1993	Above Normal	0.00	9.17	0.00	0.00	0.00	(3.39)	0.00	0.00	0.00	0.00	0.00	0.00	0.48
1994	Critical	(0.94)	0.00	0.00	0.00	0.00	0.00	0.00	(1.01)	(1.76)	0.00	0.00	0.00	(0.31)
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(5.24)	0.00	0.00	(0.44)
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	(0.67)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.01
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	0.00	0.00	(0.01)
	Average	(0.03)	0.21	0.17	0.06	0.03	(0.12)	(0.58)	0.17	0.19	(0.09)	0.06	0.48	0.05
	Wet	0.03	(0.03)	0.39	(0.02)	0.00	(0.03)	(0.00)	0.00	0.00	(0.20)	0.01	(0.01)	0.01
	Above Normal	(0.45)	0.82	0.00	0.00	0.00	(0.23)	(0.01)	0.00	0.00	(0.01)	0.00	2.74	0.24
	Below Normal	(0.05)	0.00	0.24	0.24	0.22	(0.24)	0.01	0.36	0.00	(0.00)	0.02	0.00	0.07
	Dry	0.08	0.46	(0.01)	0.12	0.00	(0.09)	(2.62)	0.55	0.97	(0.11)	0.19	0.40	(0.01)
	Critical	0.14	(0.00)	0.05	(0.01)	(0.04)	(0.11)	(0.02)	(0.08)	(0.13)	(0.03)	0.09	(0.04)	(0.02)

Percent Difference in Energy generated (GWh) at Judge Francis Carr: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-4%
1932	Dry	142%	0%	0%	-4%	0%	0%	0%	0%	-3%	0%	2%	0%
1933	Critical	1%	1%	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-67%	32%	30%	0%	0%	7%
1940	Above Normal	27%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	10%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	2%	0%	0%	0%	0%	-77%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	>1,000%	-	-	-100%	0%	150%	0%	0%	0%	0%
1980	Above Normal	-61%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	100%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-1%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1988	Critical	9%	0%	0%	0%	0%	-5%	-1%	0%	-2%	0%	0%	0%
1989	Dry	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1993	Above Normal	0%	22%	0%	0%	0%	-100%	0%	0%	0%	0%	0%	0%
1994	Critical	-8%	0%	0%	0%	0%	0%	0%	-4%	-3%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-16%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	1%	1%	0%	0%	0%	-3%	-1%	2%	0%	0%	0%	1%
	Wet	0%	0%	1%	0%	0%	-3%	0%	0%	0%	-1%	0%	0%
	Above Normal	-3%	2%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	6%
	Below Normal	0%	0%	0%	0%	0%	-7%	0%	11%	0%	0%	0%	0%
	Dry	8%	6%	0%	0%	0%	0%	-4%	2%	2%	0%	0%	1%
	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%

Energy generated (GWh) at Keswick Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	33.32	30.85	18.10	15.79	19.51	21.60	23.04	39.48	55.50	59.94	52.54	42.78	412.45
1923	Below Normal	27.68	33.67	19.29	17.60	14.26	15.79	15.28	46.65	49.91	57.88	47.78	22.59	368.38
1924	Critical	25.58	23.10	20.12	15.79	14.77	19.85	34.66	35.87	45.27	50.43	43.99	27.15	356.58
1925	Dry	18.80	15.28	15.79	14.93	13.49	16.60	17.40	28.88	43.82	57.09	47.13	26.77	315.98
1926	Dry	27.19	20.17	16.93	15.79	14.26	19.91	18.62	30.58	50.68	61.05	43.97	27.74	346.89
1927	Wet	22.43	16.33	21.04	21.60	66.14	20.45	44.75	41.76	48.68	59.00	49.92	70.85	482.95
1928	Above Normal	28.63	20.04	19.29	21.44	15.49	54.29	17.32	32.18	55.22	67.44	50.77	46.89	429.00
1929	Critical	28.29	25.90	16.01	15.79	14.26	15.79	27.50	33.97	43.43	57.00	55.92	23.76	357.62
1930	Dry	24.93	20.19	15.79	15.79	14.26	15.79	21.16	25.87	44.02	48.86	39.45	19.71	305.82
1931	Critical	20.74	17.14	15.79	15.79	14.26	15.79	41.17	34.17	39.92	53.63	44.72	18.20	331.32
1932	Dry	17.29	13.51	14.93	14.93	13.97	15.79	24.62	21.28	31.45	35.96	31.05	17.42	252.20
1933	Critical	18.97	14.99	13.96	14.93	14.26	15.79	24.12	26.21	33.49	38.40	54.90	27.64	297.66
1934	Critical	24.10	14.73	15.23	15.79	14.26	15.79	24.78	28.74	37.00	50.70	35.43	18.67	295.22
1935	Below Normal	10.63	12.19	15.79	15.79	14.26	15.79	15.28	20.50	43.54	50.14	42.47	21.88	278.26
1936	Below Normal	21.45	18.88	16.91	15.79	18.68	21.60	20.90	28.11	37.49	55.81	42.92	21.38	319.92
1937	Below Normal	24.73	20.70	15.79	15.79	14.26	15.79	15.28	24.84	39.16	52.24	42.22	22.69	303.49
1938	Wet	19.29	22.28	75.85	21.60	65.43	70.99	54.10	41.63	44.71	53.40	49.78	53.49	572.55
1939	Dry	30.77	31.53	15.79	15.79	17.16	15.79	38.21	38.25	53.15	67.44	52.23	28.09	404.20
1940	Above Normal	27.12	26.82	16.83	15.79	67.96	75.02	20.90	31.45	51.39	67.44	51.96	30.56	483.24
1941	Wet	27.77	25.07	28.73	73.57	67.11	61.05	60.13	60.64	45.56	58.70	59.91	65.26	633.50
1942	Wet	34.90	40.36	58.65	75.76	65.82	21.60	20.90	47.19	40.61	55.52	54.13	64.22	579.66
1943	Wet	34.12	43.76	19.29	41.73	35.05	57.18	23.33	35.98	46.28	65.96	49.48	61.33	513.49
1944	Dry	29.17	39.87	19.52	19.19	14.77	15.79	28.09	25.41	39.57	59.77	44.57	21.60	357.32
1945	Below Normal	23.48	19.75	17.66	15.79	19.51	21.60	22.90	27.21	43.21	58.21	46.91	25.77	342.00
1946	Below Normal	30.29	22.55	74.37	34.92	19.51	21.60	31.66	36.84	50.13	60.37	49.87	27.14	459.25
1947	Dry	28.95	21.53	15.79	18.04	14.26	15.79	26.44	42.36	44.55	64.31	47.57	30.10	369.69
1948	Below Normal	20.80	18.15	18.19	15.81	14.77	15.79	19.84	42.43	41.13	57.52	49.30	27.06	340.79
1949	Dry	31.27	21.28	19.29	17.56	18.29	37.15	24.21	31.67	49.65	57.94	48.96	29.84	387.11
1950	Below Normal	30.32	23.02	20.11	19.41	19.51	21.60	17.91	30.88	42.26	51.01	42.69	21.47	340.19
1951	Above Normal	32.43	39.76	67.65	34.80	63.57	19.51	33.64	26.98	51.16	67.44	49.84	34.25	521.03
1952	Wet	27.70	33.28	45.72	38.85	70.84	51.56	72.76	42.23	35.91	56.47	56.27	49.99	581.58
1953	Wet	39.10	36.04	25.83	72.56	19.51	21.60	24.84	41.18	43.27	59.15	48.81	64.67	496.56
1954	Above Normal	27.02	47.41	19.29	51.35	68.43	51.18	54.83	35.02	46.66	67.44	50.85	48.04	567.52
1955	Dry	29.31	27.30	21.59	20.22	16.69	15.97	25.98	25.41	43.30	61.73	42.49	20.33	350.32
1956	Wet	25.40	18.87	72.73	71.99	69.90	21.60	20.90	49.84	43.53	50.54	44.03	57.43	546.76
1957	Above Normal	34.79	48.20	20.18	19.67	19.31	38.98	25.92	42.35	47.26	67.44	47.41	37.20	448.71
1958	Wet	29.18	38.87	47.35	62.73	64.56	69.47	51.90	42.40	41.75	61.72	60.02	53.27	623.22
1959	Below Normal	38.88	43.38	21.06	32.18	55.59	15.79	36.84	38.18	58.88	67.03	54.96	20.66	483.43
1960	Dry	30.63	23.80	20.98	16.97	15.82	17.44	30.15	23.61	57.35	65.49	43.03	28.77	374.04
1961	Dry	26.84	20.78	24.43	15.79	41.49	28.80	28.76	34.31	49.24	67.44	53.59	31.13	422.60
1962	Below Normal	31.25	27.46	19.29	17.69	58.02	16.59	28.11	36.14	48.28	61.97	47.66	24.34	416.80
1963	Wet	35.58	24.54	41.22	21.60	35.50	29.01	69.82	25.84	44.37	66.23	47.30	65.11	506.12
1964	Dry	20.79	23.36	19.29	21.60	14.77	15.79	40.52	33.70	44.28	61.71	42.24	22.16	360.21
1965	Wet	21.37	18.67	75.65	74.89	19.51	21.60	29.77	32.79	45.71	57.42	42.59	54.97	494.94
1966	Below Normal	31.06	36.71	19.29	21.60	19.51	49.15	35.47	38.10	57.75	67.44	52.92	31.49	460.49
1967	Wet	33.50	19.92	46.43	45.50	34.42	70.83	44.60	63.76	42.19	57.01	55.57	57.77	571.50
1968	Below Normal	33.39	31.58	19.29	21.60	57.79	17.01	30.66	34.18	52.82	67.44	43.25	26.82	435.83
1969	Wet	24.26	18.67	17.47	74.20	67.53	27.21	52.04	54.70	45.64	55.17	49.69	53.10	539.68
1970	Wet	26.28	32.23	69.23	66.57	54.11	21.60	32.12	34.52	47.95	67.44	47.02	59.63	558.70
1971	Wet	32.90	25.32	26.47	65.76	19.51	76.02	27.73	40.76	43.09	56.91	44.51	54.89	513.87
1972	Below Normal	36.10	39.69	19.29	21.60	14.77	56.68	33.72	32.78	55.20	67.44	46.20	24.62	448.09
1973	Above Normal	25.60	21.52	32.52	65.53	68.28	34.17	20.90	30.82	51.90	67.44	46.17	35.05	499.90
1974	Wet	19.67	70.63	75.09	69.87	23.85	70.74	30.49	30.78	45.14	44.70	59.58	55.07	595.61
1975	Wet	37.60	48.89	16.03	15.79	19.51	73.20	20.90	43.51	48.66	53.52	50.48	57.59	485.68
1976	Critical	40.35	42.58	17.09	18.95	22.59	19.19	24.54	32.94	50.44	61.40	29.05	15.93	375.05
1977	Critical	33.69	25.51	24.94	20.48	28.00	20.56	44.17	27.49	58.39	61.37	36.38	11.96	392.94
1978	Above Normal	26.21	14.56	15.79	15.79	37.00	64.49	28.83	41.79	50.97	56.61	47.46	26.43	425.93
1979	Below Normal	32.53	27.01	20.14	21.60	16.07	15.79	15.28	25.99	49.80	59.33	37.64	21.52	342.70
1980	Above Normal	24.05	22.94	18.28	75.83	67.48	21.60	20.92	32.18	50.56	55.27	45.44	24.80	459.35
1981	Dry	25.02	36.37	19.52	19.47	14.26	15.79	16.70	38.38	65.26	66.74	47.04	22.60	387.15
1982	Wet	21.44	35.97	74.46	33.15	66.85	58.31	71.30	21.13	37.73	49.51	42.42	41.70	553.97
1983	Wet	43.96	30.83	58.58	75.51	63.84	69.26	60.38	55.00	64.64	66.42	64.49	55.23	708.14
1984	Wet	43.60	59.76	73.73	35.72	20.21	45.76	24.96	35.63	48.32	67.44	41.85	65.36	562.34
1985	Dry	21.52	21.74	26.82	21.60	14.26	15.79	27.16	42.67	54.50	61.03	50.54	25.45	383.08
1986	Wet	26.45	25.29	17.85	17.35	62.24	75.24	20.90	34.91	50.92	56.86	47.00	25.06	460.07
1987	Dry	21.02	32.10	19.10	15.79	14.26	15.79	32.86	42.51	64.78	67.92	42.57	27.12	395.82
1988	Critical	30.83	20.47	16.93	20.06	25.13	17.03	25.55	30.87	54.27	63.54	52.91	22.86	380.45
1989	Dry	26.94	15.28	16.82	15.79	14.26	15.79	15.28	42.30	43.54	62.09	40.14	15.28	323.51
1990	Critical	16.45	16.55	16.46	15.79	14.26	15.79	32.12	25.31	40.49	62.16	47.11	19.26	321.75
1991	Critical	21.56	17.24	15.79	15.79	14.26	15.79	15.28	29.14	37.14	49.78	33.58	17.36	282.71
1992	Critical	24.28	25.29	15.79	15.79	14.77	15.79	15.28	45.41	57.37	51.77	60.77	21.21	363.52
1993	Above Normal	32.14	23.31	15.79	15.79	14.26	15.79	20.90	33.01	44.82	59.27	42.52	44.32	361.92
1994	Critical	28.45	33.69	22.65	15.79	14.26	15.79	32.55	29.80	51.68	67.44	48.59	17.93	378.62
1995	Wet	24.66	18.99	15.79	64.45	31.05	68.02	34.86	55.95	41.18	53.32	58.49	50.26	517.02
1996	Wet	38.98	38.02	19.29	21.60	66.75	50.15	20.90	50.30	42.99	55.94	44.03	53.83	502.78
1997	Wet	36.33	40.75	73.66	71.01	19.51	21.60	34.05	42.90	49.60	64.05	41.55	57.87	552.88
1998	Wet	36.05	39.12	15.79	48.43	61.92	75.68	20.90	70.93	72.81	70.67	64.11	54.77	631.18
1999	Wet	43.86	48.55	51.79	35.73	67.01	59.32	20.90	43.20	45.09	60.86	45.59	55.09	576.99
2000	Above Normal	35.34	53.08	19.94	21.60	66.49	35.29	26.05	37.57	51.38	67.44	49.96	44.64	508.78
2001	Dry	31.56	41.29	20.56	15.79	14.26	15.79	24.82	43.20	63.87	66.40	42.09	23.61	403.24
2002	Dry	35.86	19.58	17.93	43.07	15.42	15.79	30.16	39.68	52.86	55.91	43.24	25.55	395.05
2003	Above Normal	32.51	24.35	46.42	66.71	19.51	16.66	40.43	60.87	46.10	72.17	43.83	41.58	511.14
	Average	28.65	28.55	28.56	31.26	32.23	31.79	30.19	37.02	47.85	59.63	47.43	35.84	439.00
	Wet	31.01	33.50	44.76	50.67	48.37	50.35	38.09	43.83	46.40	58.61	50.72	56.07	552.37
	Above Normal	29.93	31.07	25.84	35.01	43.94	37.38	27.81	36.98	50.24	64.61	48.23	38.05	469.08
	Below Normal	28.04	26.77	22.61	20.51	25.47	22.90	24.22	33.06	47.83	59.56	46.20	24.25	381.40
	Dry	26.55	24.72	18.94	18.78	16.44	18.08	26.17	33.89	49.77	60.49	44.55	24.63	363.01
	Critical	26.11	23.10	17.56	16.73	17.09	16.91	28.48	31.66	45.74	55.64	45.28	20.16	344.45

Energy generated (GWh) at Keswick Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	33.32	30.85	18.10	15.79	19.51	21.60	23.04	39.47	55.50	59.94	52.54	42.78	412.44
1923	Below Normal	27.68	33.69	19.29	17.60	14.26	15.79	15.28	46.63	49.90	57.86	47.77	22.59	368.34
1924	Critical	25.58	23.10	20.12	15.79	14.77	19.85	34.66	35.91	45.30	50.45	43.98	27.20	356.71
1925	Dry	18.84	15.28	15.79	14.93	13.49	16.60	17.40	28.89	43.83	57.10	47.14	26.78	316.07
1926	Dry	27.20	20.18	16.93	15.79	14.26	19.91	18.62	30.58	50.63	61.05	43.93	27.72	346.80
1927	Wet	22.44	16.33	21.04	21.60	66.14	20.45	44.75	41.76	48.69	59.01	49.93	70.86	483.00
1928	Above Normal	28.63	20.04	19.29	21.44	15.49	54.27	17.32	32.19	55.22	67.44	50.77	46.89	428.99
1929	Critical	28.30	25.89	16.00	15.79	14.26	15.79	27.50	33.97	43.43	57.01	55.93	23.77	357.64
1930	Dry	24.93	20.20	15.79	15.79	14.26	15.79	21.16	25.87	44.02	48.85	39.46	19.71	305.83
1931	Critical	20.74	17.15	15.79	15.79	14.26	15.79	41.18	34.18	39.94	53.64	44.75	18.23	331.44
1932	Dry	17.30	13.51	14.93	14.93	13.97	15.79	24.64	21.29	31.48	35.98	31.09	17.45	252.36
1933	Critical	18.99	15.01	13.96	14.93	14.26	15.79	24.14	26.27	33.54	38.43	54.94	27.68	297.94
1934	Critical	23.88	14.45	14.93	15.79	14.26	15.79	24.80	28.76	37.05	50.72	35.12	18.67	294.22
1935	Below Normal	11.07	12.19	15.79	15.79	14.26	15.79	15.28	20.52	43.56	50.15	42.49	21.90	278.79
1936	Below Normal	21.48	18.91	16.91	15.79	18.68	21.60	20.90	28.13	37.50	55.81	42.93	21.40	320.04
1937	Below Normal	24.75	20.72	15.79	15.79	14.26	15.79	15.28	24.85	39.18	52.22	42.23	22.71	303.57
1938	Wet	19.29	22.01	75.85	21.60	65.43	70.99	54.10	41.63	44.72	53.42	49.80	53.49	572.33
1939	Dry	30.73	31.59	16.71	15.79	17.12	15.79	35.92	38.44	53.33	67.44	52.06	27.38	402.30
1940	Above Normal	27.27	27.02	16.83	15.79	67.90	75.02	20.90	31.51	51.50	67.44	52.05	31.12	484.35
1941	Wet	27.81	26.14	31.13	73.57	67.11	61.05	60.13	60.64	45.57	58.70	59.91	65.26	637.02
1942	Wet	35.20	41.37	58.67	75.76	65.82	21.60	20.90	47.19	40.62	55.53	54.11	64.22	580.99
1943	Wet	34.12	43.66	19.29	41.73	35.05	57.18	23.33	35.98	46.25	65.19	49.46	61.80	513.04
1944	Dry	29.20	39.42	19.52	19.19	14.77	15.79	28.11	25.44	39.60	59.72	44.74	21.76	357.26
1945	Below Normal	23.50	19.75	17.66	15.79	19.51	21.60	22.91	27.20	43.19	58.16	46.89	25.77	341.93
1946	Below Normal	30.24	22.88	74.37	34.92	19.51	21.60	31.67	36.85	50.14	60.05	49.68	27.16	459.07
1947	Dry	29.16	21.56	15.79	18.05	14.26	15.79	26.46	42.38	44.62	64.32	47.93	30.04	370.36
1948	Below Normal	20.80	18.15	18.19	15.81	14.77	15.79	19.84	42.43	41.04	57.51	49.30	27.07	340.70
1949	Dry	31.27	21.29	19.29	17.56	18.29	37.14	24.22	31.67	49.66	57.93	48.95	29.91	387.18
1950	Below Normal	30.33	23.03	20.12	19.41	19.51	21.60	17.92	30.89	42.26	51.01	42.70	21.48	340.26
1951	Above Normal	32.40	39.67	67.65	34.80	63.57	19.51	33.64	26.99	51.16	67.44	49.84	34.26	520.93
1952	Wet	27.71	33.29	45.73	38.85	70.84	51.58	72.76	42.23	35.92	56.47	56.27	49.95	581.60
1953	Wet	39.11	42.52	19.29	72.57	19.51	21.60	24.80	41.20	43.27	59.18	48.79	64.67	496.51
1954	Above Normal	26.79	47.14	19.29	51.83	68.43	51.18	54.83	35.02	46.66	67.44	50.87	48.05	567.53
1955	Dry	29.42	27.41	21.59	20.22	16.81	15.97	25.97	25.40	43.30	61.72	42.35	20.32	350.48
1956	Wet	25.67	18.88	72.74	71.99	69.90	21.60	20.90	49.84	43.53	50.54	44.03	57.43	547.05
1957	Above Normal	34.79	48.20	20.18	19.67	19.31	38.96	25.92	42.35	47.26	67.44	47.41	37.20	448.69
1958	Wet	29.17	38.87	47.35	62.73	64.56	69.47	51.90	42.40	41.75	61.72	60.02	53.14	623.08
1959	Below Normal	39.01	48.33	21.06	27.04	55.59	15.79	36.88	38.22	58.90	67.03	55.00	20.67	483.52
1960	Dry	30.73	23.70	20.98	16.97	15.82	17.44	30.13	23.61	57.35	65.48	43.00	29.16	374.37
1961	Dry	26.80	20.78	24.02	15.79	41.49	28.80	28.76	34.31	49.24	67.44	53.51	31.12	422.06
1962	Below Normal	31.34	27.54	19.29	17.75	57.90	16.59	28.11	36.14	48.29	61.98	47.66	24.34	416.93
1963	Wet	35.56	24.54	41.22	21.60	35.50	29.01	69.82	25.84	44.38	66.23	47.30	65.12	506.12
1964	Dry	20.80	23.33	19.29	21.60	14.77	15.79	40.53	33.71	44.29	61.72	42.26	22.17	360.26
1965	Wet	21.37	18.67	75.66	74.89	19.51	21.60	29.77	32.73	45.63	57.41	42.54	54.94	494.72
1966	Below Normal	31.07	36.45	19.29	21.60	19.51	49.62	35.47	38.11	57.76	67.44	52.95	31.48	460.75
1967	Wet	33.50	19.92	46.40	45.50	34.42	70.83	44.60	63.76	42.19	57.01	55.56	58.52	572.21
1968	Below Normal	33.41	37.73	19.52	21.60	50.94	17.01	30.69	34.19	52.83	67.44	43.25	26.83	435.44
1969	Wet	24.26	18.67	17.47	74.21	67.53	27.21	52.04	54.70	45.65	55.17	49.69	53.09	539.69
1970	Wet	26.59	31.94	69.21	66.57	54.11	21.60	32.13	34.52	47.95	67.44	47.03	60.06	559.15
1971	Wet	32.92	25.19	26.23	65.76	19.51	75.92	27.73	40.76	43.09	56.87	44.51	54.90	513.39
1972	Below Normal	36.10	39.72	19.29	21.60	14.77	56.68	33.72	32.78	55.20	67.44	46.20	24.63	448.13
1973	Above Normal	25.60	21.50	32.52	65.53	68.28	34.17	20.90	30.82	51.90	67.44	46.17	36.26	501.09
1974	Wet	19.72	70.72	75.09	69.87	23.85	70.74	30.49	30.78	45.14	44.70	59.58	55.07	595.75
1975	Wet	37.59	48.51	16.03	15.79	19.51	73.18	20.90	43.51	48.66	53.52	50.48	57.59	485.27
1976	Critical	40.35	42.68	17.10	18.95	22.60	19.19	24.54	32.94	50.45	61.31	29.10	15.93	375.14
1977	Critical	33.75	25.52	24.94	20.50	27.98	20.56	44.17	27.52	58.43	61.36	36.23	11.95	392.91
1978	Above Normal	26.22	14.58	15.79	15.79	36.99	64.49	28.83	41.79	50.98	56.62	47.46	26.57	426.11
1979	Below Normal	32.69	36.45	20.57	21.60	16.07	15.79	15.28	25.61	49.33	56.45	37.09	21.51	348.44
1980	Above Normal	22.50	18.67	18.14	75.83	67.48	21.60	20.95	32.21	50.58	55.29	45.45	28.39	457.09
1981	Dry	25.25	35.54	19.52	19.47	14.26	15.79	16.70	38.33	65.26	67.03	46.75	23.03	386.93
1982	Wet	21.44	33.80	74.46	33.15	66.85	58.31	71.30	21.14	37.73	49.51	42.42	41.68	551.79
1983	Wet	43.96	30.83	58.58	75.51	63.84	69.26	60.38	55.00	64.64	66.42	64.49	55.23	708.14
1984	Wet	43.60	59.76	73.73	35.72	20.21	45.76	24.97	35.63	48.32	67.44	41.86	65.37	562.37
1985	Dry	21.53	21.71	26.82	21.60	14.26	15.79	27.17	42.68	54.50	61.04	50.54	25.45	383.09
1986	Wet	26.46	25.30	17.85	17.35	62.24	75.24	20.90	34.91	50.92	56.86	47.01	25.06	460.10
1987	Dry	21.03	32.61	19.10	15.79	14.26	15.79	32.86	42.48	64.78	67.92	43.20	27.11	396.93
1988	Critical	30.81	20.47	16.93	20.06	25.03	17.01	25.55	30.87	54.27	63.53	52.90	22.86	380.29
1989	Dry	26.97	15.28	16.82	15.79	14.26	15.79	15.28	42.27	43.49	62.07	40.13	15.28	323.43
1990	Critical	16.45	16.56	16.46	15.79	14.26	15.79	32.13	25.31	40.50	62.17	43.41	23.77	322.60
1991	Critical	21.85	17.12	15.79	15.79	14.26	15.79	15.28	29.16	37.17	49.85	33.60	17.36	283.02
1992	Critical	24.29	25.30	15.79	15.79	14.77	15.79	15.28	45.47	59.33	49.48	61.06	21.15	363.50
1993	Above Normal	32.11	23.33	15.79	15.79	14.26	15.79	20.90	32.57	44.82	59.22	42.49	44.30	361.37
1994	Critical	28.43	33.59	22.80	15.79	14.26	15.79	32.55	29.77	51.64	67.44	48.54	17.95	378.55
1995	Wet	24.73	19.01	15.79	64.08	31.05	68.02	34.86	55.95	41.18	52.66	58.49	50.26	516.08
1996	Wet	38.98	46.12	19.29	21.60	67.25	50.15	20.90	50.30	43.01	55.94	44.04	53.83	511.41
1997	Wet	35.72	40.74	73.62	71.01	19.51	21.60	34.06	42.91	49.61	63.83	41.54	57.89	552.04
1998	Wet	36.11	39.05	15.79	48.51	61.92	75.68	20.90	70.93	72.81	70.67	64.11	54.77	631.25
1999	Wet	43.86	48.55	51.79	35.73	67.01	59.32	20.90	43.20	45.09	60.84	45.60	55.11	577.00
2000	Above Normal	35.38	53.12	19.97	21.60	66.49	35.29	26.05	37.57	51.39	67.44	49.96	44.64	508.90
2001	Dry	31.54	41.30	20.67	15.79	14.26	15.79	24.83	43.21	63.85	66.39	42.05	23.61	403.29
2002	Dry	35.83	19.58	17.93	43.05	15.42	15.79	30.17	39.68	52.86	55.91	43.25	25.71	395.18
2003	Above Normal	32.57	24.35	46.18	66.71	19.51	16.66	40.43	60.87	46.11	72.18	43.84	41.56	510.97
	Average	28.66	28.90	28.52	31.20	32.15	31.79	30.17	37.02	47.87	59.54	47.38	35.99	439.19
	Wet	31.03	34.02	44.59	50.66	48.39	50.34	38.09	43.82	46.40	58.55	50.71	56.13	552.73
	Above Normal	29.80	30.71	25.81	35.05	43.94	37.38	27.81	36.95	50.26	64.61	48.24	38.50	469.04
	Below Normal	28.11	28.25	22.65	20.15	24.97	22.93	24.23	33.04	47.79	59.33	46.15	24.25	381.85
	Dry	26.59	24.68	18.97	18.78	16.45	18.07	26.05	33.90	49.78	60.51	44.57	24.65	363.01
	Critical	26.12	23.07	17.55	16.73	17.08	16.91	28.48	31.68	45.92	55.45	44.96	20.54	344.50

Difference in Energy generated (GWh) at Keswick Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	(0.02)	(0.01)	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.02	(0.01)	0.05	0.01
1925	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01
1926	Dry	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	(0.04)	(0.02)	(0.01)
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.01	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1930	Dry	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1931	Critical	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.01	0.03	0.03	0.01
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.03	0.02	0.04	0.03	0.01
1933	Critical	0.02	0.02	0.00	0.00	0.00	0.00	0.02	0.06	0.05	0.03	0.04	0.04	0.02
1934	Critical	(0.22)	(0.28)	(0.30)	0.00	0.00	0.00	0.02	0.02	0.05	0.02	(0.31)	0.00	(0.08)
1935	Below Normal	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.01	0.02	0.02	0.04
1936	Below Normal	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	0.01	0.02	0.01
1937	Below Normal	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.02	(0.02)	0.01	0.02	0.01
1938	Wet	0.00	(0.27)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.02	0.00	(0.02)
1939	Dry	(0.04)	0.06	0.92	0.00	(0.04)	0.00	(2.29)	0.19	0.18	0.00	(0.17)	(0.71)	(0.16)
1940	Above Normal	0.15	0.20	0.00	0.00	(0.06)	0.00	0.00	0.06	0.11	0.00	0.09	0.56	0.09
1941	Wet	0.04	1.07	2.40	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.29
1942	Wet	0.30	1.01	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.01	(0.02)	0.00	0.11
1943	Wet	0.00	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.77)	(0.02)	0.47	(0.04)
1944	Dry	0.03	(0.45)	0.00	0.00	0.00	0.00	0.02	0.03	0.03	(0.05)	0.17	0.16	0.00
1945	Below Normal	0.02	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.02)	(0.05)	(0.02)	0.00	(0.01)
1946	Below Normal	(0.05)	0.33	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.32)	(0.19)	0.02	(0.02)
1947	Dry	0.21	0.03	0.00	0.01	0.00	0.00	0.02	0.02	0.07	0.01	0.36	(0.06)	0.06
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.01)	0.00	0.01	(0.01)
1949	Dry	0.00	0.01	0.00	0.00	0.00	(0.01)	0.01	0.00	0.01	(0.01)	(0.01)	0.07	0.01
1950	Below Normal	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.01	0.01
1951	Above Normal	(0.03)	(0.09)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	(0.01)
1952	Wet	0.01	0.01	0.01	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	(0.04)	0.00
1953	Wet	0.01	6.48	(6.54)	0.01	0.00	0.00	(0.04)	0.02	0.00	0.03	(0.02)	0.00	0.00
1954	Above Normal	(0.23)	(0.27)	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00
1955	Dry	0.11	0.11	0.00	0.00	0.12	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.14)	(0.01)	0.01
1956	Wet	0.27	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.01)
1959	Below Normal	0.13	4.95	0.00	(5.14)	0.00	0.00	0.04	0.04	0.02	0.00	0.04	0.01	0.01
1960	Dry	0.10	(0.10)	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	(0.01)	(0.03)	0.39	0.03
1961	Dry	(0.04)	0.00	(0.41)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.01)	(0.05)
1962	Below Normal	0.09	0.08	0.00	0.06	(0.12)	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01
1963	Wet	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00
1964	Dry	0.01	(0.03)	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.01	0.00
1965	Wet	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.06)	(0.08)	(0.01)	(0.05)	(0.03)	(0.02)
1966	Below Normal	0.01	(0.26)	0.00	0.00	0.00	0.47	0.00	0.01	0.01	0.00	0.03	(0.01)	0.02
1967	Wet	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.75	0.06
1968	Below Normal	0.02	6.15	0.23	0.00	(6.85)	0.00	0.03	0.01	0.01	0.00	0.00	0.01	(0.03)
1969	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00
1970	Wet	0.31	(0.29)	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.43	0.04
1971	Wet	0.02	(0.13)	(0.24)	0.00	0.00	(0.10)	0.00	0.00	0.00	(0.04)	0.00	0.01	(0.04)
1972	Below Normal	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1973	Above Normal	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.10
1974	Wet	0.05	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1975	Wet	(0.01)	(0.38)	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1976	Critical	0.00	0.10	0.01	0.00	0.01	0.00	0.00	0.00	0.01	(0.09)	0.05	0.00	0.01
1977	Critical	0.06	0.01	0.00	0.02	(0.02)	0.00	0.00	0.03	0.04	(0.01)	(0.15)	(0.01)	0.00
1978	Above Normal	0.01	0.02	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.01	0.00	0.14	0.01
1979	Below Normal	0.16	9.44	0.43	0.00	0.00	0.00	0.00	(0.38)	(0.47)	(2.88)	(0.55)	(0.01)	0.48
1980	Above Normal	(1.55)	(4.27)	(0.14)	0.00	0.00	0.00	0.03	0.03	0.02	0.02	0.01	3.59	(0.19)
1981	Dry	0.23	(0.83)	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.29	(0.29)	0.43	(0.02)
1982	Wet	0.00	(2.17)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.02)	(0.18)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.00
1985	Dry	0.01	(0.03)	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.00
1986	Wet	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1987	Dry	0.01	0.51	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.63	(0.01)	0.09
1988	Critical	(0.02)	0.00	0.00	0.00	(0.10)	(0.02)	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)
1989	Dry	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)	(0.02)	(0.01)	0.00	(0.01)
1990	Critical	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	(3.70)	4.51	0.07
1991	Critical	0.29	(0.12)	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.07	0.02	0.00	0.03
1992	Critical	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.06	1.96	(2.29)	0.29	(0.06)	0.00
1993	Above Normal	(0.03)	0.02	0.00	0.00	0.00	0.00	0.00	(0.44)	0.00	(0.05)	(0.03)	(0.02)	(0.05)
1994	Critical	(0.02)	(0.10)	0.15	0.00	0.00	0.00	0.00	(0.03)	(0.04)	0.00	(0.05)	0.02	(0.01)
1995	Wet	0.07	0.02	0.00	(0.37)	0.00	0.00	0.00	0.00	0.00	(0.66)	0.00	0.00	(0.08)
1996	Wet	0.00	8.10	0.00	0.00	0.50	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.72
1997	Wet	(0.61)	(0.01)	(0.04)	0.00	0.00	0.00	0.01	0.01	0.01	(0.22)	(0.01)	0.02	(0.07)
1998	Wet	0.06	(0.07)	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.01	0.02	0.00
2000	Above Normal	0.04	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01
2001	Dry	(0.02)	0.01	0.11	0.00	0.00	0.00	0.01	0.01	(0.02)	(0.01)	(0.04)	0.00	0.00
2002	Dry	(0.03)	0.00	0.00	(0.02)	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.16	0.01
2003	Above Normal	0.06	0.00	(0.24)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.02)	(0.01)
	Average	0.01	0.35	(0.04)	(0.06)	(0.08)	0.00	(0.02)	(0.00)	0.02	(0.08)	(0.05)	0.15	0.02
	Wet	0.02	0.51	(0.17)	(0.01)	0.02	(0.00)	(0.00)	(0.00)	(0.00)	(0.06)	(0.00)	0.06	0.03
	Above Normal	(0.13)	(0.36)	(0.03)	0.04	(0.01)	(0.00)	0.00	(0.03)	0.01	(0.00)	0.01	0.46	(0.00)
	Below Normal	0.06	1.49	0.05	(0.36)	(0.50)	0.03	0.01	(0.02)	(0.03)	(0.23)	(0.05)	0.01	0.04
	Dry	0.04	(0.04)	0.03	(0.00)	0.00	(0.00)	(0.12)	0.01	0.01	0.01	0.02	0.02	(0.00)
	Critical	0.01	(0.03)	(0.01)	0.00	(0.01)	(0.00)	0.01	0.02	0.18	(0.19)	(0.32)	0.38	0.00

Percent Difference in Energy generated (GWh) at Keswick Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	-1%	-2%	-2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1935	Below Normal	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	6%	0%	0%	0%	-6%	0%	0%	0%	0%	-3%
1940	Above Normal	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1941	Wet	0%	4%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	1%
1944	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1947	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	18%	-25%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	-1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	11%	0%	-16%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1968	Below Normal	0%	19%	1%	0%	-12%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1971	Wet	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1979	Below Normal	0%	35%	2%	0%	0%	0%	0%	-1%	-1%	-5%	-1%	0%
1980	Above Normal	-6%	-19%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	14%
1981	Dry	1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	2%
1982	Wet	0%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-8%	23%
1991	Critical	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	3%	-4%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1994	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	-1%	0%	0%	0%	0%	0%	-1%	0%	0%
1996	Wet	0%	21%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
	Below Normal	0%	5%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	2%

Energy generated (GWh) at Lewiston Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Energy generated (GWh) at Lewiston Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Difference in Energy generated (GWh) at Lewiston Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy generated (GWh) at Lewiston Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy generated (GWh) at New Melones Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	34.77	12.25	10.06	10.65	0.56	47.65	72.09	86.47	79.83	66.62	61.05	39.30	521.30
1923	Below Normal	35.83	11.15	5.22	33.91	30.52	67.49	68.66	91.15	79.40	65.57	60.02	33.50	582.42
1924	Critical	31.04	13.87	10.63	11.21	13.46	31.37	53.12	50.75	36.06	35.45	33.66	21.81	342.43
1925	Dry	20.33	9.10	8.85	9.64	2.08	14.97	61.98	70.25	56.52	58.85	55.05	34.65	402.27
1926	Dry	35.19	14.05	10.77	11.13	7.06	25.74	47.81	66.88	45.46	46.65	45.09	27.75	383.58
1927	Wet	27.88	7.50	9.05	8.85	2.25	16.04	65.77	88.08	76.88	58.10	54.26	32.59	447.25
1928	Above Normal	22.62	10.29	10.32	11.11	9.16	10.84	80.14	87.77	55.19	55.16	52.07	30.48	435.15
1929	Critical	32.22	9.88	10.11	10.60	9.32	19.36	49.38	61.28	35.09	41.65	40.23	24.46	343.58
1930	Dry	27.60	14.22	11.59	8.37	8.19	13.80	55.12	57.39	42.23	43.16	40.46	24.73	346.86
1931	Critical	21.98	7.59	10.27	7.80	7.77	20.33	53.03	50.22	32.18	34.17	31.65	20.26	297.25
1932	Dry	23.21	7.45	4.80	6.52	3.29	16.65	45.49	51.83	40.73	43.57	42.36	26.12	312.02
1933	Critical	25.71	12.93	10.90	8.04	8.08	17.00	45.52	46.40	36.73	38.82	37.20	23.16	310.49
1934	Critical	19.45	11.39	6.23	6.48	5.51	15.98	50.27	51.66	28.84	32.41	29.61	17.08	274.91
1935	Below Normal	18.63	6.47	6.43	4.77	6.44	6.20	17.76	44.09	38.93	41.57	39.98	25.52	256.79
1936	Below Normal	15.69	8.90	7.98	6.00	0.00	11.81	41.81	51.77	47.85	46.19	45.13	28.13	311.26
1937	Below Normal	24.20	14.86	8.92	8.50	0.49	3.69	59.05	75.80	48.27	48.20	46.71	30.48	369.17
1938	Wet	31.36	9.99	7.71	9.14	0.00	41.62	77.62	96.58	85.93	71.75	70.27	82.03	584.00
1939	Dry	32.62	19.46	14.43	15.79	14.21	17.01	95.58	88.11	56.47	56.42	52.92	24.42	487.44
1940	Above Normal	33.63	17.08	10.92	7.10	6.01	44.98	67.98	91.83	78.69	64.12	58.66	37.78	518.78
1941	Wet	35.96	17.18	9.54	9.67	6.79	46.37	57.72	87.54	79.37	65.69	60.15	38.76	514.74
1942	Wet	34.33	15.63	10.05	5.41	7.67	57.62	67.73	87.68	85.94	72.79	65.92	47.54	558.31
1943	Wet	39.97	13.60	23.08	77.24	57.08	99.42	81.49	101.27	85.80	70.64	64.12	42.32	756.03
1944	Dry	38.49	18.57	14.42	15.44	13.30	19.71	82.03	90.16	56.82	57.47	53.76	29.19	489.36
1945	Below Normal	24.98	9.85	10.28	11.18	4.53	46.65	78.72	89.21	75.95	63.08	57.78	35.70	507.91
1946	Below Normal	23.77	10.73	7.24	10.29	10.62	52.70	82.40	86.40	77.16	62.55	57.49	36.87	518.22
1947	Dry	32.08	13.08	10.31	11.28	13.18	35.63	60.03	62.24	39.60	42.77	41.47	25.83	387.50
1948	Below Normal	17.90	9.18	9.30	9.88	22.97	15.43	48.52	57.52	44.78	48.03	46.54	29.79	359.84
1949	Dry	22.46	14.60	9.00	9.49	10.80	15.70	59.63	59.13	42.37	44.61	43.14	28.19	359.12
1950	Below Normal	29.27	14.41	8.95	6.65	5.75	15.76	56.10	66.16	44.42	47.17	45.70	22.71	363.05
1951	Above Normal	18.37	3.33	1.70	13.25	51.77	56.76	81.35	98.58	78.01	63.57	58.56	37.90	563.15
1952	Wet	32.57	10.96	7.52	1.11	8.63	54.38	80.21	104.31	91.55	124.43	106.42	77.64	699.73
1953	Wet	42.08	14.29	13.38	26.38	28.56	66.41	89.61	91.55	72.72	61.95	56.21	34.57	597.71
1954	Above Normal	34.37	14.75	10.86	11.04	16.67	22.32	90.73	86.59	52.69	54.11	50.59	31.08	475.80
1955	Dry	37.05	10.64	9.47	7.93	15.12	21.99	43.94	61.00	49.51	48.20	46.21	28.74	379.80
1956	Wet	30.06	9.11	2.46	0.00	7.91	64.22	77.72	86.29	79.21	64.94	59.60	36.09	517.61
1957	Above Normal	34.93	17.93	11.32	11.81	10.37	63.10	90.11	82.69	74.29	61.41	56.18	31.94	546.08
1958	Wet	24.83	16.13	10.72	9.66	3.90	41.67	39.83	81.24	80.51	68.42	62.44	63.80	503.15
1959	Below Normal	40.93	17.83	11.59	12.11	32.44	24.16	96.03	91.56	56.11	56.88	52.95	18.54	511.13
1960	Dry	31.64	16.10	10.63	10.90	8.48	28.50	55.20	60.39	40.43	42.28	40.89	24.69	370.13
1961	Dry	24.82	8.13	8.05	8.65	8.25	19.16	49.55	49.47	35.64	37.71	35.21	22.85	307.49
1962	Below Normal	27.71	8.37	8.49	8.93	2.40	13.45	47.51	59.51	41.74	44.20	42.72	26.08	331.11
1963	Wet	23.25	11.69	8.44	8.07	11.95	17.21	32.39	68.77	44.46	47.53	46.16	27.55	347.47
1964	Dry	17.34	8.21	8.91	8.02	11.55	29.40	59.00	59.74	39.67	43.51	42.28	26.47	354.10
1965	Wet	18.85	8.23	11.12	2.46	8.75	57.71	68.83	93.22	76.12	62.47	51.94	36.34	496.04
1966	Below Normal	36.57	10.23	9.60	10.20	9.51	22.45	77.37	82.25	48.05	47.29	45.93	26.45	425.90
1967	Wet	34.14	9.14	7.02	4.68	29.86	48.79	50.24	85.31	74.49	67.04	61.58	39.60	511.89
1968	Below Normal	38.50	11.30	11.32	11.51	11.43	13.73	89.24	93.37	57.38	57.59	51.98	29.93	477.28
1969	Wet	29.71	10.82	9.58	0.00	2.74	59.46	84.06	117.18	157.84	113.34	101.95	70.20	756.88
1970	Wet	34.39	14.33	34.37	135.12	66.73	57.01	86.05	102.15	77.44	63.48	58.24	33.86	763.17
1971	Wet	34.25	10.10	6.25	9.81	10.93	60.24	81.53	94.22	76.12	62.10	57.08	33.87	536.50
1972	Below Normal	32.62	11.74	9.03	10.96	15.25	37.30	80.59	77.52	46.35	46.16	44.17	27.46	439.15
1973	Above Normal	28.06	9.43	9.29	3.74	2.11	7.34	70.10	87.01	66.98	58.54	54.70	34.71	432.01
1974	Wet	21.97	9.08	7.64	7.92	10.50	48.87	66.73	92.32	78.79	61.12	61.27	39.39	505.60
1975	Wet	29.50	13.73	11.44	11.85	9.13	45.98	75.90	104.02	80.40	66.33	55.68	37.07	541.03
1976	Critical	26.59	14.84	11.16	11.76	14.90	41.81	78.12	76.41	44.53	44.26	37.55	25.19	427.12
1977	Critical	24.82	9.25	9.00	9.67	16.72	32.19	45.49	39.80	27.40	29.08	28.62	17.38	289.42
1978	Above Normal	25.70	8.99	8.46	3.71	4.97	10.46	49.69	75.89	51.41	52.08	49.80	27.28	368.44
1979	Below Normal	35.64	9.72	9.87	8.49	4.51	11.14	72.91	90.05	80.97	56.81	54.10	34.49	468.70
1980	Above Normal	27.91	10.61	11.22	4.79	3.37	57.59	89.08	99.57	84.62	65.21	63.54	41.91	559.42
1981	Dry	41.46	20.99	14.37	14.01	14.54	12.74	83.69	91.61	56.36	56.27	52.71	29.02	487.77
1982	Wet	26.48	9.73	8.50	2.13	67.58	94.48	81.67	102.23	86.83	108.28	107.86	92.84	788.61
1983	Wet	53.82	72.74	83.35	113.10	123.44	161.68	70.49	92.33	201.29	197.32	127.20	93.29	1,390.05
1984	Wet	41.05	94.36	137.80	72.52	62.34	62.27	86.76	98.87	76.39	61.94	57.08	34.85	886.23
1985	Dry	24.09	10.26	10.77	11.78	9.84	17.47	80.02	89.44	55.25	57.66	53.02	33.17	452.77
1986	Wet	29.73	10.16	10.44	10.31	0.00	146.82	83.05	99.69	85.49	70.35	63.70	40.04	649.78
1987	Dry	34.00	19.82	14.13	15.46	14.00	12.18	79.55	80.16	48.24	47.57	45.18	29.05	439.34
1988	Critical	25.78	9.58	9.02	9.39	12.28	24.13	43.54	49.57	34.15	35.90	35.01	22.68	311.03
1989	Dry	28.21	8.59	8.59	9.03	11.65	16.47	55.78	57.91	40.15	42.07	40.18	18.60	337.23
1990	Critical	18.40	9.06	7.71	7.96	8.50	24.58	46.05	37.31	33.90	34.84	33.56	21.47	283.34
1991	Critical	15.63	11.31	7.50	7.83	11.91	6.71	35.47	43.59	31.61	33.35	30.46	19.01	254.38
1992	Critical	15.03	9.58	6.14	6.23	3.88	7.19	30.74	37.84	25.76	15.10	10.19	9.47	177.15
1993	Above Normal	5.23	3.77	9.73	2.98	3.98	6.11	31.13	45.18	37.51	42.21	40.79	25.27	253.89
1994	Critical	20.41	7.72	7.89	8.23	7.31	26.86	38.86	36.91	35.04	36.51	33.41	21.15	280.30
1995	Wet	19.87	7.15	7.15	0.00	12.81	0.00	55.19	64.89	52.49	59.27	56.21	35.77	370.80
1996	Wet	38.34	17.43	10.73	7.80	5.56	53.44	75.75	77.22	81.19	68.12	62.00	39.81	537.39
1997	Wet	28.82	10.92	96.24	220.99	160.91	68.66	90.70	92.92	75.87	61.84	56.53	36.86	1,001.26
1998	Wet	38.24	11.12	11.06	5.66	14.30	58.19	79.24	69.60	84.21	140.10	123.73	94.23	729.68
1999	Wet	41.30	17.92	26.37	47.12	86.93	57.24	80.52	97.73	93.35	64.40	59.25	37.12	709.25
2000	Above Normal	39.99	16.68	11.50	8.97	1.83	55.06	72.32	78.77	71.82	65.27	59.07	37.97	519.25
2001	Dry	22.39	12.71	11.37	8.87	1.92	9.44	70.32	83.02	53.03	53.54	50.34	31.50	408.45
2002	Dry	33.51	9.67	9.99	10.49	18.42	18.75	55.19	66.78	50.15	45.84	44.18	27.27	390.24
2003	Above Normal	29.09	8.85	7.81	8.04	20.15	18.31	48.12	63.68	49.96	46.57	44.00	29.39	373.97
	Average	29.06	13.47	13.60	16.53	17.08	35.87	65.31	76.16	61.69	57.80	53.08	34.44	474.10
	Wet	32.41	17.42	22.35	31.04	31.05	60.99	72.57	91.43	86.18	78.22	69.49	49.16	642.31
	Above Normal	27.89	11.16	9.43	8.10	10.91	33.38	70.24	82.00	65.08	57.91	54.08	33.75	463.94
	Below Normal	28.73	11.05	8.87	10.96	11.20	24.43	65.48	75.45	56.24	52.24	49.37	28.98	423.00
	Dry	29.25	13.09	10.58	10.71	10.33	19.18	63.33	69.20	47.15	48.23	45.80	27.35	394.19
	Critical	23.09	10.58	8.88	8.77	9.97	22.29	47.47	48.48	33.44	34.30	31.76	20.26	299.28

Energy generated (GWh) at New Melones Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	34.77	12.25	10.06	10.65	0.56	47.65	72.09	86.47	79.83	66.62	61.05	39.30	521.30
1923	Below Normal	35.83	11.15	5.22	33.91	30.52	67.49	68.66	91.15	79.40	65.57	60.02	33.50	582.42
1924	Critical	31.03	13.87	10.63	11.21	13.46	31.37	53.12	50.75	36.06	35.45	33.66	21.81	342.42
1925	Dry	20.33	9.10	8.85	9.64	2.08	14.97	61.98	70.25	56.52	58.85	55.05	34.65	402.27
1926	Dry	35.19	14.05	10.77	11.13	7.06	25.74	47.81	66.88	45.46	46.65	45.09	27.75	383.58
1927	Wet	27.88	7.50	9.05	8.85	2.25	16.04	65.77	88.08	76.88	58.10	54.26	32.59	447.25
1928	Above Normal	22.62	10.29	10.32	11.11	9.16	10.84	80.14	87.77	55.19	55.16	52.07	30.48	435.15
1929	Critical	32.22	9.88	10.11	10.60	9.32	19.36	49.38	61.28	35.09	41.65	40.23	24.46	343.58
1930	Dry	27.60	14.22	11.59	8.37	8.19	13.80	55.12	57.39	42.23	43.16	40.46	24.73	346.86
1931	Critical	21.98	7.59	10.27	7.80	7.77	20.33	53.03	50.22	32.18	34.17	31.65	20.26	297.25
1932	Dry	23.21	7.45	4.80	6.52	3.29	16.65	45.49	51.83	40.73	43.57	42.36	26.12	312.02
1933	Critical	25.71	12.93	10.90	8.04	8.08	17.00	45.52	46.40	36.73	38.82	37.20	23.16	310.49
1934	Critical	19.45	11.39	6.23	6.48	5.51	15.98	50.27	51.66	28.84	32.41	29.61	17.08	274.91
1935	Below Normal	18.63	6.47	6.43	4.77	6.44	6.20	17.76	44.09	38.93	41.57	39.98	25.52	256.79
1936	Below Normal	15.69	8.90	7.98	6.00	0.00	11.81	41.81	51.77	47.85	46.19	45.13	28.13	311.26
1937	Below Normal	24.20	14.86	8.92	8.50	0.49	3.69	59.05	75.80	48.27	48.20	46.71	30.48	369.17
1938	Wet	31.36	9.99	7.71	9.14	0.00	41.62	77.62	96.58	85.93	71.75	70.27	82.03	584.00
1939	Dry	32.62	19.46	14.43	15.79	14.21	17.01	95.59	88.09	56.47	56.42	52.92	24.42	487.43
1940	Above Normal	33.63	17.08	10.92	7.10	6.01	44.98	67.98	91.83	78.69	64.12	58.66	37.78	518.78
1941	Wet	35.96	17.18	9.54	9.67	6.79	46.37	57.72	87.54	79.37	65.69	60.15	38.76	514.74
1942	Wet	34.33	15.63	10.05	5.41	7.67	57.62	67.73	87.68	85.94	72.79	65.92	47.54	558.31
1943	Wet	39.97	13.60	23.08	77.24	57.08	99.42	81.49	101.27	85.80	70.64	64.12	42.32	756.03
1944	Dry	38.49	18.57	14.42	15.44	13.30	19.71	82.02	90.16	56.82	57.47	53.76	29.19	489.35
1945	Below Normal	24.98	9.85	10.28	11.18	4.53	46.65	78.72	89.21	75.95	63.08	57.78	35.70	507.91
1946	Below Normal	23.77	10.73	7.24	10.29	10.62	52.70	82.40	86.40	77.16	62.55	57.49	36.87	518.22
1947	Dry	32.08	13.08	10.31	11.28	13.18	35.63	60.03	62.23	39.60	42.77	41.47	25.84	387.50
1948	Below Normal	17.90	9.18	9.30	9.88	22.97	15.43	48.52	57.52	44.78	48.03	46.54	29.79	359.84
1949	Dry	22.46	14.60	9.00	9.49	10.80	15.70	59.63	59.13	42.37	44.61	43.14	28.19	359.12
1950	Below Normal	29.27	14.41	8.95	6.65	5.75	15.76	56.10	66.16	44.42	47.17	45.70	22.71	363.05
1951	Above Normal	18.37	3.33	1.70	13.25	51.77	56.76	81.35	98.58	78.01	63.57	58.56	37.90	563.15
1952	Wet	32.57	10.96	7.52	1.11	8.63	54.38	80.21	101.31	94.69	124.43	106.42	77.64	699.87
1953	Wet	42.08	14.29	13.38	26.38	28.56	66.41	89.61	91.55	72.72	61.95	56.21	34.57	597.71
1954	Above Normal	34.37	14.75	10.86	11.04	16.67	22.32	90.73	86.59	52.69	54.11	50.59	31.08	475.80
1955	Dry	37.05	10.64	9.47	7.93	15.12	21.99	43.94	61.00	49.51	48.20	46.21	28.74	379.80
1956	Wet	30.06	9.11	2.46	0.00	7.91	64.22	77.72	86.29	79.21	64.94	59.60	36.09	517.61
1957	Above Normal	34.93	17.93	11.32	11.81	10.37	63.10	90.11	82.69	74.29	61.41	56.18	31.94	546.08
1958	Wet	24.83	16.13	10.72	9.66	3.90	41.67	39.83	79.67	80.54	68.44	62.46	65.40	503.25
1959	Below Normal	40.93	17.83	11.59	12.11	32.44	24.16	96.03	91.56	56.11	56.88	52.95	18.54	511.13
1960	Dry	31.64	16.10	10.63	10.90	8.48	28.50	55.20	60.39	40.43	42.28	40.89	24.69	370.13
1961	Dry	24.82	8.13	8.05	8.65	8.25	19.16	49.55	49.47	35.64	37.71	35.21	22.85	307.49
1962	Below Normal	27.71	8.37	8.49	8.93	2.40	13.45	47.51	59.51	41.74	44.20	42.72	26.08	331.11
1963	Wet	23.25	11.69	8.44	8.07	11.95	17.21	32.39	68.77	44.46	47.53	46.16	27.55	347.47
1964	Dry	17.34	8.21	8.91	8.02	11.55	29.40	59.00	59.74	39.67	43.51	42.28	26.47	354.10
1965	Wet	18.85	8.23	11.12	2.46	8.75	57.71	68.83	93.22	76.12	62.47	51.94	36.34	496.04
1966	Below Normal	36.57	10.23	9.60	10.20	9.51	22.45	77.37	82.25	48.05	47.29	45.93	26.45	425.90
1967	Wet	34.14	9.14	7.02	4.68	29.86	48.79	50.24	83.82	74.52	67.06	61.60	39.62	510.49
1968	Below Normal	38.52	11.31	11.32	11.51	11.44	13.73	89.29	93.45	57.45	57.67	52.05	29.96	477.70
1969	Wet	29.73	10.82	9.59	0.00	4.01	59.46	84.06	117.18	157.84	113.34	101.95	70.20	758.18
1970	Wet	34.39	14.33	34.37	135.12	66.73	57.01	86.05	102.15	77.44	63.48	58.24	33.86	763.17
1971	Wet	34.25	10.10	6.25	9.81	10.93	60.24	81.53	94.22	76.12	62.10	57.08	33.87	536.50
1972	Below Normal	32.62	11.74	9.03	10.96	15.25	37.30	80.59	77.52	46.35	46.16	44.17	27.46	439.15
1973	Above Normal	28.06	9.43	9.29	3.74	2.11	7.34	70.10	87.01	66.98	58.54	54.70	34.71	432.01
1974	Wet	21.97	9.08	7.64	7.92	10.50	48.87	66.73	92.32	78.79	61.12	61.27	39.39	505.60
1975	Wet	29.50	13.73	11.44	11.85	9.13	45.98	75.90	104.02	80.40	66.33	55.68	37.07	541.03
1976	Critical	26.59	14.84	11.16	11.76	14.90	41.81	78.12	76.41	44.53	44.26	37.55	25.19	427.12
1977	Critical	24.82	9.25	9.00	9.67	16.72	32.19	45.49	39.80	27.40	29.08	28.62	17.38	289.42
1978	Above Normal	25.70	8.99	8.46	3.71	4.97	10.46	49.69	75.89	51.41	52.08	49.80	27.28	368.44
1979	Below Normal	35.64	9.72	9.87	8.49	4.51	11.14	72.91	90.05	80.97	56.81	54.10	34.49	468.70
1980	Above Normal	27.91	10.61	11.22	4.79	3.37	57.59	89.08	99.57	84.62	65.21	63.54	41.91	559.42
1981	Dry	41.46	20.99	14.37	14.01	14.54	12.74	83.69	91.61	56.36	56.27	52.71	29.02	487.77
1982	Wet	26.48	9.73	8.50	2.13	67.58	94.48	81.67	102.23	86.83	108.28	107.86	92.84	788.61
1983	Wet	53.82	72.74	83.35	113.10	123.44	161.68	70.49	92.33	201.29	197.32	127.20	93.29	1,390.05
1984	Wet	41.05	94.36	137.80	72.52	62.34	62.27	86.76	98.87	76.39	61.94	57.08	34.85	886.23
1985	Dry	24.09	10.26	10.77	11.78	9.84	17.47	80.02	89.44	55.25	57.66	53.02	33.17	452.77
1986	Wet	29.73	10.16	10.44	10.31	0.00	146.82	83.05	99.69	85.49	70.35	63.70	40.04	649.78
1987	Dry	34.00	19.82	14.13	15.46	14.00	12.18	79.55	80.16	48.24	47.57	45.18	29.05	439.34
1988	Critical	25.78	9.58	9.02	9.39	12.28	24.13	43.54	49.57	34.15	35.90	35.01	22.68	311.03
1989	Dry	28.21	8.59	8.59	9.03	11.65	16.47	55.78	57.91	40.15	42.07	40.18	18.60	337.23
1990	Critical	18.40	9.06	7.71	7.96	8.50	24.58	46.05	37.31	33.90	34.84	33.56	21.47	283.34
1991	Critical	15.63	11.31	7.50	7.83	11.91	6.71	35.47	43.59	31.61	33.35	30.46	19.01	254.38
1992	Critical	15.03	9.58	6.14	6.23	3.88	7.19	30.74	37.84	25.76	15.10	10.19	9.47	177.15
1993	Above Normal	5.23	3.77	9.73	2.98	3.98	6.11	31.13	45.18	37.51	42.21	40.79	25.27	253.89
1994	Critical	20.41	7.72	7.89	8.23	7.31	26.86	38.86	36.91	35.04	36.52	33.41	21.15	280.31
1995	Wet	19.87	7.15	7.15	0.00	12.81	0.00	55.19	64.89	52.49	59.27	56.21	35.77	370.80
1996	Wet	38.34	17.43	10.73	7.80	5.56	53.44	75.75	77.22	81.19	68.12	62.00	39.81	537.39
1997	Wet	28.82	10.92	96.23	220.99	160.91	68.66	90.70	92.92	75.87	61.84	56.53	36.86	1,001.25
1998	Wet	38.24	11.12	11.06	5.66	14.30	58.19	79.24	69.60	84.21	140.10	123.73	94.23	729.68
1999	Wet	41.30	17.92	26.37	47.12	86.93	57.24	80.52	97.73	93.35	64.40	59.25	37.12	709.25
2000	Above Normal	39.99	16.68	11.50	8.97	1.83	55.06	72.32	78.77	71.82	65.27	59.07	37.97	519.25
2001	Dry	22.39	12.71	11.37	8.87	1.92	9.44	70.32	83.02	53.03	53.54	50.34	31.50	408.45
2002	Dry	33.51	9.67	9.99	10.49	18.42	18.75	55.19	66.78	50.15	45.84	44.18	27.27	390.24
2003	Above Normal	29.09	8.85	7.81	8.04	20.15	18.31	48.12	63.68	49.96	46.57	44.00	29.39	373.97
	Average	29.06	13.47	13.60	16.53	17.10	35.87	65.32	76.08	61.73	57.80	53.08	34.46	474.11
	Wet	32.41	17.42	22.35	31.04	31.10	60.99	72.57	91.20	86.30	78.22	69.50	49.22	642.32
	Above Normal	27.89	11.16	9.43	8.10	10.91	33.38	70.24	82.00	65.08	57.91	54.08	33.75	463.94
	Below Normal	28.73	11.05	8.87	10.96	11.21	24.43	65.48	75.46	56.25	52.24	49.38	28.98	423.03
	Dry	29.25	13.09	10.58	10.71	10.33	19.18	63.33	69.19	47.15	48.23	45.80	27.35	394.19
	Critical	23.09	10.58	8.88	8.77	9.97	22.29	47.47	48.48	33.44	34.30	31.76	20.26	299.28

Difference in Energy generated (GWh) at New Melones Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(3.00)	3.14	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.57)	0.03	0.02	0.02	1.60	0.01
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.49)	0.03	0.02	0.02	0.02	(0.12)
1968	Below Normal	0.02	0.01	0.00	0.00	0.01	0.00	0.05	0.08	0.07	0.08	0.07	0.03	0.04
1969	Wet	0.02	0.00	0.01	0.00	1.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.02	0.00	0.00	(0.07)	0.04	0.00	0.00	0.02	0.00
	Wet	0.00	0.00	0.00	0.00	0.05	0.00	0.00	(0.23)	0.12	0.00	0.00	0.06	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00
	Critical	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy generated (GWh) at New Melones Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-3%	3%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	3%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	46%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy generated (GWh) at Nimbus Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.19	4.73	4.26	3.62	9.38	7.04	8.65	11.58	11.21	5.31	7.84	10.24	87.05
1923	Below Normal	3.89	5.55	11.58	9.47	8.67	3.94	5.95	9.15	5.55	10.58	4.06	6.96	85.35
1924	Critical	6.25	3.96	4.26	3.62	2.88	1.71	1.65	1.71	1.13	1.16	1.16	1.12	30.61
1925	Dry	1.68	1.64	1.71	1.71	10.44	4.67	9.67	9.16	7.52	10.58	7.98	3.34	70.10
1926	Dry	3.19	3.96	4.26	3.62	2.86	1.71	6.90	3.24	6.78	5.51	3.80	1.70	47.53
1927	Wet	3.19	3.20	3.35	7.42	9.68	9.47	11.40	9.52	10.49	9.86	4.34	6.90	88.82
1928	Above Normal	4.18	9.44	4.26	3.73	3.49	11.06	9.55	3.73	5.77	10.58	5.03	4.45	75.27
1929	Critical	3.19	3.44	3.66	3.11	2.39	2.67	2.61	2.82	3.26	3.37	3.37	3.11	37.00
1930	Dry	2.20	2.11	2.20	2.21	2.00	5.51	3.61	3.73	6.31	8.25	4.02	3.16	45.31
1931	Critical	4.48	3.47	3.70	3.11	2.39	1.78	1.74	1.80	1.49	1.73	1.57	3.72	30.98
1932	Dry	3.57	1.65	1.69	1.69	4.89	4.31	3.61	7.14	9.77	6.96	6.72	8.00	60.00
1933	Critical	4.46	5.41	4.26	3.62	2.78	3.08	3.46	3.08	7.30	8.21	3.70	3.11	52.47
1934	Critical	1.68	2.92	1.71	1.71	1.54	1.13	5.21	6.36	8.45	1.67	3.44	1.29	37.11
1935	Below Normal	1.82	1.59	1.68	1.69	1.66	3.73	11.52	8.46	8.55	10.58	3.73	6.54	61.55
1936	Below Normal	5.81	3.96	4.26	10.96	10.01	8.89	10.72	8.15	9.52	10.58	3.73	7.64	94.23
1937	Below Normal	5.83	3.96	4.26	3.62	5.27	9.30	8.58	7.86	4.24	10.58	3.73	7.67	74.90
1938	Wet	3.19	4.14	11.87	5.91	10.37	11.25	11.38	11.54	11.27	6.68	8.60	9.99	106.19
1939	Dry	3.19	4.61	4.26	3.62	2.78	1.71	1.65	2.92	3.05	6.11	2.15	1.65	37.70
1940	Above Normal	2.91	2.82	2.91	6.01	10.61	11.33	11.52	6.23	3.61	10.58	5.27	10.24	84.04
1941	Wet	3.65	5.54	3.89	10.48	10.60	10.20	7.42	10.15	6.29	4.66	8.21	10.24	91.33
1942	Wet	3.28	6.17	8.99	11.57	10.33	5.10	11.52	11.89	11.45	6.42	8.54	10.02	105.28
1943	Wet	3.38	10.05	6.88	11.29	10.67	11.04	10.40	4.95	5.77	10.55	3.73	10.24	98.95
1944	Dry	4.57	5.55	4.22	3.59	2.88	3.08	2.98	3.08	5.74	6.17	4.98	3.38	50.22
1945	Below Normal	3.19	3.29	3.47	3.47	10.62	4.28	4.25	6.94	5.09	10.58	5.30	5.78	66.26
1946	Below Normal	5.54	5.83	11.62	10.76	4.89	6.36	6.93	7.24	3.65	10.58	5.72	3.85	82.97
1947	Dry	5.94	3.96	4.26	3.62	2.87	5.06	2.31	2.38	6.50	6.28	4.29	3.30	50.77
1948	Below Normal	3.19	3.15	3.27	2.78	2.22	3.73	3.61	6.79	9.90	7.16	5.44	7.96	59.20
1949	Dry	3.38	4.46	4.26	3.62	2.78	5.72	6.47	4.74	3.85	10.06	7.04	4.44	60.82
1950	Below Normal	3.19	3.96	4.26	3.74	10.49	6.61	9.31	8.17	7.92	10.58	3.73	7.19	79.15
1951	Above Normal	5.91	9.76	9.86	11.41	10.59	7.94	6.03	7.04	3.61	10.58	4.63	8.31	95.67
1952	Wet	3.19	5.28	9.04	11.61	10.78	11.90	11.29	11.22	11.02	8.73	9.53	8.91	112.50
1953	Wet	3.27	7.35	4.26	11.85	4.38	3.73	5.01	5.56	11.52	8.45	7.29	8.23	80.90
1954	Above Normal	4.32	6.14	4.26	3.62	5.52	9.36	8.53	3.73	3.61	10.58	3.73	3.16	66.56
1955	Dry	3.19	3.96	4.26	3.62	3.71	3.08	2.98	3.08	3.61	6.09	5.34	3.16	46.08
1956	Wet	3.19	3.95	9.95	10.15	11.13	3.99	5.75	11.87	11.52	6.03	8.61	9.66	95.80
1957	Above Normal	3.86	6.76	4.26	3.62	2.94	9.49	3.61	5.56	5.45	10.58	5.81	5.47	67.41
1958	Wet	3.19	3.96	4.26	5.45	10.32	11.87	11.03	11.47	11.41	5.90	8.74	8.53	96.13
1959	Below Normal	3.19	6.58	4.26	3.62	3.56	1.73	1.65	1.71	2.95	10.58	1.95	1.65	43.43
1960	Dry	3.19	3.27	3.43	2.92	2.34	6.36	4.11	3.17	3.03	4.33	5.15	3.34	44.64
1961	Dry	3.19	3.96	4.26	3.62	2.78	1.82	1.76	1.82	1.77	6.78	1.82	1.76	35.34
1962	Below Normal	2.11	2.02	2.11	1.79	4.70	4.20	7.57	3.87	3.61	10.58	6.31	3.92	52.79
1963	Wet	7.18	8.71	7.05	8.50	10.08	3.73	11.49	11.85	6.07	9.44	3.73	7.00	94.83
1964	Dry	4.83	8.77	4.26	5.22	3.49	3.62	3.50	3.62	3.61	7.23	5.12	3.30	56.57
1965	Wet	3.19	3.47	8.88	10.81	10.16	3.73	11.12	7.46	7.01	10.55	3.73	10.24	90.35
1966	Below Normal	5.66	4.29	4.26	3.73	3.36	1.71	2.88	1.71	2.41	10.42	2.31	1.66	44.40
1967	Wet	3.19	3.50	5.46	11.86	8.46	11.90	8.10	11.71	11.02	7.94	8.63	9.63	101.40
1968	Below Normal	3.19	6.67	4.36	3.62	11.10	4.28	2.46	2.55	2.42	10.58	2.50	2.42	56.15
1969	Wet	3.19	3.42	3.66	10.37	10.43	7.31	11.51	11.60	11.51	5.55	8.34	10.01	96.90
1970	Wet	3.19	5.52	10.63	8.83	10.75	5.33	3.61	3.73	3.61	10.58	4.07	7.91	77.76
1971	Wet	3.17	3.25	9.17	9.95	6.49	8.34	4.70	7.20	9.79	7.84	6.02	8.85	84.77
1972	Below Normal	3.19	6.52	4.26	4.03	6.04	8.67	3.61	3.73	3.63	10.58	4.03	3.16	61.45
1973	Above Normal	3.19	3.96	5.78	11.55	10.68	7.29	4.43	8.62	6.48	9.88	3.73	6.19	81.78
1974	Wet	3.19	11.50	11.82	11.12	8.30	11.60	11.51	9.75	8.14	6.53	8.68	8.81	110.95
1975	Wet	3.19	7.02	4.26	3.62	4.81	9.69	4.04	10.44	11.52	6.29	7.61	8.69	81.18
1976	Critical	3.19	9.03	4.26	3.62	2.88	1.71	1.65	1.71	1.75	2.16	1.71	1.65	35.32
1977	Critical	1.71	1.65	1.71	1.69	1.52	1.14	0.74	0.64	0.73	0.76	2.86	0.80	15.95
1978	Above Normal	0.99	0.99	1.09	3.90	8.78	11.71	8.52	7.62	8.21	10.08	3.73	7.55	73.17
1979	Below Normal	3.22	4.68	4.26	3.62	6.56	7.25	3.61	8.70	8.05	7.46	3.73	3.16	64.30
1980	Above Normal	4.35	4.62	4.80	9.59	10.07	7.79	5.79	5.84	6.17	5.76	8.52	10.19	83.49
1981	Dry	3.19	6.09	4.26	3.73	3.36	1.71	1.65	1.71	2.66	6.94	2.17	1.65	39.12
1982	Wet	3.19	9.63	10.61	11.75	9.15	11.77	10.13	11.58	11.52	6.09	8.52	9.29	113.23
1983	Wet	4.38	11.35	11.58	11.78	9.89	10.06	11.48	11.39	10.19	11.90	10.02	10.13	124.15
1984	Wet	3.34	9.96	10.10	11.90	10.58	6.27	3.61	5.13	5.50	10.58	3.73	5.71	86.41
1985	Dry	4.47	8.38	5.26	3.73	3.36	2.64	4.09	2.64	6.52	6.24	4.90	2.44	54.67
1986	Wet	3.19	3.47	3.73	6.69	5.27	11.06	5.56	5.40	7.22	10.58	3.73	9.81	75.71
1987	Dry	3.19	3.96	4.26	3.62	2.78	1.71	1.65	2.19	3.52	4.93	1.69	1.59	35.09
1988	Critical	1.58	1.59	1.69	1.71	2.26	1.97	1.20	1.54	2.40	2.25	1.55	1.44	21.18
1989	Dry	1.86	1.80	1.86	1.86	1.54	11.60	8.71	7.19	9.70	6.82	4.11	3.81	60.86
1990	Critical	3.19	3.47	3.73	3.17	2.43	2.37	2.30	2.37	3.62	4.16	3.34	2.34	36.49
1991	Critical	3.16	3.04	3.11	2.65	2.03	2.25	2.20	2.29	3.90	5.99	6.96	3.13	40.71
1992	Critical	1.68	1.62	1.68	1.68	1.58	0.91	2.67	3.07	3.32	10.49	1.19	0.72	30.61
1993	Above Normal	1.16	1.07	1.64	2.05	10.75	11.82	8.64	10.86	10.45	7.78	5.40	7.96	79.58
1994	Critical	3.80	6.46	4.26	3.62	2.78	2.20	2.13	2.20	3.23	3.66	2.30	2.20	38.84
1995	Wet	2.72	2.61	2.72	11.37	9.10	9.90	11.46	11.19	11.04	9.84	9.11	8.84	99.90
1996	Wet	5.61	5.59	4.81	11.62	9.95	11.89	9.61	11.73	6.26	7.74	5.07	9.79	99.67
1997	Wet	5.41	7.56	10.85	6.02	10.73	3.73	3.61	3.73	3.61	10.58	3.73	9.04	78.60
1998	Wet	2.93	2.84	2.94	10.32	9.89	11.90	11.50	11.90	10.90	8.31	8.85	9.03	101.31
1999	Wet	3.19	8.06	6.21	11.90	10.18	9.25	5.57	10.01	9.51	8.51	4.56	10.01	96.96
2000	Above Normal	3.72	6.55	4.26	4.51	10.49	8.75	5.39	4.27	3.94	10.58	3.73	4.73	70.92
2001	Dry	3.34	4.73	4.26	3.62	2.78	1.71	1.65	1.71	2.64	4.53	2.49	1.65	35.11
2002	Dry	2.48	1.65	2.65	7.33	6.46	6.71	4.17	3.73	3.61	10.10	5.40	3.31	57.60
2003	Above Normal	3.35	3.96	4.26	7.11	4.75	3.73	4.89	10.32	5.29	10.58	3.73	7.16	69.13
	Average	3.49	4.88	5.00	5.95	6.36	6.14	5.99	6.23	6.31	7.80	4.94	5.74	68.84
	Wet	3.58	6.04	7.19	9.77	9.33	8.69	8.61	9.38	9.04	8.31	6.76	9.06	95.77
	Above Normal	3.43	5.07	4.30	5.89	8.17	8.94	7.13	7.12	6.15	9.41	5.10	7.14	77.84
	Below Normal	3.79	4.43	4.85	4.78	6.37	5.33	5.90	6.07	5.54	10.10	4.02	4.97	66.15
	Dry	3.37	4.14	3.65	3.50	3.56	4.04	3.97	3.74	5.01	6.88	4.40	3.05	49.31
	Critical	3.20	3.84	3.17	2.78	2.29	1.91	2.30	2.47	3.38	3.80	2.76	2.05	33.94

Energy generated (GWh) at Nimbus Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.19	4.73	4.26	3.62	9.38	7.04	8.65	11.58	11.21	5.31	7.84	10.24	87.05
1923	Below Normal	3.89	5.55	11.58	9.47	8.69	3.94	5.93	9.15	5.56	10.58	4.04	6.99	85.37
1924	Critical	6.22	3.96	4.26	3.62	2.88	1.71	1.65	1.71	1.13	1.17	1.17	1.12	30.60
1925	Dry	1.68	1.64	1.71	1.71	10.44	4.67	9.67	9.16	7.52	10.58	7.99	3.34	70.11
1926	Dry	3.19	3.96	4.26	3.62	2.85	1.71	6.90	3.23	6.79	5.51	3.79	1.70	47.51
1927	Wet	3.19	3.20	3.35	7.41	9.68	9.47	11.40	9.52	10.49	9.86	4.34	6.89	88.80
1928	Above Normal	4.17	9.45	4.26	3.73	3.49	11.06	9.55	3.73	5.77	10.58	5.03	4.45	75.27
1929	Critical	3.19	3.44	3.66	3.11	2.39	2.67	2.61	2.82	3.26	3.37	3.37	3.11	37.00
1930	Dry	2.19	2.10	2.19	2.21	2.00	5.51	3.61	3.73	6.30	8.26	4.02	3.16	45.28
1931	Critical	4.48	3.47	3.70	3.11	2.39	1.78	1.74	1.80	1.49	1.74	1.57	3.72	30.99
1932	Dry	3.57	1.65	1.69	1.69	4.89	4.31	3.61	7.14	9.77	6.95	6.73	8.00	60.00
1933	Critical	4.45	5.41	4.26	3.62	2.78	3.08	3.46	3.08	7.29	8.20	3.70	3.11	52.44
1934	Critical	1.79	2.93	1.71	1.71	1.54	1.12	5.21	6.36	8.44	1.67	3.36	1.29	37.13
1935	Below Normal	1.82	1.59	1.68	1.69	1.66	3.73	11.52	8.46	8.55	10.58	3.73	6.54	61.55
1936	Below Normal	5.81	3.96	4.26	10.96	10.01	8.89	10.72	8.15	9.52	10.58	3.73	7.64	94.23
1937	Below Normal	5.83	3.96	4.26	3.62	5.28	9.30	8.58	7.86	4.24	10.58	3.73	7.67	74.91
1938	Wet	3.19	4.14	11.87	5.91	10.37	11.25	11.38	11.54	11.27	6.68	8.60	9.99	106.19
1939	Dry	3.19	4.62	4.26	3.62	2.78	1.71	2.54	2.74	2.93	6.14	1.82	1.65	38.00
1940	Above Normal	2.82	2.73	2.82	6.06	10.61	11.33	11.52	6.23	3.61	10.58	5.26	10.24	83.81
1941	Wet	3.66	5.50	3.90	10.53	10.60	10.20	7.42	10.15	6.29	4.66	8.21	10.24	91.36
1942	Wet	3.32	6.28	8.83	11.57	10.33	5.10	11.52	11.89	11.45	6.42	8.54	10.02	105.27
1943	Wet	3.38	10.04	6.89	11.29	10.67	11.04	10.40	4.95	5.77	10.40	3.73	10.24	98.80
1944	Dry	4.13	6.04	4.25	3.61	2.88	3.08	2.98	3.08	5.99	6.06	4.94	3.35	50.39
1945	Below Normal	3.19	3.29	3.48	3.48	10.62	4.28	4.25	6.95	5.10	10.58	5.30	5.78	66.30
1946	Below Normal	5.50	5.87	11.62	10.76	4.89	6.36	6.93	7.24	3.65	10.58	5.72	4.25	83.37
1947	Dry	5.94	3.96	4.26	3.62	2.78	4.75	2.31	2.39	6.47	6.28	4.32	3.28	50.36
1948	Below Normal	3.19	3.15	3.27	2.78	2.21	3.73	3.61	6.79	9.90	7.16	5.44	7.96	59.19
1949	Dry	3.38	4.46	4.26	3.62	2.78	5.72	6.47	4.74	3.85	10.07	7.03	4.45	60.83
1950	Below Normal	3.19	3.96	4.26	3.73	10.49	6.61	9.31	8.17	7.92	10.58	3.73	7.19	79.14
1951	Above Normal	5.93	9.77	9.86	11.41	10.59	7.94	6.03	7.04	3.61	10.58	4.63	8.31	95.70
1952	Wet	3.19	5.28	9.04	11.61	10.78	11.90	11.29	11.22	11.02	8.73	9.53	8.91	112.50
1953	Wet	3.24	8.15	4.26	11.88	4.38	3.73	5.01	5.56	11.52	8.46	7.28	8.23	81.70
1954	Above Normal	4.28	6.11	4.26	3.62	5.58	9.36	8.53	3.73	3.61	10.58	3.73	3.16	66.55
1955	Dry	3.19	3.96	4.26	3.62	3.72	3.08	2.98	3.08	3.61	6.10	5.32	3.16	46.08
1956	Wet	3.19	3.95	9.95	10.15	11.13	3.99	5.75	11.87	11.52	6.03	8.61	9.66	95.80
1957	Above Normal	3.86	6.76	4.26	3.62	2.94	9.49	3.61	5.56	5.45	10.58	5.81	5.47	67.41
1958	Wet	3.19	3.96	4.26	5.45	10.32	11.87	11.03	11.47	11.41	5.90	8.74	8.51	96.11
1959	Below Normal	3.19	7.20	4.26	3.62	2.95	1.73	1.65	1.71	2.95	10.58	1.94	1.65	43.43
1960	Dry	3.18	3.26	3.43	2.91	2.34	6.35	4.12	3.17	3.03	4.33	5.14	3.39	44.65
1961	Dry	3.19	3.96	4.26	3.62	2.78	1.82	1.76	1.82	1.77	6.80	1.82	1.76	35.36
1962	Below Normal	2.08	1.99	2.08	1.77	4.74	4.20	7.57	3.87	3.61	10.58	6.31	3.92	52.72
1963	Wet	7.18	8.71	7.05	8.50	10.08	3.73	11.49	11.85	6.07	9.44	3.73	7.00	94.83
1964	Dry	4.83	8.76	4.26	5.23	3.49	3.62	3.50	3.62	3.61	7.23	5.12	3.30	56.57
1965	Wet	3.19	3.47	8.88	10.81	10.16	3.73	11.12	7.46	7.01	10.52	3.73	10.24	90.32
1966	Below Normal	5.66	4.26	4.26	3.73	3.36	1.71	2.94	1.71	2.42	10.45	2.30	1.66	44.46
1967	Wet	3.19	3.49	5.44	11.86	8.46	11.90	8.10	11.71	11.02	7.94	8.63	9.72	101.46
1968	Below Normal	3.19	7.40	4.26	3.62	11.13	4.28	2.46	2.55	2.42	10.58	2.50	2.42	56.81
1969	Wet	3.19	3.42	3.66	10.37	10.43	7.31	11.51	11.60	11.51	5.55	8.34	10.01	96.90
1970	Wet	3.19	5.53	10.63	8.83	10.75	5.32	3.61	3.73	3.61	10.58	4.07	7.94	77.79
1971	Wet	3.17	3.24	9.15	9.95	6.49	8.34	4.70	7.20	9.79	7.83	6.03	8.85	84.74
1972	Below Normal	3.19	6.53	4.26	4.03	6.04	8.67	3.61	3.73	3.63	10.58	4.03	3.16	61.46
1973	Above Normal	3.19	3.96	5.78	11.55	10.68	7.29	4.43	8.62	6.48	9.87	3.73	6.37	81.95
1974	Wet	3.19	11.51	11.82	11.12	8.30	11.60	11.51	9.75	8.14	6.53	8.68	8.81	110.96
1975	Wet	3.19	6.98	4.26	3.62	4.85	9.69	4.04	10.44	11.52	6.28	7.61	8.69	81.17
1976	Critical	3.19	9.05	4.26	3.62	2.88	1.71	1.65	1.71	1.75	2.16	1.71	1.65	35.34
1977	Critical	1.71	1.65	1.71	1.69	1.52	1.14	0.74	0.64	0.73	0.76	2.85	0.80	15.94
1978	Above Normal	0.99	0.99	1.09	3.90	8.78	11.72	8.52	7.62	8.21	10.08	3.73	7.57	73.20
1979	Below Normal	3.24	5.79	4.26	3.62	5.41	7.25	3.62	8.70	8.09	8.24	3.73	3.16	65.11
1980	Above Normal	4.29	3.96	4.74	9.59	10.07	7.79	5.79	5.84	6.17	5.76	8.52	10.24	82.76
1981	Dry	3.19	6.27	4.26	3.73	3.36	1.71	1.65	1.71	2.64	6.92	2.14	1.65	39.23
1982	Wet	3.19	9.53	10.61	11.75	9.15	11.77	10.13	11.58	11.52	6.09	8.52	9.29	113.13
1983	Wet	4.38	11.35	11.58	11.78	9.89	10.06	11.48	11.39	10.19	11.90	10.02	10.13	124.15
1984	Wet	3.34	9.96	10.10	11.90	10.58	6.27	3.61	5.13	5.50	10.58	3.73	5.71	86.41
1985	Dry	4.47	8.38	5.26	3.73	3.36	2.64	4.09	2.64	6.52	6.24	4.90	2.44	54.67
1986	Wet	3.19	3.47	3.73	6.69	5.27	11.06	5.56	5.40	7.22	10.58	3.73	9.81	75.71
1987	Dry	3.19	3.96	4.26	3.62	2.78	1.71	1.65	2.20	3.41	5.02	1.69	1.59	35.08
1988	Critical	1.58	1.59	1.69	1.71	2.30	1.98	1.20	1.54	2.40	2.24	1.55	1.44	21.22
1989	Dry	1.85	1.79	1.85	1.85	1.54	11.60	8.71	7.20	9.72	6.82	4.10	3.81	60.84
1990	Critical	3.19	3.47	3.73	3.17	2.43	2.38	2.30	2.38	3.62	4.15	3.22	2.34	36.38
1991	Critical	3.19	3.07	3.15	2.68	2.06	2.28	2.22	2.32	3.90	5.96	7.03	3.13	40.99
1992	Critical	1.68	1.62	1.68	1.68	1.58	0.91	2.67	3.04	3.39	10.49	1.11	0.72	30.57
1993	Above Normal	1.16	1.07	1.64	2.05	10.75	11.82	8.64	10.86	10.45	7.78	5.39	7.96	79.57
1994	Critical	3.81	6.45	4.26	3.62	2.78	2.20	2.13	2.20	3.25	3.69	2.28	2.20	38.87
1995	Wet	2.71	2.60	2.71	11.37	9.10	9.90	11.46	11.19	11.04	9.84	9.11	8.84	99.87
1996	Wet	5.61	6.50	4.26	11.27	9.95	11.89	9.61	11.73	6.26	7.75	5.07	9.79	99.69
1997	Wet	5.31	7.57	10.84	6.02	10.73	3.73	3.61	3.73	3.61	10.58	3.73	9.03	78.49
1998	Wet	2.94	2.84	2.94	10.32	9.89	11.90	11.50	11.90	10.90	8.31	8.85	9.03	101.32
1999	Wet	3.19	8.06	6.21	11.90	10.18	9.25	5.57	10.01	9.51	8.51	4.57	10.01	96.97
2000	Above Normal	3.73	6.55	4.26	4.50	10.49	8.75	5.39	4.27	3.94	10.58	3.73	4.73	70.92
2001	Dry	3.33	4.73	4.26	3.62	2.78	1.71	1.65	1.71	2.65	4.53	2.46	1.65	35.08
2002	Dry	2.50	1.65	2.65	7.33	6.46	6.71	4.17	3.73	3.61	10.10	5.40	3.36	57.67
2003	Above Normal	3.33	3.96	4.26	7.07	4.75	3.73	4.89	10.32	5.29	10.58	3.73	7.16	69.07
	Average	3.48	4.93	4.99	5.95	6.34	6.14	6.00	6.23	6.31	7.81	4.94	5.75	68.87
	Wet	3.57	6.11	7.16	9.76	9.33	8.69	8.61	9.38	9.04	8.31	6.76	9.06	95.79
	Above Normal	3.41	5.00	4.29	5.89	8.18	8.94	7.13	7.12	6.15	9.41	5.09	7.16	77.77
	Below Normal	3.78	4.61	4.84	4.78	6.25	5.33	5.91	6.07	5.54	10.16	4.02	5.00	66.29
	Dry	3.34	4.18	3.65	3.50	3.56	4.02	4.02	3.73	5.01	6.89	4.37	3.06	49.32
	Critical	3.21	3.84	3.17	2.78	2.29	1.91	2.30	2.47	3.39	3.80	2.74	2.05	33.96

Difference in Energy generated (GWh) at Nimbus Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.02	0.00	(0.02)	0.00	0.01	0.00	(0.02)	0.03	0.00
1924	Critical	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.01	0.00	(0.01)	0.00	0.00
1927	Wet	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1928	Above Normal	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1933	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1934	Critical	0.11	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.08)	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.01	0.00	0.00	0.00	0.00	0.89	(0.18)	(0.12)	0.03	(0.33)	0.00	0.03
1940	Above Normal	(0.09)	(0.09)	(0.09)	0.05	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.02)
1941	Wet	0.01	(0.04)	0.01	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.04	0.11	(0.16)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)	0.00	0.00	(0.01)
1944	Dry	(0.44)	0.49	0.03	0.02	0.00	0.00	0.00	0.00	0.25	(0.11)	(0.04)	(0.03)	0.01
1945	Below Normal	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1946	Below Normal	(0.04)	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.03
1947	Dry	0.00	0.00	0.00	0.00	(0.09)	(0.31)	0.00	0.01	(0.03)	0.00	0.03	(0.02)	(0.03)
1948	Below Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.01	0.00
1950	Below Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	(0.03)	0.80	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.07
1954	Above Normal	(0.04)	(0.03)	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00
1959	Below Normal	0.00	0.62	0.00	0.00	(0.61)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1960	Dry	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.01	0.00	0.00	0.00	(0.01)	0.05	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
1962	Below Normal	(0.03)	(0.03)	(0.03)	(0.02)	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00
1966	Below Normal	0.00	(0.03)	0.00	0.00	0.00	0.00	0.06	0.00	0.01	0.03	(0.01)	0.00	0.00
1967	Wet	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.01
1968	Below Normal	0.00	0.73	(0.10)	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1971	Wet	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1972	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.18	0.01
1974	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	(0.04)	0.00	0.00	0.04	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1976	Critical	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.00
1979	Below Normal	0.02	1.11	0.00	0.00	(1.15)	0.00	0.01	0.00	0.04	0.78	0.00	0.00	0.07
1980	Above Normal	(0.06)	(0.66)	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.06)
1981	Dry	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.03)	0.00	0.01
1982	Wet	0.00	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.11)	0.09	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.04	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1989	Dry	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.01	0.02	0.00	(0.01)	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	(0.01)	(0.12)	0.00	(0.01)
1991	Critical	0.03	0.03	0.04	0.03	0.03	0.03	0.02	0.03	0.00	(0.03)	0.07	0.00	0.02
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.07	0.00	(0.08)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1994	Critical	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.03	(0.02)	0.00	0.00
1995	Wet	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.91	(0.55)	(0.35)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1997	Wet	(0.10)	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1998	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
2000	Above Normal	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.03)	0.00	0.00
2002	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01
2003	Above Normal	(0.02)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
	Average	(0.01)	0.05	(0.01)	(0.00)	(0.02)	(0.00)	0.01	(0.00)	0.00	0.01	(0.01)	0.01	0.00
	Wet	(0.00)	0.06	(0.03)	(0.01)	0.00	(0.00)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
	Above Normal	(0.02)	(0.06)	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.02	(0.01)
	Below Normal	(0.00)	0.18	(0.01)	(0.00)	(0.12)	0.00	0.00	0.00	0.00	0.06	(0.00)	0.03	0.01
	Dry	(0.03)	0.04	0.00	0.00	(0.00)	(0.02)	0.05	(0.01)	0.00	0.00	(0.02)	0.00	0.00
	Critical	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	(0.00)	(0.02)	0.00	0.00

Percent Difference in Energy generated (GWh) at Nimbus Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	7%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	-2%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	54%	-6%	-4%	0%	-15%	0%
1940	Above Normal	-3%	-3%	-3%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	2%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1944	Dry	-10%	9%	1%	1%	0%	0%	0%	0%	4%	-2%	-1%	-1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%
1947	Dry	0%	0%	0%	0%	-3%	-6%	0%	0%	0%	0%	1%	-1%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-1%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	9%	0%	0%	-17%	0%	0%	0%	0%	0%	-1%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	-1%	-1%	-1%	1%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1968	Below Normal	0%	11%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	1%	24%	0%	0%	-18%	0%	0%	0%	0%	10%	0%	0%
1980	Above Normal	-1%	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	3%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1982	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%	0%
1988	Critical	0%	0%	0%	0%	2%	1%	0%	0%	0%	0%	0%	0%
1989	Dry	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%
1991	Critical	1%	1%	1%	1%	1%	1%	1%	1%	0%	-1%	1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	2%	0%	-7%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	16%	-11%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
2003	Above Normal	-1%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	3%	0%	0%	-2%	0%	0%	0%	0%	1%	0%	1%
	Dry	-1%	1%	0%	0%	0%	0%	3%	0%	0%	0%	-1%	0%
	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%

Energy generated (GWh) at O'Neill: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.04	2.68	0.00	0.00	0.00	0.00	2.72
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.40	3.74	0.09	0.00	0.00	0.00	5.23
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.52	0.64	2.03	4.40	3.50	2.34	0.00	13.43
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.17	3.56	0.12	0.00	0.00	0.00	4.85
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.64	0.83	3.21	2.06	0.09	1.56	0.00	8.39
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.76	3.90	1.31	0.00	0.00	0.00	6.97
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.37	3.67	1.68	0.00	0.00	0.00	6.72
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.50	2.88	4.59	1.83	0.00	0.00	10.80
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.38	4.09	1.05	3.31	0.00	11.27
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.95	2.08	4.14	3.97	2.37	0.00	13.51
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.03	2.21	1.43	3.74	0.00	0.00	8.41
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.89	1.99	3.75	3.39	0.00	0.00	10.02
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.92	0.95	2.09	4.14	3.98	0.00	0.00	12.08
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.02	3.35	0.49	0.24	2.47	0.00	7.57
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.12	2.21	1.08	0.00	1.32	0.00	4.73
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.28	0.27	1.83	0.00	4.38
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.62	0.00	0.00	0.00	0.00	1.74	3.43	5.79	0.00	1.93	0.00	13.51
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.99	3.75	1.40	0.00	0.00	0.00	6.14
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.83	1.28	0.00	0.00	0.00	0.00	2.11
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.31	2.74	0.00	0.00	0.00	0.00	4.05
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	0.00	0.00	1.56
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.24	3.29	2.90	0.00	1.95	0.00	9.38
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.78	4.06	3.19	0.00	0.00	0.00	9.03
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.19	4.04	1.80	0.00	0.00	0.00	8.03
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.06	1.80	3.64	3.47	0.00	1.74	0.00	10.71
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.89	3.44	1.16	0.00	0.00	0.00	6.49
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.23	3.96	3.75	0.00	0.00	0.00	9.94
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.75	3.43	2.84	0.00	0.00	0.00	8.02
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.94	4.05	1.87	0.81	0.00	0.00	8.67
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.55	3.59	2.98	0.00	0.00	0.00	8.12
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.74	3.67	1.55	1.11	0.00	0.00	8.07
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.61	3.50	5.55	0.00	1.40	0.00	12.06
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.10	3.95	0.00	0.00	0.00	0.00	5.05
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.42	3.46	2.93	0.00	0.00	0.00	7.81
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.04	3.28	3.36	0.00	0.00	0.00	7.68
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.88	2.65	3.59	0.00	1.63	0.00	9.75
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.11	3.72	6.25	0.00	0.00	0.00	12.08
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.41	3.69	3.50	0.00	0.00	0.00	8.60
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.85	3.80	0.01	0.00	0.00	0.00	5.66
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.94	3.55	5.44	0.00	1.26	0.00	12.19
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.04	4.35	1.91	0.00	0.00	0.00	7.30
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.83	3.76	3.61	0.00	0.00	0.00	9.20
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.16	3.21	3.42	0.00	0.00	0.00	7.79
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.62	0.00	0.00	0.00	0.00	2.28	4.04	3.63	0.00	0.00	0.00	10.57
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.38	3.46	1.31	0.00	0.00	0.00	6.15
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.86	3.65	3.56	0.00	0.00	0.00	9.07
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.83	3.92	0.59	0.00	0.00	0.00	6.34
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.25	3.77	0.00	0.00	0.00	0.00	5.02
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.87	4.05	0.00	0.00	0.00	0.00	5.92
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.67	3.02	5.63	3.07	4.62	1.92	18.93
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.51	0.92	2.04	4.73	3.90	0.00	1.21	13.31
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.65	2.82	1.42	0.00	0.00	0.00	5.89
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.10	0.00	0.00	0.00	0.00	1.10
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.91	3.19	3.55	0.00	0.00	0.00	7.65
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.79	4.06	1.54	0.00	0.00	0.00	7.39
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.35	3.67	3.77	0.00	0.00	0.00	8.79
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.13	4.13
1987	Dry	0.00	0.54	0.00	0.00	0.00	0.00	1.77	3.28	3.14	0.00	3.00	0.00	11.73
1988	Critical	0.00	0.00	0.00	0.00	0.00	1.07	0.97	2.88	5.34	0.00	0.00	0.98	11.24
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.19	0.98	3.45	1.84	0.00	1.01	0.00	7.47
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.61	1.50	2.78	5.57	0.00	0.00	1.62	12.08
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.14	2.84	0.00	0.02	0.00	5.44
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.10	2.31	3.28	0.00	0.00	2.50	9.19
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.34	4.03	0.00	0.00	0.00	0.00	6.37
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.59	5.07	0.00	0.00	0.00	8.93
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.61	1.55	0.60	0.00	0.00	0.00	3.76
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	2.33	4.34	0.00	0.00	0.00	0.00	6.67
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.97	3.90	1.31	0.00	0.00	0.00	7.18
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.97	3.86	0.56	2.00	0.00	0.00	8.39
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.44	3.50	3.44	0.00	1.74	0.00	10.12
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.91	3.59	3.42	0.00	0.00	0.00	8.92
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.13	3.81	2.21	0.00	0.00	0.00	8.15
	Average	0.00	0.02	0.00	0.00	0.00	0.06	1.18	2.75	2.15	0.40	0.43	0.15	7.15
	Wet	0.00	0.02	0.00	0.00	0.00	0.00	0.92	2.09	0.56	0.00	0.00	0.16	3.75
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.31	3.17	1.07	0.33	0.00	0.00	5.87
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.36	3.19	2.27	0.04	0.40	0.00	7.27
	Dry	0.00	0.06	0.00	0.00	0.00	0.05	1.47	3.32	3.53	0.27	1.14	0.00	9.85
	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.98	2.40	4.46	1.97	0.78	0.69	11.58

Energy generated (GWh) at O'Neill: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.53	0.00	0.00	0.00	0.00	2.53
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.30	3.58	0.00	0.00	0.00	0.00	4.88
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.52	0.64	2.02	4.40	3.50	2.34	0.00	13.42
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.15	3.52	0.05	0.00	0.00	0.00	4.72
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.64	0.83	3.20	2.06	0.08	1.57	0.00	8.38
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.67	3.76	1.06	0.00	0.00	0.00	6.49
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.32	3.59	1.55	0.00	0.00	0.00	6.46
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.50	2.88	4.59	1.83	0.00	0.00	10.80
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.38	4.10	1.05	3.31	0.00	11.28
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.95	2.08	4.14	3.97	2.37	0.00	13.51
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.05	0.94	2.06	1.18	3.43	0.00	0.00	7.66
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.88	1.99	3.74	3.37	0.00	0.00	9.98
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.94	0.95	2.09	4.14	3.98	0.00	0.00	12.10
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.93	3.20	0.24	0.00	2.26	0.00	6.63
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.03	2.06	0.83	0.00	1.12	0.00	4.04
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.75	0.00	1.63	0.00	5.38
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.60	0.00	0.00	0.00	0.00	1.71	3.18	5.41	0.00	1.12	0.00	12.02
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.93	3.64	1.19	0.00	0.00	0.00	5.76
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.74	3.00	0.00	0.00	0.00	0.00	3.74
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.21	2.73	0.00	0.00	0.00	0.00	3.94
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.40	0.00	0.00	0.00	0.00	1.40
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.20	3.23	2.55	0.00	1.85	0.00	8.83
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.68	3.89	2.91	0.00	0.00	0.00	8.48
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.10	3.89	1.83	0.00	0.00	0.00	7.82
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.04	1.77	3.61	3.40	0.00	1.52	0.00	10.34
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.89	3.44	1.15	0.00	0.00	0.00	6.48
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.22	3.95	3.75	0.00	0.00	0.00	9.92
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.74	3.41	2.81	0.00	0.00	0.00	7.96
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.85	3.90	1.62	0.50	0.00	0.00	7.87
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.43	3.40	2.68	0.00	0.00	0.00	7.51
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.75	3.67	1.55	1.13	0.00	0.00	8.10
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.60	3.49	5.54	0.00	1.48	0.00	12.11
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.10	3.80	0.00	0.00	0.00	0.00	4.90
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.33	3.31	2.68	0.00	0.00	0.00	7.32
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.00	0.00	0.00	0.00	1.21
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.03	3.26	3.31	0.00	0.00	0.00	7.60
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.88	2.64	3.59	0.00	2.38	0.00	10.49
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.10	3.72	6.25	0.00	0.00	0.00	12.07
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.32	3.55	3.25	0.00	0.00	0.00	8.12
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.76	3.64	0.00	0.00	0.00	0.00	5.40
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.94	3.56	5.44	0.00	1.26	0.00	12.20
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.93	4.17	1.62	0.00	0.00	0.00	6.72
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.77	3.65	3.43	0.00	0.00	0.00	8.85
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.08	3.08	3.20	0.00	0.00	0.00	7.36
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.62	0.00	0.00	0.00	0.00	2.19	3.89	3.38	0.00	0.00	0.00	10.08
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.33	3.37	1.15	0.00	0.00	0.00	5.85
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.86	3.65	3.56	0.00	0.00	0.00	9.07
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.74	3.77	1.13	0.00	0.00	0.00	6.64
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.13	3.59	0.00	0.00	0.00	0.00	4.72
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.78	3.91	0.00	0.00	0.00	0.00	5.69
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.67	3.02	5.62	3.09	4.61	1.92	18.93
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.51	0.92	2.04	4.73	3.90	0.00	1.21	13.31
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.18
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.46	2.52	1.00	0.00	0.00	0.00	4.98
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.37	0.00	0.00	0.00	0.00	1.37
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.82	3.05	3.30	0.00	0.00	0.00	7.17
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.70	3.91	1.29	0.00	0.00	0.00	6.90
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.29	3.58	3.61	0.00	0.00	0.00	8.48
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.08	4.08
1987	Dry	0.00	0.26	0.00	0.00	0.00	0.00	1.76	3.27	3.23	0.00	2.59	0.00	11.11
1988	Critical	0.00	0.00	0.00	0.00	0.00	1.07	0.97	2.88	5.34	0.00	0.00	0.98	11.24
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.19	0.98	3.45	1.83	0.00	0.98	0.00	7.43
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.61	1.50	2.78	5.57	0.00	1.09	0.00	11.55
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.14	2.83	0.00	0.00	0.00	5.41
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.10	2.31	2.21	0.00	0.00	2.52	8.14
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.24	3.87	0.00	0.00	0.00	0.00	6.11
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.59	5.07	0.00	0.00	0.00	8.93
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.47	1.34	0.27	0.00	0.00	0.00	3.08
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	2.24	4.19	0.00	0.00	0.00	0.00	6.43
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.89	3.75	1.07	0.00	0.00	0.00	6.71
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.88	3.71	0.30	1.68	0.00	0.00	7.57
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.43	3.49	3.43	0.00	1.81	0.00	10.16
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.91	3.59	3.42	0.00	0.00	0.00	8.92
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.10	3.76	2.13	0.00	0.00	0.00	7.99
	Average	0.00	0.02	0.00	0.00	0.00	0.06	1.14	2.72	2.08	0.38	0.43	0.13	6.96
	Wet	0.00	0.02	0.00	0.00	0.00	0.00	0.87	2.12	0.48	0.00	0.00	0.16	3.65
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.26	3.11	1.01	0.28	0.00	0.00	5.66
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.30	3.08	2.23	0.00	0.36	0.00	6.98
	Dry	0.00	0.05	0.00	0.00	0.00	0.05	1.44	3.28	3.45	0.25	1.10	0.00	9.63
	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.98	2.40	4.37	1.97	0.87	0.55	11.44

Difference in Energy generated (GWh) at O'Neill: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.15)	0.00	0.00	0.00	0.00	(0.02)
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.16)	(0.09)	0.00	0.00	0.00	(0.03)
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.04)	(0.07)	0.00	0.00	0.00	(0.01)
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.01	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.25)	0.00	0.00	0.00	(0.04)
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.08)	(0.13)	0.00	0.00	0.00	(0.02)
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.05	(0.09)	(0.15)	(0.25)	(0.31)	0.00	0.00	(0.06)
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.02)	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.25)	(0.24)	(0.21)	0.00	(0.08)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.25)	0.00	(0.20)	0.00	(0.06)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.47	(0.27)	(0.20)	0.00	0.08
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.03)	(0.25)	(0.38)	0.00	(0.81)	0.00	(0.12)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.11)	(0.21)	0.00	0.00	0.00	(0.03)
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	1.72	0.00	0.00	0.00	0.00	0.14
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.01)	0.00	0.00	0.00	0.00	(0.01)
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)	0.00	0.00	0.00	0.00	(0.01)
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.06)	(0.35)	0.00	(0.10)	0.00	(0.05)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.17)	(0.28)	0.00	0.00	0.00	(0.05)
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	0.03	0.00	0.00	0.00	(0.02)
1947	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.03)	(0.03)	(0.07)	0.00	(0.22)	0.00	(0.03)
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.03)	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.25)	(0.31)	0.00	0.00	(0.07)
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.19)	(0.30)	0.00	0.00	0.00	(0.05)
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.08	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)	0.00	0.00	0.00	0.00	(0.01)
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.25)	0.00	0.00	0.00	(0.04)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.00	0.00	0.00	0.00	0.10
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.05)	0.00	0.00	0.00	(0.01)
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.75	0.00	0.06
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.25)	0.00	0.00	0.00	(0.04)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.16)	(0.01)	0.00	0.00	0.00	(0.02)
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	(0.18)	(0.29)	0.00	0.00	0.00	(0.05)
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.11)	(0.18)	0.00	0.00	0.00	(0.03)
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.13)	(0.22)	0.00	0.00	0.00	(0.04)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.25)	0.00	0.00	0.00	(0.04)
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.09)	(0.16)	0.00	0.00	0.00	(0.03)
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	0.54	0.00	0.00	0.00	0.03
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.18)	0.00	0.00	0.00	0.00	(0.03)
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	0.00	0.00	0.00	0.00	(0.02)
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.02	(0.01)	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.02
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.30)	(0.42)	0.00	0.00	0.00	(0.08)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.00	0.00	0.00	0.00	0.02
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.25)	0.00	0.00	0.00	(0.04)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.25)	0.00	0.00	0.00	(0.04)
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.09)	(0.16)	0.00	0.00	0.00	(0.03)
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00
1987	Dry	0.00	(0.28)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.09	0.00	(0.41)	0.00	(0.05)
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.03)	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.09	(1.62)	(0.04)
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.02)	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.07)	0.00	0.00	0.02	(0.09)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.16)	0.00	0.00	0.00	0.00	(0.02)
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.21)	(0.33)	0.00	0.00	0.00	(0.06)
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	0.00	0.00	0.00	0.00	(0.02)
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.15)	(0.24)	0.00	0.00	0.00	(0.04)
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.26)	(0.32)	0.00	0.00	(0.07)
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.07	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)	(0.08)	0.00	0.00	0.00	(0.01)
	Average	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.04)	(0.03)	(0.07)	(0.02)	(0.00)	(0.02)	(0.02)
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.03	(0.08)	0.00	0.00	(0.00)	(0.01)
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.06)	(0.05)	(0.05)	0.00	0.00	(0.02)
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.11)	(0.04)	(0.04)	(0.04)	0.00	(0.03)
	Dry	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.02)	(0.04)	(0.08)	(0.02)	(0.04)	0.00	(0.02)
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.09)	0.00	0.09	(0.13)	(0.01)

Percent Difference in Energy generated (GWh) at O'Neill: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	-100%	-6%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	-7%	-4%	-100%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	-2%	-1%	-58%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	1%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	-5%	-4%	-19%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	-4%	-2%	-8%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-	-9%	-7%	-17%	-8%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	-1%	0%	0%	-1%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	-9%	-4%	-51%	-100%	-9%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	-75%	-7%	-23%	0%	-15%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	64%	-100%	-11%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	-3%	0%	0%	0%	0%	-2%	-7%	-7%	0%	-42%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	-6%	-3%	-15%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	-11%	134%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	-8%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-10%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	-3%	-2%	-12%	0%	-5%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-9%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-4%	-4%	2%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	-33%	-2%	-1%	-2%	0%	-13%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	-5%	-4%	-13%	-38%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-8%	-5%	-10%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	1%	0%	0%	2%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	6%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-9%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	46%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-7%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	-5%	-4%	-100%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	-11%	-4%	-15%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	-3%	-3%	-5%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	-7%	-4%	-6%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	-4%	-4%	-7%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	-4%	-3%	-12%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	-5%	-4%	92%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-10%	-5%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	-5%	-3%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-12%	-11%	-30%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	-10%	-4%	-7%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	-5%	-4%	-16%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	-4%	-2%	-4%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1987	Dry	0%	-52%	0%	0%	0%	0%	-1%	0%	3%	0%	-14%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-3%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-	-100%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-100%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-33%	0%	0%	1%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-4%	-4%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	-9%	-14%	-55%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	-4%	-3%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	-4%	-4%	-18%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	-5%	-4%	-46%	-16%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	4%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-4%	0%	0%	0%
	Average	0%	-1%	0%	0%	0%	0%	-5%	0%	-7%	-3%	-2%	-1%
	Wet	0%	0%	0%	0%	0%	0%	-3%	2%	-10%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	-11%	-1%	0%	-4%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-9%	-3%	-12%	-14%	-2%	0%
	Dry	0%	-3%	0%	0%	0%	-2%	-2%	-1%	-6%	-1%	-1%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	-8%	-8%

Energy generated (GWh) at Shasta Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	88.57	143.47	77.86	63.84	86.19	111.72	101.46	215.58	332.37	312.03	257.47	183.56	1,974.12
1923	Below Normal	122.10	160.77	80.36	76.79	67.86	82.65	69.90	260.87	251.51	268.26	196.46	78.49	1,716.02
1924	Critical	105.67	101.05	97.32	42.63	65.39	99.50	175.60	176.30	211.49	196.57	154.41	85.37	1,511.30
1925	Dry	63.60	50.74	54.95	2.38	33.04	73.39	73.29	141.90	230.45	276.77	227.95	118.97	1,347.43
1926	Dry	125.61	94.60	79.99	73.70	38.24	96.87	93.84	166.80	267.71	287.35	193.19	102.42	1,620.32
1927	Wet	95.01	62.09	84.27	97.30	421.37	82.84	248.33	238.93	289.79	306.95	242.52	340.13	2,509.53
1928	Above Normal	110.19	73.90	88.67	92.36	54.82	274.33	85.15	189.08	327.44	371.36	225.90	197.76	2,090.96
1929	Critical	118.59	113.65	70.05	0.00	67.87	78.91	143.62	173.90	205.75	232.71	234.41	84.29	1,523.75
1930	Dry	97.86	80.65	50.94	66.15	53.62	68.65	109.94	132.50	213.32	223.14	153.70	71.08	1,321.55
1931	Critical	86.54	74.46	71.87	67.17	62.29	68.94	199.76	157.75	173.53	195.34	130.99	48.39	1,337.03
1932	Dry	51.41	42.79	54.60	36.00	57.61	60.64	106.16	92.19	125.21	147.08	121.43	74.82	969.94
1933	Critical	75.32	60.42	57.67	60.05	52.63	63.07	101.62	110.81	142.54	139.52	221.75	94.92	1,180.32
1934	Critical	59.12	47.45	53.28	53.04	51.89	63.75	105.50	122.87	150.18	169.52	81.83	35.79	994.22
1935	Below Normal	39.81	55.19	52.04	55.13	51.35	63.45	53.93	97.64	223.75	220.67	198.65	93.67	1,205.28
1936	Below Normal	90.53	80.07	72.42	45.69	63.22	102.66	110.85	154.71	207.19	281.99	193.48	83.08	1,485.89
1937	Below Normal	110.26	96.70	73.76	73.52	66.64	77.02	68.12	123.47	215.25	249.24	202.51	98.79	1,455.28
1938	Wet	87.47	91.34	417.64	108.79	428.21	466.35	269.61	206.23	260.44	314.74	246.86	254.14	3,151.82
1939	Dry	111.28	159.60	68.50	82.51	90.19	82.02	170.86	195.43	256.33	285.36	189.54	82.81	1,774.43
1940	Above Normal	105.50	102.43	74.18	51.64	417.22	461.13	100.49	178.51	281.90	331.93	229.20	120.61	2,454.74
1941	Wet	116.63	110.22	109.28	456.91	417.63	292.02	309.94	301.07	258.72	261.69	299.16	303.43	3,236.70
1942	Wet	135.55	199.58	246.19	428.62	420.80	114.40	96.57	275.62	240.82	283.23	272.22	301.18	3,014.78
1943	Wet	133.82	217.50	73.39	195.75	175.57	298.70	133.61	213.02	275.15	350.36	239.65	287.54	2,594.06
1944	Dry	115.07	189.73	92.14	89.22	62.01	48.54	149.43	132.94	179.92	242.31	175.78	72.26	1,549.35
1945	Below Normal	104.37	88.83	81.90	72.75	83.08	113.36	128.53	155.16	237.41	298.16	215.81	100.56	1,679.92
1946	Below Normal	147.68	109.66	454.38	174.43	100.67	117.79	182.03	214.06	279.97	307.31	223.17	106.14	2,417.29
1947	Dry	127.35	94.84	74.67	91.93	68.28	76.73	146.99	237.69	228.52	310.31	192.95	124.83	1,775.09
1948	Below Normal	88.73	82.84	86.84	66.10	70.68	77.18	92.49	243.64	242.65	341.11	243.12	145.84	1,781.22
1949	Dry	163.96	109.94	100.12	90.92	91.60	165.14	133.68	184.01	276.99	294.59	219.21	121.01	1,951.17
1950	Below Normal	134.20	103.10	97.23	89.56	89.21	112.61	96.41	172.49	225.84	236.27	187.91	75.81	1,620.64
1951	Above Normal	140.07	203.66	358.80	177.24	340.73	99.61	168.31	150.27	302.53	351.03	222.25	131.84	2,646.34
1952	Wet	106.60	152.51	221.74	197.94	409.67	271.56	443.73	243.76	209.27	259.62	283.20	217.24	3,016.84
1953	Wet	163.19	188.62	110.02	458.89	85.46	96.92	117.87	240.82	255.78	321.79	234.19	298.84	2,572.39
1954	Above Normal	93.40	214.60	76.24	249.59	393.61	217.93	257.70	205.84	277.19	356.77	245.12	211.13	2,799.12
1955	Dry	116.46	123.57	99.35	71.19	84.69	85.13	143.27	134.09	230.86	298.58	179.18	69.14	1,635.51
1956	Wet	108.37	80.66	443.07	451.32	426.19	85.05	84.24	297.11	258.59	257.88	222.87	281.37	2,996.72
1957	Above Normal	134.43	252.27	97.67	93.21	76.52	179.93	148.32	238.49	278.38	356.21	225.50	150.68	2,231.61
1958	Wet	122.39	168.17	205.80	284.83	449.75	492.86	263.32	178.92	248.63	294.42	302.73	235.50	3,247.32
1959	Below Normal	161.19	229.63	103.33	107.18	298.39	67.90	183.71	221.46	310.95	327.55	229.56	45.86	2,286.71
1960	Dry	133.94	105.65	100.09	77.79	59.80	83.10	173.63	133.82	339.87	337.62	183.64	114.69	1,843.64
1961	Dry	115.80	91.07	116.46	78.75	214.78	150.73	166.16	200.44	289.79	351.28	243.54	114.46	2,133.26
1962	Below Normal	137.53	123.92	87.87	89.14	297.85	73.36	161.89	211.33	268.67	318.12	210.83	91.11	2,071.62
1963	Wet	180.09	125.38	218.09	111.67	178.74	160.22	493.08	142.87	262.29	350.04	226.37	288.44	2,737.28
1964	Dry	70.42	99.35	100.14	89.34	54.11	85.74	225.57	184.84	220.26	289.62	159.27	76.53	1,655.19
1965	Wet	84.71	79.97	429.78	458.56	98.45	118.48	159.96	192.86	270.75	296.85	200.80	266.55	2,657.72
1966	Below Normal	139.42	161.62	88.78	96.73	88.15	268.89	165.89	225.17	341.54	348.49	206.51	116.58	2,247.77
1967	Wet	137.70	80.65	231.43	212.22	163.85	380.52	241.79	377.00	251.65	290.61	278.27	258.96	2,904.65
1968	Below Normal	125.15	162.40	90.53	95.78	305.75	72.14	176.48	196.87	289.89	323.59	176.92	91.62	2,107.12
1969	Wet	102.04	80.58	76.19	458.09	420.87	134.76	296.70	302.18	270.71	282.47	242.59	252.11	2,919.29
1970	Wet	89.25	168.81	284.84	452.63	280.64	91.22	182.46	195.89	242.88	326.71	198.79	250.67	2,764.79
1971	Wet	131.83	99.93	117.84	341.20	93.59	432.15	140.47	234.69	251.31	332.35	213.32	247.31	2,635.99
1972	Below Normal	143.95	203.40	90.02	86.55	71.85	236.39	196.72	192.10	326.66	384.44	180.41	77.24	2,189.73
1973	Above Normal	107.46	97.97	168.25	340.21	396.25	157.55	107.08	176.29	308.17	350.69	183.00	137.24	2,530.16
1974	Wet	76.63	435.41	455.53	450.57	107.10	470.55	133.80	171.33	265.52	219.66	301.76	246.32	3,334.18
1975	Wet	152.53	259.96	73.52	77.53	83.33	488.94	100.77	252.11	287.56	250.14	246.24	260.31	2,532.94
1976	Critical	162.99	211.02	74.15	17.88	116.56	102.72	134.10	180.54	230.93	251.23	92.86	43.40	1,618.38
1977	Critical	160.18	115.24	104.53	93.92	131.19	98.53	213.49	124.95	254.65	212.14	85.76	56.59	1,651.17
1978	Above Normal	58.15	50.87	55.35	1.67	169.19	337.67	153.13	246.64	303.57	292.09	228.19	102.72	1,999.24
1979	Below Normal	151.23	138.59	103.45	110.57	77.56	72.35	84.70	146.06	276.05	300.37	159.94	76.70	1,697.57
1980	Above Normal	104.46	114.35	93.70	444.27	432.31	98.60	116.53	185.17	277.34	274.27	196.45	79.88	2,417.33
1981	Dry	108.22	181.25	90.50	79.53	59.52	69.23	94.41	222.90	363.69	317.63	174.93	77.31	1,839.12
1982	Wet	82.41	168.46	454.80	163.02	428.87	285.09	485.60	115.59	221.61	250.22	236.78	215.24	3,107.69
1983	Wet	177.28	142.77	304.24	438.92	410.42	463.84	312.23	237.84	303.56	307.94	310.30	238.23	3,647.57
1984	Wet	181.28	262.10	454.42	135.49	99.71	248.56	143.67	209.92	286.48	356.55	162.97	324.20	2,865.35
1985	Dry	75.47	95.22	136.27	82.91	72.90	85.42	151.70	236.18	261.39	250.57	183.62	91.57	1,723.22
1986	Wet	107.56	117.17	81.56	74.26	399.52	464.69	60.36	197.74	278.30	265.86	202.36	81.75	2,331.13
1987	Dry	85.21	151.04	91.66	74.41	63.54	71.80	185.52	238.39	334.67	281.48	135.98	82.93	1,796.63
1988	Critical	123.71	89.59	65.18	86.38	125.47	86.40	117.24	155.34	262.07	265.04	215.56	78.74	1,670.72
1989	Dry	104.93	55.37	71.76	31.94	64.05	46.78	81.97	238.05	228.26	291.03	173.97	51.03	1,439.14
1990	Critical	65.66	76.36	80.40	70.75	70.16	80.91	170.02	124.57	208.76	298.36	198.92	68.32	1,513.19
1991	Critical	89.63	74.03	71.23	71.17	64.44	67.19	73.75	144.52	179.38	207.24	120.86	70.59	1,234.03
1992	Critical	100.31	104.20	63.89	64.09	39.98	53.00	74.36	228.60	271.79	201.18	189.47	55.47	1,446.34
1993	Above Normal	109.84	56.66	49.95	46.82	41.04	55.02	110.98	185.50	256.83	349.62	199.85	221.36	1,683.47
1994	Critical	136.95	175.16	108.74	75.71	66.28	83.45	177.18	146.22	245.14	296.53	177.41	60.04	1,748.81
1995	Wet	100.91	79.70	67.89	240.90	147.78	471.66	183.51	325.99	240.20	288.06	291.40	213.35	2,651.35
1996	Wet	161.13	199.28	53.56	78.68	443.33	229.50	109.56	299.48	255.29	289.89	212.07	263.84	2,595.61
1997	Wet	170.86	199.32	442.22	450.36	93.36	118.33	167.43	244.47	254.94	304.15	157.01	262.13	2,864.58
1998	Wet	146.79	165.86	67.59	217.93	408.83	428.22	69.14	410.54	434.91	332.10	318.23	242.76	3,242.90
1999	Wet	189.28	227.52	250.02	176.36	430.83	286.36	103.39	254.12	268.05	318.47	219.18	261.60	2,985.18
2000	Above Normal	141.60	266.90	93.05	54.78	432.38	166.95	75.91	214.59	301.22	356.92	234.56	171.70	2,510.56
2001	Dry	144.05	203.96	100.99	71.73	51.42	59.95	138.15	235.07	329.23	282.42	139.14	83.34	1,839.45
2002	Dry	128.35	77.75	65.88	209.83	71.24	83.74	175.93	233.08	294.69	278.79	185.17	97.89	1,902.34
2003	Above Normal	146.44	110.09	214.13	346.36	97.57	83.59	222.05	355.00	273.85	376.40	174.11	159.82	2,559.41
	Average	117.09	132.89	139.67	152.73	175.59	167.02	158.25	203.69	260.59	289.13	206.65	149.41	2,152.73
	Wet	128.51	160.14	229.80	277.64	289.38	287.45	205.81	244.62	267.05	296.64	244.69	257.43	2,889.17
	Above Normal	111.68	140.60	120.65	163.50	244.82	187.00	137.26	211.75	293.40	339.94	218.47	155.69	2,324.76
	Below Normal	121.15	128.34	111.64	88.57	123.73	109.84	126.55	186.79	264.10	300.40	201.81	91.54	1,854.43
	Dry	107.72	111.51	86.06	77.79	71.70	82.98	140.03	185.57	259.51	280.33	179.57	90.39	1,673.15
	Critical	107.06	103.55	76.53	58.57	76.18	78.86	140.52	153.86	211.35	222.12	158.69	65.16	1,452.44

Energy generated (GWh) at Shasta Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	88.57	143.49	77.86	63.84	86.19	111.72	101.46	215.56	332.38	312.03	257.47	183.56	1,974.13
1923	Below Normal	122.10	160.87	80.36	76.79	67.86	82.65	69.90	260.78	251.41	268.18	196.38	78.50	1,715.78
1924	Critical	105.67	101.06	97.33	42.72	65.39	99.51	175.62	176.51	211.62	196.60	154.34	85.57	1,511.94
1925	Dry	63.73	50.71	54.92	2.14	33.04	73.38	73.28	141.95	230.49	276.75	227.96	119.00	1,347.35
1926	Dry	125.64	94.63	79.97	73.69	38.23	96.86	93.83	166.80	267.39	287.33	192.95	102.37	1,619.69
1927	Wet	95.04	62.08	84.26	97.29	421.34	82.84	248.33	238.93	289.83	306.96	242.56	340.16	2,509.62
1928	Above Normal	110.22	73.88	88.66	92.35	54.82	274.16	85.15	189.11	327.45	371.41	225.91	197.76	2,090.88
1929	Critical	118.61	113.63	70.03	0.00	67.87	78.91	143.65	173.91	205.76	232.72	234.40	84.30	1,523.79
1930	Dry	97.88	80.69	51.01	66.14	53.62	68.65	109.96	132.52	213.31	223.02	153.60	71.10	1,321.50
1931	Critical	86.55	74.50	71.86	67.16	62.28	68.93	199.75	157.75	173.57	195.30	130.53	48.39	1,336.57
1932	Dry	51.41	42.79	54.60	36.54	57.58	60.62	106.21	92.21	124.40	147.08	122.38	74.76	970.58
1933	Critical	75.44	60.41	57.60	59.98	52.57	63.02	102.16	110.99	142.59	139.48	221.48	94.80	1,180.52
1934	Critical	58.19	46.33	53.82	53.11	51.84	63.70	105.51	122.86	150.21	169.32	80.26	35.79	990.94
1935	Below Normal	39.81	55.19	52.04	55.13	51.35	63.45	53.93	97.76	223.86	220.73	198.73	93.75	1,205.73
1936	Below Normal	90.60	80.16	72.40	45.68	63.21	102.64	110.83	154.78	207.25	281.94	193.51	83.15	1,486.15
1937	Below Normal	110.31	96.76	73.73	73.48	66.61	76.99	68.10	123.52	215.27	249.04	202.50	98.83	1,455.14
1938	Wet	87.44	89.86	417.64	108.79	428.21	466.35	269.61	206.23	260.52	314.81	246.93	254.13	3,150.52
1939	Dry	111.05	159.90	73.36	82.42	89.91	81.95	193.21	188.18	243.46	284.75	188.17	75.55	1,771.91
1940	Above Normal	101.10	103.15	74.30	51.71	417.57	461.13	100.49	178.91	282.49	331.87	229.64	100.93	2,433.29
1941	Wet	117.50	116.22	122.37	456.91	417.63	292.02	309.94	301.07	258.76	261.65	299.16	303.43	3,256.66
1942	Wet	137.17	204.96	238.71	428.62	420.80	114.40	96.57	275.62	240.87	283.28	272.13	301.21	3,014.34
1943	Wet	133.84	217.00	73.40	196.24	175.57	298.70	133.61	213.02	275.00	345.72	239.74	290.54	2,592.38
1944	Dry	115.26	187.53	92.26	89.33	62.08	49.78	149.64	133.16	180.23	242.19	176.83	73.07	1,551.36
1945	Below Normal	104.47	88.86	81.92	72.77	83.10	113.39	128.57	155.13	237.36	297.94	215.77	100.56	1,679.84
1946	Below Normal	147.44	111.49	454.38	174.43	100.67	117.79	182.10	214.12	280.04	305.40	222.17	106.31	2,416.34
1947	Dry	128.53	95.06	74.70	92.00	68.30	76.75	147.11	237.86	229.01	310.43	194.85	123.97	1,778.57
1948	Below Normal	88.67	82.83	86.83	66.09	70.67	77.17	92.51	243.64	242.03	341.03	243.15	145.88	1,780.50
1949	Dry	163.96	109.98	100.12	90.92	91.60	165.09	133.71	184.04	277.01	294.57	219.14	121.41	1,951.55
1950	Below Normal	134.23	103.14	97.26	89.55	89.20	112.60	96.43	172.50	225.84	236.25	187.91	75.82	1,620.73
1951	Above Normal	139.89	203.15	358.80	177.24	340.73	99.11	168.47	150.31	302.59	351.05	222.30	131.90	2,645.54
1952	Wet	106.64	152.54	221.82	197.94	409.67	271.56	443.73	243.76	209.29	259.61	283.20	217.00	3,016.76
1953	Wet	163.29	223.87	74.23	458.81	85.46	96.92	117.72	240.97	255.78	321.92	234.06	298.83	2,571.86
1954	Above Normal	92.14	213.17	76.29	252.52	393.61	217.93	257.70	205.84	277.17	356.77	245.22	211.19	2,799.55
1955	Dry	117.02	124.16	99.31	69.80	85.33	85.11	143.22	134.03	230.84	298.45	178.37	69.09	1,634.73
1956	Wet	109.80	80.70	442.98	451.32	426.19	85.05	84.24	297.11	258.60	257.89	222.85	281.40	2,998.13
1957	Above Normal	134.44	252.28	97.69	93.21	76.52	179.86	148.33	238.48	278.39	356.21	225.51	150.68	2,231.60
1958	Wet	122.36	168.17	205.80	284.83	449.75	492.86	263.32	178.92	248.63	294.42	302.73	234.73	3,246.52
1959	Below Normal	161.98	256.69	102.60	78.17	298.39	67.90	183.87	221.67	311.05	327.52	229.57	45.90	2,285.31
1960	Dry	134.45	105.14	100.05	77.78	59.79	83.09	173.51	133.79	339.83	337.54	183.49	116.80	1,845.26
1961	Dry	115.53	91.02	114.20	78.75	214.78	150.73	166.17	200.42	289.77	351.28	243.10	114.41	2,130.16
1962	Below Normal	138.05	124.34	87.86	89.43	297.10	73.36	161.91	211.35	268.68	318.18	210.84	91.12	2,072.22
1963	Wet	179.94	125.38	218.09	111.67	178.74	160.22	493.08	142.87	262.30	350.05	226.38	288.43	2,737.15
1964	Dry	70.44	99.19	100.14	89.39	54.10	85.74	225.61	184.88	220.29	289.64	159.29	76.56	1,655.27
1965	Wet	84.71	79.97	429.67	458.56	98.45	118.48	159.96	192.47	270.30	296.85	200.53	266.48	2,656.43
1966	Below Normal	139.48	160.25	88.84	96.78	88.20	271.86	165.89	225.24	341.58	348.48	206.66	116.51	2,249.77
1967	Wet	137.68	80.64	231.24	212.22	163.85	380.52	241.79	377.00	251.65	290.63	278.26	263.30	2,908.78
1968	Below Normal	125.12	195.69	90.93	94.93	263.88	72.14	176.63	196.93	289.92	323.58	176.93	91.63	2,098.31
1969	Wet	102.05	80.57	76.18	458.07	420.87	134.76	296.70	302.18	270.73	282.49	242.61	252.05	2,919.26
1970	Wet	90.94	167.19	284.74	452.63	280.64	91.22	182.48	195.91	242.89	326.70	198.81	252.93	2,767.08
1971	Wet	131.23	99.23	116.52	341.20	93.59	432.15	140.46	234.71	251.30	332.15	213.31	247.35	2,633.20
1972	Below Normal	143.96	203.58	90.02	86.55	71.85	236.38	196.73	192.11	326.67	384.44	180.42	77.29	2,190.00
1973	Above Normal	107.47	97.86	168.25	340.21	396.25	157.55	107.08	176.29	308.18	350.68	183.00	143.87	2,536.69
1974	Wet	76.75	434.92	455.53	450.57	107.10	470.55	133.80	171.33	265.53	219.66	301.76	246.33	3,333.83
1975	Wet	152.52	257.88	73.56	77.57	83.36	489.08	100.77	252.11	287.57	250.15	246.23	260.31	2,531.11
1976	Critical	162.99	211.61	74.20	17.87	116.57	102.71	134.08	180.51	230.22	250.96	93.13	43.40	1,618.25
1977	Critical	160.48	115.28	104.55	94.04	131.39	98.51	213.45	125.08	254.68	211.91	85.03	56.56	1,650.96
1978	Above Normal	58.18	50.91	55.35	1.67	169.12	337.67	153.13	246.64	303.60	292.12	228.22	103.51	2,000.12
1979	Below Normal	152.07	189.51	101.99	106.74	74.44	74.23	83.94	138.52	271.03	281.08	155.99	76.26	1,705.80
1980	Above Normal	105.34	90.91	92.90	444.27	432.31	98.60	116.69	185.31	277.45	274.36	196.52	99.26	2,413.92
1981	Dry	108.93	170.20	90.25	79.32	59.39	69.09	94.21	222.14	363.00	319.94	171.04	79.32	1,826.83
1982	Wet	82.13	156.36	454.80	163.02	428.87	285.09	485.60	115.63	221.64	250.25	236.68	215.24	3,095.31
1983	Wet	177.28	142.77	304.24	438.92	410.42	463.84	312.23	237.84	303.56	307.94	310.30	238.23	3,647.57
1984	Wet	181.28	262.10	454.42	135.49	99.71	248.56	143.70	209.95	286.50	356.55	162.99	324.21	2,865.46
1985	Dry	75.49	95.09	136.27	82.91	72.90	85.42	151.73	236.20	261.38	250.58	183.63	91.59	1,723.19
1986	Wet	107.58	117.20	81.56	74.26	399.51	464.69	60.39	197.76	278.32	265.88	202.37	81.74	2,331.26
1987	Dry	85.22	153.75	91.59	74.36	63.50	71.76	185.40	238.11	334.46	281.26	139.03	82.01	1,800.45
1988	Critical	121.83	89.48	65.11	86.30	124.84	86.52	117.38	155.25	262.34	264.70	215.22	78.63	1,667.60
1989	Dry	104.87	55.27	71.64	31.21	63.98	46.74	81.92	237.73	227.89	290.73	173.81	51.00	1,436.79
1990	Critical	65.61	76.35	80.34	70.71	70.12	80.86	169.94	124.52	208.66	298.20	180.29	90.18	1,515.78
1991	Critical	90.82	73.30	71.06	71.00	64.29	67.05	73.60	144.35	179.14	207.09	120.58	70.36	1,232.64
1992	Critical	100.01	103.88	63.64	63.84	39.85	52.87	74.20	228.45	280.54	189.39	189.93	54.56	1,441.16
1993	Above Normal	109.08	52.20	49.95	46.82	41.04	57.46	110.93	182.73	256.83	349.36	199.66	221.25	1,677.31
1994	Critical	137.52	174.63	109.56	75.70	66.28	83.45	177.19	146.78	246.12	296.37	177.07	60.10	1,750.77
1995	Wet	101.15	79.71	67.83	238.79	147.78	471.66	183.51	325.99	240.20	288.06	291.40	213.35	2,649.43
1996	Wet	161.13	243.47	52.99	77.93	440.33	229.50	109.56	299.48	255.37	289.93	212.12	263.83	2,635.64
1997	Wet	167.50	199.44	442.46	450.36	93.36	118.33	167.46	244.51	254.98	302.95	157.04	262.35	2,860.74
1998	Wet	147.15	166.02	67.60	218.41	408.83	428.22	69.14	410.54	434.91	332.10	318.23	242.76	3,243.91
1999	Wet	189.28	227.52	250.02	176.36	430.83	286.36	103.39	254.12	268.09	318.33	219.21	261.69	2,985.20
2000	Above Normal	141.79	267.08	93.21	54.77	432.34	166.95	75.91	214.59	301.25	356.92	234.58	171.71	2,511.10
2001	Dry	143.97	204.01	101.55	71.71	51.41	59.94	138.18	235.02	329.08	282.31	138.93	83.36	1,839.47
2002	Dry	128.18	77.75	65.88	209.73	71.24	83.74	175.96	233.11	294.72	278.77	185.19	98.77	1,903.04
2003	Above Normal	146.74	110.07	212.75	346.36	97.57	83.59	222.05	355.00	273.87	376.53	174.13	159.73	2,558.39
	Average	117.10	134.64	139.28	152.30	174.99	167.11	158.53	203.49	260.47	288.64	206.32	149.83	2,152.69
	Wet	128.59	162.91	228.56	277.57	289.26	287.46	205.81	244.62	267.04	296.42	244.68	257.77	2,890.70
	Above Normal	111.25	138.18	120.50	163.75	244.84	187.14	137.28	211.56	293.47	339.94	218.51	156.28	2,322.71
	Below Normal	121.31	136.38	111.51	86.18	120.47	110.18	126.52	186.29	263.71	298.84	201.47	91.54	1,854.40
	Dry	107.86	110.94	86.21	77.67	71.71	83.02	141.27	185.12	258.70	280.37	179.54	90.23	1,672.65
	Critical	106.98	103.37	76.59	58.54	76.11	78.84	140.54	153.91	212.12	221.00	156.86	66.89	1,451.74

Difference in Energy generated (GWh) at Shasta Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.00	(0.02)	0.01	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.10	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.10)	(0.08)	(0.08)	0.01	(0.02)
1924	Critical	0.00	0.01	0.01	0.09	0.00	0.01	0.02	0.21	0.13	0.03	(0.07)	0.20	0.05
1925	Dry	0.13	(0.03)	(0.03)	(0.24)	0.00	(0.01)	(0.01)	0.05	0.04	(0.02)	0.01	0.03	(0.01)
1926	Dry	0.03	0.03	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.32)	(0.02)	(0.24)	(0.05)	(0.05)
1927	Wet	0.03	(0.01)	(0.01)	(0.01)	(0.03)	0.00	0.00	0.00	0.04	0.01	0.04	0.03	0.01
1928	Above Normal	0.03	(0.02)	(0.01)	(0.01)	0.00	(0.17)	0.00	0.03	0.01	0.05	0.01	0.00	(0.01)
1929	Critical	0.02	(0.02)	(0.02)	0.00	0.00	0.00	0.03	0.01	0.01	0.01	(0.01)	0.01	0.00
1930	Dry	0.02	0.04	0.07	(0.01)	0.00	0.00	0.02	0.02	(0.01)	(0.12)	(0.10)	0.02	0.00
1931	Critical	0.01	0.04	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.04	(0.04)	(0.46)	0.00	(0.04)
1932	Dry	0.00	0.00	0.00	0.54	(0.03)	(0.02)	0.05	0.02	(0.81)	0.00	0.95	(0.06)	0.05
1933	Critical	0.12	(0.01)	(0.07)	(0.07)	(0.06)	(0.05)	0.54	0.18	0.05	(0.04)	(0.27)	(0.12)	0.02
1934	Critical	(0.93)	(1.12)	0.54	0.07	(0.05)	(0.05)	0.01	(0.01)	0.03	(0.20)	(1.57)	0.00	(0.27)
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.11	0.06	0.08	0.08	0.04
1936	Below Normal	0.07	0.09	(0.02)	(0.01)	(0.01)	(0.02)	(0.02)	0.07	0.06	(0.05)	0.03	0.07	0.02
1937	Below Normal	0.05	0.06	(0.03)	(0.04)	(0.03)	(0.03)	(0.02)	0.05	0.02	(0.20)	(0.01)	0.04	(0.01)
1938	Wet	(0.03)	(1.48)	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.07	0.07	(0.01)	(0.11)
1939	Dry	(0.23)	0.30	4.86	(0.09)	(0.28)	(0.07)	22.35	(7.25)	(12.87)	(0.61)	(1.37)	(7.26)	(0.21)
1940	Above Normal	(4.40)	0.72	0.12	0.07	0.35	0.00	0.00	0.40	0.59	(0.06)	0.44	(19.68)	(1.79)
1941	Wet	0.87	6.00	13.09	0.00	0.00	0.00	0.00	0.00	0.04	(0.04)	0.00	0.00	1.66
1942	Wet	1.62	5.38	(7.48)	0.00	0.00	0.00	0.00	0.00	0.05	0.05	(0.09)	0.03	(0.04)
1943	Wet	0.02	(0.50)	0.01	0.49	0.00	0.00	0.00	0.00	(0.15)	(4.64)	0.09	3.00	(0.14)
1944	Dry	0.19	(2.20)	0.12	0.11	0.07	1.24	0.21	0.22	0.31	(0.12)	1.05	0.81	0.17
1945	Below Normal	0.10	0.03	0.02	0.02	0.02	0.03	0.04	(0.03)	(0.05)	(0.22)	(0.04)	0.00	(0.01)
1946	Below Normal	(0.24)	1.83	0.00	0.00	0.00	0.00	0.07	0.06	0.07	(1.91)	(1.00)	0.17	(0.08)
1947	Dry	1.18	0.22	0.03	0.07	0.02	0.02	0.12	0.17	0.49	0.12	1.90	(0.86)	0.29
1948	Below Normal	(0.06)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.02	0.00	(0.62)	(0.08)	0.03	0.04	(0.06)
1949	Dry	0.00	0.04	0.00	0.00	0.00	(0.05)	0.03	0.03	0.02	(0.02)	(0.07)	0.40	0.03
1950	Below Normal	0.03	0.04	0.03	(0.01)	(0.01)	(0.01)	0.02	0.01	0.00	(0.02)	0.00	0.01	0.01
1951	Above Normal	(0.18)	(0.51)	0.00	0.00	0.00	(0.50)	0.16	0.04	0.06	0.02	0.05	0.06	(0.07)
1952	Wet	0.04	0.03	0.08	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	0.00	(0.24)	(0.01)
1953	Wet	0.10	35.25	(35.79)	(0.08)	0.00	0.00	(0.15)	0.15	0.00	0.13	(0.13)	(0.01)	(0.04)
1954	Above Normal	(1.26)	(1.43)	0.05	2.93	0.00	0.00	0.00	0.00	(0.02)	0.00	0.10	0.06	0.04
1955	Dry	0.56	0.59	(0.04)	(1.39)	0.64	(0.02)	(0.05)	(0.06)	(0.02)	(0.13)	(0.81)	(0.05)	(0.07)
1956	Wet	1.43	0.04	(0.09)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	(0.02)	0.03	0.12
1957	Above Normal	0.01	0.01	0.02	0.00	0.00	(0.07)	0.01	(0.01)	0.01	0.00	0.01	0.00	0.00
1958	Wet	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.77)	(0.07)
1959	Below Normal	0.79	27.06	(0.73)	(29.01)	0.00	0.00	0.16	0.21	0.10	(0.03)	0.01	0.04	(0.12)
1960	Dry	0.51	(0.51)	(0.04)	(0.01)	(0.01)	(0.01)	(0.12)	(0.03)	(0.04)	(0.08)	(0.15)	2.11	0.14
1961	Dry	(0.27)	(0.05)	(2.26)	0.00	0.00	0.00	0.01	(0.02)	(0.02)	0.00	(0.44)	(0.05)	(0.26)
1962	Below Normal	0.52	0.42	(0.01)	0.29	(0.75)	0.00	0.02	0.02	0.01	0.06	0.01	0.01	0.05
1963	Wet	(0.15)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.01)	(0.01)
1964	Dry	0.02	(0.16)	0.00	0.05	(0.01)	0.00	0.04	0.04	0.03	0.02	0.02	0.03	0.01
1965	Wet	0.00	0.00	(0.11)	0.00	0.00	0.00	0.00	(0.39)	(0.45)	0.00	(0.27)	(0.07)	(0.11)
1966	Below Normal	0.06	(1.37)	0.06	0.05	0.05	2.97	0.00	0.07	0.04	(0.01)	0.15	(0.07)	0.17
1967	Wet	(0.02)	(0.01)	(0.19)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	4.34	0.34
1968	Below Normal	(0.03)	33.29	0.40	(0.85)	(41.87)	0.00	0.15	0.06	0.03	(0.01)	0.01	0.01	(0.73)
1969	Wet	0.01	(0.01)	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.02	0.02	0.02	(0.06)	0.00
1970	Wet	1.69	(1.62)	(0.10)	0.00	0.00	0.00	0.02	0.02	0.01	(0.01)	0.02	2.26	0.19
1971	Wet	(0.60)	(0.70)	(1.32)	0.00	0.00	0.00	(0.01)	0.02	(0.01)	(0.20)	(0.01)	0.04	(0.23)
1972	Below Normal	0.01	0.18	0.00	0.00	0.00	(0.01)	0.01	0.01	0.01	0.00	0.01	0.05	0.02
1973	Above Normal	0.01	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	6.63	0.54
1974	Wet	0.12	(0.49)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	(0.03)
1975	Wet	(0.01)	(2.08)	0.04	0.04	0.03	0.14	0.00	0.00	0.01	0.01	(0.01)	0.00	(0.15)
1976	Critical	0.00	0.59	0.05	(0.01)	0.01	(0.01)	(0.02)	(0.03)	(0.71)	(0.27)	0.27	0.00	(0.01)
1977	Critical	0.30	0.04	0.02	0.12	0.20	(0.02)	(0.04)	0.13	0.03	(0.23)	(0.73)	(0.03)	(0.02)
1978	Above Normal	0.03	0.04	0.00	0.00	(0.07)	0.00	0.00	0.00	0.03	0.03	0.03	0.79	0.07
1979	Below Normal	0.84	50.92	(1.46)	(3.83)	(3.12)	1.88	(0.76)	(7.54)	(5.02)	(19.29)	(3.95)	(0.44)	0.69
1980	Above Normal	0.88	(23.44)	(0.80)	0.00	0.00	0.00	0.16	0.14	0.11	0.09	0.07	19.38	(0.28)
1981	Dry	0.71	(11.05)	(0.25)	(0.21)	(0.13)	(0.14)	(0.20)	(0.76)	(0.69)	2.31	(3.89)	2.01	(1.02)
1982	Wet	(0.28)	(12.10)	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.03	(0.10)	0.00	(1.03)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.02	0.00	0.02	0.01	0.01
1985	Dry	0.02	(0.13)	0.00	0.00	0.00	0.00	0.03	0.02	(0.01)	0.01	0.01	0.02	0.00
1986	Wet	0.02	0.03	0.00	0.00	(0.01)	0.00	0.03	0.02	0.02	0.02	0.01	(0.01)	0.01
1987	Dry	0.01	2.71	(0.07)	(0.05)	(0.04)	(0.04)	(0.12)	(0.28)	(0.21)	(0.22)	3.05	(0.92)	0.32
1988	Critical	(1.88)	(0.11)	(0.07)	(0.08)	(0.63)	0.12	0.14	(0.09)	0.27	(0.34)	(0.34)	(0.11)	(0.26)
1989	Dry	(0.06)	(0.10)	(0.12)	(0.73)	(0.07)	(0.04)	(0.05)	(0.32)	(0.37)	(0.30)	(0.16)	(0.03)	(0.20)
1990	Critical	(0.05)	(0.01)	(0.06)	(0.04)	(0.04)	(0.05)	(0.08)	(0.05)	(0.10)	(0.16)	(18.63)	21.86	0.22
1991	Critical	1.19	(0.73)	(0.17)	(0.17)	(0.15)	(0.14)	(0.15)	(0.17)	(0.24)	(0.15)	(0.28)	(0.23)	(0.12)
1992	Critical	(0.30)	(0.32)	(0.25)	(0.25)	(0.13)	(0.13)	(0.16)	(0.15)	8.75	(11.79)	0.46	(0.91)	(0.43)
1993	Above Normal	(0.76)	(4.46)	0.00	0.00	0.00	2.44	(0.05)	(2.77)	0.00	(0.26)	(0.19)	(0.11)	(0.51)
1994	Critical	0.57	(0.53)	0.82	(0.01)	0.00	0.00	0.01	0.56	0.98	(0.16)	(0.34)	0.06	0.16
1995	Wet	0.24	0.01	(0.06)	(2.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)
1996	Wet	0.00	44.19	(0.57)	(0.75)	(3.00)	0.00	0.00	0.00	0.08	0.04	0.05	(0.01)	3.34
1997	Wet	(3.36)	0.12	0.24	0.00	0.00	0.00	0.03	0.04	0.04	(1.20)	0.03	0.22	(0.32)
1998	Wet	0.36	0.16	0.01	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	(0.14)	0.03	0.09	0.00
2000	Above Normal	0.19	0.18	0.16	(0.01)	(0.04)	0.00	0.00	0.00	0.03	0.00	0.02	0.01	0.04
2001	Dry	(0.08)	0.05	0.56	(0.02)	(0.01)	(0.01)	0.03	(0.05)	(0.15)	(0.11)	(0.21)	0.02	0.00
2002	Dry	(0.17)	0.00	0.00	(0.10)	0.00	0.00	0.03	0.03	0.03	(0.02)	0.02	0.88	0.06
2003	Above Normal	0.30	(0.02)	(1.38)	0.00	0.00	0.00	0.00	0.00	0.02	0.13	0.02	(0.09)	(0.09)
	Average	0.01	1.75	(0.39)	(0.42)	(0.60)	0.09	0.28	(0.21)	(0.12)	(0.49)	(0.33)	0.41	(0.00)
	Wet	0.08	2.78	(1.24)	(0.08)	(0.12)	0.01	(0.00)	(0.00)	(0.00)	(0.22)	(0.01)	0.34	0.13
	Above Normal	(0.43)	(2.42)	(0.15)	0.25	0.02	0.14	0.02	(0.18)	0.07	(0.00)	0.05	0.59	(0.17)
	Below Normal	0.15	8.05	(0.13)	(2.39)	(3.27)	0.34	(0.02)	(0.50)	(0.38)	(1.56)	(0.34)	0.00	(0.00)
	Dry	0.14	(0.57)	0.16	(0.12)	0.01	0.05	1.24	(0.45)	(0.81)	0.04	(0.02)	(0.16)	(0.04)
	Critical	(0.08)	(0.18)	0.07	(0.03)	(0.07)	(0.03)	0.02	0.05	0.77	(1.11)	(1.83)	1.73	(0.06)

Percent Difference in Energy generated (GWh) at Shasta Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	2%	0%	0%	0%	0%	-1%	0%	1%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1934	Critical	-2%	-2%	1%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	7%	0%	0%	0%	13%	-4%	-5%	0%	-1%	-9%
1940	Above Normal	-4%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-16%
1941	Wet	1%	5%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	3%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	1%
1944	Dry	0%	-1%	0%	0%	0%	3%	0%	0%	0%	0%	1%	1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1947	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	19%	-33%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	-1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	-2%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	12%	-1%	-27%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1961	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1968	Below Normal	0%	20%	0%	-1%	-14%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	2%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1971	Wet	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	5%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1979	Below Normal	1%	37%	-1%	-3%	-4%	3%	-1%	-5%	-2%	-6%	-2%	-1%
1980	Above Normal	1%	-20%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	24%
1981	Dry	1%	-6%	0%	0%	0%	0%	0%	0%	0%	1%	-2%	3%
1982	Wet	0%	-7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-1%
1988	Critical	-2%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-9%	32%
1991	Critical	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	3%	-6%	0%	-2%
1993	Above Normal	-1%	-8%	0%	0%	0%	4%	0%	-1%	0%	0%	0%	0%
1994	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	22%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	1%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
	Below Normal	0%	5%	0%	-2%	-1%	0%	0%	0%	0%	-1%	0%	0%
	Dry	0%	0%	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	3%

Energy generated (GWh) at Spring Creek: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	107.31	15.54	14.54	18.59	17.92	4.93	32.01	19.85	0.00	44.35	44.49	58.86	378.39
1923	Below Normal	27.07	17.65	21.60	16.62	7.59	0.67	14.90	5.94	34.61	60.01	67.94	43.87	318.47
1924	Critical	27.09	15.48	0.00	43.13	9.27	0.00	0.00	0.00	5.38	44.42	44.57	31.85	221.19
1925	Dry	10.34	11.21	10.36	90.81	47.81	12.81	23.03	22.90	22.06	52.33	28.93	21.40	353.99
1926	Dry	13.25	5.57	3.22	4.37	41.81	11.22	8.66	3.94	18.43	52.17	36.77	41.35	240.76
1927	Wet	13.16	19.97	26.42	18.91	61.46	33.44	17.89	11.52	0.00	44.44	44.63	59.04	350.88
1928	Above Normal	42.41	32.45	10.62	21.90	31.56	43.05	14.11	0.00	0.00	18.40	60.17	58.98	333.65
1929	Critical	27.07	15.54	7.89	97.58	3.69	1.21	0.00	5.46	26.41	75.65	44.50	28.86	333.86
1930	Dry	13.14	5.27	24.54	7.80	18.19	12.52	0.00	4.45	26.21	36.63	53.63	28.95	231.33
1931	Critical	13.23	5.53	0.00	6.86	4.97	7.13	0.00	0.00	5.44	44.26	60.67	26.71	174.80
1932	Dry	24.71	12.21	0.00	31.38	0.00	4.32	0.00	1.80	32.65	48.96	38.68	3.07	197.78
1933	Critical	10.44	4.03	0.39	0.00	0.01	0.00	5.50	9.43	12.52	44.32	5.39	6.27	98.30
1934	Critical	42.48	2.36	1.44	6.21	5.80	2.37	1.79	0.00	5.39	44.39	138.26	99.71	350.20
1935	Below Normal	12.47	0.00	0.00	0.00	4.96	2.70	23.07	7.49	4.75	44.44	5.44	6.24	111.56
1936	Below Normal	5.56	2.38	0.00	34.69	37.38	13.82	2.57	0.00	0.00	28.73	36.66	28.82	190.61
1937	Below Normal	13.13	2.34	0.00	0.00	0.00	0.04	14.20	16.02	6.81	52.18	28.87	21.30	154.89
1938	Wet	11.62	28.70	40.18	7.81	22.03	57.27	47.14	43.54	7.28	0.00	44.58	53.88	364.03
1939	Dry	64.07	8.46	15.47	0.02	1.05	3.50	53.60	22.48	48.58	100.61	100.74	71.35	489.93
1940	Above Normal	31.10	31.10	4.19	32.26	63.64	37.10	16.65	1.23	18.09	60.06	60.15	43.92	399.49
1941	Wet	27.29	16.13	47.07	69.81	62.72	67.18	55.04	76.64	15.58	102.97	59.06	80.61	680.10
1942	Wet	61.80	16.36	88.29	37.90	56.37	3.30	24.00	7.51	0.81	54.35	48.17	75.59	474.45
1943	Wet	58.47	17.25	30.54	37.24	23.33	39.53	0.00	0.00	0.00	44.45	44.57	58.92	354.30
1944	Dry	42.47	15.86	3.07	5.03	13.44	39.17	0.00	2.33	41.67	100.66	67.94	43.81	375.45
1945	Below Normal	12.20	8.59	6.38	8.29	24.22	6.46	0.00	0.00	16.42	44.44	52.36	43.85	223.21
1946	Below Normal	13.99	9.60	40.33	18.51	6.53	2.48	0.00	0.00	14.44	44.39	60.16	43.89	254.32
1947	Dry	27.09	17.65	6.11	0.00	6.04	8.53	0.00	0.85	22.62	52.27	68.00	30.37	239.53
1948	Below Normal	14.33	5.02	0.00	14.56	5.31	5.63	19.46	8.43	2.80	0.00	44.61	0.64	120.79
1949	Dry	4.20	1.42	0.00	0.00	4.94	48.94	4.65	0.00	17.12	44.49	60.23	43.85	229.84
1950	Below Normal	27.06	15.64	3.00	9.34	14.19	3.29	1.97	2.81	17.60	59.95	52.25	43.86	250.96
1951	Above Normal	37.88	12.24	21.51	14.88	31.19	9.89	30.37	6.64	0.00	46.04	60.97	59.58	331.19
1952	Wet	44.10	23.01	27.07	17.52	40.63	28.64	86.35	6.70	3.43	89.26	51.37	76.93	495.01
1953	Wet	59.36	2.75	30.67	50.33	22.46	25.50	27.34	4.04	3.15	35.71	54.21	81.72	397.24
1954	Above Normal	60.39	49.99	28.33	40.55	36.38	88.03	79.51	1.32	0.00	46.20	46.10	60.38	537.18
1955	Dry	43.94	20.82	14.55	41.55	4.28	0.00	0.00	9.37	19.83	61.35	60.53	44.38	320.60
1956	Wet	27.91	18.93	47.69	65.48	31.48	37.29	38.93	2.76	0.00	44.93	32.96	50.56	398.92
1957	Above Normal	63.29	5.25	4.40	7.17	29.34	46.39	0.00	14.66	3.02	47.06	45.83	61.42	327.83
1958	Wet	39.48	49.77	62.75	80.21	115.11	66.69	40.15	81.38	0.37	88.00	55.68	78.34	757.93
1959	Below Normal	60.45	2.50	4.82	77.93	23.68	21.66	34.91	0.00	37.66	60.69	80.17	74.85	479.32
1960	Dry	27.79	16.43	4.26	7.71	26.51	14.34	0.00	1.85	0.00	45.94	60.99	44.77	250.59
1961	Dry	28.15	18.65	13.91	5.42	22.62	14.24	0.00	0.00	0.00	45.78	60.92	59.84	269.53
1962	Below Normal	28.06	18.57	11.88	2.09	33.05	20.25	0.00	0.00	16.65	45.47	61.08	44.62	281.72
1963	Wet	10.95	5.06	6.37	3.74	22.86	4.75	34.75	6.47	1.31	47.44	46.01	87.74	277.45
1964	Dry	44.42	26.47	0.25	30.22	29.39	0.77	5.92	3.31	32.26	61.70	77.32	43.96	355.99
1965	Wet	26.99	15.54	28.06	31.49	7.54	0.00	12.04	0.00	0.00	44.55	44.48	44.02	254.71
1966	Below Normal	26.98	37.02	12.07	20.61	21.35	19.59	47.44	0.00	0.00	44.48	100.70	58.98	389.22
1967	Wet	42.42	24.66	22.99	45.92	33.20	43.04	22.80	13.05	0.08	57.22	51.65	81.43	438.46
1968	Below Normal	65.85	5.89	11.11	21.17	23.99	24.36	0.00	0.11	19.20	70.15	66.65	58.94	367.42
1969	Wet	27.07	17.13	16.42	39.19	39.54	17.88	12.36	31.47	1.21	49.11	48.09	52.77	352.24
1970	Wet	60.79	2.40	119.71	126.05	23.83	30.91	0.00	0.00	36.49	64.19	63.81	76.11	604.29
1971	Wet	36.64	30.31	22.77	33.90	14.43	16.93	19.73	7.47	6.53	5.52	47.37	74.30	315.90
1972	Below Normal	61.23	9.52	10.94	32.46	8.63	108.90	0.00	0.00	0.00	1.76	86.24	63.73	383.41
1973	Above Normal	31.69	17.15	7.14	34.55	45.75	40.22	13.57	4.72	0.00	48.42	86.75	61.65	391.61
1974	Wet	31.16	53.59	42.03	126.05	25.19	58.71	43.27	9.01	3.78	49.06	53.49	78.02	573.36
1975	Wet	62.00	2.87	9.36	4.36	25.20	56.93	18.54	6.80	3.90	76.28	52.00	78.87	397.11
1976	Critical	68.06	20.93	16.21	96.64	4.78	0.00	0.00	1.31	59.68	102.35	71.03	46.60	487.59
1977	Critical	14.94	14.93	23.58	7.56	8.35	0.00	0.00	0.14	8.46	49.67	138.83	3.03	269.49
1978	Above Normal	77.33	0.32	0.00	95.30	36.71	41.15	14.49	2.98	0.00	43.62	44.89	47.75	404.54
1979	Below Normal	28.05	3.78	0.15	1.22	7.66	14.74	0.00	3.31	18.81	46.74	54.19	44.81	223.46
1980	Above Normal	26.76	7.43	2.54	17.11	47.57	21.36	0.81	0.00	19.68	46.83	62.76	62.22	315.07
1981	Dry	27.12	10.06	9.67	24.90	18.26	19.61	0.00	1.56	21.50	66.67	91.64	45.71	336.70
1982	Wet	30.30	23.80	33.66	20.12	29.57	57.29	21.22	5.20	0.50	46.89	5.16	19.85	293.56
1983	Wet	76.57	26.06	23.05	47.22	67.54	121.72	46.09	103.69	104.96	107.14	79.71	89.51	893.26
1984	Wet	69.13	82.64	56.08	70.23	12.95	19.60	0.00	0.00	0.00	44.97	83.52	43.77	482.89
1985	Dry	42.49	21.07	7.53	37.79	3.61	0.00	0.00	5.70	52.29	100.55	100.84	43.98	415.85
1986	Wet	28.04	6.30	4.87	14.98	70.02	29.49	63.63	0.00	14.20	61.09	60.17	59.10	411.89
1987	Dry	27.00	16.86	4.17	5.29	11.22	14.74	0.00	1.22	32.27	100.72	100.75	63.49	377.73
1988	Critical	29.61	5.66	18.79	16.51	4.20	0.36	19.89	8.15	31.83	75.55	44.49	29.54	284.58
1989	Dry	14.23	12.82	0.78	52.72	0.06	39.29	0.00	0.00	14.58	56.02	37.18	29.65	257.33
1990	Critical	18.31	5.79	0.00	9.18	1.99	0.00	0.00	9.81	9.75	37.60	44.42	28.78	165.63
1991	Critical	13.20	5.80	0.00	0.00	0.00	8.50	0.00	0.33	5.43	44.33	44.58	6.11	128.28
1992	Critical	5.34	2.32	0.00	0.00	34.17	27.69	0.00	1.13	8.64	45.27	100.61	39.18	264.35
1993	Above Normal	8.44	41.31	8.01	23.59	31.00	30.70	6.54	8.74	13.05	2.59	48.73	29.77	252.47
1994	Critical	17.42	2.88	9.08	6.00	9.30	0.00	0.00	16.72	42.41	69.85	77.48	28.81	279.95
1995	Wet	12.81	4.42	0.77	116.98	25.76	70.70	14.50	10.36	5.91	33.63	57.85	83.73	437.42
1996	Wet	61.37	3.39	55.83	43.56	34.71	64.93	9.96	2.50	0.00	45.91	44.61	44.97	411.74
1997	Wet	27.53	19.48	49.20	49.36	13.08	0.72	30.28	0.00	29.29	60.01	75.72	43.80	398.47
1998	Wet	34.73	26.72	7.31	43.99	113.86	46.57	54.31	25.38	105.89	110.94	67.39	80.64	717.73
1999	Wet	61.10	45.32	41.03	22.57	22.82	63.84	17.23	4.19	0.16	47.49	46.14	55.74	427.63
2000	Above Normal	57.50	19.87	8.73	69.75	65.60	33.06	83.38	9.43	6.10	45.40	53.06	87.75	539.63
2001	Dry	27.03	15.55	2.92	9.58	26.84	29.07	0.94	14.02	41.67	100.97	101.34	44.56	414.49
2002	Dry	66.96	23.02	30.88	33.10	14.75	5.13	0.00	0.00	16.36	44.72	60.14	43.83	338.89
2003	Above Normal	27.02	15.81	39.98	34.07	9.50	9.59	18.65	17.99	0.00	57.77	83.51	81.49	395.38
	Average	34.71	16.22	17.58	31.34	25.12	24.86	16.47	9.02	15.56	53.85	59.49	50.32	354.53
	Wet	40.11	22.41	36.16	47.11	39.14	40.88	29.14	17.68	13.26	55.98	52.40	65.77	460.04
	Above Normal	47.59	20.71	12.50	34.14	37.18	33.79	25.84	7.30	5.00	42.23	58.12	59.48	383.87
	Below Normal	28.32	9.89	8.73	18.39	15.61	17.47	11.32	3.15	13.55	43.10	56.95	41.31	267.81
	Dry	30.47	14.41	8.43	21.54	16.16	15.46	5.38	5.32	25.56	65.14	67.03	41.57	316.46
	Critical	23.93	8.44	6.45	24.14	7.21	3.94	2.27	4.37	18.45	56.47	67.90	31.29	254.85

Energy generated (GWh) at Spring Creek: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	107.31	15.54	14.54	18.59	17.92	4.93	32.01	19.85	0.00	44.35	44.49	58.86	378.39
1923	Below Normal	27.07	17.65	21.60	16.62	7.59	0.67	14.90	5.94	34.61	60.00	67.94	43.87	318.46
1924	Critical	27.09	15.48	0.00	43.02	9.27	0.00	0.00	0.00	5.38	44.42	44.57	31.85	221.08
1925	Dry	10.34	11.21	10.36	91.17	47.81	12.81	23.03	22.90	22.06	52.33	28.93	21.40	354.35
1926	Dry	13.25	5.57	3.22	4.37	41.81	11.22	8.66	3.94	18.43	52.17	36.77	41.31	240.72
1927	Wet	13.16	19.97	26.42	18.91	61.46	33.44	17.89	11.52	0.00	44.44	44.63	59.04	350.88
1928	Above Normal	42.41	32.45	10.62	21.90	31.56	43.05	14.11	0.00	0.00	18.34	60.17	58.98	333.59
1929	Critical	27.07	15.54	7.89	97.58	3.69	1.21	0.00	5.46	26.41	75.65	44.50	28.86	333.86
1930	Dry	13.14	5.27	24.42	7.80	18.19	12.52	0.00	4.45	26.21	36.63	53.76	28.95	231.34
1931	Critical	13.23	5.53	0.00	6.86	4.97	7.13	0.00	0.00	5.44	44.26	61.69	26.82	175.93
1932	Dry	24.78	12.21	0.00	30.44	0.00	4.32	0.00	1.80	33.99	48.86	37.29	3.33	197.02
1933	Critical	10.30	4.07	0.39	0.00	0.01	0.00	4.70	9.43	12.52	44.32	5.39	6.27	97.40
1934	Critical	42.48	3.20	1.53	5.97	5.80	2.37	1.79	0.00	5.39	44.39	138.26	99.72	350.90
1935	Below Normal	16.68	0.00	0.00	0.00	4.96	2.70	23.07	7.49	4.75	44.44	5.44	6.24	115.77
1936	Below Normal	5.56	2.38	0.00	34.69	37.38	13.82	2.57	0.00	0.00	28.73	36.66	28.82	190.61
1937	Below Normal	13.13	2.34	0.00	0.00	0.00	0.04	14.20	16.02	6.81	52.18	28.87	21.30	154.89
1938	Wet	11.62	28.70	40.18	7.81	22.03	57.27	47.14	43.54	7.28	0.00	44.58	53.88	364.03
1939	Dry	64.07	8.46	15.47	0.02	1.05	3.50	10.67	31.49	64.98	100.61	100.74	76.32	477.38
1940	Above Normal	38.35	31.65	4.19	32.26	63.64	37.10	16.65	1.23	18.09	60.06	60.15	74.07	437.44
1941	Wet	27.29	16.13	47.07	69.81	62.72	67.18	55.04	76.64	15.58	102.97	59.06	80.61	680.10
1942	Wet	61.80	16.36	97.31	37.90	56.37	3.30	24.00	7.51	0.81	54.35	48.17	75.59	483.47
1943	Wet	58.47	17.25	30.54	36.67	23.33	39.53	0.00	0.00	0.00	44.45	44.57	58.92	353.73
1944	Dry	42.47	15.86	3.07	5.03	13.44	37.70	0.00	2.33	41.63	100.66	67.94	43.81	373.94
1945	Below Normal	12.20	8.59	6.38	8.29	24.22	6.46	0.00	0.00	16.42	44.44	52.36	43.85	223.21
1946	Below Normal	13.99	9.60	40.33	18.51	6.53	2.48	0.00	0.00	14.44	44.39	60.16	43.89	254.32
1947	Dry	27.09	17.65	6.11	0.00	6.04	8.53	0.00	0.85	22.62	52.27	68.00	31.07	240.23
1948	Below Normal	14.33	5.02	0.00	14.56	5.31	5.63	19.46	8.43	2.80	0.00	44.61	0.64	120.79
1949	Dry	4.20	1.42	0.00	0.00	4.94	48.94	4.65	0.00	17.12	44.49	60.23	43.85	229.84
1950	Below Normal	27.06	15.64	3.00	9.34	14.19	3.29	1.97	2.81	17.60	59.95	52.25	43.86	250.96
1951	Above Normal	37.88	12.24	21.51	14.88	31.19	10.45	30.24	6.64	0.00	46.04	60.97	59.58	331.62
1952	Wet	44.10	23.01	27.07	17.52	40.63	28.77	86.35	6.70	3.43	89.26	51.37	76.93	495.14
1953	Wet	59.36	2.75	30.67	50.33	22.46	25.50	27.29	4.04	3.15	35.77	54.21	81.72	397.25
1954	Above Normal	60.39	49.99	28.33	40.55	36.38	88.03	79.51	1.32	0.00	46.20	46.10	60.38	537.18
1955	Dry	43.94	20.82	14.55	43.20	4.28	0.00	0.00	9.37	19.83	61.35	60.53	44.38	322.25
1956	Wet	27.91	18.93	47.69	65.48	31.48	37.29	38.93	2.76	0.00	44.93	32.99	50.52	398.91
1957	Above Normal	63.29	5.25	4.40	7.17	29.34	46.39	0.00	14.66	3.02	47.06	45.83	61.42	327.83
1958	Wet	39.48	49.77	62.75	80.21	115.11	66.69	40.15	81.38	0.37	88.00	55.68	78.34	757.93
1959	Below Normal	60.45	2.50	4.82	77.93	23.68	21.66	34.99	0.00	37.66	60.69	80.39	74.85	479.62
1960	Dry	27.79	16.43	4.26	7.71	26.51	14.34	0.00	1.85	0.00	45.94	60.99	44.77	250.59
1961	Dry	28.15	18.65	13.91	5.42	22.62	14.24	0.00	0.00	0.00	45.78	60.92	59.84	269.53
1962	Below Normal	28.06	18.57	11.88	2.09	33.05	20.25	0.00	0.00	16.65	45.46	61.08	44.62	281.71
1963	Wet	10.95	5.06	6.37	3.74	22.86	4.75	34.75	6.47	1.31	47.44	46.01	87.77	277.48
1964	Dry	44.42	26.47	0.25	30.16	29.39	0.77	5.92	3.31	32.26	61.71	77.38	43.96	356.00
1965	Wet	26.99	15.54	28.06	31.49	7.54	0.00	12.04	0.00	0.00	44.55	44.48	44.02	254.71
1966	Below Normal	26.98	37.02	12.07	20.61	21.35	19.59	47.44	0.00	0.00	44.48	100.70	58.98	389.22
1967	Wet	42.42	24.66	22.99	45.92	33.20	43.04	22.80	13.05	0.08	57.22	51.65	81.43	438.46
1968	Below Normal	65.85	5.89	11.11	21.17	23.99	24.36	0.00	0.11	19.20	70.15	66.65	58.94	367.42
1969	Wet	27.07	17.13	16.42	39.19	39.54	17.88	12.36	31.47	1.21	49.11	48.09	52.77	352.24
1970	Wet	60.79	2.40	119.71	126.05	23.83	30.91	0.00	0.00	36.49	64.19	63.81	76.11	604.29
1971	Wet	37.41	30.31	22.77	33.90	14.43	16.19	19.73	7.47	6.53	5.52	47.37	74.30	315.93
1972	Below Normal	61.23	9.52	10.94	32.46	8.63	108.90	0.00	0.00	0.00	1.76	86.24	63.73	383.41
1973	Above Normal	31.69	17.15	7.14	34.55	45.75	40.22	13.57	4.72	0.00	48.42	86.75	61.65	391.61
1974	Wet	31.16	53.59	42.03	126.05	25.19	58.71	43.27	9.01	3.78	49.06	53.49	78.02	573.36
1975	Wet	62.00	2.87	9.36	4.36	25.20	56.93	18.54	6.80	3.90	76.28	52.00	78.87	397.11
1976	Critical	68.06	20.93	16.21	96.64	4.78	0.00	0.00	1.31	60.56	102.06	71.03	46.60	488.18
1977	Critical	14.94	14.89	23.51	7.54	7.92	0.00	0.00	0.14	8.46	49.67	138.83	3.03	268.93
1978	Above Normal	77.31	0.32	0.00	95.30	36.71	41.15	14.49	2.98	0.00	43.62	44.89	47.75	404.52
1979	Below Normal	28.05	3.78	3.08	4.22	10.37	11.72	0.00	8.00	18.81	46.74	54.19	44.81	233.77
1980	Above Normal	14.58	7.43	2.54	17.11	47.57	21.36	0.81	0.00	19.68	46.83	62.76	62.22	302.89
1981	Dry	27.12	17.38	9.67	24.90	18.26	19.61	0.00	1.56	21.50	64.86	93.91	45.71	344.48
1982	Wet	30.30	23.80	33.66	20.12	29.57	57.29	21.22	5.20	0.50	46.89	5.31	19.70	293.56
1983	Wet	76.57	26.06	23.05	47.22	67.54	121.72	46.09	103.69	104.96	107.14	79.71	89.51	893.26
1984	Wet	69.13	82.64	56.08	70.23	12.95	19.60	0.00	0.00	0.00	44.97	83.52	43.77	482.89
1985	Dry	42.49	21.07	7.53	37.79	3.61	0.00	0.00	5.72	52.32	100.55	100.84	43.98	415.90
1986	Wet	28.04	6.30	4.87	14.98	70.02	29.49	63.59	0.00	14.20	61.09	60.17	59.10	411.85
1987	Dry	27.00	16.86	4.17	5.29	11.22	14.74	0.00	1.22	32.27	100.72	100.75	64.51	378.75
1988	Critical	31.86	5.66	18.79	16.51	4.20	0.00	19.64	8.15	31.17	75.55	44.49	29.54	285.56
1989	Dry	14.23	12.82	0.78	53.70	0.06	39.29	0.00	0.00	14.58	56.02	37.18	29.65	258.31
1990	Critical	18.31	5.79	0.00	9.18	1.99	0.00	0.00	9.81	9.75	37.60	44.42	28.78	165.63
1991	Critical	13.20	5.80	0.00	0.00	0.00	8.50	0.00	0.33	5.43	44.33	44.58	6.11	128.28
1992	Critical	5.34	2.32	0.00	0.00	34.17	27.69	0.00	1.13	8.64	45.27	100.61	39.85	265.02
1993	Above Normal	8.44	49.48	8.01	23.59	31.00	27.67	6.54	8.74	13.05	2.59	48.73	29.77	257.61
1994	Critical	16.57	2.88	9.08	6.00	9.30	0.00	0.00	15.79	40.78	69.85	77.48	28.81	276.54
1995	Wet	12.81	4.42	0.77	116.98	25.76	70.70	14.50	10.36	5.91	28.82	57.85	83.73	432.61
1996	Wet	61.37	3.39	55.83	43.56	34.71	64.93	9.96	2.50	0.00	45.91	44.61	44.97	411.74
1997	Wet	27.53	19.48	49.20	49.36	13.08	0.72	30.30	0.00	29.29	60.01	75.72	43.80	398.49
1998	Wet	34.73	26.12	7.31	43.99	113.86	46.57	54.31	25.38	105.89	110.94	67.39	80.64	717.13
1999	Wet	61.10	45.32	41.03	22.57	22.82	63.84	17.23	4.19	0.16	47.49	46.14	55.74	427.63
2000	Above Normal	57.50	19.87	8.73	69.75	65.60	33.06	83.38	9.43	6.10	45.40	53.06	87.75	539.63
2001	Dry	27.03	15.55	2.92	9.58	26.84	29.07	0.94	14.11	41.67	100.97	101.34	44.56	414.58
2002	Dry	66.96	23.02	30.88	33.10	14.75	5.13	0.00	0.00	16.36	44.72	60.14	43.83	338.89
2003	Above Normal	27.02	15.81	39.98	34.07	9.50	9.59	18.65	17.99	0.00	57.68	83.51	81.49	395.29
	Average	34.72	16.42	17.72	31.38	25.15	24.76	15.93	9.18	15.76	53.77	59.52	50.78	355.09
	Wet	40.14	22.38	36.51	47.09	39.14	40.86	29.13	17.68	13.26	55.80	52.41	65.76	460.16
	Above Normal	47.18	21.43	12.50	34.14	37.18	33.58	25.83	7.30	5.00	42.22	58.12	61.99	386.47
	Below Normal	28.62	9.89	8.94	18.61	15.80	17.26	11.33	3.49	13.55	43.10	56.97	41.31	268.87
	Dry	30.47	14.82	8.42	21.65	16.16	15.37	2.99	5.83	26.55	65.04	67.09	41.96	316.34
	Critical	24.04	8.51	6.45	24.11	7.18	3.91	2.18	4.30	18.33	56.45	67.99	31.35	254.78

Difference in Energy generated (GWh) at Spring Creek: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1925	Dry	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.02	0.11	0.09
1932	Dry	0.07	0.00	0.00	(0.94)	0.00	0.00	0.00	0.00	1.34	(0.10)	(1.39)	0.26	(0.06)
1933	Critical	(0.14)	0.04	0.00	0.00	0.00	0.00	(0.80)	0.00	0.00	0.00	0.00	0.00	(0.07)
1934	Critical	0.00	0.84	0.09	(0.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06
1935	Below Normal	4.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(42.93)	9.01	16.40	0.00	0.00	4.97	(1.05)
1940	Above Normal	7.25	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	30.15	3.16
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	9.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.75
1943	Wet	0.00	0.00	0.00	(0.57)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1944	Dry	0.00	0.00	0.00	0.00	0.00	(1.47)	0.00	0.00	(0.04)	0.00	0.00	0.00	(0.13)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.06
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.56	(0.13)	0.00	0.00	0.00	0.00	0.00	0.04
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.00	0.06	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	1.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.04)	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.22	0.00	0.03
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1964	Dry	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.01	0.06	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.77	0.00	0.00	0.00	0.00	(0.74)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.88	(0.29)	0.00	0.00	0.05
1977	Critical	0.00	(0.04)	(0.07)	(0.02)	(0.43)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1978	Above Normal	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	2.93	3.00	2.71	(3.02)	0.00	4.69	0.00	0.00	0.00	0.00	0.86
1980	Above Normal	(12.18)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.02)
1981	Dry	0.00	7.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.81)	2.27	0.00	0.65
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	(0.15)	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.02	0.09
1988	Critical	2.25	0.00	0.00	0.00	0.00	(0.36)	(0.25)	0.00	(0.66)	0.00	0.00	0.00	0.08
1989	Dry	0.00	0.00	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	0.06
1993	Above Normal	0.00	8.17	0.00	0.00	0.00	(3.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.43
1994	Critical	(0.85)	0.00	0.00	0.00	0.00	0.00	0.00	(0.93)	(1.63)	0.00	0.00	0.00	(0.28)
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(4.81)	0.00	0.00	(0.40)
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	(0.60)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.01
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	0.00	0.00	(0.01)
	Average	0.02	0.20	0.14	0.05	0.03	(0.10)	(0.54)	0.16	0.20	(0.09)	0.03	0.46	0.05
	Wet	0.03	(0.02)	0.35	(0.02)	0.00	(0.02)	(0.00)	0.00	0.00	(0.18)	0.01	(0.01)	0.01
	Above Normal	(0.41)	0.73	0.00	0.00	0.00	(0.21)	(0.01)	0.00	0.00	(0.01)	0.00	2.51	0.22
	Below Normal	0.30	0.00	0.21	0.21	0.19	(0.22)	0.01	0.34	0.00	(0.00)	0.02	0.00	0.09
	Dry	0.00	0.41	(0.01)	0.11	0.00	(0.08)	(2.39)	0.51	0.99	(0.11)	0.06	0.38	(0.01)
	Critical	0.11	0.07	0.00	(0.03)	(0.04)	(0.03)	(0.09)	(0.08)	(0.12)	(0.02)	0.08	0.07	(0.01)

Percent Difference in Energy generated (GWh) at Spring Creek: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%
1932	Dry	0%	0%	0%	-3%	0%	0%	0%	0%	4%	0%	-4%	8%
1933	Critical	-1%	1%	0%	0%	0%	0%	-15%	0%	0%	0%	0%	0%
1934	Critical	0%	36%	6%	-4%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	34%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-80%	40%	34%	0%	0%	7%
1940	Above Normal	23%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	69%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	6%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	2%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	-5%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	>1,000%	246%	35%	-20%	0%	142%	0%	0%	0%	0%
1980	Above Normal	-46%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	73%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	-1%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1988	Critical	8%	0%	0%	0%	0%	-100%	-1%	0%	-2%	0%	0%	0%
1989	Dry	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1993	Above Normal	0%	20%	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%
1994	Critical	-5%	0%	0%	0%	0%	0%	0%	-6%	-4%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-14%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	2%	0%	3%	0%	-2%	-1%	2%	0%	0%	0%	1%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
	Above Normal	-2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	6%
	Below Normal	2%	0%	0%	18%	3%	-1%	0%	10%	0%	0%	0%	0%
	Dry	0%	4%	0%	0%	0%	0%	-4%	2%	2%	0%	0%	1%
	Critical	0%	3%	0%	0%	0%	-8%	-1%	0%	0%	0%	0%	0%

Energy generated (GWh) at Syst. Tot.: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	486.17	275.40	176.46	160.00	221.16	259.78	354.06	632.65	673.32	672.86	607.80	535.18	5,054.84
1923	Below Normal	296.42	303.44	243.92	237.98	204.40	217.12	268.47	609.14	576.46	685.49	553.85	328.35	4,525.04
1924	Critical	291.00	218.27	176.38	229.08	135.53	193.59	323.42	332.62	367.82	443.82	385.86	227.31	3,324.70
1925	Dry	131.34	103.51	107.64	246.95	185.51	164.68	297.99	489.89	541.60	673.98	505.75	275.90	3,724.74
1926	Dry	247.97	177.94	156.45	144.82	135.28	193.84	257.84	398.54	514.68	607.12	439.32	290.17	3,563.97
1927	Wet	202.65	141.71	179.81	221.25	683.63	247.10	551.10	619.89	607.82	694.53	536.48	683.20	5,369.17
1928	Above Normal	317.98	249.85	184.81	198.46	151.75	532.47	322.22	485.80	570.74	685.42	556.95	487.75	4,744.20
1929	Critical	280.91	224.11	152.37	330.36	123.31	155.56	287.89	364.56	435.45	589.27	487.97	242.44	3,674.20
1930	Dry	198.69	146.04	131.68	126.59	120.64	169.48	245.13	351.56	486.43	513.70	445.29	228.99	3,164.22
1931	Critical	197.11	141.33	135.43	130.68	115.91	142.30	349.17	309.97	325.79	453.54	403.51	185.60	2,890.34
1932	Dry	148.06	112.88	89.42	142.46	117.61	143.23	231.66	304.46	379.03	462.00	357.45	210.82	2,699.08
1933	Critical	189.31	149.00	122.98	116.25	100.28	135.55	222.97	281.75	347.18	437.54	365.72	193.07	2,661.60
1934	Critical	218.76	101.56	92.65	98.77	93.88	123.99	269.90	314.54	351.49	420.06	469.59	325.06	2,880.25
1935	Below Normal	114.06	87.71	88.62	91.50	92.96	122.15	229.36	331.40	435.09	551.52	360.28	224.38	2,729.03
1936	Below Normal	189.40	148.37	137.27	198.37	255.69	237.30	298.72	421.70	458.73	600.36	446.31	285.20	3,677.42
1937	Below Normal	241.05	172.73	138.16	131.44	127.95	180.82	242.98	380.96	417.48	627.03	440.53	287.22	3,388.35
1938	Wet	197.16	193.44	665.09	209.58	651.22	788.83	595.96	650.67	675.40	583.59	632.68	646.81	6,490.43
1939	Dry	387.07	291.39	186.44	157.03	157.10	139.78	526.65	487.07	601.74	756.88	605.80	351.41	4,648.36
1940	Above Normal	272.73	255.62	138.66	166.00	693.77	769.31	357.51	497.40	591.28	773.68	571.08	409.93	5,496.97
1941	Wet	286.27	244.98	232.49	705.37	684.39	648.39	642.23	831.52	612.08	778.13	701.50	742.91	7,110.26
1942	Wet	410.90	358.76	646.90	752.73	730.26	254.40	375.93	688.24	589.40	694.33	638.77	732.46	6,873.08
1943	Wet	406.12	411.42	267.06	545.45	431.87	711.83	377.93	538.55	557.60	775.29	540.75	660.39	6,224.26
1944	Dry	342.13	342.89	182.68	177.79	144.86	226.89	334.36	349.46	493.58	709.85	530.17	279.48	4,114.14
1945	Below Normal	210.58	163.79	155.63	155.98	254.83	236.92	325.47	483.53	555.56	693.44	536.02	342.07	4,113.82
1946	Below Normal	283.91	208.24	726.37	336.25	190.03	262.07	414.67	557.56	590.38	707.01	574.67	336.82	5,187.98
1947	Dry	315.28	213.04	162.91	165.58	136.70	200.52	311.15	483.52	484.47	638.38	533.80	299.60	3,944.95
1948	Below Normal	187.18	150.78	151.95	139.28	154.38	163.64	248.14	530.81	484.97	545.05	527.72	288.73	3,572.63
1949	Dry	260.04	192.47	176.99	161.77	159.73	322.03	331.13	465.07	562.74	660.24	560.06	350.23	4,202.50
1950	Below Normal	296.40	221.09	183.02	175.30	235.78	222.67	299.19	450.32	491.36	619.73	471.90	315.62	3,982.38
1951	Above Normal	327.96	394.77	575.48	366.04	605.38	269.07	485.19	508.84	574.51	768.97	570.26	454.06	5,900.53
1952	Wet	315.35	296.84	384.31	406.57	670.70	538.36	995.03	682.64	581.99	859.87	720.63	657.32	7,109.61
1953	Wet	442.95	312.33	256.55	827.00	222.65	276.19	386.67	561.39	586.22	660.83	578.47	717.94	5,829.19
1954	Above Normal	366.23	462.77	227.64	422.51	611.61	598.72	723.19	499.55	500.10	747.85	523.07	498.76	6,182.00
1955	Dry	332.97	248.93	200.68	252.51	163.30	166.53	282.89	380.18	488.35	651.89	517.77	278.52	3,964.52
1956	Wet	266.97	192.05	703.29	757.52	653.84	297.33	395.48	731.58	627.13	622.18	532.27	618.14	6,397.78
1957	Above Normal	416.93	393.26	189.92	182.51	185.13	471.64	332.42	559.12	536.29	749.61	525.51	450.38	4,992.72
1958	Wet	299.40	386.71	463.05	591.05	856.58	890.66	586.79	755.60	629.78	803.53	707.12	665.23	7,635.50
1959	Below Normal	441.78	357.04	197.47	374.26	450.17	182.56	470.25	498.62	649.63	746.25	590.88	315.47	5,274.38
1960	Dry	297.63	219.06	181.32	154.43	147.86	209.93	339.15	366.08	546.15	643.23	496.90	329.07	3,930.81
1961	Dry	270.10	202.90	203.38	148.72	314.43	234.12	306.31	435.87	500.98	677.72	529.30	357.47	4,181.30
1962	Below Normal	288.62	225.86	163.64	142.68	435.56	172.20	341.53	467.51	531.65	683.86	540.19	308.45	4,301.75
1963	Wet	321.03	249.97	341.26	230.19	379.81	250.17	794.04	524.74	493.26	732.00	506.45	704.15	5,527.07
1964	Dry	274.54	266.87	172.39	238.83	193.67	180.67	422.31	434.86	493.83	651.46	528.82	284.04	4,142.29
1965	Wet	225.44	181.92	671.90	732.29	226.24	243.83	398.47	543.61	573.88	699.23	477.36	586.45	5,560.62
1966	Below Normal	333.38	315.66	186.51	193.07	178.53	390.09	485.19	504.41	582.13	725.02	629.51	367.32	4,890.82
1967	Wet	352.42	196.43	363.73	487.90	369.88	706.64	447.72	824.32	601.42	710.27	672.50	683.94	6,417.17
1968	Below Normal	412.51	281.71	195.64	220.19	584.76	212.57	363.12	480.09	553.35	752.63	482.11	343.73	4,882.41
1969	Wet	257.66	187.06	169.36	713.23	664.09	308.80	570.23	793.66	720.36	704.99	665.35	622.60	6,377.39
1970	Wet	351.94	286.87	793.60	1,076.98	544.29	291.96	399.12	524.57	625.50	787.70	535.39	627.52	6,845.44
1971	Wet	322.19	224.61	256.25	542.28	205.58	666.81	373.06	578.97	555.98	565.97	518.81	638.02	5,448.53
1972	Below Normal	411.46	336.83	192.83	245.09	176.78	718.38	386.06	474.98	560.09	628.44	561.89	339.52	5,032.35
1973	Above Normal	270.14	185.92	273.14	615.67	647.48	328.22	317.97	535.96	582.28	747.93	580.56	443.39	5,528.66
1974	Wet	228.04	774.51	801.12	956.88	246.31	872.05	461.46	556.58	599.99	591.14	675.45	651.92	7,415.45
1975	Wet	418.76	392.86	167.15	152.41	188.72	793.23	307.74	648.19	624.02	693.67	586.33	667.44	5,640.52
1976	Critical	447.15	402.24	195.63	367.53	193.91	190.73	280.56	413.12	566.63	691.24	400.45	239.54	4,388.73
1977	Critical	267.63	204.78	228.48	167.65	220.60	181.65	349.84	243.28	410.13	461.16	471.48	117.27	3,323.95
1978	Above Normal	296.02	85.10	92.89	151.76	327.52	561.00	341.75	563.08	593.49	676.75	526.95	359.13	4,575.44
1979	Below Normal	323.19	225.43	175.69	178.29	166.74	188.13	253.93	456.29	592.53	637.30	448.84	292.06	3,938.42
1980	Above Normal	262.81	201.22	173.07	682.23	679.14	277.26	311.45	512.57	617.70	636.99	592.26	419.02	5,365.72
1981	Dry	278.77	319.69	188.93	188.00	144.88	143.84	246.71	467.11	622.57	703.56	558.80	275.66	4,138.52
1982	Wet	233.80	322.73	710.60	351.96	770.17	692.99	825.32	527.82	583.35	687.96	527.55	499.13	6,733.38
1983	Wet	530.42	450.30	671.41	871.98	859.86	1,059.50	631.77	830.36	1,036.19	1,045.68	862.91	741.75	9,592.13
1984	Wet	489.42	756.05	945.17	520.10	291.57	470.80	350.33	553.35	582.95	765.55	556.93	611.31	6,893.53
1985	Dry	280.84	226.96	233.56	262.59	140.70	157.73	356.09	537.79	651.61	736.82	629.47	300.50	4,514.66
1986	Wet	264.34	197.30	155.84	183.71	646.82	859.44	419.78	503.77	604.51	717.86	539.64	439.09	5,532.10
1987	Dry	244.89	291.34	182.93	158.88	142.46	139.85	363.22	488.45	619.04	735.23	541.84	330.28	4,238.41
1988	Critical	271.89	151.47	133.33	156.27	199.22	171.44	287.52	347.85	509.95	602.21	446.79	229.58	3,507.52
1989	Dry	207.82	116.06	123.10	221.85	111.92	276.33	263.54	522.95	519.25	630.60	408.09	201.86	3,603.37
1990	Critical	163.62	145.67	144.40	138.56	123.30	157.61	309.68	288.83	380.99	540.70	435.08	219.36	3,047.80
1991	Critical	182.86	140.11	126.73	122.52	112.41	117.91	169.54	283.97	334.17	472.93	370.55	154.17	2,587.87
1992	Critical	162.71	157.58	107.15	107.38	108.78	115.65	166.74	416.42	448.50	481.25	539.32	205.43	3,016.91
1993	Above Normal	167.91	191.92	98.79	108.71	191.35	245.38	290.94	507.44	524.10	563.95	475.56	454.96	3,821.01
1994	Critical	264.00	280.89	203.47	146.82	130.14	156.50	325.07	353.40	548.91	633.68	495.70	203.39	3,741.97
1995	Wet	198.22	140.34	123.37	561.78	299.75	755.92	429.67	719.38	607.13	630.93	680.40	615.06	5,761.95
1996	Wet	463.34	313.14	276.24	320.21	771.65	607.54	371.05	714.02	536.62	668.30	509.39	583.51	6,135.01
1997	Wet	361.16	367.77	894.08	1,005.33	391.43	252.99	484.19	577.45	593.05	754.68	518.32	562.15	6,762.60
1998	Wet	339.20	298.81	135.99	406.61	732.33	791.01	398.07	821.62	1,067.32	969.70	808.52	710.88	7,480.06
1999	Wet	475.14	476.28	493.63	424.20	748.53	620.62	325.88	649.08	596.03	705.53	519.43	616.53	6,650.88
2000	Above Normal	415.46	448.31	197.93	302.34	763.05	412.48	469.51	528.68	553.05	782.93	534.20	546.99	5,954.93
2001	Dry	305.29	347.56	191.74	155.98	127.76	140.82	287.87	526.82	652.88	742.28	569.60	285.20	4,333.80
2002	Dry	400.02	175.09	165.89	365.26	186.26	194.27	353.60	509.90	575.44	634.17	501.83	312.11	4,373.84
2003	Above Normal	311.87	224.10	349.78	522.28	198.76	173.18	408.85	727.72	517.78	805.74	555.98	539.81	5,335.85
	Average	298.33	258.95	271.24	327.25	331.64	348.17	382.16	513.51	555.42	668.00	537.39	420.04	4,912.10
	Wet	333.09	321.35	452.66	559.79	535.47	572.98	495.96	651.98	633.42	727.06	605.75	641.76	6,531.27
	Above Normal	326.02	280.69	223.21	323.21	439.68	408.21	392.92	546.57	569.55	717.72	551.68	466.61	5,246.07
	Below Normal	287.85	228.48	209.77	201.41	250.61	250.47	330.51	474.81	534.24	657.37	511.76	312.50	4,249.77
	Dry	273.53	221.92	168.79	192.78	157.26	189.14	319.87	444.42	540.80	657.17	514.45	291.18	3,971.30
	Critical	244.75	193.08	151.58	175.99	138.11	153.54	278.53	329.19	418.92	518.95	439.34	211.85	3,253.82

Energy generated (GWh) at Syst. Tot.: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	486.17	275.42	176.46	160.00	221.16	259.78	354.20	632.33	675.68	672.06	604.32	535.18	5,052.76
1923	Below Normal	296.42	303.57	243.90	237.97	204.58	217.11	267.93	608.45	576.04	684.98	553.38	328.60	4,522.93
1924	Critical	290.79	218.29	176.40	228.87	135.55	193.62	323.47	332.87	368.09	443.98	385.86	227.61	3,325.40
1925	Dry	131.51	103.48	107.61	247.65	185.50	164.66	297.96	489.97	541.65	674.01	505.88	275.93	3,725.81
1926	Dry	248.00	177.97	156.42	144.80	135.19	193.81	257.79	398.48	514.43	607.01	439.09	289.98	3,562.97
1927	Wet	202.68	141.69	179.78	221.24	683.61	247.10	551.02	619.76	607.65	694.58	536.53	683.23	5,368.87
1928	Above Normal	318.01	249.84	184.81	198.45	151.75	532.27	322.17	485.74	570.61	685.28	556.95	487.75	4,743.63
1929	Critical	280.94	224.09	152.35	330.35	123.31	155.55	287.91	364.57	435.46	589.28	487.97	242.46	3,674.24
1930	Dry	198.71	146.08	131.43	126.57	120.63	169.49	245.15	351.57	486.41	513.63	445.51	229.01	3,164.19
1931	Critical	197.12	141.38	135.42	130.67	115.90	142.28	349.16	309.98	325.86	453.53	405.62	184.02	2,890.94
1932	Dry	150.17	112.85	89.41	140.60	117.58	144.91	231.60	304.27	378.67	461.44	358.05	211.05	2,700.60
1933	Critical	189.46	149.07	122.90	116.17	100.21	134.31	222.72	281.98	347.22	437.49	365.50	193.00	2,660.03
1934	Critical	218.46	101.02	93.93	98.57	93.80	124.24	270.12	315.07	352.70	421.96	467.05	324.99	2,881.91
1935	Below Normal	117.85	87.71	88.62	91.50	92.96	122.15	229.22	331.08	434.67	550.79	359.06	224.49	2,730.10
1936	Below Normal	189.50	148.48	137.25	198.36	255.67	237.28	298.60	421.63	458.54	600.32	446.14	285.28	3,677.05
1937	Below Normal	241.10	172.82	138.13	131.41	127.93	180.79	242.96	382.97	429.45	625.18	438.22	287.26	3,398.22
1938	Wet	197.13	191.71	665.09	209.58	651.22	788.83	600.80	667.77	673.53	577.89	623.68	646.84	6,494.07
1939	Dry	386.80	290.46	192.22	156.94	156.77	139.69	427.09	502.79	623.02	754.62	599.18	357.36	4,586.94
1940	Above Normal	287.33	257.43	138.13	166.53	694.07	769.32	358.17	499.13	593.15	774.83	571.93	473.44	5,583.46
1941	Wet	286.85	251.49	247.94	705.69	684.32	628.64	641.89	845.20	609.82	786.67	696.14	742.91	7,127.56
1942	Wet	413.16	366.08	657.27	752.73	730.26	254.40	375.59	687.82	589.10	693.96	638.50	732.50	6,891.37
1943	Wet	406.15	410.74	267.15	544.73	431.87	711.83	377.55	537.48	551.85	767.36	540.14	663.99	6,210.84
1944	Dry	338.80	344.45	183.27	177.54	144.96	224.03	334.71	349.86	494.63	709.65	530.91	280.22	4,113.03
1945	Below Normal	210.72	163.86	155.71	156.05	254.81	236.95	324.98	482.68	554.22	692.38	535.51	342.13	4,110.00
1946	Below Normal	283.28	210.80	726.37	336.26	190.05	262.08	414.60	557.37	591.51	704.67	573.44	340.52	5,190.95
1947	Dry	316.47	213.15	162.78	165.52	135.87	197.77	311.47	483.99	485.01	638.79	535.62	300.47	3,946.91
1948	Below Normal	187.13	150.76	151.93	139.26	154.39	163.64	248.17	530.86	484.24	544.95	527.77	288.79	3,571.89
1949	Dry	260.03	192.53	176.99	161.77	159.74	321.98	331.09	465.04	562.69	660.18	559.95	350.81	4,202.80
1950	Below Normal	296.45	221.13	183.05	175.21	235.77	222.66	299.21	450.37	491.36	619.74	471.93	315.65	3,982.53
1951	Above Normal	327.90	394.16	575.49	366.04	605.45	270.23	484.87	508.74	574.31	768.64	570.30	454.12	5,900.25
1952	Wet	315.40	296.90	384.43	406.57	670.70	538.76	1,006.10	680.54	584.67	859.01	722.69	657.00	7,122.77
1953	Wet	442.86	360.65	213.89	820.77	222.65	276.18	387.52	566.45	588.23	661.44	577.85	717.94	5,836.43
1954	Above Normal	364.71	460.84	227.72	425.95	612.14	598.72	723.71	500.89	500.98	749.24	523.26	498.84	6,187.00
1955	Dry	333.63	249.63	200.64	255.83	164.10	166.51	282.83	380.11	488.38	651.67	516.86	278.42	3,968.61
1956	Wet	268.64	192.10	703.21	756.31	653.84	297.33	395.47	731.41	627.09	622.04	533.74	618.08	6,399.26
1957	Above Normal	416.94	393.27	189.94	182.51	185.10	471.55	332.32	558.86	536.00	749.61	525.52	450.39	4,992.01
1958	Wet	299.37	386.72	463.05	591.05	856.58	890.66	600.75	767.59	633.98	809.80	701.14	665.78	7,666.47
1959	Below Normal	442.70	394.13	196.46	339.87	444.96	182.56	471.05	499.37	650.51	746.58	591.45	315.51	5,275.15
1960	Dry	298.16	218.51	181.25	154.39	147.83	209.89	339.02	365.95	545.97	643.07	497.62	332.01	3,933.67
1961	Dry	269.77	202.82	200.67	148.70	314.40	234.11	306.29	435.82	500.91	677.75	528.77	357.39	4,177.40
1962	Below Normal	289.00	226.14	163.41	142.85	435.03	172.20	341.48	467.39	531.44	683.93	540.21	308.46	4,301.54
1963	Wet	320.86	249.97	341.26	230.19	379.81	250.17	793.58	524.36	493.11	731.78	506.30	704.21	5,525.60
1964	Dry	274.56	266.66	172.39	238.73	193.68	180.67	422.39	434.97	493.99	651.57	529.07	284.08	4,142.76
1965	Wet	225.45	181.91	671.78	732.26	226.24	243.83	397.64	541.05	571.26	696.76	474.69	586.38	5,549.25
1966	Below Normal	333.42	313.81	186.60	193.15	178.60	393.54	485.63	504.35	581.98	725.19	629.60	367.23	4,893.10
1967	Wet	352.39	196.36	363.36	487.90	369.88	706.64	457.78	823.36	600.72	718.30	669.14	689.82	6,435.65
1968	Below Normal	412.49	327.13	195.05	219.09	530.36	212.58	363.30	480.14	553.27	752.69	482.19	343.77	4,872.06
1969	Wet	257.69	187.06	169.36	713.21	665.36	308.80	570.23	793.66	720.08	704.55	664.82	621.28	6,376.10
1970	Wet	353.93	284.80	793.46	1,076.98	544.29	291.95	399.00	524.14	624.60	787.42	536.42	630.39	6,847.38
1971	Wet	323.64	223.76	254.55	542.28	205.57	664.54	372.99	578.99	555.84	565.75	518.85	638.06	5,444.82
1972	Below Normal	411.48	337.08	192.83	245.09	176.78	718.37	386.11	475.05	560.16	628.48	561.91	339.58	5,032.92
1973	Above Normal	270.15	185.79	273.13	615.67	647.48	328.22	317.88	535.81	586.69	747.09	583.55	452.69	5,544.15
1974	Wet	228.16	772.80	801.12	956.88	246.31	872.05	460.38	554.84	599.73	588.98	673.01	651.92	7,406.18
1975	Wet	418.75	390.02	167.21	152.47	189.16	793.33	307.85	648.40	624.33	693.98	586.43	667.44	5,639.37
1976	Critical	447.15	403.04	195.69	367.52	193.91	190.71	280.52	413.05	568.32	690.07	400.68	239.49	4,390.15
1977	Critical	267.98	204.70	228.29	167.73	219.61	181.63	349.80	243.44	410.20	460.93	470.59	117.18	3,322.08
1978	Above Normal	296.01	85.15	92.88	151.76	327.43	561.03	343.55	563.82	603.81	690.60	512.90	360.23	4,589.17
1979	Below Normal	324.39	294.99	182.22	182.28	160.97	181.60	249.75	456.27	581.71	619.46	441.22	291.11	3,965.97
1980	Above Normal	228.28	167.69	171.57	682.23	679.15	277.27	311.78	517.24	626.04	644.48	590.84	440.46	5,337.03
1981	Dry	279.71	329.63	188.54	187.66	144.63	143.64	248.35	472.80	624.97	700.64	560.18	277.93	4,158.68
1982	Wet	233.38	307.55	710.58	351.96	765.71	692.99	825.32	532.90	598.85	684.57	524.36	498.69	6,726.86
1983	Wet	530.42	450.30	671.41	871.98	859.86	1,059.50	631.76	830.36	1,036.19	1,045.68	862.97	741.75	9,592.18
1984	Wet	489.42	756.05	945.17	520.10	291.57	470.80	350.28	553.24	582.72	765.54	556.96	611.33	6,893.18
1985	Dry	280.86	226.80	233.56	262.59	140.70	157.73	356.07	537.77	651.55	736.84	629.48	300.52	4,514.47
1986	Wet	264.37	197.33	155.84	183.70	646.81	859.44	419.71	503.69	609.90	716.85	538.94	438.29	5,534.87
1987	Dry	244.84	293.01	182.86	158.82	142.41	139.81	362.81	487.68	617.64	734.86	543.57	332.07	4,240.38
1988	Critical	275.94	151.34	133.24	156.17	198.80	170.62	286.94	347.74	508.45	601.78	446.38	229.40	3,506.80
1989	Dry	207.68	115.86	122.88	223.54	111.83	276.28	263.38	522.41	518.72	630.03	407.66	201.74	3,602.01
1990	Critical	163.53	145.65	144.31	138.48	123.23	157.53	309.52	294.02	380.63	540.44	418.11	238.23	3,053.68
1991	Critical	184.59	139.53	126.82	122.54	112.37	117.91	169.40	283.76	333.49	472.30	370.19	153.80	2,586.70
1992	Critical	162.34	157.21	106.82	107.05	108.60	115.49	166.34	415.62	453.14	470.95	539.30	206.16	3,009.02
1993	Above Normal	167.08	207.99	98.70	108.64	191.29	239.68	290.53	503.46	523.54	563.21	475.06	454.72	3,823.90
1994	Critical	262.24	280.15	204.38	146.78	130.10	156.47	325.11	351.43	545.62	633.66	494.97	203.36	3,734.27
1995	Wet	198.41	140.28	123.22	559.27	299.74	755.90	430.56	726.06	612.25	611.30	677.53	615.06	5,749.58
1996	Wet	461.10	372.91	270.68	316.29	769.16	607.54	369.21	711.39	533.68	665.87	508.58	583.54	6,169.95
1997	Wet	356.40	368.03	894.35	1,005.33	391.43	252.99	484.19	577.36	593.05	754.03	517.53	562.33	6,757.02
1998	Wet	339.69	297.26	136.03	407.16	732.33	791.47	399.20	821.20	1,065.47	967.41	806.79	710.88	7,474.89
1999	Wet	475.14	476.28	493.63	424.20	748.53	620.62	325.91	649.13	596.06	705.53	519.61	616.63	6,651.27
2000	Above Normal	415.72	448.55	198.12	302.26	763.02	412.48	469.34	528.35	552.56	782.27	534.12	547.01	5,953.80
2001	Dry	305.18	347.63	192.42	155.97	127.75	140.81	287.89	526.97	652.71	742.18	569.57	285.23	4,334.31
2002	Dry	399.98	175.08	165.88	365.15	186.26	194.27	353.61	509.88	575.43	634.16	501.85	313.58	4,375.13
2003	Above Normal	312.02	224.07	348.15	522.01	198.76	173.18	408.80	727.63	517.68	805.61	555.99	539.72	5,333.62
	Average	298.21	261.90	271.01	326.77	330.75	347.73	381.38	514.41	556.22	667.41	536.36	421.79	4,913.94
	Wet	333.13	325.03	451.72	559.26	535.26	572.17	497.40	653.78	633.99	726.04	604.36	642.16	6,534.30
	Above Normal	324.19	279.18	222.93	323.50	439.73	407.81	393.11	546.83	571.75	719.41	550.40	474.55	5,253.40
	Below Normal	288.28	239.46	210.11	199.17	245.92	250.25	330.21	474.86	534.22	655.67	510.86	312.74	4,251.74
	Dry	273.60	222.59	168.96	192.93	157.21	188.89	314.42	445.57	542.04	656.78	514.38	292.10	3,969.48
	Critical	245.05	192.96	151.71	175.91	137.95	153.36	278.42	329.46	419.10	518.03	437.69	213.31	3,252.94

Difference in Energy generated (GWh) at Syst. Tot.: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.14	(0.32)	2.36	(0.80)	(3.48)	0.00	(0.17)
1923	Below Normal	0.00	0.13	(0.02)	(0.01)	0.18	(0.01)	(0.54)	(0.69)	(0.42)	(0.51)	(0.47)	0.25	(0.18)
1924	Critical	(0.21)	0.02	0.02	(0.21)	0.02	0.03	0.05	0.25	0.27	0.16	0.00	0.30	0.06
1925	Dry	0.17	(0.03)	(0.03)	0.70	(0.01)	(0.02)	(0.03)	0.08	0.05	0.03	0.13	0.03	0.09
1926	Dry	0.03	0.03	(0.03)	(0.02)	(0.09)	(0.03)	(0.05)	(0.06)	(0.25)	(0.11)	(0.23)	(0.19)	(0.08)
1927	Wet	0.03	(0.02)	(0.03)	(0.01)	(0.02)	0.00	(0.08)	(0.13)	(0.17)	0.05	0.05	0.03	(0.03)
1928	Above Normal	0.03	(0.01)	0.00	(0.01)	0.00	(0.20)	(0.05)	(0.06)	(0.13)	(0.14)	0.00	0.00	(0.05)
1929	Critical	0.03	(0.02)	(0.02)	(0.01)	0.00	(0.01)	0.02	0.01	0.01	0.01	0.00	0.02	0.00
1930	Dry	0.02	0.04	(0.25)	(0.02)	(0.01)	0.01	0.02	0.01	(0.02)	(0.07)	0.22	0.02	0.00
1931	Critical	0.01	0.05	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	0.01	0.07	(0.01)	2.11	(1.58)	0.05
1932	Dry	2.11	(0.03)	(0.01)	(1.86)	(0.03)	1.68	(0.06)	(0.19)	(0.36)	(0.56)	0.60	0.23	0.13
1933	Critical	0.15	0.07	(0.08)	(0.08)	(0.07)	(1.24)	(0.25)	0.23	0.04	(0.05)	(0.22)	(0.07)	(0.13)
1934	Critical	(0.30)	(0.54)	1.28	(0.20)	(0.08)	0.25	0.22	0.53	1.21	1.90	(2.54)	(0.07)	0.14
1935	Below Normal	3.79	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.32)	(0.42)	(0.73)	(1.22)	0.11	0.09
1936	Below Normal	0.10	0.11	(0.02)	(0.01)	(0.02)	(0.02)	(0.12)	(0.07)	(0.19)	(0.04)	(0.17)	0.08	(0.03)
1937	Below Normal	0.05	0.09	(0.03)	(0.03)	(0.02)	(0.03)	(0.02)	2.01	11.97	(1.85)	(2.31)	0.04	0.82
1938	Wet	(0.03)	(1.73)	0.00	0.00	0.00	0.00	4.84	17.10	(1.87)	(5.70)	(9.00)	0.03	0.30
1939	Dry	(0.27)	(0.93)	5.78	(0.09)	(0.33)	(0.09)	(99.56)	15.72	21.28	(2.26)	(6.62)	5.95	(5.12)
1940	Above Normal	14.60	1.81	(0.53)	0.53	0.30	0.01	0.66	1.73	1.87	1.15	0.85	63.51	7.21
1941	Wet	0.58	6.51	15.45	0.32	(0.07)	(19.75)	(0.34)	13.68	(2.26)	8.54	(5.36)	0.00	1.44
1942	Wet	2.26	7.32	10.37	0.00	0.00	0.00	(0.34)	(0.42)	(0.30)	(0.37)	(0.27)	0.04	1.52
1943	Wet	0.03	(0.68)	0.09	(0.72)	0.00	0.00	(0.38)	(1.07)	(5.75)	(7.93)	(0.61)	3.60	(1.12)
1944	Dry	(3.33)	1.56	0.59	(0.25)	0.10	(2.86)	0.35	0.40	1.05	(0.20)	0.74	0.74	(0.09)
1945	Below Normal	0.14	0.07	0.08	0.07	(0.02)	0.03	(0.49)	(0.85)	(1.34)	(1.06)	(0.51)	0.06	(0.32)
1946	Below Normal	(0.63)	2.56	0.00	0.01	0.02	0.01	(0.07)	(0.19)	1.13	(2.34)	(1.23)	3.70	0.25
1947	Dry	1.19	0.11	(0.13)	(0.06)	(0.83)	(2.75)	0.32	0.47	0.54	0.41	1.82	0.87	0.16
1948	Below Normal	(0.05)	(0.02)	(0.02)	(0.02)	0.01	0.00	0.03	0.05	(0.73)	(0.10)	0.05	0.06	(0.06)
1949	Dry	(0.01)	0.06	0.00	0.00	0.01	(0.05)	(0.04)	(0.03)	(0.05)	(0.06)	(0.11)	0.58	0.03
1950	Below Normal	0.05	0.04	0.03	(0.09)	(0.01)	(0.01)	0.02	0.05	0.00	0.01	0.03	0.03	0.01
1951	Above Normal	(0.06)	(0.61)	0.01	0.00	0.07	1.16	(0.32)	(0.10)	(0.20)	(0.33)	0.04	0.06	(0.02)
1952	Wet	0.05	0.06	0.12	0.00	0.00	0.40	11.07	(2.10)	2.68	(0.86)	2.06	(0.32)	1.10
1953	Wet	(0.09)	48.32	(42.66)	(6.23)	0.00	(0.01)	0.85	5.06	2.01	0.61	(0.62)	0.00	0.60
1954	Above Normal	(1.52)	(1.93)	0.08	3.44	0.53	0.00	0.52	1.34	0.88	1.39	0.19	0.08	0.42
1955	Dry	0.66	0.70	(0.04)	3.32	0.80	(0.02)	(0.06)	(0.07)	0.03	(0.22)	(0.91)	(0.10)	0.34
1956	Wet	1.67	0.05	(0.08)	(1.21)	0.00	0.00	(0.01)	(0.17)	(0.04)	(0.14)	1.47	(0.06)	0.12
1957	Above Normal	0.01	0.01	0.02	0.00	(0.03)	(0.09)	(0.10)	(0.26)	(0.29)	0.00	0.01	0.01	(0.06)
1958	Wet	(0.03)	0.01	0.00	0.00	0.00	0.00	13.96	11.99	4.20	6.27	(5.98)	0.55	2.58
1959	Below Normal	0.92	37.09	(1.01)	(34.39)	(5.21)	0.00	0.80	0.75	0.88	0.33	0.57	0.04	0.06
1960	Dry	0.53	(0.55)	(0.07)	(0.04)	(0.03)	(0.04)	(0.13)	(0.13)	(0.18)	(0.16)	0.72	2.94	0.24
1961	Dry	(0.33)	(0.08)	(2.71)	(0.02)	(0.03)	(0.01)	(0.02)	(0.05)	(0.07)	0.03	(0.53)	(0.08)	(0.33)
1962	Below Normal	0.38	0.28	(0.23)	0.17	(0.53)	0.00	(0.05)	(0.12)	(0.21)	0.07	0.02	0.01	(0.02)
1963	Wet	(0.17)	0.00	0.00	0.00	0.00	0.00	(0.46)	(0.38)	(0.15)	(0.22)	(0.15)	0.06	(0.12)
1964	Dry	0.02	(0.21)	0.00	(0.10)	0.01	0.00	0.08	0.11	0.16	0.11	0.25	0.04	0.04
1965	Wet	0.01	(0.01)	(0.12)	(0.03)	0.00	0.00	(0.83)	(2.56)	(2.62)	(2.47)	(2.67)	(0.07)	(0.95)
1966	Below Normal	0.04	(1.85)	0.09	0.08	0.07	3.45	0.44	(0.06)	(0.15)	0.17	0.09	(0.09)	0.19
1967	Wet	(0.03)	(0.07)	(0.37)	0.00	0.00	0.00	10.06	(0.96)	(0.70)	8.03	(3.36)	5.88	1.54
1968	Below Normal	(0.02)	45.42	(0.59)	(1.10)	(54.40)	0.01	0.18	0.05	(0.08)	0.06	0.08	0.04	(0.86)
1969	Wet	0.03	0.00	0.00	(0.02)	1.27	0.00	0.00	0.00	(0.28)	(0.44)	(0.53)	(1.32)	(0.11)
1970	Wet	1.99	(2.07)	(0.14)	0.00	0.00	(0.01)	(0.12)	(0.43)	(0.90)	(0.28)	1.03	2.87	0.16
1971	Wet	1.45	(0.85)	(1.70)	0.00	(0.01)	(2.27)	(0.07)	0.02	(0.14)	(0.22)	0.04	0.04	(0.31)
1972	Below Normal	0.02	0.25	0.00	0.00	0.00	(0.01)	0.05	0.07	0.07	0.04	0.02	0.06	0.05
1973	Above Normal	0.01	(0.13)	(0.01)	0.00	0.00	0.00	(0.09)	(0.15)	4.41	(0.84)	2.99	9.30	1.29
1974	Wet	0.12	(1.71)	0.00	0.00	0.00	0.00	(1.08)	(1.74)	(0.26)	(2.16)	(2.44)	0.00	(0.77)
1975	Wet	(0.01)	(2.84)	0.06	0.06	0.44	0.10	0.11	0.21	0.31	0.31	0.10	0.00	(0.10)
1976	Critical	0.00	0.80	0.06	(0.01)	0.00	(0.02)	(0.04)	(0.07)	1.69	(1.17)	0.23	(0.05)	0.12
1977	Critical	0.35	(0.08)	(0.19)	0.08	(0.99)	(0.02)	(0.04)	0.16	0.07	(0.23)	(0.89)	(0.09)	(0.16)
1978	Above Normal	(0.01)	0.05	(0.01)	0.00	(0.09)	0.03	1.80	0.74	10.32	13.85	(14.05)	1.10	1.14
1979	Below Normal	1.20	69.56	6.53	3.99	(5.77)	(6.53)	(4.18)	(0.02)	(10.82)	(17.84)	(7.62)	(0.95)	2.30
1980	Above Normal	(34.53)	(33.53)	(1.50)	0.00	0.01	0.01	0.33	4.67	8.34	7.49	(1.42)	21.44	(2.39)
1981	Dry	0.94	9.94	(0.39)	(0.34)	(0.25)	(0.20)	1.64	5.69	2.40	(2.92)	1.38	2.27	1.68
1982	Wet	(0.42)	(15.18)	(0.02)	0.00	(4.46)	0.00	0.00	5.08	15.50	(3.39)	(3.19)	(0.44)	(0.54)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.06	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.11)	(0.23)	(0.01)	0.03	0.02	(0.03)
1985	Dry	0.02	(0.16)	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.06)	0.02	0.01	0.02	(0.02)
1986	Wet	0.03	0.03	0.00	(0.01)	(0.01)	0.00	(0.07)	(0.08)	5.39	(1.01)	(0.70)	(0.80)	0.23
1987	Dry	(0.05)	1.67	(0.07)	(0.06)	(0.05)	(0.04)	(0.41)	(0.77)	(1.40)	(0.37)	1.73	1.79	0.16
1988	Critical	4.05	(0.13)	(0.09)	(0.10)	(0.42)	(0.82)	(0.58)	(0.11)	(1.50)	(0.43)	(0.41)	(0.18)	(0.06)
1989	Dry	(0.14)	(0.20)	(0.22)	1.69	(0.09)	(0.05)	(0.16)	(0.54)	(0.53)	(0.57)	(0.43)	(0.12)	(0.11)
1990	Critical	(0.09)	(0.02)	(0.09)	(0.08)	(0.07)	(0.08)	(0.16)	5.19	(0.36)	(0.26)	(16.97)	18.87	0.49
1991	Critical	1.73	(0.58)	0.09	0.02	(0.04)	0.00	(0.14)	(0.21)	(0.68)	(0.63)	(0.36)	(0.37)	(0.10)
1992	Critical	(0.37)	(0.37)	(0.33)	(0.33)	(0.18)	(0.16)	(0.40)	(0.80)	4.64	(10.30)	(0.02)	0.73	(0.66)
1993	Above Normal	(0.83)	16.07	(0.09)	(0.07)	(0.06)	(5.70)	(0.41)	(3.98)	(0.56)	(0.74)	(0.50)	(0.24)	0.24
1994	Critical	(1.76)	(0.74)	0.91	(0.04)	(0.04)	(0.03)	0.04	(1.97)	(3.29)	(0.02)	(0.73)	(0.03)	(0.64)
1995	Wet	0.19	(0.06)	(0.15)	(2.51)	(0.01)	(0.02)	0.89	6.68	5.12	(19.63)	(2.87)	0.00	(1.03)
1996	Wet	(2.24)	59.77	(5.56)	(3.92)	(2.49)	0.00	(1.84)	(2.63)	(2.94)	(2.43)	(0.81)	0.03	2.91
1997	Wet	(4.76)	0.26	0.27	0.00	0.00	0.00	0.00	(0.09)	0.00	(0.65)	(0.79)	0.18	(0.47)
1998	Wet	0.49	(1.55)	0.04	0.55	0.00	0.46	1.13	(0.42)	(1.85)	(2.29)	(1.73)	0.00	(0.43)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.05	0.03	0.00	0.18	0.10	0.03
2000	Above Normal	0.26	0.24	0.19	(0.08)	(0.03)	0.00	(0.17)	(0.33)	(0.49)	(0.66)	(0.08)	0.02	(0.09)
2001	Dry	(0.11)	0.07	0.68	(0.01)	(0.01)	(0.01)	0.02	0.15	(0.17)	(0.10)	(0.03)	0.03	0.04
2002	Dry	(0.04)	(0.01)	(0.01)	(0.11)	0.00	0.00	0.01	(0.02)	(0.01)	(0.01)	0.02	1.47	0.11
2003	Above Normal	0.15	(0.03)	(1.63)	(0.27)	0.00	0.00	(0.05)	(0.09)	(0.10)	(0.13)	0.01	(0.09)	(0.19)
	Average	(0.12)	2.95	(0.23)	(0.48)	(0.89)	(0.43)	(0.78)	0.91	0.80	(0.59)	(1.04)	1.74	0.15
	Wet	0.04	3.68	(0.94)	(0.53)	(0.21)	(0.81)	1.43	1.79	0.57	(1.02)	(1.39)	0.40	0.25
	Above Normal	(1.82)	(1.50)	(0.29)	0.30	0.06	(0.40)	0.19	0.27	2.20	1.69	(1.29)	7.93	0.61
	Below Normal	0.43	10.98	0.34	(2.24)	(4.69)	(0.22)	(0.29)	0.05	(0.02)	(1.70)	(0.90)	0.25	0.16
	Dry	0.08	0.67	0.17	0.15	(0.05)	(0.25)	(5.45)	1.15	1.25	(0.39)	(0.07)	0.92	(0.15)
	Critical	0.30	(0.13)	0.13	(0.08)	(0.16)	(0.18)	(0.11)	0.27	0.18	(0.92)	(1.65)	1.46	(0.07)

Percent Difference in Energy generated (GWh) at Syst. Tot.: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%
1932	Dry	1%	0%	0%	-1%	0%	1%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	-1%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1935	Below Normal	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	1%	3%	0%	-1%	0%
1938	Wet	0%	-1%	0%	0%	0%	0%	1%	3%	0%	-1%	-1%	0%
1939	Dry	0%	0%	3%	0%	0%	0%	-19%	3%	4%	0%	-1%	2%
1940	Above Normal	5%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	15%
1941	Wet	0%	3%	7%	0%	0%	-3%	0%	2%	0%	1%	-1%	0%
1942	Wet	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	1%
1944	Dry	-1%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1947	Dry	0%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1953	Wet	0%	15%	-17%	-1%	0%	0%	0%	1%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	2%	2%	1%	1%	-1%	0%
1959	Below Normal	0%	10%	-1%	-9%	-1%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	2%	0%	0%	1%	0%	1%
1968	Below Normal	0%	16%	0%	0%	-9%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	1%	2%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	1%	0%	2%	2%	-3%	0%
1979	Below Normal	0%	31%	4%	2%	-3%	-3%	-2%	0%	-2%	-3%	-2%	0%
1980	Above Normal	-13%	-17%	-1%	0%	0%	0%	0%	1%	1%	1%	0%	5%
1981	Dry	0%	3%	0%	0%	0%	0%	1%	1%	0%	0%	0%	1%
1982	Wet	0%	-5%	0%	0%	-1%	0%	0%	1%	3%	0%	-1%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1987	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1988	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	2%	0%	0%	-4%	9%
1991	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	-2%	0%	0%
1993	Above Normal	0%	8%	0%	0%	0%	-2%	0%	-1%	0%	0%	0%	0%
1994	Critical	-1%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	1%	1%	-3%	0%	0%
1996	Wet	0%	19%	-2%	-1%	0%	0%	0%	0%	-1%	0%	0%	0%
1997	Wet	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
	Below Normal	0%	4%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%

Energy generated (GWh) at Tot. Loss: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.66	11.96	7.59	6.83	9.93	10.02	12.67	23.94	26.77	26.53	24.47	22.71	204.08
1923	Below Normal	12.08	13.26	10.79	9.52	8.13	7.41	8.92	22.89	22.40	28.12	22.43	13.60	179.55
1924	Critical	12.01	9.34	7.57	9.92	5.63	7.37	12.40	12.49	14.07	17.87	15.51	9.47	133.65
1925	Dry	5.20	4.34	4.53	10.78	8.27	6.89	10.48	17.83	21.36	27.66	20.28	11.20	148.82
1926	Dry	9.93	7.52	6.66	6.13	5.81	7.49	9.54	14.61	20.97	25.28	17.63	12.09	143.66
1927	Wet	8.14	6.11	7.77	9.65	30.68	10.56	21.46	23.09	23.57	28.51	21.93	29.60	221.07
1928	Above Normal	13.52	10.88	7.96	8.54	6.51	23.58	10.90	17.34	22.94	28.41	23.16	20.88	194.62
1929	Critical	11.51	9.74	6.50	14.50	5.22	6.32	10.77	13.43	17.30	24.59	20.55	10.05	150.48
1930	Dry	7.98	6.07	5.52	5.40	5.14	7.14	8.79	12.90	19.12	21.04	17.78	9.37	126.25
1931	Critical	8.10	6.09	5.73	5.61	4.94	5.63	13.44	11.39	12.20	18.13	16.36	7.64	115.26
1932	Dry	5.85	4.82	3.86	6.18	5.18	5.72	8.31	10.92	14.79	17.84	14.60	8.57	106.64
1933	Critical	7.62	6.25	5.15	4.95	4.23	5.50	8.06	10.28	13.05	17.26	15.16	7.88	105.39
1934	Critical	9.16	4.17	3.95	4.22	4.03	4.61	9.95	11.52	13.42	16.72	20.10	14.03	115.88
1935	Below Normal	4.48	3.72	3.76	3.95	3.96	5.28	9.34	12.07	17.62	22.86	14.11	9.20	110.35
1936	Below Normal	7.97	6.37	5.90	8.72	11.51	10.27	11.55	15.95	17.89	24.79	17.70	11.85	150.47
1937	Below Normal	10.00	7.25	5.90	5.62	5.74	8.01	8.87	14.17	15.72	25.68	17.31	11.86	136.13
1938	Wet	7.77	8.36	29.66	9.11	29.30	34.04	24.10	25.90	26.73	22.12	24.60	26.24	267.93
1939	Dry	16.28	12.03	7.88	6.51	6.57	5.69	19.65	17.80	23.55	32.00	25.22	14.96	188.14
1940	Above Normal	11.10	10.90	5.86	7.22	31.01	33.04	13.10	17.97	22.91	32.15	23.59	17.12	225.97
1941	Wet	11.62	10.42	10.13	31.40	30.56	27.55	25.91	33.05	23.54	31.75	28.78	32.07	296.78
1942	Wet	17.29	15.60	28.76	33.68	32.59	9.43	13.50	26.50	22.69	27.55	26.05	31.30	284.94
1943	Wet	16.88	18.04	11.21	21.84	17.44	28.55	13.51	19.35	21.04	31.35	21.69	28.24	249.14
1944	Dry	14.05	14.78	7.72	7.46	6.05	9.52	11.70	11.71	19.29	29.71	21.39	11.55	164.93
1945	Below Normal	8.60	7.03	6.64	6.63	11.31	9.03	10.73	16.65	20.61	28.11	21.68	14.14	161.16
1946	Below Normal	11.94	9.00	32.43	14.77	8.18	9.95	14.54	20.21	22.60	28.79	23.44	13.87	209.72
1947	Dry	13.06	9.13	6.97	7.06	5.69	7.50	10.96	18.08	19.21	26.89	21.89	12.58	159.02
1948	Below Normal	7.80	6.46	6.51	5.92	5.98	6.82	8.99	20.93	19.77	22.73	22.10	11.95	145.96
1949	Dry	10.92	8.15	7.65	6.95	6.81	13.94	11.63	17.18	22.09	27.63	23.52	14.77	171.24
1950	Below Normal	12.31	9.44	7.92	7.66	10.41	9.47	10.87	17.15	19.61	26.07	19.51	13.41	163.83
1951	Above Normal	14.12	17.65	25.84	16.01	25.43	10.12	17.77	17.45	21.56	31.37	23.19	19.11	239.62
1952	Wet	13.05	12.97	17.03	18.26	29.88	22.32	41.50	26.27	22.45	32.64	27.89	26.86	291.12
1953	Wet	18.46	13.55	11.08	36.29	9.02	10.10	13.59	21.08	22.74	27.35	24.00	31.10	238.36
1954	Above Normal	15.21	20.31	9.86	18.63	26.94	26.16	28.58	18.33	19.77	31.30	21.76	21.36	258.21
1955	Dry	13.69	10.83	8.70	11.09	6.82	6.72	10.37	13.51	18.39	27.50	20.92	11.53	160.07
1956	Wet	10.96	8.32	31.56	34.09	29.15	11.13	13.92	27.75	24.27	24.71	21.32	26.55	263.73
1957	Above Normal	17.54	17.07	8.15	7.80	7.76	19.02	11.21	21.36	20.60	31.48	21.68	19.15	202.82
1958	Wet	12.60	16.84	20.46	26.26	38.41	38.62	24.90	30.21	25.04	32.40	28.76	27.70	322.20
1959	Below Normal	18.45	15.44	8.48	16.42	19.12	7.37	17.38	18.21	26.37	31.49	24.74	13.55	217.02
1960	Dry	12.29	9.29	7.79	6.57	6.36	8.45	12.58	13.50	22.01	27.30	20.79	13.94	160.87
1961	Dry	11.29	8.85	8.87	6.39	13.86	9.86	11.04	16.44	19.25	28.87	22.59	15.29	172.60
1962	Below Normal	12.02	9.87	7.07	6.11	19.52	7.28	13.05	17.97	21.29	29.00	22.76	12.97	178.91
1963	Wet	13.63	10.84	15.06	10.08	16.67	10.66	33.63	19.69	20.01	30.73	20.91	30.72	232.63
1964	Dry	11.75	11.72	7.45	10.47	8.31	7.10	16.02	16.09	19.47	27.57	21.80	11.86	169.61
1965	Wet	9.49	7.90	29.85	32.87	9.87	8.95	14.88	19.41	21.59	28.43	19.47	25.12	227.83
1966	Below Normal	13.72	13.85	8.06	8.33	7.70	16.77	18.22	18.45	23.05	30.62	26.60	15.60	200.97
1967	Wet	14.66	8.52	16.12	21.79	15.60	30.09	18.21	33.19	23.98	28.89	27.05	29.39	267.49
1968	Below Normal	17.22	12.28	8.41	9.51	25.79	9.09	12.73	17.27	21.90	31.73	19.87	14.42	200.22
1969	Wet	10.55	8.04	7.29	32.10	29.79	11.81	22.72	31.61	26.21	26.56	24.81	25.52	257.01
1970	Wet	14.63	11.92	34.51	43.73	22.16	11.14	13.63	18.07	23.60	32.09	21.69	27.05	274.22
1971	Wet	13.30	9.75	11.31	24.06	8.87	27.90	13.30	21.69	21.56	23.11	21.35	27.53	223.73
1972	Below Normal	17.37	14.75	8.36	10.65	7.42	31.02	13.70	17.43	22.26	26.43	23.68	14.32	207.39
1973	Above Normal	11.17	8.04	11.97	27.57	29.06	14.51	10.76	19.26	22.78	31.04	23.99	18.74	228.89
1974	Wet	9.49	34.54	35.78	42.78	10.72	37.53	17.24	19.82	23.30	23.16	28.00	27.96	310.32
1975	Wet	17.81	17.20	7.12	6.44	8.17	34.09	10.15	24.14	24.48	28.34	24.40	28.74	231.08
1976	Critical	19.19	17.58	8.41	16.13	8.20	7.12	9.59	14.96	22.68	28.76	15.83	9.57	178.02
1977	Critical	11.17	8.89	9.97	7.21	9.34	6.89	13.93	9.00	16.41	18.97	20.22	4.45	136.45
1978	Above Normal	12.42	3.51	3.88	6.70	14.56	24.88	13.29	21.67	24.32	27.55	20.90	15.21	188.89
1979	Below Normal	13.30	9.80	7.56	7.73	7.35	8.08	7.89	15.95	22.66	26.23	18.13	11.94	156.62
1980	Above Normal	10.85	8.68	7.40	30.53	30.44	10.46	10.36	18.22	23.92	25.40	23.71	17.32	217.29
1981	Dry	11.09	13.65	8.00	7.97	6.01	6.03	7.69	16.98	24.90	29.51	23.23	11.39	166.45
1982	Wet	9.59	14.18	31.68	15.76	32.29	27.88	34.28	19.47	22.46	25.10	18.88	19.21	270.78
1983	Wet	21.99	17.72	27.30	35.28	34.37	42.02	25.96	34.13	39.58	38.92	33.39	30.11	380.77
1984	Wet	20.59	30.72	37.71	20.87	10.94	19.01	11.56	19.43	22.05	31.52	22.73	26.29	273.42
1985	Dry	11.79	9.85	10.13	11.40	5.99	6.49	12.32	19.38	25.79	30.50	26.06	12.36	182.06
1986	Wet	10.85	8.52	6.65	7.91	29.11	33.54	15.98	18.52	23.97	28.90	21.67	17.22	222.84
1987	Dry	9.75	12.19	7.74	6.61	5.92	5.87	12.94	18.20	25.30	31.15	22.10	13.85	171.62
1988	Critical	11.33	6.48	5.68	6.70	8.42	6.59	11.15	13.25	20.50	25.77	18.88	9.29	144.04
1989	Dry	8.36	4.92	5.24	9.67	4.63	11.77	9.35	20.34	21.05	26.60	16.60	8.43	146.96
1990	Critical	6.72	6.24	6.23	5.96	5.25	6.07	11.99	11.20	14.90	23.11	18.40	8.86	124.93
1991	Critical	7.68	5.91	5.44	5.24	4.64	5.07	6.23	10.63	13.16	19.92	15.40	6.27	105.59
1992	Critical	6.80	6.76	4.61	4.61	4.76	4.95	6.01	16.76	18.22	20.95	23.91	8.70	127.04
1993	Above Normal	7.37	8.50	4.10	4.79	8.47	10.83	10.97	19.80	21.61	23.52	19.97	19.59	159.52
1994	Critical	11.17	12.37	8.88	6.32	5.60	6.10	12.48	13.50	21.74	27.16	21.14	8.41	154.87
1995	Wet	8.22	6.06	5.30	25.28	13.04	34.02	17.18	30.10	25.15	25.73	27.98	26.43	244.49
1996	Wet	19.33	13.48	12.06	14.14	34.53	25.47	13.02	28.44	20.15	26.99	20.70	24.86	253.17
1997	Wet	15.24	16.17	36.87	37.51	11.98	8.98	17.16	20.58	23.18	30.63	21.04	24.01	263.35
1998	Wet	13.93	13.06	5.73	18.10	32.45	33.56	14.94	33.81	44.67	38.05	31.29	28.69	308.28
1999	Wet	19.94	20.81	21.29	17.44	30.64	25.92	10.71	23.99	22.32	28.93	21.06	26.44	269.49
2000	Above Normal	17.30	19.59	8.50	13.29	34.27	16.63	17.56	19.49	21.67	31.76	21.79	23.29	245.14
2001	Dry	12.95	15.20	8.23	6.71	5.68	6.01	9.75	19.40	26.14	31.45	23.07	11.73	176.32
2002	Dry	16.83	7.54	7.12	16.07	7.74	8.09	13.08	19.32	22.83	26.72	21.02	13.09	179.45
2003	Above Normal	13.02	9.77	15.47	23.22	8.24	7.15	15.84	29.50	20.49	34.26	23.34	23.26	223.56
	Average	12.40	11.17	11.73	14.15	14.32	14.39	14.26	19.29	21.79	27.39	21.94	17.67	200.48
	Wet	13.85	13.83	19.59	24.10	23.01	23.65	19.11	24.97	24.63	29.02	24.29	27.11	267.16
	Above Normal	13.69	12.24	9.72	14.26	19.39	17.20	14.42	20.36	22.45	29.56	22.63	19.81	215.72
	Below Normal	11.95	9.89	9.13	8.68	10.87	10.42	11.91	17.52	20.98	27.33	21.00	13.05	172.74
	Dry	11.28	9.49	7.23	8.30	6.71	7.79	11.46	16.34	21.42	27.51	21.14	12.14	160.82
	Critical	10.21	8.32	6.51	7.61	5.86	6.02	10.50	12.37	16.47	21.60	18.46	8.72	132.63

Energy generated (GWh) at Tot. Loss: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.66	11.97	7.59	6.83	9.93	10.02	12.67	23.94	26.79	26.53	24.43	22.71	204.07
1923	Below Normal	12.08	13.27	10.79	9.52	8.14	7.41	8.91	22.88	22.39	28.11	22.42	13.61	179.53
1924	Critical	12.00	9.34	7.57	9.91	5.63	7.37	12.41	12.50	14.08	17.88	15.51	9.48	133.68
1925	Dry	5.21	4.34	4.53	10.81	8.27	6.89	10.48	17.84	21.37	27.66	20.28	11.20	148.88
1926	Dry	9.93	7.52	6.66	6.13	5.80	7.49	9.54	14.61	20.95	25.28	17.62	12.08	143.61
1927	Wet	8.14	6.11	7.77	9.65	30.68	10.56	21.46	23.09	23.57	28.51	21.93	29.60	221.07
1928	Above Normal	13.52	10.88	7.96	8.54	6.51	23.57	10.90	17.34	22.93	28.40	23.16	20.88	194.59
1929	Critical	11.51	9.74	6.50	14.49	5.22	6.32	10.77	13.44	17.30	24.59	20.55	10.05	150.48
1930	Dry	7.98	6.08	5.51	5.40	5.14	7.14	8.79	12.90	19.12	21.03	17.79	9.37	126.25
1931	Critical	8.10	6.10	5.73	5.61	4.94	5.63	13.44	11.39	12.20	18.13	16.45	7.57	115.29
1932	Dry	5.95	4.82	3.86	6.10	5.18	5.73	8.31	10.92	14.78	17.83	14.63	8.58	106.69
1933	Critical	7.63	6.26	5.15	4.95	4.23	5.45	8.05	10.29	13.05	17.26	15.15	7.87	105.34
1934	Critical	9.15	4.15	4.01	4.21	4.03	4.61	9.95	11.52	13.43	16.74	19.98	14.03	115.81
1935	Below Normal	4.65	3.72	3.76	3.95	3.96	5.28	9.34	12.07	17.62	22.86	14.10	9.21	110.52
1936	Below Normal	7.98	6.37	5.90	8.72	11.51	10.26	11.55	15.95	17.89	24.79	17.70	11.85	150.47
1937	Below Normal	10.00	7.26	5.90	5.62	5.74	8.01	8.87	14.19	15.85	25.65	17.29	11.86	136.24
1938	Wet	7.77	8.28	29.66	9.11	29.30	34.04	24.15	26.07	26.72	22.06	24.51	26.24	267.91
1939	Dry	16.26	12.03	8.14	6.51	6.56	5.69	15.34	18.58	24.91	31.98	25.03	15.23	186.26
1940	Above Normal	11.75	10.99	5.83	7.25	31.02	33.05	13.11	18.01	22.96	32.16	23.62	19.98	229.73
1941	Wet	11.65	10.72	10.82	31.42	30.56	26.67	25.90	33.19	23.52	31.83	28.73	32.07	297.08
1942	Wet	17.39	15.93	29.23	33.68	32.59	9.43	13.50	26.50	22.69	27.55	26.05	31.30	285.84
1943	Wet	16.88	18.01	11.21	21.81	17.44	28.55	13.51	19.34	20.98	31.03	21.69	28.40	248.85
1944	Dry	13.90	14.85	7.74	7.45	6.06	9.39	11.71	11.72	19.38	29.68	21.43	11.59	164.90
1945	Below Normal	8.61	7.03	6.65	6.63	11.31	9.03	10.73	16.65	20.59	28.09	21.67	14.15	161.14
1946	Below Normal	11.92	9.11	32.43	14.77	8.18	9.95	14.54	20.21	22.61	28.69	23.39	14.03	209.83
1947	Dry	13.12	9.13	6.96	7.05	5.65	7.38	10.97	18.10	19.23	26.90	22.00	12.62	159.11
1948	Below Normal	7.79	6.46	6.51	5.92	5.98	6.82	9.00	20.93	19.73	22.72	22.11	11.95	145.92
1949	Dry	10.92	8.15	7.65	6.95	6.81	13.94	11.63	17.19	22.09	27.63	23.52	14.80	171.28
1950	Below Normal	12.32	9.45	7.92	7.65	10.41	9.47	10.87	17.15	19.61	26.07	19.51	13.41	163.84
1951	Above Normal	14.11	17.62	25.84	16.01	25.43	10.17	17.76	17.45	21.56	31.37	23.19	19.11	239.62
1952	Wet	13.05	12.98	17.04	18.26	29.88	22.34	41.61	26.25	22.47	32.63	27.91	26.85	291.27
1953	Wet	18.46	15.73	9.16	36.01	9.02	10.10	13.59	21.14	22.76	27.37	23.99	31.10	238.43
1954	Above Normal	15.14	20.22	9.87	18.78	26.96	26.16	28.59	18.34	19.77	31.31	21.76	21.36	258.26
1955	Dry	13.72	10.86	8.70	11.23	6.86	6.72	10.37	13.50	18.39	27.50	20.87	11.52	160.24
1956	Wet	11.04	8.33	31.56	34.03	29.15	11.13	13.92	27.75	24.27	24.71	21.34	26.55	263.78
1957	Above Normal	17.54	17.07	8.15	7.80	7.76	19.01	11.21	21.36	20.60	31.48	21.68	19.15	202.81
1958	Wet	12.60	16.84	20.46	26.26	38.41	38.62	25.04	30.33	25.08	32.47	28.70	27.67	322.48
1959	Below Normal	18.49	17.11	8.44	14.87	18.89	7.37	17.40	18.22	26.39	31.49	24.76	13.55	216.98
1960	Dry	12.31	9.27	7.78	6.57	6.36	8.45	12.57	13.50	22.01	27.30	20.79	14.08	160.99
1961	Dry	11.27	8.84	8.75	6.39	13.86	9.86	11.04	16.44	19.25	28.87	22.56	15.28	172.41
1962	Below Normal	12.03	9.88	7.06	6.12	19.49	7.28	13.05	17.96	21.29	29.00	22.76	12.97	178.89
1963	Wet	13.62	10.84	15.06	10.08	16.67	10.66	33.61	19.68	20.01	30.73	20.91	30.73	232.60
1964	Dry	11.75	11.71	7.45	10.46	8.31	7.10	16.02	16.09	19.47	27.57	21.81	11.86	169.60
1965	Wet	9.49	7.90	29.84	32.87	9.87	8.95	14.87	19.37	21.55	28.40	19.43	25.11	227.65
1966	Below Normal	13.72	13.76	8.06	8.33	7.70	16.92	18.24	18.46	23.05	30.63	26.60	15.60	201.07
1967	Wet	14.66	8.52	16.11	21.79	15.60	30.09	18.31	33.18	23.97	28.97	27.01	29.66	267.87
1968	Below Normal	17.21	14.33	8.38	9.46	23.34	9.09	12.74	17.28	21.90	31.73	19.87	14.42	199.75
1969	Wet	10.56	8.04	7.29	32.09	29.80	11.81	22.72	31.61	26.21	26.56	24.80	25.50	256.99
1970	Wet	14.72	11.84	34.50	43.73	22.16	11.14	13.63	18.06	23.59	32.09	21.70	27.18	274.34
1971	Wet	13.36	9.72	11.24	24.06	8.87	27.80	13.30	21.70	21.55	23.10	21.35	27.53	223.58
1972	Below Normal	17.37	14.76	8.36	10.65	7.42	31.02	13.71	17.43	22.26	26.43	23.69	14.32	207.42
1973	Above Normal	11.17	8.03	11.97	27.57	29.06	14.51	10.76	19.26	22.83	31.03	24.02	19.16	229.37
1974	Wet	9.50	34.46	35.78	42.78	10.72	37.53	17.23	19.80	23.30	23.14	27.97	27.96	310.17
1975	Wet	17.81	17.07	7.12	6.45	8.19	34.09	10.15	24.14	24.49	28.34	24.40	28.74	230.99
1976	Critical	19.19	17.62	8.42	16.13	8.20	7.12	9.59	14.96	22.76	28.70	15.84	9.57	178.10
1977	Critical	11.19	8.89	9.96	7.21	9.30	6.89	13.93	9.01	16.42	18.96	20.18	4.45	136.39
1978	Above Normal	12.42	3.52	3.88	6.70	14.56	24.88	13.30	21.68	24.43	27.69	20.76	15.26	189.08
1979	Below Normal	13.35	12.93	7.85	7.91	7.09	7.78	7.82	16.11	22.37	25.50	17.87	11.89	158.47
1980	Above Normal	9.30	7.17	7.33	30.53	30.44	10.46	10.37	18.28	24.01	25.48	23.70	18.35	215.42
1981	Dry	11.14	14.10	7.98	7.95	6.00	6.02	7.70	17.00	24.89	29.39	23.30	11.49	166.96
1982	Wet	9.58	13.50	31.68	15.76	32.09	27.88	34.28	19.52	22.62	25.07	18.86	19.19	270.03
1983	Wet	21.99	17.72	27.30	35.28	34.37	42.02	25.96	34.13	39.58	38.92	33.39	30.11	380.77
1984	Wet	20.59	30.72	37.71	20.87	10.94	19.01	11.56	19.43	22.05	31.52	22.73	26.29	273.42
1985	Dry	11.80	9.85	10.13	11.40	5.99	6.49	12.32	19.38	25.80	30.50	26.06	12.36	182.08
1986	Wet	10.86	8.52	6.65	7.91	29.11	33.54	15.98	18.52	24.02	28.89	21.66	17.21	222.87
1987	Dry	9.75	12.32	7.73	6.61	5.92	5.86	12.93	18.18	25.25	31.17	22.25	13.93	171.90
1988	Critical	11.52	6.48	5.68	6.70	8.40	6.55	11.13	13.24	20.43	25.74	18.86	9.28	144.01
1989	Dry	8.36	4.91	5.23	9.74	4.62	11.76	9.35	20.32	21.03	26.58	16.58	8.43	146.91
1990	Critical	6.72	6.24	6.22	5.95	5.25	6.06	11.98	11.25	14.89	23.10	17.42	9.97	125.05
1991	Critical	7.76	5.88	5.44	5.24	4.64	5.07	6.23	10.63	13.14	19.90	15.40	6.26	105.59
1992	Critical	6.78	6.74	4.59	4.60	4.75	4.95	6.00	16.74	18.66	20.34	23.91	8.72	126.78
1993	Above Normal	7.34	9.23	4.10	4.78	8.47	10.57	10.97	19.63	21.59	23.49	19.95	19.58	159.70
1994	Critical	11.09	12.34	8.92	6.32	5.60	6.10	12.48	13.40	21.59	27.16	21.10	8.41	154.51
1995	Wet	8.23	6.06	5.29	25.17	13.04	34.02	17.19	30.16	25.20	25.03	27.95	26.43	243.77
1996	Wet	19.30	16.17	11.80	13.96	34.42	25.47	13.00	28.42	20.12	26.97	20.69	24.87	255.19
1997	Wet	15.03	16.18	36.88	37.51	11.98	8.98	17.16	20.58	23.18	30.58	21.03	24.01	263.10
1998	Wet	13.95	12.99	5.73	18.12	32.45	33.58	14.95	33.80	44.65	38.03	31.27	28.69	308.21
1999	Wet	19.94	20.81	21.29	17.44	30.64	25.92	10.71	23.99	22.32	28.92	21.06	26.45	269.49
2000	Above Normal	17.31	19.60	8.51	13.29	34.27	16.63	17.56	19.49	21.66	31.75	21.79	23.29	245.15
2001	Dry	12.95	15.20	8.26	6.71	5.68	6.01	9.75	19.41	26.14	31.45	23.05	11.73	176.34
2002	Dry	16.83	7.54	7.11	16.06	7.74	8.09	13.09	19.33	22.83	26.72	21.02	13.16	179.52
2003	Above Normal	13.02	9.77	15.39	23.21	8.24	7.15	15.84	29.50	20.49	34.26	23.34	23.26	223.47
	Average	12.40	11.30	11.72	14.13	14.28	14.37	14.21	19.30	21.81	27.36	21.92	17.75	200.54
	Wet	13.85	14.00	19.55	24.08	23.00	23.61	19.13	24.99	24.63	28.98	24.27	27.13	267.22
	Above Normal	13.61	12.17	9.70	14.27	19.39	17.18	14.42	20.36	22.47	29.58	22.62	20.17	215.94
	Below Normal	11.97	10.39	9.14	8.58	10.65	10.41	11.91	17.54	20.97	27.27	20.98	13.06	172.86
	Dry	11.29	9.53	7.23	8.31	6.71	7.78	11.22	16.39	21.49	27.50	21.14	12.18	160.77
	Critical	10.22	8.32	6.52	7.61	5.85	6.01	10.50	12.36	16.50	21.54	18.36	8.81	132.59

Difference in Energy generated (GWh) at Tot. Loss: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	(0.04)	0.00	0.00
1923	Below Normal	0.00	0.01	0.00	0.00	0.01	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.01	0.00
1924	Critical	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.00
1925	Dry	0.01	0.00	0.00	0.03	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01
1926	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.02)	0.00	(0.01)	(0.01)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1931	Critical	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	(0.07)	0.00
1932	Dry	0.10	0.00	0.00	(0.08)	0.00	0.01	0.00	0.00	(0.01)	(0.01)	0.03	0.01	0.00
1933	Critical	0.01	0.01	0.00	0.00	0.00	(0.05)	(0.01)	0.01	0.00	0.00	(0.01)	(0.01)	0.00
1934	Critical	(0.01)	(0.02)	0.06	(0.01)	0.00	0.00	0.00	0.00	0.01	0.02	(0.12)	0.00	(0.01)
1935	Below Normal	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.01
1936	Below Normal	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.13	(0.03)	(0.02)	0.00	0.01
1938	Wet	0.00	(0.08)	0.00	0.00	0.00	0.00	0.05	0.17	(0.01)	(0.06)	(0.09)	0.00	0.00
1939	Dry	(0.02)	0.00	0.26	0.00	(0.01)	0.00	(4.31)	0.78	1.36	(0.02)	(0.19)	0.27	(0.16)
1940	Above Normal	0.65	0.09	(0.03)	0.03	0.01	0.01	0.01	0.04	0.05	0.01	0.03	2.86	0.31
1941	Wet	0.03	0.30	0.69	0.02	0.00	(0.88)	(0.01)	0.14	(0.02)	0.08	(0.05)	0.00	0.03
1942	Wet	0.10	0.33	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1943	Wet	0.00	(0.03)	0.00	(0.03)	0.00	0.00	0.00	(0.01)	(0.06)	(0.32)	0.00	0.16	(0.02)
1944	Dry	(0.15)	0.07	0.02	(0.01)	0.01	(0.13)	0.01	0.01	0.09	(0.03)	0.04	0.04	0.00
1945	Below Normal	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.01)	0.01	0.00
1946	Below Normal	(0.02)	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.10)	(0.05)	0.16	0.01
1947	Dry	0.06	0.00	(0.01)	(0.01)	(0.04)	(0.12)	0.01	0.02	0.02	0.01	0.11	0.04	0.01
1948	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.04)	(0.01)	0.01	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.03	0.00
1950	Below Normal	0.01	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	(0.01)	(0.03)	0.00	0.00	0.00	0.05	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.01	0.01	0.00	0.00	0.02	0.11	(0.02)	0.02	(0.01)	0.02	(0.01)	0.01
1953	Wet	0.00	2.18	(1.92)	(0.28)	0.00	0.00	0.00	0.06	0.02	0.02	(0.01)	0.00	0.01
1954	Above Normal	(0.07)	(0.09)	0.01	0.15	0.02	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.00
1955	Dry	0.03	0.03	0.00	0.14	0.04	0.00	0.00	(0.01)	0.00	0.00	(0.05)	(0.01)	0.01
1956	Wet	0.08	0.01	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.12	0.04	0.07	(0.06)	(0.03)	0.02
1959	Below Normal	0.04	1.67	(0.04)	(1.55)	(0.23)	0.00	0.02	0.01	0.02	0.00	0.02	0.00	0.00
1960	Dry	0.02	(0.02)	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.14	0.01
1961	Dry	(0.02)	(0.01)	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.01)	(0.02)
1962	Below Normal	0.01	0.01	(0.01)	0.01	(0.03)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1963	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.00	0.00	0.00	0.01	0.00
1964	Dry	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1965	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.04)	(0.04)	(0.03)	(0.04)	(0.01)	(0.02)
1966	Below Normal	0.00	(0.09)	0.00	0.00	0.00	0.15	0.02	0.01	0.00	0.01	0.00	0.00	0.01
1967	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.10	(0.01)	(0.01)	0.08	(0.04)	0.27	0.03
1968	Below Normal	(0.01)	2.05	(0.03)	(0.05)	(2.45)	0.00	0.01	0.01	0.00	0.00	0.00	0.00	(0.04)
1969	Wet	0.01	0.00	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00
1970	Wet	0.09	(0.08)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.01	0.13	0.01
1971	Wet	0.06	(0.03)	(0.07)	0.00	0.00	(0.10)	0.00	0.01	(0.01)	(0.01)	0.00	0.00	(0.01)
1972	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00
1973	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.01)	0.03	0.42	0.04
1974	Wet	0.01	(0.08)	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00	(0.02)	(0.03)	0.00	(0.01)
1975	Wet	0.00	(0.13)	0.00	0.01	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)
1976	Critical	0.00	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.08	(0.06)	0.01	0.00	0.01
1977	Critical	0.02	0.00	(0.01)	0.00	(0.04)	0.00	0.00	0.01	0.01	(0.01)	(0.04)	0.00	0.00
1978	Above Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.11	0.14	(0.14)	0.05	0.02
1979	Below Normal	0.05	3.13	0.29	0.18	(0.26)	(0.30)	(0.07)	0.16	(0.29)	(0.73)	(0.26)	(0.05)	0.15
1980	Above Normal	(1.55)	(1.51)	(0.07)	0.00	0.00	0.00	0.01	0.06	0.09	0.08	(0.01)	1.03	(0.16)
1981	Dry	0.05	0.45	(0.02)	(0.02)	(0.01)	(0.01)	0.01	0.02	(0.01)	(0.12)	0.07	0.10	0.04
1982	Wet	(0.01)	(0.68)	0.00	0.00	(0.20)	0.00	0.00	0.05	0.16	(0.03)	(0.02)	(0.02)	(0.06)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1986	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.01)	(0.01)	(0.01)	0.00
1987	Dry	0.00	0.13	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.05)	0.02	0.15	0.08	0.02
1988	Critical	0.19	0.00	0.00	0.00	(0.02)	(0.04)	(0.02)	(0.01)	(0.07)	(0.03)	(0.02)	(0.01)	0.00
1989	Dry	0.00	(0.01)	(0.01)	0.07	(0.01)	(0.01)	0.00	(0.02)	(0.02)	(0.02)	(0.02)	0.00	0.00
1990	Critical	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.05	(0.01)	(0.01)	(0.98)	1.11	0.01
1991	Critical	0.08	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	0.00	(0.01)	0.00
1992	Critical	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	0.00	(0.01)	(0.02)	0.44	(0.61)	0.00	0.02	(0.02)
1993	Above Normal	(0.03)	0.73	0.00	(0.01)	0.00	(0.26)	0.00	(0.17)	(0.02)	(0.03)	(0.02)	(0.01)	0.01
1994	Critical	(0.08)	(0.03)	0.04	0.00	0.00	0.00	0.00	(0.10)	(0.15)	0.00	(0.04)	0.00	(0.03)
1995	Wet	0.01	0.00	(0.01)	(0.11)	0.00	0.00	0.01	0.06	0.05	(0.70)	(0.03)	0.00	(0.06)
1996	Wet	(0.03)	2.69	(0.26)	(0.18)	(0.11)	0.00	(0.02)	(0.02)	(0.03)	(0.02)	(0.01)	0.01	0.17
1997	Wet	(0.21)	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.01)	0.00	(0.02)
1998	Wet	0.02	(0.07)	0.00	0.02	0.00	0.02	0.01	(0.01)	(0.02)	(0.02)	(0.02)	0.00	(0.01)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.00
2000	Above Normal	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.01	0.00	0.00	(0.02)	0.00	0.00
2002	Dry	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.07	0.01
2003	Above Normal	0.00	0.00	(0.08)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
	Average	(0.00)	0.14	(0.01)	(0.02)	(0.04)	(0.02)	(0.05)	0.02	0.02	(0.03)	(0.02)	0.08	0.00
	Wet	0.01	0.17	(0.04)	(0.02)	(0.01)	(0.04)	0.01	0.02	0.01	(0.04)	(0.01)	0.02	0.01
	Above Normal	(0.08)	(0.07)	(0.01)	0.01	0.00	(0.02)	0.00	(0.00)	0.02	0.01	(0.01)	0.36	0.02
	Below Normal	0.02	0.49	0.02	(0.10)	(0.21)	(0.01)	(0.00)	0.01	(0.01)	(0.06)	(0.02)	0.01	0.01
	Dry	0.01	0.04	0.01	0.01	(0.00)	(0.01)	(0.24)	0.05	0.08	(0.01)	0.01	0.04	(0.00)
	Critical	0.02	(0.00)	0.01	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	0.03	(0.06)	(0.09)	0.09	(0.00)

Percent Difference in Energy generated (GWh) at Tot. Loss: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%
1932	Dry	2%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1935	Below Normal	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1938	Wet	0%	-1%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1939	Dry	0%	0%	3%	0%	0%	0%	-22%	4%	6%	0%	-1%	2%
1940	Above Normal	6%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	17%
1941	Wet	0%	3%	7%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	1%
1944	Dry	-1%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1947	Dry	0%	0%	0%	0%	-1%	-2%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	16%	-17%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1959	Below Normal	0%	11%	0%	-9%	-1%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	1%
1968	Below Normal	0%	17%	0%	-1%	-9%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%	0%
1979	Below Normal	0%	32%	4%	2%	-4%	-4%	-1%	1%	-1%	-3%	-1%	0%
1980	Above Normal	-14%	-17%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	6%
1981	Dry	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1982	Wet	0%	-5%	0%	0%	-1%	0%	0%	0%	1%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%
1988	Critical	2%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%	13%
1991	Critical	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	2%	-3%	0%	0%
1993	Above Normal	0%	9%	0%	0%	0%	-2%	0%	-1%	0%	0%	0%	0%
1994	Critical	-1%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	0%
1996	Wet	0%	20%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
	Below Normal	0%	4%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%

Energy generated (GWh) at Trinity Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	82.18	17.23	12.16	12.17	10.97	8.83	17.16	67.62	20.95	45.70	44.55	52.43	391.95
1923	Below Normal	24.16	16.45	11.60	8.43	7.67	10.44	16.61	70.65	43.27	52.54	55.43	37.01	354.26
1924	Critical	21.35	14.47	8.25	33.97	6.62	11.26	20.12	29.56	17.04	31.69	29.42	19.62	243.37
1925	Dry	5.00	3.91	4.27	37.20	3.75	5.17	9.64	88.62	61.39	53.03	25.69	19.90	317.57
1926	Dry	10.45	6.43	6.63	6.69	6.04	8.81	11.66	63.01	28.59	40.84	30.00	30.18	249.33
1927	Wet	10.04	6.21	6.91	7.47	5.10	8.30	9.65	99.36	57.66	60.21	43.96	51.79	366.66
1928	Above Normal	34.35	16.11	11.53	11.55	7.88	6.34	13.12	99.19	50.29	40.46	54.39	50.62	395.83
1929	Critical	23.26	15.79	11.15	70.76	6.83	10.52	19.31	34.28	33.85	55.67	34.64	23.73	339.79
1930	Dry	10.21	6.25	6.83	6.84	6.22	7.19	12.40	61.73	32.57	31.09	38.91	23.03	243.27
1931	Critical	9.89	6.05	6.22	6.18	5.61	7.73	15.92	26.32	15.93	29.85	34.33	15.96	179.99
1932	Dry	4.80	8.98	3.36	12.26	3.03	3.46	6.98	41.43	16.46	26.91	20.31	7.92	155.90
1933	Critical	7.88	4.80	3.54	3.31	2.87	6.16	6.59	40.22	14.17	28.33	9.68	9.07	136.62
1934	Critical	19.92	3.47	3.56	3.65	3.50	4.19	15.30	26.95	15.80	29.42	49.52	36.63	211.91
1935	Below Normal	3.88	2.37	2.76	2.95	2.88	3.52	6.86	43.65	15.14	28.67	9.74	9.12	131.54
1936	Below Normal	4.90	3.77	3.89	3.96	4.02	6.31	9.70	74.45	37.94	35.29	27.01	21.06	232.30
1937	Below Normal	8.97	4.11	4.21	4.18	3.76	4.21	8.08	53.03	18.35	40.85	25.91	20.04	195.70
1938	Wet	10.49	4.80	5.26	7.75	5.29	6.05	9.00	102.00	99.22	28.70	47.42	52.38	378.36
1939	Dry	53.58	12.12	18.42	9.04	8.18	6.69	62.10	55.45	56.04	80.60	75.23	51.69	489.14
1940	Above Normal	22.25	22.13	6.72	6.92	4.99	5.93	15.41	99.93	73.30	69.43	52.57	39.01	418.59
1941	Wet	22.60	15.36	5.81	5.98	5.63	92.58	63.80	103.18	100.40	103.17	58.78	72.95	650.24
1942	Wet	51.72	17.52	96.32	60.66	50.13	9.27	18.11	102.65	61.15	71.95	50.59	69.18	659.25
1943	Wet	49.49	17.52	28.95	26.06	14.68	34.46	17.82	102.05	55.20	61.51	44.81	52.82	505.37
1944	Dry	35.07	16.45	11.63	11.59	10.81	34.16	21.14	37.63	47.88	78.18	53.01	35.20	392.75
1945	Below Normal	11.27	6.92	7.23	10.27	5.01	8.00	14.68	88.65	57.83	52.36	42.25	34.56	339.03
1946	Below Normal	11.07	5.11	5.33	5.75	7.31	8.19	13.40	97.70	70.96	56.71	51.46	38.11	371.10
1947	Dry	22.03	14.95	10.61	8.46	6.96	7.85	17.74	66.10	30.35	44.21	51.65	26.51	307.42
1948	Below Normal	11.09	6.92	7.57	7.16	9.96	10.70	14.21	86.72	42.78	23.86	40.39	10.06	271.42
1949	Dry	7.50	5.82	8.10	8.52	7.24	5.89	12.29	96.32	63.42	57.94	52.55	38.98	364.57
1950	Below Normal	22.56	15.30	10.76	10.70	9.72	7.90	15.86	68.47	31.97	51.88	44.75	36.85	326.72
1951	Above Normal	21.52	5.56	5.84	6.43	5.76	11.30	40.13	101.71	60.05	61.15	55.73	52.03	427.21
1952	Wet	34.52	16.20	6.15	6.48	5.98	12.67	68.40	103.15	64.57	99.36	52.12	69.52	539.12
1953	Wet	49.44	6.57	20.08	98.12	15.18	17.55	31.79	102.17	60.09	55.19	53.96	73.08	583.22
1954	Above Normal	49.83	37.00	26.64	19.61	48.86	60.42	64.57	102.57	61.11	62.85	45.95	54.39	633.80
1955	Dry	36.25	17.03	12.14	36.35	7.93	10.76	14.94	71.66	33.44	54.44	52.44	38.88	386.26
1956	Wet	22.49	15.26	5.64	36.31	20.19	26.60	42.36	102.98	99.74	64.15	37.43	49.17	522.32
1957	Above Normal	51.70	8.59	12.45	12.43	11.09	28.91	13.96	102.04	51.21	62.92	45.92	54.28	455.50
1958	Wet	27.00	35.60	43.94	46.82	90.59	101.35	40.10	103.18	100.34	98.22	55.65	70.45	813.24
1959	Below Normal	50.19	6.58	12.45	49.95	7.61	19.38	44.36	101.29	82.75	70.80	67.13	59.24	571.73
1960	Dry	22.47	15.23	10.70	10.62	9.93	7.97	14.30	91.68	45.34	55.91	50.53	37.33	372.01
1961	Dry	21.53	14.59	5.59	7.67	5.13	6.13	13.00	94.03	48.37	58.37	52.97	49.22	376.60
1962	Below Normal	22.59	15.33	10.81	7.88	5.29	8.15	12.08	94.55	62.02	56.72	51.31	38.02	384.75
1963	Wet	7.29	5.86	6.04	8.62	5.58	6.90	17.75	102.79	61.52	63.56	46.42	75.07	407.40
1964	Dry	36.05	16.93	6.67	21.82	25.17	11.01	20.78	71.98	43.71	54.33	62.35	37.53	408.33
1965	Wet	21.71	14.77	5.31	39.22	8.18	10.07	10.30	102.08	62.54	61.72	45.07	42.58	423.55
1966	Below Normal	24.81	16.91	12.16	8.84	8.11	9.85	50.83	102.69	58.36	63.13	87.77	53.27	496.73
1967	Wet	35.44	16.66	7.75	28.25	18.28	27.38	10.52	102.32	61.05	75.14	53.54	71.39	507.72
1968	Below Normal	53.99	8.88	14.39	19.62	72.02	23.72	19.01	100.97	62.32	71.03	53.94	50.23	550.12
1969	Wet	23.10	15.71	11.14	6.06	5.68	6.45	9.13	102.88	100.01	64.55	47.33	48.12	440.16
1970	Wet	50.69	6.78	82.58	98.12	24.76	23.16	17.82	100.91	88.37	70.17	53.25	59.32	675.93
1971	Wet	27.43	15.27	5.96	6.08	7.92	7.40	23.61	102.33	60.41	27.24	47.75	66.62	398.02
1972	Below Normal	49.16	10.31	14.87	27.46	9.41	91.07	13.89	101.78	53.35	26.33	74.58	53.15	525.36
1973	Above Normal	24.54	6.24	6.43	27.59	23.60	14.57	20.26	102.63	60.86	63.59	75.67	53.99	479.97
1974	Wet	24.98	93.99	93.91	98.12	7.88	79.85	21.40	103.04	99.97	64.50	52.04	68.95	808.63
1975	Wet	48.90	6.58	12.42	9.03	8.12	43.89	16.35	102.45	61.23	88.02	51.62	69.63	518.24
1976	Critical	53.71	17.50	20.38	80.01	8.06	8.92	15.28	71.19	61.22	78.83	53.81	35.90	504.81
1977	Critical	11.52	12.72	21.82	11.46	11.45	9.18	18.07	26.45	16.14	30.11	51.19	8.17	228.28
1978	Above Normal	27.83	2.90	3.90	3.97	4.45	5.27	8.17	93.71	90.24	53.76	39.16	36.64	370.00
1979	Below Normal	21.25	5.41	5.62	5.55	5.04	7.60	13.83	63.43	31.42	40.58	44.13	36.28	280.14
1980	Above Normal	19.02	5.34	5.65	5.67	5.54	8.86	12.43	100.41	73.84	59.19	53.99	50.25	400.19
1981	Dry	23.09	10.79	11.06	11.15	7.44	8.58	16.01	68.89	33.34	57.24	71.11	37.43	356.13
1982	Wet	21.60	5.32	5.85	6.62	65.12	33.13	21.78	102.76	98.98	62.74	15.60	24.34	463.84
1983	Wet	61.27	19.85	57.87	66.10	67.49	100.25	22.01	103.18	100.40	103.17	72.22	77.36	851.17
1984	Wet	55.14	52.17	97.78	45.61	8.47	20.96	17.82	101.80	65.42	61.86	73.48	41.77	642.28
1985	Dry	34.97	6.02	6.52	34.15	7.92	10.29	20.36	76.49	58.91	81.33	76.17	36.17	449.30
1986	Wet	20.81	7.05	7.26	7.28	4.76	6.22	64.47	100.21	73.40	69.61	52.76	48.99	462.82
1987	Dry	22.49	15.28	10.75	10.72	9.70	7.90	19.58	70.02	42.78	78.25	72.74	45.33	405.54
1988	Critical	20.73	7.47	6.67	7.13	6.87	10.47	29.85	62.57	35.25	55.82	34.89	23.97	301.69
1989	Dry	10.34	6.35	6.63	34.88	5.77	6.53	11.30	83.62	53.42	52.06	29.26	23.05	323.21
1990	Critical	9.98	6.24	6.48	6.45	6.01	7.35	16.93	53.61	17.61	29.61	32.28	21.96	214.51
1991	Critical	9.40	5.75	5.91	5.85	5.30	4.36	13.08	25.26	15.91	30.11	27.91	9.12	157.96
1992	Critical	4.90	3.77	5.19	5.18	3.68	4.37	9.28	54.03	17.76	33.66	59.27	24.60	225.69
1993	Above Normal	5.03	19.34	3.72	3.84	3.67	6.12	9.88	89.99	50.94	23.40	40.85	28.60	285.38
1994	Critical	14.60	5.75	10.85	7.90	7.22	8.29	20.96	46.99	46.10	52.98	54.31	24.40	300.35
1995	Wet	10.53	6.46	6.63	4.80	5.06	5.86	9.42	102.56	99.50	51.14	52.50	68.33	422.79
1996	Wet	48.95	6.58	42.27	31.77	92.69	43.50	22.31	102.13	60.56	62.19	45.38	42.76	601.09
1997	Wet	24.90	16.95	96.86	98.12	8.18	9.23	42.34	99.95	82.67	66.93	60.45	36.85	643.43
1998	Wet	25.89	15.15	7.35	5.39	5.27	70.66	32.69	103.04	100.36	103.17	60.22	70.29	599.48
1999	Wet	49.82	30.36	32.29	19.59	11.99	34.01	14.42	102.77	61.04	64.67	47.38	53.84	522.18
2000	Above Normal	48.83	18.37	15.93	48.01	63.27	45.50	61.48	102.65	61.57	64.10	46.93	72.19	648.83
2001	Dry	25.45	17.34	12.23	12.19	7.97	8.79	14.35	80.05	51.89	85.18	80.66	38.68	434.78
2002	Dry	46.86	14.87	10.64	5.76	7.59	8.65	17.50	97.51	63.37	57.73	52.28	38.75	421.51
2003	Above Normal	22.42	15.19	5.69	5.88	7.98	9.03	10.36	102.73	62.74	76.13	77.99	72.74	468.88
	Average	26.84	13.20	15.99	21.21	13.96	18.62	21.13	82.74	55.36	57.20	49.39	42.81	418.44
	Wet	32.16	18.10	30.71	33.63	21.85	32.22	25.97	102.23	78.30	69.34	50.84	58.75	554.10
	Above Normal	34.13	14.50	9.72	13.67	16.51	17.59	23.91	97.10	59.76	56.89	52.81	51.43	448.01
	Below Normal	22.85	8.88	8.83	12.34	11.27	15.65	18.10	82.00	47.75	47.91	48.27	35.50	359.35
	Dry	23.79	11.63	9.04	15.88	8.15	9.21	17.56	73.12	45.07	58.20	52.66	34.21	358.53
	Critical	17.26	8.65	9.17	20.15	6.17	7.73	16.72	41.45	25.57	40.51	39.27	21.09	253.75

Energy generated (GWh) at Trinity Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	82.18	17.23	12.16	12.17	10.97	8.83	17.16	67.62	20.95	45.70	44.55	52.43	391.95
1923	Below Normal	24.16	16.45	11.60	8.43	7.67	10.44	16.61	70.65	43.27	52.53	55.43	37.01	354.25
1924	Critical	21.35	14.47	8.25	33.91	6.62	11.27	20.12	29.56	17.04	31.69	29.42	19.63	243.33
1925	Dry	5.00	3.91	4.27	37.37	3.75	5.17	9.63	88.61	61.38	53.02	25.68	19.89	317.68
1926	Dry	10.45	6.43	6.63	6.68	6.04	8.81	11.65	63.00	28.59	40.84	29.99	30.15	249.26
1927	Wet	10.04	6.21	6.91	7.47	5.09	8.30	9.65	99.35	57.66	60.20	43.96	51.79	366.63
1928	Above Normal	34.34	16.11	11.53	11.55	7.88	6.34	13.12	99.18	50.29	40.41	54.38	50.61	395.74
1929	Critical	23.26	15.79	11.15	70.75	6.83	10.51	19.31	34.27	33.85	55.67	34.63	23.73	339.75
1930	Dry	10.20	6.25	6.77	6.84	6.22	7.19	12.40	61.73	32.57	31.09	38.98	23.03	243.27
1931	Critical	9.89	6.05	6.22	6.18	5.61	7.72	15.92	26.32	15.93	29.85	34.75	15.49	179.93
1932	Dry	5.33	8.95	3.35	11.88	3.03	3.46	6.97	41.41	16.27	26.91	20.56	7.91	156.03
1933	Critical	7.92	4.80	3.53	3.30	2.86	5.86	6.59	40.22	14.17	28.33	9.68	9.07	136.33
1934	Critical	19.92	3.47	3.81	3.64	3.50	4.19	15.29	26.93	15.79	29.40	49.46	36.56	211.96
1935	Below Normal	3.71	2.37	2.76	2.95	2.88	3.52	6.86	43.65	15.14	28.67	9.74	9.12	131.37
1936	Below Normal	4.90	3.77	3.89	3.96	4.02	6.31	9.70	74.45	37.94	35.29	27.01	21.06	232.30
1937	Below Normal	8.97	4.11	4.21	4.18	3.76	4.21	8.08	53.03	18.35	40.85	25.91	20.04	195.70
1938	Wet	10.49	4.80	5.26	7.75	5.29	6.05	9.00	102.00	99.22	28.70	47.42	52.38	378.36
1939	Dry	53.58	12.12	18.42	9.04	8.18	6.69	29.88	63.16	68.69	81.36	76.07	55.30	482.49
1940	Above Normal	26.64	22.55	6.75	6.95	5.00	5.95	15.44	100.03	73.45	69.58	52.70	58.65	443.69
1941	Wet	22.23	15.10	5.72	5.90	5.57	72.84	63.80	103.18	100.40	103.17	58.78	72.95	629.64
1942	Wet	51.72	17.52	96.32	60.66	50.13	9.27	18.11	102.65	61.15	71.95	50.59	69.18	659.25
1943	Wet	49.49	17.52	28.95	26.06	14.68	34.46	17.82	102.05	55.20	61.51	44.81	52.82	505.37
1944	Dry	35.07	16.45	11.63	11.59	10.81	33.13	21.16	37.66	47.89	78.25	53.07	35.24	391.95
1945	Below Normal	11.28	6.93	7.24	10.28	5.02	8.01	14.69	88.72	57.88	52.41	42.30	34.60	339.36
1946	Below Normal	11.08	5.12	5.34	5.75	7.32	8.20	13.41	97.74	71.01	56.76	51.50	38.15	371.38
1947	Dry	22.05	14.97	10.62	8.47	6.97	7.85	17.75	66.15	30.38	44.25	51.71	26.94	308.11
1948	Below Normal	11.10	6.93	7.57	7.17	9.96	10.71	14.21	86.76	42.80	23.87	40.40	10.07	271.55
1949	Dry	7.51	5.82	8.10	8.52	7.24	5.90	12.30	96.35	63.44	57.96	52.57	39.00	364.71
1950	Below Normal	22.57	15.30	10.77	10.71	9.72	7.90	15.86	68.49	31.98	51.90	44.77	36.86	326.83
1951	Above Normal	21.53	5.57	5.84	6.43	5.83	11.75	40.02	101.71	60.05	61.15	55.73	52.03	427.64
1952	Wet	34.52	16.20	6.15	6.48	5.99	12.77	68.40	103.15	64.57	99.36	52.12	69.52	539.23
1953	Wet	49.44	6.57	20.08	98.12	15.18	17.55	31.75	102.17	60.09	55.24	53.96	73.08	583.23
1954	Above Normal	49.83	37.00	26.64	19.61	48.86	60.42	64.57	102.57	61.11	62.85	45.95	54.39	633.80
1955	Dry	36.25	17.03	12.14	37.55	7.92	10.76	14.93	71.60	33.42	54.40	52.39	38.84	387.23
1956	Wet	22.47	15.24	5.63	35.10	20.19	26.60	42.36	102.98	99.74	64.15	37.46	49.15	521.07
1957	Above Normal	51.70	8.59	12.45	12.43	11.09	28.91	13.96	102.04	51.21	62.92	45.92	54.28	455.50
1958	Wet	27.00	35.60	43.94	46.82	90.59	101.35	40.10	103.18	100.34	98.22	55.65	70.45	813.24
1959	Below Normal	50.19	6.58	12.45	49.95	7.61	19.38	44.42	101.29	82.75	70.79	67.27	59.23	571.91
1960	Dry	22.47	15.22	10.69	10.62	9.93	7.96	14.30	91.67	45.33	55.90	50.52	37.32	371.93
1961	Dry	21.53	14.59	5.59	7.67	5.12	6.13	13.00	94.02	48.37	58.36	52.96	49.22	376.56
1962	Below Normal	22.58	15.32	10.81	7.88	5.29	8.14	12.07	94.54	62.01	56.71	51.31	38.01	384.67
1963	Wet	7.28	5.86	6.04	8.62	5.58	6.90	17.54	102.79	61.52	63.56	46.42	75.09	407.20
1964	Dry	36.05	16.93	6.67	21.77	25.17	11.01	20.78	71.98	43.71	54.34	62.39	37.53	408.33
1965	Wet	21.71	14.77	5.31	39.20	8.18	10.07	10.30	102.08	62.54	61.72	45.07	42.58	423.53
1966	Below Normal	24.81	16.91	12.16	8.84	8.11	9.85	50.83	102.69	58.36	63.13	87.77	53.27	496.73
1967	Wet	35.44	16.66	7.75	28.25	18.28	27.38	10.52	102.32	61.05	75.14	53.54	71.39	507.72
1968	Below Normal	53.99	8.88	14.39	19.62	72.02	23.72	19.01	100.97	62.32	71.03	53.94	50.23	550.12
1969	Wet	23.10	15.71	11.14	6.06	5.68	6.45	9.13	102.88	100.01	64.55	47.33	48.12	440.16
1970	Wet	50.69	6.78	82.58	98.12	24.76	23.16	17.82	100.91	88.37	70.17	53.25	59.32	675.93
1971	Wet	27.91	15.26	5.96	6.08	7.92	6.82	23.61	102.33	60.41	27.24	47.75	66.63	397.92
1972	Below Normal	49.16	10.31	14.87	27.46	9.41	91.07	13.89	101.78	53.35	26.33	74.58	53.15	525.36
1973	Above Normal	24.54	6.24	6.43	27.59	23.60	14.57	20.26	102.63	60.86	63.59	75.67	53.99	479.97
1974	Wet	24.98	93.99	93.91	98.12	7.88	79.85	21.40	103.04	99.97	64.50	52.04	68.95	808.63
1975	Wet	48.90	6.58	12.42	9.03	8.12	43.89	16.35	102.45	61.23	88.02	51.62	69.63	518.24
1976	Critical	53.71	17.50	20.38	80.01	8.06	8.92	15.28	71.19	61.83	78.60	53.79	35.88	505.15
1977	Critical	11.51	12.69	21.77	11.44	11.20	9.18	18.07	26.45	16.14	30.11	51.19	8.17	227.92
1978	Above Normal	27.83	2.90	3.90	3.97	4.45	5.27	8.17	93.72	90.24	53.76	39.16	36.64	370.01
1979	Below Normal	21.25	5.41	7.43	7.39	6.72	5.60	13.78	66.30	31.24	40.34	43.83	36.01	285.30
1980	Above Normal	11.57	5.35	5.66	5.67	5.55	8.87	12.44	100.45	73.90	59.25	54.04	50.31	393.06
1981	Dry	23.11	15.68	11.02	11.12	7.42	8.56	15.96	68.72	33.26	55.83	72.42	37.28	360.38
1982	Wet	21.51	5.30	5.83	6.60	60.66	33.13	21.78	102.76	98.98	62.74	15.71	24.22	459.22
1983	Wet	61.27	19.85	57.87	66.10	67.49	100.25	22.01	103.18	100.40	103.17	72.22	77.36	851.17
1984	Wet	55.14	52.17	97.78	45.61	8.47	20.96	17.82	101.80	65.42	61.86	73.48	41.77	642.28
1985	Dry	34.97	6.02	6.52	34.15	7.92	10.29	20.36	76.51	58.93	81.33	76.17	36.17	449.34
1986	Wet	20.81	7.05	7.26	7.28	4.76	6.22	64.44	100.21	73.40	69.60	52.76	48.99	462.78
1987	Dry	22.49	15.28	10.75	10.72	9.70	7.90	19.58	70.02	42.78	78.25	72.74	45.90	406.11
1988	Critical	21.94	7.44	6.65	7.11	6.86	10.22	29.63	62.45	34.78	55.73	34.83	23.93	301.57
1989	Dry	10.32	6.34	6.62	35.32	5.75	6.51	11.28	83.46	53.31	51.93	29.18	22.98	323.00
1990	Critical	9.95	6.22	6.46	6.43	5.99	7.33	16.89	53.47	17.56	29.54	32.18	21.89	213.91
1991	Critical	9.37	5.73	5.89	5.83	5.28	4.34	13.03	25.18	15.86	30.01	27.80	9.08	157.40
1992	Critical	4.88	3.75	5.17	5.15	3.67	4.35	9.26	53.90	17.71	33.58	59.09	24.79	225.30
1993	Above Normal	5.00	22.51	3.63	3.75	3.60	4.40	9.82	89.61	50.69	23.29	40.66	28.45	285.41
1994	Critical	13.97	5.72	10.80	7.86	7.19	8.25	20.87	46.18	44.88	52.80	54.10	24.29	296.91
1995	Wet	10.48	6.43	6.59	4.78	5.05	5.85	9.41	102.48	99.43	47.26	52.50	68.33	418.59
1996	Wet	48.95	6.58	42.27	31.77	92.69	43.50	22.31	102.13	60.56	62.19	45.38	42.76	601.09
1997	Wet	24.90	16.95	96.86	98.12	8.18	9.23	42.35	99.95	82.67	66.93	60.45	36.85	643.44
1998	Wet	25.89	14.78	7.35	5.40	5.27	71.12	32.69	103.04	100.36	103.17	60.22	70.29	599.58
1999	Wet	49.82	30.36	32.29	19.59	11.99	34.01	14.42	102.77	61.04	64.67	47.38	53.84	522.18
2000	Above Normal	48.83	18.37	15.93	48.01	63.27	45.50	61.48	102.65	61.57	64.10	46.93	72.19	648.83
2001	Dry	25.45	17.34	12.23	12.19	7.97	8.79	14.35	80.12	51.89	85.18	80.66	38.68	434.85
2002	Dry	46.86	14.87	10.64	5.76	7.59	8.65	17.50	97.51	63.36	57.73	52.28	38.75	421.50
2003	Above Normal	22.42	15.19	5.69	5.88	7.98	9.03	10.36	102.73	62.74	76.06	77.99	72.74	468.81
	Average	26.81	13.29	16.01	21.23	13.92	18.31	20.72	82.85	55.49	57.13	49.42	43.09	418.28
	Wet	32.16	18.07	30.70	33.58	21.68	31.46	25.96	102.22	78.30	69.19	50.84	58.75	552.91
	Above Normal	33.87	14.80	9.72	13.67	16.51	17.49	23.90	97.08	59.76	56.89	52.81	53.06	449.53
	Below Normal	22.84	8.89	8.96	12.47	11.39	15.50	18.10	82.22	47.74	47.90	48.27	35.49	359.77
	Dry	23.82	11.90	9.04	15.96	8.15	9.15	15.77	73.54	45.75	58.16	52.80	34.45	358.49
	Critical	17.31	8.64	9.17	20.13	6.14	7.68	16.69	41.34	25.46	40.44	39.24	21.04	253.29

Difference in Energy generated (GWh) at Trinity Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	(0.06)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1925	Dry	0.00	0.00	0.00	0.17	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.01
1926	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.03)	(0.01)
1927	Wet	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1928	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.05)	(0.01)	(0.01)	(0.01)
1929	Critical	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00
1930	Dry	(0.01)	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.42	(0.47)	0.00
1932	Dry	0.53	(0.03)	(0.01)	(0.38)	0.00	0.00	(0.01)	(0.02)	(0.19)	0.00	0.25	(0.01)	0.01
1933	Critical	0.04	0.00	(0.01)	(0.01)	(0.01)	(0.30)	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1934	Critical	0.00	0.00	0.25	(0.01)	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.02)	(0.06)	(0.07)	0.00
1935	Below Normal	(0.17)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(32.22)	7.71	12.65	0.76	0.84	3.61	(0.55)
1940	Above Normal	4.39	0.42	0.03	0.03	0.01	0.02	0.03	0.10	0.15	0.15	0.13	19.64	2.09
1941	Wet	(0.37)	(0.26)	(0.09)	(0.08)	(0.06)	(19.74)	0.00	0.00	0.00	0.00	0.00	0.00	(1.72)
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	(1.03)	0.02	0.03	0.01	0.07	0.06	0.04	(0.07)
1945	Below Normal	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.07	0.05	0.05	0.05	0.04	0.03
1946	Below Normal	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.04	0.05	0.05	0.04	0.04	0.02
1947	Dry	0.02	0.02	0.01	0.01	0.01	0.00	0.01	0.05	0.03	0.04	0.06	0.43	0.06
1948	Below Normal	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.04	0.02	0.01	0.01	0.01	0.01
1949	Dry	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.02	0.02	0.02	0.02	0.01
1950	Below Normal	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.02	0.01	0.02	0.02	0.01	0.01
1951	Above Normal	0.01	0.01	0.00	0.00	0.07	0.45	(0.11)	0.00	0.00	0.00	0.00	0.00	0.04
1952	Wet	0.00	0.00	0.00	0.00	0.01	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.05	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	1.20	(0.01)	0.00	(0.01)	(0.06)	(0.02)	(0.04)	(0.05)	(0.04)	0.08
1956	Wet	(0.02)	(0.02)	(0.01)	(1.21)	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.02)	(0.10)
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	(0.01)	0.14	(0.01)	0.02
1960	Dry	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1961	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00
1962	Below Normal	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.01)	(0.01)
1963	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.21)	0.00	0.00	0.00	0.00	0.02	(0.02)
1964	Dry	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	0.00	0.00	0.01	0.04	0.00	0.00
1965	Wet	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.48	(0.01)	0.00	0.00	0.00	(0.58)	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	(0.23)	(0.02)	(0.02)	0.03
1977	Critical	(0.01)	(0.03)	(0.05)	(0.02)	(0.25)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	1.81	1.84	1.68	(2.00)	(0.05)	2.87	(0.18)	(0.24)	(0.30)	(0.27)	0.43
1980	Above Normal	(7.45)	0.01	0.01	0.00	0.01	0.01	0.01	0.04	0.06	0.06	0.05	0.06	(0.59)
1981	Dry	0.02	4.89	(0.04)	(0.03)	(0.02)	(0.02)	(0.05)	(0.17)	(0.08)	(1.41)	1.31	(0.15)	0.35
1982	Wet	(0.09)	(0.02)	(0.02)	(0.02)	(4.46)	0.00	0.00	0.00	0.00	0.00	0.11	(0.12)	(0.39)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	(0.01)	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.05
1988	Critical	1.21	(0.03)	(0.02)	(0.02)	(0.01)	(0.25)	(0.22)	(0.12)	(0.47)	(0.09)	(0.06)	(0.04)	(0.01)
1989	Dry	(0.02)	(0.01)	(0.01)	0.44	(0.02)	(0.02)	(0.02)	(0.16)	(0.11)	(0.13)	(0.08)	(0.07)	(0.02)
1990	Critical	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.04)	(0.14)	(0.05)	(0.07)	(0.10)	(0.07)	(0.05)
1991	Critical	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.05)	(0.08)	(0.05)	(0.10)	(0.11)	(0.04)	(0.05)
1992	Critical	(0.02)	(0.02)	(0.02)	(0.03)	(0.01)	(0.02)	(0.02)	(0.13)	(0.05)	(0.08)	(0.18)	0.19	(0.03)
1993	Above Normal	(0.03)	3.17	(0.09)	(0.09)	(0.07)	(1.72)	(0.06)	(0.38)	(0.25)	(0.11)	(0.19)	(0.15)	0.00
1994	Critical	(0.63)	(0.03)	(0.05)	(0.04)	(0.03)	(0.04)	(0.09)	(0.81)	(1.22)	(0.18)	(0.21)	(0.11)	(0.29)
1995	Wet	(0.05)	(0.03)	(0.04)	(0.02)	(0.01)	(0.01)	(0.01)	(0.08)	(0.07)	(3.88)	0.00	0.00	(0.35)
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	(0.37)	0.00	0.01	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.01
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.00	(0.01)
	Average	(0.03)	0.09	0.02	0.02	(0.04)	(0.30)	(0.40)	0.11	0.13	(0.07)	0.03	0.28	(0.01)
	Wet	(0.00)	(0.03)	(0.01)	(0.05)	(0.17)	(0.76)	(0.01)	(0.00)	(0.00)	(0.15)	0.01	(0.00)	(0.10)
	Above Normal	(0.26)	0.30	(0.00)	(0.00)	0.00	(0.10)	(0.01)	(0.02)	(0.00)	(0.00)	(0.00)	1.63	0.13
	Below Normal	(0.01)	0.00	0.13	0.13	0.12	(0.14)	0.00	0.22	(0.00)	(0.01)	(0.00)	(0.01)	0.04
	Dry	0.03	0.27	(0.01)	0.07	(0.00)	(0.06)	(1.79)	0.41	0.68	(0.04)	0.14	0.24	(0.00)
	Critical	0.04	(0.01)	0.00	(0.02)	(0.03)	(0.06)	(0.04)	(0.11)	(0.10)	(0.06)	(0.03)	(0.05)	(0.04)

Percent Difference in Energy generated (GWh) at Trinity Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-3%
1932	Dry	11%	0%	0%	-3%	0%	0%	0%	0%	-1%	0%	1%	0%
1933	Critical	1%	0%	0%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-52%	14%	23%	1%	1%	7%
1940	Above Normal	20%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	50%
1941	Wet	-2%	-2%	-2%	-1%	-1%	-21%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	1%	4%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	2%	0%	0%	0%	0%	-8%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	32%	33%	33%	-26%	0%	5%	-1%	-1%	-1%	-1%
1980	Above Normal	-39%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	45%	0%	0%	0%	0%	0%	0%	0%	-2%	2%	0%
1982	Wet	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	1%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1988	Critical	6%	0%	0%	0%	0%	-2%	-1%	0%	-1%	0%	0%	0%
1989	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	-1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	1%
1993	Above Normal	-1%	16%	-2%	-2%	-2%	-28%	-1%	0%	0%	0%	0%	-1%
1994	Critical	-4%	-1%	0%	-1%	0%	0%	0%	-2%	-3%	0%	0%	0%
1995	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	-8%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-2%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	1%
	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
	Above Normal	-2%	2%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	4%
	Below Normal	0%	0%	2%	2%	2%	-2%	0%	0%	0%	0%	0%	0%
	Dry	1%	2%	0%	0%	0%	0%	-3%	1%	1%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Alt. Misc.: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.19	11.86	1.35	1.00	1.00	10.62	2.87	15.60	12.16	20.03	19.60	10.69	117.97
1923	Below Normal	12.99	12.43	2.61	1.25	4.87	4.41	4.44	12.43	10.64	24.78	17.81	13.60	122.26
1924	Critical	17.82	8.53	3.25	4.99	1.00	1.00	3.51	10.36	1.00	3.79	3.76	7.19	66.20
1925	Dry	9.49	2.18	6.04	7.16	6.80	5.98	5.87	15.89	9.71	23.79	28.24	7.41	128.56
1926	Dry	9.59	8.40	2.88	2.38	1.00	1.00	6.85	12.01	7.30	17.47	14.02	10.15	93.05
1927	Wet	10.00	9.70	5.55	4.07	12.27	8.78	2.43	11.55	5.57	22.49	21.05	11.73	125.19
1928	Above Normal	7.32	4.93	4.07	3.11	1.00	11.77	4.98	11.56	6.57	22.50	23.07	8.63	109.51
1929	Critical	6.29	5.66	4.11	3.34	5.47	6.33	3.71	10.73	2.50	13.11	33.14	7.52	101.91
1930	Dry	9.10	5.73	4.85	5.38	7.85	4.32	8.20	18.33	2.52	15.01	9.73	4.57	95.59
1931	Critical	9.80	6.61	4.10	6.11	9.12	1.00	2.38	10.28	1.00	2.51	3.61	7.03	63.55
1932	Dry	8.60	4.34	6.39	7.75	4.67	1.00	3.53	11.56	6.65	7.96	18.96	17.94	99.35
1933	Critical	12.10	7.09	4.89	1.00	1.00	1.98	3.17	10.63	1.00	4.89	37.89	15.28	100.92
1934	Critical	9.49	5.40	1.00	1.00	1.00	1.00	3.56	10.74	1.00	3.93	22.81	7.00	67.93
1935	Below Normal	2.75	6.11	6.60	5.75	1.00	2.58	6.85	13.69	11.21	18.09	9.56	13.54	97.73
1936	Below Normal	16.74	8.72	5.95	1.29	1.00	1.92	5.56	13.51	9.13	22.17	12.06	14.59	112.64
1937	Below Normal	16.13	7.72	5.48	3.51	1.00	1.00	9.82	17.78	1.00	17.53	11.13	18.10	110.20
1938	Wet	9.55	9.48	5.62	1.00	1.00	1.00	14.66	69.92	11.87	19.38	16.76	9.67	169.91
1939	Dry	11.33	1.45	1.86	1.00	1.26	1.28	2.32	11.88	1.00	26.33	16.73	10.58	87.02
1940	Above Normal	8.06	6.29	1.43	2.26	7.56	12.47	5.37	12.93	5.55	18.46	21.95	9.42	111.75
1941	Wet	7.66	5.57	4.02	5.41	10.98	11.01	7.09	18.95	8.43	19.24	18.74	10.48	127.58
1942	Wet	11.72	10.29	3.07	3.19	7.22	8.83	6.00	18.07	9.08	18.82	20.19	9.90	126.38
1943	Wet	11.17	11.82	2.02	2.37	5.76	12.66	5.28	11.80	6.66	20.73	19.98	10.72	120.97
1944	Dry	8.60	8.11	1.75	1.00	3.26	4.47	5.39	12.39	5.07	21.37	14.28	6.31	92.00
1945	Below Normal	8.72	8.79	5.19	6.33	13.07	12.16	3.95	13.37	2.04	23.26	21.29	12.10	130.27
1946	Below Normal	19.24	8.62	4.12	5.05	8.83	5.98	1.64	12.53	4.47	22.94	20.55	9.78	123.75
1947	Dry	18.34	8.64	3.96	4.10	5.07	1.00	2.89	11.63	2.69	25.56	17.75	10.02	111.65
1948	Below Normal	9.84	7.91	3.18	1.00	1.00	6.45	4.40	11.92	7.75	23.13	21.12	12.70	110.40
1949	Dry	16.16	9.28	5.61	4.86	7.74	2.04	1.63	11.87	1.00	23.97	30.36	11.56	126.08
1950	Below Normal	10.77	7.03	2.81	1.00	1.22	9.54	4.26	12.70	5.78	26.75	20.69	14.03	116.58
1951	Above Normal	17.76	9.68	6.31	5.89	1.00	1.00	2.01	12.84	3.60	13.58	20.55	11.64	105.86
1952	Wet	9.88	10.65	3.35	4.65	8.19	11.88	7.33	29.72	13.22	17.80	17.20	9.75	143.62
1953	Wet	7.66	9.38	1.45	1.00	1.41	8.74	4.29	10.93	2.15	23.54	22.22	11.90	104.67
1954	Above Normal	4.70	9.55	4.51	1.00	2.62	8.03	4.23	9.93	5.01	11.32	21.61	11.33	93.84
1955	Dry	8.12	8.95	4.47	4.71	7.69	3.56	3.17	11.60	1.00	27.18	17.73	9.26	107.44
1956	Wet	7.14	8.50	5.43	8.32	13.49	1.00	1.86	15.77	10.67	20.05	20.83	10.99	124.05
1957	Above Normal	12.43	11.46	2.59	1.00	1.00	6.07	4.72	11.36	3.46	21.83	23.63	10.39	109.94
1958	Wet	13.73	10.86	4.49	2.68	10.48	9.30	13.00	25.26	12.86	17.26	17.43	9.43	146.78
1959	Below Normal	7.11	9.81	1.00	1.00	1.00	8.48	4.95	12.71	2.24	25.36	22.84	8.27	104.77
1960	Dry	11.24	5.54	3.71	3.85	2.51	5.34	3.14	18.80	3.11	23.98	17.01	11.31	109.54
1961	Dry	9.06	7.43	4.68	4.65	1.89	8.11	2.75	11.53	1.00	29.17	20.75	13.11	114.13
1962	Below Normal	5.68	6.35	1.31	2.99	4.38	10.00	4.88	11.31	1.79	24.08	22.08	11.13	105.98
1963	Wet	13.82	9.49	3.95	1.51	4.52	8.30	4.33	12.58	8.14	22.57	20.59	12.41	122.21
1964	Dry	5.86	11.77	4.83	3.86	3.99	4.17	1.62	11.41	1.00	26.68	18.66	6.66	100.51
1965	Wet	5.98	4.97	4.11	7.01	11.70	11.82	6.53	13.95	3.79	21.94	23.77	10.93	126.50
1966	Below Normal	11.45	10.91	2.65	2.17	4.59	5.02	1.86	10.80	1.00	23.16	20.88	10.86	105.35
1967	Wet	14.24	7.12	4.02	4.91	7.53	6.85	11.13	26.80	13.68	21.63	17.66	9.17	144.74
1968	Below Normal	8.68	6.35	1.00	1.00	1.00	8.58	4.90	13.26	2.17	24.95	22.45	7.67	102.01
1969	Wet	13.39	8.11	4.82	7.75	14.11	1.00	17.12	63.98	12.43	20.99	16.71	5.40	185.81
1970	Wet	10.45	2.86	1.89	1.68	5.84	6.74	1.58	11.04	1.00	17.01	20.69	11.58	92.36
1971	Wet	8.49	3.88	3.35	2.01	3.93	10.85	3.41	11.04	6.97	24.93	23.41	12.67	114.94
1972	Below Normal	11.64	4.91	5.14	4.55	1.19	1.55	2.87	11.98	2.42	26.09	22.88	10.81	106.03
1973	Above Normal	12.40	9.06	4.46	3.25	11.01	11.03	2.52	11.85	4.78	22.11	20.10	5.84	118.41
1974	Wet	6.77	8.88	4.53	6.19	7.56	9.74	3.46	11.41	6.10	19.80	21.87	10.16	116.47
1975	Wet	11.09	13.12	2.22	1.00	1.00	10.84	3.87	10.78	9.65	21.82	23.09	11.26	119.74
1976	Critical	13.21	9.97	3.44	2.36	7.84	9.27	5.91	10.93	1.00	9.54	2.60	2.41	78.48
1977	Critical	5.10	7.01	3.53	4.45	10.74	1.00	2.80	11.01	1.00	3.08	28.37	1.68	79.77
1978	Above Normal	3.62	1.50	3.20	5.34	15.16	13.38	8.71	21.82	11.30	19.55	17.50	10.19	131.27
1979	Below Normal	11.11	6.78	1.72	1.00	4.08	14.83	4.10	17.28	6.49	24.63	22.05	7.61	121.68
1980	Above Normal	18.76	6.60	4.66	6.98	6.69	1.00	4.33	15.84	13.05	21.62	20.28	5.74	125.55
1981	Dry	5.60	9.64	1.72	1.00	1.62	3.40	5.81	14.10	1.00	23.83	22.80	7.50	98.02
1982	Wet	12.34	7.82	3.89	5.00	11.21	8.17	21.65	34.97	12.40	17.41	16.50	10.76	162.12
1983	Wet	15.68	8.94	2.65	2.28	1.00	1.00	17.56	62.78	24.64	37.84	17.32	16.26	207.95
1984	Wet	17.98	3.43	1.00	1.00	1.00	1.00	2.15	10.62	4.59	21.45	20.36	12.30	96.88
1985	Dry	9.65	8.68	4.07	2.59	4.98	4.79	4.05	11.82	1.00	22.69	28.09	11.09	113.50
1986	Wet	12.39	8.94	4.29	1.00	10.98	13.25	9.41	20.28	12.57	22.87	21.41	1.00	138.39
1987	Dry	3.18	2.01	2.76	1.46	3.45	6.32	2.94	11.23	3.73	26.19	6.29	6.23	75.79
1988	Critical	12.42	6.69	3.60	2.98	1.00	1.00	5.79	11.40	1.00	18.53	33.56	3.56	101.53
1989	Dry	5.28	7.16	4.34	7.69	2.47	1.67	5.45	13.88	7.19	27.10	12.91	8.03	103.17
1990	Critical	5.80	5.05	2.78	3.97	3.19	1.23	4.16	12.53	1.00	20.37	20.62	3.21	83.91
1991	Critical	8.14	5.58	3.32	2.35	3.78	1.03	4.79	11.55	2.50	18.95	10.65	3.95	76.59
1992	Critical	7.69	4.90	2.21	1.42	2.94	5.91	3.55	11.83	1.00	22.75	29.41	1.87	95.48
1993	Above Normal	5.03	6.12	3.61	5.30	11.71	10.06	1.77	12.24	10.30	22.32	23.95	11.37	123.78
1994	Critical	12.96	9.19	4.08	1.32	3.57	1.01	1.44	13.58	1.00	26.65	19.58	4.76	99.14
1995	Wet	4.12	14.51	14.30	9.67	12.04	18.75	1.00	6.07	1.00	1.00	1.00	10.29	93.75
1996	Wet	7.62	9.07	13.72	5.18	11.01	20.62	1.00	1.00	1.00	1.00	4.47	10.67	86.36
1997	Wet	13.97	23.42	20.92	18.95	16.20	12.22	1.00	1.00	1.00	1.00	1.00	10.40	121.08
1998	Wet	6.42	12.31	16.98	7.88	14.00	18.28	1.00	1.00	1.00	1.00	1.00	9.73	90.60
1999	Wet	14.27	19.48	18.30	13.90	14.21	19.71	1.00	1.00	1.00	1.00	1.07	9.95	114.89
2000	Above Normal	7.19	20.58	17.91	6.12	16.52	18.82	1.00	1.00	1.00	1.00	1.00	11.46	103.60
2001	Dry	10.88	22.74	19.38	13.92	7.82	9.82	1.00	1.00	1.00	6.92	1.00	6.57	102.05
2002	Dry	12.95	13.42	19.81	11.59	8.21	6.93	1.00	1.00	1.00	1.00	7.02	10.66	94.59
2003	Above Normal	12.82	17.59	17.16	8.65	11.32	10.75	1.00	1.00	1.00	1.00	1.91	8.38	92.58
	Average	10.31	8.63	5.16	4.17	5.93	6.91	4.75	14.43	5.11	18.31	17.77	9.56	111.04
	Wet	10.67	9.72	6.15	4.99	8.41	9.71	6.51	19.70	7.75	17.48	16.40	10.37	127.84
	Above Normal	10.11	9.60	5.94	4.16	7.22	9.58	3.63	11.50	6.48	16.28	17.93	9.59	112.01
	Below Normal	10.92	8.03	3.48	2.71	3.45	6.61	4.61	13.23	4.87	23.35	19.10	11.77	112.12
	Dry	9.61	8.08	5.73	4.94	4.57	4.18	3.76	11.77	3.17	20.90	16.80	9.39	102.89
	Critical	10.07	6.81	3.36	2.94	4.22	2.65	3.73	11.30	1.25	12.34	20.50	5.46	84.62

Energy Use (GWh) At Pumping Plant at Alt. Misc.: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.19	11.86	1.35	1.00	1.00	10.45	2.79	15.66	11.56	19.99	20.32	10.62	117.79
1923	Below Normal	12.92	12.39	2.49	1.05	4.47	4.29	4.37	12.49	10.39	24.77	17.69	13.55	120.87
1924	Critical	17.72	8.48	3.14	4.82	1.00	1.00	3.51	10.38	1.00	3.80	3.76	7.21	65.82
1925	Dry	9.51	2.17	6.04	7.16	6.80	5.93	5.85	15.91	9.63	23.75	28.24	7.39	128.38
1926	Dry	9.57	8.38	2.84	2.31	1.00	1.00	6.85	12.01	7.28	17.47	13.94	10.15	92.80
1927	Wet	10.00	9.70	5.55	4.07	12.28	8.60	2.33	11.61	5.24	22.39	20.94	11.65	124.36
1928	Above Normal	7.25	4.87	3.93	2.88	1.00	11.68	4.92	11.59	6.40	22.46	23.02	8.59	108.59
1929	Critical	6.26	5.62	4.03	3.22	5.37	6.33	3.71	10.73	2.50	13.11	33.14	7.52	101.54
1930	Dry	9.10	5.73	4.85	5.38	7.85	4.31	8.20	18.32	2.52	15.01	9.73	4.57	95.57
1931	Critical	9.80	6.61	4.10	6.11	9.12	1.00	2.38	10.28	1.00	2.51	3.61	7.04	63.56
1932	Dry	8.61	4.33	6.39	7.75	4.64	1.00	3.43	11.63	6.33	7.64	18.93	17.86	98.54
1933	Critical	12.02	7.03	4.92	1.00	1.00	1.97	3.17	10.63	1.00	4.87	37.89	15.30	100.80
1934	Critical	9.51	5.40	1.00	1.00	1.00	1.00	3.53	10.67	1.00	3.89	20.64	7.05	65.69
1935	Below Normal	2.70	6.07	6.59	6.22	1.00	2.40	6.76	13.77	10.89	17.84	9.35	13.47	97.06
1936	Below Normal	16.64	8.64	5.88	1.00	1.00	1.95	5.46	13.57	8.81	22.07	11.82	14.52	111.36
1937	Below Normal	16.06	7.67	5.35	3.49	1.00	2.47	9.81	16.30	1.00	17.25	10.95	17.99	109.34
1938	Wet	9.44	9.33	5.93	1.00	1.00	4.43	10.71	37.35	12.14	19.71	17.26	9.74	138.04
1939	Dry	11.51	1.57	1.34	1.00	1.05	1.54	2.33	12.17	1.00	27.41	14.69	10.15	85.76
1940	Above Normal	8.76	6.41	1.51	2.57	7.99	12.18	5.17	12.97	4.96	18.00	21.64	9.80	111.96
1941	Wet	7.54	6.03	3.82	5.25	10.72	10.12	7.01	19.03	8.37	19.29	19.81	10.38	127.37
1942	Wet	12.14	11.03	2.96	3.24	6.71	8.69	5.92	18.07	8.97	18.78	20.11	9.85	126.47
1943	Wet	11.11	11.70	1.92	2.41	4.89	12.03	5.29	11.92	9.30	20.76	19.97	10.71	122.01
1944	Dry	7.24	8.40	1.64	1.00	3.12	4.36	5.33	12.43	5.47	20.64	14.24	6.28	90.15
1945	Below Normal	8.67	8.73	5.10	6.18	10.23	13.57	3.89	13.41	1.84	23.30	21.27	12.09	128.28
1946	Below Normal	19.10	8.60	3.96	4.62	8.71	6.48	1.53	12.60	3.48	22.86	20.45	10.40	122.79
1947	Dry	18.23	8.55	3.80	3.85	4.85	1.00	2.84	11.64	2.55	25.49	18.15	9.95	110.90
1948	Below Normal	9.79	7.85	2.97	1.00	1.00	6.45	4.40	11.92	7.76	23.10	21.13	12.70	110.07
1949	Dry	16.15	9.28	5.62	4.86	7.74	2.04	1.64	11.87	1.00	23.97	30.34	11.56	126.07
1950	Below Normal	10.77	7.04	2.81	1.00	1.23	9.52	4.24	12.71	5.73	26.73	20.68	14.02	116.48
1951	Above Normal	17.75	9.67	6.29	5.84	1.00	1.00	1.91	12.90	3.27	13.26	20.44	11.57	104.90
1952	Wet	9.81	10.59	3.22	4.42	8.07	8.12	6.00	28.06	13.29	17.85	17.14	9.84	136.41
1953	Wet	7.60	14.74	1.62	1.00	1.51	9.16	4.19	10.72	1.98	23.62	22.22	12.06	110.42
1954	Above Normal	4.40	9.84	4.56	1.00	2.71	8.01	4.19	9.90	4.91	11.17	21.58	11.31	93.58
1955	Dry	8.10	8.95	4.46	4.67	7.74	3.58	3.17	11.60	1.00	27.20	17.49	9.25	107.21
1956	Wet	7.16	8.40	5.07	7.72	14.85	1.00	1.86	15.83	10.50	19.96	18.97	10.91	122.23
1957	Above Normal	12.34	11.36	2.45	1.00	1.00	5.89	4.62	11.43	3.13	21.74	23.52	10.32	108.80
1958	Wet	13.65	10.80	4.35	2.45	10.27	9.12	11.42	23.90	12.52	18.01	18.00	9.68	144.17
1959	Below Normal	7.33	12.71	1.04	1.00	1.00	8.39	4.87	12.73	2.01	25.18	22.54	8.52	107.32
1960	Dry	11.26	5.43	3.61	3.68	2.33	5.35	3.15	18.80	3.13	24.00	15.45	11.30	107.49
1961	Dry	9.01	7.43	4.68	4.65	1.90	8.12	2.75	11.53	1.00	29.31	20.60	13.10	114.08
1962	Below Normal	5.71	6.36	1.31	2.99	4.39	9.83	4.77	11.37	1.46	24.00	21.96	11.05	105.20
1963	Wet	13.74	9.43	3.81	1.28	4.10	8.16	4.25	12.63	7.94	22.51	20.51	12.35	120.71
1964	Dry	5.80	11.70	4.72	3.67	3.83	4.16	1.62	11.41	1.00	26.66	18.67	6.66	99.90
1965	Wet	5.98	4.97	4.10	6.74	10.39	11.73	6.51	14.08	3.69	22.10	24.57	10.96	125.82
1966	Below Normal	11.44	10.70	2.59	1.98	4.50	4.90	1.78	10.83	1.00	23.08	20.78	10.77	104.35
1967	Wet	14.18	7.08	3.92	4.74	7.01	6.73	9.80	25.62	13.74	19.78	17.90	9.34	139.84
1968	Below Normal	9.25	10.97	1.00	1.00	1.00	8.58	4.80	13.31	1.87	24.87	22.35	7.61	106.61
1969	Wet	13.31	8.03	4.69	6.50	16.09	3.24	12.40	73.29	12.48	21.05	16.75	6.62	194.45
1970	Wet	10.56	2.70	1.86	1.63	5.76	5.73	1.48	11.12	1.00	16.95	19.51	11.50	89.80
1971	Wet	8.50	3.73	3.22	1.78	3.73	10.77	3.35	11.07	6.78	24.84	23.37	12.66	113.80
1972	Below Normal	11.57	4.90	5.07	4.43	1.09	1.54	2.87	11.98	2.41	26.08	22.88	10.82	105.64
1973	Above Normal	12.40	9.05	4.46	3.24	11.01	10.86	2.42	11.91	4.44	22.04	20.01	7.90	119.74
1974	Wet	6.68	8.82	4.39	5.44	7.15	9.53	3.44	11.45	5.93	19.97	22.37	10.21	115.38
1975	Wet	11.11	12.81	2.21	1.00	1.00	10.64	3.75	10.85	9.42	21.69	22.95	11.17	118.60
1976	Critical	13.12	9.97	3.28	2.09	7.58	9.28	5.92	10.93	1.00	9.35	2.71	2.41	77.64
1977	Critical	5.17	7.00	3.53	4.47	10.73	1.00	2.80	11.01	1.00	3.08	27.67	1.68	79.14
1978	Above Normal	3.73	1.50	3.19	5.34	14.06	13.16	7.68	18.31	8.69	18.12	19.75	10.10	123.63
1979	Below Normal	11.06	13.30	1.71	1.00	3.97	14.22	4.42	17.44	7.29	24.68	22.73	8.03	129.85
1980	Above Normal	18.37	8.58	5.18	7.20	1.00	1.00	4.31	15.78	12.16	21.19	19.82	9.44	124.03
1981	Dry	5.82	10.28	2.27	1.00	1.53	3.33	5.58	13.94	1.00	23.80	22.53	7.40	98.48
1982	Wet	12.27	7.79	3.76	4.79	10.27	7.88	26.84	30.58	11.09	17.55	16.65	10.78	160.25
1983	Wet	12.64	8.73	2.13	9.64	4.39	7.59	33.49	71.71	24.87	38.07	17.31	18.01	248.58
1984	Wet	18.03	2.50	1.00	1.00	1.00	1.00	2.04	10.68	4.27	21.36	20.25	12.23	95.36
1985	Dry	9.58	8.62	3.94	2.36	4.78	4.68	3.98	11.86	1.00	22.63	28.02	11.05	112.50
1986	Wet	12.34	8.90	4.20	1.00	9.80	14.87	9.42	20.30	11.89	22.83	21.34	1.00	137.89
1987	Dry	3.12	2.10	2.59	1.22	3.24	6.30	2.96	11.24	3.51	26.70	7.33	6.23	76.54
1988	Critical	12.44	6.70	3.63	3.00	1.00	1.00	5.79	11.39	1.00	18.49	33.53	3.56	101.53
1989	Dry	5.30	7.13	4.34	7.69	2.46	1.68	5.47	13.88	7.22	27.11	12.97	7.66	102.91
1990	Critical	5.80	5.05	2.77	3.98	3.21	1.23	4.16	12.53	1.00	20.37	12.78	6.25	79.13
1991	Critical	7.91	5.56	3.33	2.33	3.74	1.03	4.79	11.55	2.50	18.95	10.87	3.95	76.51
1992	Critical	7.66	4.97	2.20	1.34	2.94	5.91	3.55	11.82	3.11	18.47	30.73	1.85	94.55
1993	Above Normal	5.02	6.14	3.62	5.33	11.73	9.59	1.71	12.31	10.24	22.35	23.78	11.36	123.18
1994	Critical	12.91	9.12	4.02	1.15	3.42	1.00	1.44	13.59	1.00	26.79	19.45	4.77	98.66
1995	Wet	4.12	14.50	14.30	9.61	10.82	16.54	1.00	1.00	1.00	1.00	1.00	10.24	85.13
1996	Wet	7.82	20.59	13.90	5.56	11.52	16.50	1.00	1.00	1.00	1.00	4.47	10.76	95.12
1997	Wet	13.08	23.36	20.41	19.31	16.66	12.24	1.00	1.00	1.00	1.00	1.07	10.32	120.45
1998	Wet	6.42	12.19	16.88	7.70	12.35	18.02	1.00	1.00	1.00	1.00	1.00	9.89	88.45
1999	Wet	14.37	19.57	18.47	14.21	14.57	19.69	1.00	1.00	1.00	1.00	1.00	9.87	115.75
2000	Above Normal	7.15	20.56	17.82	5.92	16.30	18.66	1.00	1.00	1.00	1.00	1.00	11.38	102.79
2001	Dry	10.78	22.63	19.55	13.74	7.65	9.81	1.00	1.00	1.00	6.87	1.00	6.58	101.61
2002	Dry	12.95	13.42	19.80	11.57	8.20	6.93	1.00	1.00	1.00	1.00	7.02	10.59	94.48
2003	Above Normal	12.82	17.58	17.15	8.65	11.32	10.71	1.00	1.00	1.00	1.00	1.81	8.34	92.38
	Average	10.24	9.01	5.12	4.18	5.76	6.91	4.81	14.05	5.02	18.20	17.63	9.70	110.63
	Wet	10.52	10.31	6.07	5.13	8.34	9.70	6.79	18.65	7.71	17.46	16.40	10.49	127.57
	Above Normal	10.10	9.79	5.96	4.16	6.68	9.43	3.48	11.23	5.98	16.03	18.06	10.06	110.95
	Below Normal	10.93	9.00	3.42	2.64	3.19	6.76	4.57	13.17	4.71	23.27	19.04	11.82	112.52
	Dry	9.54	8.12	5.69	4.86	4.48	4.17	3.73	11.79	3.15	20.93	16.63	9.32	102.41
	Critical	10.03	6.79	3.33	2.88	4.18	2.65	3.73	11.29	1.43	11.97	19.73	5.72	83.71

Difference in Energy Use (GWh) At Pumping Plant at Alt. Misc.: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.17)	(0.08)	0.06	(0.60)	(0.04)	0.72	(0.07)	(0.02)
1923	Below Normal	(0.07)	(0.04)	(0.12)	(0.20)	(0.40)	(0.12)	(0.07)	0.06	(0.25)	(0.01)	(0.12)	(0.05)	(0.12)
1924	Critical	(0.10)	(0.05)	(0.11)	(0.17)	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.02	(0.03)
1925	Dry	0.02	(0.01)	0.00	0.00	0.00	(0.05)	(0.02)	0.02	(0.08)	(0.04)	0.00	(0.02)	(0.02)
1926	Dry	(0.02)	(0.02)	(0.04)	(0.07)	0.00	0.00	0.00	0.00	(0.02)	0.00	(0.08)	0.00	(0.02)
1927	Wet	0.00	0.00	0.00	0.00	0.01	(0.18)	(0.10)	0.06	(0.33)	(0.10)	(0.11)	(0.08)	(0.07)
1928	Above Normal	(0.07)	(0.06)	(0.14)	(0.23)	0.00	(0.09)	(0.06)	0.03	(0.17)	(0.04)	(0.05)	(0.04)	(0.08)
1929	Critical	(0.03)	(0.04)	(0.08)	(0.12)	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1930	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1932	Dry	0.01	(0.01)	0.00	0.00	(0.03)	0.00	(0.10)	0.07	(0.32)	(0.32)	(0.03)	(0.08)	(0.07)
1933	Critical	(0.08)	(0.06)	0.03	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.02)	0.00	0.02	(0.01)
1934	Critical	0.02	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.07)	0.00	(0.04)	(2.17)	0.05	(0.19)
1935	Below Normal	(0.05)	(0.04)	(0.01)	0.47	0.00	(0.18)	(0.09)	0.08	(0.32)	(0.25)	(0.21)	(0.07)	(0.06)
1936	Below Normal	(0.10)	(0.08)	(0.07)	(0.29)	0.00	0.03	(0.10)	0.06	(0.32)	(0.10)	(0.24)	(0.07)	(0.11)
1937	Below Normal	(0.07)	(0.05)	(0.13)	(0.02)	0.00	1.47	(0.01)	(1.48)	0.00	(0.28)	(0.18)	(0.11)	(0.07)
1938	Wet	(0.11)	(0.15)	0.31	0.00	0.00	3.43	(3.95)	(32.57)	0.27	0.33	0.50	0.07	(2.66)
1939	Dry	0.18	0.12	(0.52)	0.00	(0.21)	0.26	0.01	0.29	0.00	1.08	(2.04)	(0.43)	(0.11)
1940	Above Normal	0.70	0.12	0.08	0.31	0.43	(0.29)	(0.20)	0.04	(0.59)	(0.46)	(0.31)	0.38	0.02
1941	Wet	(0.12)	0.46	(0.20)	(0.16)	(0.26)	(0.89)	(0.08)	0.08	(0.06)	0.05	1.07	(0.10)	(0.02)
1942	Wet	0.42	0.74	(0.11)	0.05	(0.51)	(0.14)	(0.08)	0.00	(0.11)	(0.04)	(0.08)	(0.05)	0.01
1943	Wet	(0.06)	(0.12)	(0.10)	0.04	(0.87)	(0.63)	0.01	0.12	2.64	0.03	(0.01)	(0.01)	0.09
1944	Dry	(1.36)	0.29	(0.11)	0.00	(0.14)	(0.11)	(0.06)	0.04	0.40	(0.73)	(0.04)	(0.03)	(0.15)
1945	Below Normal	(0.05)	(0.06)	(0.09)	(0.15)	(2.84)	1.41	(0.06)	0.04	(0.20)	0.04	(0.02)	(0.01)	(0.17)
1946	Below Normal	(0.14)	(0.02)	(0.16)	(0.43)	(0.12)	0.50	(0.11)	0.07	(0.99)	(0.08)	(0.10)	0.62	(0.08)
1947	Dry	(0.11)	(0.09)	(0.16)	(0.25)	(0.22)	0.00	(0.05)	0.01	(0.14)	(0.07)	0.40	(0.07)	(0.06)
1948	Below Normal	(0.05)	(0.06)	(0.21)	0.00	0.00	0.00	0.00	0.00	0.01	(0.03)	0.01	0.00	(0.03)
1949	Dry	(0.01)	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.02)	0.00	0.00
1950	Below Normal	0.00	0.01	0.00	0.00	0.01	(0.02)	(0.02)	0.01	(0.05)	(0.02)	(0.01)	(0.01)	(0.01)
1951	Above Normal	(0.01)	(0.01)	(0.02)	(0.05)	0.00	0.00	(0.10)	0.06	(0.33)	(0.32)	(0.11)	(0.07)	(0.08)
1952	Wet	(0.07)	(0.06)	(0.13)	(0.23)	(0.12)	(3.76)	(1.33)	(1.66)	0.07	0.05	(0.06)	0.09	(0.60)
1953	Wet	(0.06)	5.36	0.17	0.00	0.10	0.42	(0.10)	(0.21)	(0.17)	0.08	0.00	0.16	0.48
1954	Above Normal	(0.30)	0.29	0.05	0.00	0.09	(0.02)	(0.04)	(0.03)	(0.10)	(0.15)	(0.03)	(0.02)	(0.02)
1955	Dry	(0.02)	0.00	(0.01)	(0.04)	0.05	0.02	0.00	0.00	0.00	0.02	(0.24)	(0.01)	(0.02)
1956	Wet	0.02	(0.10)	(0.36)	(0.60)	1.36	0.00	0.00	0.06	(0.17)	(0.09)	(1.86)	(0.08)	(0.15)
1957	Above Normal	(0.09)	(0.10)	(0.14)	0.00	0.00	(0.18)	(0.10)	0.07	(0.33)	(0.09)	(0.11)	(0.07)	(0.10)
1958	Wet	(0.08)	(0.06)	(0.14)	(0.23)	(0.21)	(0.18)	(1.58)	(1.36)	(0.34)	0.75	0.57	0.25	(0.22)
1959	Below Normal	0.22	2.90	0.04	0.00	0.00	(0.09)	(0.08)	0.02	(0.23)	(0.18)	(0.30)	0.25	0.21
1960	Dry	0.02	(0.11)	(0.10)	(0.17)	(0.18)	0.01	0.01	0.00	0.02	0.02	(1.56)	(0.01)	(0.17)
1961	Dry	(0.05)	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.14	(0.15)	(0.01)	0.00
1962	Below Normal	0.03	0.01	0.00	0.00	0.01	(0.17)	(0.11)	0.06	(0.33)	(0.08)	(0.12)	(0.08)	(0.06)
1963	Wet	(0.08)	(0.06)	(0.14)	(0.23)	(0.42)	(0.14)	(0.08)	0.05	(0.20)	(0.06)	(0.08)	(0.06)	(0.13)
1964	Dry	(0.06)	(0.07)	(0.11)	(0.19)	(0.16)	(0.01)	0.00	0.00	0.00	(0.02)	0.01	0.00	(0.05)
1965	Wet	0.00	0.00	(0.01)	(0.27)	(1.31)	(0.09)	(0.02)	0.13	(0.10)	0.16	0.80	0.03	(0.06)
1966	Below Normal	(0.01)	(0.21)	(0.06)	(0.19)	(0.09)	(0.12)	(0.08)	0.03	0.00	(0.08)	(0.10)	(0.09)	(0.08)
1967	Wet	(0.06)	(0.04)	(0.10)	(0.17)	(0.52)	(0.12)	(1.33)	(1.18)	0.06	(1.85)	0.24	0.17	(0.41)
1968	Below Normal	0.57	4.62	0.00	0.00	0.00	0.00	(0.10)	0.05	(0.30)	(0.08)	(0.10)	(0.06)	0.38
1969	Wet	(0.08)	(0.08)	(0.13)	(1.25)	1.98	2.24	(4.72)	9.31	0.05	0.06	0.04	1.22	0.72
1970	Wet	0.11	(0.16)	(0.03)	(0.05)	(0.08)	(1.01)	(0.10)	0.08	0.00	(0.06)	(1.18)	(0.08)	(0.21)
1971	Wet	0.01	(0.15)	(0.13)	(0.23)	(0.20)	(0.08)	(0.06)	0.03	(0.19)	(0.09)	(0.04)	(0.01)	(0.09)
1972	Below Normal	(0.07)	(0.01)	(0.07)	(0.12)	(0.10)	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.01	(0.03)
1973	Above Normal	0.00	(0.01)	0.00	(0.01)	0.00	(0.17)	(0.10)	0.06	(0.34)	(0.07)	(0.09)	2.06	0.11
1974	Wet	(0.09)	(0.06)	(0.14)	(0.75)	(0.41)	(0.21)	(0.02)	0.04	(0.17)	0.17	0.50	0.05	(0.09)
1975	Wet	0.02	(0.31)	(0.01)	0.00	0.00	(0.20)	(0.12)	0.07	(0.23)	(0.13)	(0.14)	(0.09)	(0.09)
1976	Critical	(0.09)	0.00	(0.16)	(0.27)	(0.26)	0.01	0.01	0.00	0.00	(0.19)	0.11	0.00	(0.07)
1977	Critical	0.07	(0.01)	0.00	0.02	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.70)	0.00	(0.05)
1978	Above Normal	0.11	0.00	(0.01)	0.00	(1.10)	(0.22)	(1.03)	(3.51)	(2.61)	(1.43)	2.25	(0.09)	(0.64)
1979	Below Normal	(0.05)	6.52	(0.01)	0.00	(0.11)	(0.61)	0.32	0.16	0.80	0.05	0.68	0.42	0.68
1980	Above Normal	(0.39)	1.98	0.52	0.22	(5.69)	0.00	(0.02)	(0.06)	(0.89)	(0.43)	(0.46)	3.70	(0.13)
1981	Dry	0.22	0.64	0.55	0.00	(0.09)	(0.07)	(0.23)	(0.16)	0.00	(0.03)	(0.27)	(0.10)	0.04
1982	Wet	(0.07)	(0.03)	(0.13)	(0.21)	(0.94)	(0.29)	5.19	(4.39)	(1.31)	0.14	0.15	0.02	(0.16)
1983	Wet	(3.04)	(0.21)	(0.52)	7.36	3.39	6.59	15.93	8.93	0.23	0.23	(0.01)	1.75	3.39
1984	Wet	0.05	(0.93)	0.00	0.00	0.00	0.00	(0.11)	0.06	(0.32)	(0.09)	(0.11)	(0.07)	(0.13)
1985	Dry	(0.07)	(0.06)	(0.13)	(0.23)	(0.20)	(0.11)	(0.07)	0.04	0.00	(0.06)	(0.07)	(0.04)	(0.08)
1986	Wet	(0.05)	(0.04)	(0.09)	0.00	(1.18)	1.62	0.01	0.02	(0.68)	(0.04)	(0.07)	0.00	(0.04)
1987	Dry	(0.06)	0.09	(0.17)	(0.24)	(0.21)	(0.02)	0.02	0.01	(0.22)	0.51	1.04	0.00	0.06
1988	Critical	0.02	0.01	0.03	0.02	0.00	0.00	0.00	(0.01)	0.00	(0.04)	(0.03)	0.00	0.00
1989	Dry	0.02	(0.03)	0.00	0.00	(0.01)	0.01	0.02	0.00	0.03	0.01	0.06	(0.37)	(0.02)
1990	Critical	0.00	0.00	(0.01)	0.01	0.02	0.00	0.00	0.00	0.00	0.00	(7.84)	3.04	(0.40)
1991	Critical	(0.23)	(0.02)	0.01	(0.02)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.22	0.00	(0.01)
1992	Critical	(0.03)	0.07	(0.01)	(0.08)	0.00	0.00	0.00	(0.01)	2.11	(4.28)	1.32	(0.02)	(0.08)
1993	Above Normal	(0.01)	0.02	0.01	0.03	0.02	(0.47)	(0.06)	0.07	(0.06)	0.03	(0.17)	(0.01)	(0.05)
1994	Critical	(0.05)	(0.07)	(0.06)	(0.17)	(0.15)	(0.01)	0.00	0.01	0.00	0.14	(0.13)	0.01	(0.04)
1995	Wet	0.00	(0.01)	0.00	(0.06)	(1.22)	(2.21)	0.00	(5.07)	0.00	0.00	0.00	(0.05)	(0.72)
1996	Wet	0.20	11.52	0.18	0.38	0.51	(4.12)	0.00	0.00	0.00	0.00	0.00	0.09	0.73
1997	Wet	(0.89)	(0.06)	(0.51)	0.36	0.46	0.02	0.00	0.00	0.00	0.00	0.07	(0.08)	(0.05)
1998	Wet	0.00	(0.12)	(0.10)	(0.18)	(1.65)	(0.26)	0.00	0.00	0.00	0.00	0.00	0.16	(0.18)
1999	Wet	0.10	0.09	0.17	0.31	0.36	(0.02)	0.00	0.00	0.00	0.00	(0.07)	(0.08)	0.07
2000	Above Normal	(0.04)	(0.02)	(0.09)	(0.20)	(0.22)	(0.16)	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.07)
2001	Dry	(0.10)	(0.11)	0.17	(0.18)	(0.17)	(0.01)	0.00	0.00	0.00	(0.05)	0.00	0.01	(0.04)
2002	Dry	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.01)
2003	Above Normal	0.00	(0.01)	(0.01)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	(0.10)	(0.04)	(0.02)
	Average	(0.07)	0.39	(0.05)	0.01	(0.17)	(0.00)	0.06	(0.38)	(0.09)	(0.10)	(0.14)	0.14	(0.03)
	Wet	(0.15)	0.59	(0.09)	0.15	(0.07)	(0.01)	0.28	(1.05)	(0.04)	(0.02)	0.00	0.12	(0.02)
	Above Normal	(0.01)	0.18	0.02	0.01	(0.54)	(0.15)	(0.15)	(0.27)	(0.50)	(0.25)	0.13	0.47	(0.09)
	Below Normal	0.01	0.96	(0.06)	(0.07)	(0.26)	0.15	(0.04)	(0.06)	(0.16)	(0.08)	(0.06)	0.05	0.03
	Dry	(0.08)	0.04	(0.03)	(0.08)	(0.09)	(0.00)	(0.03)	0.02	(0.02)	0.03	(0.17)	(0.07)	(0.04)
	Critical	(0.04)	(0.01)	(0.03)	(0.07)	(0.04)	(0.00)	(0.00)	(0.00)	0.18	(0.37)	(0.77)	0.26	(0.08)

Percent Difference in Energy Use (GWh) At Pumping Plant at Alt. Misc.: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	-2%	-3%	0%	-5%	0%	4%	-1%
1923	Below Normal	-1%	0%	-5%	-16%	-8%	-3%	-2%	0%	-2%	0%	-1%	0%
1924	Critical	-1%	-1%	-3%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	-1%	0%	0%	0%
1926	Dry	0%	0%	-1%	-3%	0%	0%	0%	0%	0%	0%	-1%	0%
1927	Wet	0%	0%	0%	0%	0%	-2%	-4%	1%	-6%	0%	-1%	-1%
1928	Above Normal	-1%	-1%	-3%	-7%	0%	-1%	-1%	0%	-3%	0%	0%	0%
1929	Critical	0%	-1%	-2%	-4%	-2%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	-1%	0%	-3%	1%	-5%	-4%	0%	0%
1933	Critical	-1%	-1%	1%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	-1%	-10%	1%
1935	Below Normal	-2%	-1%	0%	8%	0%	-7%	-1%	1%	-3%	-1%	-2%	-1%
1936	Below Normal	-1%	-1%	-1%	-22%	0%	2%	-2%	0%	-4%	0%	-2%	0%
1937	Below Normal	0%	-1%	-2%	-1%	0%	147%	0%	-8%	0%	-2%	-2%	-1%
1938	Wet	-1%	-2%	6%	0%	0%	343%	-27%	-47%	2%	2%	3%	1%
1939	Dry	2%	8%	-28%	0%	-17%	20%	0%	2%	0%	4%	-12%	-4%
1940	Above Normal	9%	2%	6%	14%	6%	-2%	-4%	0%	-11%	-2%	-1%	4%
1941	Wet	-2%	8%	-5%	-3%	-2%	-8%	-1%	0%	-1%	0%	6%	-1%
1942	Wet	4%	7%	-4%	2%	-7%	-2%	-1%	0%	-1%	0%	0%	-1%
1943	Wet	-1%	-1%	-5%	2%	-15%	-5%	0%	1%	40%	0%	0%	0%
1944	Dry	-16%	4%	-6%	0%	-4%	-2%	-1%	0%	8%	-3%	0%	0%
1945	Below Normal	-1%	-1%	-2%	-2%	-22%	12%	-2%	0%	-10%	0%	0%	0%
1946	Below Normal	-1%	0%	-4%	-9%	-1%	8%	-7%	1%	-22%	0%	0%	6%
1947	Dry	-1%	-1%	-4%	-6%	-4%	0%	-2%	0%	-5%	0%	2%	-1%
1948	Below Normal	-1%	-1%	-7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	-1%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-1%	0%	0%	-5%	0%	-9%	-2%	-1%	-1%
1952	Wet	-1%	-1%	-4%	-5%	-1%	-32%	-18%	-6%	1%	0%	0%	1%
1953	Wet	-1%	57%	12%	0%	7%	5%	-2%	-2%	-8%	0%	0%	1%
1954	Above Normal	-6%	3%	1%	0%	3%	0%	-1%	0%	-2%	-1%	0%	0%
1955	Dry	0%	0%	0%	-1%	1%	1%	0%	0%	0%	0%	-1%	0%
1956	Wet	0%	-1%	-7%	-7%	10%	0%	0%	0%	-2%	0%	-9%	-1%
1957	Above Normal	-1%	-1%	-5%	0%	0%	-3%	-2%	1%	-10%	0%	0%	-1%
1958	Wet	-1%	-1%	-3%	-9%	-2%	-2%	-12%	-5%	-3%	4%	3%	3%
1959	Below Normal	3%	30%	4%	0%	0%	-1%	-2%	0%	-10%	-1%	-1%	3%
1960	Dry	0%	-2%	-3%	-4%	-7%	0%	0%	0%	1%	0%	-9%	0%
1961	Dry	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-1%	0%
1962	Below Normal	1%	0%	0%	0%	0%	-2%	-2%	1%	-18%	0%	-1%	-1%
1963	Wet	-1%	-1%	-4%	-15%	-9%	-2%	-2%	0%	-2%	0%	0%	0%
1964	Dry	-1%	-1%	-2%	-5%	-4%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-4%	-11%	-1%	0%	1%	-3%	1%	3%	0%
1966	Below Normal	0%	-2%	-2%	-9%	-2%	-2%	-4%	0%	0%	0%	0%	-1%
1967	Wet	0%	-1%	-2%	-3%	-7%	-2%	-12%	-4%	0%	-9%	1%	2%
1968	Below Normal	7%	73%	0%	0%	0%	0%	-2%	0%	-14%	0%	0%	-1%
1969	Wet	-1%	-1%	-3%	-16%	14%	224%	-28%	15%	0%	0%	0%	23%
1970	Wet	1%	-6%	-2%	-3%	-1%	-15%	-6%	1%	0%	0%	-6%	-1%
1971	Wet	0%	-4%	-4%	-11%	-5%	-1%	-2%	0%	-3%	0%	0%	0%
1972	Below Normal	-1%	0%	-1%	-3%	-8%	-1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	-2%	-4%	1%	-7%	0%	0%	35%
1974	Wet	-1%	-1%	-3%	-12%	-5%	-2%	-1%	0%	-3%	1%	2%	0%
1975	Wet	0%	-2%	0%	0%	0%	-2%	-3%	1%	-2%	-1%	-1%	-1%
1976	Critical	-1%	0%	-5%	-11%	-3%	0%	0%	0%	0%	-2%	4%	0%
1977	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1978	Above Normal	3%	0%	0%	0%	-7%	-2%	-12%	-16%	-23%	-7%	13%	-1%
1979	Below Normal	0%	96%	-1%	0%	-3%	-4%	8%	1%	12%	0%	3%	6%
1980	Above Normal	-2%	30%	11%	3%	-85%	0%	0%	0%	-7%	-2%	-2%	64%
1981	Dry	4%	7%	32%	0%	-6%	-2%	-4%	-1%	0%	0%	-1%	-1%
1982	Wet	-1%	0%	-3%	-4%	-8%	-4%	24%	-13%	-11%	1%	1%	0%
1983	Wet	-19%	-2%	-20%	323%	339%	659%	91%	14%	1%	1%	0%	11%
1984	Wet	0%	-27%	0%	0%	0%	0%	-5%	1%	-7%	0%	-1%	-1%
1985	Dry	-1%	-1%	-3%	-9%	-4%	-2%	-2%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	-2%	0%	-11%	12%	0%	0%	-5%	0%	0%	0%
1987	Dry	-2%	4%	-6%	-16%	-6%	0%	1%	0%	-6%	2%	17%	0%
1988	Critical	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-5%
1990	Critical	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-38%	95%
1991	Critical	-3%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	2%	0%
1992	Critical	0%	1%	0%	-6%	0%	0%	0%	0%	211%	-19%	4%	-1%
1993	Above Normal	0%	0%	0%	1%	0%	-5%	-3%	1%	-1%	0%	-1%	0%
1994	Critical	0%	-1%	-1%	-13%	-4%	-1%	0%	0%	0%	1%	-1%	0%
1995	Wet	0%	0%	0%	-1%	-10%	-12%	0%	-84%	0%	0%	0%	0%
1996	Wet	3%	127%	1%	7%	5%	-20%	0%	0%	0%	0%	0%	1%
1997	Wet	-6%	0%	-2%	2%	3%	0%	0%	0%	0%	0%	7%	-1%
1998	Wet	0%	-1%	-1%	-2%	-12%	-1%	0%	0%	0%	0%	0%	2%
1999	Wet	1%	0%	1%	2%	3%	0%	0%	0%	0%	0%	-7%	-1%
2000	Above Normal	-1%	0%	-1%	-3%	-1%	-1%	0%	0%	0%	0%	0%	-1%
2001	Dry	-1%	0%	1%	-1%	-2%	0%	0%	0%	0%	-1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%	0%
	Average	-1%	5%	-1%	1%	1%	16%	-1%	-2%	1%	-1%	-1%	3%
	Wet	-1%	6%	-2%	9%	10%	44%	0%	-5%	0%	0%	0%	1%
	Above Normal	0%	3%	1%	0%	-7%	-1%	-3%	-1%	-6%	-1%	0%	8%
	Below Normal	0%	14%	-1%	-4%	-3%	11%	-1%	0%	-5%	0%	0%	1%
	Dry	-1%	1%	-1%	-3%	-3%	1%	-1%	0%	0%	0%	0%	-1%
	Critical	0%	0%	-1%	-3%	-1%	0%	0%	0%	18%	-2%	-3%	8%

Energy Use (GWh) At Pumping Plant at Contra Costa: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.61	3.55	0.37	0.26	0.72	0.00	3.60	4.10	2.90	5.33	5.44	4.88	35.76
1923	Below Normal	3.43	1.74	1.50	1.30	1.12	0.00	2.66	3.06	2.91	3.77	3.58	2.47	27.54
1924	Critical	1.67	1.34	0.72	0.31	0.92	0.00	2.28	2.88	1.47	2.29	1.30	1.42	16.60
1925	Dry	1.00	0.61	0.53	0.91	1.85	1.48	4.07	4.67	3.00	5.49	2.82	1.65	28.08
1926	Dry	1.04	1.11	0.88	1.76	1.54	1.48	2.11	2.64	3.00	4.97	2.29	2.95	25.77
1927	Wet	2.60	2.03	1.84	3.81	1.58	1.15	3.45	4.11	2.68	5.29	5.42	1.73	35.69
1928	Above Normal	4.53	3.59	3.23	0.94	1.24	0.00	3.60	2.07	2.90	5.33	5.44	3.63	36.50
1929	Critical	3.21	1.75	1.63	0.50	0.84	0.00	2.28	2.88	3.20	5.48	3.22	1.70	26.69
1930	Dry	0.90	0.56	0.47	1.82	1.89	0.00	4.07	4.67	3.00	5.49	2.95	1.88	27.70
1931	Critical	0.88	0.71	0.52	0.32	0.75	0.00	2.28	2.88	2.34	2.22	1.39	2.96	17.25
1932	Dry	2.58	2.06	1.95	1.89	1.89	1.38	2.11	2.64	3.00	5.49	5.39	1.99	32.37
1933	Critical	0.68	1.51	1.83	1.74	1.58	1.83	2.28	2.88	3.20	5.48	3.70	1.60	28.31
1934	Critical	2.18	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	5.48	4.14	1.34	31.12
1935	Below Normal	2.00	2.06	1.93	1.86	1.89	1.28	3.77	4.31	2.91	5.38	4.65	2.02	34.06
1936	Below Normal	1.15	1.85	1.69	1.43	1.24	1.15	3.77	4.31	2.91	5.38	4.66	2.47	32.01
1937	Below Normal	1.05	0.88	0.49	0.17	0.33	0.75	3.77	4.31	2.91	5.38	5.41	2.84	28.29
1938	Wet	1.33	0.69	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	4.98	2.99	33.96
1939	Dry	2.57	1.66	1.20	0.55	0.71	0.00	1.02	2.36	3.00	4.23	1.80	1.28	20.38
1940	Above Normal	1.17	1.06	0.74	0.36	1.09	0.00	3.60	4.10	2.90	5.33	5.44	3.55	29.34
1941	Wet	4.61	3.73	3.43	1.07	0.23	0.00	3.12	2.24	2.68	3.68	3.59	2.96	31.34
1942	Wet	2.61	1.63	1.04	0.77	1.10	0.00	2.72	2.24	2.68	3.68	3.59	3.00	25.06
1943	Wet	2.58	1.60	1.17	0.87	1.18	0.00	2.75	2.26	2.68	3.68	3.59	2.84	25.20
1944	Dry	2.75	1.65	1.19	0.62	1.18	0.00	4.07	2.90	3.00	3.88	2.69	1.40	25.33
1945	Below Normal	0.94	1.03	0.38	0.43	1.23	0.00	3.77	4.31	2.91	5.38	4.43	2.36	27.17
1946	Below Normal	1.35	1.04	0.69	3.48	1.24	0.00	3.77	4.31	2.91	5.38	3.67	1.50	29.34
1947	Dry	1.22	1.12	0.40	0.24	0.85	0.00	2.11	2.64	3.00	5.32	1.55	1.12	19.57
1948	Below Normal	0.75	0.78	0.35	0.24	0.37	1.28	2.79	2.28	2.91	5.38	4.44	2.88	24.45
1949	Dry	2.57	1.85	1.69	1.45	1.24	0.00	0.80	2.07	3.00	5.49	1.89	2.82	24.87
1950	Below Normal	2.60	2.03	1.84	1.78	1.58	1.28	3.77	2.28	2.91	5.38	4.30	2.88	32.63
1951	Above Normal	2.57	1.85	3.72	3.48	1.24	0.00	3.60	4.10	2.90	5.33	5.44	3.39	37.62
1952	Wet	4.61	3.73	1.97	1.16	0.32	0.00	3.45	2.36	2.68	3.68	3.59	3.00	30.55
1953	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	1.55	24.18
1954	Above Normal	4.04	1.63	1.22	1.05	1.18	0.00	2.99	2.07	2.90	3.88	3.61	3.07	27.64
1955	Dry	2.68	1.76	1.61	1.27	1.12	0.00	2.11	2.64	3.00	5.38	1.74	1.31	24.62
1956	Wet	0.99	0.95	0.45	0.88	1.65	0.00	3.45	4.11	2.68	5.29	5.42	3.19	29.06
1957	Above Normal	4.53	1.96	1.22	0.59	1.04	0.00	3.57	2.19	2.90	3.72	3.61	3.06	28.39
1958	Wet	2.64	1.13	2.30	1.23	0.79	0.00	2.02	2.24	2.68	3.68	3.59	2.99	25.29
1959	Below Normal	2.59	1.67	1.20	0.48	1.18	0.00	1.81	2.28	2.91	5.38	4.13	1.67	25.30
1960	Dry	1.18	0.85	0.61	0.27	0.62	0.00	2.11	4.67	3.00	4.79	1.46	0.95	20.51
1961	Dry	0.70	0.74	0.20	0.26	1.58	0.00	4.07	2.71	3.00	4.84	1.38	1.15	20.63
1962	Below Normal	2.01	2.03	1.84	1.78	1.39	1.28	3.77	2.28	2.91	5.38	3.84	2.88	31.39
1963	Wet	2.57	3.81	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	5.42	2.37	38.14
1964	Dry	4.53	3.18	1.22	0.68	1.24	0.00	2.11	2.64	3.00	4.96	1.49	1.15	26.20
1965	Wet	0.77	0.51	0.52	3.81	1.58	0.00	3.45	4.11	2.68	5.29	5.42	3.11	31.25
1966	Below Normal	3.97	1.58	1.13	1.12	1.18	0.00	3.30	2.28	2.91	3.93	3.58	1.30	26.28
1967	Wet	0.74	0.50	0.28	1.45	1.24	0.00	3.45	4.11	2.68	5.29	5.06	3.00	27.80
1968	Below Normal	2.59	1.63	1.20	0.59	1.24	0.00	1.81	2.28	2.91	5.38	3.94	1.89	25.46
1969	Wet	1.03	0.89	0.36	0.66	0.86	0.00	3.45	4.11	2.68	5.29	4.89	2.99	27.21
1970	Wet	2.57	1.65	1.13	0.90	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.22	24.68
1971	Wet	3.36	1.54	1.06	1.13	1.18	0.00	2.83	2.23	2.68	3.68	3.59	1.80	25.08
1972	Below Normal	3.79	1.65	1.14	1.13	1.21	0.00	1.81	2.28	2.91	5.38	3.60	1.34	26.24
1973	Above Normal	1.02	0.57	0.97	1.45	1.24	0.00	3.60	4.10	2.90	5.33	4.04	3.06	28.28
1974	Wet	2.63	1.68	1.57	1.30	1.12	0.00	2.77	2.26	2.68	3.66	3.59	3.00	26.26
1975	Wet	2.57	1.66	1.17	0.59	1.18	0.00	3.19	2.26	2.68	3.68	3.58	2.97	25.53
1976	Critical	2.57	1.66	1.22	0.72	0.53	0.00	2.28	2.88	1.86	1.62	0.88	1.03	17.25
1977	Critical	0.68	0.83	0.49	0.33	0.46	1.83	2.28	2.88	3.20	3.45	3.35	2.96	22.74
1978	Above Normal	2.58	2.06	1.95	1.89	1.89	1.16	3.60	4.10	2.90	5.33	5.44	4.00	36.90
1979	Below Normal	4.61	3.73	3.70	0.44	1.12	0.00	3.77	4.31	2.91	5.38	3.59	1.84	35.40
1980	Above Normal	1.29	0.91	0.35	0.75	1.31	0.00	3.60	4.10	2.90	5.33	5.44	3.26	29.24
1981	Dry	2.68	1.81	1.65	0.47	1.12	0.00	2.11	2.64	3.00	5.11	2.06	1.41	24.06
1982	Wet	1.25	0.95	3.87	1.78	1.58	0.00	3.45	4.11	2.68	5.25	3.59	2.96	31.47
1983	Wet	2.50	1.58	1.04	0.73	0.83	0.00	2.11	2.25	2.68	3.68	3.59	2.98	23.97
1984	Wet	2.59	1.54	1.10	1.15	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.98	25.57
1985	Dry	2.57	1.55	1.19	1.13	1.18	0.00	2.11	2.64	3.00	4.93	2.04	1.48	23.82
1986	Wet	1.37	1.16	0.45	0.49	0.86	0.00	3.45	4.11	2.68	5.29	5.42	4.81	30.09
1987	Dry	3.73	1.67	1.20	0.59	1.18	0.00	2.11	2.64	3.00	5.17	2.29	2.07	25.65
1988	Critical	1.33	0.82	0.57	1.67	1.58	0.00	2.28	2.88	3.20	5.38	1.72	1.37	22.80
1989	Dry	0.96	0.70	0.51	0.36	0.77	0.59	2.11	4.67	3.00	4.05	1.25	2.95	21.92
1990	Critical	2.60	2.03	1.84	1.78	1.58	1.83	2.28	2.88	3.20	3.45	3.35	2.96	29.78
1991	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	3.45	3.35	2.96	30.32
1992	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	3.01	3.20	5.48	2.87	2.92	31.96
1993	Above Normal	2.58	2.06	1.95	1.74	1.89	1.16	1.64	2.07	2.90	5.33	5.44	4.11	32.87
1994	Critical	4.61	3.73	3.70	0.33	0.86	0.00	2.28	2.88	3.20	2.16	0.83	1.10	25.68
1995	Wet	1.11	2.04	1.93	1.37	1.89	1.15	3.45	4.11	2.68	5.29	5.42	4.81	35.25
1996	Wet	4.53	3.59	3.23	0.35	0.00	0.00	3.45	4.11	2.68	5.29	4.43	2.38	34.04
1997	Wet	3.19	1.59	0.99	0.96	1.18	0.00	2.87	2.25	2.68	3.68	3.58	2.53	25.50
1998	Wet	3.04	1.57	1.18	0.57	0.43	0.00	3.30	2.19	2.68	3.68	3.59	2.99	25.22
1999	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	2.51	25.14
2000	Above Normal	3.07	1.63	1.24	0.57	0.91	0.00	3.60	2.33	2.90	3.72	3.61	3.07	26.65
2001	Dry	2.58	1.86	1.69	0.52	1.12	0.00	2.11	2.64	3.00	5.48	2.37	2.50	25.87
2002	Dry	1.55	1.13	0.63	1.78	1.58	0.00	2.11	2.09	3.00	3.49	1.62	1.78	20.76
2003	Above Normal	1.04	0.68	1.08	3.81	1.84	0.00	3.60	2.07	2.90	5.33	5.44	3.39	31.18
	Average	2.34	1.67	1.41	1.21	1.19	0.34	2.88	3.06	2.85	4.63	3.59	2.48	27.65
	Wet	2.42	1.73	1.60	1.39	1.08	0.09	3.09	3.04	2.68	4.36	4.20	2.87	28.56
	Above Normal	2.75	1.80	1.50	1.41	1.30	0.19	3.38	3.12	2.90	4.94	4.87	3.54	31.70
	Below Normal	2.35	1.69	1.36	1.16	1.17	0.50	3.17	3.21	2.91	5.16	4.13	2.17	28.97
	Dry	2.10	1.44	1.05	0.92	1.26	0.27	2.41	3.03	3.00	4.92	2.17	1.77	24.34
	Critical	2.13	1.71	1.53	1.11	1.23	0.92	2.28	2.89	2.87	3.83	2.51	2.03	25.04

Energy Use (GWh) At Pumping Plant at Contra Costa: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.61	3.55	0.37	0.26	0.72	0.00	3.60	4.10	2.90	5.33	5.44	4.88	35.76
1923	Below Normal	3.43	1.74	1.50	1.30	1.12	0.00	2.66	3.06	2.91	3.77	3.58	2.47	27.54
1924	Critical	1.67	1.34	0.72	0.31	0.92	0.00	2.28	2.88	1.47	2.29	1.30	1.42	16.60
1925	Dry	1.00	0.61	0.53	0.91	1.85	1.48	4.07	4.67	3.00	5.49	2.82	1.65	28.08
1926	Dry	1.04	1.11	0.88	1.76	1.54	1.48	2.11	2.64	3.00	4.97	2.29	2.95	25.77
1927	Wet	2.60	2.03	1.84	3.81	1.58	1.15	3.45	4.11	2.68	5.29	5.42	1.73	35.69
1928	Above Normal	4.53	3.59	3.23	0.94	1.24	0.00	3.60	2.07	2.90	5.33	5.44	3.63	36.50
1929	Critical	3.21	1.75	1.63	0.50	0.84	0.00	2.28	2.88	3.20	5.48	3.22	1.70	26.69
1930	Dry	0.90	0.56	0.47	1.82	1.89	0.00	4.07	4.67	3.00	5.49	2.95	1.88	27.70
1931	Critical	0.88	0.71	0.52	0.32	0.75	0.00	2.28	2.88	2.34	2.22	1.39	2.96	17.25
1932	Dry	2.58	2.06	1.95	1.89	1.89	1.38	2.11	2.64	3.00	5.49	5.39	1.99	32.37
1933	Critical	0.68	1.51	1.83	1.74	1.58	1.83	2.28	2.88	3.20	5.48	3.70	1.60	28.31
1934	Critical	2.18	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	5.48	4.14	1.34	31.12
1935	Below Normal	2.00	2.06	1.93	1.86	1.89	1.28	3.77	4.31	2.91	5.38	4.65	2.02	34.06
1936	Below Normal	1.15	1.85	1.69	1.43	1.24	1.15	3.77	4.31	2.91	5.38	4.66	2.47	32.01
1937	Below Normal	1.05	0.88	0.49	0.17	0.33	0.75	3.77	4.31	2.91	5.38	5.41	2.84	28.29
1938	Wet	1.33	0.69	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	4.98	2.99	33.96
1939	Dry	2.57	1.66	1.20	0.55	0.71	0.00	1.02	2.36	3.00	4.23	1.80	1.28	20.38
1940	Above Normal	1.17	1.06	0.74	0.36	1.09	0.00	3.60	4.10	2.90	5.33	5.44	3.55	29.34
1941	Wet	4.61	3.73	3.43	1.07	0.23	0.00	3.12	2.24	2.68	3.68	3.59	2.96	31.34
1942	Wet	2.61	1.63	1.04	0.77	1.10	0.00	2.72	2.24	2.68	3.68	3.59	3.00	25.06
1943	Wet	2.58	1.60	1.17	0.87	1.18	0.00	2.75	2.26	2.68	3.68	3.59	2.84	25.20
1944	Dry	2.75	1.65	1.19	0.62	1.18	0.00	4.07	2.90	3.00	3.88	2.69	1.40	25.33
1945	Below Normal	0.94	1.03	0.38	0.43	1.23	0.00	3.77	4.31	2.91	5.38	4.43	2.36	27.17
1946	Below Normal	1.35	1.04	0.69	3.48	1.24	0.00	3.77	4.31	2.91	5.38	3.67	1.50	29.34
1947	Dry	1.22	1.12	0.40	0.24	0.85	0.00	2.11	2.64	3.00	5.32	1.55	1.12	19.57
1948	Below Normal	0.75	0.78	0.35	0.24	0.37	1.28	2.79	2.28	2.91	5.38	4.44	2.88	24.45
1949	Dry	2.57	1.85	1.69	1.45	1.24	0.00	0.80	2.07	3.00	5.49	1.89	2.82	24.87
1950	Below Normal	2.60	2.03	1.84	1.78	1.58	1.28	3.77	2.28	2.91	5.38	4.30	2.88	32.63
1951	Above Normal	2.57	1.85	3.72	3.48	1.24	0.00	3.60	4.10	2.90	5.33	5.44	3.39	37.62
1952	Wet	4.61	3.73	1.97	1.16	0.32	0.00	3.45	2.36	2.68	3.68	3.59	3.00	30.55
1953	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	1.55	24.18
1954	Above Normal	4.04	1.63	1.22	1.05	1.18	0.00	2.99	2.07	2.90	3.88	3.61	3.07	27.64
1955	Dry	2.68	1.76	1.61	1.27	1.12	0.00	2.11	2.64	3.00	5.38	1.74	1.31	24.62
1956	Wet	0.99	0.95	0.45	0.88	1.65	0.00	3.45	4.11	2.68	5.29	5.42	3.19	29.06
1957	Above Normal	4.53	1.96	1.22	0.59	1.04	0.00	3.57	2.19	2.90	3.72	3.61	3.06	28.39
1958	Wet	2.64	1.13	2.30	1.23	0.79	0.00	2.02	2.24	2.68	3.68	3.59	2.99	25.29
1959	Below Normal	2.59	1.67	1.20	0.48	1.18	0.00	1.81	2.28	2.91	5.38	4.13	1.67	25.30
1960	Dry	1.18	0.85	0.61	0.27	0.62	0.00	2.11	4.67	3.00	4.79	1.46	0.95	20.51
1961	Dry	0.70	0.74	0.20	0.26	1.58	0.00	4.07	2.71	3.00	4.84	1.38	1.15	20.63
1962	Below Normal	2.01	2.03	1.84	1.78	1.39	1.28	3.77	2.28	2.91	5.38	3.84	2.88	31.39
1963	Wet	2.57	3.81	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	5.42	2.37	38.14
1964	Dry	4.53	3.18	1.22	0.68	1.24	0.00	2.11	2.64	3.00	4.96	1.49	1.15	26.20
1965	Wet	0.77	0.51	0.52	3.81	1.58	0.00	3.45	4.11	2.68	5.29	5.42	3.11	31.25
1966	Below Normal	3.97	1.58	1.13	1.12	1.18	0.00	3.30	2.28	2.91	3.93	3.58	1.30	26.28
1967	Wet	0.74	0.50	0.28	1.45	1.24	0.00	3.45	4.11	2.68	5.29	5.06	3.00	27.80
1968	Below Normal	2.59	1.63	1.20	0.59	1.24	0.00	1.81	2.28	2.91	5.38	3.94	1.89	25.46
1969	Wet	1.03	0.89	0.36	0.66	0.86	0.00	3.45	4.11	2.68	5.29	4.89	2.99	27.21
1970	Wet	2.57	1.65	1.13	0.90	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.22	24.68
1971	Wet	3.36	1.54	1.06	1.13	1.18	0.00	2.83	2.23	2.68	3.68	3.59	1.80	25.08
1972	Below Normal	3.79	1.65	1.14	1.13	1.21	0.00	1.81	2.28	2.91	5.38	3.60	1.34	26.24
1973	Above Normal	1.02	0.57	0.97	1.45	1.24	0.00	3.60	4.10	2.90	5.33	4.04	3.06	28.28
1974	Wet	2.63	1.68	1.57	1.30	1.12	0.00	2.77	2.26	2.68	3.66	3.59	3.00	26.26
1975	Wet	2.57	1.66	1.17	0.59	1.18	0.00	3.19	2.26	2.68	3.68	3.58	2.97	25.53
1976	Critical	2.57	1.66	1.22	0.72	0.53	0.00	2.28	2.88	1.86	1.62	0.88	1.03	17.25
1977	Critical	0.68	0.83	0.49	0.33	0.46	1.83	2.28	2.88	3.20	3.45	3.35	2.96	22.74
1978	Above Normal	2.58	2.06	1.95	1.89	1.89	1.16	3.60	4.10	2.90	5.33	5.44	4.00	36.90
1979	Below Normal	4.61	3.73	3.70	0.41	0.00	0.00	3.77	4.31	2.91	5.38	3.59	1.84	34.25
1980	Above Normal	1.29	0.91	0.35	0.75	1.31	0.00	3.60	4.10	2.90	5.33	5.44	4.35	30.33
1981	Dry	2.68	1.81	1.65	0.46	1.12	0.00	2.11	2.64	3.00	5.11	2.05	1.40	24.03
1982	Wet	1.25	0.94	3.87	1.78	1.58	0.00	3.45	4.11	2.68	5.28	3.59	2.96	31.49
1983	Wet	2.50	1.58	1.04	0.73	0.83	0.00	2.11	2.25	2.68	3.68	3.59	2.98	23.97
1984	Wet	2.59	1.54	1.10	1.15	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.98	25.57
1985	Dry	2.57	1.55	1.19	1.13	1.18	0.00	2.11	2.64	3.00	4.93	2.04	1.48	23.82
1986	Wet	1.36	1.15	0.45	0.49	0.86	0.00	3.45	4.11	2.68	5.29	5.42	4.81	30.07
1987	Dry	3.75	1.67	1.20	0.59	1.18	0.00	2.11	2.64	3.00	5.17	2.29	2.07	25.67
1988	Critical	1.32	0.81	0.57	1.67	1.58	0.00	2.28	2.88	3.20	5.38	1.71	1.37	22.77
1989	Dry	0.96	0.70	0.51	0.36	0.77	0.61	2.11	4.67	3.00	4.05	1.25	2.95	21.94
1990	Critical	2.60	2.03	1.84	1.78	1.58	1.83	2.28	2.88	3.20	3.45	3.35	2.96	29.78
1991	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	3.45	3.35	2.96	30.32
1992	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	3.01	3.20	5.48	2.87	2.92	31.96
1993	Above Normal	2.58	2.06	1.95	1.74	1.89	1.16	1.64	2.07	2.90	5.33	5.44	4.11	32.87
1994	Critical	4.61	3.73	3.70	0.33	0.85	0.00	2.28	2.88	3.20	2.16	0.83	1.10	25.67
1995	Wet	1.12	2.04	1.93	1.37	1.89	1.15	3.45	4.11	2.68	5.29	5.42	4.81	35.26
1996	Wet	4.53	3.59	3.23	0.35	0.00	0.00	3.45	4.11	2.68	5.29	4.43	2.38	34.04
1997	Wet	3.19	1.59	0.99	0.96	1.18	0.00	2.87	2.25	2.68	3.68	3.58	2.53	25.50
1998	Wet	3.04	1.57	1.18	0.57	0.43	0.00	3.30	2.19	2.68	3.68	3.59	2.99	25.22
1999	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	2.51	25.14
2000	Above Normal	3.07	1.63	1.24	0.57	0.91	0.00	3.60	2.33	2.90	3.72	3.61	3.07	26.65
2001	Dry	2.58	1.86	1.69	0.52	1.12	0.00	2.11	2.64	3.00	5.48	2.37	2.50	25.87
2002	Dry	1.55	1.13	0.63	1.78	1.58	0.00	2.11	2.09	3.00	3.49	1.62	1.78	20.76
2003	Above Normal	1.04	0.68	1.08	3.81	1.84	0.00	3.60	2.07	2.90	5.33	5.44	3.39	31.18
	Average	2.34	1.67	1.41	1.21	1.17	0.34	2.88	3.06	2.85	4.63	3.59	2.50	27.65
	Wet	2.42	1.73	1.60	1.39	1.08	0.09	3.09	3.04	2.68	4.36	4.20	2.87	28.56
	Above Normal	2.75	1.80	1.50	1.41	1.30	0.19	3.38	3.12	2.90	4.94	4.87	3.63	31.79
	Below Normal	2.35	1.69	1.36	1.16	1.09	0.50	3.17	3.21	2.91	5.16	4.13	2.17	28.89
	Dry	2.10	1.44	1.05	0.92	1.26	0.28	2.41	3.03	3.00	4.92	2.17	1.77	24.34
	Critical	2.13	1.71	1.53	1.11	1.23	0.92	2.28	2.89	2.87	3.83	2.51	2.03	25.04

Difference in Energy Use (GWh) At Pumping Plant at Contra Costa: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	(0.03)	(1.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.09	0.09
1981	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1982	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	(0.00)	0.00	(0.00)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.01	(0.00)
	Wet	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.01
	Below Normal	0.00	0.00	0.00	(0.00)	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
	Dry	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.00
	Critical	(0.00)	(0.00)	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Contra Costa: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	-7%	-100%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%
1981	Dry	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	-1%
1982	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1989	Dry	0%	0%	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
	Below Normal	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Corning: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.18	0.00	0.00	0.00	0.00	0.04	1.02	1.11	1.25	1.33	0.96	0.54	6.43
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.13	0.38	0.76	0.63	0.86	0.65	0.11	3.52
1924	Critical	0.09	0.01	0.00	0.00	0.00	0.02	0.09	0.09	0.10	0.10	0.07	0.04	0.61
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.60	0.72	0.97	0.71	0.30	3.47
1926	Dry	0.11	0.00	0.00	0.00	0.00	0.02	0.05	0.19	0.25	0.27	0.19	0.11	1.19
1927	Wet	0.03	0.00	0.00	0.00	0.00	0.04	0.75	1.13	1.22	1.43	1.07	0.57	6.24
1928	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.26	0.65	0.67	0.73	0.54	0.29	3.18
1929	Critical	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.18	0.24	0.26	0.19	0.09	1.06
1931	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.09	0.10	0.12	0.09	0.04	0.58
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.02	0.14	0.14	0.20	0.21	0.16	0.08	0.96
1933	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.05	0.06	0.04	0.02	0.30
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.11	0.12	0.13	0.10	0.05	0.59
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.38	0.40	0.30	0.15	1.52
1936	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	0.47	0.42	0.60	0.45	0.21	2.35
1937	Below Normal	0.09	0.02	0.00	0.00	0.00	0.00	0.16	0.45	0.39	0.51	0.38	0.20	2.20
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.43	1.25	1.41	1.50	1.12	0.47	6.18
1939	Dry	0.04	0.00	0.00	0.00	0.02	0.10	0.31	0.27	0.36	0.38	0.28	0.09	1.85
1940	Above Normal	0.03	0.01	0.00	0.00	0.00	0.00	0.56	0.94	1.29	1.41	1.06	0.53	5.83
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.89	1.51	1.63	1.22	0.66	6.17
1942	Wet	0.07	0.00	0.00	0.00	0.00	0.00	0.24	0.93	1.45	1.61	1.21	0.63	6.14
1943	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.27	0.95	1.08	1.16	0.88	0.48	5.01
1944	Dry	0.14	0.00	0.00	0.00	0.00	0.01	0.14	0.24	0.27	0.31	0.24	0.13	1.48
1945	Below Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.43	0.61	0.82	0.98	0.73	0.39	4.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.80	0.99	1.05	1.09	0.84	0.45	5.25
1947	Dry	0.16	0.00	0.00	0.00	0.00	0.00	0.26	0.48	0.51	0.61	0.46	0.25	2.73
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.73	1.16	1.54	1.16	0.50	5.13
1949	Dry	0.16	0.02	0.00	0.00	0.00	0.00	0.46	0.73	0.92	0.97	0.73	0.39	4.38
1950	Below Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.26	0.35	0.37	0.41	0.30	0.15	1.99
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.07	0.91	0.88	1.21	1.30	0.97	0.51	5.85
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.53	1.24	1.12	1.44	1.11	0.60	6.08
1953	Wet	0.22	0.00	0.00	0.00	0.00	0.11	0.48	1.05	1.21	1.49	1.05	0.60	6.21
1954	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.40	1.28	1.25	1.54	0.87	0.60	6.09
1955	Dry	0.18	0.00	0.00	0.00	0.00	0.06	0.26	0.40	0.40	0.44	0.33	0.14	2.21
1956	Wet	0.06	0.00	0.00	0.00	0.00	0.15	0.92	0.66	1.23	1.46	1.10	0.53	6.11
1957	Above Normal	0.17	0.04	0.00	0.00	0.00	0.00	0.54	0.74	1.05	1.12	0.84	0.11	4.61
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.88	1.33	1.55	1.26	0.66	6.00
1959	Below Normal	0.22	0.03	0.00	0.00	0.00	0.04	0.65	0.76	0.81	0.87	0.64	0.20	4.22
1960	Dry	0.14	0.03	0.00	0.00	0.00	0.00	0.14	0.35	0.43	0.46	0.34	0.18	2.07
1961	Dry	0.05	0.00	0.00	0.00	0.00	0.00	0.32	0.62	0.68	0.77	0.58	0.21	3.23
1962	Below Normal	0.11	0.00	0.00	0.00	0.00	0.00	0.52	0.93	0.96	1.16	0.85	0.43	4.96
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.18	1.00	1.51	1.65	1.24	0.66	6.24
1964	Dry	0.02	0.00	0.00	0.00	0.00	0.04	0.42	0.42	0.40	0.49	0.34	0.14	2.27
1965	Wet	0.03	0.00	0.00	0.00	0.00	0.02	0.15	1.01	1.12	1.19	0.64	0.48	4.64
1966	Below Normal	0.19	0.00	0.00	0.00	0.00	0.03	0.79	1.01	1.05	1.11	0.82	0.45	5.45
1967	Wet	0.18	0.00	0.00	0.00	0.00	0.02	0.43	1.23	1.13	1.50	1.12	0.60	6.21
1968	Below Normal	0.22	0.00	0.00	0.00	0.00	0.01	0.59	0.81	0.83	0.95	0.47	0.38	4.26
1969	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.67	1.27	1.23	1.37	1.04	0.56	6.20
1970	Wet	0.08	0.02	0.00	0.00	0.00	0.00	0.51	0.85	0.70	0.94	0.71	0.38	4.19
1971	Wet	0.07	0.00	0.00	0.00	0.00	0.03	0.88	0.91	1.02	1.21	0.91	0.44	5.47
1972	Below Normal	0.17	0.00	0.00	0.00	0.00	0.17	0.54	0.53	0.63	0.69	0.51	0.18	3.42
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.18	1.27	1.37	1.02	0.53	6.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.48	1.31	1.39	1.26	1.14	0.61	6.19
1975	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.50	1.32	1.38	1.38	1.04	0.61	6.27
1976	Critical	0.00	0.00	0.00	0.00	0.02	0.03	0.06	0.09	0.09	0.10	0.06	0.03	0.48
1977	Critical	0.02	0.00	0.00	0.00	0.00	0.03	0.08	0.04	0.09	0.10	0.07	0.03	0.46
1978	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	1.16	1.44	1.55	1.16	0.51	6.02
1979	Below Normal	0.25	0.00	0.00	0.00	0.00	0.00	0.25	0.64	0.74	0.78	0.51	0.26	3.43
1980	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.50	0.88	0.89	1.23	0.93	0.48	4.92
1981	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.31	0.70	1.05	1.13	0.85	0.34	4.54
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1.42	1.18	1.57	1.21	0.35	6.24
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.25	1.14	1.42	1.66	1.10	0.48	6.05
1984	Wet	0.19	0.00	0.00	0.00	0.00	0.02	0.78	1.13	1.14	1.25	0.83	0.49	5.83
1985	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.58	0.92	0.96	0.99	0.75	0.25	4.49
1986	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.29	0.62	0.93	1.00	0.75	0.13	3.78
1987	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.14	0.26	0.28	0.30	0.22	0.12	1.48
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.41	0.44	0.52	0.39	0.01	1.94
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.16	0.19	0.21	0.16	0.08	0.88
1992	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.11	0.28	0.24	0.33	0.24	0.13	1.36
1993	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.53	0.76	1.10	1.60	1.15	0.65	5.80
1994	Critical	0.09	0.00	0.00	0.00	0.00	0.04	0.53	0.52	0.82	0.88	0.66	0.35	3.89
1995	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.41	0.86	1.30	1.57	1.18	0.63	6.06
1996	Wet	0.25	0.05	0.00	0.00	0.00	0.00	0.62	0.81	1.46	1.60	1.20	0.51	6.50
1997	Wet	0.05	0.00	0.00	0.00	0.00	0.03	0.83	0.90	0.84	1.10	0.72	0.38	4.85
1998	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.41	0.10	1.29	1.83	1.36	0.72	5.79
1999	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.53	1.28	1.19	1.44	1.02	0.58	6.19
2000	Above Normal	0.21	0.00	0.00	0.00	0.00	0.00	0.39	1.08	1.40	1.55	1.24	0.60	6.47
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.43	0.42	0.50	0.37	0.17	2.04
2002	Dry	0.04	0.00	0.00	0.00	0.00	0.03	0.77	0.78	0.96	1.02	0.76	0.41	4.77
2003	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.25	0.89	1.60	1.70	1.12	0.69	6.41
	Average	0.08	0.00	0.00	0.00	0.00	0.02	0.37	0.69	0.83	0.95	0.70	0.34	3.97
	Wet	0.08	0.00	0.00	0.00	0.00	0.02	0.49	1.01	1.22	1.42	1.05	0.53	5.80
	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.52	0.96	1.20	1.37	0.99	0.50	5.63
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.03	0.40	0.67	0.73	0.85	0.62	0.29	3.69
	Dry	0.08	0.01	0.00	0.00	0.00	0.02	0.27	0.45	0.53	0.59	0.44	0.19	2.56
	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.12	0.15	0.17	0.12	0.06	0.77

Energy Use (GWh) At Pumping Plant at Corning: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.18	0.00	0.00	0.00	0.00	0.04	1.02	1.11	1.25	1.33	0.96	0.54	6.43
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.13	0.38	0.75	0.63	0.86	0.64	0.11	3.50
1924	Critical	0.09	0.01	0.00	0.00	0.00	0.02	0.09	0.09	0.10	0.10	0.07	0.04	0.61
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.60	0.72	0.97	0.71	0.30	3.47
1926	Dry	0.11	0.00	0.00	0.00	0.00	0.02	0.05	0.19	0.25	0.27	0.19	0.11	1.19
1927	Wet	0.03	0.00	0.00	0.00	0.00	0.04	0.75	1.13	1.22	1.43	1.07	0.57	6.24
1928	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.26	0.65	0.67	0.73	0.54	0.29	3.18
1929	Critical	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.18	0.24	0.26	0.19	0.09	1.06
1931	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.09	0.10	0.12	0.09	0.04	0.58
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.02	0.14	0.14	0.20	0.21	0.16	0.08	0.96
1933	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.05	0.06	0.04	0.02	0.30
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.11	0.12	0.13	0.10	0.05	0.59
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.38	0.40	0.30	0.15	1.52
1936	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	0.47	0.42	0.60	0.45	0.21	2.35
1937	Below Normal	0.09	0.02	0.00	0.00	0.00	0.00	0.16	0.45	0.39	0.50	0.38	0.20	2.19
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.43	1.25	1.41	1.50	1.12	0.47	6.18
1939	Dry	0.04	0.00	0.00	0.00	0.02	0.09	0.25	0.22	0.29	0.31	0.23	0.07	1.52
1940	Above Normal	0.03	0.00	0.00	0.00	0.00	0.00	0.57	0.95	1.31	1.44	1.08	0.54	5.92
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.89	1.51	1.63	1.22	0.66	6.17
1942	Wet	0.07	0.00	0.00	0.00	0.00	0.00	0.24	0.93	1.45	1.61	1.21	0.63	6.14
1943	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.27	0.94	1.07	1.15	0.88	0.47	4.97
1944	Dry	0.14	0.00	0.00	0.00	0.00	0.01	0.14	0.25	0.27	0.32	0.24	0.13	1.50
1945	Below Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.43	0.60	0.82	0.97	0.73	0.39	3.98
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.80	1.00	1.05	1.09	0.84	0.45	5.26
1947	Dry	0.16	0.00	0.00	0.00	0.00	0.00	0.26	0.49	0.51	0.62	0.46	0.25	2.75
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.73	1.15	1.54	1.16	0.50	5.12
1949	Dry	0.16	0.02	0.00	0.00	0.00	0.00	0.46	0.73	0.92	0.97	0.73	0.39	4.38
1950	Below Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.26	0.35	0.37	0.41	0.30	0.15	1.99
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.07	0.91	0.88	1.21	1.30	0.97	0.51	5.85
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.53	1.24	1.12	1.44	1.11	0.60	6.08
1953	Wet	0.22	0.00	0.00	0.00	0.00	0.11	0.47	1.05	1.21	1.49	1.05	0.60	6.20
1954	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.40	1.28	1.25	1.54	0.87	0.60	6.09
1955	Dry	0.18	0.00	0.00	0.00	0.00	0.06	0.25	0.40	0.40	0.44	0.33	0.14	2.20
1956	Wet	0.06	0.00	0.00	0.00	0.00	0.15	0.92	0.66	1.23	1.46	1.10	0.53	6.11
1957	Above Normal	0.17	0.04	0.00	0.00	0.00	0.00	0.54	0.74	1.05	1.12	0.84	0.11	4.61
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.88	1.33	1.55	1.26	0.66	6.00
1959	Below Normal	0.22	0.03	0.00	0.00	0.00	0.04	0.65	0.77	0.81	0.88	0.64	0.20	4.24
1960	Dry	0.14	0.03	0.00	0.00	0.00	0.00	0.13	0.35	0.43	0.46	0.34	0.18	2.06
1961	Dry	0.05	0.00	0.00	0.00	0.00	0.00	0.32	0.62	0.68	0.77	0.57	0.21	3.22
1962	Below Normal	0.11	0.00	0.00	0.00	0.00	0.00	0.52	0.93	0.96	1.16	0.85	0.43	4.96
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.18	1.00	1.51	1.65	1.24	0.66	6.24
1964	Dry	0.02	0.00	0.00	0.00	0.00	0.04	0.42	0.42	0.40	0.49	0.34	0.14	2.27
1965	Wet	0.03	0.00	0.00	0.00	0.00	0.02	0.14	0.99	1.10	1.17	0.63	0.47	4.55
1966	Below Normal	0.18	0.00	0.00	0.00	0.00	0.03	0.80	1.01	1.05	1.12	0.82	0.45	5.46
1967	Wet	0.18	0.00	0.00	0.00	0.00	0.02	0.43	1.23	1.13	1.50	1.12	0.60	6.21
1968	Below Normal	0.22	0.00	0.00	0.00	0.00	0.01	0.59	0.81	0.83	0.95	0.47	0.38	4.26
1969	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.67	1.27	1.23	1.37	1.04	0.56	6.20
1970	Wet	0.08	0.02	0.00	0.00	0.00	0.00	0.51	0.85	0.70	0.94	0.71	0.38	4.19
1971	Wet	0.07	0.00	0.00	0.00	0.00	0.03	0.88	0.91	1.02	1.21	0.91	0.44	5.47
1972	Below Normal	0.17	0.00	0.00	0.00	0.00	0.17	0.54	0.53	0.63	0.69	0.51	0.18	3.42
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.18	1.27	1.37	1.02	0.53	6.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.48	1.31	1.39	1.26	1.14	0.61	6.19
1975	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.50	1.32	1.38	1.38	1.04	0.61	6.27
1976	Critical	0.00	0.00	0.00	0.00	0.02	0.03	0.06	0.09	0.09	0.10	0.06	0.03	0.48
1977	Critical	0.02	0.00	0.00	0.00	0.00	0.03	0.08	0.04	0.09	0.10	0.07	0.03	0.46
1978	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	1.16	1.44	1.55	1.16	0.51	6.02
1979	Below Normal	0.25	0.00	0.00	0.00	0.00	0.00	0.21	0.54	0.62	0.66	0.43	0.22	2.93
1980	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.50	0.88	0.89	1.23	0.93	0.48	4.92
1981	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.30	0.68	1.03	1.11	0.83	0.33	4.44
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1.42	1.18	1.57	1.21	0.35	6.24
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.25	1.14	1.42	1.66	1.10	0.48	6.05
1984	Wet	0.19	0.00	0.00	0.00	0.00	0.02	0.78	1.13	1.14	1.25	0.83	0.49	5.83
1985	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.58	0.92	0.96	0.99	0.75	0.25	4.49
1986	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.29	0.62	0.93	1.00	0.75	0.13	3.78
1987	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.14	0.25	0.28	0.29	0.22	0.12	1.46
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.41	0.44	0.52	0.39	0.01	1.94
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.16	0.19	0.21	0.16	0.08	0.88
1992	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.11	0.28	0.24	0.32	0.24	0.13	1.35
1993	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.52	0.75	1.08	1.57	1.13	0.63	5.69
1994	Critical	0.09	0.00	0.00	0.00	0.00	0.04	0.53	0.52	0.81	0.88	0.66	0.35	3.88
1995	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.41	0.86	1.30	1.57	1.18	0.63	6.06
1996	Wet	0.25	0.05	0.00	0.00	0.00	0.00	0.62	0.81	1.46	1.60	1.20	0.51	6.50
1997	Wet	0.05	0.00	0.00	0.00	0.00	0.03	0.83	0.90	0.84	1.10	0.72	0.38	4.85
1998	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.41	0.10	1.29	1.83	1.36	0.72	5.79
1999	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.53	1.28	1.19	1.44	1.02	0.58	6.19
2000	Above Normal	0.21	0.00	0.00	0.00	0.00	0.00	0.39	1.08	1.40	1.55	1.24	0.60	6.47
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.43	0.42	0.50	0.37	0.17	2.04
2002	Dry	0.04	0.00	0.00	0.00	0.00	0.03	0.77	0.78	0.96	1.02	0.76	0.41	4.77
2003	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.25	0.89	1.60	1.70	1.12	0.69	6.41
	Average	0.08	0.00	0.00	0.00	0.00	0.02	0.37	0.69	0.82	0.95	0.69	0.34	3.96
	Wet	0.08	0.00	0.00	0.00	0.00	0.02	0.49	1.00	1.22	1.41	1.05	0.53	5.80
	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.52	0.96	1.20	1.37	0.99	0.50	5.63
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.03	0.40	0.66	0.72	0.85	0.61	0.29	3.66
	Dry	0.08	0.01	0.00	0.00	0.00	0.02	0.27	0.45	0.52	0.58	0.43	0.19	2.54
	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.12	0.15	0.17	0.12	0.06	0.77

Difference in Energy Use (GWh) At Pumping Plant at Corning: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.06)	(0.05)	(0.07)	(0.07)	(0.05)	(0.02)	(0.03)
1940	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.02	0.01	0.01
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)
1966	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.10)	(0.12)	(0.12)	(0.08)	(0.04)	(0.04)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.03)	(0.02)	(0.02)	(0.01)
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.00)	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Above Normal	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Dry	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Corning: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	-2%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-10%	-19%	-19%	-19%	-18%	-18%	-22%
1940	Above Normal	0%	-100%	0%	0%	0%	0%	2%	1%	2%	2%	2%	2%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	-2%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	4%	0%	3%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	-2%	0%	-1%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	2%	0%	2%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	1%	0%	1%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	-7%	-2%	-2%	-2%	-2%	-2%
1966	Below Normal	-5%	0%	0%	0%	0%	0%	1%	0%	0%	1%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-16%	-16%	-16%	-15%	-16%	-15%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	-3%	-3%	-2%	-2%	-2%	-3%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	-4%	0%	-3%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-2%	-1%	-2%	-2%	-2%	-3%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	0%	0%	0%	0%	-1%	0%	-1%	0%	0%	-1%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	-8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%
	Dry	0%	0%	0%	0%	0%	-1%	-2%	-1%	-1%	-1%	-1%	-1%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at CVP Banks: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	38.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1923	Below Normal	8.54	33.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	41.59
1924	Critical	17.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.07	0.00	0.00	20.66
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.65	0.00	20.65
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.77	0.00	6.77
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	20.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.92
1929	Critical	0.00	16.07	0.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	16.92
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.68	0.00	6.68
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.51	0.00	0.00	3.51
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.00	0.00	0.00	6.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	1.69
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.70	0.00	0.00	3.70
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	9.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.61
1937	Below Normal	14.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.73	27.56
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	12.23	25.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.34	0.00	49.35
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	3.93	13.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.77
1942	Wet	20.29	20.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	40.66
1943	Wet	16.44	34.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.67
1944	Dry	11.85	18.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.38	0.00	38.52
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	24.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.05
1947	Dry	23.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.63	0.00	39.31
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	11.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21.98	0.00	33.48
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	11.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.25
1952	Wet	6.72	17.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.91
1953	Wet	10.05	27.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1954	Above Normal	5.31	10.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.23
1955	Dry	8.70	7.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.67	0.00	28.79
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	17.76	28.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.67
1958	Wet	0.00	12.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.64
1959	Below Normal	0.00	37.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.42
1960	Dry	13.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.85	0.00	24.95
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.74	9.48	5.39	23.61
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	18.75	0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.80	0.00	33.33
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.36
1966	Below Normal	25.38	25.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	51.02
1967	Wet	17.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.98
1968	Below Normal	1.92	36.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.01
1969	Wet	14.03	0.00	0.00	0.00	2.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.17
1970	Wet	1.63	36.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1971	Wet	6.98	16.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.62
1972	Below Normal	11.31	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.95
1973	Above Normal	15.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.71
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	38.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.95
1976	Critical	0.00	23.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.81	0.09	0.00	26.82
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65	0.00	0.00	2.65
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	14.25	23.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.01
1980	Above Normal	19.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19.37
1981	Dry	0.00	30.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.74	0.00	46.56
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.07	28.89	0.00	10.11	66.07
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.07
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.21	0.00	20.21
1986	Wet	0.00	2.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65
1987	Dry	0.00	23.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.27	0.00	0.00	31.90
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.22
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.44	3.30	0.00	11.74
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.55	0.00	0.00	5.55
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.21	0.00	0.00	8.21
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	11.72	11.80	5.21	0.00	0.00	0.00	0.00	0.00	0.00	6.79	14.68	0.00	50.20
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	15.92	19.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.37
1997	Wet	27.61	21.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	49.01
1998	Wet	4.23	25.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	29.74
1999	Wet	0.00	0.00	0.00	0.00	8.85	0.00	0.00	0.00	0.00	0.31	0.00	11.66	20.82
2000	Above Normal	8.79	5.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.64
2001	Dry	10.42	15.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.86	0.00	0.00	43.73
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.47	0.00	14.47
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.03	0.00	0.00	1.03
	Average	5.54	9.04	0.08	0.00	0.13	0.00	0.00	0.00	0.33	1.44	2.54	0.49	19.59
	Wet	5.61	11.05	0.00	0.00	0.42	0.00	0.00	0.00	1.04	1.14	0.00	0.84	20.10
	Above Normal	6.52	8.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	15.32
	Below Normal	7.85	11.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	20.02
	Dry	5.08	7.79	0.04	0.00	0.00	0.00	0.00	0.00	0.00	2.74	10.72	0.30	26.67
	Critical	2.44	4.32	0.48	0.00	0.00	0.00	0.00	0.00	0.00	3.17	1.28	0.00	11.68

Energy Use (GWh) At Pumping Plant at CVP Banks: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	38.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1923	Below Normal	8.54	33.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	41.68
1924	Critical	17.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.09	0.00	0.00	20.45
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.69	0.00	20.69
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.73	0.00	6.73
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	20.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.94
1929	Critical	0.00	16.07	0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	16.91
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.67	0.00	6.67
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.50	0.00	0.00	3.50
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.99	0.00	0.00	5.99
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	1.69
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.66	0.00	0.00	3.66
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	9.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.61
1937	Below Normal	14.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.71	27.53
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	12.25	25.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.21	0.00	47.22
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	3.96	14.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.45
1942	Wet	21.11	25.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.58
1943	Wet	16.45	33.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.19
1944	Dry	8.07	21.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.53	0.00	38.45
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	23.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.63
1947	Dry	23.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.74	0.00	39.42
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	11.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21.94	0.00	33.42
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	11.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.26
1952	Wet	6.74	17.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.92
1953	Wet	9.73	49.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	59.17
1954	Above Normal	4.59	10.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.36
1955	Dry	9.11	7.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.61	0.00	28.92
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	17.76	28.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.67
1958	Wet	0.00	12.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.64
1959	Below Normal	0.00	49.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	49.53
1960	Dry	13.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.82	0.00	25.31
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.96	9.25	5.36	23.57
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	18.61	0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.83	0.00	33.22
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.36
1966	Below Normal	25.37	24.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	49.66
1967	Wet	17.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.95
1968	Below Normal	5.20	32.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1969	Wet	14.03	0.00	0.00	0.00	9.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.82
1970	Wet	2.87	35.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.01
1971	Wet	7.00	16.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.62
1972	Below Normal	11.18	1.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.89
1973	Above Normal	15.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.73
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	36.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	36.91
1976	Critical	0.00	24.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.59	0.27	0.00	26.95
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65	0.00	0.00	2.65
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	14.72	43.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	58.28
1980	Above Normal	16.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.26
1981	Dry	0.00	30.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.74	0.00	46.63
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	42.54	0.00	0.00	0.00	0.00	27.36	29.25	0.00	14.48	113.63
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.07
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.21	0.00	20.21
1986	Wet	0.00	2.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.66
1987	Dry	0.00	23.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.14	0.00	0.00	31.76
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.22
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.42	3.25	0.00	11.67
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.53	0.00	0.00	5.53
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.10	0.00	0.00	8.10
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	11.72	11.61	5.61	0.00	0.00	0.00	0.00	0.00	0.00	7.06	14.49	0.00	50.49
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	15.90	17.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.19
1997	Wet	26.24	21.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	47.30
1998	Wet	4.38	25.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	29.75
1999	Wet	0.00	0.00	0.00	0.00	8.84	0.00	0.00	0.00	0.00	0.31	0.00	11.69	20.84
2000	Above Normal	8.87	5.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.85
2001	Dry	10.39	15.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.74	0.00	0.00	43.56
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.47	0.00	14.47
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.06	0.00	0.00	1.06
	Average	5.51	9.67	0.08	0.52	0.23	0.00	0.00	0.00	0.33	1.44	2.51	0.54	20.83
	Wet	5.63	11.85	0.00	1.64	0.72	0.00	0.00	0.00	1.05	1.15	0.00	1.01	23.04
	Above Normal	6.21	8.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	15.01
	Below Normal	8.08	13.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	22.20
	Dry	4.92	7.96	0.04	0.00	0.00	0.00	0.00	0.00	0.00	2.74	10.59	0.30	26.55
	Critical	2.42	4.31	0.51	0.00	0.00	0.00	0.00	0.00	0.00	3.16	1.27	0.00	11.68

Difference in Energy Use (GWh) At Pumping Plant at CVP Banks: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1924	Critical	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	(0.02)
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.13)	0.00	(0.18)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.03	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1942	Wet	0.82	5.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49
1943	Wet	0.01	(0.49)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1944	Dry	(3.78)	3.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	(0.01)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.01
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.02	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	(0.32)	21.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.76
1954	Above Normal	(0.72)	(0.15)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)
1955	Dry	0.41	(0.22)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.01
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	12.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01
1960	Dry	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.03
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	(0.23)	(0.03)	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	(0.14)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	(0.01)
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	(0.01)	(1.35)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)
1967	Wet	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	3.28	(3.27)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	7.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64
1970	Wet	1.24	(1.25)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	(0.13)	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1973	Above Normal	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	(2.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.17)
1976	Critical	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.22)	0.18	0.00	0.01
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.47	19.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69
1980	Above Normal	(3.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)
1981	Dry	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	42.54	0.00	0.00	0.00	0.00	0.29	0.36	0.00	4.37	3.96
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	0.00	0.00	(0.01)
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.05)	0.00	(0.01)
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	0.00	0.00	(0.01)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	(0.19)	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.27	(0.19)	0.00	0.02
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	(0.02)	(2.16)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.18)
1997	Wet	(1.37)	(0.34)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)
1998	Wet	0.15	(0.14)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
2000	Above Normal	0.08	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
2001	Dry	(0.03)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	0.00	0.00	(0.01)
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
	Average	(0.04)	0.63	0.00	0.52	0.09	0.00	0.00	0.00	0.00	0.00	(0.03)	0.05	0.10
	Wet	0.02	0.80	0.00	1.64	0.29	0.00	0.00	0.00	0.01	0.01	0.00	0.17	0.25
	Above Normal	(0.31)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
	Below Normal	0.23	1.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.18
	Dry	(0.17)	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.13)	(0.00)	(0.01)
	Critical	(0.02)	(0.00)	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.00)	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at CVP Banks: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	-1%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-19%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	1%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	4%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	-32%	19%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-3%	77%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	5%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	32%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	-2%	-1%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	171%	-9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	357%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	76%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	-1%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	1%	0%	0%	0%	0%	0%	0%	0%	-8%	200%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	3%	83%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	-16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	-	0%	0%	0%	0%	1%	1%	0%	43%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	-2%	8%	0%	0%	0%	0%	0%	0%	4%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-5%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	4%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	1%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%	0%
	Average	2%	3%	0%	0%	4%	0%	0%	0%	0%	0%	2%	1%
	Wet	3%	3%	0%	0%	14%	0%	0%	0%	0%	0%	0%	2%
	Above Normal	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	12%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	17%	0%

Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.17	22.14	7.37	12.47	13.35	8.71	11.20	15.92	27.95	33.80	23.56	5.99	187.63
1923	Below Normal	8.53	15.28	6.45	10.87	11.65	4.99	6.01	8.98	15.63	18.86	13.27	3.51	124.03
1924	Critical	10.81	2.25	3.60	5.97	6.46	1.36	1.66	2.44	4.01	6.21	3.58	1.18	49.53
1925	Dry	0.85	0.65	0.92	1.36	1.56	4.23	5.40	10.36	18.08	21.84	24.90	4.00	94.15
1926	Dry	3.02	2.58	4.16	6.95	7.49	2.35	2.79	4.12	6.98	8.38	9.20	1.79	59.81
1927	Wet	1.32	1.07	1.61	2.54	2.82	5.57	7.08	10.49	18.30	22.10	15.50	4.04	92.44
1928	Above Normal	3.06	12.33	4.21	7.04	7.59	3.59	5.56	8.30	14.42	17.40	12.26	3.27	99.03
1929	Critical	2.46	9.55	3.32	5.50	5.95	0.54	0.72	1.05	1.54	1.78	1.51	0.67	34.59
1930	Dry	0.46	0.31	0.34	0.37	0.52	1.62	2.76	4.08	6.91	8.30	9.10	1.77	36.54
1931	Critical	1.31	1.06	1.60	2.51	2.79	1.48	1.79	2.64	4.36	6.83	3.87	1.25	31.49
1932	Dry	0.91	0.70	1.00	1.50	1.71	2.15	2.55	3.77	6.37	10.43	5.55	1.66	38.30
1933	Critical	1.23	0.98	1.47	2.30	2.56	0.96	1.24	1.81	2.90	4.22	2.65	0.95	23.27
1934	Critical	0.68	0.50	0.66	0.92	1.10	1.53	1.85	2.73	4.51	7.11	4.00	1.28	26.87
1935	Below Normal	0.93	0.72	1.04	1.56	1.78	0.54	0.72	5.41	9.27	11.15	7.97	2.26	43.35
1936	Below Normal	6.15	1.38	2.14	3.45	3.78	4.50	5.22	7.75	13.43	16.20	11.44	3.07	78.51
1937	Below Normal	9.20	1.95	3.09	5.10	5.53	1.66	4.48	6.81	11.76	14.17	10.05	8.66	82.46
1938	Wet	2.06	1.72	2.71	4.44	4.83	10.67	12.22	18.19	31.98	38.68	26.91	6.79	161.20
1939	Dry	10.85	16.46	7.37	12.47	13.35	2.72	4.17	6.18	10.65	12.83	10.33	2.53	109.91
1940	Above Normal	1.89	1.57	2.46	4.00	4.36	4.11	5.95	9.06	15.77	19.04	13.39	3.53	85.13
1941	Wet	4.49	8.69	3.63	6.03	6.52	7.56	10.01	14.49	25.41	30.71	21.43	5.49	144.46
1942	Wet	13.60	8.00	5.86	9.86	10.58	8.65	11.18	16.09	28.26	34.17	18.02	6.05	170.32
1943	Wet	12.24	11.84	6.52	10.99	11.78	8.58	9.86	14.66	25.70	31.07	21.68	5.55	170.47
1944	Dry	9.72	12.13	5.93	9.98	10.70	2.78	3.28	4.85	8.28	9.96	11.04	2.06	90.71
1945	Below Normal	1.53	1.25	1.91	3.06	3.36	4.62	8.02	11.91	20.82	25.15	17.60	4.56	103.79
1946	Below Normal	14.63	2.97	4.80	8.04	8.65	6.55	8.02	11.74	20.52	24.79	17.35	4.50	132.56
1947	Dry	14.41	2.92	4.73	7.92	8.52	3.39	5.46	8.10	14.07	16.97	19.22	3.20	108.91
1948	Below Normal	2.41	2.03	3.24	5.35	5.80	1.28	4.39	6.26	10.78	12.99	9.23	2.55	66.31
1949	Dry	7.26	1.59	2.49	4.05	4.42	3.30	7.53	10.97	19.15	23.13	26.41	4.22	114.52
1950	Below Normal	3.19	2.73	4.41	7.37	7.94	2.82	4.15	6.14	10.58	12.74	9.06	2.51	73.64
1951	Above Normal	7.11	1.56	2.44	3.97	4.33	6.93	8.02	11.84	20.71	25.02	17.51	4.54	113.98
1952	Wet	6.56	10.93	4.77	7.99	8.60	9.72	12.22	18.19	31.98	38.68	26.91	6.79	183.34
1953	Wet	9.84	17.48	7.37	12.47	13.35	4.31	5.66	8.37	14.55	17.55	12.37	3.29	126.61
1954	Above Normal	4.95	7.17	3.35	5.55	6.00	4.46	5.69	8.32	14.46	17.45	11.06	3.28	91.74
1955	Dry	6.51	5.53	3.33	5.51	5.97	3.92	4.57	6.78	11.71	14.11	15.89	2.74	86.57
1956	Wet	2.05	1.72	2.70	4.42	4.81	9.70	10.79	15.11	26.51	32.06	18.07	5.71	133.65
1957	Above Normal	12.59	9.97	6.12	10.30	11.04	3.77	4.59	6.76	11.68	14.08	9.98	2.73	103.61
1958	Wet	2.05	7.58	2.70	4.41	4.80	8.70	11.24	17.92	31.51	38.11	26.51	6.69	162.22
1959	Below Normal	5.10	21.80	7.26	12.28	13.15	3.52	4.62	6.97	12.05	14.53	10.29	2.80	114.37
1960	Dry	8.19	1.76	2.78	4.55	4.95	2.32	4.33	6.41	11.06	13.32	9.02	2.61	71.30
1961	Dry	1.96	1.63	2.55	4.16	4.53	3.56	6.40	9.27	16.14	23.54	6.65	3.61	84.00
1962	Below Normal	2.72	2.32	3.71	6.18	6.67	4.32	5.75	8.56	14.88	17.95	12.64	3.36	89.06
1963	Wet	2.53	2.14	3.42	5.68	6.14	5.06	6.46	9.50	16.55	19.98	14.04	3.69	95.19
1964	Dry	2.78	11.08	3.81	6.34	6.85	4.22	4.91	7.28	12.61	15.20	17.16	2.91	95.15
1965	Wet	2.19	1.84	2.91	4.77	5.19	4.76	5.52	14.60	25.59	31.10	13.67	5.53	117.67
1966	Below Normal	15.99	5.60	5.91	9.93	10.66	5.17	6.26	9.16	15.94	19.24	13.53	3.57	120.96
1967	Wet	11.04	2.29	3.67	6.10	6.59	10.18	12.22	18.19	31.98	38.68	26.91	6.79	174.64
1968	Below Normal	6.06	21.25	7.37	12.47	13.35	3.78	4.92	7.39	12.79	15.42	10.91	2.95	118.66
1969	Wet	8.73	1.86	2.95	4.85	5.26	10.67	12.22	18.19	31.98	38.68	26.91	6.79	169.09
1970	Wet	5.92	21.39	7.37	12.47	13.35	6.44	8.02	11.71	20.47	24.73	16.16	4.49	152.52
1971	Wet	6.64	10.64	4.72	7.90	8.50	3.34	4.66	6.90	11.93	14.38	10.19	2.78	92.58
1972	Below Normal	7.34	2.51	2.75	4.51	4.90	4.94	5.60	8.14	14.13	17.05	12.02	3.21	87.10
1973	Above Normal	9.72	2.04	3.26	5.38	5.83	5.47	7.19	10.61	18.52	22.36	15.68	4.09	110.15
1974	Wet	3.09	2.64	4.26	7.12	7.67	8.58	11.13	15.76	27.66	33.45	12.16	5.94	139.46
1975	Wet	4.52	19.04	6.38	10.76	11.53	6.43	8.56	11.85	20.72	25.03	9.13	4.54	138.49
1976	Critical	3.44	14.06	4.78	8.00	8.60	1.31	1.61	2.36	3.87	5.91	3.50	1.15	58.59
1977	Critical	0.83	0.63	0.89	1.30	1.50	1.25	1.53	2.25	3.67	5.60	3.29	1.11	23.85
1978	Above Normal	0.80	0.60	0.84	1.22	1.42	7.30	12.22	18.19	31.98	38.68	26.91	6.79	146.95
1979	Below Normal	11.79	15.52	7.37	12.47	13.35	3.79	6.58	9.78	17.05	20.59	14.45	3.79	136.53
1980	Above Normal	11.86	2.44	3.92	6.54	7.06	8.73	10.06	14.97	26.25	31.74	22.14	5.66	151.37
1981	Dry	4.31	18.03	6.06	10.20	10.93	4.23	5.34	8.15	14.15	17.07	15.31	3.22	117.00
1982	Wet	2.42	2.05	3.26	5.39	5.84	10.06	12.22	18.19	31.98	38.68	26.91	6.79	163.79
1983	Wet	5.17	4.49	7.37	12.47	13.35	10.67	12.22	18.19	31.98	52.10	26.91	11.02	205.94
1984	Wet	5.17	4.49	7.37	12.47	13.35	6.94	8.02	11.91	20.82	25.16	17.61	4.59	137.90
1985	Dry	3.46	2.97	4.80	8.04	8.65	5.67	6.77	10.16	17.73	21.40	24.40	3.93	117.98
1986	Wet	2.97	2.53	4.08	6.81	7.34	5.35	7.88	11.71	20.48	24.74	17.32	4.49	115.70
1987	Dry	3.40	13.89	4.72	7.90	8.50	0.54	3.24	4.80	8.19	13.68	7.07	2.04	77.97
1988	Critical	1.52	1.23	1.89	3.02	3.32	0.54	0.72	1.05	1.54	1.78	1.51	0.67	18.79
1989	Dry	0.46	0.31	0.34	0.37	0.52	0.54	4.29	6.36	10.97	17.13	10.92	2.59	54.80
1990	Critical	1.94	1.62	2.53	4.12	4.49	0.54	0.72	1.05	1.54	1.78	1.51	0.67	22.51
1991	Critical	0.46	0.31	0.34	0.37	0.52	1.97	2.42	3.56	6.00	9.77	5.24	1.59	32.55
1992	Critical	1.17	0.93	1.38	2.15	2.40	2.26	3.23	4.78	8.15	13.61	7.04	2.03	49.13
1993	Above Normal	1.51	1.23	1.88	3.00	3.31	5.16	8.58	11.67	20.40	24.64	7.94	4.47	93.79
1994	Critical	8.84	8.39	4.70	7.87	8.47	6.41	7.29	10.74	18.74	23.89	9.23	4.14	118.71
1995	Wet	3.13	2.68	4.32	7.21	7.77	8.68	11.56	17.00	29.88	36.13	25.16	6.37	159.89
1996	Wet	12.24	13.24	6.89	11.64	12.46	6.85	9.60	13.52	23.68	28.63	8.62	5.15	152.52
1997	Wet	16.73	3.36	5.47	9.18	9.85	8.48	9.74	14.48	25.39	30.69	16.67	5.49	155.53
1998	Wet	6.14	15.44	5.86	9.85	10.57	9.54	12.22	18.19	31.98	38.68	26.91	6.79	192.17
1999	Wet	5.17	4.49	7.37	12.47	13.35	5.14	7.10	10.41	18.17	22.09	15.39	9.43	130.58
2000	Above Normal	7.12	2.60	4.18	6.99	7.53	4.92	6.86	10.04	17.52	21.15	14.84	3.88	107.63
2001	Dry	7.78	6.93	4.03	6.72	7.25	3.69	4.58	6.79	11.73	20.03	10.02	2.74	92.29
2002	Dry	2.06	1.72	2.71	4.42	4.81	4.51	5.26	7.59	13.15	15.85	17.92	3.02	83.02
2003	Above Normal	2.27	1.91	3.03	4.99	5.41	5.34	6.63	9.64	16.80	20.76	14.25	3.74	94.77
	Average	5.42	5.97	3.89	6.48	6.99	4.85	6.41	9.59	16.71	20.79	14.08	3.92	105.10
	Wet	6.08	7.06	4.83	8.09	8.70	7.72	9.60	14.38	25.21	31.00	19.16	5.81	147.63
	Above Normal	5.67	5.46	3.59	5.95	6.44	5.71	7.71	11.28	19.71	23.84	15.79	4.33	115.48
	Below Normal	6.83	6.95	4.39	7.33	7.90	3.75	5.34	8.21	14.26	17.20	12.13	3.66	97.95
	Dry	4.91	5.62	3.45	5.71	6.18	3.10	4.65	7.00	12.11	15.73	13.90	2.81	85.16
	Critical	2.89	3.46	2.26	3.67	4.01	1.68	2.07	3.04	5.07	7.37	3.91	1.39	40.82

Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.17	22.14	7.37	12.47	13.35	9.04	11.52	16.44	28.83	34.89	21.55	6.15	188.92
1923	Below Normal	8.68	15.35	6.65	10.94	12.01	5.26	6.27	9.43	16.39	19.81	13.89	3.64	128.32
1924	Critical	10.84	2.33	3.78	6.29	6.77	1.36	1.66	2.45	4.02	6.23	3.59	1.18	50.50
1925	Dry	0.85	0.65	0.92	1.36	1.57	4.31	5.49	10.52	18.36	22.18	25.15	4.05	95.41
1926	Dry	3.07	2.62	4.23	7.06	7.61	2.35	2.79	4.12	6.99	8.40	9.19	1.79	60.22
1927	Wet	1.33	1.07	1.61	2.54	2.82	5.91	7.42	11.05	19.25	23.28	16.28	4.21	96.77
1928	Above Normal	3.23	12.45	4.44	7.43	7.98	3.76	5.73	8.59	14.91	18.00	12.66	3.35	102.53
1929	Critical	2.55	9.60	3.44	5.70	6.15	0.54	0.72	1.05	1.54	1.78	1.51	0.67	35.25
1930	Dry	0.46	0.31	0.34	0.37	0.52	1.62	2.76	4.07	6.90	8.29	9.09	1.77	36.50
1931	Critical	1.31	1.06	1.59	2.51	2.78	1.48	1.79	2.64	4.36	6.83	3.87	1.25	31.47
1932	Dry	0.91	0.70	1.00	1.50	1.71	2.48	2.88	4.32	7.30	11.57	6.32	1.83	42.52
1933	Critical	1.39	1.09	1.69	2.68	2.94	0.98	1.26	1.84	2.94	4.27	2.68	0.96	24.72
1934	Critical	0.69	0.50	0.67	0.93	1.11	1.52	1.84	2.71	4.49	7.06	3.98	1.28	26.78
1935	Below Normal	0.93	0.72	1.03	1.55	1.76	0.87	1.06	5.96	10.21	12.32	8.75	2.42	47.58
1936	Below Normal	6.31	1.50	2.37	3.84	4.17	4.82	5.55	8.29	14.36	17.35	12.21	3.24	84.01
1937	Below Normal	9.36	2.06	3.31	5.10	5.53	1.98	4.47	6.94	12.68	15.32	10.81	8.81	86.37
1938	Wet	2.23	1.83	2.71	4.43	4.82	10.67	12.22	18.19	31.98	38.68	26.91	6.79	161.46
1939	Dry	10.86	16.45	7.37	12.47	13.35	2.53	3.86	5.78	9.89	11.93	6.85	2.36	103.70
1940	Above Normal	1.80	1.45	2.29	3.71	4.03	4.62	6.49	9.92	17.26	20.87	14.62	3.81	90.87
1941	Wet	4.76	9.18	3.98	6.25	6.82	7.95	10.28	14.96	26.19	31.69	18.41	5.63	146.10
1942	Wet	14.12	7.62	6.05	9.80	10.90	8.93	11.45	16.00	29.04	35.14	18.71	6.19	173.95
1943	Wet	12.39	11.83	6.70	10.93	12.10	8.85	10.12	15.11	26.46	32.02	22.31	5.68	174.50
1944	Dry	8.11	13.87	6.11	10.30	11.02	2.97	3.48	5.17	8.83	10.63	11.56	2.16	94.21
1945	Below Normal	1.62	1.31	2.04	3.28	3.59	4.88	8.22	12.27	21.42	25.91	18.10	4.66	107.30
1946	Below Normal	14.54	3.03	4.94	8.29	8.89	6.83	8.35	12.29	21.46	25.96	18.13	4.67	137.38
1947	Dry	14.57	3.03	4.95	8.31	8.91	3.48	5.59	8.31	14.43	17.42	19.57	3.26	111.83
1948	Below Normal	2.47	2.08	3.32	5.50	5.95	1.28	4.38	6.25	10.76	12.97	9.22	2.55	66.73
1949	Dry	7.24	1.59	2.49	4.04	4.41	3.30	7.52	10.95	19.13	23.11	26.38	4.21	114.37
1950	Below Normal	3.19	2.73	4.41	7.37	7.93	2.87	4.20	6.23	10.72	12.92	9.18	2.54	74.29
1951	Above Normal	7.13	1.58	2.44	3.97	4.39	7.27	8.35	12.40	21.65	26.18	18.28	4.70	118.34
1952	Wet	6.73	11.04	5.00	8.38	8.72	10.04	12.22	18.14	31.91	38.59	26.85	6.77	184.39
1953	Wet	9.68	17.57	7.35	12.44	13.32	4.08	5.73	8.53	14.78	17.85	12.55	3.32	127.20
1954	Above Normal	4.67	7.11	3.41	5.65	6.09	4.53	5.77	8.43	14.65	17.68	11.09	3.31	92.39
1955	Dry	6.73	5.46	3.37	5.59	6.05	3.92	4.56	6.77	11.69	14.09	15.84	2.73	86.80
1956	Wet	2.05	1.71	2.70	4.41	4.79	9.70	10.79	15.67	27.46	33.22	23.13	5.88	141.51
1957	Above Normal	12.76	10.08	6.34	10.69	11.43	4.10	4.92	7.32	12.62	15.24	10.76	2.90	109.16
1958	Wet	2.22	7.69	2.92	4.79	5.18	9.03	11.57	17.11	30.06	36.36	25.31	6.41	158.65
1959	Below Normal	4.88	20.76	6.93	11.71	12.54	3.63	4.84	7.31	12.64	15.25	10.78	2.91	114.18
1960	Dry	8.47	1.84	2.92	4.79	5.20	2.31	4.32	6.40	11.03	13.29	7.41	2.60	70.58
1961	Dry	1.95	1.62	2.55	4.15	4.52	3.56	6.40	9.26	16.13	23.63	6.54	3.60	83.91
1962	Below Normal	2.72	2.31	3.71	6.17	6.67	4.65	6.08	9.12	15.83	19.13	13.43	3.53	93.35
1963	Wet	2.70	2.26	3.65	6.07	6.53	5.36	6.76	9.99	17.39	21.01	14.72	3.83	100.27
1964	Dry	2.93	11.11	4.00	6.69	7.19	4.23	4.92	7.30	12.64	15.24	17.20	2.92	96.37
1965	Wet	2.19	1.84	2.91	4.79	5.20	4.93	5.67	14.90	26.09	31.73	11.56	5.61	117.42
1966	Below Normal	16.09	5.40	6.03	10.15	10.86	5.42	6.50	9.56	16.62	20.08	14.09	3.69	124.49
1967	Wet	11.15	2.37	3.83	6.38	6.87	10.46	12.22	18.19	31.98	38.68	26.91	6.79	175.83
1968	Below Normal	7.58	19.73	7.37	12.47	13.35	3.78	5.22	7.89	13.65	16.49	11.61	3.10	122.24
1969	Wet	8.88	1.96	3.15	4.85	5.26	10.67	12.22	18.19	31.98	38.68	26.91	6.79	169.54
1970	Wet	6.50	20.81	7.37	12.47	13.35	6.50	8.35	12.26	21.41	25.89	18.09	4.66	157.66
1971	Wet	6.82	10.74	4.94	8.29	8.89	3.53	4.85	7.22	12.46	15.04	10.63	2.87	96.28
1972	Below Normal	7.37	2.60	2.88	4.73	5.12	4.94	5.61	8.15	14.16	17.08	12.04	3.22	87.90
1973	Above Normal	9.72	2.05	3.26	5.39	5.84	5.80	7.52	11.16	19.46	23.52	16.45	4.25	114.42
1974	Wet	3.26	2.75	4.48	7.51	8.06	8.72	11.21	15.94	27.94	33.80	10.93	5.97	140.57
1975	Wet	4.58	18.67	6.45	10.88	11.64	6.81	8.94	12.48	21.79	26.36	9.99	4.73	143.32
1976	Critical	3.63	14.27	5.03	8.44	9.05	1.30	1.60	2.35	3.84	5.78	3.56	1.14	59.99
1977	Critical	0.83	0.63	0.88	1.29	1.49	1.25	1.53	2.25	3.67	5.60	3.29	1.11	23.82
1978	Above Normal	0.80	0.60	0.84	1.22	1.42	7.12	12.22	17.81	31.32	37.88	20.92	6.66	138.81
1979	Below Normal	11.91	14.83	7.21	12.21	13.07	3.55	5.98	8.94	15.51	18.75	13.16	3.46	128.58
1980	Above Normal	10.20	2.21	3.58	5.55	6.01	8.75	10.08	15.55	27.24	32.96	22.95	5.84	150.92
1981	Dry	4.48	18.17	6.29	10.60	11.34	4.48	5.67	8.71	15.10	18.25	15.67	3.38	122.14
1982	Wet	2.59	2.16	3.48	5.78	6.23	10.26	12.22	18.19	31.98	38.68	26.91	6.79	165.27
1983	Wet	5.17	4.49	7.37	12.47	13.35	10.67	12.22	18.19	31.98	52.27	26.91	10.85	205.94
1984	Wet	5.17	4.49	7.37	12.47	13.35	6.94	8.35	12.46	21.76	26.32	18.38	4.76	141.82
1985	Dry	3.63	3.08	5.02	8.43	9.03	5.89	6.99	10.52	18.34	22.16	24.90	4.03	122.02
1986	Wet	3.08	2.61	4.22	7.06	7.59	5.24	7.88	11.71	21.42	25.90	18.09	4.66	119.46
1987	Dry	3.57	14.00	4.94	8.29	8.89	0.55	3.22	4.76	8.12	13.55	7.02	2.02	78.93
1988	Critical	1.51	1.23	1.88	2.99	3.30	0.54	0.72	1.05	1.54	1.78	1.51	0.67	18.72
1989	Dry	0.46	0.31	0.34	0.37	0.52	0.54	4.27	6.33	10.91	17.05	10.85	2.58	54.53
1990	Critical	1.93	1.61	2.52	4.10	4.47	0.54	0.72	1.05	1.54	1.78	1.51	0.67	22.44
1991	Critical	0.46	0.31	0.34	0.37	0.52	1.97	2.41	3.56	5.99	9.74	5.23	1.58	32.48
1992	Critical	1.17	0.93	1.38	2.14	2.40	2.25	3.19	4.72	8.05	13.44	6.96	2.01	48.64
1993	Above Normal	1.49	1.22	1.86	2.97	3.27	5.45	8.85	12.14	21.19	25.62	8.72	4.61	97.39
1994	Critical	8.98	8.39	4.89	8.20	8.79	6.43	7.32	10.77	18.81	24.17	9.14	4.15	120.04
1995	Wet	3.14	2.68	4.33	7.24	7.80	8.84	11.02	16.03	29.08	35.19	24.48	6.20	156.03
1996	Wet	12.14	12.11	6.71	11.33	12.12	7.30	9.51	13.46	23.54	28.47	8.70	5.09	150.48
1997	Wet	16.09	3.33	5.44	8.74	9.39	8.81	10.07	15.04	26.33	31.86	16.58	5.66	157.34
1998	Wet	6.37	15.49	6.08	10.24	10.96	9.69	11.99	17.74	31.19	37.72	26.25	6.63	190.35
1999	Wet	5.05	4.38	7.19	12.16	13.02	5.17	7.46	11.02	19.20	23.36	16.24	9.63	133.88
2000	Above Normal	7.34	2.72	4.43	7.41	7.96	5.25	7.19	10.59	18.44	22.30	15.61	4.05	113.29
2001	Dry	7.93	7.04	4.25	7.11	7.64	3.71	4.60	6.82	11.78	20.09	10.06	2.75	93.78
2002	Dry	2.07	1.72	2.72	4.44	4.83	4.51	5.26	7.59	13.15	15.85	17.92	3.02	83.08
2003	Above Normal	2.27	1.91	3.03	4.99	5.41	5.44	6.74	9.81	17.09	21.14	14.49	3.79	96.11
	Average	5.47	5.95	3.97	6.57	7.09	4.97	6.51	9.76	17.04	21.20	14.15	3.98	106.68
	Wet	6.17	7.03	4.92	8.18	8.81	7.89	9.72	14.53	25.56	31.45	19.34	5.86	149.46
	Above Normal	5.55	5.46	3.61	5.95	6.43	5.93	7.95	11.68	20.39	24.69	15.68	4.45	117.76
	Below Normal	6.98	6.74	4.44	7.38	7.96	3.91	5.48	8.47	14.74	17.81	12.53	3.75	100.19
	Dry	4.91	5.75	3.55	5.88	6.35	3.15	4.70	7.09	12.26	15.93	13.75	2.84	86.16
	Critical	2.94	3.50	2.34	3.80	4.15	1.68	2.06	3.04	5.07	7.37	3.90	1.39	41.24

Difference in Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.33	0.32	0.52	0.88	1.09	(2.01)	0.16	0.11
1923	Below Normal	0.15	0.07	0.20	0.07	0.36	0.27	0.26	0.45	0.76	0.95	0.62	0.13	0.36
1924	Critical	0.03	0.08	0.18	0.32	0.31	0.00	0.00	0.01	0.01	0.02	0.01	0.00	0.08
1925	Dry	0.00	0.00	0.00	0.00	0.01	0.08	0.09	0.16	0.28	0.34	0.25	0.05	0.11
1926	Dry	0.05	0.04	0.07	0.11	0.12	0.00	0.00	0.00	0.01	0.02	(0.01)	0.00	0.03
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.34	0.34	0.56	0.95	1.18	0.78	0.17	0.36
1928	Above Normal	0.17	0.12	0.23	0.39	0.39	0.17	0.17	0.29	0.49	0.60	0.40	0.08	0.29
1929	Critical	0.09	0.05	0.12	0.20	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1931	Critical	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.55	0.93	1.14	0.77	0.17	0.35
1933	Critical	0.16	0.11	0.22	0.38	0.38	0.02	0.02	0.03	0.04	0.05	0.03	0.01	0.12
1934	Critical	0.01	0.00	0.01	0.01	0.01	(0.01)	(0.01)	(0.02)	(0.02)	(0.05)	(0.02)	0.00	(0.01)
1935	Below Normal	0.00	0.00	(0.01)	(0.01)	(0.02)	0.33	0.34	0.55	0.94	1.17	0.78	0.16	0.35
1936	Below Normal	0.16	0.12	0.23	0.39	0.39	0.32	0.33	0.54	0.93	1.15	0.77	0.17	0.46
1937	Below Normal	0.16	0.11	0.22	0.00	0.00	0.32	(0.01)	0.13	0.92	1.15	0.76	0.15	0.33
1938	Wet	0.17	0.11	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1939	Dry	0.01	(0.01)	0.00	0.00	0.00	(0.19)	(0.31)	(0.40)	(0.76)	(0.90)	(3.48)	(0.17)	(0.52)
1940	Above Normal	(0.09)	(0.12)	(0.17)	(0.29)	(0.33)	0.51	0.54	0.86	1.49	1.83	1.23	0.28	0.48
1941	Wet	0.27	0.49	0.35	0.22	0.30	0.39	0.27	0.47	0.78	0.98	(3.02)	0.14	0.14
1942	Wet	0.52	(0.38)	0.19	(0.06)	0.32	0.28	0.27	(0.09)	0.78	0.97	0.69	0.14	0.30
1943	Wet	0.15	(0.01)	0.18	(0.06)	0.32	0.27	0.26	0.45	0.76	0.95	0.63	0.13	0.34
1944	Dry	(1.61)	1.74	0.18	0.32	0.32	0.19	0.20	0.32	0.55	0.67	0.52	0.10	0.29
1945	Below Normal	0.09	0.06	0.13	0.22	0.23	0.26	0.20	0.36	0.60	0.76	0.50	0.10	0.29
1946	Below Normal	(0.09)	0.06	0.14	0.25	0.24	0.28	0.33	0.55	0.94	1.17	0.78	0.17	0.40
1947	Dry	0.16	0.11	0.22	0.39	0.39	0.09	0.13	0.21	0.36	0.45	0.35	0.06	0.24
1948	Below Normal	0.06	0.05	0.08	0.15	0.15	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	0.00	0.04
1949	Dry	(0.02)	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.03)	(0.01)	(0.01)
1950	Below Normal	0.00	0.00	0.00	0.00	(0.01)	0.05	0.05	0.09	0.14	0.18	0.12	0.03	0.05
1951	Above Normal	0.02	0.02	0.00	0.00	0.06	0.34	0.33	0.56	0.94	1.16	0.77	0.16	0.36
1952	Wet	0.17	0.11	0.23	0.39	0.12	0.32	0.00	(0.05)	(0.07)	(0.09)	(0.06)	(0.02)	0.09
1953	Wet	(0.16)	0.09	(0.02)	(0.03)	(0.03)	(0.23)	0.07	0.16	0.23	0.30	0.18	0.03	0.05
1954	Above Normal	(0.28)	(0.06)	0.06	0.10	0.09	0.07	0.08	0.11	0.19	0.23	0.03	0.03	0.05
1955	Dry	0.22	(0.07)	0.04	0.08	0.08	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.05)	(0.01)	0.02
1956	Wet	0.00	(0.01)	0.00	(0.01)	(0.02)	0.00	0.00	0.56	0.95	1.16	5.06	0.17	0.66
1957	Above Normal	0.17	0.11	0.22	0.39	0.39	0.33	0.33	0.56	0.94	1.16	0.78	0.17	0.46
1958	Wet	0.17	0.11	0.22	0.38	0.38	0.33	0.33	(0.81)	(1.45)	(1.75)	(1.20)	(0.28)	(0.30)
1959	Below Normal	(0.22)	(1.04)	(0.33)	(0.57)	(0.61)	0.11	0.22	0.34	0.59	0.72	0.49	0.11	(0.02)
1960	Dry	0.28	0.08	0.14	0.24	0.25	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(1.61)	(0.01)	(0.06)
1961	Dry	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.01)	0.09	(0.11)	(0.01)	(0.01)
1962	Below Normal	0.00	(0.01)	0.00	(0.01)	0.00	0.33	0.33	0.56	0.95	1.18	0.79	0.17	0.36
1963	Wet	0.17	0.12	0.23	0.39	0.39	0.30	0.30	0.49	0.84	1.03	0.68	0.14	0.42
1964	Dry	0.15	0.03	0.19	0.35	0.34	0.01	0.01	0.02	0.03	0.04	0.04	0.01	0.10
1965	Wet	0.00	0.00	0.00	0.02	0.01	0.17	0.15	0.30	0.50	0.63	(2.11)	0.08	(0.02)
1966	Below Normal	0.10	(0.20)	0.12	0.22	0.20	0.25	0.24	0.40	0.68	0.84	0.56	0.12	0.29
1967	Wet	0.11	0.08	0.16	0.28	0.28	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1968	Below Normal	1.52	(1.52)	0.00	0.00	0.00	0.00	0.30	0.50	0.86	1.07	0.70	0.15	0.30
1969	Wet	0.15	0.10	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1970	Wet	0.58	(0.58)	0.00	0.00	0.00	0.06	0.33	0.55	0.94	1.16	1.93	0.17	0.43
1971	Wet	0.18	0.10	0.22	0.39	0.39	0.19	0.19	0.32	0.53	0.66	0.44	0.09	0.31
1972	Below Normal	0.03	0.09	0.13	0.22	0.22	0.00	0.01	0.01	0.03	0.03	0.02	0.01	0.07
1973	Above Normal	0.00	0.01	0.00	0.01	0.01	0.33	0.33	0.55	0.94	1.16	0.77	0.16	0.36
1974	Wet	0.17	0.11	0.22	0.39	0.39	0.14	0.08	0.18	0.28	0.35	(1.23)	0.03	0.09
1975	Wet	0.06	(0.37)	0.07	0.12	0.11	0.38	0.38	0.63	1.07	1.33	0.86	0.19	0.40
1976	Critical	0.19	0.21	0.25	0.44	0.45	(0.01)	(0.01)	(0.01)	(0.03)	(0.13)	0.06	(0.01)	0.12
1977	Critical	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.18)	0.00	(0.38)	(0.66)	(0.80)	(5.99)	(0.13)	(0.68)
1979	Below Normal	0.12	(0.69)	(0.16)	(0.26)	(0.28)	(0.24)	(0.60)	(0.84)	(1.54)	(1.84)	(1.29)	(0.33)	(0.66)
1980	Above Normal	(1.66)	(0.23)	(0.34)	(0.99)	(1.05)	0.02	0.02	0.58	0.99	1.22	0.81	0.18	(0.04)
1981	Dry	0.17	0.14	0.23	0.40	0.41	0.25	0.33	0.56	0.95	1.18	0.36	0.16	0.43
1982	Wet	0.17	0.11	0.22	0.39	0.39	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.12
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	(0.17)	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.55	0.94	1.16	0.77	0.17	0.33
1985	Dry	0.17	0.11	0.22	0.39	0.38	0.22	0.22	0.36	0.61	0.76	0.50	0.10	0.34
1986	Wet	0.11	0.08	0.14	0.25	0.25	(0.11)	0.00	0.00	0.94	1.16	0.77	0.17	0.31
1987	Dry	0.17	0.11	0.22	0.39	0.39	0.01	(0.02)	(0.04)	(0.07)	(0.13)	(0.05)	(0.02)	0.08
1988	Critical	(0.01)	0.00	(0.01)	(0.03)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.03)	(0.06)	(0.08)	(0.07)	(0.01)	(0.02)
1990	Critical	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)
1992	Critical	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.04)	(0.06)	(0.10)	(0.17)	(0.08)	(0.02)	(0.04)
1993	Above Normal	(0.02)	(0.01)	(0.02)	(0.03)	(0.04)	0.29	0.27	0.47	0.79	0.98	0.78	0.14	0.30
1994	Critical	0.14	0.00	0.19	0.33	0.32	0.02	0.03	0.03	0.07	0.28	(0.09)	0.01	0.11
1995	Wet	0.01	0.00	0.01	0.03	0.03	0.16	(0.54)	(0.97)	(0.80)	(0.94)	(0.68)	(0.17)	(0.32)
1996	Wet	(0.10)	(1.13)	(0.18)	(0.31)	(0.34)	0.45	(0.09)	(0.06)	(0.14)	(0.16)	0.08	(0.06)	(0.17)
1997	Wet	(0.64)	(0.03)	(0.03)	(0.44)	(0.46)	0.33	0.33	0.56	0.94	1.17	(0.09)	0.17	0.15
1998	Wet	0.23	0.05	0.22	0.39	0.39	0.15	(0.23)	(0.45)	(0.79)	(0.96)	(0.66)	(0.16)	(0.15)
1999	Wet	(0.12)	(0.11)	(0.18)	(0.31)	(0.33)	0.03	0.36	0.61	1.03	1.27	0.85	0.20	0.28
2000	Above Normal	0.22	0.12	0.25	0.42	0.43	0.33	0.33	0.55	0.92	1.15	0.77	0.17	0.47
2001	Dry	0.15	0.11	0.22	0.39	0.39	0.02	0.02	0.03	0.05	0.06	0.04	0.01	0.12
2002	Dry	0.01	0.00	0.01	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.10	0.11	0.17	0.29	0.38	0.24	0.05	0.11
	Average	0.04	(0.01)	0.07	0.09	0.10	0.13	0.11	0.17	0.33	0.41	0.07	0.05	0.13
	Wet	0.09	(0.04)	0.09	0.09	0.11	0.17	0.12	0.15	0.35	0.45	0.18	0.05	0.15
	Above Normal	(0.12)	(0.00)	0.02	(0.00)	(0.00)	0.22	0.24	0.40	0.68	0.85	(0.12)	0.12	0.19
	Below Normal	0.15	(0.21)	0.05	0.05	0.06	0.16	0.14	0.26	0.48	0.61	0.40	0.08	0.19
	Dry	(0.01)	0.13	0.10	0.17	0.17	0.06	0.05	0.09	0.16	0.20	(0.14)	0.02	0.08
	Critical	0.05	0.04	0.08	0.13	0.13	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	0.03

Percent Difference in Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	4%	3%	3%	3%	3%	-9%	3%
1923	Below Normal	2%	0%	3%	1%	3%	5%	4%	5%	5%	5%	5%	4%
1924	Critical	0%	4%	5%	5%	5%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	1%	2%	2%	2%	2%	2%	1%	1%
1926	Dry	2%	2%	2%	2%	2%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	1%	0%	0%	0%	0%	6%	5%	5%	5%	5%	5%	4%
1928	Above Normal	6%	1%	5%	6%	5%	5%	3%	3%	3%	3%	3%	2%
1929	Critical	4%	1%	4%	4%	3%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	15%	13%	15%	15%	11%	14%	10%
1933	Critical	13%	11%	15%	17%	15%	2%	2%	2%	1%	1%	1%	1%
1934	Critical	1%	0%	2%	1%	1%	-1%	-1%	-1%	0%	-1%	-1%	0%
1935	Below Normal	0%	0%	-1%	-1%	-1%	61%	47%	10%	10%	10%	10%	7%
1936	Below Normal	3%	9%	11%	11%	10%	7%	6%	7%	7%	7%	7%	6%
1937	Below Normal	2%	6%	7%	0%	0%	19%	0%	2%	8%	8%	8%	2%
1938	Wet	8%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-7%	-7%	-6%	-7%	-7%	-34%	-7%
1940	Above Normal	-5%	-8%	-7%	-7%	-8%	12%	9%	9%	9%	10%	9%	8%
1941	Wet	6%	6%	10%	4%	5%	5%	3%	3%	3%	3%	-14%	3%
1942	Wet	4%	-5%	3%	-1%	3%	3%	2%	-1%	3%	3%	4%	2%
1943	Wet	1%	0%	3%	-1%	3%	3%	3%	3%	3%	3%	3%	2%
1944	Dry	-17%	14%	3%	3%	3%	7%	6%	7%	7%	7%	5%	5%
1945	Below Normal	6%	5%	7%	7%	7%	6%	2%	3%	3%	3%	3%	2%
1946	Below Normal	-1%	2%	3%	3%	3%	4%	4%	5%	5%	5%	4%	4%
1947	Dry	1%	4%	5%	5%	5%	3%	2%	3%	3%	3%	2%	2%
1948	Below Normal	2%	2%	2%	3%	3%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	2%	1%	1%	1%	1%	1%	1%
1951	Above Normal	0%	1%	0%	0%	1%	5%	4%	5%	5%	5%	4%	4%
1952	Wet	3%	1%	5%	5%	1%	3%	0%	0%	0%	0%	0%	0%
1953	Wet	-2%	1%	0%	0%	0%	-5%	1%	2%	2%	2%	1%	1%
1954	Above Normal	-6%	-1%	2%	2%	2%	2%	1%	1%	1%	1%	0%	1%
1955	Dry	3%	-1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	-1%	0%	0%	0%	0%	0%	4%	4%	4%	28%	3%
1957	Above Normal	1%	1%	4%	4%	4%	9%	7%	8%	8%	8%	8%	6%
1958	Wet	8%	1%	8%	9%	8%	4%	3%	-5%	-5%	-5%	-5%	-4%
1959	Below Normal	-4%	-5%	-5%	-5%	-5%	3%	5%	5%	5%	5%	5%	4%
1960	Dry	3%	5%	5%	5%	5%	0%	0%	0%	0%	0%	-18%	0%
1961	Dry	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1962	Below Normal	0%	0%	0%	0%	0%	8%	6%	7%	6%	7%	6%	5%
1963	Wet	7%	6%	7%	7%	6%	6%	5%	5%	5%	5%	5%	4%
1964	Dry	5%	0%	5%	6%	5%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	4%	3%	2%	2%	2%	-15%	1%
1966	Below Normal	1%	-4%	2%	2%	2%	5%	4%	4%	4%	4%	4%	3%
1967	Wet	1%	3%	4%	5%	4%	3%	0%	0%	0%	0%	0%	0%
1968	Below Normal	25%	-7%	0%	0%	0%	0%	6%	7%	7%	7%	6%	5%
1969	Wet	2%	5%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	10%	-3%	0%	0%	0%	1%	4%	5%	5%	5%	12%	4%
1971	Wet	3%	1%	5%	5%	5%	6%	4%	5%	4%	5%	4%	3%
1972	Below Normal	0%	4%	5%	5%	4%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	6%	5%	5%	5%	5%	5%	4%
1974	Wet	6%	4%	5%	5%	5%	2%	1%	1%	1%	1%	-10%	1%
1975	Wet	1%	-2%	1%	1%	1%	6%	4%	5%	5%	5%	9%	4%
1976	Critical	6%	1%	5%	5%	5%	-1%	-1%	0%	-1%	-2%	2%	-1%
1977	Critical	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-2%	0%	-2%	-2%	-2%	-22%	-2%
1979	Below Normal	1%	-4%	-2%	-2%	-2%	-6%	-9%	-9%	-9%	-9%	-9%	-9%
1980	Above Normal	-14%	-9%	-9%	-15%	-15%	0%	0%	4%	4%	4%	4%	3%
1981	Dry	4%	1%	4%	4%	4%	6%	6%	7%	7%	7%	2%	5%
1982	Wet	7%	5%	7%	7%	7%	2%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1984	Wet	0%	0%	0%	0%	0%	0%	4%	5%	5%	5%	4%	4%
1985	Dry	5%	4%	5%	5%	4%	4%	3%	4%	3%	4%	2%	3%
1986	Wet	4%	3%	3%	4%	3%	-2%	0%	0%	5%	5%	4%	4%
1987	Dry	5%	1%	5%	5%	5%	2%	-1%	-1%	-1%	-1%	-1%	-1%
1988	Critical	-1%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1990	Critical	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1993	Above Normal	-1%	-1%	-1%	-1%	-1%	6%	3%	4%	4%	4%	10%	3%
1994	Critical	2%	0%	4%	4%	4%	0%	0%	0%	0%	1%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	2%	-5%	-6%	-3%	-3%	-3%	-3%
1996	Wet	-1%	-9%	-3%	-3%	-3%	7%	-1%	0%	-1%	-1%	1%	-1%
1997	Wet	-4%	-1%	-1%	-5%	-5%	4%	3%	4%	4%	4%	-1%	3%
1998	Wet	4%	0%	4%	4%	4%	2%	-2%	-2%	-2%	-2%	-2%	-2%
1999	Wet	-2%	-2%	-2%	-2%	-2%	1%	5%	6%	6%	6%	6%	2%
2000	Above Normal	3%	5%	6%	6%	6%	7%	5%	5%	5%	5%	5%	4%
2001	Dry	2%	2%	5%	6%	5%	1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	2%	2%	2%	2%	2%	2%	1%
	Average	2%	1%	2%	2%	2%	3%	2%	2%	2%	2%	1%	1%
	Wet	3%	1%	3%	2%	2%	2%	2%	2%	2%	2%	1%	1%
	Above Normal	-1%	-1%	0%	-1%	-1%	5%	4%	4%	4%	4%	2%	3%
	Below Normal	3%	1%	2%	2%	2%	8%	5%	3%	4%	4%	4%	2%
	Dry	1%	2%	2%	2%	2%	2%	1%	2%	2%	1%	-2%	1%
	Critical	2%	1%	3%	3%	3%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at CVP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.13	37.34	50.02	27.96	8.26	48.45	0.00	0.00	0.00	0.00	0.00	10.58	202.74
1923	Below Normal	19.00	53.07	49.54	39.02	30.53	17.02	0.00	0.00	0.00	0.00	0.00	17.25	225.43
1924	Critical	31.47	43.47	43.39	50.00	9.48	0.00	0.00	0.00	0.00	0.00	0.00	8.08	185.89
1925	Dry	16.74	10.07	55.15	50.96	28.82	19.56	0.00	0.00	0.00	0.00	0.00	3.76	185.06
1926	Dry	17.88	42.19	41.44	34.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.44	146.47
1927	Wet	14.35	51.10	52.21	31.54	52.11	33.42	0.00	0.00	0.00	0.00	0.00	16.74	251.47
1928	Above Normal	7.91	9.52	59.39	40.54	7.54	42.28	0.00	0.00	0.00	0.00	0.00	6.08	173.26
1929	Critical	6.88	14.89	52.92	36.10	26.62	17.71	0.00	0.00	0.00	0.00	17.64	4.82	177.58
1930	Dry	13.36	23.62	40.86	33.45	28.98	10.11	0.00	0.00	0.00	0.00	0.00	0.00	150.38
1931	Critical	18.63	32.95	43.36	48.43	41.06	0.00	0.00	0.00	0.00	0.00	0.00	6.98	191.41
1932	Dry	14.05	18.29	66.20	55.22	20.46	0.00	0.00	0.00	0.00	0.00	1.83	39.18	215.23
1933	Critical	29.04	37.48	50.84	2.26	1.29	3.44	0.00	0.00	0.00	0.00	32.14	31.38	187.87
1934	Critical	19.90	27.64	12.20	1.48	0.87	0.00	0.00	0.00	0.00	0.00	9.25	7.64	78.98
1935	Below Normal	1.70	28.23	59.49	42.06	0.96	2.81	0.00	0.00	0.00	0.00	0.00	18.96	154.21
1936	Below Normal	31.83	42.90	59.81	18.54	1.53	4.62	0.00	0.00	0.00	0.00	0.00	23.46	182.69
1937	Below Normal	27.30	41.07	63.31	42.81	1.93	3.85	4.73	0.00	0.00	0.00	0.00	23.82	208.82
1938	Wet	15.93	52.01	58.78	2.78	1.73	5.84	2.68	11.55	0.00	0.00	0.00	9.93	161.23
1939	Dry	14.19	0.00	46.31	25.45	19.18	1.50	0.00	0.00	0.00	0.00	0.00	10.10	116.73
1940	Above Normal	9.39	23.96	18.44	21.05	30.03	46.00	0.00	0.00	0.00	0.00	0.00	8.15	157.02
1941	Wet	5.80	14.03	41.14	49.13	56.40	48.85	0.00	0.00	0.00	0.00	0.00	12.22	227.57
1942	Wet	7.57	46.46	48.41	52.46	43.99	37.01	0.00	0.00	0.00	0.00	0.00	8.89	244.79
1943	Wet	9.31	47.97	41.61	51.12	39.08	62.66	0.00	0.00	0.00	0.00	0.00	9.31	261.06
1944	Dry	4.71	23.06	35.82	27.16	22.09	12.34	0.00	0.00	0.00	0.00	0.00	2.35	127.53
1945	Below Normal	11.17	43.59	51.24	49.48	60.82	47.26	0.00	0.00	0.00	0.00	0.00	15.31	278.87
1946	Below Normal	29.77	50.76	66.39	56.87	49.93	23.27	0.00	0.00	0.00	0.00	0.00	11.48	288.47
1947	Dry	30.31	50.97	64.28	51.32	30.12	0.00	0.00	0.00	0.00	0.00	0.00	10.20	237.20
1948	Below Normal	13.73	37.56	39.42	15.33	0.00	16.32	0.00	0.00	0.00	0.00	0.00	16.86	139.22
1949	Dry	27.65	44.05	56.80	42.21	35.48	3.31	0.00	0.00	0.00	0.00	0.00	11.87	221.37
1950	Below Normal	16.10	31.35	41.24	13.20	10.00	28.66	0.00	0.00	0.00	0.00	0.00	17.56	158.11
1951	Above Normal	33.41	53.62	78.61	55.63	1.77	5.36	0.00	0.00	0.00	0.00	0.00	16.08	244.48
1952	Wet	11.05	42.00	47.50	57.92	44.98	61.11	0.00	0.00	0.00	0.00	0.00	9.64	274.20
1953	Wet	4.82	26.90	48.30	19.86	16.43	29.75	0.00	0.00	0.00	0.00	0.00	15.57	161.63
1954	Above Normal	0.00	38.04	55.71	16.72	14.37	26.35	0.00	0.00	0.00	0.00	0.00	14.23	165.42
1955	Dry	6.67	36.52	59.40	46.22	37.50	12.37	0.00	0.00	0.00	0.00	0.00	8.03	206.71
1956	Wet	8.32	38.43	66.54	76.64	66.98	6.04	0.00	0.00	0.00	0.00	0.00	11.98	274.93
1957	Above Normal	10.94	53.10	47.75	27.60	0.00	18.62	0.00	0.00	0.00	0.00	1.22	8.48	167.71
1958	Wet	25.93	50.15	47.53	29.20	46.27	41.38	0.00	0.00	0.00	0.00	0.00	7.32	247.78
1959	Below Normal	7.90	21.56	37.74	3.79	4.62	26.44	0.00	0.00	0.00	0.00	0.71	5.87	108.63
1960	Dry	12.76	26.13	43.14	37.60	14.36	14.54	0.00	0.00	0.00	0.00	0.00	10.52	159.05
1961	Dry	11.88	27.66	53.91	40.81	10.94	27.79	0.00	0.00	0.00	0.00	0.37	15.97	189.33
1962	Below Normal	5.11	24.51	21.53	30.39	21.13	31.79	0.00	0.00	0.00	0.00	0.00	11.15	145.61
1963	Wet	26.49	51.28	47.21	25.21	24.25	30.21	0.00	0.00	0.00	0.00	0.00	20.43	225.08
1964	Dry	3.92	51.86	67.45	44.97	22.90	14.79	0.00	0.00	0.00	0.00	0.00	2.53	208.42
1965	Wet	4.62	19.47	40.84	61.15	54.81	47.42	0.00	0.00	0.00	0.00	0.00	9.91	238.22
1966	Below Normal	4.18	50.70	54.28	41.66	28.24	17.88	0.00	0.00	0.00	0.00	0.00	12.83	209.77
1967	Wet	19.57	36.43	49.60	48.43	37.86	29.58	0.00	0.00	0.00	0.00	0.00	6.98	228.45
1968	Below Normal	12.00	10.72	38.42	22.55	0.00	26.36	0.00	0.00	0.00	0.00	0.00	5.54	115.59
1969	Wet	16.60	38.35	62.41	66.69	73.65	6.00	7.09	8.19	0.00	0.00	0.00	0.00	278.98
1970	Wet	20.32	0.00	47.70	56.62	48.18	27.50	0.00	0.00	0.00	0.00	0.00	15.59	215.91
1971	Wet	8.47	9.43	46.73	33.13	21.91	37.08	0.00	0.00	0.00	0.00	1.00	16.94	174.69
1972	Below Normal	15.02	21.56	62.08	41.96	8.30	6.22	0.00	0.00	0.00	0.00	0.00	10.25	165.39
1973	Above Normal	12.53	50.99	51.88	36.38	52.75	43.17	0.00	0.00	0.00	0.00	0.00	1.26	248.96
1974	Wet	7.30	51.25	62.36	66.22	40.12	45.07	0.00	0.00	0.00	0.00	0.00	9.98	282.30
1975	Wet	18.53	49.48	52.65	28.17	11.42	43.26	0.00	0.00	0.00	0.00	0.00	12.41	215.92
1976	Critical	24.71	32.09	55.43	37.46	43.40	32.53	0.00	0.00	0.00	0.00	0.00	0.00	225.62
1977	Critical	3.26	25.41	26.81	27.42	40.42	0.00	0.00	0.00	0.00	0.00	13.85	0.00	137.17
1978	Above Normal	1.95	6.54	24.64	31.39	63.39	60.68	0.00	0.00	0.00	0.00	0.00	9.65	198.24
1979	Below Normal	11.92	19.31	50.99	36.35	33.71	62.00	0.00	0.00	0.00	0.00	0.00	3.74	218.02
1980	Above Normal	32.42	33.80	65.96	75.82	40.19	5.96	0.00	0.00	0.00	0.00	0.00	0.00	254.15
1981	Dry	4.49	23.85	40.22	27.36	15.76	8.77	0.00	0.00	0.00	0.00	0.00	4.71	125.16
1982	Wet	20.77	37.72	44.12	46.24	57.12	40.39	12.06	0.00	0.00	0.00	0.00	10.63	269.05
1983	Wet	41.50	59.92	68.86	60.90	3.73	6.02	6.82	7.97	8.65	0.00	0.00	31.24	295.61
1984	Wet	61.89	29.07	6.06	6.01	3.71	5.48	0.00	0.00	0.00	0.00	0.00	17.55	129.77
1985	Dry	15.77	50.64	65.81	41.46	29.42	17.07	0.00	0.00	0.00	0.00	0.00	14.56	234.73
1986	Wet	27.01	51.95	56.95	16.99	61.08	61.86	1.30	0.00	0.00	0.00	0.00	0.00	277.14
1987	Dry	0.00	0.00	35.43	30.21	20.52	16.70	0.00	0.00	0.00	0.00	0.00	2.22	105.08
1988	Critical	21.30	25.93	35.44	26.47	0.00	0.00	0.00	0.00	0.00	0.00	20.50	0.00	129.64
1989	Dry	4.13	31.49	37.42	49.82	8.72	0.00	0.00	0.00	0.00	0.00	0.00	3.65	135.23
1990	Critical	3.42	18.83	28.37	34.38	15.06	0.00	0.00	0.00	0.00	0.58	3.56	0.00	104.20
1991	Critical	9.26	19.15	23.63	14.02	12.76	0.00	0.00	0.00	0.00	0.00	0.00	0.28	79.10
1992	Critical	11.16	20.00	22.30	15.38	12.48	17.07	0.00	0.00	0.00	0.00	11.75	0.00	110.14
1993	Above Normal	1.73	19.13	31.79	39.45	46.00	34.34	0.00	0.00	0.00	0.00	0.00	11.94	184.38
1994	Critical	14.45	34.03	58.50	30.83	22.31	6.45	0.00	0.00	0.00	0.00	0.38	2.83	169.78
1995	Wet	1.82	24.21	27.25	21.37	31.86	52.81	0.00	16.35	0.00	0.00	0.00	10.77	186.44
1996	Wet	0.00	2.13	26.49	11.99	31.01	60.10	0.00	0.00	0.00	0.00	0.00	11.03	142.75
1997	Wet	2.58	46.19	56.43	58.24	54.42	38.25	0.00	0.00	0.00	0.00	0.00	9.83	265.94
1998	Wet	0.88	5.83	36.29	19.76	42.03	53.88	0.00	0.00	0.00	0.00	0.00	10.39	169.06
1999	Wet	25.74	49.46	51.90	41.91	44.68	54.80	0.00	0.00	0.00	0.00	0.00	3.91	272.40
2000	Above Normal	0.65	45.18	44.67	16.91	46.90	49.30	0.00	0.00	0.00	0.00	0.00	14.37	217.98
2001	Dry	5.92	43.25	48.20	38.97	21.41	20.84	0.00	0.00	0.00	0.00	0.00	1.72	180.31
2002	Dry	17.62	25.12	49.32	30.34	20.77	12.60	0.00	0.00	0.00	0.00	0.00	10.29	166.06
2003	Above Normal	17.10	33.34	36.12	20.10	27.50	21.58	0.00	0.00	0.00	0.00	0.00	6.69	162.43
	Average	14.36	32.60	47.03	35.80	26.99	23.80	0.42	0.54	0.11	0.01	1.39	10.06	193.11
	Wet	15.66	35.82	47.53	39.99	38.84	37.15	1.15	1.69	0.33	0.00	0.04	11.51	229.71
	Above Normal	12.35	33.71	47.08	34.13	28.23	33.51	0.00	0.00	0.00	0.00	0.10	8.96	198.06
	Below Normal	14.77	34.06	49.68	32.43	17.98	22.46	0.34	0.00	0.00	0.00	0.05	13.86	185.63
	Dry	12.34	29.38	50.40	39.34	21.52	10.68	0.00	0.00	0.00	0.00	0.12	9.01	172.78
	Critical	16.12	27.66	37.77	27.02	18.81	6.43	0.00	0.00	0.00	0.05	9.09	5.17	148.12

Energy Use (GWh) At Pumping Plant at CVP San Luis: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.13	37.34	50.02	27.96	7.82	48.42	0.00	0.00	0.00	0.00	0.00	10.60	202.29
1923	Below Normal	19.03	53.23	49.57	37.89	29.23	17.13	0.00	0.00	0.00	0.00	0.00	17.30	223.38
1924	Critical	31.54	43.50	43.46	50.17	9.69	0.00	0.00	0.00	0.00	0.00	0.00	8.12	186.48
1925	Dry	16.80	10.03	55.14	50.95	28.82	19.53	0.00	0.00	0.00	0.00	0.00	3.76	185.03
1926	Dry	17.88	42.18	41.39	34.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.43	146.36
1927	Wet	14.37	51.11	52.23	31.57	52.15	33.42	0.00	0.00	0.00	0.00	0.00	16.73	251.58
1928	Above Normal	7.92	9.50	59.38	40.53	7.53	42.28	0.00	0.00	0.00	0.00	0.00	6.08	173.22
1929	Critical	6.88	14.87	52.89	36.10	26.62	17.70	0.00	0.00	0.00	0.00	17.63	4.83	177.52
1930	Dry	13.37	23.64	40.85	33.44	28.98	10.10	0.00	0.00	0.00	0.00	0.00	0.00	150.38
1931	Critical	18.64	32.98	43.35	48.44	41.09	0.00	0.00	0.00	0.00	0.00	0.00	7.00	191.50
1932	Dry	14.07	18.25	66.20	55.22	20.34	0.00	0.00	0.00	0.00	0.00	1.94	39.13	215.15
1933	Critical	29.01	37.44	52.27	2.25	1.29	3.44	0.00	0.00	0.00	0.00	32.14	31.44	189.28
1934	Critical	19.98	27.67	12.23	1.55	0.91	0.00	0.00	0.00	0.00	0.00	7.10	7.69	77.13
1935	Below Normal	1.54	27.70	59.10	44.69	0.95	2.78	0.00	0.00	0.00	0.00	0.00	18.88	155.64
1936	Below Normal	31.62	42.57	66.83	10.41	1.53	4.62	0.00	0.00	0.00	0.00	0.00	23.48	181.06
1937	Below Normal	27.34	41.12	63.28	42.64	1.93	3.85	4.71	0.00	0.00	0.00	0.00	23.46	208.33
1938	Wet	15.66	50.97	69.45	6.77	1.68	25.63	0.00	0.00	0.00	0.00	0.00	8.93	179.09
1939	Dry	13.52	0.00	39.41	22.80	17.02	1.79	0.00	0.00	0.00	0.00	0.00	9.43	103.97
1940	Above Normal	11.09	24.39	18.63	22.52	31.77	45.86	0.00	0.00	0.00	0.00	0.00	9.08	163.34
1941	Wet	5.68	15.90	41.45	48.81	55.71	44.35	0.00	0.00	0.00	0.00	0.00	11.90	223.80
1942	Wet	8.25	50.39	48.51	52.64	41.76	37.06	0.00	0.00	0.00	0.00	0.00	8.96	247.57
1943	Wet	9.36	47.79	41.68	51.10	34.32	59.39	0.00	0.00	0.00	0.00	0.00	9.35	252.99
1944	Dry	3.71	22.42	35.73	27.26	22.25	12.25	0.00	0.00	0.00	0.00	0.00	2.36	125.98
1945	Below Normal	11.13	43.36	51.12	49.29	45.35	57.90	0.00	0.00	0.00	0.00	0.00	15.48	273.63
1946	Below Normal	29.92	50.88	65.32	53.92	49.93	25.95	0.00	0.00	0.00	0.00	0.00	13.14	289.06
1947	Dry	30.29	50.94	64.27	51.38	30.11	0.00	0.00	0.00	0.00	0.00	0.00	10.11	237.10
1948	Below Normal	13.65	37.24	36.86	15.24	0.00	16.32	0.00	0.00	0.00	0.00	0.00	16.86	136.17
1949	Dry	27.63	44.04	56.38	42.16	35.45	3.30	0.00	0.00	0.00	0.00	0.00	11.89	220.85
1950	Below Normal	16.12	31.36	41.27	13.22	10.03	28.67	0.00	0.00	0.00	0.00	0.00	17.57	158.24
1951	Above Normal	33.41	53.63	78.14	55.15	1.77	5.36	0.00	0.00	0.00	0.00	0.00	16.08	243.54
1952	Wet	11.06	42.05	47.51	57.89	44.56	37.90	0.00	0.00	0.00	0.00	0.00	10.51	251.48
1953	Wet	5.27	62.33	52.51	13.29	17.55	32.14	0.00	0.00	0.00	0.00	0.00	16.84	199.93
1954	Above Normal	0.00	40.74	57.07	17.76	15.37	26.53	0.00	0.00	0.00	0.00	0.00	14.25	171.72
1955	Dry	6.45	37.53	59.62	46.36	37.96	12.49	0.00	0.00	0.00	0.00	0.00	7.97	208.38
1956	Wet	8.31	37.25	61.40	69.98	76.85	6.04	0.00	0.00	0.00	0.00	0.00	11.93	271.76
1957	Above Normal	10.87	52.73	47.68	27.55	0.00	18.60	0.00	0.00	0.00	0.00	1.22	8.48	167.13
1958	Wet	25.91	50.13	47.50	29.19	46.24	41.36	0.00	0.00	0.00	0.00	0.00	7.53	247.86
1959	Below Normal	8.02	36.99	38.31	4.94	5.97	26.26	0.00	0.00	0.00	0.00	0.28	6.41	127.18
1960	Dry	12.69	25.78	42.95	37.33	14.03	14.56	0.00	0.00	0.00	0.00	0.00	10.49	157.83
1961	Dry	11.77	27.66	53.89	40.83	10.97	27.80	0.00	0.00	0.00	0.00	0.38	15.96	189.26
1962	Below Normal	5.16	24.54	21.52	30.41	21.15	31.79	0.00	0.00	0.00	0.00	0.00	11.15	145.72
1963	Wet	26.49	51.28	47.21	25.20	22.80	30.27	0.00	0.00	0.00	0.00	0.00	20.50	223.75
1964	Dry	3.97	51.91	67.53	45.10	23.05	14.77	0.00	0.00	0.00	0.00	0.00	2.54	208.87
1965	Wet	4.61	19.46	40.84	58.44	46.21	47.27	0.00	0.00	0.00	0.00	0.00	10.11	226.94
1966	Below Normal	4.32	50.32	54.51	40.97	28.33	17.90	0.00	0.00	0.00	0.00	0.00	12.80	209.15
1967	Wet	19.58	36.44	49.61	48.45	35.34	29.68	0.00	0.00	0.00	0.00	0.00	7.33	226.43
1968	Below Normal	10.48	30.74	37.95	22.48	0.00	26.37	0.00	0.00	0.00	0.00	0.00	5.53	133.55
1969	Wet	16.56	38.15	62.34	58.20	81.83	22.40	0.47	14.21	0.00	0.00	0.00	2.70	296.86
1970	Wet	19.63	0.00	47.12	55.86	47.53	23.04	0.00	0.00	0.00	0.00	0.00	15.57	208.75
1971	Wet	9.00	9.00	46.82	33.21	21.96	37.19	0.00	0.00	0.00	0.00	1.08	17.13	175.39
1972	Below Normal	15.07	21.69	62.22	42.06	8.36	6.21	0.00	0.00	0.00	0.00	0.00	10.27	165.88
1973	Above Normal	12.53	50.99	51.88	36.37	52.73	43.17	0.00	0.00	0.00	0.00	0.00	6.71	254.38
1974	Wet	7.31	51.26	62.36	58.77	38.66	44.13	0.00	0.00	0.00	0.00	0.00	10.32	272.81
1975	Wet	18.85	48.70	53.00	28.80	12.15	43.22	0.00	0.00	0.00	0.00	0.00	12.35	217.07
1976	Critical	24.69	32.35	55.40	37.37	43.27	32.56	0.00	0.00	0.00	0.00	0.00	0.00	225.64
1977	Critical	3.40	25.38	26.78	27.47	40.36	0.00	0.00	0.00	0.00	0.00	13.20	0.00	136.59
1978	Above Normal	2.21	6.55	24.56	31.30	53.84	57.28	0.00	0.00	0.00	0.00	0.00	7.67	183.41
1979	Below Normal	9.59	52.26	50.40	34.44	32.83	56.97	0.00	0.00	0.00	0.00	0.00	5.43	241.92
1980	Above Normal	34.32	44.86	71.05	68.67	2.09	5.96	0.00	0.00	0.00	0.00	0.00	7.99	234.94
1981	Dry	6.59	33.26	53.17	30.24	17.22	9.63	0.00	0.00	0.00	0.00	0.00	4.59	154.70
1982	Wet	20.83	38.13	44.23	46.32	52.09	39.15	19.18	0.00	0.00	0.00	0.00	10.40	270.33
1983	Wet	25.46	57.20	60.79	112.61	32.37	37.73	20.24	13.10	9.01	0.00	0.00	36.83	405.34
1984	Wet	62.23	23.45	37.78	12.72	3.71	5.48	0.00	0.00	0.00	0.00	0.00	17.55	162.92
1985	Dry	15.78	50.64	65.81	41.46	29.42	17.07	0.00	0.00	0.00	0.00	0.00	14.55	234.73
1986	Wet	27.02	51.95	56.95	16.99	53.91	68.10	1.30	0.00	0.00	0.00	0.00	0.00	276.22
1987	Dry	0.00	0.00	34.85	30.10	20.43	16.62	0.00	0.00	0.00	0.00	0.00	2.21	104.21
1988	Critical	21.35	26.04	35.71	26.59	0.00	0.00	0.00	0.00	0.00	0.00	20.44	0.00	130.13
1989	Dry	4.17	31.21	37.38	49.74	8.69	0.00	0.00	0.00	0.00	0.00	0.00	2.93	134.12
1990	Critical	3.43	18.80	28.17	34.38	15.09	0.00	0.00	0.00	0.00	0.58	0.00	1.24	101.69
1991	Critical	8.72	18.99	23.52	13.77	12.53	0.00	0.00	0.00	0.00	0.00	0.00	0.28	77.81
1992	Critical	11.05	20.19	22.06	14.94	12.46	17.03	0.00	0.00	0.00	0.00	11.80	0.00	109.53
1993	Above Normal	1.72	19.16	31.85	39.55	46.01	32.32	0.00	0.00	0.00	0.00	0.00	12.02	182.63
1994	Critical	14.53	33.92	58.95	31.01	22.51	6.40	0.00	0.00	0.00	0.00	0.38	2.84	170.54
1995	Wet	1.83	24.18	27.25	21.15	26.42	42.96	0.00	0.00	0.00	0.00	0.00	8.52	152.31
1996	Wet	0.00	26.69	27.10	13.19	32.75	42.01	0.00	0.00	0.00	0.00	0.00	11.55	153.29
1997	Wet	1.68	46.22	54.23	59.13	55.67	38.36	0.00	0.00	0.00	0.00	0.00	9.83	265.12
1998	Wet	0.96	5.76	36.26	19.73	35.32	52.88	0.00	0.00	0.00	0.00	0.00	10.87	161.78
1999	Wet	26.04	49.66	52.31	42.72	45.69	54.77	0.00	0.00	0.00	0.00	0.00	3.86	275.05
2000	Above Normal	0.67	45.24	44.69	16.83	46.75	49.19	0.00	0.00	0.00	0.00	0.00	14.29	217.66
2001	Dry	5.84	42.93	48.86	38.92	21.40	20.81	0.00	0.00	0.00	0.00	0.00	1.72	180.48
2002	Dry	17.60	25.08	49.30	30.32	20.74	12.59	0.00	0.00	0.00	0.00	0.00	10.17	165.80
2003	Above Normal	17.11	33.33	36.09	20.10	27.49	21.59	0.00	0.00	0.00	0.00	0.00	6.66	162.37
	Average	14.17	34.36	47.63	36.00	26.30	23.97	0.56	0.33	0.11	0.01	1.31	10.36	195.11
	Wet	15.08	37.90	48.79	41.26	39.05	37.54	1.58	1.05	0.35	0.00	0.04	11.85	234.48
	Above Normal	12.67	34.87	47.59	33.69	24.43	33.05	0.00	0.00	0.00	0.00	0.10	9.99	196.39
	Below Normal	14.50	38.86	49.88	31.61	16.83	23.05	0.34	0.00	0.00	0.00	0.02	14.13	189.21
	Dry	12.34	29.86	50.71	39.34	21.49	10.74	0.00	0.00	0.00	0.00	0.13	8.90	173.51
	Critical	16.10	27.68	37.90	27.00	18.82	6.43	0.00	0.00	0.00	0.05	8.56	5.29	147.82

Difference in Energy Use (GWh) At Pumping Plant at CVP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.44)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.02	(0.04)
1923	Below Normal	0.03	0.16	0.03	(1.13)	(1.30)	0.11	0.00	0.00	0.00	0.00	0.00	0.05	(0.17)
1924	Critical	0.07	0.03	0.07	0.17	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05
1925	Dry	0.06	(0.04)	(0.01)	(0.01)	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	(0.01)	(0.05)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1927	Wet	0.02	0.01	0.02	0.03	0.04	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01
1928	Above Normal	0.01	(0.02)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	(0.02)	(0.03)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.01	(0.01)
1930	Dry	0.01	0.02	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.01	0.03	(0.01)	0.01	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01
1932	Dry	0.02	(0.04)	0.00	0.00	(0.12)	0.00	0.00	0.00	0.00	0.00	0.11	(0.05)	(0.01)
1933	Critical	(0.03)	(0.04)	1.43	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.12
1934	Critical	0.08	0.03	0.03	0.07	0.04	0.00	0.00	0.00	0.00	0.00	(2.15)	0.05	(0.15)
1935	Below Normal	(0.16)	(0.53)	(0.39)	2.63	(0.01)	(0.03)	0.00	0.00	0.00	0.00	0.00	(0.08)	0.12
1936	Below Normal	(0.21)	(0.33)	7.02	(8.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.14)
1937	Below Normal	0.04	0.05	(0.03)	(0.17)	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.36)	(0.04)
1938	Wet	(0.27)	(1.04)	10.67	3.99	(0.05)	19.79	(2.68)	(11.55)	0.00	0.00	0.00	(1.00)	1.49
1939	Dry	(0.67)	0.00	(6.90)	(2.65)	(2.16)	0.29	0.00	0.00	0.00	0.00	0.00	(0.67)	(1.06)
1940	Above Normal	1.70	0.43	0.19	1.47	1.74	(0.14)	0.00	0.00	0.00	0.00	0.00	0.93	0.53
1941	Wet	(0.12)	1.87	0.31	(0.32)	(0.69)	(4.50)	0.00	0.00	0.00	0.00	0.00	(0.32)	(0.31)
1942	Wet	0.68	3.93	0.10	0.18	(2.23)	0.05	0.00	0.00	0.00	0.00	0.00	0.07	0.23
1943	Wet	0.05	(0.18)	0.07	(0.02)	(4.76)	(3.27)	0.00	0.00	0.00	0.00	0.00	0.04	(0.67)
1944	Dry	(1.00)	(0.64)	(0.09)	0.10	0.16	(0.09)	0.00	0.00	0.00	0.00	0.00	0.01	(0.13)
1945	Below Normal	(0.04)	(0.23)	(0.12)	(0.19)	(15.47)	10.64	0.00	0.00	0.00	0.00	0.00	0.17	(0.44)
1946	Below Normal	0.15	0.12	(1.07)	(2.95)	0.00	2.68	0.00	0.00	0.00	0.00	0.00	1.66	0.05
1947	Dry	(0.02)	(0.03)	(0.01)	0.06	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.01)
1948	Below Normal	(0.08)	(0.32)	(2.56)	(0.09)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.25)
1949	Dry	(0.02)	(0.01)	(0.42)	(0.05)	(0.03)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	(0.04)
1950	Below Normal	0.02	0.01	0.03	0.02	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1951	Above Normal	0.00	0.01	(0.47)	(0.48)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1952	Wet	0.01	0.05	0.01	(0.03)	(0.42)	(23.21)	0.00	0.00	0.00	0.00	0.00	0.87	(1.89)
1953	Wet	0.45	35.43	4.21	(6.57)	1.12	2.39	0.00	0.00	0.00	0.00	0.00	1.27	3.19
1954	Above Normal	0.00	2.70	1.36	1.04	1.00	0.18	0.00	0.00	0.00	0.00	0.00	0.02	0.53
1955	Dry	(0.22)	1.01	0.22	0.14	0.46	0.12	0.00	0.00	0.00	0.00	0.00	(0.06)	0.14
1956	Wet	(0.01)	(1.18)	(5.14)	(6.66)	9.87	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.26)
1957	Above Normal	(0.07)	(0.37)	(0.07)	(0.05)	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1958	Wet	(0.02)	(0.02)	(0.03)	(0.01)	(0.03)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.21	0.01
1959	Below Normal	0.12	15.43	0.57	1.15	1.35	(0.18)	0.00	0.00	0.00	0.00	(0.43)	0.54	1.55
1960	Dry	(0.07)	(0.35)	(0.19)	(0.27)	(0.33)	0.02	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.10)
1961	Dry	(0.11)	0.00	(0.02)	0.02	0.03	0.01	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.01)
1962	Below Normal	0.05	0.03	(0.01)	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1963	Wet	0.00	0.00	0.00	(0.01)	(1.45)	0.06	0.00	0.00	0.00	0.00	0.00	0.07	(0.11)
1964	Dry	0.05	0.05	0.08	0.13	0.15	(0.02)	0.00	0.00	0.00	0.00	0.00	0.01	0.04
1965	Wet	(0.01)	(0.01)	0.00	(2.71)	(8.60)	(0.15)	0.00	0.00	0.00	0.00	0.00	0.20	(0.94)
1966	Below Normal	0.14	(0.38)	0.23	(0.69)	0.09	0.02	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)
1967	Wet	0.01	0.01	0.01	0.02	(2.52)	0.10	0.00	0.00	0.00	0.00	0.00	0.35	(0.17)
1968	Below Normal	(1.52)	20.02	(0.47)	(0.07)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	1.50
1969	Wet	(0.04)	(0.20)	(0.07)	(8.49)	8.18	16.40	(6.62)	6.02	0.00	0.00	0.00	2.70	1.49
1970	Wet	(0.69)	0.00	(0.58)	(0.76)	(0.65)	(4.46)	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.60)
1971	Wet	0.53	(0.43)	0.09	0.08	0.05	0.11	0.00	0.00	0.00	0.00	0.08	0.19	0.06
1972	Below Normal	0.05	0.13	0.14	0.10	0.06	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	0.04
1973	Above Normal	0.00	0.00	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	5.45	0.45
1974	Wet	0.01	0.01	0.00	(7.45)	(1.46)	(0.94)	0.00	0.00	0.00	0.00	0.00	0.34	(0.79)
1975	Wet	0.32	(0.78)	0.35	0.63	0.73	(0.04)	0.00	0.00	0.00	0.00	0.00	(0.06)	0.10
1976	Critical	(0.02)	0.26	(0.03)	(0.09)	(0.13)	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.14	(0.03)	(0.03)	0.05	(0.06)	0.00	0.00	0.00	0.00	0.00	(0.65)	0.00	(0.05)
1978	Above Normal	0.26	0.01	(0.08)	(0.09)	(9.55)	(3.40)	0.00	0.00	0.00	0.00	0.00	(1.98)	(1.24)
1979	Below Normal	(2.33)	32.95	(0.59)	(1.91)	(0.88)	(5.03)	0.00	0.00	0.00	0.00	0.00	1.69	1.99
1980	Above Normal	1.90	11.06	5.09	(7.15)	(38.10)	0.00	0.00	0.00	0.00	0.00	0.00	7.99	(1.60)
1981	Dry	2.10	9.41	12.95	2.88	1.46	0.86	0.00	0.00	0.00	0.00	0.00	(0.12)	2.46
1982	Wet	0.06	0.41	0.11	0.08	(5.03)	(1.24)	7.12	0.00	0.00	0.00	0.00	(0.23)	0.11
1983	Wet	(16.04)	(2.72)	(8.07)	51.71	28.64	31.71	13.42	5.13	0.36	0.00	0.00	5.59	9.14
1984	Wet	0.34	(5.62)	31.72	6.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.76
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1986	Wet	0.01	0.00	0.00	0.00	(7.17)	6.24	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1987	Dry	0.00	0.00	(0.58)	(0.11)	(0.09)	(0.08)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.07)
1988	Critical	0.05	0.11	0.27	0.12	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.04
1989	Dry	0.04	(0.28)	(0.04)	(0.08)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.72)	(0.09)
1990	Critical	0.01	(0.03)	(0.20)	0.00	0.03	0.00	0.00	0.00	0.00	0.00	(3.56)	1.24	(0.21)
1991	Critical	(0.54)	(0.16)	(0.11)	(0.25)	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)
1992	Critical	(0.11)	0.19	(0.24)	(0.44)	(0.02)	(0.04)	0.00	0.00	0.00	0.00	0.05	0.00	(0.05)
1993	Above Normal	(0.01)	0.03	0.06	0.10	0.01	(2.02)	0.00	0.00	0.00	0.00	0.00	0.08	(0.15)
1994	Critical	0.08	(0.11)	0.45	0.18	0.20	(0.05)	0.00	0.00	0.00	0.00	0.00	0.01	0.06
1995	Wet	0.01	(0.03)	0.00	(0.22)	(5.44)	(9.85)	0.00	(16.35)	0.00	0.00	0.00	(2.25)	(2.84)
1996	Wet	0.00	24.56	0.61	1.20	1.74	(18.09)	0.00	0.00	0.00	0.00	0.00	0.52	0.88
1997	Wet	(0.90)	0.03	(2.20)	0.89	1.25	0.11	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)
1998	Wet	0.08	(0.07)	(0.03)	(0.03)	(6.71)	(1.00)	0.00	0.00	0.00	0.00	0.00	0.48	(0.61)
1999	Wet	0.30	0.20	0.41	0.81	1.01	(0.03)	0.00	0.00	0.00	0.00	0.00	(0.05)	0.22
2000	Above Normal	0.02	0.06	0.02	(0.08)	(0.15)	(0.11)	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.03)
2001	Dry	(0.08)	(0.32)	0.66	(0.05)	(0.01)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.01
2002	Dry	(0.02)	(0.04)	(0.02)	(0.02)	(0.03)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.02)
2003	Above Normal	0.01	(0.01)	(0.03)	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.01)
	Average	(0.19)	1.76	0.59	0.20	(0.69)	0.17	0.14	(0.20)	0.00	0.00	(0.08)	0.30	0.17
	Wet	(0.59)	2.09	1.25	1.27	0.21	0.39	0.43	(0.64)	0.01	0.00	0.00	0.34	0.40
	Above Normal	0.32	1.16	0.51	(0.44)	(3.79)	(0.46)	0.00	0.00	0.00	0.00	0.00	1.03	(0.14)
	Below Normal	(0.27)	4.79	0.20	(0.82)	(1.15)	0.59	(0.00)	0.00	0.00	0.00	(0.03)	0.26	0.30
	Dry	0.00	0.49	0.31	0.00	(0.03)	0.06	0.00	0.00	0.00	0.00	0.01	(0.10)	0.06
	Critical	(0.02)	0.02	0.13	(0.02)	0.01	(0.01)	0.00	0.00	0.00	0.00	(0.53)	0.12	(0.03)

Percent Difference in Energy Use (GWh) At Pumping Plant at CVP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-5%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	-3%	-4%	1%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	6%	0%
1933	Critical	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	5%	5%	0%	0%	0%	0%	0%	-23%	1%
1935	Below Normal	-9%	-2%	-1%	6%	-1%	-1%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-1%	-1%	12%	-44%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1938	Wet	-2%	-2%	18%	144%	-3%	339%	-100%	-100%	0%	0%	0%	-10%
1939	Dry	-5%	0%	-15%	-10%	-11%	19%	0%	0%	0%	0%	0%	-7%
1940	Above Normal	18%	2%	1%	7%	6%	0%	0%	0%	0%	0%	0%	11%
1941	Wet	-2%	13%	1%	-1%	-1%	-9%	0%	0%	0%	0%	0%	-3%
1942	Wet	9%	8%	0%	0%	-5%	0%	0%	0%	0%	0%	0%	1%
1943	Wet	1%	0%	0%	0%	-12%	-5%	0%	0%	0%	0%	0%	0%
1944	Dry	-21%	-3%	0%	0%	1%	-1%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	-1%	0%	0%	-25%	23%	0%	0%	0%	0%	0%	1%
1946	Below Normal	1%	0%	-2%	-5%	0%	12%	0%	0%	0%	0%	0%	14%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1948	Below Normal	-1%	-1%	-6%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	-1%	-38%	0%	0%	0%	0%	0%	9%
1953	Wet	9%	132%	9%	-33%	7%	8%	0%	0%	0%	0%	0%	8%
1954	Above Normal	0%	7%	2%	6%	7%	1%	0%	0%	0%	0%	0%	0%
1955	Dry	-3%	3%	0%	0%	1%	1%	0%	0%	0%	0%	0%	-1%
1956	Wet	0%	-3%	-8%	-9%	15%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1959	Below Normal	2%	72%	2%	30%	29%	-1%	0%	0%	0%	0%	-61%	9%
1960	Dry	-1%	-1%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%
1962	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	-6%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-4%	-16%	0%	0%	0%	0%	0%	0%	2%
1966	Below Normal	3%	-1%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	0%	5%
1968	Below Normal	-13%	187%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	-1%	0%	-13%	11%	273%	-93%	74%	0%	0%	0%	-
1970	Wet	-3%	0%	-1%	-1%	-1%	-16%	0%	0%	0%	0%	0%	0%
1971	Wet	6%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	8%	1%
1972	Below Normal	0%	1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	433%
1974	Wet	0%	0%	0%	-11%	-4%	-2%	0%	0%	0%	0%	0%	3%
1975	Wet	2%	-2%	1%	2%	6%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%	0%
1978	Above Normal	13%	0%	0%	0%	-15%	-6%	0%	0%	0%	0%	0%	-21%
1979	Below Normal	-20%	171%	-1%	-5%	-3%	-8%	0%	0%	0%	0%	0%	45%
1980	Above Normal	6%	33%	8%	-9%	-95%	0%	0%	0%	0%	0%	0%	-
1981	Dry	47%	39%	32%	11%	9%	10%	0%	0%	0%	0%	0%	-3%
1982	Wet	0%	1%	0%	0%	-9%	-3%	59%	0%	0%	0%	0%	-2%
1983	Wet	-39%	-5%	-12%	85%	768%	527%	197%	64%	4%	0%	0%	18%
1984	Wet	1%	-19%	523%	112%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-12%	10%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-20%
1990	Critical	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	-100%	-
1991	Critical	-6%	-1%	0%	-2%	-2%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	-1%	1%	-1%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	-1%	0%	0%	0%	0%	-6%	0%	0%	0%	0%	0%	1%
1994	Critical	1%	0%	1%	1%	1%	-1%	0%	0%	0%	0%	0%	0%
1995	Wet	1%	0%	0%	-1%	-17%	-19%	0%	-100%	0%	0%	0%	-21%
1996	Wet	0%	>1,000%	2%	10%	6%	-30%	0%	0%	0%	0%	0%	5%
1997	Wet	-35%	0%	-4%	2%	2%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	9%	-1%	0%	0%	-16%	-2%	0%	0%	0%	0%	0%	5%
1999	Wet	1%	0%	1%	2%	2%	0%	0%	0%	0%	0%	0%	-1%
2000	Above Normal	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2001	Dry	-1%	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	8%	7%	3%	7%	13%	1%	-1%	0%	0%	-2%	6%
	Wet	-2%	5%	20%	11%	27%	40%	2%	-2%	0%	0%	0%	1%
	Above Normal	3%	3%	1%	0%	-9%	-1%	0%	0%	0%	0%	0%	35%
	Below Normal	-3%	30%	0%	-2%	0%	2%	0%	0%	0%	0%	-4%	5%
	Dry	1%	2%	1%	0%	0%	2%	0%	0%	0%	0%	0%	-2%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%

Energy Use (GWh) At Pumping Plant at DMC Intertie: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.55	0.85	0.97	0.00	0.00	0.55	0.00	0.00	0.15	0.01	0.13	0.31	3.52
1923	Below Normal	0.00	0.86	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.51	1.73
1924	Critical	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.20
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.28	0.00	1.44
1928	Above Normal	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	1.32
1929	Critical	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.92
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.81	1.82
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.82	0.00	0.82
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.81
1937	Below Normal	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.72
1938	Wet	0.00	0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.00	1.10
1939	Dry	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.00	0.31	0.00	1.21
1941	Wet	0.00	0.00	0.00	0.00	0.86	0.81	0.00	0.00	0.00	0.06	0.17	0.27	2.17
1942	Wet	0.00	0.88	0.03	0.97	0.83	0.78	0.00	0.00	0.00	0.01	0.13	0.30	3.93
1943	Wet	0.00	0.86	0.00	0.97	0.82	0.79	0.00	0.00	0.00	0.06	0.17	0.32	3.99
1944	Dry	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47
1945	Below Normal	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.24	0.36	1.70
1946	Below Normal	0.72	0.90	0.99	0.00	0.84	0.00	0.00	0.00	0.00	0.15	0.24	0.00	3.84
1947	Dry	0.73	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	2.90
1948	Below Normal	0.00	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	1.29
1949	Dry	0.87	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.40	1.62
1950	Below Normal	0.00	0.91	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.47
1951	Above Normal	0.88	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.36	3.42
1952	Wet	0.00	0.00	0.00	0.98	0.00	0.76	0.00	0.00	0.09	0.00	0.07	0.28	2.18
1953	Wet	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.33	0.54	2.11
1954	Above Normal	0.00	0.86	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.55	2.53
1955	Dry	0.00	0.49	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	1.81
1956	Wet	0.00	0.00	1.00	0.99	0.00	0.00	0.00	0.00	0.00	0.04	0.16	0.32	2.51
1957	Above Normal	0.00	0.87	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	1.42
1958	Wet	0.86	0.94	0.00	0.00	0.00	0.78	0.00	0.00	0.10	0.00	0.08	0.28	3.04
1959	Below Normal	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.37	0.00	1.44
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1.49
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.33
1963	Wet	0.81	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.48	2.44
1964	Dry	0.00	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	0.00	2.23
1965	Wet	0.00	0.00	0.00	0.99	0.37	0.77	0.00	0.00	0.00	0.06	0.17	0.32	2.68
1966	Below Normal	0.00	0.88	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.31	0.00	2.41
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.00	0.16
1968	Below Normal	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.36	0.00	1.63
1969	Wet	0.00	0.00	1.00	0.03	0.87	0.00	0.00	0.00	0.09	0.00	0.07	0.00	2.06
1970	Wet	0.00	0.00	0.00	0.96	0.81	0.00	0.00	0.00	0.00	0.00	0.24	0.36	2.37
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.37	0.00	0.57
1972	Below Normal	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.34	0.00	1.57
1973	Above Normal	0.00	0.93	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.15	0.27	0.00	1.64
1974	Wet	0.00	0.91	0.55	0.33	0.00	0.79	0.00	0.00	0.00	0.02	0.14	0.31	3.05
1975	Wet	0.00	0.87	0.98	0.00	0.00	0.84	0.00	0.00	0.00	0.15	0.24	0.36	3.44
1976	Critical	0.72	0.00	0.99	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.23
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.89	0.82	0.00	0.00	0.00	0.00	0.07	0.17	1.95
1979	Below Normal	0.00	0.00	0.91	0.00	0.81	0.91	0.00	0.00	0.00	0.22	0.29	0.00	3.14
1980	Above Normal	0.78	0.00	0.99	0.98	0.00	0.00	0.00	0.00	0.00	0.04	0.16	0.00	2.95
1981	Dry	0.00	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	1.26
1982	Wet	0.82	0.93	0.00	0.00	0.86	0.75	0.00	0.00	0.09	0.00	0.07	0.28	3.80
1983	Wet	0.55	0.85	0.97	0.60	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.28	3.41
1984	Wet	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.24	0.35	1.29
1985	Dry	0.00	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.44	2.54
1986	Wet	0.53	0.91	0.16	0.00	0.85	0.00	0.00	0.00	0.00	0.16	0.24	0.00	2.85
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.47
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.00	0.40
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.24	0.36	0.76
1994	Critical	0.00	0.47	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.46
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.78	0.00	0.00	0.12	0.00	0.11	0.29	1.30
1996	Wet	0.00	0.00	0.00	0.00	0.85	0.83	0.00	0.00	0.00	0.09	0.20	0.34	2.31
1997	Wet	0.00	0.88	0.98	0.97	0.84	0.00	0.00	0.00	0.00	0.00	0.17	0.33	4.17
1998	Wet	0.00	0.00	0.98	0.00	0.83	0.76	0.00	0.00	0.09	0.00	0.07	0.28	3.01
1999	Wet	0.55	0.85	0.00	0.00	0.81	0.88	0.00	0.00	0.00	0.20	0.28	0.00	3.57
2000	Above Normal	0.00	0.91	0.00	0.00	0.89	0.88	0.00	0.00	0.00	0.00	0.29	0.45	3.42
2001	Dry	0.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	1.23
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.35	0.00	0.65
2003	Above Normal	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.30	0.00	1.46
	Average	0.14	0.34	0.37	0.11	0.17	0.18	0.00	0.00	0.01	0.08	0.16	0.17	1.72
	Wet	0.18	0.45	0.29	0.30	0.37	0.40	0.00	0.00	0.03	0.07	0.16	0.24	2.50
	Above Normal	0.18	0.52	0.41	0.08	0.17	0.26	0.00	0.00	0.01	0.05	0.25	0.18	2.13
	Below Normal	0.07	0.37	0.50	0.00	0.12	0.07	0.00	0.00	0.00	0.11	0.18	0.24	1.65
	Dry	0.09	0.23	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.02	0.12	1.02
	Critical	0.17	0.04	0.25	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.75

Energy Use (GWh) At Pumping Plant at DMC Intertie: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.55	0.85	0.97	0.00	0.00	0.54	0.00	0.00	0.15	0.01	0.14	0.31	3.52
1923	Below Normal	0.00	0.87	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.51	1.74
1924	Critical	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.20
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.27	0.00	1.43
1928	Above Normal	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	1.32
1929	Critical	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.92
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.81	1.82
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.82	0.00	0.82
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.23	0.00	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	1.55
1937	Below Normal	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.72
1938	Wet	0.00	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.00	2.10
1939	Dry	0.00	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.54
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.00	0.30	0.00	1.20
1941	Wet	0.00	0.00	0.00	0.00	0.86	0.81	0.00	0.00	0.00	0.06	0.17	0.26	2.16
1942	Wet	0.00	0.88	0.03	0.97	0.83	0.79	0.00	0.00	0.00	0.01	0.13	0.31	3.95
1943	Wet	0.00	0.86	0.00	0.97	0.83	0.79	0.00	0.00	0.00	0.06	0.17	0.32	4.00
1944	Dry	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47
1945	Below Normal	0.00	0.95	0.00	0.00	0.00	0.89	0.00	0.00	0.00	0.16	0.24	0.36	2.60
1946	Below Normal	0.73	0.90	0.99	0.00	0.85	0.00	0.00	0.00	0.00	0.15	0.24	0.00	3.86
1947	Dry	0.73	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	2.90
1948	Below Normal	0.00	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.30
1949	Dry	0.87	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.40	1.56
1950	Below Normal	0.00	0.91	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.48
1951	Above Normal	0.88	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.36	3.42
1952	Wet	0.00	0.00	0.00	0.98	0.00	0.76	0.00	0.00	0.09	0.00	0.08	0.28	2.19
1953	Wet	0.00	0.85	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.34	0.57	3.01
1954	Above Normal	0.00	0.70	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.54	2.36
1955	Dry	0.00	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.00	1.91
1956	Wet	0.00	0.00	1.00	0.99	0.85	0.00	0.00	0.00	0.00	0.04	0.16	0.32	3.36
1957	Above Normal	0.00	0.87	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	1.42
1958	Wet	0.86	0.94	0.00	0.00	0.00	0.78	0.00	0.00	0.12	0.00	0.10	0.29	3.09
1959	Below Normal	0.00	0.86	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.36	0.00	2.27
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1.49
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.33
1963	Wet	0.81	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.48	2.44
1964	Dry	0.00	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	0.00	2.23
1965	Wet	0.00	0.00	0.00	0.99	0.37	0.77	0.00	0.00	0.00	0.07	0.18	0.33	2.71
1966	Below Normal	0.00	0.88	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.31	0.00	2.41
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.28	0.44
1968	Below Normal	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.36	0.00	1.63
1969	Wet	0.00	0.00	1.00	0.00	0.87	0.00	0.00	0.00	0.09	0.00	0.07	0.00	2.03
1970	Wet	0.00	0.00	0.00	0.96	0.81	0.00	0.00	0.00	0.00	0.00	0.24	0.36	2.37
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.37	0.00	0.54
1972	Below Normal	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.34	0.00	1.57
1973	Above Normal	0.00	0.93	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.15	0.27	0.00	1.64
1974	Wet	0.00	0.91	0.55	0.05	0.00	0.79	0.00	0.00	0.00	0.03	0.15	0.31	2.79
1975	Wet	0.00	0.87	0.98	0.00	0.00	0.84	0.00	0.00	0.00	0.15	0.24	0.36	3.44
1976	Critical	0.72	0.00	0.99	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.23
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.15	0.47	0.00	0.00	0.00	0.00	0.08	0.28	0.98
1979	Below Normal	0.00	0.85	0.97	0.00	0.82	0.92	0.00	0.00	0.00	0.00	0.33	0.00	3.89
1980	Above Normal	0.82	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.16	0.00	2.02
1981	Dry	0.00	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	1.26
1982	Wet	0.82	0.93	0.00	0.00	0.86	0.75	0.00	0.00	0.09	0.00	0.07	0.28	3.80
1983	Wet	0.55	0.85	0.97	0.96	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.28	3.77
1984	Wet	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.24	0.35	1.29
1985	Dry	0.00	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.44	2.54
1986	Wet	0.53	0.91	0.16	0.00	0.85	0.00	0.00	0.00	0.00	0.16	0.24	0.00	2.85
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.47
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.39
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.25	0.36	0.77
1994	Critical	0.00	0.43	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.42
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.79	0.00	0.00	0.14	0.01	0.13	0.31	1.38
1996	Wet	0.00	0.23	0.00	0.00	0.86	0.83	0.00	0.00	0.00	0.11	0.21	0.35	2.59
1997	Wet	0.00	0.89	0.99	0.98	0.84	0.00	0.00	0.00	0.00	0.00	0.17	0.33	4.20
1998	Wet	0.00	0.00	0.98	0.00	0.83	0.77	0.00	0.00	0.10	0.00	0.09	0.28	3.05
1999	Wet	0.57	0.85	0.00	0.00	0.82	0.88	0.00	0.00	0.00	0.20	0.28	0.00	3.60
2000	Above Normal	0.00	0.91	0.00	0.00	0.89	0.88	0.00	0.00	0.00	0.00	0.29	0.45	3.42
2001	Dry	0.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	1.23
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.35	0.00	0.65
2003	Above Normal	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.30	0.00	1.46
	Average	0.14	0.37	0.39	0.10	0.17	0.18	0.00	0.00	0.01	0.08	0.16	0.18	1.78
	Wet	0.18	0.49	0.33	0.30	0.40	0.40	0.00	0.00	0.03	0.07	0.17	0.26	2.64
	Above Normal	0.19	0.51	0.41	0.00	0.11	0.23	0.00	0.00	0.01	0.05	0.26	0.19	1.96
	Below Normal	0.07	0.49	0.56	0.00	0.12	0.13	0.00	0.00	0.00	0.10	0.18	0.24	1.88
	Dry	0.09	0.23	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.02	0.12	1.04
	Critical	0.17	0.04	0.25	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.75

Difference in Energy Use (GWh) At Pumping Plant at DMC Intertie: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1923	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1939	Dry	0.00	0.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.04
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.89	0.00	0.00	0.00	0.01	0.00	0.00	0.08
1946	Below Normal	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1949	Dry	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1950	Below Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1953	Wet	0.00	0.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.08
1954	Above Normal	0.00	(0.16)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1955	Dry	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01
1956	Wet	0.00	0.00	0.00	0.00	0.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.02	0.01	0.00
1959	Below Normal	0.00	0.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.00	0.07
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.02
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	(0.28)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	(0.02)
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	(0.74)	(0.35)	0.00	0.00	0.00	0.00	0.01	0.11	(0.08)
1979	Below Normal	0.00	0.85	0.06	0.00	0.01	0.01	0.00	0.00	0.00	(0.22)	0.04	0.00	0.06
1980	Above Normal	0.04	0.00	0.01	(0.98)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1994	Critical	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.01	0.02	0.02	0.01
1996	Wet	0.00	0.23	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.02
1997	Wet	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.02	0.00	0.00
1999	Wet	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.03	0.02	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01
	Wet	0.00	0.04	0.04	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
	Above Normal	0.00	(0.01)	0.00	(0.08)	(0.06)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)
	Below Normal	0.00	0.12	0.06	0.00	0.00	0.06	0.00	0.00	0.00	(0.02)	0.00	0.00	0.02
	Dry	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
	Critical	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at DMC Intertie: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	8%	0%
1923	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	450%	0%	0%	0%	0%	0%	0%	-	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%
1942	Wet	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	3%
1943	Wet	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-	0%	0%	0%	7%	0%	0%
1946	Below Normal	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1949	Dry	0%	0%	-35%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	0%
1953	Wet	0%	-	0%	0%	0%	0%	0%	0%	0%	4%	3%	6%
1954	Above Normal	0%	-19%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1955	Dry	0%	18%	0%	0%	0%	0%	0%	0%	0%	3%	0%	0%
1956	Wet	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	25%	4%
1959	Below Normal	0%	-	0%	0%	0%	0%	0%	0%	0%	-20%	-3%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	6%	3%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	-100%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-15%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	-85%	0%	0%	0%	0%	0%	50%	7%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-83%	-43%	0%	0%	0%	0%	14%	65%
1979	Below Normal	0%	-	7%	0%	1%	1%	0%	0%	0%	-100%	14%	0%
1980	Above Normal	5%	0%	1%	-100%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	60%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	4%	0%
1994	Critical	0%	-9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	1%	0%	0%	17%	-	18%	7%
1996	Wet	0%	-	0%	0%	1%	0%	0%	0%	0%	22%	5%	3%
1997	Wet	0%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	1%	0%	0%	11%	0%	29%	0%
1999	Wet	4%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	5%	-3%	-1%	0%	0%	0%	1%	0%	2%	1%
	Wet	0%	0%	0%	-5%	0%	0%	0%	0%	2%	3%	4%	1%
	Above Normal	0%	-2%	0%	-8%	-7%	-4%	0%	0%	0%	0%	2%	5%
	Below Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	-8%	1%	0%
	Dry	0%	1%	23%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at DMC Other: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.07	0.03	0.01	0.01	0.02	0.02	0.02	0.05	0.08	0.10	0.10	0.08	0.59
1923	Below Normal	0.07	0.03	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1924	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1925	Dry	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.60
1926	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1927	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1928	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1929	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1930	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1931	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1932	Dry	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1933	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1934	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1935	Below Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.59
1936	Below Normal	0.06	0.03	0.01	0.01	0.00	0.04	0.03	0.05	0.09	0.09	0.09	0.07	0.57
1937	Below Normal	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.05	0.09	0.09	0.07	0.44
1938	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.05	0.10	0.08	0.39
1939	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1940	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1941	Wet	0.06	0.03	0.01	0.00	0.00	0.04	0.05	0.04	0.09	0.10	0.10	0.08	0.60
1942	Wet	0.07	0.03	0.01	0.00	0.01	0.04	0.05	0.06	0.06	0.10	0.10	0.08	0.61
1943	Wet	0.07	0.03	0.01	0.00	0.01	0.01	0.03	0.03	0.08	0.10	0.10	0.08	0.55
1944	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1945	Below Normal	0.06	0.03	0.01	0.01	0.00	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.62
1946	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.65
1947	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1948	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1949	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1950	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1951	Above Normal	0.06	0.03	0.01	0.00	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.62
1952	Wet	0.07	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.08	0.10	0.08	0.45
1953	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1954	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1955	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1956	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.03	0.07	0.09	0.10	0.10	0.08	0.58
1957	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1958	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.02	0.02	0.03	0.10	0.10	0.08	0.52
1959	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1960	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1961	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1962	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1963	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1964	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1965	Wet	0.06	0.03	0.01	0.01	0.00	0.04	0.05	0.07	0.09	0.10	0.10	0.08	0.64
1966	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1967	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.01	0.02	0.02	0.02	0.10	0.08	0.42
1968	Below Normal	0.07	0.02	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1969	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.36
1970	Wet	0.07	0.03	0.01	0.00	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.63
1971	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1972	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1973	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1974	Wet	0.07	0.03	0.01	0.00	0.02	0.04	0.04	0.06	0.06	0.10	0.10	0.08	0.61
1975	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.65
1976	Critical	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.63
1977	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1978	Above Normal	0.05	0.02	0.01	0.01	0.00	0.01	0.01	0.02	0.03	0.06	0.10	0.08	0.40
1979	Below Normal	0.07	0.03	0.01	0.01	0.02	0.03	0.05	0.06	0.09	0.09	0.09	0.07	0.62
1980	Above Normal	0.07	0.03	0.01	0.00	0.00	0.01	0.01	0.03	0.07	0.08	0.10	0.08	0.49
1981	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1982	Wet	0.06	0.03	0.01	0.01	0.01	0.04	0.01	0.02	0.03	0.09	0.10	0.08	0.49
1983	Wet	0.04	0.01	0.01	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.06	0.05	0.26
1984	Wet	0.03	0.01	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.58
1985	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1986	Wet	0.07	0.03	0.01	0.01	0.00	0.01	0.01	0.02	0.03	0.09	0.09	0.08	0.45
1987	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1988	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1989	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1990	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1991	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1992	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1993	Above Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.61
1994	Critical	0.07	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.07	0.06	0.55
1995	Wet	0.05	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.36
1996	Wet	0.07	0.03	0.01	0.01	0.02	0.01	0.05	0.04	0.09	0.10	0.09	0.08	0.60
1997	Wet	0.07	0.03	0.01	0.00	0.01	0.02	0.05	0.07	0.09	0.10	0.10	0.08	0.63
1998	Wet	0.07	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.39
1999	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2000	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2001	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2002	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2003	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
	Average	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.08	0.09	0.07	0.58
	Wet	0.06	0.03	0.01	0.01	0.01	0.03	0.03	0.05	0.06	0.08	0.09	0.08	0.54
	Above Normal	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.09	0.09	0.07	0.60
	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.06	0.09	0.09	0.09	0.07	0.61
	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.62
	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.08	0.06	0.54

Energy Use (GWh) At Pumping Plant at DMC Other: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.07	0.03	0.01	0.01	0.02	0.02	0.02	0.05	0.09	0.09	0.09	0.08	0.58
1923	Below Normal	0.07	0.03	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1924	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1925	Dry	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.60
1926	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1927	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1928	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1929	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1930	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1931	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1932	Dry	0.05	0.02	0.01	0.01	0.01	0.03	0.03	0.05	0.06	0.07	0.07	0.06	0.47
1933	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1934	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1935	Below Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.04	0.06	0.08	0.08	0.09	0.07	0.56
1936	Below Normal	0.06	0.03	0.01	0.01	0.01	0.04	0.03	0.05	0.08	0.09	0.09	0.07	0.57
1937	Below Normal	0.06	0.03	0.01	0.00	0.00	0.04	0.01	0.02	0.07	0.09	0.09	0.07	0.49
1938	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.05	0.10	0.08	0.39
1939	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.08	0.08	0.07	0.59
1940	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1941	Wet	0.06	0.03	0.01	0.00	0.00	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.61
1942	Wet	0.06	0.03	0.01	0.00	0.01	0.04	0.05	0.06	0.05	0.09	0.09	0.08	0.57
1943	Wet	0.07	0.03	0.01	0.00	0.02	0.01	0.03	0.03	0.08	0.09	0.09	0.08	0.54
1944	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.63
1945	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1946	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1947	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1948	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1949	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1950	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1951	Above Normal	0.06	0.03	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.62
1952	Wet	0.06	0.03	0.01	0.01	0.01	0.04	0.03	0.02	0.02	0.08	0.10	0.08	0.49
1953	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.08	0.09	0.09	0.07	0.62
1954	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1955	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1956	Wet	0.06	0.03	0.01	0.01	0.00	0.01	0.03	0.07	0.09	0.09	0.08	0.08	0.56
1957	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.61
1958	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.05	0.05	0.10	0.10	0.08	0.60
1959	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1960	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1961	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1962	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1963	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1964	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1965	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.08	0.63
1966	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1967	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.03	0.02	0.02	0.06	0.10	0.08	0.48
1968	Below Normal	0.07	0.02	0.01	0.01	0.02	0.04	0.04	0.07	0.08	0.09	0.09	0.07	0.61
1969	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.36
1970	Wet	0.07	0.03	0.01	0.00	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.62
1971	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1972	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1973	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1974	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.06	0.09	0.09	0.08	0.59
1975	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1976	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.62
1977	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1978	Above Normal	0.05	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.07	0.10	0.10	0.08	0.49
1979	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.61
1980	Above Normal	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.03	0.08	0.08	0.09	0.08	0.48
1981	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.08	0.09	0.09	0.07	0.62
1982	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.01	0.02	0.06	0.09	0.10	0.08	0.53
1983	Wet	0.07	0.01	0.01	0.00	0.01	0.01	0.04	0.02	0.02	0.02	0.06	0.05	0.32
1984	Wet	0.03	0.01	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.57
1985	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1986	Wet	0.06	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.09	0.09	0.07	0.45
1987	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1988	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1989	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1990	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1991	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1992	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1993	Above Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.60
1994	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.07	0.06	0.54
1995	Wet	0.05	0.02	0.01	0.01	0.02	0.02	0.01	0.02	0.05	0.01	0.09	0.08	0.39
1996	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.03	0.09	0.09	0.09	0.07	0.60
1997	Wet	0.06	0.03	0.01	0.00	0.01	0.02	0.05	0.07	0.09	0.09	0.09	0.08	0.60
1998	Wet	0.06	0.03	0.01	0.01	0.02	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.39
1999	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2000	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2001	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2002	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2003	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
	Average	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.08	0.09	0.07	0.58
	Wet	0.06	0.03	0.01	0.01	0.01	0.03	0.04	0.05	0.06	0.08	0.09	0.08	0.54
	Above Normal	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.09	0.09	0.09	0.07	0.60
	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.09	0.09	0.09	0.07	0.61
	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.62
	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.08	0.06	0.54

Difference in Energy Use (GWh) At Pumping Plant at DMC Other: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.01)	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.02	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	(0.01)	(0.01)	0.00	0.00
1942	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1946	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1947	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1952	Wet	(0.01)	0.00	0.00	0.00	0.00	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.02	0.00	0.00	0.00	0.01
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.02	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00
1966	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.04	0.00	0.00	0.01
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1971	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1974	Wet	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1976	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.04	0.04	0.00	0.00	0.01
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00
1980	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00
1983	Wet	0.03	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.01
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1985	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00
1987	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1994	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.03	(0.01)	(0.01)	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.03	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00
1997	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00
1998	Wet	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	0.00
	Wet	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	0.00
	Above Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.01	0.00	(0.00)	(0.00)	0.00
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	0.00	(0.00)	0.00
	Dry	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	0.00	0.00	0.00
	Critical	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at DMC Other: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	13%	-10%	-10%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	-25%	0%	-14%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	-14%	-11%	-11%	0%	0%
1936	Below Normal	0%	0%	0%	0%	-	0%	0%	0%	-11%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	300%	0%	0%	40%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-20%	-14%	-11%	-11%	-11%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	75%	0%	-10%	-10%	0%
1942	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-17%	-10%	-10%	0%
1943	Wet	0%	0%	0%	0%	100%	0%	0%	0%	0%	-10%	-10%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	-20%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	-13%
1946	Below Normal	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-13%
1947	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	-13%
1952	Wet	-14%	0%	0%	0%	0%	300%	200%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-20%	0%	-11%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	-	0%	0%	0%	0%	0%	-10%	-20%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	-20%	-14%	-11%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	150%	150%	67%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	13%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	-	0%	-20%	0%	0%	-10%	-10%	0%
1966	Below Normal	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	200%	0%	0%	200%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	-20%	0%	-11%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-13%
1971	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	13%	0%	0%	0%
1974	Wet	-14%	0%	0%	-	0%	0%	0%	0%	0%	-10%	-10%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-13%
1976	Critical	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-	0%	0%	0%	133%	67%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	33%	-20%	0%	-11%	0%	0%	0%
1980	Above Normal	-14%	0%	0%	0%	0%	0%	0%	0%	14%	0%	-10%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	-20%	0%	-11%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	100%	0%	0%	0%	100%	0%	0%	0%
1983	Wet	75%	0%	0%	0%	0%	0%	300%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-13%
1985	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	-14%	0%	0%	0%	-	0%	0%	0%	33%	0%	0%	-13%
1987	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-13%
1994	Critical	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	100%	100%	0%	0%	150%	-50%	-10%	0%
1996	Wet	0%	0%	0%	0%	0%	300%	0%	-25%	0%	-10%	0%	-13%
1997	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	0%	-10%	-10%	0%
1998	Wet	-14%	0%	0%	0%	100%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-2%	0%	0%	0%	6%	13%	8%	2%	5%	1%	-1%	-1%
	Wet	-1%	0%	0%	0%	15%	27%	31%	8%	12%	3%	-3%	-2%
	Above Normal	-4%	0%	0%	0%	8%	0%	-2%	-1%	13%	5%	-2%	-2%
	Below Normal	-2%	0%	0%	0%	0%	24%	-3%	-1%	-1%	-1%	0%	-2%
	Dry	-4%	0%	0%	0%	0%	0%	-5%	-1%	-2%	-1%	0%	0%
	Critical	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Folsom: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.29	0.90	0.93	0.88	0.80	0.65	1.16	0.79	0.74	0.79	0.92	1.15	11.00
1923	Below Normal	0.95	0.81	0.80	0.74	0.82	1.14	0.85	0.78	0.67	0.93	1.14	0.91	10.54
1924	Critical	0.92	0.87	0.89	0.98	1.01	0.95	2.34	2.39	2.70	2.78	2.47	1.81	20.11
1925	Dry	0.90	0.89	0.86	0.84	0.71	0.58	0.94	0.68	0.73	1.20	1.74	1.49	11.56
1926	Dry	1.15	0.79	0.85	0.91	0.82	0.76	0.59	0.95	1.50	2.27	2.47	1.89	14.95
1927	Wet	0.99	0.83	0.68	0.62	0.63	0.75	1.07	0.85	0.71	1.02	1.26	1.13	10.54
1928	Above Normal	0.84	0.78	0.88	0.87	0.84	0.63	0.98	0.78	0.84	1.57	2.11	1.73	12.85
1929	Critical	1.41	0.97	1.00	1.02	1.03	0.83	1.89	2.00	1.91	2.29	2.20	1.68	18.23
1930	Dry	1.29	1.02	0.82	0.70	0.61	0.53	0.90	0.95	1.30	2.00	2.18	1.62	13.92
1931	Critical	1.26	0.92	0.95	0.97	0.98	0.95	2.52	2.18	2.45	2.84	2.54	1.90	20.46
1932	Dry	1.30	0.98	0.93	0.87	0.70	0.67	0.96	0.64	0.57	0.66	0.76	0.82	9.86
1933	Critical	0.84	0.72	0.77	0.83	0.87	0.79	1.93	1.61	1.93	2.46	2.44	1.79	16.98
1934	Critical	1.12	1.07	0.88	0.79	0.67	0.70	1.36	1.63	2.50	2.90	2.78	1.75	18.15
1935	Below Normal	2.12	1.15	0.98	0.93	0.87	0.71	0.55	0.79	0.69	0.97	1.19	1.02	11.97
1936	Below Normal	0.77	0.69	0.75	0.72	0.65	0.64	1.00	0.69	0.60	0.85	1.01	0.91	9.28
1937	Below Normal	0.89	0.87	0.81	0.87	0.78	0.52	0.91	0.74	0.62	0.91	1.13	1.02	10.07
1938	Wet	0.89	0.63	0.65	0.65	0.65	0.65	1.03	0.82	0.75	0.79	0.92	1.08	9.51
1939	Dry	0.92	0.81	0.82	0.91	0.97	0.74	1.53	1.22	1.76	2.38	2.56	1.79	16.41
1940	Above Normal	1.25	1.16	0.99	0.85	0.66	0.69	1.20	0.81	0.74	1.09	1.49	1.55	12.48
1941	Wet	1.32	1.02	0.96	0.78	0.74	0.65	0.66	0.76	0.81	0.87	1.00	1.22	10.79
1942	Wet	0.96	0.79	0.80	0.75	0.76	0.67	0.64	0.75	0.80	0.86	0.99	1.18	9.95
1943	Wet	1.14	0.79	0.80	0.76	0.80	0.72	0.95	0.86	0.73	1.04	1.25	1.24	11.08
1944	Dry	1.28	1.00	1.05	1.12	1.10	0.93	1.59	1.47	1.69	2.21	2.29	1.79	17.52
1945	Below Normal	1.12	0.89	0.81	0.76	0.71	0.59	1.15	0.77	0.67	1.01	1.34	1.19	11.01
1946	Below Normal	0.69	0.72	0.70	0.71	0.72	0.67	1.28	0.79	0.72	1.05	1.45	1.19	10.69
1947	Dry	1.03	0.75	0.76	0.81	0.80	0.57	1.09	1.04	1.32	2.12	2.36	1.88	14.53
1948	Below Normal	0.97	0.93	0.95	0.93	0.89	0.76	0.82	0.73	0.77	0.99	1.14	1.11	10.99
1949	Dry	0.97	0.68	0.75	0.82	0.85	0.62	1.16	0.76	0.73	1.17	1.73	1.54	11.78
1950	Below Normal	1.31	0.90	1.00	0.90	0.73	0.57	0.95	0.74	0.66	0.92	1.11	0.93	10.72
1951	Above Normal	0.59	0.76	0.95	0.99	0.97	1.07	1.42	0.75	0.75	1.17	1.59	1.50	12.51
1952	Wet	1.01	0.87	0.81	0.74	0.74	0.65	1.06	0.85	0.70	0.78	0.90	1.01	10.12
1953	Wet	0.98	0.70	0.79	0.76	0.75	0.86	1.10	0.83	0.69	0.84	0.93	1.03	10.26
1954	Above Normal	0.96	0.73	0.81	0.81	0.77	0.65	0.93	0.95	1.02	1.75	2.21	1.70	13.29
1955	Dry	1.39	0.92	0.95	0.89	0.86	0.98	1.46	1.33	1.32	1.60	1.78	1.34	14.82
1956	Wet	1.09	0.84	0.80	0.80	0.86	1.14	1.21	0.75	0.73	0.78	0.90	1.01	10.91
1957	Above Normal	0.84	0.98	0.93	1.00	0.89	0.59	1.17	0.77	0.77	1.13	1.56	1.20	11.83
1958	Wet	0.83	0.85	0.77	0.74	0.74	0.66	0.65	0.83	0.76	0.83	0.96	1.08	9.70
1959	Below Normal	1.01	0.91	0.90	0.92	0.81	0.79	1.22	1.14	1.31	2.13	2.64	1.56	15.34
1960	Dry	1.58	1.29	1.12	1.13	1.02	0.60	1.12	0.97	1.16	1.44	1.64	1.37	14.44
1961	Dry	1.14	0.81	0.86	0.92	0.95	0.90	1.83	1.89	1.99	2.54	2.72	2.01	18.56
1962	Below Normal	1.56	1.03	1.02	1.01	0.85	0.57	1.24	0.92	0.81	1.18	1.72	1.51	13.42
1963	Wet	0.61	0.60	0.73	0.77	0.85	0.77	0.80	0.83	0.79	1.10	1.32	1.13	10.30
1964	Dry	0.81	0.70	0.74	0.75	0.75	0.91	1.72	1.33	1.34	1.78	2.02	1.63	14.48
1965	Wet	1.02	0.89	0.90	0.92	0.91	1.02	0.88	0.86	0.74	1.00	1.09	1.13	11.36
1966	Below Normal	1.22	0.82	0.84	0.84	0.82	0.91	1.29	0.96	1.10	1.86	2.41	1.83	14.90
1967	Wet	1.49	0.96	0.85	0.75	0.76	0.68	0.67	0.90	0.72	0.84	0.97	1.13	10.72
1968	Below Normal	1.03	0.70	0.79	0.78	0.77	0.62	1.30	1.25	1.45	2.35	2.67	1.99	15.70
1969	Wet	1.40	1.01	0.94	0.83	0.78	0.74	1.15	0.86	0.72	0.77	0.90	1.10	11.20
1970	Wet	0.94	0.72	0.76	0.88	1.01	0.79	1.60	1.25	1.14	1.72	2.10	1.83	14.74
1971	Wet	1.33	0.99	0.81	0.72	0.73	0.78	1.31	0.74	0.70	0.84	0.97	1.04	10.96
1972	Below Normal	1.00	0.73	0.78	0.75	0.74	0.80	1.15	0.95	0.97	1.57	2.00	1.35	12.79
1973	Above Normal	0.86	0.77	0.70	0.66	0.67	0.67	1.20	0.86	0.84	1.38	1.72	1.37	11.70
1974	Wet	0.89	0.73	0.73	0.82	0.90	0.76	1.10	0.89	0.74	0.71	0.94	1.08	10.29
1975	Wet	0.87	0.73	0.88	0.91	0.83	0.65	1.07	0.88	0.75	0.83	0.95	1.08	10.43
1976	Critical	0.59	0.74	0.84	0.93	1.02	1.21	1.78	1.87	2.03	2.22	2.00	1.54	16.77
1977	Critical	1.24	0.89	0.87	0.89	0.93	1.39	2.57	2.10	2.75	2.86	2.82	1.87	21.18
1978	Above Normal	1.35	1.38	0.97	0.80	0.57	0.64	0.80	0.88	0.75	1.02	1.24	1.07	11.47
1979	Below Normal	1.07	0.72	0.82	0.82	0.75	0.58	0.93	0.75	0.84	1.34	1.50	1.14	11.26
1980	Above Normal	0.61	0.63	0.65	0.74	0.85	0.81	1.11	0.82	0.73	0.74	0.90	1.12	9.71
1981	Dry	1.12	0.98	0.94	0.99	0.98	0.74	1.45	1.43	1.74	2.49	2.79	2.00	17.65
1982	Wet	1.09	0.90	0.91	1.00	1.03	0.90	0.70	0.97	0.82	0.89	1.03	0.85	11.09
1983	Wet	0.54	0.60	0.73	0.76	0.78	0.70	0.70	0.87	0.78	0.84	0.96	1.02	9.28
1984	Wet	0.84	0.70	1.02	1.08	1.03	1.13	1.41	0.85	0.71	1.13	1.37	1.16	12.43
1985	Dry	0.81	0.70	0.73	0.77	0.77	0.59	1.19	1.04	1.36	2.19	2.51	1.88	14.54
1986	Wet	1.41	1.01	0.97	0.85	0.91	0.76	1.11	0.79	0.75	1.18	1.44	1.20	12.38
1987	Dry	1.24	0.97	0.95	1.02	1.02	0.71	1.70	1.80	2.28	2.85	2.75	2.02	19.31
1988	Critical	1.40	1.00	0.98	0.90	0.83	1.02	1.35	1.51	1.86	2.29	2.20	1.66	17.00
1989	Dry	1.28	0.80	0.74	0.70	0.64	0.53	1.08	0.99	1.41	2.36	2.44	1.34	14.31
1990	Critical	1.01	0.89	0.92	0.94	0.92	0.83	1.60	1.09	1.75	2.08	2.08	1.58	15.69
1991	Critical	1.22	0.89	0.87	0.90	1.02	0.98	2.07	1.95	1.89	2.20	2.37	1.95	18.31
1992	Critical	1.23	1.08	0.96	0.96	0.91	0.73	1.36	1.79	2.28	3.23	1.83	0.00	16.36
1993	Above Normal	0.00	0.00	1.23	0.93	0.65	0.61	1.21	0.78	0.67	0.91	1.08	1.10	9.17
1994	Critical	0.97	0.76	0.89	0.99	1.04	1.22	2.29	1.92	2.38	2.65	2.63	2.03	19.77
1995	Wet	1.50	1.09	1.06	0.89	0.76	0.72	1.03	0.68	0.70	0.82	0.95	1.07	11.27
1996	Wet	1.07	0.95	0.77	0.76	0.85	0.75	1.04	0.62	0.79	0.99	1.13	1.18	10.90
1997	Wet	0.98	0.87	0.90	1.03	1.13	1.47	1.72	1.08	1.01	1.60	1.94	1.84	15.57
1998	Wet	1.45	1.11	1.08	0.91	0.76	0.66	0.99	0.52	0.81	0.88	1.01	1.07	11.25
1999	Wet	0.91	0.68	0.75	0.76	0.77	0.63	1.19	0.83	0.71	0.90	1.04	1.09	10.26
2000	Above Normal	1.09	0.86	0.99	0.90	0.76	0.72	1.24	0.77	0.79	1.35	1.81	1.40	12.68
2001	Dry	0.77	0.94	0.98	1.04	1.04	0.80	1.38	1.48	1.67	2.19	2.38	1.74	16.41
2002	Dry	1.32	0.88	0.75	0.65	0.65	0.63	1.29	0.79	0.85	1.35	1.90	1.58	12.64
2003	Above Normal	1.34	0.89	0.83	0.76	0.77	0.69	0.79	0.82	0.78	1.16	1.41	1.33	11.57
	Average	1.07	0.86	0.87	0.85	0.83	0.77	1.23	1.05	1.13	1.49	1.67	1.38	13.21
	Wet	1.06	0.84	0.84	0.82	0.83	0.79	1.03	0.84	0.77	0.96	1.12	1.15	11.05
	Above Normal	0.92	0.82	0.91	0.85	0.77	0.70	1.10	0.82	0.79	1.17	1.50	1.35	11.69
	Below Normal	1.12	0.85	0.85	0.83	0.78	0.71	1.05	0.86	0.85	1.29	1.60	1.26	12.05
	Dry	1.13	0.88	0.87	0.88	0.85	0.71	1.28	1.15	1.37	1.93	2.17	1.65	14.87
	Critical	1.10	0.90	0.90	0.93	0.94	0.97	1.92	1.84	2.20	2.57	2.36	1.63	18.25

Energy Use (GWh) At Pumping Plant at Folsom: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.29	0.90	0.93	0.88	0.80	0.65	1.16	0.79	0.74	0.79	0.92	1.15	11.00
1923	Below Normal	0.95	0.81	0.80	0.74	0.82	1.14	0.85	0.78	0.67	0.93	1.14	0.91	10.54
1924	Critical	0.91	0.86	0.89	0.97	1.00	0.95	2.34	2.39	2.70	2.78	2.47	1.81	20.07
1925	Dry	0.90	0.89	0.86	0.84	0.71	0.58	0.94	0.68	0.73	1.20	1.74	1.49	11.56
1926	Dry	1.15	0.79	0.85	0.91	0.82	0.76	0.59	0.95	1.50	2.27	2.47	1.89	14.95
1927	Wet	0.99	0.83	0.68	0.62	0.63	0.75	1.07	0.85	0.71	1.02	1.26	1.13	10.54
1928	Above Normal	0.84	0.78	0.88	0.87	0.84	0.63	0.98	0.78	0.84	1.57	2.11	1.73	12.85
1929	Critical	1.41	0.97	1.00	1.02	1.03	0.83	1.89	2.00	1.91	2.29	2.20	1.68	18.23
1930	Dry	1.29	1.02	0.82	0.70	0.61	0.53	0.90	0.95	1.30	2.00	2.18	1.62	13.92
1931	Critical	1.26	0.92	0.95	0.97	0.98	0.95	2.52	2.18	2.45	2.84	2.54	1.90	20.46
1932	Dry	1.30	0.98	0.93	0.87	0.70	0.67	0.96	0.64	0.57	0.66	0.76	0.82	9.86
1933	Critical	0.84	0.72	0.77	0.83	0.87	0.79	1.93	1.61	1.93	2.46	2.44	1.79	16.98
1934	Critical	1.12	1.07	0.88	0.80	0.67	0.71	1.37	1.64	2.50	2.90	2.79	1.75	18.20
1935	Below Normal	2.12	1.15	0.98	0.93	0.87	0.71	0.55	0.79	0.69	0.97	1.19	1.02	11.97
1936	Below Normal	0.77	0.69	0.75	0.72	0.65	0.64	1.00	0.69	0.60	0.85	1.01	0.91	9.28
1937	Below Normal	0.89	0.87	0.81	0.87	0.78	0.52	0.91	0.74	0.62	0.91	1.13	1.02	10.07
1938	Wet	0.89	0.63	0.65	0.65	0.65	0.65	1.03	0.82	0.75	0.79	0.92	1.08	9.51
1939	Dry	0.92	0.81	0.82	0.91	0.97	0.73	1.57	1.29	1.84	2.45	2.59	1.80	16.70
1940	Above Normal	1.25	1.16	0.99	0.85	0.65	0.69	1.20	0.81	0.74	1.09	1.49	1.54	12.46
1941	Wet	1.32	1.02	0.96	0.78	0.74	0.65	0.66	0.76	0.81	0.87	1.00	1.22	10.79
1942	Wet	0.96	0.79	0.80	0.75	0.76	0.67	0.64	0.75	0.80	0.86	0.99	1.18	9.95
1943	Wet	1.14	0.79	0.80	0.76	0.80	0.72	0.95	0.86	0.73	1.03	1.23	1.23	11.04
1944	Dry	1.25	0.99	1.05	1.12	1.10	0.92	1.59	1.47	1.70	2.24	2.30	1.80	17.53
1945	Below Normal	1.13	0.89	0.81	0.76	0.71	0.59	1.15	0.77	0.66	1.01	1.33	1.19	11.00
1946	Below Normal	0.69	0.72	0.70	0.70	0.71	0.67	1.28	0.79	0.72	1.05	1.45	1.21	10.69
1947	Dry	1.06	0.77	0.78	0.83	0.82	0.58	1.09	1.04	1.32	2.11	2.36	1.88	14.64
1948	Below Normal	0.97	0.93	0.95	0.93	0.89	0.76	0.82	0.73	0.77	0.99	1.14	1.11	10.99
1949	Dry	0.97	0.68	0.75	0.82	0.85	0.62	1.16	0.76	0.73	1.17	1.73	1.54	11.78
1950	Below Normal	1.31	0.90	1.00	0.90	0.73	0.57	0.95	0.74	0.66	0.92	1.11	0.93	10.72
1951	Above Normal	0.59	0.76	0.95	0.99	0.97	1.07	1.42	0.75	0.75	1.17	1.59	1.50	12.51
1952	Wet	1.01	0.87	0.81	0.74	0.74	0.65	1.06	0.85	0.70	0.78	0.90	1.01	10.12
1953	Wet	0.98	0.72	0.83	0.78	0.75	0.85	1.10	0.83	0.69	0.84	0.93	1.03	10.33
1954	Above Normal	0.96	0.73	0.81	0.81	0.76	0.65	0.93	0.95	1.02	1.75	2.21	1.70	13.28
1955	Dry	1.39	0.92	0.95	0.89	0.86	0.98	1.46	1.33	1.32	1.60	1.78	1.34	14.82
1956	Wet	1.09	0.84	0.80	0.80	0.86	1.14	1.21	0.75	0.73	0.78	0.90	1.01	10.91
1957	Above Normal	0.84	0.98	0.93	1.00	0.89	0.59	1.17	0.77	0.77	1.13	1.56	1.20	11.83
1958	Wet	0.83	0.85	0.77	0.74	0.74	0.66	0.65	0.83	0.76	0.83	0.96	1.08	9.70
1959	Below Normal	1.01	0.92	0.93	0.95	0.83	0.80	1.23	1.14	1.31	2.14	2.65	1.57	15.48
1960	Dry	1.58	1.29	1.12	1.14	1.02	0.60	1.12	0.97	1.16	1.45	1.64	1.37	14.46
1961	Dry	1.15	0.81	0.86	0.92	0.95	0.90	1.84	1.90	2.00	2.55	2.73	2.01	18.62
1962	Below Normal	1.56	1.03	1.02	1.00	0.85	0.57	1.24	0.92	0.81	1.18	1.71	1.51	13.40
1963	Wet	0.61	0.60	0.73	0.77	0.85	0.77	0.80	0.83	0.79	1.10	1.32	1.13	10.30
1964	Dry	0.81	0.70	0.74	0.75	0.75	0.91	1.72	1.33	1.34	1.78	2.02	1.63	14.48
1965	Wet	1.02	0.89	0.90	0.92	0.91	1.02	0.88	0.86	0.74	1.00	1.08	1.12	11.34
1966	Below Normal	1.22	0.82	0.84	0.84	0.82	0.91	1.29	0.96	1.10	1.86	2.41	1.83	14.90
1967	Wet	1.49	0.96	0.85	0.75	0.76	0.68	0.67	0.90	0.72	0.84	0.97	1.13	10.72
1968	Below Normal	1.04	0.72	0.82	0.82	0.79	0.62	1.30	1.25	1.45	2.35	2.67	1.99	15.82
1969	Wet	1.40	1.01	0.94	0.83	0.78	0.74	1.15	0.86	0.72	0.77	0.90	1.10	11.20
1970	Wet	0.94	0.72	0.76	0.88	1.01	0.80	1.60	1.25	1.14	1.72	2.10	1.83	14.75
1971	Wet	1.33	0.99	0.81	0.72	0.73	0.78	1.31	0.74	0.70	0.84	0.97	1.04	10.96
1972	Below Normal	1.00	0.73	0.78	0.75	0.74	0.80	1.15	0.95	0.97	1.57	2.00	1.35	12.79
1973	Above Normal	0.86	0.77	0.70	0.66	0.67	0.67	1.20	0.86	0.84	1.38	1.72	1.37	11.70
1974	Wet	0.90	0.73	0.73	0.82	0.90	0.76	1.10	0.89	0.74	0.71	0.94	1.08	10.30
1975	Wet	0.87	0.73	0.87	0.91	0.83	0.65	1.07	0.88	0.75	0.83	0.95	1.08	10.42
1976	Critical	0.59	0.74	0.84	0.93	1.02	1.21	1.78	1.87	2.03	2.22	2.00	1.54	16.77
1977	Critical	1.24	0.89	0.87	0.89	0.93	1.39	2.57	2.10	2.75	2.86	2.82	1.87	21.18
1978	Above Normal	1.35	1.38	0.97	0.80	0.57	0.63	0.80	0.88	0.75	1.02	1.24	1.07	11.46
1979	Below Normal	1.07	0.75	0.88	0.88	0.78	0.58	0.92	0.75	0.84	1.38	1.59	1.20	11.62
1980	Above Normal	0.64	0.65	0.65	0.73	0.85	0.81	1.11	0.82	0.73	0.74	0.90	1.12	9.75
1981	Dry	1.13	0.98	0.95	1.00	0.99	0.75	1.47	1.45	1.76	2.50	2.78	1.99	17.75
1982	Wet	1.09	0.90	0.90	0.99	1.02	0.90	0.70	0.97	0.82	0.89	1.03	0.85	11.06
1983	Wet	0.54	0.60	0.73	0.76	0.78	0.70	0.70	0.87	0.78	0.84	0.96	1.02	9.28
1984	Wet	0.84	0.70	1.02	1.08	1.03	1.13	1.41	0.85	0.71	1.13	1.37	1.16	12.43
1985	Dry	0.81	0.70	0.73	0.77	0.77	0.59	1.19	1.04	1.36	2.19	2.51	1.88	14.54
1986	Wet	1.41	1.01	0.97	0.85	0.91	0.76	1.11	0.79	0.75	1.18	1.44	1.20	12.38
1987	Dry	1.24	0.97	0.95	1.02	1.02	0.71	1.70	1.80	2.26	2.84	2.74	2.01	19.26
1988	Critical	1.40	1.00	0.98	0.90	0.83	1.03	1.36	1.51	1.86	2.29	2.20	1.66	17.02
1989	Dry	1.28	0.80	0.74	0.70	0.64	0.53	1.08	0.99	1.41	2.37	2.44	1.34	14.32
1990	Critical	1.01	0.89	0.92	0.94	0.92	0.83	1.60	1.09	1.75	2.08	2.08	1.58	15.69
1991	Critical	1.22	0.89	0.87	0.90	1.03	0.98	2.07	1.97	1.91	2.22	2.39	1.95	18.40
1992	Critical	1.23	1.08	0.96	0.96	0.91	0.73	1.37	1.81	2.30	3.24	0.52	0.00	15.11
1993	Above Normal	0.00	0.00	1.23	0.93	0.65	0.61	1.21	0.78	0.67	0.91	1.08	1.10	9.17
1994	Critical	0.97	0.76	0.89	0.99	1.04	1.22	2.29	1.92	2.37	2.65	2.63	2.03	19.76
1995	Wet	1.50	1.09	1.06	0.89	0.76	0.72	1.03	0.68	0.70	0.82	0.95	1.07	11.27
1996	Wet	1.07	0.98	0.80	0.77	0.85	0.75	1.04	0.62	0.79	0.99	1.13	1.18	10.97
1997	Wet	0.98	0.86	0.89	1.03	1.13	1.47	1.72	1.08	1.01	1.60	1.94	1.84	15.55
1998	Wet	1.45	1.11	1.08	0.91	0.76	0.66	0.99	0.52	0.81	0.88	1.01	1.07	11.25
1999	Wet	0.91	0.68	0.75	0.76	0.77	0.63	1.19	0.83	0.71	0.90	1.04	1.09	10.26
2000	Above Normal	1.09	0.86	0.99	0.90	0.76	0.72	1.24	0.77	0.79	1.35	1.81	1.40	12.68
2001	Dry	0.77	0.94	0.98	1.04	1.04	0.80	1.38	1.48	1.67	2.19	2.38	1.74	16.41
2002	Dry	1.32	0.88	0.75	0.65	0.65	0.63	1.29	0.79	0.85	1.35	1.90	1.58	12.64
2003	Above Normal	1.34	0.89	0.84	0.76	0.77	0.69	0.79	0.82	0.78	1.16	1.41	1.33	11.58
	Average	1.07	0.86	0.87	0.86	0.83	0.77	1.23	1.05	1.13	1.50	1.66	1.38	13.21
	Wet	1.06	0.84	0.84	0.82	0.83	0.79	1.03	0.84	0.77	0.96	1.12	1.15	11.05
	Above Normal	0.92	0.82	0.91	0.85	0.77	0.70	1.10	0.82	0.79	1.17	1.50	1.35	11.69
	Below Normal	1.12	0.85	0.86	0.84	0.78	0.71	1.05	0.86	0.85	1.29	1.61	1.27	12.09
	Dry	1.13	0.88	0.87	0.88	0.85	0.71	1.28	1.16	1.38	1.94	2.17	1.65	14.90
	Critical	1.10	0.90	0.90	0.93	0.94	0.97	1.92	1.84	2.21	2.57	2.26	1.63	18.16

Difference in Energy Use (GWh) At Pumping Plant at Folsom: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.04	0.07	0.08	0.07	0.03	0.01	0.02
1940	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00
1944	Dry	(0.03)	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.03	0.01	0.01	0.00
1945	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00
1947	Dry	0.03	0.02	0.02	0.02	0.02	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.02	0.04	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1954	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.01	0.03	0.03	0.02	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.01
1960	Dry	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1961	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.01	0.02	0.03	0.04	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.03	0.06	0.06	0.03	0.00	(0.01)	0.00	0.00	0.04	0.09	0.06	0.03
1980	Above Normal	0.03	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.01	0.00	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	(0.01)	(0.01)	0.01
1982	Wet	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	(0.01)	(0.01)	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.02	0.02	0.02	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.02	0.01	(1.31)	0.00	(0.10)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1997	Wet	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	0.00
	Above Normal	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00
	Below Normal	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	(0.00)	0.00	0.01	0.01	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	(0.00)	0.00
	Critical	(0.00)	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	0.00	(0.01)

Percent Difference in Energy Use (GWh) At Pumping Plant at Folsom: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	-1%	-1%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	1%	0%	1%	1%	1%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-1%	3%	6%	5%	3%	1%	1%
1940	Above Normal	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	-1%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-2%	-1%
1944	Dry	-2%	-1%	0%	0%	0%	-1%	0%	0%	1%	1%	0%	1%
1945	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1946	Below Normal	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	2%
1947	Dry	3%	3%	3%	2%	2%	2%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	3%	5%	3%	0%	-1%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	1%	3%	3%	2%	1%	1%	0%	0%	0%	0%	1%
1960	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	1%	0%	0%
1961	Dry	1%	0%	0%	0%	0%	0%	1%	1%	1%	0%	0%	0%
1962	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	-1%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	1%	3%	4%	5%	3%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	4%	7%	7%	4%	0%	-1%	0%	0%	3%	6%	5%
1980	Above Normal	5%	3%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	1%	0%	1%	1%	1%	1%	1%	1%	1%	0%	0%	-1%
1982	Wet	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	1%	0%	0%	1%	1%	1%	1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%	-72%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	3%	4%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	1%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-6%	0%

Energy Use (GWh) At Pumping Plant at Misc: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1923	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1924	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1925	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1926	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1927	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1928	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1929	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1930	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1931	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1932	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1933	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1934	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1935	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1936	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1937	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1938	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1939	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1940	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1941	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1942	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1943	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1944	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1945	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1946	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1947	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1948	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1949	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1950	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1951	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1952	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1953	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1954	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1955	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1956	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1957	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1958	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1959	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1960	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1961	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1962	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1963	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1964	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1965	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1966	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1967	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1968	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1969	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1970	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1971	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1972	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1973	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1974	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1975	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1976	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1977	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1978	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1979	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1980	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1981	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1982	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1983	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1984	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1985	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1986	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1987	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1988	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1989	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1990	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1991	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1992	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1993	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1994	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1995	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1996	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1997	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1998	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1999	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2000	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2001	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2002	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2003	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Average	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78

Energy Use (GWh) At Pumping Plant at Misc: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1923	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1924	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1925	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1926	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1927	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1928	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1929	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1930	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1931	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1932	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1933	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1934	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1935	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1936	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1937	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1938	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1939	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1940	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1941	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1942	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1943	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1944	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1945	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1946	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1947	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1948	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1949	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1950	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1951	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1952	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1953	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1954	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1955	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1956	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1957	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1958	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1959	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1960	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1961	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1962	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1963	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1964	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1965	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1966	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1967	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1968	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1969	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1970	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1971	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1972	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1973	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1974	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1975	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1976	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1977	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1978	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1979	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1980	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1981	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1982	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1983	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1984	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1985	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1986	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1987	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1988	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1989	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1990	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1991	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1992	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1993	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1994	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1995	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1996	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1997	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1998	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1999	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2000	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2001	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2002	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2003	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Average	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78

Difference in Energy Use (GWh) At Pumping Plant at Misc: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Misc: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at O'Neill: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	7.43	11.14	13.54	11.47	7.67	12.60	0.00	0.00	3.66	1.58	2.51	5.49	77.09
1923	Below Normal	6.63	11.17	13.56	12.92	11.33	5.59	0.00	0.00	0.00	3.40	1.57	5.99	72.16
1924	Critical	7.61	10.95	11.08	12.73	4.70	0.00	0.00	0.00	0.00	0.00	0.00	3.18	50.25
1925	Dry	5.37	2.77	12.68	10.67	5.93	5.27	0.00	0.00	0.00	3.04	1.64	3.03	50.40
1926	Dry	5.69	11.10	11.23	10.30	3.14	0.00	0.00	0.00	0.00	0.00	0.00	4.37	45.83
1927	Wet	5.12	11.28	11.94	7.33	10.75	8.29	0.00	0.00	0.00	3.00	3.64	5.94	67.29
1928	Above Normal	3.29	3.51	13.61	11.17	4.85	9.39	0.00	0.00	0.00	2.35	4.09	3.54	55.80
1929	Critical	3.20	5.49	13.63	10.61	8.37	3.85	0.00	0.00	0.00	0.00	5.05	2.05	52.25
1930	Dry	4.53	7.15	9.87	7.51	6.19	2.70	0.00	0.00	0.00	0.00	0.00	0.22	38.17
1931	Critical	4.88	7.85	9.98	10.58	8.60	0.28	0.00	0.00	0.00	0.00	0.00	2.94	45.11
1932	Dry	5.04	5.84	14.02	11.39	4.29	0.11	0.00	0.00	0.00	0.00	2.89	8.09	51.67
1933	Critical	6.62	8.05	10.34	1.42	1.36	0.98	0.00	0.00	0.00	0.00	7.14	7.58	43.49
1934	Critical	4.82	6.39	2.94	0.69	0.64	0.00	0.00	0.00	0.00	0.00	4.45	3.02	22.95
1935	Below Normal	0.99	8.00	14.02	9.26	0.97	0.73	0.00	0.00	0.00	0.00	0.00	5.62	39.59
1936	Below Normal	7.67	9.98	13.18	5.08	1.96	2.77	0.00	0.00	0.00	1.84	0.00	6.03	48.51
1937	Below Normal	7.00	9.55	13.63	9.73	2.80	1.36	2.80	1.15	0.00	0.00	0.00	6.06	54.08
1938	Wet	4.74	11.25	13.42	2.52	2.47	5.75	5.94	10.29	10.32	6.86	2.04	5.28	80.88
1939	Dry	5.36	0.00	13.54	10.85	9.84	1.52	0.00	0.00	0.00	4.06	0.00	5.06	50.23
1940	Above Normal	4.43	9.58	7.58	8.11	8.96	10.46	0.00	0.00	0.00	1.13	3.94	4.72	58.91
1941	Wet	3.29	5.97	14.12	13.97	13.27	11.06	0.00	0.00	0.83	1.96	2.81	5.63	72.91
1942	Wet	3.98	11.18	14.17	14.84	12.89	10.24	0.00	0.00	4.83	1.53	2.47	5.47	81.60
1943	Wet	5.05	11.16	12.86	14.82	12.08	14.30	0.37	0.00	0.11	1.91	2.78	5.61	81.05
1944	Dry	3.69	10.11	13.57	10.90	9.77	3.91	0.00	0.00	0.00	1.82	0.00	1.93	55.70
1945	Below Normal	4.71	11.27	12.20	11.17	12.32	9.84	0.00	0.00	0.00	2.63	3.35	5.87	73.36
1946	Below Normal	7.55	11.20	13.84	13.85	11.37	6.94	0.00	0.00	0.00	2.68	3.38	5.15	75.96
1947	Dry	7.56	11.20	13.60	12.86	8.97	0.00	0.00	0.00	0.00	3.63	0.00	5.28	63.10
1948	Below Normal	5.74	11.24	10.99	6.01	0.66	4.42	0.00	0.00	0.00	3.38	3.86	6.08	52.38
1949	Dry	7.66	11.26	13.65	10.38	8.59	2.07	0.00	0.00	0.00	2.88	2.26	5.92	64.67
1950	Below Normal	7.39	11.21	13.60	6.47	5.88	7.59	0.00	0.00	0.00	3.47	2.27	6.08	63.96
1951	Above Normal	7.66	11.26	14.56	10.99	2.23	3.98	0.00	0.00	0.00	0.00	3.36	5.87	59.91
1952	Wet	4.22	11.06	12.54	13.93	12.49	14.27	2.57	2.98	10.32	2.66	2.04	5.28	94.36
1953	Wet	3.63	9.83	13.54	10.13	9.70	8.41	0.00	0.00	0.00	3.56	4.08	6.01	68.89
1954	Above Normal	0.54	11.24	13.63	6.19	5.79	7.49	0.00	0.00	0.00	0.00	4.09	6.01	54.98
1955	Dry	3.43	11.24	13.63	11.68	9.51	3.91	0.00	0.00	0.00	3.98	0.00	3.91	61.29
1956	Wet	3.60	11.11	14.55	14.90	13.24	5.33	0.00	0.00	1.83	1.79	2.68	5.57	74.60
1957	Above Normal	4.84	11.17	13.57	10.52	3.37	5.63	0.00	0.00	0.00	2.46	4.42	4.48	60.46
1958	Wet	7.65	11.25	11.76	7.95	11.07	10.24	4.36	1.66	10.06	0.97	2.09	5.30	84.36
1959	Below Normal	5.06	9.53	13.54	6.43	7.00	7.65	0.00	0.00	0.00	3.93	4.37	3.46	60.97
1960	Dry	5.03	8.42	11.60	10.47	5.24	3.98	0.00	0.00	0.00	2.55	0.00	5.25	52.54
1961	Dry	5.32	10.67	13.64	10.73	4.28	7.03	0.00	0.00	0.00	3.32	1.38	5.98	62.35
1962	Below Normal	3.21	10.09	9.13	11.47	7.89	8.87	0.00	0.00	0.00	3.30	4.04	5.64	63.64
1963	Wet	7.61	11.23	11.24	7.43	7.38	7.91	0.00	0.00	0.00	3.26	3.78	5.97	65.81
1964	Dry	2.23	11.23	13.62	10.93	7.07	4.51	0.00	0.00	0.00	3.85	0.00	2.40	55.84
1965	Wet	2.69	7.50	12.89	14.58	13.25	10.42	0.00	0.00	0.00	1.93	2.79	5.62	71.67
1966	Below Normal	3.35	11.18	13.57	12.98	10.36	5.80	0.00	0.00	0.00	3.35	3.92	5.87	70.38
1967	Wet	6.50	9.64	12.53	12.24	9.90	9.83	4.36	1.79	10.32	10.17	2.04	5.28	94.60
1968	Below Normal	5.85	5.56	13.54	10.87	4.79	7.65	0.00	0.00	0.00	3.82	4.29	3.41	59.78
1969	Wet	6.27	10.86	13.64	14.90	13.32	5.76	6.63	9.63	10.32	10.17	2.04	2.93	106.47
1970	Wet	6.28	0.00	13.17	14.80	13.00	7.36	0.00	0.00	0.00	0.46	3.39	5.89	64.35
1971	Wet	3.77	3.66	12.69	10.66	8.46	9.20	0.00	0.00	0.00	3.95	4.39	6.05	62.83
1972	Below Normal	4.55	5.96	13.64	10.27	3.79	3.43	0.00	0.00	0.00	3.62	4.13	4.93	54.32
1973	Above Normal	4.50	11.24	12.13	9.23	11.50	9.74	0.00	0.00	0.00	2.97	3.61	2.30	67.22
1974	Wet	3.17	11.22	13.61	14.87	10.47	10.43	0.00	0.00	2.40	1.62	2.54	5.51	75.84
1975	Wet	7.06	11.17	13.56	10.78	7.55	10.34	0.00	0.00	0.90	2.65	3.36	5.87	73.24
1976	Critical	7.55	9.65	13.60	11.47	11.82	6.83	0.00	0.00	0.00	0.00	0.00	0.00	60.92
1977	Critical	1.62	9.36	9.43	8.47	10.15	0.00	0.00	0.00	0.00	0.00	6.45	0.00	45.48
1978	Above Normal	1.13	2.72	8.94	9.43	13.54	14.34	3.06	0.60	9.24	5.64	2.04	5.28	75.96
1979	Below Normal	5.20	6.68	13.54	12.98	11.15	11.17	0.00	0.00	0.00	3.19	3.78	2.74	70.43
1980	Above Normal	7.59	8.54	13.61	14.88	9.74	4.88	1.31	0.00	4.52	3.41	2.71	1.97	73.16
1981	Dry	3.44	9.77	13.57	10.95	8.44	3.81	0.00	0.00	0.00	3.62	0.24	3.37	57.21
1982	Wet	7.62	11.24	11.71	12.32	12.45	10.41	7.45	4.07	9.38	2.01	2.04	5.28	95.98
1983	Wet	10.78	13.06	14.49	14.80	6.60	5.77	6.59	9.60	10.32	10.17	5.94	8.12	116.24
1984	Wet	12.04	6.87	4.42	6.58	6.60	4.00	0.00	0.00	0.00	2.63	3.35	5.87	52.36
1985	Dry	5.29	11.20	13.60	10.99	8.96	5.46	0.00	0.00	0.00	3.09	2.24	5.95	66.78
1986	Wet	7.58	11.22	13.61	6.43	13.24	12.60	3.76	1.12	7.46	2.74	3.39	0.00	83.15
1987	Dry	0.83	0.00	13.26	10.64	8.41	3.82	0.00	0.00	0.00	1.69	0.00	1.90	40.55
1988	Critical	7.69	9.42	10.42	7.35	0.48	0.00	0.00	0.00	0.00	0.02	5.05	0.00	40.43
1989	Dry	1.54	8.22	8.64	10.32	1.90	0.00	0.00	0.00	0.00	2.23	0.00	2.68	35.53
1990	Critical	2.17	7.31	9.90	9.92	5.41	0.00	0.00	0.00	0.00	1.00	1.89	0.00	37.60
1991	Critical	3.67	7.07	7.99	4.25	3.53	0.87	0.00	0.00	0.00	1.04	0.00	0.93	29.35
1992	Critical	4.49	7.12	7.22	4.61	3.96	4.83	0.00	0.00	0.00	2.16	6.92	0.00	41.31
1993	Above Normal	1.38	7.78	11.85	10.69	11.71	9.60	0.00	0.00	0.53	2.70	3.40	5.89	65.53
1994	Critical	6.24	11.21	13.60	10.21	8.36	4.16	0.00	0.00	0.00	5.06	1.50	3.03	63.37
1995	Wet	2.14	10.33	11.78	9.82	11.02	14.30	3.49	11.34	10.52	10.50	2.41	5.39	103.04
1996	Wet	0.52	2.72	11.95	8.79	11.59	14.35	0.00	0.00	0.00	2.21	3.01	5.72	60.86
1997	Wet	2.68	11.19	14.51	14.84	13.14	10.15	0.00	0.00	2.69	1.04	2.81	5.63	78.68
1998	Wet	2.26	3.86	13.57	9.51	13.11	14.27	4.10	2.41	10.32	10.17	2.09	5.29	90.96
1999	Wet	7.43	11.21	13.45	13.35	11.04	10.41	0.00	0.00	0.00	3.02	3.65	2.90	76.46
2000	Above Normal	1.62	11.22	12.32	6.81	11.89	10.42	0.00	0.00	0.00	0.00	3.73	5.95	63.96
2001	Dry	3.15	11.22	13.08	11.18	7.45	5.55	0.00	0.00	0.00	3.98	0.00	1.97	57.58
2002	Dry	6.79	8.16	12.61	8.36	6.23	4.38	0.00	0.00	0.00	3.77	4.24	5.35	59.89
2003	Above Normal	7.33	11.24	12.33	7.01	8.66	7.04	0.00	0.00	0.00	3.22	3.81	4.11	64.75
	Average	4.96	8.95	12.33	10.20	8.10	6.40	0.69	0.69	1.60	2.73	2.58	4.41	63.63
	Wet	5.30	9.27	12.76	11.43	10.77	9.82	1.91	2.11	4.34	3.96	2.99	5.29	79.94
	Above Normal	4.31	9.22	12.31	9.71	8.33	8.80	0.36	0.05	1.50	2.12	3.48	4.63	64.81
	Below Normal	5.35	9.47	13.00	9.96	6.59	5.99	0.20	0.08	0.00	2.76	2.78	5.21	61.39
	Dry	4.55	8.31	12.75	10.62	6.90	3.22	0.00	0.00	0.00	2.64	0.83	4.04	53.85
	Critical	5.05	8.32	10.01	7.69	5.62	1.82	0.00	0.00	0.00	0.77	3.20	1.89	44.38

Energy Use (GWh) At Pumping Plant at O'Neill: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	7.43	11.14	13.54	11.47	7.58	12.75	0.03	0.00	2.84	2.11	2.87	5.57	77.33
1923	Below Normal	6.71	11.22	13.66	12.72	11.25	5.75	0.00	0.00	0.24	3.95	1.91	6.06	73.47
1924	Critical	7.68	11.00	11.19	12.90	4.88	0.00	0.00	0.00	0.00	0.00	0.00	3.20	50.85
1925	Dry	5.38	2.76	12.68	10.67	5.93	5.30	0.00	0.00	0.00	3.17	1.73	3.05	50.67
1926	Dry	5.72	11.12	11.25	10.34	3.18	0.00	0.00	0.00	0.00	0.00	0.00	4.37	45.98
1927	Wet	5.13	11.28	11.95	7.33	10.76	8.44	0.00	0.00	0.00	3.52	3.99	6.01	68.41
1928	Above Normal	3.36	3.55	13.71	11.35	5.02	9.46	0.00	0.00	0.00	2.62	4.28	3.58	56.93
1929	Critical	3.24	5.51	13.68	10.70	8.46	3.85	0.00	0.00	0.00	0.00	5.05	2.05	52.54
1930	Dry	4.53	7.15	9.87	7.51	6.19	2.70	0.00	0.00	0.00	0.00	0.00	0.22	38.17
1931	Critical	4.88	7.85	9.98	10.58	8.60	0.28	0.00	0.00	0.00	0.00	0.00	2.95	45.12
1932	Dry	5.05	5.82	14.02	11.39	4.27	0.00	0.00	0.00	0.00	0.00	3.25	8.17	51.97
1933	Critical	6.70	8.10	10.73	1.59	1.53	0.99	0.00	0.00	0.00	0.00	7.16	7.60	44.40
1934	Critical	4.84	6.40	2.89	0.70	0.65	0.00	0.00	0.00	0.00	0.00	3.77	3.05	22.30
1935	Below Normal	0.95	8.00	14.02	9.88	0.97	0.88	0.00	0.00	0.00	0.12	0.00	5.70	40.52
1936	Below Normal	7.75	10.04	13.75	3.71	2.14	2.92	0.00	0.00	0.00	2.36	0.00	6.10	48.77
1937	Below Normal	7.08	9.61	13.73	9.70	2.80	1.51	2.79	0.76	0.00	0.04	0.00	6.13	54.15
1938	Wet	4.80	11.30	14.55	3.29	2.46	9.04	4.49	4.52	10.32	6.64	2.04	5.28	78.73
1939	Dry	5.54	0.00	13.54	10.85	9.82	1.54	0.00	0.00	0.00	4.91	0.00	4.73	50.93
1940	Above Normal	5.03	9.65	7.53	8.33	9.19	10.60	0.00	0.00	0.00	1.51	4.22	5.18	61.24
1941	Wet	3.36	6.67	14.21	13.96	13.25	10.44	0.00	0.00	1.28	2.50	3.18	5.71	74.56
1942	Wet	4.29	11.23	14.27	14.84	12.57	10.39	0.00	0.00	5.28	2.08	2.84	5.56	83.35
1943	Wet	5.13	11.21	12.96	14.82	11.31	13.95	0.53	0.00	2.07	2.46	3.14	5.69	83.27
1944	Dry	3.40	9.93	13.67	11.08	9.95	3.98	0.00	0.00	0.00	1.75	0.00	1.98	55.74
1945	Below Normal	4.75	11.29	12.25	11.24	9.76	10.58	0.00	0.00	0.00	3.21	3.73	5.96	72.77
1946	Below Normal	7.63	11.25	13.70	13.45	11.51	7.54	0.00	0.00	0.00	3.20	3.73	5.68	77.69
1947	Dry	7.63	11.25	13.70	13.04	9.14	0.00	0.00	0.00	0.00	3.77	0.00	5.28	63.81
1948	Below Normal	5.75	11.25	11.02	6.06	0.71	4.42	0.00	0.00	0.00	3.37	3.87	6.08	52.53
1949	Dry	7.66	11.26	13.65	10.38	8.59	2.07	0.00	0.00	0.00	2.89	2.27	5.92	64.69
1950	Below Normal	7.40	11.21	13.61	6.47	5.89	7.61	0.00	0.00	0.00	3.54	2.32	6.09	64.14
1951	Above Normal	7.67	11.26	14.56	10.97	2.26	4.13	0.00	0.00	0.00	0.00	3.71	5.95	60.51
1952	Wet	4.30	11.12	12.64	14.10	12.48	10.34	0.05	2.54	10.26	2.67	2.05	5.28	87.83
1953	Wet	3.62	11.14	13.54	8.36	9.65	8.43	0.00	0.00	0.00	4.18	4.51	6.09	69.52
1954	Above Normal	0.52	11.29	13.73	6.37	5.98	7.49	0.00	0.00	0.00	0.00	4.09	6.01	55.48
1955	Dry	3.34	11.24	13.63	11.68	9.59	3.92	0.00	0.00	0.00	4.01	0.00	3.91	61.32
1956	Wet	3.63	11.12	13.65	14.00	13.83	5.33	0.00	0.00	2.26	2.31	4.38	5.64	76.15
1957	Above Normal	4.92	11.22	13.67	10.69	3.55	5.78	0.00	0.00	0.00	2.98	4.76	4.55	62.12
1958	Wet	7.72	11.30	11.86	8.12	11.24	10.39	1.44	0.00	7.51	1.22	2.26	5.38	78.44
1959	Below Normal	5.16	11.15	13.55	6.45	7.04	7.64	0.00	0.00	0.00	4.04	4.44	3.70	63.17
1960	Dry	5.05	8.35	11.62	10.52	5.28	3.98	0.00	0.00	0.00	2.55	0.00	5.24	52.59
1961	Dry	5.28	10.68	13.64	10.73	4.28	7.03	0.00	0.00	0.00	3.33	1.38	5.98	62.33
1962	Below Normal	3.23	10.10	9.12	11.48	7.89	9.02	0.00	0.00	0.00	3.82	4.39	5.71	64.76
1963	Wet	7.69	11.28	11.34	7.61	7.28	8.07	0.00	0.00	0.39	3.80	4.14	6.05	67.65
1964	Dry	2.31	11.28	13.72	11.10	7.25	4.51	0.00	0.00	0.00	3.85	0.00	2.40	56.42
1965	Wet	2.69	7.50	12.89	13.99	11.54	10.58	0.00	0.00	0.00	2.52	3.19	5.71	70.61
1966	Below Normal	3.44	11.23	13.67	12.93	10.47	5.91	0.00	0.00	0.00	3.74	4.18	5.91	71.48
1967	Wet	6.56	9.68	12.60	12.37	9.57	9.99	2.10	1.48	10.32	5.62	2.04	5.28	87.61
1968	Below Normal	5.84	12.52	13.54	10.87	4.79	7.65	0.00	0.00	0.00	4.30	4.60	3.48	67.59
1969	Wet	6.34	10.89	13.73	13.42	13.32	8.40	5.57	10.69	10.32	10.17	2.04	3.74	108.63
1970	Wet	6.18	0.00	13.17	14.80	13.00	6.69	0.00	0.00	0.00	0.99	3.85	5.96	64.64
1971	Wet	3.84	3.60	12.79	10.84	8.64	9.29	0.00	0.00	0.00	4.27	4.60	6.10	63.97
1972	Below Normal	4.59	6.01	13.70	10.38	3.90	3.44	0.00	0.00	0.00	3.63	4.13	4.94	54.72
1973	Above Normal	4.50	11.24	12.13	9.23	11.50	9.89	0.00	0.00	0.00	3.49	3.96	3.67	69.61
1974	Wet	3.24	11.27	13.71	14.12	10.46	10.40	0.00	0.00	2.20	2.24	2.97	5.62	76.23
1975	Wet	7.15	11.22	13.66	10.97	7.74	10.49	0.00	0.00	1.30	3.15	3.69	5.94	75.31
1976	Critical	7.63	9.76	13.70	11.65	11.99	6.83	0.00	0.00	0.00	0.00	0.00	0.00	61.56
1977	Critical	1.67	9.36	9.43	8.48	10.13	0.00	0.00	0.00	0.00	0.00	6.22	0.00	45.29
1978	Above Normal	1.22	2.73	8.93	9.43	12.57	14.34	2.50	0.00	3.69	1.00	2.11	5.31	63.83
1979	Below Normal	5.30	11.15	13.54	12.72	11.06	10.48	0.00	0.00	0.00	3.78	4.42	2.97	75.42
1980	Above Normal	7.69	10.48	13.73	14.02	3.04	4.89	1.30	0.00	3.36	3.71	3.05	4.66	69.93
1981	Dry	3.64	9.69	13.67	11.13	8.61	3.97	0.00	0.00	0.00	4.14	0.41	3.40	58.66
1982	Wet	7.70	11.29	11.81	12.49	11.67	10.33	8.62	2.99	5.64	2.01	2.04	5.28	91.87
1983	Wet	7.43	13.06	13.58	14.80	11.20	10.86	8.75	10.42	10.32	10.17	5.94	8.12	124.65
1984	Wet	12.04	5.95	9.52	7.66	6.60	4.00	0.00	0.00	0.00	3.15	3.69	5.94	58.55
1985	Dry	5.37	11.25	13.70	11.16	9.13	5.55	0.00	0.00	0.00	3.43	2.46	6.00	68.05
1986	Wet	7.63	11.25	13.68	6.54	12.17	13.73	3.76	1.12	6.44	3.27	3.73	0.00	83.32
1987	Dry	0.90	0.00	13.35	10.82	8.58	3.83	0.00	0.00	0.00	1.97	0.00	1.89	41.34
1988	Critical	7.69	9.42	10.42	7.36	0.49	0.00	0.00	0.00	0.00	0.01	5.05	0.00	40.44
1989	Dry	1.55	8.20	8.64	10.32	1.90	0.00	0.00	0.00	0.00	2.24	0.00	2.41	35.26
1990	Critical	2.17	7.32	9.89	9.92	5.41	0.00	0.00	0.00	0.00	1.00	0.00	0.92	36.63
1991	Critical	3.49	7.06	8.03	4.23	3.53	0.87	0.00	0.00	0.00	1.05	0.09	0.94	29.29
1992	Critical	4.47	7.23	7.21	4.51	3.96	4.83	0.00	0.00	0.00	0.21	6.92	0.00	39.34
1993	Above Normal	1.37	7.79	11.85	10.69	11.68	9.30	0.00	0.00	0.98	3.24	3.76	5.97	66.63
1994	Critical	6.32	11.26	13.70	10.39	8.54	4.16	0.00	0.00	0.00	5.05	1.50	3.04	63.96
1995	Wet	2.15	10.32	11.78	9.77	9.77	12.33	2.93	4.90	7.96	11.29	2.96	5.55	91.71
1996	Wet	0.64	11.21	12.06	8.98	11.81	10.86	0.00	0.00	0.00	2.89	3.49	5.85	67.79
1997	Wet	2.39	11.24	13.99	14.85	13.15	10.32	0.00	0.00	3.11	1.18	3.16	5.70	79.09
1998	Wet	2.36	3.89	13.67	9.68	11.79	14.21	3.70	2.14	10.39	10.29	2.18	5.33	89.63
1999	Wet	7.44	11.21	13.45	13.36	11.06	10.40	0.00	0.00	0.00	3.53	3.99	2.97	77.41
2000	Above Normal	1.71	11.27	12.43	6.99	12.06	10.57	0.00	0.00	0.00	0.00	4.08	6.03	65.14
2001	Dry	3.21	11.27	13.35	11.35	7.63	5.56	0.00	0.00	0.00	4.00	0.00	1.98	58.35
2002	Dry	6.80	8.17	12.62	8.37	6.23	4.38	0.00	0.00	0.00	3.77	4.24	5.30	59.88
2003	Above Normal	7.33	11.24	12.33	7.01	8.66	7.09	0.00	0.00	0.00	3.40	3.93	4.12	65.11
	Average	4.96	9.27	12.43	10.18	7.99	6.46	0.59	0.51	1.44	2.83	2.73	4.52	63.93
	Wet	5.21	9.66	12.96	11.35	10.70	9.91	1.61	1.57	4.13	4.16	3.31	5.38	79.96
	Above Normal	4.40	9.41	12.35	9.71	7.76	8.86	0.32	0.00	0.91	2.01	3.74	5.05	64.49
	Below Normal	5.40	10.43	13.06	9.86	6.44	6.10	0.20	0.05	0.02	3.08	2.98	5.32	62.94
	Dry	4.58	8.30	12.80	10.69	6.98	3.24	0.00	0.00	0.00	2.77	0.87	4.01	54.23
	Critical	5.07	8.36	10.07	7.75	5.68	1.82	0.00	0.00	0.00	0.61	2.98	1.98	44.31

Difference in Energy Use (GWh) At Pumping Plant at O'Neill: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.09)	0.15	0.03	0.00	(0.82)	0.53	0.36	0.08	0.02
1923	Below Normal	0.08	0.05	0.10	(0.20)	(0.08)	0.16	0.00	0.00	0.24	0.55	0.34	0.07	0.11
1924	Critical	0.07	0.05	0.11	0.17	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.05
1925	Dry	0.01	(0.01)	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.13	0.09	0.02	0.02
1926	Dry	0.03	0.02	0.02	0.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1927	Wet	0.01	0.00	0.01	0.00	0.01	0.15	0.00	0.00	0.00	0.52	0.35	0.07	0.09
1928	Above Normal	0.07	0.04	0.10	0.18	0.17	0.07	0.00	0.00	0.00	0.27	0.19	0.04	0.09
1929	Critical	0.04	0.02	0.05	0.09	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1932	Dry	0.01	(0.02)	0.00	0.00	(0.02)	(0.11)	0.00	0.00	0.00	0.00	0.36	0.08	0.03
1933	Critical	0.08	0.05	0.39	0.17	0.17	0.01	0.00	0.00	0.00	0.00	0.02	0.02	0.08
1934	Critical	0.02	0.01	(0.05)	0.01	0.01	0.00	0.00	0.00	0.00	0.00	(0.68)	0.03	(0.05)
1935	Below Normal	(0.04)	0.00	0.00	0.62	0.00	0.15	0.00	0.00	0.00	0.12	0.00	0.08	0.08
1936	Below Normal	0.08	0.06	0.57	(1.37)	0.18	0.15	0.00	0.00	0.00	0.52	0.00	0.07	0.02
1937	Below Normal	0.08	0.06	0.10	(0.03)	0.00	0.15	(0.01)	(0.39)	0.00	0.04	0.00	0.07	0.01
1938	Wet	0.06	0.05	1.13	0.77	(0.01)	3.29	(1.45)	(5.77)	0.00	(0.22)	0.00	0.00	(0.18)
1939	Dry	0.18	0.00	0.00	0.00	(0.02)	0.02	0.00	0.00	0.00	0.85	0.00	(0.33)	0.06
1940	Above Normal	0.60	0.07	(0.05)	0.22	0.23	0.14	0.00	0.00	0.00	0.38	0.28	0.46	0.19
1941	Wet	0.07	0.70	0.09	(0.01)	(0.02)	(0.62)	0.00	0.00	0.45	0.54	0.37	0.08	0.14
1942	Wet	0.31	0.05	0.10	0.00	(0.32)	0.15	0.00	0.00	0.45	0.55	0.37	0.09	0.15
1943	Wet	0.08	0.05	0.10	0.00	(0.77)	(0.35)	0.16	0.00	1.96	0.55	0.36	0.08	0.19
1944	Dry	(0.29)	(0.18)	0.10	0.18	0.18	0.07	0.00	0.00	0.00	(0.07)	0.00	0.05	0.00
1945	Below Normal	0.04	0.02	0.05	0.07	(2.56)	0.74	0.00	0.00	0.00	0.58	0.38	0.09	(0.05)
1946	Below Normal	0.08	0.05	(0.14)	(0.40)	0.14	0.60	0.00	0.00	0.00	0.52	0.35	0.53	0.14
1947	Dry	0.07	0.05	0.10	0.18	0.17	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.06
1948	Below Normal	0.01	0.01	0.03	0.05	0.05	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.01
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
1950	Below Normal	0.01	0.00	0.01	0.00	0.01	0.02	0.00	0.00	0.00	0.07	0.05	0.01	0.02
1951	Above Normal	0.01	0.00	0.00	(0.02)	0.03	0.15	0.00	0.00	0.00	0.00	0.35	0.08	0.05
1952	Wet	0.08	0.06	0.10	0.17	(0.01)	(3.93)	(2.52)	(0.44)	(0.06)	0.01	0.01	0.00	(0.54)
1953	Wet	(0.01)	1.31	0.00	(1.77)	(0.05)	0.02	0.00	0.00	0.00	0.62	0.43	0.08	0.05
1954	Above Normal	(0.02)	0.05	0.10	0.18	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1955	Dry	(0.09)	0.00	0.00	0.00	0.08	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00
1956	Wet	0.03	0.01	(0.90)	(0.90)	0.59	0.00	0.00	0.00	0.43	0.52	1.70	0.07	0.13
1957	Above Normal	0.08	0.05	0.10	0.17	0.18	0.15	0.00	0.00	0.00	0.52	0.34	0.07	0.14
1958	Wet	0.07	0.05	0.10	0.17	0.17	0.15	(2.92)	(1.66)	(2.55)	0.25	0.17	0.08	(0.49)
1959	Below Normal	0.10	1.62	0.01	0.02	0.04	(0.01)	0.00	0.00	0.00	0.11	0.07	0.24	0.18
1960	Dry	0.02	(0.07)	0.02	0.05	0.04	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1961	Dry	(0.04)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1962	Below Normal	0.02	0.01	(0.01)	0.01	0.00	0.15	0.00	0.00	0.00	0.52	0.35	0.07	0.09
1963	Wet	0.08	0.05	0.10	0.18	(0.10)	0.16	0.00	0.00	0.39	0.54	0.36	0.08	0.15
1964	Dry	0.08	0.05	0.10	0.17	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1965	Wet	0.00	0.00	0.00	(0.59)	(1.71)	0.16	0.00	0.00	0.00	0.59	0.40	0.09	(0.09)
1966	Below Normal	0.09	0.05	0.10	(0.05)	0.11	0.11	0.00	0.00	0.00	0.39	0.26	0.04	0.09
1967	Wet	0.06	0.04	0.07	0.13	(0.33)	0.16	(2.26)	(0.31)	0.00	(4.55)	0.00	0.00	(0.58)
1968	Below Normal	(0.01)	6.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.31	0.07	0.65
1969	Wet	0.07	0.03	0.09	(1.48)	0.00	2.64	(1.06)	1.06	0.00	0.00	0.00	0.81	0.18
1970	Wet	(0.10)	0.00	0.00	0.00	0.00	(0.67)	0.00	0.00	0.00	0.53	0.46	0.07	0.02
1971	Wet	0.07	(0.06)	0.10	0.18	0.18	0.09	0.00	0.00	0.00	0.32	0.21	0.05	0.09
1972	Below Normal	0.04	0.05	0.06	0.11	0.11	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.03
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.52	0.35	1.37	0.20
1974	Wet	0.07	0.05	0.10	(0.75)	(0.01)	(0.03)	0.00	0.00	(0.20)	0.62	0.43	0.11	0.03
1975	Wet	0.09	0.05	0.10	0.19	0.19	0.15	0.00	0.00	0.40	0.50	0.33	0.07	0.17
1976	Critical	0.08	0.11	0.10	0.18	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1977	Critical	0.05	0.00	0.00	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	(0.23)	0.00	(0.02)
1978	Above Normal	0.09	0.01	(0.01)	0.00	(0.97)	0.00	(0.56)	(0.60)	(5.55)	(4.64)	0.07	0.03	(1.01)
1979	Below Normal	0.10	4.47	0.00	(0.26)	(0.09)	(0.69)	0.00	0.00	0.00	0.59	0.64	0.23	0.42
1980	Above Normal	0.10	1.94	0.12	(0.86)	(6.70)	0.01	(0.01)	0.00	(1.16)	0.30	0.34	2.69	(0.27)
1981	Dry	0.20	(0.08)	0.10	0.18	0.17	0.16	0.00	0.00	0.00	0.52	0.17	0.03	0.12
1982	Wet	0.08	0.05	0.10	0.17	(0.78)	(0.08)	1.17	(1.08)	(3.74)	0.00	0.00	0.00	(0.34)
1983	Wet	(3.35)	0.00	(0.91)	0.00	4.60	5.09	2.16	0.82	0.00	0.00	0.00	0.00	0.70
1984	Wet	0.00	(0.92)	5.10	1.08	0.00	0.00	0.00	0.00	0.00	0.52	0.34	0.07	0.52
1985	Dry	0.08	0.05	0.10	0.17	0.17	0.09	0.00	0.00	0.00	0.34	0.22	0.05	0.11
1986	Wet	0.05	0.03	0.07	0.11	(1.07)	1.13	0.00	0.00	(1.02)	0.53	0.34	0.00	0.01
1987	Dry	0.07	0.00	0.09	0.18	0.17	0.01	0.00	0.00	0.00	0.28	0.00	(0.01)	0.07
1988	Critical	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1989	Dry	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.27)	(0.02)
1990	Critical	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.89)	0.92	(0.08)
1991	Critical	(0.18)	(0.01)	0.04	(0.02)	0.00	0.00	0.00	0.00	0.00	0.01	0.09	0.01	(0.01)
1992	Critical	(0.02)	0.11	(0.01)	(0.10)	0.00	0.00	0.00	0.00	0.00	(1.95)	0.00	0.00	(0.16)
1993	Above Normal	(0.01)	0.01	0.00	0.00	(0.03)	(0.30)	0.00	0.00	0.45	0.54	0.36	0.08	0.09
1994	Critical	0.08	0.05	0.10	0.18	0.18	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.05
1995	Wet	0.01	(0.01)	0.00	(0.05)	(1.25)	(1.97)	(0.56)	(6.44)	(2.56)	0.79	0.55	0.16	(0.94)
1996	Wet	0.12	8.49	0.11	0.19	0.22	(3.49)	0.00	0.00	0.00	0.68	0.48	0.13	0.58
1997	Wet	(0.29)	0.05	(0.52)	0.01	0.01	0.17	0.00	0.00	0.42	0.14	0.35	0.07	0.03
1998	Wet	0.10	0.03	0.10	0.17	(1.32)	(0.06)	(0.40)	(0.27)	0.07	0.12	0.09	0.04	(0.11)
1999	Wet	0.01	0.00	0.00	0.01	0.02	(0.01)	0.00	0.00	0.00	0.51	0.34	0.07	0.08
2000	Above Normal	0.09	0.05	0.11	0.18	0.17	0.15	0.00	0.00	0.00	0.00	0.35	0.08	0.10
2001	Dry	0.06	0.05	0.27	0.17	0.18	0.01	0.00	0.00	0.00	0.02	0.00	0.01	0.06
2002	Dry	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.18	0.12	0.01	0.03
	Average	0.00	0.32	0.10	(0.02)	(0.10)	0.06	(0.10)	(0.18)	(0.15)	0.10	0.15	0.12	0.02
	Wet	(0.09)	0.39	0.21	(0.08)	(0.07)	0.09	(0.30)	(0.54)	(0.21)	0.20	0.32	0.09	0.00
	Above Normal	0.08	0.19	0.04	0.00	(0.57)	0.06	(0.05)	(0.05)	(0.59)	(0.12)	0.26	0.42	(0.03)
	Below Normal	0.05	0.96	0.06	(0.10)	(0.15)	0.11	(0.00)	(0.03)	0.02	0.32	0.20	0.11	0.13
	Dry	0.02	(0.01)	0.05	0.07	0.07	0.02	0.00	0.00	0.00	0.13	0.05	(0.02)	0.03
	Critical	0.02	0.03	0.06	0.06	0.07	0.00	0.00	0.00	0.00	(0.16)	(0.22)	0.09	(0.01)

Percent Difference in Energy Use (GWh) At Pumping Plant at O'Neill: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-1%	1%	-	0%	-22%	34%	14%	1%
1923	Below Normal	1%	0%	1%	-2%	-1%	3%	0%	0%	-	16%	22%	1%
1924	Critical	1%	0%	1%	1%	4%	0%	0%	0%	0%	0%	0%	1%
1925	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	4%	5%	1%
1926	Dry	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	2%	0%	0%	0%	17%	10%	1%
1928	Above Normal	2%	1%	1%	2%	4%	1%	0%	0%	0%	11%	5%	1%
1929	Critical	1%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-100%	0%	0%	0%	0%	12%	1%
1933	Critical	1%	1%	4%	12%	13%	1%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-2%	1%	2%	0%	0%	0%	0%	0%	-15%	1%
1935	Below Normal	-4%	0%	0%	7%	0%	21%	0%	0%	0%	-	0%	1%
1936	Below Normal	1%	1%	4%	-27%	9%	5%	0%	0%	0%	28%	0%	1%
1937	Below Normal	1%	1%	1%	0%	0%	11%	0%	-34%	0%	-	0%	1%
1938	Wet	1%	0%	8%	31%	0%	57%	-24%	-56%	0%	-3%	0%	0%
1939	Dry	3%	0%	0%	0%	0%	1%	0%	0%	0%	21%	0%	-7%
1940	Above Normal	14%	1%	-1%	3%	3%	1%	0%	0%	0%	34%	7%	10%
1941	Wet	2%	12%	1%	0%	0%	-6%	0%	0%	54%	28%	13%	1%
1942	Wet	8%	0%	1%	0%	-2%	1%	0%	0%	9%	36%	15%	2%
1943	Wet	2%	0%	1%	0%	-6%	-2%	43%	0%	>1,000%	29%	13%	1%
1944	Dry	-8%	-2%	1%	2%	2%	2%	0%	0%	0%	-4%	0%	3%
1945	Below Normal	1%	0%	0%	1%	-21%	8%	0%	0%	0%	22%	11%	2%
1946	Below Normal	1%	0%	-1%	-3%	1%	9%	0%	0%	0%	19%	10%	10%
1947	Dry	1%	0%	1%	1%	2%	0%	0%	0%	0%	4%	0%	0%
1948	Below Normal	0%	0%	0%	1%	8%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	0%
1951	Above Normal	0%	0%	0%	0%	1%	4%	0%	0%	0%	0%	10%	1%
1952	Wet	2%	1%	1%	1%	0%	-28%	-98%	-15%	-1%	0%	0%	0%
1953	Wet	0%	13%	0%	-17%	-1%	0%	0%	0%	0%	17%	11%	1%
1954	Above Normal	-4%	0%	1%	3%	3%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	-3%	0%	0%	0%	1%	0%	0%	0%	0%	1%	0%	0%
1956	Wet	1%	0%	-6%	-6%	4%	0%	0%	0%	23%	29%	63%	1%
1957	Above Normal	2%	0%	1%	2%	5%	3%	0%	0%	0%	21%	8%	2%
1958	Wet	1%	0%	1%	2%	2%	1%	-67%	-100%	-25%	26%	8%	2%
1959	Below Normal	2%	17%	0%	0%	1%	0%	0%	0%	0%	3%	2%	7%
1960	Dry	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	1%	0%	0%	0%	0%	2%	0%	0%	0%	16%	9%	1%
1963	Wet	1%	0%	1%	2%	-1%	2%	0%	0%	-	17%	10%	1%
1964	Dry	4%	0%	1%	2%	3%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-4%	-13%	2%	0%	0%	0%	31%	14%	2%
1966	Below Normal	3%	0%	1%	0%	1%	2%	0%	0%	0%	12%	7%	1%
1967	Wet	1%	0%	1%	1%	-3%	2%	-52%	-17%	0%	-45%	0%	0%
1968	Below Normal	0%	125%	0%	0%	0%	0%	0%	0%	0%	13%	7%	2%
1969	Wet	1%	0%	1%	-10%	0%	46%	-16%	11%	0%	0%	0%	28%
1970	Wet	-2%	0%	0%	0%	0%	-9%	0%	0%	0%	115%	14%	1%
1971	Wet	2%	-2%	1%	2%	2%	1%	0%	0%	0%	8%	5%	1%
1972	Below Normal	1%	1%	0%	1%	3%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	2%	0%	0%	0%	18%	10%	60%
1974	Wet	2%	0%	1%	-5%	0%	0%	0%	0%	-8%	38%	17%	2%
1975	Wet	1%	0%	1%	2%	3%	1%	0%	0%	44%	19%	10%	1%
1976	Critical	1%	1%	1%	2%	1%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%
1978	Above Normal	8%	0%	0%	0%	-7%	0%	-18%	-100%	-60%	-82%	3%	1%
1979	Below Normal	2%	67%	0%	-2%	-1%	-6%	0%	0%	0%	18%	17%	8%
1980	Above Normal	1%	23%	1%	-6%	-69%	0%	-1%	0%	-26%	9%	13%	137%
1981	Dry	6%	-1%	1%	2%	2%	4%	0%	0%	0%	14%	71%	1%
1982	Wet	1%	0%	1%	1%	-6%	-1%	16%	-27%	-40%	0%	0%	0%
1983	Wet	-31%	0%	-6%	0%	70%	88%	33%	9%	0%	0%	0%	0%
1984	Wet	0%	-13%	115%	16%	0%	0%	0%	0%	0%	20%	10%	1%
1985	Dry	2%	0%	1%	2%	2%	2%	0%	0%	0%	11%	10%	1%
1986	Wet	1%	0%	1%	2%	-8%	9%	0%	0%	-14%	19%	10%	0%
1987	Dry	8%	0%	1%	2%	2%	0%	0%	0%	0%	17%	0%	-1%
1988	Critical	0%	0%	0%	0%	2%	0%	0%	0%	0%	-50%	0%	0%
1989	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-10%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-100%	-
1991	Critical	-5%	0%	1%	0%	0%	0%	0%	0%	0%	1%	-	1%
1992	Critical	0%	2%	0%	-2%	0%	0%	0%	0%	0%	-90%	0%	0%
1993	Above Normal	-1%	0%	0%	0%	0%	-3%	0%	0%	85%	20%	11%	1%
1994	Critical	1%	0%	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	-1%	-11%	-14%	-16%	-57%	-24%	8%	23%	3%
1996	Wet	23%	312%	1%	2%	2%	-24%	0%	0%	0%	31%	16%	2%
1997	Wet	-11%	0%	-4%	0%	0%	2%	0%	0%	16%	13%	12%	1%
1998	Wet	4%	1%	1%	2%	-10%	0%	-10%	-11%	1%	1%	4%	1%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	9%	2%
2000	Above Normal	6%	0%	1%	3%	1%	1%	0%	0%	0%	0%	9%	1%
2001	Dry	2%	0%	2%	2%	2%	0%	0%	0%	0%	1%	0%	1%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2003	Above Normal	0%	0%	0%	0%	0%	1%	0%	0%	0%	6%	3%	0%
	Average	1%	7%	2%	0%	0%	1%	-3%	-5%	0%	8%	6%	4%
	Wet	0%	13%	5%	1%	1%	5%	-7%	-10%	1%	18%	11%	2%
	Above Normal	2%	2%	0%	0%	-5%	1%	-2%	-8%	-2%	6%	8%	18%
	Below Normal	1%	15%	0%	-2%	0%	4%	0%	-2%	0%	11%	6%	3%
	Dry	1%	0%	0%	1%	1%	-5%	0%	0%	0%	4%	6%	-1%
	Critical	0%	0%	0%	1%	2%	0%	0%	0%	0%	-12%	-10%	0%

Energy Use (GWh) At Pumping Plant at Red Bluff: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.27
1923	Below Normal	0.05	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.01	0.11
1924	Critical	0.09	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.17
1925	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08
1926	Dry	0.12	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.06	0.19
1927	Wet	0.05	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.20	0.26
1928	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.08
1929	Critical	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1930	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1931	Critical	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.15
1932	Dry	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.13
1933	Critical	0.06	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.15
1934	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.11
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1936	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.07
1937	Below Normal	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10
1938	Wet	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.20
1939	Dry	0.10	0.00	0.00	0.00	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.06	0.28
1940	Above Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.24
1941	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1942	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.27
1943	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.28
1944	Dry	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.19
1945	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.15
1946	Below Normal	0.04	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.26	0.31
1947	Dry	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.27
1948	Below Normal	0.04	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.24
1949	Dry	0.10	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.21
1950	Below Normal	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.14
1951	Above Normal	0.04	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.17	0.23
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.24
1953	Wet	0.17	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.20	0.40
1954	Above Normal	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1955	Dry	0.15	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.26
1956	Wet	0.07	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.15	0.26
1957	Above Normal	0.11	0.02	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.10	0.27
1958	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.25
1959	Below Normal	0.16	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.10	0.30
1960	Dry	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.15
1961	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.08
1962	Below Normal	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.22
1963	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.26
1964	Dry	0.07	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.09	0.19
1965	Wet	0.05	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.19
1966	Below Normal	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.28
1967	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.35
1968	Below Normal	0.16	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.25
1969	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.27
1970	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.16
1971	Wet	0.08	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.13	0.24
1972	Below Normal	0.13	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.01	0.28
1973	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.21
1974	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1975	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.28
1976	Critical	0.05	0.00	0.00	0.00	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.15
1977	Critical	0.05	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.07	0.15
1978	Above Normal	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.20
1979	Below Normal	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.20
1980	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.18
1981	Dry	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.22
1982	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.11
1983	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.22
1984	Wet	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.14	0.30
1985	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.24
1986	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.13
1987	Dry	0.12	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.20
1988	Critical	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1989	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.12
1990	Critical	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1991	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1992	Critical	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.15
1993	Above Normal	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.26
1994	Critical	0.11	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1995	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.31
1996	Wet	0.18	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.41
1997	Wet	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.08	0.18
1998	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.30
1999	Wet	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.31
2000	Above Normal	0.15	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.35
2001	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06
2002	Dry	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.10	0.20
2003	Above Normal	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.36
	Average	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.11	0.21
	Wet	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.17	0.26
	Above Normal	0.08	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.16	0.25
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.07	0.19
	Dry	0.09	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.07	0.18
	Critical	0.06	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.14

Energy Use (GWh) At Pumping Plant at Red Bluff: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.27
1923	Below Normal	0.05	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.01	0.11
1924	Critical	0.09	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.17
1925	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08
1926	Dry	0.12	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.06	0.19
1927	Wet	0.05	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.20	0.26
1928	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.08
1929	Critical	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1930	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1931	Critical	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.15
1932	Dry	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.13
1933	Critical	0.06	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.15
1934	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.11
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1936	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.07
1937	Below Normal	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10
1938	Wet	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.20
1939	Dry	0.10	0.00	0.00	0.00	0.05	0.06	0.00	0.00	0.00	0.00	0.00	0.05	0.26
1940	Above Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.25
1941	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1942	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.27
1943	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.28
1944	Dry	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.20
1945	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.15
1946	Below Normal	0.04	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.26	0.31
1947	Dry	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.27
1948	Below Normal	0.04	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.24
1949	Dry	0.10	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.21
1950	Below Normal	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.14
1951	Above Normal	0.04	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.17	0.23
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.24
1953	Wet	0.17	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.20	0.40
1954	Above Normal	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1955	Dry	0.15	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.26
1956	Wet	0.07	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.15	0.26
1957	Above Normal	0.11	0.02	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.10	0.27
1958	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.25
1959	Below Normal	0.16	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.10	0.30
1960	Dry	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.15
1961	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.08
1962	Below Normal	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.22
1963	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.26
1964	Dry	0.07	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.09	0.19
1965	Wet	0.05	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.19
1966	Below Normal	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.28
1967	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.35
1968	Below Normal	0.16	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.25
1969	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.27
1970	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.16
1971	Wet	0.08	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.13	0.24
1972	Below Normal	0.13	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.01	0.28
1973	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.21
1974	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1975	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.28
1976	Critical	0.05	0.00	0.00	0.00	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.15
1977	Critical	0.05	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.07	0.15
1978	Above Normal	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.20
1979	Below Normal	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.19
1980	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.18
1981	Dry	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.22
1982	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.11
1983	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.22
1984	Wet	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.14	0.30
1985	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.24
1986	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.13
1987	Dry	0.12	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.20
1988	Critical	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1989	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.12
1990	Critical	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1991	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1992	Critical	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.15
1993	Above Normal	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.25
1994	Critical	0.11	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1995	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.31
1996	Wet	0.18	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.41
1997	Wet	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.08	0.18
1998	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.30
1999	Wet	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.31
2000	Above Normal	0.15	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.35
2001	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06
2002	Dry	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.10	0.20
2003	Above Normal	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.36
	Average	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.11	0.21
	Wet	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.17	0.26
	Above Normal	0.08	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.16	0.25
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.07	0.19
	Dry	0.09	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.07	0.18
	Critical	0.06	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.14

Difference in Energy Use (GWh) At Pumping Plant at Red Bluff: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Red Bluff: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-14%	0%	0%	0%	0%	0%	-17%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	6%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-50%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	-17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%
	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
	Critical	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at San Felipe: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.71	5.56	4.43	3.66	1.98	2.74	2.91	3.59	4.83	5.94	7.09	6.87	54.31
1923	Below Normal	4.09	4.65	3.79	3.30	1.78	2.08	2.12	2.49	3.42	4.28	4.83	4.60	41.43
1924	Critical	2.67	3.11	2.64	2.04	0.98	1.46	1.28	1.28	1.53	1.97	2.46	2.93	24.35
1925	Dry	1.85	2.36	1.95	1.10	0.42	1.57	1.49	1.96	2.85	3.79	4.73	4.99	29.06
1926	Dry	3.04	3.62	3.07	2.42	1.20	1.92	1.77	1.87	2.32	2.84	3.41	3.77	31.25
1927	Wet	2.38	2.82	2.14	1.39	0.57	1.59	1.80	2.27	3.29	4.24	4.82	4.62	31.93
1928	Above Normal	2.83	3.60	2.97	2.19	1.13	1.79	1.73	2.16	3.11	4.09	4.73	4.72	35.05
1929	Critical	2.95	3.87	3.43	2.58	1.23	1.47	1.10	1.06	1.24	1.69	2.13	2.39	25.14
1930	Dry	1.53	2.14	1.89	1.06	0.38	1.63	1.53	1.58	1.96	2.45	2.88	3.03	22.06
1931	Critical	1.82	2.36	2.10	1.37	0.55	1.24	1.09	1.12	1.39	1.91	2.54	3.08	20.57
1932	Dry	2.02	2.69	2.09	1.09	0.39	1.20	1.07	1.12	1.39	1.87	2.28	2.35	19.56
1933	Critical	1.44	1.86	1.60	1.00	0.42	0.97	0.81	0.81	0.99	1.39	1.76	1.99	15.04
1934	Critical	1.30	1.79	1.58	0.91	0.33	1.18	1.04	1.08	1.35	1.99	2.68	2.99	18.22
1935	Below Normal	1.94	2.59	2.14	1.23	0.46	1.06	0.86	1.70	2.28	2.93	3.48	3.56	24.23
1936	Below Normal	2.09	2.55	2.16	1.52	0.64	1.40	1.36	1.62	2.28	2.97	3.52	3.53	25.64
1937	Below Normal	2.07	2.51	2.05	1.42	0.67	1.10	1.31	1.50	2.00	2.63	3.30	3.70	24.26
1938	Wet	2.45	2.91	2.30	1.58	0.69	1.91	2.07	2.19	2.62	3.39	4.48	4.80	31.39
1939	Dry	3.14	4.32	4.01	3.52	1.95	2.02	2.09	2.38	3.26	4.27	5.05	5.40	41.41
1940	Above Normal	3.44	4.37	3.95	2.95	1.29	2.50	2.27	2.69	3.71	4.81	5.65	5.55	43.18
1941	Wet	3.42	4.36	3.77	2.78	1.17	2.17	2.29	2.81	3.98	5.27	6.42	6.46	44.90
1942	Wet	4.15	5.29	4.63	3.83	1.90	2.93	3.15	3.83	5.29	6.75	7.96	7.66	57.37
1943	Wet	4.69	5.56	4.67	3.84	1.86	2.43	2.36	3.01	4.52	6.28	7.85	8.01	55.08
1944	Dry	5.17	6.44	5.41	4.43	2.20	2.42	2.14	2.29	2.89	3.51	4.02	4.44	45.36
1945	Below Normal	2.87	3.30	2.46	1.56	0.61	1.43	1.76	2.25	3.50	4.82	5.64	5.51	35.71
1946	Below Normal	3.22	3.42	2.56	2.02	1.05	1.76	2.00	2.47	3.67	4.88	5.56	5.32	37.93
1947	Dry	3.06	3.36	2.61	2.02	1.00	1.49	1.60	2.01	3.00	3.99	4.95	5.29	34.38
1948	Below Normal	3.19	3.84	3.40	2.85	1.55	2.39	2.87	3.05	3.64	4.29	4.77	4.61	40.45
1949	Dry	2.71	3.31	2.73	1.83	0.78	1.67	2.05	2.53	3.86	5.31	6.50	6.61	39.89
1950	Below Normal	4.14	5.07	4.30	3.59	1.83	2.56	2.36	2.66	3.33	4.02	4.56	4.47	42.89
1951	Above Normal	2.52	2.71	1.86	1.19	0.57	1.62	1.74	2.19	3.28	4.54	5.51	5.37	33.10
1952	Wet	3.28	3.87	3.20	2.57	1.28	2.30	2.35	2.83	3.80	5.00	6.58	6.81	43.87
1953	Wet	4.42	5.69	4.89	4.44	2.54	2.58	2.46	2.82	3.76	4.68	5.19	4.90	48.37
1954	Above Normal	3.02	3.89	3.27	2.47	1.25	2.34	2.26	2.66	3.63	4.79	5.59	5.34	40.51
1955	Dry	3.23	3.88	2.92	1.95	0.87	1.59	1.51	1.73	2.49	3.33	3.99	4.46	31.95
1956	Wet	2.90	3.53	2.67	1.57	0.64	1.85	2.10	2.71	4.04	5.39	6.57	6.55	40.52
1957	Above Normal	4.14	5.17	4.27	3.48	1.94	2.42	2.31	2.64	3.54	4.56	5.19	5.08	44.74
1958	Wet	2.85	3.20	2.66	1.91	0.87	2.30	2.33	2.98	4.25	5.77	7.71	8.11	44.94
1959	Below Normal	5.22	6.42	5.47	5.01	2.86	2.93	2.66	2.94	3.72	4.52	5.01	4.85	51.61
1960	Dry	2.94	3.69	3.26	2.38	1.07	1.96	2.09	2.43	3.30	4.33	5.13	5.26	37.84
1961	Dry	3.32	4.23	3.32	2.15	0.97	2.03	2.01	2.36	3.54	4.86	0.00	6.01	34.80
1962	Below Normal	3.81	4.66	4.12	3.35	1.58	2.60	2.44	2.85	3.83	4.80	5.45	5.28	44.77
1963	Wet	2.94	2.99	2.30	1.85	0.97	1.86	1.91	2.31	3.24	4.08	4.53	4.25	33.23
1964	Dry	2.53	2.90	2.21	1.65	0.86	1.65	1.69	2.02	2.99	4.00	4.86	5.21	32.57
1965	Wet	3.24	4.11	3.52	2.47	1.08	2.09	1.99	3.54	5.15	6.75	7.84	7.50	49.28
1966	Below Normal	4.71	5.47	4.02	3.11	1.64	2.02	2.08	2.48	3.57	4.67	5.23	4.94	43.94
1967	Wet	2.91	3.39	2.70	1.96	0.93	2.26	2.53	3.15	4.31	5.42	6.94	7.33	43.83
1968	Below Normal	4.69	6.07	5.41	4.72	2.67	2.81	2.60	2.90	3.73	4.58	5.10	4.94	50.22
1969	Wet	2.98	3.53	2.64	1.71	0.71	1.86	1.95	1.94	2.31	2.85	3.68	4.01	30.17
1970	Wet	2.59	3.47	3.39	2.84	1.37	1.56	1.76	2.22	3.42	4.69	5.44	5.41	38.16
1971	Wet	3.43	4.11	3.42	2.90	1.58	2.32	2.16	2.46	3.25	4.01	4.38	4.16	38.18
1972	Below Normal	2.48	3.26	2.69	1.77	0.87	2.05	2.11	2.47	3.50	4.55	5.07	4.81	35.63
1973	Above Normal	2.80	3.04	2.29	1.69	0.80	1.51	1.69	2.12	3.11	4.05	4.69	4.67	32.46
1974	Wet	2.87	3.14	2.40	1.89	0.95	2.06	2.34	3.09	4.64	6.20	7.38	7.14	44.10
1975	Wet	4.28	5.11	4.19	3.47	1.91	2.38	2.75	3.28	4.61	5.80	6.57	6.25	50.60
1976	Critical	3.63	4.40	3.68	2.80	1.40	1.48	1.22	1.29	1.69	2.31	2.88	3.25	30.03
1977	Critical	2.10	2.95	2.77	1.82	0.73	2.26	1.93	1.84	2.00	2.50	2.93	3.18	27.01
1978	Above Normal	2.11	2.98	2.81	1.77	0.63	2.68	2.99	3.43	4.51	5.63	6.86	6.78	43.18
1979	Below Normal	4.18	5.08	4.15	3.40	1.68	1.58	1.63	2.03	2.92	3.79	4.31	4.23	38.98
1980	Above Normal	2.50	2.89	2.28	1.61	0.77	1.84	2.02	2.57	3.79	5.16	6.58	7.00	39.01
1981	Dry	4.61	5.99	5.23	4.29	2.20	2.60	2.52	2.86	3.77	4.71	5.53	5.74	50.05
1982	Wet	3.53	3.92	3.03	2.26	0.97	2.11	1.99	2.20	3.11	4.32	5.81	6.13	39.38
1983	Wet	3.58	3.57	2.60	2.21	1.24	1.86	1.95	1.94	2.22	2.63	3.28	3.36	30.44
1984	Wet	2.00	2.27	2.07	2.11	1.24	1.62	1.74	2.19	3.26	4.35	5.12	5.14	33.11
1985	Dry	3.18	3.44	2.50	1.97	1.03	1.55	1.69	2.11	3.17	4.25	5.15	5.25	35.29
1986	Wet	3.04	3.32	2.60	2.15	1.00	1.44	1.68	2.04	2.85	3.75	4.73	5.26	33.86
1987	Dry	3.67	5.02	4.56	3.62	1.78	1.63	2.06	2.11	2.49	3.20	4.10	4.64	38.88
1988	Critical	2.93	3.73	3.15	2.10	0.96	1.74	1.37	1.28	1.43	1.73	1.94	2.21	24.57
1989	Dry	1.48	1.99	1.66	0.90	0.32	1.26	1.88	2.20	3.01	3.91	4.82	5.14	28.57
1990	Critical	3.16	4.09	3.63	2.60	1.20	1.81	1.49	1.46	1.67	1.98	2.22	2.61	27.92
1991	Critical	1.74	2.47	2.29	1.42	0.55	2.71	2.32	2.26	2.53	2.88	3.28	3.74	28.19
1992	Critical	2.44	3.22	2.92	2.02	0.90	2.43	2.23	2.29	2.73	3.52	4.32	4.80	33.82
1993	Above Normal	3.23	4.30	3.68	2.37	0.98	2.45	3.20	3.67	4.89	5.98	6.80	6.45	48.00
1994	Critical	3.88	4.77	3.92	2.95	1.45	2.35	2.44	2.87	4.25	5.79	0.00	6.85	41.52
1995	Wet	4.46	5.46	4.76	3.91	1.91	3.49	3.37	3.58	4.21	5.22	6.47	6.66	53.50
1996	Wet	4.48	6.09	5.69	5.31	2.62	2.71	3.03	3.61	5.06	6.53	7.43	7.02	59.58
1997	Wet	4.46	5.63	4.45	3.07	1.30	1.95	2.08	2.80	4.37	6.18	7.64	7.60	51.53
1998	Wet	4.85	6.44	5.61	4.59	2.23	3.06	3.10	3.66	4.71	5.58	6.68	6.63	57.14
1999	Wet	3.77	3.78	3.00	2.79	1.52	1.53	1.68	2.08	3.03	3.92	4.44	4.63	36.17
2000	Above Normal	3.17	4.08	3.37	2.69	1.35	1.96	1.99	2.44	3.47	4.64	5.51	5.27	39.94
2001	Dry	3.23	4.06	3.29	2.39	1.15	1.85	1.68	1.86	2.49	3.22	4.10	4.69	34.01
2002	Dry	3.01	3.68	2.93	2.03	0.90	1.85	1.86	2.28	3.30	4.31	5.16	5.48	36.79
2003	Above Normal	3.43	4.25	3.67	2.86	1.33	2.53	2.57	2.99	3.95	4.83	5.47	5.26	43.14
	Average	3.17	3.89	3.25	2.48	1.21	1.99	2.02	2.37	3.24	4.19	4.84	5.08	37.74
	Wet	3.46	4.14	3.43	2.75	1.35	2.16	2.27	2.75	3.82	4.96	6.00	6.02	43.10
	Above Normal	3.16	3.90	3.24	2.41	1.17	2.20	2.31	2.76	3.82	4.92	5.81	5.70	41.39
	Below Normal	3.48	4.21	3.48	2.78	1.42	1.98	2.01	2.39	3.24	4.12	4.70	4.60	38.41
	Dry	2.98	3.73	3.09	2.27	1.08	1.77	1.82	2.09	2.89	3.79	4.26	4.88	34.65
	Critical	2.51	3.22	2.81	1.97	0.89	1.76	1.53	1.55	1.90	2.47	2.43	3.34	26.37

Energy Use (GWh) At Pumping Plant at San Felipe: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.71	5.56	4.43	3.66	1.98	2.74	2.92	3.59	4.86	6.01	7.13	6.87	54.46
1923	Below Normal	4.09	4.65	3.79	3.30	1.79	2.09	2.12	2.50	3.41	4.27	4.82	4.59	41.42
1924	Critical	2.66	3.11	2.64	2.03	0.98	1.46	1.28	1.28	1.53	1.97	2.46	2.93	24.33
1925	Dry	1.85	2.36	1.95	1.10	0.42	1.56	1.49	1.96	2.85	3.79	4.74	5.00	29.07
1926	Dry	3.05	3.63	3.08	2.43	1.21	1.92	1.77	1.87	2.32	2.84	3.41	3.76	31.29
1927	Wet	2.38	2.81	2.14	1.39	0.57	1.59	1.80	2.27	3.29	4.25	4.82	4.62	31.93
1928	Above Normal	2.83	3.60	2.97	2.20	1.13	1.79	1.73	2.16	3.11	4.09	4.73	4.72	35.06
1929	Critical	2.95	3.87	3.43	2.58	1.23	1.47	1.10	1.06	1.24	1.69	2.13	2.39	25.14
1930	Dry	1.53	2.14	1.89	1.06	0.38	1.62	1.53	1.58	1.96	2.44	2.88	3.03	22.04
1931	Critical	1.82	2.36	2.09	1.37	0.55	1.24	1.09	1.12	1.39	1.91	2.54	3.08	20.56
1932	Dry	2.02	2.69	2.09	1.09	0.39	1.21	1.07	1.12	1.39	1.87	2.29	2.36	19.59
1933	Critical	1.45	1.86	1.60	1.00	0.42	0.97	0.81	0.80	0.99	1.39	1.76	1.99	15.04
1934	Critical	1.30	1.79	1.51	0.82	0.30	1.09	0.96	1.00	1.27	1.90	2.63	3.00	17.57
1935	Below Normal	1.95	2.61	2.17	1.25	0.47	1.09	0.87	1.73	2.31	2.98	3.54	3.63	24.60
1936	Below Normal	2.13	2.60	2.19	1.53	0.64	1.40	1.36	1.62	2.28	2.97	3.51	3.53	25.76
1937	Below Normal	2.07	2.51	2.05	1.42	0.67	1.09	1.32	1.52	2.07	2.77	3.46	3.88	24.83
1938	Wet	2.57	3.06	2.42	1.67	0.72	9.37	2.11	2.53	3.38	4.37	5.77	6.16	44.13
1939	Dry	4.03	5.51	5.12	4.55	2.52	2.52	2.50	2.69	3.37	4.17	1.02	5.16	43.16
1940	Above Normal	3.27	4.21	3.82	2.76	1.17	2.47	2.25	2.69	3.73	4.85	5.72	5.61	42.55
1941	Wet	3.45	4.37	3.76	2.80	1.19	2.20	2.30	2.88	4.13	5.45	6.56	6.55	45.64
1942	Wet	4.20	5.31	4.62	3.82	1.89	2.95	3.16	3.84	5.29	6.74	7.94	7.65	57.41
1943	Wet	4.68	5.55	4.67	3.85	1.89	2.49	2.42	3.08	4.60	6.35	7.88	8.04	55.50
1944	Dry	5.19	6.45	5.42	4.44	2.19	2.43	2.15	2.31	2.91	3.55	4.07	4.49	45.60
1945	Below Normal	2.89	3.32	2.49	1.57	0.63	1.46	1.75	2.24	3.47	4.76	5.57	5.43	35.58
1946	Below Normal	3.17	3.37	2.52	2.00	1.04	1.76	2.01	2.48	3.69	4.90	5.59	5.33	37.86
1947	Dry	3.07	3.36	2.61	2.02	1.00	1.49	1.60	2.01	3.00	4.00	4.96	5.30	34.42
1948	Below Normal	3.21	3.86	3.42	2.87	1.56	2.39	2.87	3.05	3.64	4.29	4.77	4.61	40.54
1949	Dry	2.71	3.31	2.73	1.83	0.78	1.68	2.05	2.53	3.86	5.31	6.49	6.60	39.88
1950	Below Normal	4.14	5.07	4.30	3.59	1.83	2.56	2.36	2.66	3.32	4.02	4.56	4.47	42.88
1951	Above Normal	2.52	2.71	1.89	1.20	0.57	1.62	1.74	2.19	3.28	4.54	5.51	5.37	33.14
1952	Wet	3.28	3.87	3.20	2.57	1.29	2.37	2.51	3.02	3.96	5.04	6.38	6.39	43.88
1953	Wet	4.03	4.90	3.94	3.58	2.13	2.26	2.20	2.53	3.49	4.47	4.93	4.64	43.10
1954	Above Normal	2.85	3.69	3.08	2.29	1.16	2.28	2.22	2.61	3.60	4.77	5.57	5.31	39.43
1955	Dry	3.22	3.85	2.89	1.93	0.86	1.57	1.50	1.71	2.48	3.33	4.00	4.48	31.82
1956	Wet	2.92	3.58	2.77	1.66	0.65	1.85	2.10	2.71	4.04	5.40	3.93	6.56	38.17
1957	Above Normal	4.15	5.18	4.29	3.49	1.95	2.43	2.32	2.65	3.55	4.56	5.19	5.08	44.84
1958	Wet	2.85	3.20	2.66	1.91	0.87	2.30	2.38	3.10	4.51	6.12	8.06	8.45	46.41
1959	Below Normal	5.42	6.52	5.41	4.88	2.75	2.91	2.65	2.95	3.74	4.54	5.05	4.88	51.70
1960	Dry	2.95	3.70	3.27	2.40	1.08	1.96	2.09	2.43	3.30	4.33	0.04	5.25	32.80
1961	Dry	3.32	4.23	3.32	2.15	0.97	2.03	2.01	2.36	3.54	4.86	0.00	6.01	34.80
1962	Below Normal	3.81	4.66	4.12	3.34	1.58	2.60	2.44	2.85	3.83	4.80	5.45	5.28	44.76
1963	Wet	2.94	2.99	2.30	1.85	0.97	1.86	1.91	2.31	3.24	4.07	4.51	4.24	33.19
1964	Dry	2.52	2.90	2.21	1.64	0.85	1.65	1.69	2.02	2.99	4.00	4.86	5.21	32.54
1965	Wet	3.24	4.11	3.52	2.48	1.10	2.14	2.02	3.59	5.21	6.80	7.83	7.45	49.49
1966	Below Normal	4.67	5.45	4.00	3.09	1.62	2.02	2.09	2.48	3.57	4.66	5.22	4.93	43.80
1967	Wet	2.91	3.38	2.69	1.96	0.93	2.28	2.57	3.27	4.49	5.79	7.56	7.95	45.78
1968	Below Normal	5.10	6.34	5.45	4.76	2.67	2.81	2.59	2.90	3.73	4.58	5.10	4.94	50.97
1969	Wet	2.98	3.54	2.65	1.74	0.73	7.48	2.04	2.10	2.44	2.97	3.79	4.08	36.54
1970	Wet	2.63	3.55	3.48	2.92	1.40	1.59	1.77	2.24	3.45	4.72	3.44	5.42	36.61
1971	Wet	3.42	4.09	3.41	2.89	1.57	2.31	2.15	2.45	3.24	4.00	4.36	4.13	38.02
1972	Below Normal	2.46	3.24	2.68	1.76	0.87	2.05	2.11	2.47	3.49	4.55	5.06	4.80	35.54
1973	Above Normal	2.80	3.04	2.29	1.69	0.80	1.51	1.69	2.12	3.13	4.11	4.75	4.70	32.63
1974	Wet	2.87	3.14	2.40	1.91	0.97	2.10	2.37	3.12	4.66	6.21	7.34	7.07	44.16
1975	Wet	4.23	5.07	4.17	3.42	1.87	2.39	2.75	3.29	4.63	5.82	6.60	6.28	50.52
1976	Critical	3.65	4.42	3.69	2.82	1.41	1.48	1.22	1.29	1.68	2.30	2.87	3.24	30.07
1977	Critical	2.10	2.95	2.77	1.81	0.73	2.26	1.93	1.84	2.00	2.50	2.93	3.19	27.01
1978	Above Normal	2.12	2.98	2.81	1.77	0.64	2.77	3.19	3.66	4.98	6.56	8.05	7.85	47.38
1979	Below Normal	4.83	5.57	4.40	3.63	1.77	1.68	1.65	1.99	2.76	3.51	3.91	3.80	39.50
1980	Above Normal	2.23	2.55	1.96	1.36	0.68	1.84	1.99	2.44	3.51	4.65	5.72	5.94	34.87
1981	Dry	3.83	4.91	4.18	3.36	1.79	2.22	2.21	2.56	3.60	4.72	5.54	5.73	44.65
1982	Wet	3.51	3.89	3.01	2.25	0.97	2.13	2.00	2.22	3.26	4.62	6.19	6.51	40.56
1983	Wet	3.88	3.96	2.88	2.32	11.06	12.73	6.55	3.70	2.22	2.63	3.26	3.32	58.51
1984	Wet	1.98	2.42	12.94	4.41	1.24	1.62	1.74	2.19	3.26	4.35	5.12	5.14	46.41
1985	Dry	3.18	3.44	2.50	1.97	1.03	1.55	1.69	2.11	3.17	4.25	5.15	5.25	35.29
1986	Wet	3.04	3.32	2.60	2.15	1.02	1.48	1.69	2.06	2.91	3.86	4.85	5.40	34.38
1987	Dry	3.76	5.11	4.61	3.66	1.80	1.65	2.07	2.12	2.50	3.20	4.08	4.60	39.16
1988	Critical	2.90	3.69	3.13	2.08	0.95	1.73	1.36	1.28	1.43	1.73	1.94	2.22	24.44
1989	Dry	1.48	2.00	1.67	0.90	0.33	1.27	1.89	2.21	3.01	3.91	4.81	5.14	28.62
1990	Critical	3.16	4.10	3.64	2.61	1.20	1.81	1.50	1.46	1.67	1.99	2.27	2.67	28.08
1991	Critical	1.75	2.49	2.31	1.43	0.56	2.73	2.34	2.27	2.55	2.90	3.30	3.76	28.39
1992	Critical	2.45	3.24	2.93	2.03	0.90	2.45	2.24	2.29	2.72	3.50	4.30	4.77	33.82
1993	Above Normal	3.21	4.28	3.66	2.35	0.97	2.45	3.19	3.65	4.87	5.95	6.44	6.40	47.42
1994	Critical	3.84	4.73	3.89	2.92	1.43	2.35	2.44	2.87	4.26	5.81	0.00	6.87	41.41
1995	Wet	4.48	5.47	4.77	3.92	1.93	3.58	3.47	4.06	5.30	6.53	7.85	8.02	59.38
1996	Wet	5.28	6.51	5.62	5.14	2.50	2.78	3.05	3.56	4.95	6.33	7.14	6.73	59.59
1997	Wet	4.27	5.41	4.29	2.95	1.24	2.02	2.08	2.80	4.38	6.20	7.66	7.60	50.90
1998	Wet	4.85	6.44	5.61	4.59	2.25	3.12	3.15	3.73	4.78	5.61	6.67	6.61	57.41
1999	Wet	3.75	3.76	2.99	2.76	1.49	1.53	1.68	2.08	3.04	3.93	4.46	4.65	36.12
2000	Above Normal	3.18	4.09	3.39	2.70	1.36	1.97	2.00	2.45	3.48	4.65	5.52	5.29	40.08
2001	Dry	3.24	4.07	3.30	2.40	1.15	1.85	1.69	1.87	2.49	3.22	4.10	4.69	34.07
2002	Dry	3.01	3.69	2.94	2.03	0.90	1.85	1.86	2.28	3.30	4.31	5.16	5.47	36.80
2003	Above Normal	3.43	4.25	3.68	2.86	1.34	2.53	2.57	2.99	3.95	4.83	5.46	5.25	43.14
	Average	3.19	3.90	3.37	2.50	1.32	2.29	2.09	2.41	3.27	4.24	4.72	5.12	38.41
	Wet	3.49	4.14	3.83	2.80	1.71	3.10	2.46	2.87	3.93	5.10	5.96	6.14	45.53
	Above Normal	3.11	3.85	3.19	2.36	1.15	2.20	2.32	2.77	3.84	4.96	5.82	5.70	41.25
	Below Normal	3.57	4.27	3.50	2.79	1.42	1.99	2.01	2.39	3.24	4.11	4.69	4.58	38.55
	Dry	3.00	3.74	3.10	2.28	1.09	1.78	1.83	2.10	2.89	3.78	3.76	4.86	34.20
	Critical	2.50	3.22	2.80	1.96	0.89	1.75	1.52	1.55	1.89	2.47	2.43	3.34	26.32

Difference in Energy Use (GWh) At Pumping Plant at San Felipe: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.03	0.07	0.04	0.00	0.01
1923	Below Normal	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1924	Critical	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.00
1926	Dry	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1927	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1931	Critical	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.00
1933	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	(0.07)	(0.09)	(0.03)	(0.09)	(0.08)	(0.08)	(0.08)	(0.09)	(0.05)	0.01	(0.05)
1935	Below Normal	0.01	0.02	0.03	0.02	0.01	0.03	0.01	0.03	0.03	0.05	0.06	0.07	0.03
1936	Below Normal	0.04	0.05	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.02	0.07	0.14	0.16	0.18	0.05
1938	Wet	0.12	0.15	0.12	0.09	0.03	7.46	0.04	0.34	0.76	0.98	1.29	1.36	1.06
1939	Dry	0.89	1.19	1.11	1.03	0.57	0.50	0.41	0.31	0.11	(0.10)	(4.03)	(0.24)	0.15
1940	Above Normal	(0.17)	(0.16)	(0.13)	(0.19)	(0.12)	(0.03)	(0.02)	0.00	0.02	0.04	0.07	0.06	(0.05)
1941	Wet	0.03	0.01	(0.01)	0.02	0.02	0.03	0.01	0.07	0.15	0.18	0.14	0.09	0.06
1942	Wet	0.05	0.02	(0.01)	(0.01)	(0.01)	0.02	0.01	0.01	0.00	(0.01)	(0.02)	(0.01)	0.00
1943	Wet	(0.01)	(0.01)	0.00	0.01	0.03	0.06	0.06	0.07	0.08	0.07	0.03	0.03	0.03
1944	Dry	0.02	0.01	0.01	0.01	(0.01)	0.01	0.01	0.02	0.02	0.04	0.05	0.05	0.02
1945	Below Normal	0.02	0.02	0.03	0.01	0.02	0.03	(0.01)	(0.01)	(0.03)	(0.06)	(0.07)	(0.08)	(0.01)
1946	Below Normal	(0.05)	(0.05)	(0.04)	(0.02)	(0.01)	0.00	0.01	0.01	0.02	0.02	0.03	0.01	(0.01)
1947	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1948	Below Normal	0.02	0.02	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.01	0.07	0.16	0.19	0.16	0.04	(0.20)	(0.42)	0.00
1953	Wet	(0.39)	(0.79)	(0.95)	(0.86)	(0.41)	(0.32)	(0.26)	(0.29)	(0.27)	(0.21)	(0.26)	(0.26)	(0.44)
1954	Above Normal	(0.17)	(0.20)	(0.19)	(0.18)	(0.09)	(0.06)	(0.04)	(0.05)	(0.03)	(0.02)	(0.02)	(0.03)	(0.09)
1955	Dry	(0.01)	(0.03)	(0.03)	(0.02)	(0.01)	(0.02)	(0.01)	(0.02)	(0.01)	0.00	0.01	0.02	(0.01)
1956	Wet	0.02	0.05	0.10	0.09	0.01	0.00	0.00	0.00	0.00	0.01	(2.64)	0.01	(0.20)
1957	Above Normal	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.12	0.26	0.35	0.35	0.34	0.12
1959	Below Normal	0.20	0.10	(0.06)	(0.13)	(0.11)	(0.02)	(0.01)	0.01	0.02	0.02	0.04	0.03	0.01
1960	Dry	0.01	0.01	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	(5.09)	(0.01)	(0.42)
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00
1964	Dry	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.01	0.02	0.05	0.03	0.05	0.06	0.05	(0.01)	(0.05)	0.02
1966	Below Normal	(0.04)	(0.02)	(0.02)	(0.02)	(0.02)	0.00	0.01	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)
1967	Wet	0.00	(0.01)	(0.01)	0.00	0.00	0.02	0.04	0.12	0.18	0.37	0.62	0.62	0.16
1968	Below Normal	0.41	0.27	0.04	0.04	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.06
1969	Wet	0.00	0.01	0.01	0.03	0.02	5.62	0.09	0.16	0.13	0.12	0.11	0.07	0.53
1970	Wet	0.04	0.08	0.09	0.08	0.03	0.03	0.01	0.02	0.03	0.03	(2.00)	0.01	(0.13)
1971	Wet	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	(0.03)	(0.01)
1972	Below Normal	(0.02)	(0.02)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.06	0.06	0.03	0.01
1974	Wet	0.00	0.00	0.00	0.02	0.02	0.04	0.03	0.03	0.02	0.01	(0.04)	(0.07)	0.01
1975	Wet	(0.05)	(0.04)	(0.02)	(0.05)	(0.04)	0.01	0.00	0.01	0.02	0.02	0.03	0.03	(0.01)
1976	Critical	0.02	0.02	0.01	0.02	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1977	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1978	Above Normal	0.01	0.00	0.00	0.00	0.01	0.09	0.20	0.23	0.47	0.93	1.19	1.07	0.35
1979	Below Normal	0.65	0.49	0.25	0.23	0.09	0.10	0.02	(0.04)	(0.16)	(0.28)	(0.40)	(0.43)	0.04
1980	Above Normal	(0.27)	(0.34)	(0.32)	(0.25)	(0.09)	0.00	(0.03)	(0.13)	(0.28)	(0.51)	(0.86)	(1.06)	(0.35)
1981	Dry	(0.78)	(1.08)	(1.05)	(0.93)	(0.41)	(0.38)	(0.31)	(0.30)	(0.17)	0.01	0.01	(0.01)	(0.45)
1982	Wet	(0.02)	(0.03)	(0.02)	(0.01)	0.00	0.02	0.01	0.02	0.15	0.30	0.38	0.38	0.10
1983	Wet	0.30	0.39	0.28	0.11	9.82	10.87	4.60	1.76	0.00	0.00	(0.02)	(0.04)	2.34
1984	Wet	(0.02)	0.15	10.87	2.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.11
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.02	0.04	0.01	0.02	0.06	0.11	0.12	0.14	0.04
1987	Dry	0.09	0.09	0.05	0.04	0.02	0.02	0.01	0.01	0.01	0.00	(0.02)	(0.04)	0.02
1988	Critical	(0.03)	(0.04)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.01	(0.01)
1989	Dry	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.00	(0.01)	0.00	0.00
1990	Critical	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.05	0.06	0.01
1991	Critical	0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.02
1992	Critical	0.01	0.02	0.01	0.01	0.00	0.02	0.01	0.00	(0.01)	(0.02)	(0.02)	(0.03)	0.00
1993	Above Normal	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	0.00	(0.01)	(0.02)	(0.02)	(0.03)	(0.36)	(0.05)	(0.05)
1994	Critical	(0.04)	(0.04)	(0.03)	(0.03)	(0.02)	0.00	0.00	0.00	0.01	0.02	0.00	0.02	(0.01)
1995	Wet	0.02	0.01	0.01	0.01	0.02	0.09	0.10	0.48	1.09	1.31	1.38	1.36	0.49
1996	Wet	0.80	0.42	(0.07)	(0.17)	(0.12)	0.07	0.02	(0.05)	(0.11)	(0.20)	(0.29)	(0.29)	0.00
1997	Wet	(0.19)	(0.22)	(0.16)	(0.12)	(0.06)	0.07	0.00	0.00	0.01	0.02	0.02	0.00	(0.05)
1998	Wet	0.00	0.00	0.00	0.00	0.02	0.06	0.05	0.07	0.07	0.03	(0.01)	(0.02)	0.02
1999	Wet	(0.02)	(0.02)	(0.01)	(0.03)	(0.03)	0.00	0.00	0.00	0.01	0.01	0.02	0.02	0.00
2000	Above Normal	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01
2001	Dry	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.01
2002	Dry	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
2003	Above Normal	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
	Average	0.02	0.01	0.12	0.01	0.11	0.30	0.06	0.04	0.04	0.05	(0.12)	0.04	0.06
	Wet	0.03	0.01	0.39	0.06	0.36	0.93	0.19	0.12	0.11	0.14	(0.04)	0.13	0.20
	Above Normal	(0.05)	(0.06)	(0.05)	(0.05)	(0.02)	0.00	0.01	0.00	0.02	0.05	0.01	0.00	(0.01)
	Below Normal	0.09	0.06	0.02	0.01	0.00	0.01	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.02)	0.01
	Dry	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	(0.00)	(0.00)	(0.50)	(0.01)	(0.04)
	Critical	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	0.01	(0.00)

Percent Difference in Energy Use (GWh) At Pumping Plant at San Felipe: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%
1923	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1933	Critical	1%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1934	Critical	0%	0%	-4%	-10%	-9%	-8%	-8%	-7%	-6%	-5%	-2%	0%
1935	Below Normal	1%	1%	1%	2%	2%	3%	1%	2%	1%	2%	2%	2%
1936	Below Normal	2%	2%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	-1%	1%	1%	3%	5%	5%	5%
1938	Wet	5%	5%	5%	6%	4%	391%	2%	16%	29%	29%	29%	28%
1939	Dry	28%	28%	28%	29%	29%	25%	20%	13%	3%	-2%	-80%	-4%
1940	Above Normal	-5%	-4%	-3%	-6%	-9%	-1%	-1%	0%	1%	1%	1%	1%
1941	Wet	1%	0%	0%	1%	2%	1%	0%	2%	4%	3%	2%	1%
1942	Wet	1%	0%	0%	0%	-1%	1%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	2%	2%	3%	2%	2%	1%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1945	Below Normal	1%	1%	1%	1%	3%	2%	-1%	0%	-1%	-1%	-1%	-1%
1946	Below Normal	-2%	-1%	-2%	-1%	-1%	0%	0%	0%	1%	0%	1%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	1%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	1%	3%	7%	7%	4%	1%	-3%	-6%
1953	Wet	-9%	-14%	-19%	-19%	-16%	-12%	-11%	-10%	-7%	-4%	-5%	-5%
1954	Above Normal	-6%	-5%	-6%	-7%	-7%	-3%	-2%	-2%	-1%	0%	0%	-1%
1955	Dry	0%	-1%	-1%	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%
1956	Wet	1%	1%	4%	6%	2%	0%	0%	0%	0%	0%	-40%	0%
1957	Above Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	2%	4%	6%	6%	5%	4%
1959	Below Normal	4%	2%	-1%	-3%	-4%	-1%	0%	0%	1%	0%	1%	1%
1960	Dry	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%	-99%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	2%	2%	2%	1%	1%	1%	0%	-1%
1966	Below Normal	-1%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	1%	2%	4%	4%	7%	9%	8%
1968	Below Normal	9%	4%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	2%	3%	302%	5%	8%	6%	4%	3%	2%
1970	Wet	2%	2%	3%	3%	2%	2%	1%	1%	1%	1%	-37%	0%
1971	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	-1%
1972	Below Normal	-1%	-1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1974	Wet	0%	0%	0%	1%	2%	2%	1%	1%	0%	0%	-1%	-1%
1975	Wet	-1%	-1%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	1%	0%	0%	1%	1%	0%	0%	0%	-1%	0%	0%	0%
1977	Critical	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	2%	3%	7%	7%	10%	17%	17%	16%
1979	Below Normal	16%	10%	6%	7%	5%	6%	1%	-2%	-5%	-7%	-9%	-10%
1980	Above Normal	-11%	-12%	-14%	-16%	-12%	0%	-1%	-5%	-7%	-10%	-13%	-15%
1981	Dry	-17%	-18%	-20%	-22%	-19%	-15%	-12%	-10%	-5%	0%	0%	0%
1982	Wet	-1%	-1%	-1%	0%	0%	1%	1%	1%	5%	7%	7%	6%
1983	Wet	8%	11%	11%	5%	792%	584%	236%	91%	0%	0%	-1%	-1%
1984	Wet	-1%	7%	525%	109%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	2%	3%	1%	1%	2%	3%	3%	3%
1987	Dry	2%	2%	1%	1%	1%	1%	0%	0%	0%	0%	0%	-1%
1988	Critical	-1%	-1%	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%
1989	Dry	0%	1%	1%	0%	3%	1%	1%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	1%	0%	0%	1%	2%	2%
1991	Critical	1%	1%	1%	1%	2%	1%	1%	0%	1%	1%	1%	1%
1992	Critical	0%	1%	0%	0%	0%	1%	0%	0%	0%	-1%	0%	-1%
1993	Above Normal	-1%	0%	-1%	-1%	-1%	0%	0%	-1%	0%	-1%	-5%	-1%
1994	Critical	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	1%	3%	3%	13%	26%	25%	21%	20%
1996	Wet	18%	7%	-1%	-3%	-5%	3%	1%	-1%	-2%	-3%	-4%	-4%
1997	Wet	-4%	-4%	-4%	-4%	-5%	4%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	1%	2%	2%	2%	1%	1%	0%	0%
1999	Wet	-1%	-1%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	1%	0%	1%	1%	1%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
	Average	1%	0%	6%	1%	9%	16%	3%	2%	1%	1%	-2%	1%
	Wet	1%	1%	20%	4%	30%	50%	10%	5%	3%	3%	0%	2%
	Above Normal	-2%	-2%	-2%	-2%	-2%	0%	0%	0%	0%	1%	0%	0%
	Below Normal	2%	1%	1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
	Dry	1%	1%	1%	0%	1%	1%	0%	0%	0%	0%	-10%	0%
	Critical	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at San Luis Other: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.66	3.19	5.23	8.87	9.48	6.19	7.96	11.31	19.86	24.02	16.73	4.24	120.74
1923	Below Normal	3.23	2.80	4.58	7.73	8.27	3.54	4.26	6.37	11.10	13.40	9.42	2.48	77.18
1924	Critical	1.87	1.59	2.55	4.25	4.58	0.96	1.17	1.73	2.84	3.39	2.53	0.83	28.29
1925	Dry	0.60	0.46	0.65	0.96	1.11	3.00	3.83	7.36	12.85	15.51	10.87	2.83	60.03
1926	Dry	2.14	1.83	2.96	4.94	5.32	1.67	1.97	2.92	4.95	5.95	4.29	1.26	40.20
1927	Wet	0.93	0.75	1.14	1.80	2.00	3.96	5.03	7.44	13.00	15.70	11.00	2.86	65.61
1928	Above Normal	2.17	1.85	2.99	5.00	5.39	2.54	3.95	5.89	10.24	12.36	8.70	2.31	63.39
1929	Critical	1.74	1.48	2.36	3.91	4.22	0.38	0.51	0.74	1.08	1.25	1.06	0.47	19.20
1930	Dry	0.32	0.22	0.24	0.26	0.37	1.15	1.95	2.89	4.90	5.89	4.25	1.25	23.69
1931	Critical	0.93	0.75	1.13	1.78	1.98	1.04	1.27	1.87	3.09	3.68	2.74	0.88	21.14
1932	Dry	0.64	0.49	0.71	1.06	1.21	1.52	1.81	2.67	4.52	5.42	3.93	1.17	25.15
1933	Critical	0.86	0.69	1.04	1.63	1.81	0.68	0.88	1.28	2.05	2.43	1.87	0.67	15.89
1934	Critical	0.47	0.35	0.47	0.65	0.77	1.08	1.31	1.93	3.20	3.82	2.83	0.90	17.78
1935	Below Normal	0.66	0.51	0.73	1.10	1.26	0.38	0.51	3.83	6.58	7.91	5.65	1.59	30.71
1936	Below Normal	1.19	0.98	1.52	2.45	2.68	3.19	3.70	5.50	9.54	11.50	8.12	2.17	52.54
1937	Below Normal	1.64	1.38	2.20	3.63	3.93	1.17	3.17	4.83	8.35	10.06	7.13	1.94	49.43
1938	Wet	1.46	1.22	1.92	3.15	3.43	7.58	8.68	12.92	22.73	27.49	19.11	4.80	114.49
1939	Dry	3.66	3.19	5.23	8.87	9.48	1.93	2.96	4.39	7.56	9.11	3.72	1.78	61.88
1940	Above Normal	1.34	1.11	1.74	2.84	3.09	2.92	4.22	6.43	11.20	13.52	9.50	2.50	60.41
1941	Wet	1.89	1.61	2.58	4.29	4.63	5.37	7.11	10.29	18.05	21.82	15.22	3.89	96.75
1942	Wet	2.96	2.55	4.16	7.01	7.51	6.14	7.94	11.43	20.08	24.28	12.98	4.29	111.33
1943	Wet	3.26	2.83	4.63	7.82	8.37	6.09	7.00	10.41	18.26	22.08	15.40	3.93	110.08
1944	Dry	2.99	2.58	4.21	7.10	7.60	1.97	2.32	3.44	5.88	7.07	5.07	1.45	51.68
1945	Below Normal	1.08	0.88	1.36	2.17	2.39	3.28	5.69	8.45	14.79	17.87	12.50	3.23	73.69
1946	Below Normal	2.45	2.10	3.41	5.71	6.14	4.65	5.69	8.33	14.58	17.61	12.32	3.18	86.17
1947	Dry	2.41	2.07	3.36	5.63	6.05	2.40	3.87	5.75	9.99	12.05	8.49	2.26	64.33
1948	Below Normal	1.70	1.44	2.30	3.80	4.12	0.90	3.11	4.44	7.65	9.22	6.55	1.80	47.03
1949	Dry	1.35	1.13	1.76	2.88	3.13	2.34	5.35	7.78	13.61	16.43	11.51	2.98	70.25
1950	Below Normal	2.26	1.94	3.13	5.24	5.64	2.00	2.94	4.36	7.51	9.05	6.43	1.78	52.28
1951	Above Normal	1.33	1.11	1.73	2.82	3.07	4.92	5.69	8.41	14.71	17.77	12.43	3.21	77.20
1952	Wet	2.44	2.09	3.39	5.68	6.11	6.90	8.68	12.92	22.73	27.49	19.11	4.80	122.34
1953	Wet	3.66	3.19	5.23	8.87	9.48	3.06	4.02	5.94	10.33	12.47	8.78	2.33	77.36
1954	Above Normal	1.75	1.49	2.38	3.94	4.26	3.17	4.04	5.91	10.27	12.39	7.89	2.32	59.81
1955	Dry	1.75	1.48	2.36	3.92	4.24	2.78	3.24	4.81	8.31	10.02	7.10	1.93	51.94
1956	Wet	1.45	1.21	1.92	3.14	3.41	6.89	7.67	10.73	18.84	22.78	12.97	4.04	95.05
1957	Above Normal	3.08	2.66	4.34	7.32	7.84	2.67	3.25	4.80	8.29	10.00	7.08	1.93	63.26
1958	Wet	1.45	1.21	1.91	3.13	3.40	6.18	7.98	12.73	22.39	27.08	18.83	4.74	111.03
1959	Below Normal	3.61	3.14	5.16	8.74	9.34	2.50	3.28	4.95	8.56	10.32	7.30	1.98	68.88
1960	Dry	1.49	1.25	1.97	3.24	3.51	1.64	3.07	4.55	7.85	9.46	2.68	1.84	42.55
1961	Dry	1.38	1.15	1.81	2.95	3.22	2.53	4.54	6.58	11.46	13.84	1.96	2.55	53.97
1962	Below Normal	1.93	1.64	2.64	4.39	4.74	3.07	4.08	6.07	10.57	12.75	8.97	2.37	63.22
1963	Wet	1.79	1.52	2.43	4.03	4.36	3.59	4.59	6.74	11.76	14.19	9.96	2.61	67.57
1964	Dry	1.97	1.68	2.70	4.51	4.86	3.00	3.48	5.17	8.95	10.79	7.63	2.06	56.80
1965	Wet	1.55	1.30	2.06	3.39	3.68	3.38	3.91	10.36	18.18	21.98	9.96	3.91	83.66
1966	Below Normal	2.98	2.57	4.19	7.06	7.57	3.67	4.44	6.50	11.32	13.67	9.60	2.52	76.09
1967	Wet	1.90	1.62	2.60	4.34	4.68	7.23	8.68	12.92	22.73	27.49	19.11	4.80	118.10
1968	Below Normal	3.66	3.19	5.23	8.87	9.48	2.68	3.49	5.24	9.08	10.95	7.74	2.08	71.69
1969	Wet	1.57	1.32	2.09	3.44	3.74	7.58	8.68	12.92	22.73	27.49	19.11	4.80	115.47
1970	Wet	3.66	3.19	5.23	8.87	9.48	4.57	5.69	8.31	14.54	17.57	11.51	3.18	95.80
1971	Wet	2.41	2.07	3.35	5.62	6.03	2.37	3.31	4.90	8.47	10.21	7.23	1.96	57.93
1972	Below Normal	1.48	1.24	1.95	3.20	3.48	3.50	3.97	5.78	10.04	12.11	8.53	2.27	57.55
1973	Above Normal	1.71	1.45	2.31	3.82	4.14	3.89	5.10	7.53	13.15	15.88	11.13	2.89	73.00
1974	Wet	2.19	1.87	3.03	5.06	5.45	6.09	7.90	11.19	19.66	23.77	8.99	4.20	99.40
1975	Wet	3.20	2.77	4.53	7.65	8.19	4.57	6.08	8.41	14.72	17.78	6.75	3.21	87.86
1976	Critical	2.44	2.09	3.39	5.69	6.11	0.93	1.14	1.67	2.74	3.26	2.44	0.81	32.71
1977	Critical	0.58	0.45	0.63	0.92	1.06	0.88	1.08	1.59	2.60	3.09	2.33	0.78	15.99
1978	Above Normal	0.56	0.43	0.59	0.87	1.00	5.19	8.68	12.92	22.73	27.49	19.11	4.80	104.37
1979	Below Normal	3.66	3.19	5.23	8.87	9.48	2.69	4.67	6.94	12.11	14.62	10.26	2.68	84.40
1980	Above Normal	2.02	1.73	2.78	4.65	5.01	6.20	7.15	10.63	18.65	22.55	15.72	4.01	101.10
1981	Dry	3.05	2.64	4.30	7.25	7.76	3.00	3.79	5.78	10.05	12.13	5.81	2.27	67.83
1982	Wet	1.71	1.45	2.31	3.83	4.14	7.14	8.68	12.92	22.73	27.49	19.11	4.80	116.31
1983	Wet	3.66	3.19	5.23	8.87	9.48	7.58	8.68	12.92	22.73	27.49	19.11	4.80	133.74
1984	Wet	3.66	3.19	5.23	8.87	9.48	4.93	5.69	8.45	14.79	17.87	12.50	3.23	97.89
1985	Dry	2.45	2.10	3.41	5.72	6.14	4.03	4.81	7.21	12.59	15.20	10.66	2.78	77.10
1986	Wet	2.10	1.80	2.90	4.84	5.21	3.80	5.59	8.32	14.55	17.57	12.29	3.18	82.15
1987	Dry	2.41	2.07	3.35	5.62	6.04	0.38	2.30	3.40	5.81	6.99	5.01	1.44	44.82
1988	Critical	1.07	0.87	1.34	2.14	2.36	0.38	0.51	0.74	1.08	1.25	1.06	0.47	13.27
1989	Dry	0.32	0.22	0.24	0.26	0.37	0.38	3.04	4.51	7.79	9.38	6.66	1.83	35.00
1990	Critical	1.37	1.14	1.80	2.93	3.19	0.38	0.51	0.74	1.08	1.25	1.06	0.47	15.92
1991	Critical	0.32	0.22	0.24	0.26	0.37	1.40	1.71	2.52	4.25	5.10	3.71	1.12	21.22
1992	Critical	0.82	0.66	0.98	1.53	1.70	1.60	2.29	3.38	5.78	6.95	4.99	1.43	32.11
1993	Above Normal	1.06	0.87	1.33	2.13	2.34	3.66	6.09	8.28	14.49	17.51	5.94	3.17	66.87
1994	Critical	2.40	2.06	3.34	5.59	6.01	4.55	5.18	7.62	13.32	14.79	2.14	2.93	69.93
1995	Wet	2.21	1.90	3.06	5.13	5.52	6.17	8.21	12.07	21.23	25.67	17.87	4.51	113.55
1996	Wet	3.44	2.98	4.89	8.27	8.85	4.87	6.81	9.60	16.83	20.34	6.49	3.64	97.01
1997	Wet	2.77	2.39	3.88	6.52	7.00	6.02	6.91	10.28	18.04	21.81	11.99	3.89	101.50
1998	Wet	2.96	2.55	4.16	7.01	7.51	6.78	8.68	12.92	22.73	27.49	19.11	4.80	126.70
1999	Wet	3.66	3.19	5.23	8.87	9.48	3.65	5.04	7.39	12.91	15.59	10.93	2.84	88.78
2000	Above Normal	2.15	1.84	2.97	4.97	5.35	3.50	4.87	7.13	12.44	15.02	10.54	2.75	73.53
2001	Dry	2.08	1.78	2.86	4.78	5.15	2.62	3.25	4.82	8.33	10.03	7.11	1.94	54.75
2002	Dry	1.45	1.22	1.92	3.14	3.42	3.20	3.73	5.38	9.33	11.26	7.95	2.13	54.13
2003	Above Normal	1.60	1.35	2.15	3.54	3.84	3.79	4.71	6.84	11.94	14.41	10.11	2.64	66.92
	Average	2.02	1.72	2.76	4.60	4.96	3.44	4.55	6.81	11.87	14.31	9.20	2.64	68.88
	Wet	2.46	2.11	3.43	5.75	6.18	5.48	6.82	10.21	17.91	21.65	13.67	3.85	99.52
	Above Normal	1.87	1.59	2.55	4.23	4.57	4.05	5.48	8.01	14.00	16.91	11.24	3.06	77.55
	Below Normal	2.25	1.93	3.12	5.21	5.61	2.66	3.79	5.83	10.13	12.22	8.61	2.29	63.63
	Dry	1.80	1.53	2.45	4.06	4.39	2.20	3.30	4.97	8.60	10.36	6.37	1.99	52.01
	Critical	1.24	1.03	1.61	2.61	2.85	1.19	1.46	2.15	3.59	4.19	2.40	0.98	25.29

Energy Use (GWh) At Pumping Plant at San Luis Other: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.66	3.19	5.23	8.87	9.48	6.42	8.18	11.67	20.49	24.79	15.39	4.35	121.72
1923	Below Normal	3.34	2.87	4.73	7.78	8.53	3.74	4.45	6.69	11.64	14.07	9.86	2.57	80.27
1924	Critical	1.97	1.65	2.68	4.47	4.81	0.96	1.18	1.73	2.85	3.39	2.54	0.83	29.06
1925	Dry	0.60	0.46	0.65	0.97	1.11	3.06	3.89	7.47	13.04	15.75	11.03	2.86	60.89
1926	Dry	2.17	1.86	3.00	5.02	5.40	1.67	1.98	2.92	4.96	5.95	4.30	1.26	40.49
1927	Wet	0.93	0.75	1.14	1.81	2.00	4.20	5.27	7.84	13.68	16.53	11.56	2.98	68.69
1928	Above Normal	2.28	1.93	3.15	5.28	5.66	2.67	4.07	6.10	10.59	12.78	8.99	2.37	65.87
1929	Critical	1.80	1.52	2.44	4.05	4.37	0.38	0.51	0.74	1.08	1.25	1.06	0.47	19.67
1930	Dry	0.32	0.22	0.24	0.26	0.37	1.15	1.95	2.89	4.90	5.88	4.25	1.25	23.68
1931	Critical	0.92	0.75	1.13	1.78	1.97	1.04	1.27	1.87	3.09	3.68	2.74	0.88	21.12
1932	Dry	0.64	0.49	0.71	1.06	1.21	1.75	2.04	3.06	5.18	6.23	4.47	1.29	28.13
1933	Critical	0.98	0.77	1.19	1.90	2.08	0.69	0.89	1.30	2.08	2.47	1.90	0.67	16.92
1934	Critical	0.48	0.35	0.47	0.66	0.79	1.07	1.30	1.92	3.18	3.80	2.81	0.90	17.73
1935	Below Normal	0.65	0.51	0.73	1.10	1.25	0.61	0.74	4.23	7.24	8.74	6.20	1.71	33.71
1936	Below Normal	1.31	1.06	1.68	2.72	2.95	3.42	3.94	5.88	10.20	12.32	8.66	2.29	56.43
1937	Below Normal	1.75	1.46	2.35	3.62	3.92	1.40	3.17	4.92	9.00	10.87	7.67	2.05	52.18
1938	Wet	1.57	1.30	1.92	3.15	3.42	7.58	8.68	12.92	22.73	27.49	19.11	4.80	114.67
1939	Dry	3.66	3.19	5.23	8.87	9.48	1.79	2.74	4.10	7.02	8.47	2.01	1.66	58.22
1940	Above Normal	1.27	1.03	1.62	2.63	2.86	3.28	4.60	7.04	12.26	14.82	10.38	2.69	64.48
1941	Wet	2.06	1.74	2.82	4.44	4.84	5.64	7.30	10.62	18.61	22.51	13.19	3.98	97.75
1942	Wet	3.06	2.62	4.30	6.97	7.74	6.34	8.13	11.36	20.63	24.97	13.47	4.38	113.97
1943	Wet	3.36	2.89	4.76	7.77	8.59	6.29	7.19	10.73	18.80	22.75	15.84	4.02	112.99
1944	Dry	3.09	2.64	4.34	7.32	7.82	2.11	2.46	3.66	6.26	7.54	5.39	1.52	54.15
1945	Below Normal	1.15	0.93	1.45	2.33	2.55	3.46	5.84	8.71	15.22	18.40	12.85	3.30	76.19
1946	Below Normal	2.53	2.15	3.51	5.89	6.31	4.85	5.93	8.73	15.25	18.44	12.87	3.30	89.76
1947	Dry	2.53	2.15	3.52	5.90	6.32	2.47	3.97	5.90	10.25	12.37	8.70	2.31	66.39
1948	Below Normal	1.75	1.47	2.36	3.91	4.22	0.90	3.11	4.43	7.64	9.20	6.54	1.80	47.33
1949	Dry	1.35	1.12	1.76	2.87	3.13	2.34	5.34	7.78	13.59	16.42	11.50	2.98	70.18
1950	Below Normal	2.26	1.94	3.13	5.24	5.63	2.03	2.97	4.42	7.61	9.17	6.51	1.79	52.70
1951	Above Normal	1.35	1.12	1.73	2.82	3.11	5.16	5.93	8.80	15.38	18.60	12.98	3.33	80.31
1952	Wet	2.55	2.17	3.55	5.96	6.19	7.13	8.68	12.89	22.68	27.43	19.07	4.79	123.09
1953	Wet	3.65	3.18	5.22	8.85	9.46	2.90	4.06	6.05	10.49	12.68	8.91	2.35	77.80
1954	Above Normal	1.80	1.50	2.42	4.02	4.32	3.21	4.09	5.98	10.41	12.56	7.91	2.34	60.56
1955	Dry	1.77	1.50	2.39	3.97	4.29	2.78	3.24	4.80	8.30	10.00	7.09	1.93	52.06
1956	Wet	1.45	1.21	1.91	3.13	3.40	6.89	7.67	11.12	19.51	23.60	16.43	4.16	100.48
1957	Above Normal	3.19	2.74	4.50	7.60	8.12	2.91	3.49	5.19	8.96	10.82	7.63	2.05	67.20
1958	Wet	1.57	1.29	2.07	3.41	3.68	6.41	8.22	12.15	21.37	25.84	17.98	4.54	108.53
1959	Below Normal	3.46	3.00	4.92	8.33	8.91	2.57	3.43	5.19	8.97	10.83	7.65	2.06	69.32
1960	Dry	1.56	1.30	2.07	3.40	3.69	1.63	3.06	4.54	7.83	9.43	1.60	1.84	41.95
1961	Dry	1.38	1.15	1.81	2.95	3.21	2.52	4.54	6.57	11.46	13.83	1.96	2.55	53.93
1962	Below Normal	1.92	1.64	2.63	4.39	4.73	3.30	4.32	6.47	11.24	13.58	9.53	2.49	66.24
1963	Wet	1.91	1.60	2.59	4.31	4.64	3.81	4.79	7.09	12.35	14.92	10.45	2.71	71.17
1964	Dry	2.08	1.75	2.84	4.75	5.10	3.00	3.49	5.18	8.97	10.82	7.65	2.06	57.69
1965	Wet	1.55	1.30	2.07	3.40	3.69	3.50	4.02	10.58	18.54	22.43	8.54	3.97	83.59
1966	Below Normal	3.05	2.61	4.28	7.21	7.71	3.84	4.61	6.78	11.80	14.26	10.00	2.61	78.76
1967	Wet	1.99	1.68	2.72	4.53	4.88	7.43	8.68	12.92	22.73	27.49	19.11	4.80	118.96
1968	Below Normal	3.66	3.19	5.23	8.87	9.48	2.68	3.70	5.60	9.69	11.70	8.24	2.19	74.23
1969	Wet	1.67	1.39	2.23	3.44	3.74	7.58	8.68	12.92	22.73	27.49	19.11	4.80	115.78
1970	Wet	3.66	3.19	5.23	8.87	9.48	4.61	5.93	8.71	15.21	18.39	12.84	3.29	99.41
1971	Wet	2.53	2.15	3.51	5.89	6.31	2.51	3.44	5.12	8.85	10.68	7.54	2.03	60.56
1972	Below Normal	1.54	1.28	2.04	3.36	3.63	3.51	3.98	5.79	10.05	12.13	8.55	2.27	58.13
1973	Above Normal	1.71	1.45	2.31	3.83	4.14	4.12	5.34	7.92	13.82	16.71	11.68	3.01	76.04
1974	Wet	2.31	1.95	3.18	5.34	5.72	6.19	7.96	11.32	19.85	24.02	8.16	4.23	100.23
1975	Wet	3.25	2.79	4.58	7.74	8.26	4.83	6.35	8.86	15.48	18.72	7.36	3.35	91.57
1976	Critical	2.57	2.18	3.57	6.00	6.42	0.92	1.13	1.66	2.72	3.24	2.43	0.80	33.64
1977	Critical	0.58	0.44	0.62	0.91	1.06	0.88	1.08	1.59	2.60	3.09	2.33	0.78	15.96
1978	Above Normal	0.56	0.43	0.59	0.87	1.00	5.05	8.68	12.65	22.26	26.92	15.04	4.71	98.76
1979	Below Normal	3.59	3.12	5.13	8.68	9.28	2.52	4.24	6.34	11.02	13.31	9.34	2.45	79.02
1980	Above Normal	1.88	1.57	2.54	3.95	4.27	6.21	7.16	11.04	19.36	23.42	16.30	4.13	101.83
1981	Dry	3.17	2.72	4.47	7.54	8.05	3.18	4.02	6.18	10.72	12.96	6.07	2.39	71.47
1982	Wet	1.83	1.53	2.47	4.11	4.42	7.29	8.68	12.92	22.73	27.49	19.11	4.80	117.38
1983	Wet	3.66	3.19	5.23	8.87	9.48	7.58	8.68	12.92	22.73	27.49	19.11	4.80	133.74
1984	Wet	3.66	3.19	5.23	8.87	9.48	4.93	5.93	8.85	15.46	18.70	13.05	3.35	100.70
1985	Dry	2.57	2.18	3.57	5.99	6.41	4.18	4.96	7.47	13.02	15.74	11.02	2.85	79.96
1986	Wet	2.18	1.85	3.00	5.02	5.39	3.72	5.59	8.31	15.21	18.40	12.84	3.29	84.80
1987	Dry	2.53	2.15	3.51	5.89	6.31	0.39	2.28	3.38	5.76	6.93	4.97	1.43	45.53
1988	Critical	1.06	0.87	1.33	2.13	2.34	0.38	0.51	0.74	1.08	1.25	1.06	0.47	13.22
1989	Dry	0.32	0.22	0.24	0.26	0.37	0.38	3.03	4.49	7.74	9.33	6.62	1.82	34.82
1990	Critical	1.37	1.14	1.79	2.91	3.17	0.38	0.51	0.74	1.08	1.25	1.06	0.47	15.87
1991	Critical	0.32	0.22	0.24	0.26	0.37	1.40	1.71	2.52	4.24	5.09	3.70	1.12	21.19
1992	Critical	0.82	0.66	0.98	1.52	1.70	1.60	2.26	3.35	5.71	6.87	4.93	1.42	31.82
1993	Above Normal	1.05	0.86	1.32	2.11	2.32	3.87	6.29	8.61	15.05	18.20	6.49	3.26	69.43
1994	Critical	2.50	2.12	3.47	5.83	6.24	4.56	5.19	7.65	13.36	14.90	2.15	2.93	70.90
1995	Wet	2.22	1.90	3.08	5.15	5.54	6.28	7.83	11.38	20.66	25.00	17.39	4.39	110.82
1996	Wet	3.37	2.90	4.77	8.06	8.60	5.18	6.75	9.56	16.72	20.23	6.53	3.60	96.27
1997	Wet	2.77	2.36	3.86	6.22	6.67	6.26	7.15	10.68	18.71	22.63	11.95	4.00	103.26
1998	Wet	3.07	2.63	4.32	7.28	7.78	6.88	8.52	12.60	22.17	26.81	18.64	4.69	125.39
1999	Wet	3.58	3.11	5.10	8.65	9.24	3.67	5.30	7.82	13.64	16.49	11.53	2.97	91.10
2000	Above Normal	2.28	1.93	3.14	5.27	5.65	3.73	5.10	7.52	13.10	15.84	11.08	2.86	77.50
2001	Dry	2.19	1.85	3.02	5.05	5.42	2.63	3.26	4.84	8.36	10.08	7.14	1.94	55.78
2002	Dry	1.46	1.22	1.93	3.16	3.43	3.20	3.73	5.38	9.33	11.26	7.95	2.13	54.18
2003	Above Normal	1.60	1.35	2.15	3.54	3.84	3.86	4.78	6.96	12.14	14.66	10.28	2.68	67.84
	Average	2.06	1.74	2.82	4.67	5.04	3.53	4.62	6.93	12.10	14.60	9.27	2.68	70.06
	Wet	2.52	2.15	3.49	5.82	6.26	5.60	6.90	10.32	18.16	21.97	13.80	3.89	100.87
	Above Normal	1.89	1.59	2.56	4.23	4.56	4.21	5.64	8.29	14.49	17.51	11.18	3.15	79.30
	Below Normal	2.28	1.95	3.16	5.25	5.65	2.77	3.89	6.01	10.47	12.64	8.89	2.35	65.31
	Dry	1.86	1.57	2.52	4.18	4.51	2.24	3.33	5.03	8.71	10.50	6.32	2.00	52.75
	Critical	1.28	1.06	1.66	2.70	2.94	1.19	1.46	2.15	3.59	4.19	2.39	0.98	25.59

Difference in Energy Use (GWh) At Pumping Plant at San Luis Other: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.23	0.22	0.36	0.63	0.77	(1.34)	0.11	0.08
1923	Below Normal	0.11	0.07	0.15	0.05	0.26	0.20	0.19	0.32	0.54	0.67	0.44	0.09	0.26
1924	Critical	0.10	0.06	0.13	0.22	0.23	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.06
1925	Dry	0.00	0.00	0.00	0.01	0.00	0.06	0.06	0.11	0.19	0.24	0.16	0.03	0.07
1926	Dry	0.03	0.03	0.04	0.08	0.08	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.02
1927	Wet	0.00	0.00	0.00	0.01	0.00	0.24	0.24	0.40	0.68	0.83	0.56	0.12	0.26
1928	Above Normal	0.11	0.08	0.16	0.28	0.27	0.13	0.12	0.21	0.35	0.42	0.29	0.06	0.21
1929	Critical	0.06	0.04	0.08	0.14	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.39	0.66	0.81	0.54	0.12	0.25
1933	Critical	0.12	0.08	0.15	0.27	0.27	0.01	0.01	0.02	0.03	0.04	0.03	0.00	0.09
1934	Critical	0.01	0.00	0.00	0.01	0.02	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	0.00	0.00
1935	Below Normal	(0.01)	0.00	0.00	0.00	(0.01)	0.23	0.23	0.40	0.66	0.83	0.55	0.12	0.25
1936	Below Normal	0.12	0.08	0.16	0.27	0.27	0.23	0.24	0.38	0.66	0.82	0.54	0.12	0.32
1937	Below Normal	0.11	0.08	0.15	(0.01)	(0.01)	0.23	0.00	0.09	0.65	0.81	0.54	0.11	0.23
1938	Wet	0.11	0.08	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.22)	(0.29)	(0.54)	(0.64)	(1.71)	(0.12)	(0.31)
1940	Above Normal	(0.07)	(0.08)	(0.12)	(0.21)	(0.23)	0.36	0.38	0.61	1.06	1.30	0.88	0.19	0.34
1941	Wet	0.17	0.13	0.24	0.15	0.21	0.27	0.19	0.33	0.56	0.69	(2.03)	0.09	0.08
1942	Wet	0.10	0.07	0.14	(0.04)	0.23	0.20	0.19	(0.07)	0.55	0.69	0.49	0.09	0.22
1943	Wet	0.10	0.06	0.13	(0.05)	0.22	0.20	0.19	0.32	0.54	0.67	0.44	0.09	0.24
1944	Dry	0.10	0.06	0.13	0.22	0.22	0.14	0.14	0.22	0.38	0.47	0.32	0.07	0.21
1945	Below Normal	0.07	0.05	0.09	0.16	0.16	0.18	0.15	0.26	0.43	0.53	0.35	0.07	0.21
1946	Below Normal	0.08	0.05	0.10	0.18	0.17	0.20	0.24	0.40	0.67	0.83	0.55	0.12	0.30
1947	Dry	0.12	0.08	0.16	0.27	0.27	0.07	0.10	0.15	0.26	0.32	0.21	0.05	0.17
1948	Below Normal	0.05	0.03	0.06	0.11	0.10	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.02
1949	Dry	0.00	(0.01)	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.02)	(0.01)	(0.01)	0.00	(0.01)
1950	Below Normal	0.00	0.00	0.00	0.00	(0.01)	0.03	0.03	0.06	0.10	0.12	0.08	0.01	0.04
1951	Above Normal	0.02	0.01	0.00	0.00	0.04	0.24	0.24	0.39	0.67	0.83	0.55	0.12	0.26
1952	Wet	0.11	0.08	0.16	0.28	0.08	0.23	0.00	(0.03)	(0.05)	(0.06)	(0.04)	(0.01)	0.06
1953	Wet	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.16)	0.04	0.11	0.16	0.21	0.13	0.02	0.04
1954	Above Normal	0.05	0.01	0.04	0.08	0.06	0.04	0.05	0.07	0.14	0.17	0.02	0.02	0.06
1955	Dry	0.02	0.02	0.03	0.05	0.05	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.01
1956	Wet	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.39	0.67	0.82	3.46	0.12	0.45
1957	Above Normal	0.11	0.08	0.16	0.28	0.28	0.24	0.24	0.39	0.67	0.82	0.55	0.12	0.33
1958	Wet	0.12	0.08	0.16	0.28	0.28	0.23	0.24	(0.58)	(1.02)	(1.24)	(0.85)	(0.20)	(0.21)
1959	Below Normal	(0.15)	(0.14)	(0.24)	(0.41)	(0.43)	0.07	0.15	0.24	0.41	0.51	0.35	0.08	0.04
1960	Dry	0.07	0.05	0.10	0.16	0.18	(0.01)	(0.01)	(0.01)	(0.02)	(0.03)	(1.08)	0.00	(0.05)
1961	Dry	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1962	Below Normal	(0.01)	0.00	(0.01)	0.00	(0.01)	0.23	0.24	0.40	0.67	0.83	0.56	0.12	0.25
1963	Wet	0.12	0.08	0.16	0.28	0.28	0.22	0.20	0.35	0.59	0.73	0.49	0.10	0.30
1964	Dry	0.11	0.07	0.14	0.24	0.24	0.00	0.01	0.01	0.02	0.03	0.02	0.00	0.07
1965	Wet	0.00	0.00	0.01	0.01	0.01	0.12	0.11	0.22	0.36	0.45	(1.42)	0.06	(0.01)
1966	Below Normal	0.07	0.04	0.09	0.15	0.14	0.17	0.17	0.28	0.48	0.59	0.40	0.09	0.22
1967	Wet	0.09	0.06	0.12	0.19	0.20	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.36	0.61	0.75	0.50	0.11	0.21
1969	Wet	0.10	0.07	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.04	0.24	0.40	0.67	0.82	1.33	0.11	0.30
1971	Wet	0.12	0.08	0.16	0.27	0.28	0.14	0.13	0.22	0.38	0.47	0.31	0.07	0.22
1972	Below Normal	0.06	0.04	0.09	0.16	0.15	0.01	0.01	0.01	0.01	0.02	0.02	0.00	0.05
1973	Above Normal	0.00	0.00	0.00	0.01	0.00	0.23	0.24	0.39	0.67	0.83	0.55	0.12	0.25
1974	Wet	0.12	0.08	0.15	0.28	0.27	0.10	0.06	0.13	0.19	0.25	(0.83)	0.03	0.07
1975	Wet	0.05	0.02	0.05	0.09	0.07	0.26	0.27	0.45	0.76	0.94	0.61	0.14	0.31
1976	Critical	0.13	0.09	0.18	0.31	0.31	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	0.08
1977	Critical	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.14)	0.00	(0.27)	(0.47)	(0.57)	(4.07)	(0.09)	(0.47)
1979	Below Normal	(0.07)	(0.07)	(0.10)	(0.19)	(0.20)	(0.17)	(0.43)	(0.60)	(1.09)	(1.31)	(0.92)	(0.23)	(0.45)
1980	Above Normal	(0.14)	(0.16)	(0.24)	(0.70)	(0.74)	0.01	0.01	0.41	0.71	0.87	0.58	0.12	0.06
1981	Dry	0.12	0.08	0.17	0.29	0.29	0.18	0.23	0.40	0.67	0.83	0.26	0.12	0.30
1982	Wet	0.12	0.08	0.16	0.28	0.28	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.40	0.67	0.83	0.55	0.12	0.23
1985	Dry	0.12	0.08	0.16	0.27	0.27	0.15	0.15	0.26	0.43	0.54	0.36	0.07	0.24
1986	Wet	0.08	0.05	0.10	0.18	0.18	(0.08)	0.00	(0.01)	0.66	0.83	0.55	0.11	0.22
1987	Dry	0.12	0.08	0.16	0.27	0.27	0.01	(0.02)	(0.02)	(0.05)	(0.06)	(0.04)	(0.01)	0.06
1988	Critical	(0.01)	0.00	(0.01)	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.05)	(0.05)	(0.04)	(0.01)	(0.02)
1990	Critical	0.00	0.00	(0.01)	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1992	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.03)	(0.03)	(0.07)	(0.08)	(0.06)	(0.01)	(0.02)
1993	Above Normal	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	0.21	0.20	0.33	0.56	0.69	0.55	0.09	0.21
1994	Critical	0.10	0.06	0.13	0.24	0.23	0.01	0.01	0.03	0.04	0.11	0.01	0.00	0.08
1995	Wet	0.01	0.00	0.02	0.02	0.02	0.11	(0.38)	(0.69)	(0.57)	(0.67)	(0.48)	(0.12)	(0.23)
1996	Wet	(0.07)	(0.08)	(0.12)	(0.21)	(0.25)	0.31	(0.06)	(0.04)	(0.11)	(0.11)	0.04	(0.04)	(0.06)
1997	Wet	0.00	(0.03)	(0.02)	(0.30)	(0.33)	0.24	0.24	0.40	0.67	0.82	(0.04)	0.11	0.15
1998	Wet	0.11	0.08	0.16	0.27	0.27	0.10	(0.16)	(0.32)	(0.56)	(0.68)	(0.47)	(0.11)	(0.11)
1999	Wet	(0.08)	(0.08)	(0.13)	(0.22)	(0.24)	0.02	0.26	0.43	0.73	0.90	0.60	0.13	0.19
2000	Above Normal	0.13	0.09	0.17	0.30	0.30	0.23	0.23	0.39	0.66	0.82	0.54	0.11	0.33
2001	Dry	0.11	0.07	0.16	0.27	0.27	0.01	0.01	0.02	0.03	0.05	0.03	0.00	0.09
2002	Dry	0.01	0.00	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.12	0.20	0.25	0.17	0.04	0.08
	Average	0.04	0.03	0.05	0.07	0.07	0.09	0.08	0.12	0.23	0.29	0.07	0.04	0.10
	Wet	0.06	0.03	0.07	0.07	0.08	0.12	0.09	0.11	0.25	0.32	0.13	0.04	0.11
	Above Normal	0.02	0.00	0.01	0.00	(0.00)	0.15	0.17	0.28	0.49	0.60	(0.06)	0.08	0.15
	Below Normal	0.03	0.02	0.04	0.03	0.04	0.12	0.10	0.19	0.34	0.43	0.28	0.06	0.14
	Dry	0.05	0.03	0.07	0.12	0.12	0.04	0.04	0.07	0.11	0.14	(0.05)	0.02	0.06
	Critical	0.04	0.03	0.05	0.09	0.10	(0.00)	(0.00)	0.00	(0.00)	0.00	(0.00)	(0.00)	0.03

Percent Difference in Energy Use (GWh) At Pumping Plant at San Luis Other: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	4%	3%	3%	3%	3%	-8%	3%
1923	Below Normal	3%	3%	3%	1%	3%	6%	4%	5%	5%	5%	5%	4%
1924	Critical	5%	4%	5%	5%	5%	0%	1%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	1%	0%	2%	2%	1%	1%	2%	1%	1%
1926	Dry	1%	2%	1%	2%	2%	0%	1%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	1%	0%	6%	5%	5%	5%	5%	5%	4%
1928	Above Normal	5%	4%	5%	6%	5%	5%	3%	4%	3%	3%	3%	3%
1929	Critical	3%	3%	3%	4%	4%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	-1%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	15%	13%	15%	15%	15%	14%	10%
1933	Critical	14%	12%	14%	17%	15%	1%	1%	2%	1%	2%	2%	0%
1934	Critical	2%	0%	0%	2%	3%	-1%	-1%	-1%	-1%	-1%	-1%	0%
1935	Below Normal	-2%	0%	0%	0%	-1%	61%	45%	10%	10%	10%	10%	8%
1936	Below Normal	10%	8%	11%	11%	10%	7%	6%	7%	7%	7%	7%	6%
1937	Below Normal	7%	6%	7%	0%	0%	20%	0%	2%	8%	8%	8%	6%
1938	Wet	8%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-7%	-7%	-7%	-7%	-7%	-46%	-7%
1940	Above Normal	-5%	-7%	-7%	-7%	-7%	12%	9%	9%	9%	10%	9%	8%
1941	Wet	9%	8%	9%	3%	5%	5%	3%	3%	3%	3%	-13%	2%
1942	Wet	3%	3%	3%	-1%	3%	3%	2%	-1%	3%	3%	4%	2%
1943	Wet	3%	2%	3%	-1%	3%	3%	3%	3%	3%	3%	3%	2%
1944	Dry	3%	2%	3%	3%	3%	7%	6%	6%	6%	7%	6%	5%
1945	Below Normal	6%	6%	7%	7%	7%	5%	3%	3%	3%	3%	3%	2%
1946	Below Normal	3%	2%	3%	3%	3%	4%	4%	5%	5%	5%	4%	4%
1947	Dry	5%	4%	5%	5%	4%	3%	3%	3%	3%	3%	2%	2%
1948	Below Normal	3%	2%	3%	3%	2%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%	1%	1%
1951	Above Normal	2%	1%	0%	0%	1%	5%	4%	5%	5%	5%	4%	4%
1952	Wet	5%	4%	5%	5%	1%	3%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	-5%	1%	2%	2%	2%	1%	1%
1954	Above Normal	3%	1%	2%	2%	1%	1%	1%	1%	1%	1%	0%	1%
1955	Dry	1%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	-1%	0%	0%	0%	0%	4%	4%	4%	27%	3%
1957	Above Normal	4%	3%	4%	4%	4%	9%	7%	8%	8%	8%	8%	6%
1958	Wet	8%	7%	8%	9%	8%	4%	3%	-5%	-5%	-5%	-5%	-4%
1959	Below Normal	-4%	-4%	-5%	-5%	-5%	3%	5%	5%	5%	5%	5%	4%
1960	Dry	5%	4%	5%	5%	5%	-1%	0%	0%	0%	0%	-40%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	0%	0%	0%	0%	7%	6%	7%	6%	7%	6%	5%
1963	Wet	7%	5%	7%	7%	6%	6%	4%	5%	5%	5%	5%	4%
1964	Dry	6%	4%	5%	5%	5%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	4%	3%	2%	2%	2%	-14%	2%
1966	Below Normal	2%	2%	2%	2%	2%	5%	4%	4%	4%	4%	4%	4%
1967	Wet	5%	4%	5%	4%	4%	3%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	6%	7%	7%	7%	6%	5%
1969	Wet	6%	5%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	1%	4%	5%	5%	5%	12%	3%
1971	Wet	5%	4%	5%	5%	5%	6%	4%	4%	4%	5%	4%	4%
1972	Below Normal	4%	3%	5%	5%	4%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	6%	5%	5%	5%	5%	5%	4%
1974	Wet	5%	4%	5%	6%	5%	2%	1%	1%	1%	1%	-9%	1%
1975	Wet	2%	1%	1%	1%	1%	6%	4%	5%	5%	5%	9%	4%
1976	Critical	5%	4%	5%	5%	5%	-1%	-1%	-1%	-1%	-1%	0%	-1%
1977	Critical	0%	-2%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-3%	0%	-2%	-2%	-2%	-21%	-2%
1979	Below Normal	-2%	-2%	-2%	-2%	-2%	-6%	-9%	-9%	-9%	-9%	-9%	-9%
1980	Above Normal	-7%	-9%	-9%	-15%	-15%	0%	0%	4%	4%	4%	4%	3%
1981	Dry	4%	3%	4%	4%	4%	6%	6%	7%	7%	7%	4%	5%
1982	Wet	7%	6%	7%	7%	7%	2%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	4%	5%	5%	5%	4%	4%
1985	Dry	5%	4%	5%	5%	4%	4%	3%	4%	3%	4%	3%	3%
1986	Wet	4%	3%	3%	4%	3%	-2%	0%	0%	5%	5%	4%	3%
1987	Dry	5%	4%	5%	5%	4%	3%	-1%	-1%	-1%	-1%	-1%	-1%
1988	Critical	-1%	0%	-1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%
1990	Critical	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	-1%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1993	Above Normal	-1%	-1%	-1%	-1%	-1%	6%	3%	4%	4%	4%	9%	3%
1994	Critical	4%	3%	4%	4%	4%	0%	0%	0%	0%	1%	0%	0%
1995	Wet	0%	0%	1%	0%	0%	2%	-5%	-6%	-3%	-3%	-3%	-3%
1996	Wet	-2%	-3%	-2%	-3%	-3%	6%	-1%	0%	-1%	-1%	1%	-1%
1997	Wet	0%	-1%	-1%	-5%	-5%	4%	3%	4%	4%	4%	0%	3%
1998	Wet	4%	3%	4%	4%	4%	1%	-2%	-2%	-2%	-2%	-2%	-2%
1999	Wet	-2%	-3%	-2%	-2%	-3%	1%	5%	6%	6%	6%	5%	5%
2000	Above Normal	6%	5%	6%	6%	6%	7%	5%	5%	5%	5%	5%	4%
2001	Dry	5%	4%	6%	6%	5%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	1%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	2%	1%	2%	2%	2%	2%	2%
	Average	2%	2%	2%	2%	2%	3%	2%	2%	2%	2%	1%	2%
	Wet	3%	2%	3%	2%	2%	2%	2%	2%	2%	2%	1%	1%
	Above Normal	0%	0%	0%	0%	-1%	4%	3%	4%	4%	4%	2%	3%
	Below Normal	2%	2%	2%	2%	2%	8%	5%	3%	4%	4%	4%	3%
	Dry	2%	2%	2%	2%	2%	2%	1%	2%	1%	2%	-3%	1%
	Critical	3%	2%	2%	3%	3%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at System Total: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	126.49	199.59	151.40	118.85	85.47	156.43	48.24	69.01	141.36	163.01	146.55	116.52	1,522.92
1923	Below Normal	128.05	200.90	145.56	131.24	126.31	82.06	37.21	47.47	94.20	139.22	109.63	116.53	1,358.38
1924	Critical	160.58	130.89	119.53	137.93	57.88	17.56	25.91	33.55	18.15	36.12	35.96	67.17	841.23
1925	Dry	82.23	42.13	134.89	120.95	77.97	83.04	39.02	56.00	98.34	145.11	155.51	80.57	1,115.76
1926	Dry	99.61	131.10	119.54	111.20	43.30	24.46	33.57	36.79	56.94	88.29	77.37	90.54	912.71
1927	Wet	89.63	145.57	131.74	87.76	134.75	117.55	37.07	51.71	87.98	145.82	133.77	112.83	1,276.18
1928	Above Normal	77.96	90.05	159.53	121.41	59.24	129.65	37.19	43.85	76.64	128.73	129.83	86.38	1,140.46
1929	Critical	73.58	96.49	151.11	111.69	97.04	65.55	21.56	30.19	21.32	55.48	134.43	64.17	922.61
1930	Dry	80.30	83.63	105.49	85.72	79.85	52.26	39.66	50.06	37.61	78.91	60.73	51.54	805.76
1931	Critical	90.49	99.15	110.48	119.77	109.17	22.54	23.04	33.19	21.21	33.26	36.57	66.63	765.50
1932	Dry	79.36	69.91	161.49	130.65	59.55	24.00	23.83	34.81	48.79	50.80	90.50	139.47	913.16
1933	Critical	103.70	101.88	119.58	22.13	23.58	30.77	21.87	31.12	20.37	35.04	158.73	119.14	787.91
1934	Critical	83.06	81.87	38.65	15.25	16.68	16.36	23.05	33.26	22.45	38.72	106.91	65.92	542.18
1935	Below Normal	40.84	92.50	148.43	105.10	20.11	32.01	27.87	41.84	75.98	93.82	62.80	107.86	849.16
1936	Below Normal	141.17	123.58	146.82	60.18	23.45	50.09	38.01	45.93	79.08	120.84	81.68	122.13	1,032.96
1937	Below Normal	140.63	118.99	153.26	108.15	30.64	20.43	49.33	53.93	41.77	99.92	74.41	144.81	1,036.27
1938	Wet	89.39	145.89	146.13	31.50	28.21	62.42	87.02	192.93	152.54	173.86	146.29	109.94	1,366.12
1939	Dry	120.56	65.01	142.48	113.42	108.29	37.92	27.25	40.94	34.91	129.34	86.19	96.14	1,002.45
1940	Above Normal	80.65	102.14	74.56	80.38	102.29	147.26	42.46	49.86	82.85	124.69	132.44	97.40	1,116.98
1941	Wet	82.15	97.58	134.85	141.43	155.48	154.70	53.18	71.10	121.17	155.81	140.53	114.88	1,422.86
1942	Wet	117.63	172.47	144.04	160.86	147.47	142.47	52.13	72.41	131.83	162.27	137.46	113.29	1,554.33
1943	Wet	120.83	193.70	133.20	160.73	142.43	175.42	49.56	57.25	111.16	157.72	142.80	113.59	1,558.39
1944	Dry	99.76	139.26	133.72	112.04	108.20	64.29	34.15	39.36	52.64	105.15	80.89	66.25	1,035.71
1945	Below Normal	82.63	136.99	131.24	125.06	145.94	139.04	39.52	54.61	76.44	150.60	136.05	116.27	1,334.39
1946	Below Normal	171.09	146.76	164.68	154.77	149.46	98.80	35.94	54.69	88.80	150.23	134.58	103.75	1,453.55
1947	Dry	170.71	146.98	161.87	142.31	107.80	28.36	30.62	44.26	59.47	139.04	108.33	99.08	1,238.83
1948	Below Normal	93.59	129.73	114.80	65.18	26.79	70.79	29.87	42.15	74.75	126.49	117.28	115.54	1,006.96
1949	Dry	146.52	132.97	148.18	115.54	106.02	43.57	30.33	49.36	69.02	148.93	165.72	113.72	1,269.88
1950	Below Normal	110.82	128.22	139.87	71.24	68.75	105.23	31.25	41.24	58.36	126.20	105.37	116.16	1,102.71
1951	Above Normal	152.52	148.53	178.37	130.83	28.46	62.15	37.72	53.99	88.00	121.83	137.16	118.22	1,257.78
1952	Wet	99.84	161.81	134.96	162.82	135.84	174.77	62.19	103.67	154.15	167.84	147.26	113.80	1,618.95
1953	Wet	97.43	157.80	150.83	105.03	105.40	111.96	35.69	46.53	65.53	138.40	128.02	113.58	1,256.20
1954	Above Normal	60.27	150.22	151.72	68.14	69.21	102.84	33.84	44.80	78.62	100.11	126.81	114.28	1,100.86
1955	Dry	89.14	140.77	156.86	128.54	115.65	65.13	30.14	41.35	37.91	134.59	99.94	86.40	1,126.42
1956	Wet	74.09	125.51	163.25	178.84	160.50	59.34	42.71	66.49	130.32	159.98	138.44	115.55	1,415.02
1957	Above Normal	124.81	191.43	143.65	110.04	51.85	82.63	35.17	42.64	60.17	120.39	126.90	93.06	1,182.74
1958	Wet	125.41	164.85	128.15	88.58	132.26	146.75	77.02	90.93	153.76	165.70	148.35	112.51	1,534.27
1959	Below Normal	93.06	166.18	140.42	70.69	79.82	103.12	36.80	46.22	57.16	135.03	127.05	82.25	1,137.80
1960	Dry	110.12	97.48	121.57	110.98	63.78	65.95	27.74	55.65	52.52	120.49	80.86	97.42	1,004.56
1961	Dry	88.13	111.74	149.17	115.11	54.87	100.17	33.27	47.74	44.55	159.17	98.35	121.58	1,123.85
1962	Below Normal	71.76	108.01	88.88	113.21	90.22	118.36	38.49	45.95	61.84	137.87	129.06	104.78	1,108.43
1963	Wet	126.60	149.03	126.99	85.35	88.03	109.99	34.86	49.99	96.34	142.91	128.85	119.93	1,258.87
1964	Dry	66.29	179.10	165.54	123.15	86.89	71.77	28.03	42.80	40.88	136.32	106.14	72.16	1,119.07
1965	Wet	64.92	85.36	126.30	166.28	150.44	148.36	40.39	61.45	99.93	161.27	134.25	113.98	1,352.93
1966	Below Normal	120.97	180.38	154.76	136.04	117.38	84.42	34.53	46.37	63.17	140.87	129.44	106.44	1,314.77
1967	Wet	135.53	115.45	133.47	134.90	117.31	128.36	73.36	96.60	154.83	181.50	149.81	109.45	1,530.57
1968	Below Normal	105.16	122.36	141.12	111.70	64.35	103.24	36.29	48.28	58.11	138.02	126.65	82.35	1,137.63
1969	Wet	123.47	124.16	158.04	162.62	176.13	62.68	97.91	180.46	152.12	177.82	145.05	83.42	1,643.88
1970	Wet	114.34	81.03	140.90	167.21	154.89	105.08	33.45	50.48	71.75	130.21	132.67	116.26	1,298.27
1971	Wet	93.27	82.66	134.14	112.64	96.74	122.97	34.42	42.79	74.89	132.48	125.70	109.91	1,162.61
1972	Below Normal	109.34	82.02	158.36	114.81	49.17	57.50	30.68	44.51	59.31	139.69	127.45	96.78	1,069.62
1973	Above Normal	111.57	145.12	133.56	104.45	145.68	135.21	36.73	51.63	87.85	145.55	131.89	74.85	1,304.09
1974	Wet	74.47	147.37	157.74	167.31	125.72	150.74	45.52	59.39	118.03	160.56	128.64	113.86	1,449.35
1975	Wet	114.62	207.94	153.74	112.68	85.19	146.53	40.54	52.65	112.86	149.42	124.43	114.43	1,415.03
1976	Critical	126.32	152.38	154.55	121.26	142.33	100.35	31.76	32.99	17.74	51.05	26.37	32.47	989.57
1977	Critical	52.89	99.34	89.86	84.72	115.20	20.48	23.85	33.78	16.75	32.88	124.82	31.08	725.65
1978	Above Normal	42.53	40.20	85.02	94.70	159.17	173.38	64.59	86.31	150.18	175.39	150.22	114.25	1,335.94
1979	Below Normal	123.99	127.13	155.31	133.52	136.83	164.75	36.75	58.87	83.92	143.39	129.29	77.65	1,371.40
1980	Above Normal	164.69	106.68	162.40	180.12	113.44	54.45	45.94	65.56	135.56	161.56	144.15	78.54	1,413.09
1981	Dry	77.37	158.09	141.85	112.47	93.83	62.08	40.02	51.51	60.47	139.91	122.77	82.21	1,142.58
1982	Wet	119.02	132.00	126.95	132.78	155.89	147.15	110.66	115.58	151.94	168.19	146.20	114.11	1,620.47
1983	Wet	151.35	161.23	171.13	168.81	67.47	62.67	95.36	176.38	200.39	235.80	148.11	155.45	1,794.15
1984	Wet	174.70	86.98	49.62	68.08	75.38	62.19	38.04	50.77	90.98	147.51	134.16	119.27	1,097.68
1985	Dry	97.65	147.22	164.29	122.55	107.58	81.77	38.16	50.58	65.80	144.43	157.56	113.39	1,290.98
1986	Wet	124.85	150.53	148.51	71.04	162.14	154.17	59.24	69.03	117.44	148.51	135.81	31.51	1,372.78
1987	Dry	55.31	60.62	126.29	109.31	95.10	64.41	26.19	38.46	49.73	122.71	53.37	66.91	868.41
1988	Critical	115.70	101.93	105.94	81.41	21.49	16.39	26.99	30.60	14.95	73.43	135.93	37.92	762.68
1989	Dry	52.25	98.06	95.09	116.86	31.57	22.65	35.92	45.13	68.15	134.00	83.64	76.30	859.62
1990	Critical	62.03	84.96	98.31	105.86	66.10	21.43	22.11	32.18	13.75	78.84	85.73	35.10	706.40
1991	Critical	72.76	80.32	79.21	47.56	46.82	29.74	31.11	37.43	36.89	91.29	65.64	48.55	667.32
1992	Critical	73.82	79.71	74.15	52.73	50.28	71.59	26.65	39.42	37.96	114.58	138.14	25.06	784.09
1993	Above Normal	46.51	83.98	110.20	112.86	132.90	124.35	34.59	52.69	110.43	151.55	125.74	115.41	1,201.21
1994	Critical	124.53	149.11	166.12	106.87	96.08	59.90	35.18	55.67	49.13	157.27	98.81	72.23	1,170.90
1995	Wet	55.18	115.33	121.36	103.35	120.65	174.04	58.14	136.78	139.17	156.66	130.45	116.74	1,427.85
1996	Wet	86.95	86.77	127.72	93.71	142.09	178.27	43.32	48.08	102.67	137.25	106.90	113.56	1,267.29
1997	Wet	119.30	182.01	175.70	180.95	165.73	131.07	38.07	46.15	122.00	132.52	115.43	113.29	1,522.22
1998	Wet	75.34	105.39	152.90	104.09	152.15	174.43	62.29	69.82	143.25	159.80	131.75	114.49	1,445.70
1999	Wet	131.92	159.85	159.98	155.02	166.58	163.95	32.36	38.62	82.84	122.49	111.13	100.76	1,425.50
2000	Above Normal	74.79	159.83	144.13	78.99	154.95	157.73	32.60	38.03	87.61	91.70	112.48	115.02	1,247.86
2001	Dry	92.10	174.24	152.97	130.06	92.42	87.49	29.09	31.08	52.56	138.82	63.81	69.19	1,113.83
2002	Dry	106.05	102.77	148.11	101.32	80.99	72.14	28.57	33.05	57.42	111.76	130.39	100.08	1,072.65
2003	Above Normal	109.01	137.29	132.73	85.34	105.04	100.60	31.16	37.07	75.77	124.23	113.36	92.09	1,143.69
	Average	101.71	125.56	135.12	112.20	98.03	92.06	40.32	56.32	80.08	128.65	117.45	96.07	1,183.55
	Wet	107.01	136.09	139.71	127.09	128.65	129.54	55.17	80.69	120.76	156.63	134.32	110.78	1,426.44
	Above Normal	97.65	129.59	135.61	107.18	100.64	118.89	40.02	52.95	97.92	134.06	131.46	101.34	1,247.30
	Below Normal	109.51	133.13	141.68	107.21	80.66	87.85	35.90	48.00	69.49	131.59	113.62	106.66	1,165.29
	Dry	95.19	115.62	140.52	116.79	84.09	58.41	31.98	43.83	54.87	123.77	101.23	90.16	1,056.46
	Critical	94.96	104.84	108.96	83.93	70.22	39.39	26.09	35.28	24.22	66.50	95.67	55.45	805.50

Energy Use (GWh) At Pumping Plant at System Total: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	126.49	199.59	151.40	118.85	84.96	156.89	48.74	69.96	141.48	165.43	144.31	116.81	1,524.91
1923	Below Normal	128.35	201.29	145.92	129.11	125.02	82.68	37.59	48.30	95.27	141.35	110.71	116.82	1,362.41
1924	Critical	160.51	131.06	119.91	138.63	58.79	17.56	25.91	33.62	18.17	36.16	35.97	67.31	843.60
1925	Dry	82.38	42.03	134.86	120.95	77.97	83.12	39.14	56.29	98.78	145.79	156.08	80.70	1,118.09
1926	Dry	99.71	131.18	119.56	111.33	43.54	24.45	33.58	36.80	56.87	88.29	77.09	90.51	912.91
1927	Wet	89.66	145.58	131.75	87.80	134.80	118.09	37.54	52.72	89.27	148.24	135.33	113.12	1,283.90
1928	Above Normal	78.26	90.21	159.86	122.01	60.07	129.94	37.43	44.37	77.30	129.97	130.64	86.52	1,146.58
1929	Critical	73.73	96.53	151.26	112.01	97.37	65.54	21.56	30.19	21.32	55.48	134.43	64.18	923.60
1930	Dry	80.32	83.67	105.47	85.72	79.85	52.21	39.66	50.05	37.57	78.86	60.70	51.54	805.62
1931	Critical	90.51	99.20	110.45	119.78	109.21	22.55	23.04	33.19	21.21	33.26	36.57	66.67	765.64
1932	Dry	79.41	69.78	161.49	130.65	59.29	23.08	24.30	35.81	50.06	52.43	92.35	139.70	918.35
1933	Critical	103.96	102.02	122.93	22.95	24.39	30.80	21.90	31.17	20.44	35.11	158.80	119.31	793.78
1934	Critical	83.27	81.96	38.38	15.27	16.73	16.14	22.93	33.10	22.33	38.48	99.06	66.21	533.86
1935	Below Normal	40.40	91.96	148.05	111.30	20.05	32.55	28.36	42.88	77.29	95.72	63.98	108.17	860.71
1936	Below Normal	141.29	123.52	161.56	44.88	26.58	52.37	38.46	46.92	80.34	123.18	82.76	122.42	1,044.28
1937	Below Normal	140.96	119.26	153.53	107.79	30.62	38.38	49.28	50.83	42.67	101.65	75.69	144.83	1,055.49
1938	Wet	89.45	145.09	169.53	39.45	28.17	109.56	73.15	120.22	153.57	174.94	148.07	110.36	1,361.56
1939	Dry	121.87	66.42	137.94	111.80	106.41	38.62	26.15	40.76	33.60	130.96	72.15	92.07	978.75
1940	Above Normal	85.17	102.39	73.70	81.76	103.99	147.80	43.19	51.42	84.90	127.71	134.64	101.43	1,138.10
1941	Wet	82.51	104.52	135.65	141.34	155.04	149.37	53.58	72.06	123.03	158.24	137.04	114.84	1,427.22
1942	Wet	121.44	181.99	144.43	160.96	144.96	143.03	52.52	72.26	133.49	164.43	138.90	113.61	1,572.02
1943	Wet	121.13	193.00	133.57	160.66	136.59	171.70	50.24	58.18	123.22	159.95	144.23	113.92	1,566.39
1944	Dry	90.27	143.14	133.95	112.86	108.93	64.49	34.44	39.96	55.72	104.45	81.99	66.60	1,036.80
1945	Below Normal	82.79	136.86	131.32	125.21	121.94	160.56	39.80	55.24	77.22	152.42	137.17	116.61	1,337.14
1946	Below Normal	170.72	146.97	163.52	151.41	149.88	104.82	36.42	55.72	87.57	152.68	136.18	108.69	1,464.58
1947	Dry	170.97	147.12	162.21	142.99	108.42	28.53	30.80	44.64	59.97	139.89	110.59	98.98	1,245.11
1948	Below Normal	93.58	129.46	112.25	65.41	27.08	70.79	29.86	42.14	74.72	126.37	117.30	115.53	1,004.49
1949	Dry	146.46	132.96	147.38	115.50	105.99	43.58	30.32	49.34	68.98	148.90	165.60	113.72	1,268.73
1950	Below Normal	110.85	128.22	139.91	71.25	68.78	105.31	31.31	41.39	58.55	126.53	105.60	116.20	1,103.90
1951	Above Normal	152.57	148.56	177.89	130.20	33.55	62.86	38.18	55.00	89.27	123.48	138.72	118.50	1,268.78
1952	Wet	100.14	162.06	135.31	163.40	135.56	144.52	57.58	99.89	154.19	167.80	146.91	114.31	1,581.67
1953	Wet	96.92	231.53	154.26	89.22	106.10	114.05	35.42	46.29	65.48	139.42	128.50	114.91	1,322.10
1954	Above Normal	58.37	151.75	153.11	69.35	70.56	103.06	33.88	44.91	78.83	100.22	126.83	114.32	1,105.19
1955	Dry	89.12	142.09	157.11	128.76	116.67	65.24	30.11	41.31	37.85	134.59	99.01	86.30	1,128.16
1956	Wet	74.23	124.29	156.94	170.77	180.24	59.34	42.71	67.49	132.17	162.40	144.14	115.79	1,430.51
1957	Above Normal	125.02	191.21	143.94	110.84	52.69	83.15	35.64	43.65	61.45	122.80	128.46	93.35	1,192.20
1958	Wet	125.67	165.02	128.47	89.17	132.86	147.27	72.39	86.66	148.70	164.06	147.42	112.92	1,520.61
1959	Below Normal	93.56	209.28	140.46	70.77	80.09	102.97	37.09	46.84	57.97	136.15	127.26	84.43	1,186.87
1960	Dry	110.86	96.75	121.52	111.01	63.75	65.96	27.73	55.62	52.49	120.46	71.40	97.28	994.83
1961	Dry	87.76	111.76	149.14	115.12	54.88	100.18	33.26	47.73	44.53	159.61	97.83	121.53	1,123.33
1962	Below Normal	71.92	108.07	88.82	113.23	90.23	118.91	38.95	46.97	63.13	140.34	130.63	105.07	1,116.27
1963	Wet	126.88	149.20	127.33	85.95	86.73	110.57	35.27	50.89	97.82	145.15	130.29	120.26	1,266.34
1964	Dry	66.60	179.09	165.94	123.85	87.63	71.76	28.05	42.83	40.94	136.37	106.26	72.20	1,121.52
1965	Wet	64.92	85.36	126.31	162.74	138.89	148.63	40.66	62.11	100.68	163.08	131.86	114.36	1,339.60
1966	Below Normal	121.31	178.31	155.22	135.45	117.81	84.83	34.87	47.09	64.34	142.63	130.58	106.51	1,318.95
1967	Wet	135.71	115.58	133.73	135.37	114.42	128.98	68.74	93.98	155.07	175.52	150.67	112.42	1,520.19
1968	Below Normal	109.39	177.39	140.73	111.71	64.38	103.25	36.70	49.19	59.28	140.23	128.08	82.60	1,202.93
1969	Wet	123.68	124.07	158.28	145.33	193.94	100.15	81.34	201.26	152.30	178.00	145.20	91.47	1,695.02
1970	Wet	115.11	79.13	140.38	166.47	154.21	96.80	33.93	51.52	73.39	132.74	133.21	116.53	1,293.42
1971	Wet	94.16	81.74	134.56	113.32	97.42	123.40	34.66	43.34	75.59	133.63	126.68	110.25	1,168.75
1972	Below Normal	109.33	82.45	158.69	115.27	49.59	57.50	30.69	44.53	59.34	139.74	127.48	96.85	1,071.46
1973	Above Normal	111.58	145.13	133.56	104.45	145.67	135.76	37.19	52.63	89.15	148.04	133.53	89.24	1,325.93
1974	Wet	74.76	147.55	158.08	157.19	124.52	149.85	45.68	59.76	118.15	161.98	127.48	114.35	1,439.35
1975	Wet	115.11	204.48	154.28	113.65	86.25	147.08	41.08	53.81	114.89	152.07	126.12	114.71	1,423.53
1976	Critical	126.62	153.47	154.90	121.85	142.89	100.38	31.74	32.96	17.69	50.31	26.71	32.44	991.96
1977	Critical	53.31	99.29	89.81	84.80	115.01	20.48	23.85	33.78	16.75	32.88	122.33	31.07	723.36
1978	Above Normal	43.37	40.24	84.86	94.61	142.64	167.18	60.97	77.89	138.57	168.91	143.68	113.78	1,276.70
1979	Below Normal	123.16	214.16	155.13	131.22	134.27	158.13	35.92	57.27	81.44	137.33	127.83	78.98	1,434.84
1980	Above Normal	161.17	128.40	167.22	160.37	33.96	54.53	45.91	66.38	134.93	163.00	144.57	103.76	1,364.20
1981	Dry	79.92	166.74	154.81	115.31	95.66	63.07	40.05	51.97	61.85	142.34	122.49	82.06	1,176.27
1982	Wet	119.34	132.60	127.39	133.47	149.81	145.92	128.83	105.78	147.07	168.66	146.73	114.30	1,619.90
1983	Wet	129.26	158.68	161.92	272.89	132.39	137.39	151.28	196.33	201.27	236.55	148.08	166.95	2,092.99
1984	Wet	175.07	75.96	117.75	82.50	75.65	62.19	38.50	51.78	92.25	149.93	135.72	119.56	1,176.86
1985	Dry	97.95	147.39	164.63	123.15	108.22	82.12	38.46	51.23	66.84	145.98	158.56	113.57	1,298.10
1986	Wet	125.05	150.65	148.72	71.57	153.19	167.47	59.25	69.07	117.41	151.07	137.54	31.93	1,382.92
1987	Dry	55.69	62.69	126.02	109.84	95.66	64.36	26.17	38.41	48.64	124.12	56.91	66.72	875.23
1988	Critical	115.69	102.00	106.18	81.50	21.44	16.39	26.98	30.59	14.95	73.31	135.85	37.93	762.81
1989	Dry	52.37	97.66	95.07	116.78	31.53	22.68	35.89	45.08	68.07	133.85	83.70	73.82	856.50
1990	Critical	62.02	84.93	98.00	105.85	66.09	21.43	22.12	32.19	13.76	78.84	57.51	55.10	697.84
1991	Critical	71.08	80.09	79.32	47.22	46.57	29.76	31.12	37.44	36.93	91.29	66.43	48.57	665.82
1992	Critical	73.58	80.53	73.84	51.72	50.26	71.56	26.61	39.32	47.12	100.09	137.89	24.81	777.33
1993	Above Normal	46.37	84.01	110.21	112.91	132.82	122.03	34.96	53.51	112.06	153.68	126.83	115.70	1,205.09
1994	Critical	124.85	148.51	167.28	107.58	96.85	59.88	35.21	55.73	49.23	158.08	98.35	72.35	1,173.90
1995	Wet	55.26	115.29	121.42	103.07	112.81	160.40	54.16	81.25	136.39	157.14	131.25	115.67	1,344.11
1996	Wet	87.86	163.74	128.28	94.79	143.86	153.43	43.19	47.93	102.29	137.48	107.21	113.91	1,323.97
1997	Wet	113.41	181.43	172.27	181.35	166.61	132.74	38.64	47.10	124.04	133.16	115.74	113.57	1,520.06
1998	Wet	76.11	105.11	153.25	104.72	143.16	173.40	59.78	67.46	142.05	158.31	130.72	114.90	1,428.97
1999	Wet	132.12	159.95	160.24	155.56	167.37	163.95	32.99	39.66	84.60	125.17	112.86	101.09	1,435.56
2000	Above Normal	75.37	160.28	144.63	79.62	155.49	158.18	33.17	38.96	89.21	93.70	114.15	115.23	1,257.99
2001	Dry	92.20	174.03	155.13	130.66	93.07	87.49	29.12	31.13	52.65	138.79	63.37	69.22	1,116.86
2002	Dry	106.05	102.77	148.10	101.32	80.96	72.13	28.57	33.05	57.42	111.76	130.39	99.64	1,072.16
2003	Above Normal	109.01	137.27	132.70	85.34	105.03	100.79	31.33	37.36	76.26	125.06	113.78	92.08	1,146.01
	Average	101.52	130.08	136.52	112.85	97.41	93.66	40.70	55.19	80.53	129.25	117.14	97.28	1,192.13
	Wet	106.34	141.68	142.85	130.10	130.60	133.05	56.27	76.88	121.48	157.66	134.92	111.92	1,443.75
	Above Normal	97.73	131.59	136.09	105.86	93.45	118.51	40.05	53.00	97.78	135.17	131.68	105.06	1,245.97
	Below Normal	109.83	146.23	142.51	106.00	79.02	90.93	36.09	48.24	69.94	132.59	114.38	107.41	1,183.17
	Dry	95.00	116.52	141.13	117.09	84.36	58.50	31.99	44.00	55.16	124.30	100.36	89.79	1,058.18
	Critical	94.93	104.97	109.36	84.10	70.47	39.37	26.08	35.27	24.99	65.27	92.49	57.16	804.46

Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.51)	0.46	0.50	0.95	0.12	2.42	(2.24)	0.29	0.17
1923	Below Normal	0.30	0.39	0.36	(2.13)	(1.29)	0.62	0.38	0.83	1.07	2.13	1.08	0.29	0.34
1924	Critical	(0.07)	0.17	0.38	0.70	0.91	0.00	0.00	0.07	0.02	0.04	0.01	0.14	0.20
1925	Dry	0.15	(0.10)	(0.03)	0.00	0.00	0.08	0.12	0.29	0.44	0.68	0.57	0.13	0.19
1926	Dry	0.10	0.08	0.02	0.13	0.24	(0.01)	0.01	0.01	(0.07)	0.00	(0.28)	(0.03)	0.02
1927	Wet	0.03	0.01	0.01	0.04	0.05	0.54	0.47	1.01	1.29	2.42	1.56	0.29	0.64
1928	Above Normal	0.30	0.16	0.33	0.60	0.83	0.29	0.24	0.52	0.66	1.24	0.81	0.14	0.51
1929	Critical	0.15	0.04	0.15	0.32	0.33	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.08
1930	Dry	0.02	0.04	(0.02)	0.00	0.00	(0.05)	0.00	(0.01)	(0.04)	(0.05)	(0.03)	0.00	(0.01)
1931	Critical	0.02	0.05	(0.03)	0.01	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.04	0.01
1932	Dry	0.05	(0.13)	0.00	0.00	(0.26)	(0.92)	0.47	1.00	1.27	1.63	1.85	0.23	0.43
1933	Critical	0.26	0.14	3.35	0.82	0.81	0.03	0.03	0.05	0.07	0.07	0.07	0.17	0.49
1934	Critical	0.21	0.09	(0.27)	0.02	0.05	(0.22)	(0.12)	(0.16)	(0.12)	(0.24)	(7.85)	0.29	(0.69)
1935	Below Normal	(0.44)	(0.54)	(0.38)	6.20	(0.06)	0.54	0.49	1.04	1.31	1.90	1.18	0.31	0.96
1936	Below Normal	0.12	(0.06)	14.74	(15.30)	3.13	2.28	0.45	0.99	1.26	2.34	1.08	0.29	0.94
1937	Below Normal	0.33	0.27	0.27	(0.36)	(0.02)	17.95	(0.05)	(3.10)	0.90	1.73	1.28	0.02	1.60
1938	Wet	0.06	(0.80)	23.40	7.95	(0.04)	47.14	(13.87)	(72.71)	1.03	1.08	1.78	0.42	(0.38)
1939	Dry	1.31	1.41	(4.54)	(1.62)	(1.88)	0.70	(1.10)	(0.18)	(1.31)	1.62	(14.04)	(4.07)	(1.98)
1940	Above Normal	4.52	0.25	(0.86)	1.38	1.70	0.54	0.73	1.56	2.05	3.02	2.20	4.03	1.76
1941	Wet	0.36	6.94	0.80	(0.09)	(0.44)	(5.33)	0.40	0.96	1.86	2.43	(3.49)	(0.04)	0.36
1942	Wet	3.81	9.52	0.39	0.10	(2.51)	0.56	0.39	(0.15)	1.66	2.16	1.44	0.32	1.47
1943	Wet	0.30	(0.70)	0.37	(0.07)	(5.84)	(3.72)	0.68	0.93	12.06	2.23	1.43	0.33	0.67
1944	Dry	(9.49)	3.88	0.23	0.82	0.73	0.20	0.29	0.60	3.08	(0.70)	1.10	0.35	0.09
1945	Below Normal	0.16	(0.13)	0.08	0.15	(24.00)	21.52	0.28	0.63	0.78	1.82	1.12	0.34	0.23
1946	Below Normal	(0.37)	0.21	(1.16)	(3.36)	0.42	6.02	0.48	1.03	(1.23)	2.45	1.60	4.94	0.92
1947	Dry	0.26	0.14	0.34	0.68	0.62	0.17	0.18	0.38	0.50	0.85	2.26	(0.10)	0.52
1948	Below Normal	(0.01)	(0.27)	(2.55)	0.23	0.29	0.00	(0.01)	(0.01)	(0.03)	(0.12)	0.02	(0.01)	(0.21)
1949	Dry	(0.06)	(0.01)	(0.80)	(0.04)	(0.03)	0.01	(0.01)	(0.02)	(0.04)	(0.03)	(0.12)	0.00	(0.10)
1950	Below Normal	0.03	0.00	0.04	0.01	0.03	0.08	0.06	0.15	0.19	0.33	0.23	0.04	0.10
1951	Above Normal	0.05	0.03	(0.48)	(0.63)	5.09	0.71	0.46	1.01	1.27	1.65	1.56	0.28	0.92
1952	Wet	0.30	0.25	0.35	0.58	(0.28)	(30.25)	(4.61)	(3.78)	0.04	(0.04)	(0.35)	0.51	(3.11)
1953	Wet	(0.51)	73.73	3.43	(15.81)	0.70	2.09	(0.27)	(0.24)	(0.05)	1.02	0.48	1.33	5.49
1954	Above Normal	(1.90)	1.53	1.39	1.21	1.35	0.22	0.04	0.11	0.21	0.11	0.02	0.04	0.36
1955	Dry	(0.02)	1.32	0.25	0.22	1.02	0.11	(0.03)	(0.04)	(0.06)	0.00	(0.93)	(0.10)	0.15
1956	Wet	0.14	(1.22)	(6.31)	(8.07)	19.74	0.00	0.00	1.00	1.85	2.42	5.70	0.24	1.29
1957	Above Normal	0.21	(0.22)	0.29	0.80	0.84	0.52	0.47	1.01	1.28	2.41	1.56	0.29	0.79
1958	Wet	0.26	0.17	0.32	0.59	0.60	0.52	(4.63)	(4.27)	(5.06)	(1.64)	(0.93)	0.41	(1.14)
1959	Below Normal	0.50	43.10	0.04	0.08	0.27	(0.15)	0.29	0.62	0.81	1.12	0.21	2.18	4.09
1960	Dry	0.74	(0.73)	(0.05)	0.03	(0.03)	0.01	(0.01)	(0.03)	(0.03)	(0.03)	(9.46)	(0.14)	(0.81)
1961	Dry	(0.37)	0.02	(0.03)	0.01	0.01	0.01	(0.01)	(0.01)	(0.02)	0.44	(0.52)	(0.05)	(0.04)
1962	Below Normal	0.16	0.06	(0.06)	0.02	0.01	0.55	0.46	1.02	1.29	2.47	1.57	0.29	0.65
1963	Wet	0.28	0.17	0.34	0.60	(1.30)	0.58	0.41	0.90	1.48	2.24	1.44	0.33	0.62
1964	Dry	0.31	(0.01)	0.40	0.70	0.74	(0.01)	0.02	0.03	0.06	0.05	0.12	0.04	0.20
1965	Wet	0.00	0.00	0.01	(3.54)	(11.55)	0.27	0.27	0.66	0.75	1.81	(2.39)	0.38	(1.11)
1966	Below Normal	0.34	(2.07)	0.46	(0.59)	0.43	0.41	0.34	0.72	1.17	1.76	1.14	0.07	0.35
1967	Wet	0.18	0.13	0.26	0.47	(2.89)	0.62	(4.62)	(2.62)	0.24	(5.98)	0.86	2.97	(0.87)
1968	Below Normal	4.23	55.03	(0.39)	0.01	0.03	0.01	0.41	0.91	1.17	2.21	1.43	0.25	5.44
1969	Wet	0.21	(0.09)	0.24	(17.29)	17.81	37.47	(16.57)	20.80	0.18	0.18	0.15	8.05	4.26
1970	Wet	0.77	(1.90)	(0.52)	(0.74)	(0.68)	(8.28)	0.48	1.04	1.64	2.53	0.54	0.27	(0.40)
1971	Wet	0.89	(0.92)	0.42	0.68	0.68	0.43	0.24	0.55	0.70	1.15	0.98	0.34	0.51
1972	Below Normal	(0.01)	0.43	0.33	0.46	0.42	0.00	0.01	0.02	0.03	0.05	0.03	0.07	0.15
1973	Above Normal	0.01	0.01	0.00	0.00	(0.01)	0.55	0.46	1.00	1.30	2.49	1.64	14.39	1.82
1974	Wet	0.29	0.18	0.34	(10.12)	(1.20)	(0.89)	0.16	0.37	0.12	1.42	(1.16)	0.49	(0.83)
1975	Wet	0.49	(3.46)	0.54	0.97	1.06	0.55	0.54	1.16	2.03	2.65	1.69	0.28	0.71
1976	Critical	0.30	1.09	0.35	0.59	0.56	0.03	(0.02)	(0.03)	(0.05)	(0.74)	0.34	(0.03)	0.20
1977	Critical	0.42	(0.05)	(0.05)	0.08	(0.19)	0.00	0.00	0.00	0.00	0.00	(2.49)	(0.01)	(0.19)
1978	Above Normal	0.84	0.04	(0.16)	(0.09)	(16.53)	(6.20)	(3.62)	(8.42)	(11.61)	(6.48)	(6.54)	(0.47)	(4.94)
1979	Below Normal	(0.83)	87.03	(0.18)	(2.30)	(2.56)	(6.62)	(0.83)	(1.60)	(2.48)	(6.06)	(1.46)	1.33	5.29
1980	Above Normal	(3.52)	21.72	4.82	(19.75)	(79.48)	0.08	(0.03)	0.82	(0.63)	1.44	0.42	25.22	(4.07)
1981	Dry	2.55	8.65	12.96	2.84	1.83	0.99	0.03	0.46	1.38	2.43	(0.28)	(0.15)	2.81
1982	Wet	0.32	0.60	0.44	0.69	(6.08)	(1.23)	18.17	(9.80)	(4.87)	0.47	0.53	0.19	(0.05)
1983	Wet	(22.09)	(2.55)	(9.21)	104.08	64.92	74.72	55.92	19.95	0.88	0.75	(0.03)	11.50	24.90
1984	Wet	0.37	(11.02)	68.13	14.42	0.27	0.00	0.46	1.01	1.27	2.42	1.56	0.29	6.60
1985	Dry	0.30	0.17	0.34	0.60	0.64	0.35	0.30	0.65	1.04	1.55	1.00	0.18	0.59
1986	Wet	0.20	0.12	0.21	0.53	(8.95)	13.30	0.01	0.04	(0.03)	2.56	1.73	0.42	0.85
1987	Dry	0.38	2.07	(0.27)	0.53	0.56	(0.05)	(0.02)	(0.05)	(1.09)	1.41	3.54	(0.19)	0.57
1988	Critical	(0.01)	0.07	0.24	0.09	(0.05)	0.00	(0.01)	(0.01)	0.00	(0.12)	(0.08)	0.01	0.01
1989	Dry	0.12	(0.40)	(0.02)	(0.08)	(0.04)	0.03	(0.03)	(0.05)	(0.08)	(0.15)	0.06	(2.48)	(0.26)
1990	Critical	(0.01)	(0.03)	(0.31)	(0.01)	(0.01)	0.00	0.01	0.01	0.01	0.00	(28.22)	20.00	(0.71)
1991	Critical	(1.68)	(0.23)	0.11	(0.34)	(0.25)	0.02	0.01	0.01	0.04	0.00	0.79	0.02	(0.12)
1992	Critical	(0.24)	0.82	(0.31)	(1.01)	(0.02)	(0.03)	(0.04)	(0.10)	9.16	(14.49)	(0.25)	(0.25)	(0.56)
1993	Above Normal	(0.14)	0.03	0.01	0.05	(0.08)	(2.32)	0.37	0.82	1.63	2.13	1.09	0.29	0.32
1994	Critical	0.32	(0.60)	1.16	0.71	0.77	(0.02)	0.03	0.06	0.10	0.81	(0.46)	0.12	0.25
1995	Wet	0.08	(0.04)	0.06	(0.28)	(7.84)	(13.64)	(3.98)	(55.53)	(2.78)	0.48	0.80	(1.07)	(6.98)
1996	Wet	0.91	76.97	0.56	1.08	1.77	(24.84)	(0.13)	(0.15)	(0.38)	0.23	0.31	0.35	4.72
1997	Wet	(5.89)	(0.58)	(3.43)	0.40	0.88	1.67	0.57	0.95	2.04	0.64	0.31	0.28	(0.18)
1998	Wet	0.77	(0.28)	0.35	0.63	(8.99)	(1.03)	(2.51)	(2.36)	(1.20)	(1.49)	(1.03)	0.41	(1.39)
1999	Wet	0.20	0.10	0.26	0.54	0.79	0.00	0.63	1.04	1.76	2.68	1.73	0.33	0.84
2000	Above Normal	0.58	0.45	0.50	0.63	0.54	0.45	0.57	0.93	1.60	2.00	1.67	0.21	0.84
2001	Dry	0.10	(0.21)	2.16	0.60	0.65	0.00	0.03	0.05	0.09	(0.03)	(0.44)	0.03	0.25
2002	Dry	0.00	0.00	(0.01)	0.00	(0.03)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.44)	(0.04)
2003	Above Normal	0.00	(0.02)	(0.03)	0.00	(0.01)	0.19	0.17	0.29	0.49	0.83	0.42	(0.01)	0.19
	Average	(0.19)	4.52	1.40	0.65	(0.62)	1.60	0.39	(1.13)	0.46	0.60	(0.30)	1.20	0.71
	Wet	(0.66)	5.59	3.14	3.01	1.95	3.51	1.10	(3.82)	0.71	1.03	0.60	1.14	1.44
	Above Normal	0.08	2.00	0.48	(1.32)	(7.19)	(0.38)	0.03	0.05	(0.14)	1.11	0.22	3.73	(0.11)
	Below Normal	0.32	13.10	0.83	(1.21)	(1.64)	3.09	0.20	0.23	0.45	1.01	0.75	0.74	1.49
	Dry	(0.20)	0.90	0.61	0.30	0.26	0.09	0.01	0.17	0.28	0.54	(0.87)	(0.38)	0.14
	Critical	(0.03)	0.13	0.40	0.16	0.25	(0.02)	(0.01)	(0.01)	0.77	(1.22)	(3.18)	1.71	(0.09)

Percent Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-1%	0%	1%	1%	0%	1%	-2%	0%
1923	Below Normal	0%	0%	0%	-2%	-1%	1%	1%	2%	1%	2%	1%	0%
1924	Critical	0%	0%	0%	1%	2%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	1%	2%	1%	2%	1%	0%
1928	Above Normal	0%	0%	0%	0%	1%	0%	1%	1%	1%	1%	1%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-4%	2%	3%	3%	3%	2%	0%
1933	Critical	0%	0%	3%	4%	3%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-1%	0%	0%	-1%	-1%	0%	-1%	-1%	-7%	0%
1935	Below Normal	-1%	-1%	0%	6%	0%	2%	2%	2%	2%	2%	2%	0%
1936	Below Normal	0%	0%	10%	-25%	13%	5%	1%	2%	2%	2%	1%	0%
1937	Below Normal	0%	0%	0%	0%	0%	88%	0%	-6%	2%	2%	2%	0%
1938	Wet	0%	-1%	16%	25%	0%	76%	-16%	-38%	1%	1%	1%	0%
1939	Dry	1%	2%	-3%	-1%	-2%	2%	-4%	0%	-4%	1%	-16%	-4%
1940	Above Normal	6%	0%	-1%	2%	2%	0%	2%	3%	2%	2%	2%	4%
1941	Wet	0%	7%	1%	0%	0%	-3%	1%	1%	2%	2%	-2%	0%
1942	Wet	3%	6%	0%	0%	-2%	0%	1%	0%	1%	1%	1%	0%
1943	Wet	0%	0%	0%	0%	-4%	-2%	1%	2%	11%	1%	1%	0%
1944	Dry	-10%	3%	0%	1%	1%	0%	1%	2%	6%	-1%	1%	1%
1945	Below Normal	0%	0%	0%	0%	-16%	15%	1%	1%	1%	1%	1%	0%
1946	Below Normal	0%	0%	-1%	-2%	0%	6%	1%	2%	-1%	2%	1%	5%
1947	Dry	0%	0%	0%	0%	1%	1%	1%	1%	1%	1%	2%	0%
1948	Below Normal	0%	0%	-2%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	18%	1%	1%	2%	1%	1%	1%	0%
1952	Wet	0%	0%	0%	0%	0%	-17%	-7%	-4%	0%	0%	0%	0%
1953	Wet	-1%	47%	2%	-15%	1%	2%	-1%	-1%	0%	1%	0%	1%
1954	Above Normal	-3%	1%	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	1%	0%	0%	1%	0%	0%	0%	0%	0%	-1%	0%
1956	Wet	0%	-1%	-4%	-5%	12%	0%	0%	2%	1%	2%	4%	0%
1957	Above Normal	0%	0%	0%	1%	2%	1%	1%	2%	2%	2%	1%	0%
1958	Wet	0%	0%	0%	1%	0%	0%	-6%	-5%	-3%	-1%	-1%	0%
1959	Below Normal	1%	26%	0%	0%	0%	0%	1%	1%	1%	1%	0%	3%
1960	Dry	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-12%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	1%	2%	2%	2%	1%	0%
1963	Wet	0%	0%	0%	1%	-1%	1%	1%	2%	2%	2%	1%	0%
1964	Dry	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-2%	-8%	0%	1%	1%	1%	1%	-2%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	0%	1%	2%	2%	1%	1%	0%
1967	Wet	0%	0%	0%	0%	-2%	0%	-6%	-3%	0%	-3%	1%	3%
1968	Below Normal	4%	45%	0%	0%	0%	0%	1%	2%	2%	2%	1%	0%
1969	Wet	0%	0%	0%	-11%	10%	60%	-17%	12%	0%	0%	0%	10%
1970	Wet	1%	-2%	0%	0%	0%	-8%	1%	2%	2%	2%	0%	0%
1971	Wet	1%	-1%	0%	1%	1%	0%	1%	1%	1%	1%	1%	0%
1972	Below Normal	0%	1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	1%	2%	1%	2%	1%	19%
1974	Wet	0%	0%	0%	-6%	-1%	-1%	0%	1%	0%	1%	-1%	0%
1975	Wet	0%	-2%	0%	1%	1%	0%	1%	2%	2%	2%	1%	0%
1976	Critical	0%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	1%	0%
1977	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1978	Above Normal	2%	0%	0%	0%	-10%	-4%	-6%	-10%	-8%	-4%	-4%	0%
1979	Below Normal	-1%	68%	0%	-2%	-2%	-4%	-2%	-3%	-3%	-4%	-1%	2%
1980	Above Normal	-2%	20%	3%	-11%	-70%	0%	0%	1%	0%	1%	0%	32%
1981	Dry	3%	5%	9%	3%	2%	2%	0%	1%	2%	2%	0%	0%
1982	Wet	0%	0%	0%	1%	-4%	-1%	16%	-8%	-3%	0%	0%	0%
1983	Wet	-15%	-2%	-5%	62%	96%	119%	59%	11%	0%	0%	0%	7%
1984	Wet	0%	-13%	137%	21%	0%	0%	1%	2%	1%	2%	1%	0%
1985	Dry	0%	0%	0%	0%	1%	0%	1%	1%	2%	1%	1%	0%
1986	Wet	0%	0%	0%	1%	-6%	9%	0%	0%	0%	2%	1%	1%
1987	Dry	1%	3%	0%	0%	1%	0%	0%	0%	-2%	1%	7%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-33%	57%
1991	Critical	-2%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	1%	0%
1992	Critical	0%	1%	0%	-2%	0%	0%	0%	0%	24%	-13%	0%	-1%
1993	Above Normal	0%	0%	0%	0%	0%	-2%	1%	2%	1%	1%	1%	0%
1994	Critical	0%	0%	1%	1%	1%	0%	0%	0%	0%	1%	0%	0%
1995	Wet	0%	0%	0%	0%	-6%	-8%	-7%	-41%	-2%	0%	1%	-1%
1996	Wet	1%	89%	0%	1%	1%	-14%	0%	0%	0%	0%	0%	0%
1997	Wet	-5%	0%	-2%	0%	1%	1%	1%	2%	2%	0%	0%	0%
1998	Wet	1%	0%	0%	1%	-6%	-1%	-4%	-3%	-1%	-1%	-1%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	2%	3%	2%	2%	2%	0%
2000	Above Normal	1%	0%	0%	1%	0%	0%	2%	2%	2%	2%	1%	0%
2001	Dry	0%	0%	1%	0%	1%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	0%	0%
	Average	0%	4%	2%	1%	0%	4%	0%	0%	1%	0%	0%	2%
	Wet	0%	5%	6%	3%	3%	8%	1%	-2%	1%	1%	0%	1%
	Above Normal	0%	2%	0%	0%	-5%	0%	0%	1%	0%	1%	0%	5%
	Below Normal	0%	10%	1%	-2%	0%	8%	1%	1%	1%	1%	1%	1%
	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	2%	-1%	-3%	5%

Energy Use (GWh) At Pumping Plant at Tehama Other: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.24	0.00	0.00	0.00	0.00	0.01	0.73	2.05	2.75	2.91	2.34	0.52	11.55
1923	Below Normal	0.19	0.00	0.00	0.00	0.00	0.16	0.63	0.86	1.54	1.74	1.40	0.00	6.52
1924	Critical	0.32	0.01	0.00	0.00	0.00	0.08	0.24	0.41	0.57	0.77	1.10	0.21	3.71
1925	Dry	0.14	0.00	0.00	0.00	0.00	0.00	0.26	0.48	1.65	2.02	1.62	0.08	6.25
1926	Dry	0.41	0.00	0.00	0.00	0.00	0.02	0.06	0.34	0.82	0.59	0.46	0.21	2.91
1927	Wet	0.17	0.00	0.00	0.00	0.00	0.01	1.24	2.12	2.43	3.07	2.47	0.57	12.08
1928	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.40	0.68	1.65	1.59	1.28	0.05	5.81
1929	Critical	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34
1930	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.11	0.00	0.80	0.56	0.45	0.17	2.27
1931	Critical	0.20	0.04	0.00	0.00	0.00	0.10	0.26	0.40	0.57	0.80	1.13	0.17	3.67
1932	Dry	0.17	0.04	0.00	0.00	0.00	0.01	0.33	0.52	0.76	1.01	1.30	0.24	4.38
1933	Critical	0.21	0.05	0.00	0.00	0.00	0.06	0.18	0.32	0.48	0.67	1.02	0.21	3.20
1934	Critical	0.15	0.04	0.00	0.00	0.00	0.00	0.23	0.44	0.62	0.83	1.16	0.20	3.67
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.95	0.84	0.68	0.00	2.54
1936	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.35	0.37	0.92	1.25	1.00	0.00	4.09
1937	Below Normal	0.30	0.01	0.00	0.00	0.00	0.00	0.00	0.34	0.86	1.05	0.84	0.01	3.41
1938	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.01	1.48	3.06	3.24	2.61	0.44	11.03
1939	Dry	0.33	0.01	0.00	0.00	0.19	0.23	0.61	0.53	0.95	0.74	0.60	0.21	4.40
1940	Above Normal	0.21	0.01	0.00	0.00	0.00	0.00	0.71	1.15	2.82	3.05	2.45	0.54	10.94
1941	Wet	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.90	2.82	3.30	2.65	0.65	10.54
1942	Wet	0.21	0.00	0.00	0.00	0.00	0.00	0.00	1.19	3.04	3.29	2.65	0.62	11.00
1943	Wet	0.51	0.00	0.00	0.00	0.00	0.00	0.61	1.60	2.29	2.43	1.97	0.35	9.76
1944	Dry	0.42	0.01	0.00	0.00	0.00	0.01	0.25	0.01	0.79	0.68	0.54	0.24	2.95
1945	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.19	1.60	2.08	1.67	0.23	6.98
1946	Below Normal	0.15	0.00	0.00	0.00	0.00	0.04	0.80	1.78	2.34	2.39	1.95	0.82	10.27
1947	Dry	0.43	0.00	0.00	0.00	0.00	0.00	0.59	0.85	0.97	1.25	0.99	0.44	5.52
1948	Below Normal	0.15	0.00	0.00	0.00	0.03	0.02	0.12	1.00	2.15	3.21	2.58	0.52	9.78
1949	Dry	0.32	0.06	0.00	0.00	0.00	0.00	0.00	0.89	2.17	2.12	1.70	0.23	7.49
1950	Below Normal	0.44	0.00	0.00	0.00	0.00	0.01	0.46	0.26	0.88	0.86	0.69	0.00	3.60
1951	Above Normal	0.15	0.00	0.00	0.00	0.00	0.05	0.68	1.23	2.68	2.84	2.29	0.49	10.41
1952	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.12	1.69	2.46	3.05	2.48	0.57	10.52
1953	Wet	0.55	0.00	0.00	0.00	0.00	0.09	0.25	2.01	2.68	3.07	2.21	0.57	11.43
1954	Above Normal	0.45	0.00	0.00	0.00	0.00	0.00	0.01	1.92	2.95	3.13	2.29	0.59	11.34
1955	Dry	0.51	0.00	0.00	0.00	0.00	0.07	0.42	0.31	1.14	0.96	0.77	0.29	4.47
1956	Wet	0.24	0.00	0.00	0.00	0.00	0.11	0.50	1.80	2.55	3.07	2.47	0.43	11.17
1957	Above Normal	0.34	0.07	0.00	0.00	0.00	0.14	0.30	1.36	2.09	2.16	1.74	0.33	8.53
1958	Wet	0.14	0.01	0.00	0.00	0.00	0.00	0.00	1.01	2.78	3.18	2.61	0.62	10.35
1959	Below Normal	0.53	0.07	0.00	0.00	0.00	0.05	0.35	1.08	1.96	1.88	1.47	0.30	7.69
1960	Dry	0.40	0.06	0.00	0.00	0.00	0.00	0.41	0.19	1.11	0.92	0.74	0.00	3.83
1961	Dry	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.70	1.41	1.62	1.27	0.00	5.26
1962	Below Normal	0.34	0.04	0.00	0.00	0.00	0.00	0.22	1.28	1.96	2.34	1.88	0.29	8.35
1963	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.18	2.93	3.30	2.65	0.63	10.83
1964	Dry	0.24	0.00	0.00	0.00	0.00	0.10	0.71	0.78	0.82	1.00	0.80	0.30	4.75
1965	Wet	0.17	0.00	0.00	0.00	0.00	0.08	0.00	1.27	2.24	2.40	1.63	0.34	8.13
1966	Below Normal	0.47	0.00	0.00	0.00	0.00	0.06	1.42	1.44	2.38	2.37	1.91	0.32	10.37
1967	Wet	0.47	0.00	0.00	0.00	0.00	0.00	0.01	1.41	2.15	3.29	2.64	0.63	10.60
1968	Below Normal	0.53	0.04	0.00	0.00	0.00	0.00	0.03	1.00	1.60	2.05	1.47	0.22	6.94
1969	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.29	1.78	2.60	3.01	2.42	0.54	10.93
1970	Wet	0.31	0.00	0.00	0.00	0.00	0.00	0.11	1.07	1.68	1.96	1.57	0.18	6.88
1971	Wet	0.28	0.00	0.00	0.00	0.00	0.11	0.87	1.51	2.35	2.50	2.00	0.37	9.99
1972	Below Normal	0.44	0.00	0.00	0.00	0.01	0.45	0.17	0.63	1.38	1.37	1.10	0.00	5.55
1973	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.98	1.64	2.88	2.94	2.36	0.49	11.44
1974	Wet	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.73	2.95	2.79	2.61	0.63	10.92
1975	Wet	0.29	0.01	0.00	0.00	0.00	0.00	0.01	2.12	2.96	3.03	2.46	0.58	11.46
1976	Critical	0.17	0.01	0.00	0.00	0.18	0.10	0.12	0.15	0.43	0.19	0.14	0.06	1.55
1977	Critical	0.17	0.00	0.00	0.00	0.01	0.10	0.24	0.34	0.54	0.73	1.08	0.24	3.45
1978	Above Normal	0.16	0.04	0.00	0.00	0.00	0.00	0.03	1.87	3.06	3.25	2.61	0.39	11.41
1979	Below Normal	0.59	0.00	0.00	0.00	0.00	0.00	0.49	0.69	1.69	1.58	1.27	0.01	6.32
1980	Above Normal	0.18	0.00	0.00	0.00	0.00	0.00	0.01	1.17	2.10	2.48	2.02	0.37	8.33
1981	Dry	0.45	0.02	0.00	0.00	0.00	0.00	0.01	0.99	2.29	2.27	1.82	0.21	8.06
1982	Wet	0.16	0.00	0.00	0.00	0.00	0.00	0.01	1.47	2.52	3.30	2.65	0.16	10.27
1983	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.77	3.30	2.57	0.54	10.59
1984	Wet	0.45	0.00	0.00	0.00	0.00	0.08	0.77	1.61	2.48	2.56	1.93	0.38	10.26
1985	Dry	0.24	0.00	0.00	0.00	0.00	0.00	0.21	1.59	2.21	2.19	1.74	0.54	8.72
1986	Wet	0.38	0.00	0.00	0.00	0.00	0.00	0.48	0.89	1.91	1.94	1.56	0.03	7.19
1987	Dry	0.39	0.01	0.00	0.00	0.00	0.00	0.34	0.47	0.84	0.61	0.49	0.21	3.36
1988	Critical	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.28
1989	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.45	0.36	0.93	0.98	0.78	0.24	3.92
1990	Critical	0.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.51
1991	Critical	0.14	0.04	0.00	0.00	0.00	0.00	0.19	0.52	0.76	1.01	1.30	0.16	4.12
1992	Critical	0.20	0.05	0.00	0.00	0.00	0.00	0.27	0.32	0.92	1.24	1.49	0.24	4.73
1993	Above Normal	0.15	0.05	0.00	0.00	0.00	0.00	0.22	1.46	2.25	3.14	2.53	0.60	10.40
1994	Critical	0.39	0.04	0.00	0.00	0.00	0.05	0.56	1.24	2.01	2.41	2.42	0.64	9.76
1995	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.03	1.07	2.50	3.26	2.62	0.64	10.41
1996	Wet	0.59	0.07	0.00	0.00	0.00	0.00	0.72	0.86	2.90	3.30	2.65	0.62	11.71
1997	Wet	0.22	0.04	0.00	0.00	0.00	0.11	0.66	1.61	1.89	2.18	1.63	0.21	8.55
1998	Wet	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.23	2.60	3.30	2.65	0.52	9.66
1999	Wet	0.33	0.04	0.00	0.00	0.00	0.00	0.24	1.63	2.45	3.07	2.46	0.57	10.79
2000	Above Normal	0.50	0.04	0.00	0.00	0.00	0.00	0.01	1.49	2.60	3.30	2.65	0.54	11.13
2001	Dry	0.15	0.05	0.00	0.00	0.00	0.00	0.40	0.31	1.01	1.02	0.82	0.00	3.76
2002	Dry	0.22	0.04	0.00	0.00	0.00	0.09	0.68	1.39	2.08	2.15	1.73	0.25	8.63
2003	Above Normal	0.44	0.04	0.00	0.00	0.00	0.00	0.25	1.06	2.95	3.29	2.28	0.65	10.96
	Average	0.28	0.02	0.00	0.00	0.01	0.03	0.30	0.98	1.82	2.03	1.67	0.33	7.46
	Wet	0.29	0.01	0.00	0.00	0.00	0.02	0.27	1.40	2.54	2.93	2.34	0.48	10.27
	Above Normal	0.26	0.02	0.00	0.00	0.00	0.02	0.36	1.42	2.57	2.84	2.24	0.46	10.19
	Below Normal	0.32	0.01	0.00	0.00	0.00	0.06	0.36	0.86	1.59	1.79	1.42	0.19	6.60
	Dry	0.30	0.02	0.00	0.00	0.01	0.03	0.32	0.60	1.26	1.26	1.03	0.21	5.05
	Critical	0.22	0.03	0.00	0.00	0.02	0.04	0.19	0.35	0.61	0.72	0.90	0.18	3.25

Energy Use (GWh) At Pumping Plant at Tehama Other: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.24	0.00	0.00	0.00	0.00	0.01	0.73	2.05	2.75	2.91	2.34	0.52	11.55
1923	Below Normal	0.19	0.00	0.00	0.00	0.00	0.16	0.63	0.85	1.53	1.73	1.39	0.00	6.48
1924	Critical	0.31	0.01	0.00	0.00	0.00	0.08	0.24	0.41	0.57	0.77	1.10	0.21	3.70
1925	Dry	0.14	0.00	0.00	0.00	0.00	0.00	0.26	0.47	1.64	2.02	1.62	0.08	6.23
1926	Dry	0.41	0.00	0.00	0.00	0.00	0.02	0.06	0.34	0.81	0.58	0.46	0.20	2.88
1927	Wet	0.17	0.00	0.00	0.00	0.00	0.01	1.24	2.12	2.43	3.07	2.47	0.57	12.08
1928	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.40	0.68	1.64	1.59	1.28	0.05	5.80
1929	Critical	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34
1930	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.11	0.00	0.80	0.56	0.45	0.17	2.27
1931	Critical	0.20	0.04	0.00	0.00	0.00	0.10	0.26	0.40	0.57	0.80	1.13	0.17	3.67
1932	Dry	0.17	0.04	0.00	0.00	0.00	0.01	0.33	0.52	0.76	1.01	1.30	0.24	4.38
1933	Critical	0.21	0.05	0.00	0.00	0.00	0.06	0.18	0.32	0.48	0.67	1.02	0.21	3.20
1934	Critical	0.15	0.04	0.00	0.00	0.00	0.00	0.23	0.43	0.61	0.83	1.15	0.19	3.63
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.95	0.84	0.68	0.00	2.54
1936	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.35	0.36	0.91	1.25	1.00	0.00	4.07
1937	Below Normal	0.30	0.01	0.00	0.00	0.00	0.00	0.00	0.34	0.85	1.05	0.84	0.01	3.40
1938	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.01	1.48	3.06	3.24	2.61	0.44	11.03
1939	Dry	0.33	0.01	0.00	0.00	0.19	0.21	0.52	0.43	0.83	0.60	0.48	0.17	3.77
1940	Above Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.72	1.18	2.87	3.10	2.49	0.56	11.12
1941	Wet	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.90	2.82	3.30	2.65	0.65	10.54
1942	Wet	0.21	0.00	0.00	0.00	0.00	0.00	0.00	1.19	3.04	3.29	2.65	0.62	11.00
1943	Wet	0.51	0.00	0.00	0.00	0.00	0.00	0.61	1.59	2.27	2.42	1.95	0.35	9.70
1944	Dry	0.41	0.01	0.00	0.00	0.00	0.01	0.26	0.02	0.80	0.69	0.55	0.24	2.99
1945	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.18	1.59	2.06	1.65	0.22	6.91
1946	Below Normal	0.15	0.00	0.00	0.00	0.00	0.04	0.80	1.78	2.34	2.39	1.95	0.82	10.27
1947	Dry	0.43	0.00	0.00	0.00	0.00	0.00	0.59	0.86	0.98	1.26	1.00	0.44	5.56
1948	Below Normal	0.15	0.00	0.00	0.00	0.03	0.02	0.12	1.00	2.14	3.21	2.58	0.52	9.77
1949	Dry	0.32	0.06	0.00	0.00	0.00	0.00	0.00	0.89	2.17	2.12	1.70	0.23	7.49
1950	Below Normal	0.44	0.00	0.00	0.00	0.00	0.01	0.46	0.26	0.88	0.86	0.69	0.00	3.60
1951	Above Normal	0.15	0.00	0.00	0.00	0.00	0.05	0.68	1.23	2.68	2.85	2.29	0.49	10.42
1952	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.12	1.69	2.46	3.05	2.48	0.57	10.52
1953	Wet	0.55	0.00	0.00	0.00	0.00	0.09	0.24	2.01	2.68	3.07	2.21	0.57	11.42
1954	Above Normal	0.45	0.00	0.00	0.00	0.00	0.00	0.01	1.93	2.95	3.14	2.29	0.59	11.36
1955	Dry	0.51	0.00	0.00	0.00	0.00	0.07	0.42	0.31	1.13	0.96	0.77	0.29	4.46
1956	Wet	0.24	0.00	0.00	0.00	0.00	0.11	0.50	1.80	2.55	3.07	2.47	0.43	11.17
1957	Above Normal	0.34	0.07	0.00	0.00	0.00	0.14	0.30	1.36	2.09	2.16	1.74	0.33	8.53
1958	Wet	0.14	0.01	0.00	0.00	0.00	0.00	0.00	1.01	2.78	3.18	2.61	0.62	10.35
1959	Below Normal	0.53	0.07	0.00	0.00	0.00	0.05	0.36	1.09	1.97	1.90	1.48	0.31	7.76
1960	Dry	0.41	0.06	0.00	0.00	0.00	0.00	0.40	0.18	1.11	0.92	0.74	0.00	3.82
1961	Dry	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.69	1.40	1.61	1.27	0.00	5.22
1962	Below Normal	0.34	0.04	0.00	0.00	0.00	0.00	0.22	1.27	1.96	2.34	1.88	0.29	8.34
1963	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.18	2.93	3.30	2.65	0.63	10.83
1964	Dry	0.24	0.00	0.00	0.00	0.00	0.10	0.71	0.78	0.82	1.00	0.80	0.31	4.76
1965	Wet	0.17	0.00	0.00	0.00	0.00	0.07	0.00	1.24	2.20	2.36	1.60	0.32	7.96
1966	Below Normal	0.46	0.00	0.00	0.00	0.00	0.06	1.43	1.44	2.39	2.38	1.92	0.32	10.40
1967	Wet	0.47	0.00	0.00	0.00	0.00	0.00	0.01	1.41	2.15	3.29	2.64	0.63	10.60
1968	Below Normal	0.53	0.04	0.00	0.00	0.00	0.00	0.03	1.00	1.60	2.05	1.47	0.22	6.94
1969	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.29	1.78	2.60	3.01	2.42	0.54	10.93
1970	Wet	0.31	0.00	0.00	0.00	0.00	0.00	0.11	1.07	1.68	1.96	1.57	0.18	6.88
1971	Wet	0.28	0.00	0.00	0.00	0.00	0.11	0.86	1.51	2.34	2.49	2.00	0.37	9.96
1972	Below Normal	0.44	0.00	0.00	0.00	0.01	0.45	0.17	0.63	1.38	1.37	1.10	0.00	5.55
1973	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.98	1.64	2.88	2.94	2.36	0.49	11.44
1974	Wet	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.73	2.95	2.79	2.61	0.63	10.92
1975	Wet	0.29	0.01	0.00	0.00	0.00	0.00	0.01	2.12	2.96	3.03	2.46	0.58	11.46
1976	Critical	0.17	0.01	0.00	0.00	0.18	0.09	0.12	0.15	0.43	0.19	0.14	0.06	1.54
1977	Critical	0.17	0.00	0.00	0.00	0.01	0.10	0.24	0.34	0.54	0.73	1.08	0.24	3.45
1978	Above Normal	0.16	0.04	0.00	0.00	0.00	0.00	0.03	1.87	3.06	3.25	2.61	0.39	11.41
1979	Below Normal	0.59	0.00	0.00	0.00	0.00	0.00	0.41	0.52	1.47	1.33	1.07	0.00	5.39
1980	Above Normal	0.17	0.00	0.00	0.00	0.00	0.00	0.01	1.18	2.10	2.48	2.02	0.37	8.33
1981	Dry	0.45	0.02	0.00	0.00	0.00	0.00	0.01	0.96	2.25	2.22	1.78	0.20	7.89
1982	Wet	0.16	0.00	0.00	0.00	0.00	0.00	0.01	1.47	2.52	3.30	2.65	0.16	10.27
1983	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.77	3.30	2.57	0.54	10.59
1984	Wet	0.45	0.00	0.00	0.00	0.00	0.08	0.77	1.61	2.48	2.56	1.93	0.38	10.26
1985	Dry	0.24	0.00	0.00	0.00	0.00	0.00	0.21	1.59	2.21	2.19	1.74	0.54	8.72
1986	Wet	0.38	0.00	0.00	0.00	0.00	0.00	0.48	0.89	1.91	1.94	1.56	0.03	7.19
1987	Dry	0.39	0.01	0.00	0.00	0.00	0.00	0.33	0.46	0.83	0.60	0.48	0.21	3.31
1988	Critical	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.28
1989	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.45	0.36	0.93	0.97	0.78	0.24	3.91
1990	Critical	0.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.51
1991	Critical	0.14	0.04	0.00	0.00	0.00	0.00	0.19	0.52	0.76	1.01	1.30	0.16	4.12
1992	Critical	0.20	0.05	0.00	0.00	0.00	0.00	0.26	0.31	0.91	1.23	1.48	0.24	4.68
1993	Above Normal	0.15	0.05	0.00	0.00	0.00	0.00	0.20	1.44	2.21	3.09	2.48	0.58	10.20
1994	Critical	0.38	0.04	0.00	0.00	0.00	0.05	0.56	1.24	2.00	2.40	2.42	0.64	9.73
1995	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.03	1.07	2.50	3.26	2.62	0.64	10.41
1996	Wet	0.59	0.07	0.00	0.00	0.00	0.00	0.72	0.86	2.90	3.30	2.65	0.62	11.71
1997	Wet	0.22	0.04	0.00	0.00	0.00	0.11	0.66	1.61	1.89	2.18	1.63	0.21	8.55
1998	Wet	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.23	2.60	3.30	2.65	0.52	9.66
1999	Wet	0.33	0.04	0.00	0.00	0.00	0.00	0.24	1.63	2.45	3.07	2.46	0.57	10.79
2000	Above Normal	0.50	0.04	0.00	0.00	0.00	0.00	0.01	1.49	2.60	3.30	2.65	0.54	11.13
2001	Dry	0.15	0.05	0.00	0.00	0.00	0.00	0.40	0.31	1.01	1.02	0.82	0.00	3.76
2002	Dry	0.22	0.04	0.00	0.00	0.00	0.09	0.68	1.39	2.08	2.15	1.73	0.25	8.63
2003	Above Normal	0.44	0.04	0.00	0.00	0.00	0.00	0.25	1.06	2.95	3.29	2.28	0.65	10.96
	Average	0.28	0.02	0.00	0.00	0.01	0.03	0.30	0.98	1.81	2.03	1.67	0.32	7.43
	Wet	0.29	0.01	0.00	0.00	0.00	0.02	0.27	1.40	2.54	2.93	2.34	0.48	10.26
	Above Normal	0.26	0.02	0.00	0.00	0.00	0.02	0.36	1.43	2.57	2.84	2.24	0.46	10.19
	Below Normal	0.32	0.01	0.00	0.00	0.00	0.06	0.36	0.84	1.57	1.77	1.41	0.19	6.53
	Dry	0.30	0.02	0.00	0.00	0.01	0.03	0.32	0.59	1.25	1.25	1.03	0.21	5.00
	Critical	0.22	0.03	0.00	0.00	0.02	0.04	0.19	0.34	0.60	0.72	0.90	0.18	3.24

Difference in Energy Use (GWh) At Pumping Plant at Tehama Other: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1924	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.09)	(0.10)	(0.12)	(0.14)	(0.12)	(0.04)	(0.05)
1940	Above Normal	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.01	0.03	0.05	0.05	0.04	0.02	0.02
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.02)	0.00	(0.01)
1944	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.01	0.01	0.01
1960	Dry	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00
1961	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.03)	(0.04)	(0.04)	(0.03)	(0.02)	(0.01)
1966	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.17)	(0.22)	(0.25)	(0.20)	(0.01)	(0.08)
1980	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.04)	(0.05)	(0.04)	(0.01)	(0.01)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.04)	(0.05)	(0.05)	(0.02)	(0.02)
1994	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.00)	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Wet	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Above Normal	(0.00)	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	(0.00)	0.00	0.00
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.02)	(0.02)	(0.02)	(0.00)	(0.01)
	Dry	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Critical	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Tehama Other: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	0%
1924	Critical	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	-2%	-1%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-2%	0%	-5%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	-2%	-2%	0%	-1%	-5%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	-3%	-1%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-9%	-15%	-19%	-13%	-19%	-20%	-19%
1940	Above Normal	-5%	-100%	0%	0%	0%	0%	1%	3%	2%	2%	2%	4%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	-1%	0%
1944	Dry	-2%	0%	0%	0%	0%	0%	4%	100%	1%	1%	2%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-4%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	3%	1%	1%	1%	1%	3%
1960	Dry	2%	0%	0%	0%	0%	0%	-2%	-5%	0%	0%	0%	0%
1961	Dry	-4%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1965	Wet	0%	0%	0%	0%	0%	-13%	0%	-2%	-2%	-2%	-2%	-6%
1966	Below Normal	-2%	0%	0%	0%	0%	0%	1%	0%	0%	0%	1%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-16%	-25%	-13%	-16%	-16%	-100%
1980	Above Normal	-6%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	-3%	-2%	-2%	-2%	-5%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	-3%	-2%	-1%	-2%	-2%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-4%	-3%	-1%	-1%	-1%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-9%	-1%	-2%	-2%	-2%	-3%
1994	Critical	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	0%	0%	0%	0%	-1%	0%	0%	-1%	-1%	-2%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-8%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-2%	-1%	-1%	-1%	-7%
	Dry	0%	0%	0%	0%	0%	0%	-1%	4%	-1%	-1%	-1%	-1%
	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Tracy: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	67.18	65.01	67.18	52.26	42.20	65.84	16.76	14.50	65.01	67.18	67.18	65.01	655.31
1923	Below Normal	60.35	65.01	62.57	54.11	55.92	42.89	15.81	11.68	47.59	66.90	55.87	65.01	603.71
1924	Critical	66.85	58.73	51.40	56.64	28.72	11.68	13.30	11.92	3.87	11.68	18.61	40.18	373.58
1925	Dry	45.20	22.11	56.09	46.99	30.75	41.34	16.93	13.93	48.67	67.18	57.50	50.91	497.60
1926	Dry	55.33	59.44	52.05	47.00	22.76	15.20	17.33	11.68	29.74	45.45	34.16	53.48	443.62
1927	Wet	51.62	65.01	54.60	34.65	51.99	53.93	14.16	11.68	40.67	67.18	67.18	62.63	575.30
1928	Above Normal	45.70	28.98	67.18	50.52	29.64	57.63	15.69	11.68	36.15	60.72	67.18	52.02	523.09
1929	Critical	44.84	36.74	67.18	48.12	43.30	34.41	11.31	11.68	9.77	29.78	67.18	42.79	447.10
1930	Dry	48.56	42.80	46.13	35.15	33.05	30.16	19.99	17.31	15.90	38.87	22.21	36.81	386.94
1931	Critical	50.62	45.86	46.73	47.68	43.34	16.38	11.31	11.68	5.85	8.76	18.60	39.31	346.12
1932	Dry	43.92	34.43	67.18	49.87	24.21	15.91	11.31	11.68	25.26	11.68	47.38	65.01	407.84
1933	Critical	50.53	43.40	46.78	9.96	12.67	19.03	11.31	11.68	7.70	11.68	67.18	57.54	349.46
1934	Critical	42.84	36.59	16.97	6.91	9.39	9.00	11.31	11.68	5.89	8.76	52.65	39.65	251.64
1935	Below Normal	27.70	43.10	61.48	41.34	10.92	21.89	14.57	11.68	41.63	46.05	29.23	59.06	408.65
1936	Below Normal	63.41	54.50	59.61	25.70	9.96	29.87	16.81	11.68	39.76	57.99	39.34	65.01	473.64
1937	Below Normal	59.98	53.01	62.08	40.90	13.67	9.01	18.18	16.00	13.84	47.58	34.94	65.01	434.20
1938	Wet	50.68	65.01	57.01	11.90	12.18	29.02	35.85	60.19	65.01	67.18	67.18	63.46	584.67
1939	Dry	55.75	11.31	62.06	49.78	51.28	25.78	12.19	11.68	6.29	64.92	33.69	57.16	441.89
1940	Above Normal	49.33	52.99	37.21	37.94	45.23	67.18	18.53	11.68	38.78	56.77	67.18	57.11	539.93
1941	Wet	45.39	38.73	61.20	57.97	60.67	67.18	22.59	19.71	56.55	67.18	67.18	64.67	629.02
1942	Wet	49.38	65.01	61.85	67.18	60.67	67.18	20.21	17.82	56.26	67.18	67.18	65.01	664.93
1943	Wet	54.03	65.01	58.89	67.18	60.67	67.18	20.09	11.68	49.05	67.18	67.18	65.01	653.15
1944	Dry	48.26	55.82	64.29	49.73	50.27	35.41	14.92	11.68	24.70	54.26	32.25	44.01	485.60
1945	Below Normal	50.14	65.01	55.68	50.10	51.43	59.82	14.71	11.68	29.20	67.18	67.18	65.01	587.14
1946	Below Normal	67.18	65.01	67.18	59.05	60.67	48.84	11.91	11.68	38.45	67.18	67.18	60.04	624.37
1947	Dry	67.18	65.01	67.18	57.39	46.41	19.47	12.72	11.68	23.84	67.18	36.85	58.93	533.84
1948	Below Normal	54.99	63.34	50.97	29.65	12.36	36.93	11.31	11.68	37.86	62.29	62.35	65.01	498.74
1949	Dry	67.18	59.71	62.52	47.06	43.77	28.19	11.31	11.68	24.50	67.18	60.57	65.01	548.68
1950	Below Normal	62.27	65.01	66.63	31.67	33.90	50.16	12.06	11.68	26.27	62.51	55.86	65.01	543.03
1951	Above Normal	67.18	65.01	67.18	45.87	13.27	37.08	13.60	11.68	38.07	50.18	67.18	65.01	541.31
1952	Wet	49.76	59.39	57.40	67.18	53.13	67.18	23.86	30.89	65.01	67.18	67.18	65.01	673.17
1953	Wet	48.79	55.00	67.18	46.37	50.52	53.96	14.56	12.25	27.39	67.18	67.18	65.01	575.39
1954	Above Normal	34.20	64.66	66.03	30.39	32.96	50.32	13.24	11.68	37.05	43.79	67.18	65.01	516.51
1955	Dry	45.76	62.55	67.18	52.39	47.89	35.80	13.35	11.68	8.45	67.18	37.84	52.83	502.90
1956	Wet	46.12	59.19	67.18	67.18	55.42	27.09	14.18	14.78	61.14	67.18	67.18	65.01	611.65
1957	Above Normal	52.97	65.01	62.67	48.22	24.69	42.64	14.66	11.95	26.29	59.24	67.18	55.09	530.61
1958	Wet	67.18	65.01	54.01	37.32	53.82	67.18	35.10	25.40	65.01	67.18	67.18	65.01	669.40
1959	Below Normal	54.49	53.77	67.18	32.03	39.85	50.66	17.22	13.32	23.51	65.93	67.18	51.11	536.25
1960	Dry	51.90	48.41	53.36	47.47	30.48	35.53	11.31	17.22	21.42	59.14	30.90	58.04	465.18
1961	Dry	52.93	57.39	67.18	48.47	26.49	48.18	11.31	12.02	5.24	65.83	51.72	65.01	511.77
1962	Below Normal	45.11	55.28	43.56	51.65	41.57	55.82	15.55	11.68	24.04	64.84	67.18	60.56	536.84
1963	Wet	67.18	65.01	51.99	35.38	38.30	52.23	13.10	11.68	48.64	67.18	65.24	65.01	580.94
1964	Dry	41.24	65.01	67.18	49.46	38.35	38.30	11.33	11.68	9.69	67.18	39.30	46.99	485.71
1965	Wet	42.56	44.73	58.54	67.18	57.88	66.52	17.92	11.68	40.35	67.18	67.18	65.01	606.73
1966	Below Normal	46.88	65.01	67.18	57.15	52.31	43.78	13.04	11.68	23.81	67.18	67.18	61.76	576.96
1967	Wet	58.30	53.48	57.21	54.72	47.80	61.67	29.88	26.10	65.01	67.18	67.18	63.46	651.99
1968	Below Normal	57.69	30.73	67.18	49.83	31.03	50.72	16.61	14.08	23.47	67.18	67.18	51.11	526.81
1969	Wet	56.98	58.20	67.18	61.77	60.67	29.06	38.64	57.57	65.01	67.18	67.18	54.03	683.47
1970	Wet	59.43	11.31	60.24	67.18	60.67	50.09	11.31	11.68	26.04	57.36	67.18	65.01	547.50
1971	Wet	47.89	29.67	58.00	48.56	44.40	56.82	14.94	12.03	37.42	66.47	67.18	61.48	544.86
1972	Below Normal	49.93	38.52	67.18	46.66	24.65	34.22	12.41	11.68	23.25	66.94	67.18	57.54	500.16
1973	Above Normal	50.05	65.01	55.55	42.57	57.43	59.70	13.77	11.68	40.33	66.92	67.18	48.10	578.29
1974	Wet	45.24	65.01	64.69	63.51	51.46	67.18	16.31	11.68	49.75	67.18	67.18	65.01	634.20
1975	Wet	62.02	65.01	67.18	49.34	41.57	67.18	14.48	11.68	54.41	67.18	67.18	65.01	632.24
1976	Critical	67.18	53.74	67.18	51.82	60.81	46.60	17.59	11.68	3.94	23.00	11.68	22.11	437.33
1977	Critical	37.18	51.78	44.44	39.10	49.19	11.68	11.31	11.68	0.84	8.76	60.22	19.12	345.30
1978	Above Normal	28.15	21.90	41.08	41.98	60.67	67.18	24.29	21.34	62.24	67.18	67.18	64.41	567.60
1979	Below Normal	55.11	42.33	66.86	57.17	60.67	67.18	14.28	16.39	39.07	67.18	67.18	49.51	602.93
1980	Above Normal	67.18	49.10	67.18	67.18	41.81	25.02	15.84	14.57	62.60	67.18	67.18	48.72	593.56
1981	Dry	47.30	54.49	67.18	49.96	44.99	35.49	18.64	14.78	23.32	67.18	49.72	51.28	524.33
1982	Wet	67.18	65.01	53.85	54.95	60.67	67.18	41.92	35.25	65.01	67.18	67.18	65.01	710.39
1983	Wet	67.18	65.01	67.18	65.18	30.45	29.07	38.46	57.43	65.01	67.18	67.18	65.01	684.34
1984	Wet	67.18	35.41	21.35	28.81	37.78	36.93	14.61	11.68	40.40	67.18	67.18	64.95	493.46
1985	Dry	54.05	65.01	67.18	49.88	46.43	42.57	16.70	13.01	23.69	67.18	59.69	65.01	570.40
1986	Wet	65.84	65.01	62.48	31.47	60.67	55.10	24.26	19.13	53.23	67.18	67.18	11.31	582.86
1987	Dry	36.13	11.31	60.04	48.24	44.18	34.27	11.31	11.68	23.04	53.68	25.06	43.87	402.81
1988	Critical	65.16	52.21	48.52	34.78	10.93	11.68	14.91	11.68	4.67	42.36	67.18	27.90	391.98
1989	Dry	36.55	47.08	41.18	46.42	15.84	17.65	17.39	11.68	33.33	57.81	40.08	47.70	412.71
1990	Critical	40.28	43.91	46.53	45.21	31.03	14.78	11.31	12.39	3.14	46.26	49.36	23.53	367.73
1991	Critical	45.12	42.49	38.57	22.08	22.38	18.92	15.22	11.96	15.49	41.05	35.50	31.67	340.45
1992	Critical	41.91	39.66	34.22	22.76	23.09	34.89	11.31	11.68	13.60	47.03	66.80	11.50	358.45
1993	Above Normal	29.73	42.41	52.87	47.24	54.30	57.27	11.31	11.68	52.80	67.18	67.18	65.01	558.98
1994	Critical	57.80	62.62	67.18	46.76	43.99	33.62	13.13	14.25	3.35	66.12	44.71	43.32	496.85
1995	Wet	34.13	53.11	52.89	43.97	47.88	67.18	25.59	63.62	65.01	67.18	67.18	65.01	652.75
1996	Wet	36.06	26.37	54.07	41.41	62.84	67.18	17.01	13.92	48.17	67.18	67.18	65.01	566.40
1997	Wet	43.93	65.01	67.18	67.18	60.67	52.34	12.21	11.68	63.99	63.14	67.18	65.01	639.52
1998	Wet	42.49	30.73	67.18	44.00	60.67	67.18	28.47	28.59	65.01	67.18	67.18	65.01	633.69
1999	Wet	67.18	65.01	58.88	59.82	60.67	67.18	12.71	11.68	40.60	67.18	67.18	50.41	628.50
2000	Above Normal	39.01	65.01	56.44	33.03	62.84	67.18	12.59	11.68	45.41	39.88	67.18	65.01	565.26
2001	Dry	45.04	65.01	59.46	50.52	40.00	42.28	14.51	11.68	22.84	67.18	35.55	45.06	499.13
2002	Dry	58.92	47.34	57.41	38.99	34.39	37.85	11.82	11.68	23.67	67.18	67.18	58.96	515.39
2003	Above Normal	61.28	65.01	56.34	33.62	44.34	48.83	11.31	11.68	33.76	67.18	67.18	54.93	555.46
	Average	51.86	51.86	57.95	46.29	41.50	43.29	16.66	16.05	34.40	57.61	57.16	55.03	529.66
	Wet	53.60	53.86	58.82	51.59	51.70	56.15	22.02	23.52	53.04	66.62	67.11	61.60	619.64
	Above Normal	49.33	54.18	58.08	44.24	42.45	53.82	15.13	12.98	44.87	59.45	67.18	58.79	560.49
	Below Normal	53.95	54.26	61.81	44.79	35.64	42.99	14.61	12.61	30.84	62.64	58.22	60.05	532.39
	Dry	50.07	48.57	60.27	48.04	37.31	32.19	14.13	12.69	21.87	58.68	42.31	53.67	479.80
	Critical	50.86	47.31	47.98	35.99	31.57	21.89	12.78	12.00	6.51	28.77	46.64	33.22	375.50

Energy Use (GWh) At Pumping Plant at Tracy: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	67.18	65.01	67.18	52.26	42.21	65.81	16.76	14.50	65.01	67.18	67.18	65.01	655.29
1923	Below Normal	60.35	65.01	62.57	53.40	55.77	42.89	15.81	11.68	47.38	66.90	55.70	65.01	602.47
1924	Critical	66.85	58.72	51.40	56.64	28.72	11.68	13.30	11.95	3.87	11.68	18.61	40.24	373.66
1925	Dry	45.25	22.08	56.08	46.99	30.75	41.31	16.93	13.93	48.71	67.18	57.52	50.94	497.67
1926	Dry	55.34	59.45	52.03	47.00	22.76	15.18	17.33	11.68	29.68	45.45	34.01	53.46	443.37
1927	Wet	51.63	65.01	54.60	34.65	51.99	53.93	14.16	11.68	40.67	67.18	67.18	62.63	575.31
1928	Above Normal	45.71	28.97	67.18	50.52	29.64	57.63	15.69	11.68	36.15	60.72	67.18	52.02	523.09
1929	Critical	44.84	36.73	67.18	48.12	43.30	34.41	11.31	11.68	9.77	29.79	67.18	42.80	447.11
1930	Dry	48.57	42.82	46.12	35.15	33.05	30.14	19.99	17.31	15.88	38.84	22.22	36.81	386.90
1931	Critical	50.63	45.88	46.72	47.68	43.35	16.39	11.31	11.68	5.85	8.76	18.60	39.32	346.17
1932	Dry	43.94	34.37	67.18	49.87	24.13	14.54	11.31	11.68	25.26	11.68	47.46	65.01	406.43
1933	Critical	50.54	43.41	47.92	9.95	12.66	19.03	11.31	11.68	7.70	11.68	67.18	57.60	350.66
1934	Critical	42.92	36.62	16.77	6.91	9.39	8.88	11.31	11.68	5.89	8.76	49.89	39.79	248.81
1935	Below Normal	27.52	43.12	61.48	43.82	10.89	21.89	14.57	11.68	41.63	46.05	29.25	59.09	410.99
1936	Below Normal	63.45	54.55	65.66	19.52	12.25	31.40	16.81	11.68	39.76	57.96	39.35	65.01	477.40
1937	Below Normal	60.00	53.03	62.05	40.77	13.66	24.77	18.16	14.53	13.07	47.48	34.95	65.01	447.48
1938	Wet	50.65	65.01	67.18	15.01	12.16	42.20	30.02	37.03	65.01	67.18	67.18	63.46	582.09
1939	Dry	56.46	11.44	63.57	49.78	51.21	25.78	11.31	11.68	6.28	66.21	33.19	55.12	442.03
1940	Above Normal	51.19	53.00	36.55	38.03	45.23	67.18	18.53	11.68	38.78	56.61	67.18	58.80	542.76
1941	Wet	45.43	41.36	61.20	57.97	60.67	67.18	22.59	19.71	56.55	67.18	67.18	64.65	631.67
1942	Wet	50.30	65.01	61.85	67.18	60.67	67.18	20.21	17.82	56.26	67.18	67.18	65.01	665.85
1943	Wet	54.02	65.01	58.89	67.18	60.67	67.18	20.09	11.68	55.15	67.18	67.18	65.01	659.24
1944	Dry	46.74	54.90	64.30	49.73	50.27	35.41	14.92	11.68	26.40	53.13	32.33	44.10	483.91
1945	Below Normal	50.16	65.01	55.68	50.10	47.87	67.18	14.71	11.68	29.20	67.18	67.18	65.01	590.96
1946	Below Normal	67.18	65.01	67.18	59.05	60.67	50.62	11.91	11.68	36.59	67.18	67.18	61.86	626.11
1947	Dry	67.18	65.01	67.18	57.40	46.41	19.47	12.72	11.68	23.85	67.18	38.00	58.86	534.94
1948	Below Normal	54.98	63.34	50.98	29.65	12.34	36.93	11.31	11.68	37.86	62.23	62.37	65.01	498.68
1949	Dry	67.18	59.71	62.18	47.06	43.77	28.19	11.31	11.68	24.50	67.18	60.56	65.01	548.33
1950	Below Normal	62.28	65.01	66.64	31.67	33.90	50.16	12.06	11.68	26.27	62.50	55.86	65.01	543.04
1951	Above Normal	67.18	65.01	67.18	45.78	18.22	37.08	13.60	11.68	38.07	50.17	67.18	65.01	546.16
1952	Wet	49.76	59.42	57.40	67.18	53.18	67.18	22.93	29.09	65.01	67.18	67.18	65.01	670.52
1953	Wet	48.76	65.01	67.18	39.78	50.52	53.96	14.56	12.25	27.39	67.18	67.18	65.01	578.78
1954	Above Normal	33.74	63.73	66.01	30.39	32.96	50.32	13.24	11.68	37.05	43.65	67.18	65.01	514.96
1955	Dry	45.43	63.08	67.18	52.39	48.18	35.79	13.35	11.68	8.45	67.18	37.27	52.80	502.78
1956	Wet	46.20	59.20	67.18	67.18	62.52	27.09	14.18	14.78	61.14	67.18	67.18	65.01	618.84
1957	Above Normal	52.97	65.01	62.67	48.22	24.69	42.64	14.66	11.95	26.29	59.24	67.18	55.09	530.61
1958	Wet	67.18	65.01	54.01	37.32	53.82	67.18	34.33	25.40	65.01	67.18	67.18	65.01	668.63
1959	Below Normal	54.72	65.01	67.18	32.03	39.85	50.63	17.22	13.32	23.51	65.86	67.18	52.04	548.55
1960	Dry	51.91	48.08	53.33	47.47	30.48	35.53	11.31	17.22	21.42	59.14	30.80	57.97	464.66
1961	Dry	52.77	57.40	67.18	48.47	26.49	48.18	11.31	12.02	5.24	65.83	51.67	65.01	511.57
1962	Below Normal	45.18	55.31	43.53	51.65	41.57	55.82	15.55	11.68	24.04	64.86	67.18	60.56	536.93
1963	Wet	67.18	65.01	51.99	35.38	38.30	52.23	13.10	11.68	48.51	67.18	65.24	65.01	580.81
1964	Dry	41.24	65.01	67.18	49.46	38.35	38.30	11.33	11.68	9.69	67.18	39.31	47.01	485.74
1965	Wet	42.56	44.73	58.54	67.18	57.88	66.52	17.92	11.68	40.35	67.18	67.18	65.01	606.73
1966	Below Normal	46.89	65.01	67.18	57.15	52.31	43.78	13.04	11.68	23.81	67.18	67.18	61.70	576.91
1967	Wet	58.31	53.48	57.21	54.72	47.80	61.67	28.79	24.85	65.01	67.18	67.18	65.01	651.21
1968	Below Normal	57.67	58.66	67.18	49.83	31.03	50.72	16.61	14.08	23.47	67.18	67.18	51.11	554.72
1969	Wet	56.98	58.17	67.18	55.68	60.67	39.63	34.38	61.82	65.01	67.18	67.18	57.28	691.16
1970	Wet	59.02	11.31	60.24	67.18	60.67	47.80	11.31	11.68	26.04	57.40	67.18	65.01	544.84
1971	Wet	47.87	29.25	58.00	48.56	44.40	56.82	14.94	12.03	37.42	66.32	67.18	61.48	544.27
1972	Below Normal	49.94	38.59	67.18	46.66	24.65	34.22	12.41	11.68	23.25	66.94	67.18	57.57	500.27
1973	Above Normal	50.04	65.01	55.55	42.57	57.43	59.70	13.77	11.68	40.33	66.92	67.18	53.28	583.46
1974	Wet	45.24	65.01	64.69	61.94	51.46	67.18	16.31	11.68	49.74	67.18	67.18	65.01	632.62
1975	Wet	62.01	65.01	67.18	49.34	41.57	67.18	14.48	11.68	54.41	67.18	67.18	65.01	632.23
1976	Critical	67.18	53.98	67.18	51.83	60.81	46.60	17.59	11.68	3.94	22.83	11.68	22.09	437.39
1977	Critical	37.37	51.77	44.43	39.13	49.11	11.68	11.31	11.68	0.84	8.76	59.30	19.10	344.48
1978	Above Normal	28.52	21.92	41.01	41.98	56.49	65.19	22.06	17.44	59.41	67.18	67.18	65.01	553.39
1979	Below Normal	55.40	65.01	67.18	57.23	60.67	67.18	14.28	16.38	38.93	64.48	67.18	49.49	623.41
1980	Above Normal	67.18	56.56	67.18	58.13	14.71	25.06	15.84	14.57	62.60	67.18	67.18	59.23	575.42
1981	Dry	47.80	53.95	67.18	49.97	44.99	35.49	18.64	14.78	23.32	67.18	48.99	51.09	523.38
1982	Wet	67.18	65.01	53.85	54.95	60.67	67.18	46.60	30.90	65.01	67.18	67.18	65.01	710.72
1983	Wet	67.18	65.01	67.18	67.18	48.92	49.52	58.25	60.74	65.01	67.18	67.18	65.01	748.36
1984	Wet	67.18	31.71	41.79	33.13	38.05	36.93	14.61	11.68	40.40	67.18	67.18	64.95	514.79
1985	Dry	54.06	65.01	67.18	49.88	46.43	42.57	16.70	13.01	23.69	67.18	59.69	65.01	570.41
1986	Wet	65.85	65.01	62.48	31.47	60.67	59.58	24.26	19.13	53.23	67.18	67.18	11.31	587.35
1987	Dry	36.11	13.01	60.00	48.24	44.18	34.27	11.31	11.68	22.29	54.64	27.69	43.79	407.21
1988	Critical	65.13	52.21	48.52	34.78	10.93	11.68	14.91	11.68	4.67	42.29	67.18	27.91	391.89
1989	Dry	36.60	47.01	41.19	46.42	15.83	17.65	17.39	11.68	33.33	57.79	40.26	46.60	411.75
1990	Critical	40.27	43.92	46.46	45.21	31.02	14.78	11.31	12.39	3.14	46.25	34.38	38.27	367.40
1991	Critical	44.38	42.44	38.72	22.02	22.38	18.92	15.22	11.96	15.53	41.07	35.97	31.67	340.28
1992	Critical	41.83	40.09	34.18	22.36	23.09	34.89	11.31	11.68	20.81	39.16	66.68	11.34	357.42
1993	Above Normal	29.67	42.43	52.86	47.24	54.30	57.23	11.31	11.68	52.80	67.18	67.18	65.01	558.89
1994	Critical	57.80	62.35	67.18	46.76	43.99	33.62	13.13	14.25	3.35	66.12	44.65	43.37	496.57
1995	Wet	34.16	53.08	52.91	43.97	47.88	67.18	22.99	37.13	65.01	67.18	67.18	65.01	623.68
1996	Wet	36.03	61.47	54.07	41.41	62.84	67.18	17.01	13.91	48.16	67.18	67.18	65.01	601.45
1997	Wet	42.32	65.01	67.18	67.18	60.67	53.07	12.21	11.68	63.99	61.63	67.18	65.01	637.13
1998	Wet	42.59	30.64	67.18	44.00	60.67	67.18	26.70	27.19	65.01	67.18	67.18	65.01	630.53
1999	Wet	67.18	65.01	58.87	59.82	60.67	67.18	12.71	11.68	40.60	67.18	67.18	50.42	628.50
2000	Above Normal	39.07	65.01	56.49	33.03	62.84	67.18	12.59	11.68	45.41	39.92	67.18	65.01	565.41
2001	Dry	44.99	65.01	60.13	50.52	40.00	42.28	14.51	11.68	22.84	67.18	35.05	45.07	499.26
2002	Dry	58.92	47.36	57.41	38.99	34.38	37.85	11.82	11.68	23.67	67.18	67.18	58.77	515.21
2003	Above Normal	61.28	65.01	56.34	33.62	44.34	48.83	11.31	11.68	33.76	67.18	67.18	54.88	555.41
	Average	51.86	53.23	58.43	46.06	41.47	44.14	16.71	15.37	34.50	57.46	56.96	55.48	531.68
	Wet	53.57	55.54	60.00	51.41	52.69	57.97	22.29	21.56	53.27	66.56	67.11	61.78	623.74
	Above Normal	49.48	54.72	58.02	43.48	40.26	53.65	14.95	12.66	44.64	59.43	67.18	60.28	558.74
	Below Normal	53.98	58.69	62.26	44.47	35.53	44.87	14.60	12.51	30.63	62.43	58.21	60.25	538.42
	Dry	50.03	48.59	60.37	48.04	37.31	32.11	14.08	12.69	21.92	58.74	42.40	53.47	479.75
	Critical	50.81	47.34	48.06	35.95	31.56	21.88	12.78	12.00	7.11	28.10	45.11	34.46	375.15

Difference in Energy Use (GWh) At Pumping Plant at Tracy: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.01	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	(0.71)	(0.15)	0.00	0.00	0.00	(0.21)	0.00	(0.17)	0.00	(0.10)
1924	Critical	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.06	0.01
1925	Dry	0.05	(0.03)	(0.01)	0.00	0.00	(0.03)	0.00	0.00	0.04	0.00	0.02	0.03	0.01
1926	Dry	0.01	0.01	(0.02)	0.00	0.00	(0.02)	0.00	0.00	(0.06)	0.00	(0.15)	(0.02)	(0.02)
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1930	Dry	0.01	0.02	(0.01)	0.00	0.00	(0.02)	0.00	0.00	(0.02)	(0.03)	0.01	0.00	0.00
1931	Critical	0.01	0.02	(0.01)	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1932	Dry	0.02	(0.06)	0.00	0.00	(0.08)	(1.37)	0.00	0.00	0.00	0.00	0.08	0.00	(0.12)
1933	Critical	0.01	0.01	1.14	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.10
1934	Critical	0.08	0.03	(0.20)	0.00	0.00	(0.12)	0.00	0.00	0.00	0.00	(2.76)	0.14	(0.24)
1935	Below Normal	(0.18)	0.02	0.00	2.48	(0.03)	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.20
1936	Below Normal	0.04	0.05	6.05	(6.18)	2.29	1.53	0.00	0.00	0.00	(0.03)	0.01	0.00	0.31
1937	Below Normal	0.02	0.02	(0.03)	(0.13)	(0.01)	15.76	(0.02)	(1.47)	(0.77)	(0.10)	0.01	0.00	1.11
1938	Wet	(0.03)	0.00	10.17	3.11	(0.02)	13.18	(5.83)	(23.16)	0.00	0.00	0.00	0.00	(0.21)
1939	Dry	0.71	0.13	1.51	0.00	(0.07)	0.00	(0.88)	0.00	(0.01)	1.29	(0.50)	(2.04)	0.01
1940	Above Normal	1.86	0.01	(0.66)	0.09	0.00	0.00	0.00	0.00	0.00	(0.16)	0.00	1.69	0.24
1941	Wet	0.04	2.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.22
1942	Wet	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1943	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.10	0.00	0.00	0.00	0.51
1944	Dry	(1.52)	(0.92)	0.01	0.00	0.00	0.00	0.00	0.00	1.70	(1.13)	0.08	0.09	(0.14)
1945	Below Normal	0.02	0.00	0.00	0.00	(3.56)	7.36	0.00	0.00	0.00	0.00	0.00	0.00	0.32
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	1.78	0.00	0.00	(1.86)	0.00	0.00	1.82	0.15
1947	Dry	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	1.15	(0.07)	0.09
1948	Below Normal	(0.01)	0.00	0.01	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.06)	0.02	0.00	(0.01)
1949	Dry	0.00	0.00	(0.34)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.03)
1950	Below Normal	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.09)	4.95	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.40
1952	Wet	0.00	0.03	0.00	0.00	0.05	0.00	(0.93)	(1.80)	0.00	0.00	0.00	0.00	(0.22)
1953	Wet	(0.03)	10.01	0.00	(6.59)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
1954	Above Normal	(0.46)	(0.93)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)	0.00	0.00	(0.13)
1955	Dry	(0.33)	0.53	0.00	0.00	0.29	(0.01)	0.00	0.00	0.00	0.00	(0.57)	(0.03)	(0.01)
1956	Wet	0.08	0.01	0.00	0.00	7.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.77)	0.00	0.00	0.00	0.00	0.00	(0.06)
1959	Below Normal	0.23	11.24	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	(0.07)	0.00	0.93	1.03
1960	Dry	0.01	(0.33)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.07)	(0.04)
1961	Dry	(0.16)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	(0.02)
1962	Below Normal	0.07	0.03	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.01
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	0.00	0.00	0.00	(0.01)
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00
1967	Wet	0.01	0.00	0.00	0.00	0.00	0.00	(1.09)	(1.25)	0.00	0.00	0.00	1.55	(0.06)
1968	Below Normal	(0.02)	27.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.33
1969	Wet	0.00	(0.03)	0.00	(6.09)	0.00	10.57	(4.26)	4.25	0.00	0.00	0.00	3.25	0.64
1970	Wet	(0.41)	0.00	0.00	0.00	0.00	(2.29)	0.00	0.00	0.00	0.04	0.00	0.00	(0.22)
1971	Wet	(0.02)	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)	0.00	0.00	(0.05)
1972	Below Normal	0.01	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.01
1973	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.18	0.43
1974	Wet	0.00	0.00	0.00	(1.57)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.13)
1975	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.24	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.17)	0.00	(0.02)	0.00
1977	Critical	0.19	(0.01)	(0.01)	0.03	(0.08)	0.00	0.00	0.00	0.00	0.00	(0.92)	(0.02)	(0.07)
1978	Above Normal	0.37	0.02	(0.07)	0.00	(4.18)	(1.99)	(2.23)	(3.90)	(2.83)	0.00	0.00	0.60	(1.18)
1979	Below Normal	0.29	22.68	0.32	0.06	0.00	0.00	0.00	(0.01)	(0.14)	(2.70)	0.00	(0.02)	1.71
1980	Above Normal	0.00	7.46	0.00	(9.05)	(27.10)	0.04	0.00	0.00	0.00	0.00	0.00	10.51	(1.51)
1981	Dry	0.50	(0.54)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.73)	(0.19)	(0.08)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	4.68	(4.35)	0.00	0.00	0.00	0.00	0.03
1983	Wet	0.00	0.00	0.00	2.00	18.47	20.45	19.79	3.31	0.00	0.00	0.00	0.00	5.34
1984	Wet	0.00	(3.70)	20.44	4.32	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.78
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.01	0.00	0.00	0.00	0.00	4.48	0.00	0.00	0.00	0.00	0.00	0.00	0.37
1987	Dry	(0.02)	1.70	(0.04)	0.00	0.00	0.00	0.00	0.00	(0.75)	0.96	2.63	(0.08)	0.37
1988	Critical	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.01	(0.01)
1989	Dry	0.05	(0.07)	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.02)	0.18	(1.10)	(0.08)
1990	Critical	(0.01)	0.01	(0.07)	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(14.98)	14.74	(0.03)
1991	Critical	(0.74)	(0.05)	0.15	(0.06)	0.00	0.00	0.00	0.00	0.04	0.02	0.47	0.00	(0.01)
1992	Critical	(0.08)	0.43	(0.04)	(0.40)	0.00	0.00	0.00	0.00	7.21	(7.87)	(0.12)	(0.16)	(0.09)
1993	Above Normal	(0.06)	0.02	(0.01)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1994	Critical	0.00	(0.27)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.05	(0.02)
1995	Wet	0.03	(0.03)	0.02	0.00	0.00	0.00	(2.60)	(26.49)	0.00	0.00	0.00	0.00	(2.42)
1996	Wet	(0.03)	35.10	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	2.92
1997	Wet	(1.61)	0.00	0.00	0.00	0.00	0.73	0.00	0.00	0.00	(1.51)	0.00	0.00	(0.20)
1998	Wet	0.10	(0.09)	0.00	0.00	0.00	0.00	(1.77)	(1.40)	0.00	0.00	0.00	0.00	(0.26)
1999	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
2000	Above Normal	0.06	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.01
2001	Dry	(0.05)	0.00	0.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.50)	0.01	0.01
2002	Dry	0.00	0.02	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.02)
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00
	Average	0.00	1.38	0.48	(0.23)	(0.02)	0.85	0.05	(0.69)	0.10	(0.14)	(0.21)	0.45	0.17
	Wet	(0.04)	1.67	1.18	(0.19)	1.00	1.81	0.28	(1.96)	0.23	(0.06)	0.00	0.18	0.34
	Above Normal	0.15	0.55	(0.06)	(0.75)	(2.19)	(0.17)	(0.19)	(0.33)	(0.24)	(0.02)	0.00	1.49	(0.15)
	Below Normal	0.03	4.43	0.45	(0.32)	(0.11)	1.89	(0.00)	(0.11)	(0.21)	(0.21)	(0.01)	0.20	0.51
	Dry	(0.04)	0.03	0.10	0.00	0.01	(0.08)	(0.05)	0.00	0.05	0.06	0.09	(0.20)	(0.00)
	Critical	(0.05)	0.03	0.08	(0.04)	(0.01)	(0.01)	0.00	0.00	0.60	(0.67)	(1.53)	1.24	(0.03)

Percent Difference in Energy Use (GWh) At Pumping Plant at Tracy: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-9%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-1%	0%	0%	-1%	0%	0%	0%	0%	-5%	0%
1935	Below Normal	-1%	0%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	10%	-24%	23%	5%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	175%	0%	-9%	-6%	0%	0%	0%
1938	Wet	0%	0%	18%	26%	0%	45%	-16%	-38%	0%	0%	0%	0%
1939	Dry	1%	1%	2%	0%	0%	0%	-7%	0%	0%	2%	-1%	-4%
1940	Above Normal	4%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1941	Wet	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	12%	0%	0%	0%
1944	Dry	-3%	-2%	0%	0%	0%	0%	0%	0%	7%	-2%	0%	0%
1945	Below Normal	0%	0%	0%	0%	-7%	12%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	4%	0%	0%	-5%	0%	0%	3%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	37%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	-4%	-6%	0%	0%	0%	0%
1953	Wet	0%	18%	0%	-14%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	-1%	1%	0%	0%	1%	0%	0%	0%	0%	0%	-2%	0%
1956	Wet	0%	0%	0%	0%	13%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%
1959	Below Normal	0%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1960	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	-4%	-5%	0%	0%	0%	2%
1968	Below Normal	0%	91%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	-10%	0%	36%	-11%	7%	0%	0%	0%	6%
1970	Wet	-1%	0%	0%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%
1974	Wet	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1977	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1978	Above Normal	1%	0%	0%	0%	-7%	-3%	-9%	-18%	-5%	0%	0%	1%
1979	Below Normal	1%	54%	0%	0%	0%	0%	0%	0%	0%	-4%	0%	0%
1980	Above Normal	0%	15%	0%	-13%	-65%	0%	0%	0%	0%	0%	0%	22%
1981	Dry	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	11%	-12%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	3%	61%	70%	51%	6%	0%	0%	0%	0%
1984	Wet	0%	-10%	96%	15%	1%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	8%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	15%	0%	0%	0%	0%	0%	0%	-3%	2%	10%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-30%	63%
1991	Critical	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1992	Critical	0%	1%	0%	-2%	0%	0%	0%	0%	53%	-17%	0%	-1%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	-10%	-42%	0%	0%	0%	0%
1996	Wet	0%	133%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-4%	0%	0%	0%	0%	1%	0%	0%	0%	-2%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	-6%	-5%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	4%	2%	0%	1%	4%	0%	-1%	1%	0%	0%	1%
	Wet	0%	6%	4%	1%	3%	6%	0%	-4%	0%	0%	0%	0%
	Above Normal	0%	1%	0%	-1%	-3%	0%	-1%	-2%	0%	0%	0%	3%
	Below Normal	0%	12%	1%	-1%	1%	14%	0%	-1%	-1%	0%	0%	0%
	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	4%	-1%	-3%	5%

Hydropower Modeling Attachment: Alternative Plan 3, SWP, Future Conditions

Upper San Joaquin River Basin Storage Investigation, California

Prepared by:

United States Department of the Interior
Bureau of Reclamation
Mid-Pacific Region

U.S. Department of the Interior
Bureau of Reclamation

August 2014

Mission Statements

The mission of the Department of the Interior is to protect and provide access to our Nation's natural and cultural heritage and honor our trust responsibilities to Indian Tribes and our commitments to island communities.

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public.

Energy generated (GWh) at Alamo Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.23	10.87	11.23	3.30	9.14	9.86	9.65	10.15	10.11	10.38	10.51	10.04	116.47
1923	Below Normal	9.44	8.66	8.59	11.23	10.15	9.77	7.44	9.51	9.62	9.66	10.53	9.77	114.37
1924	Critical	8.12	7.25	6.55	2.43	2.78	2.82	4.62	6.31	6.56	5.92	5.90	5.55	64.81
1925	Dry	3.70	2.91	2.55	0.71	1.36	4.10	8.44	10.90	10.87	11.03	11.23	10.87	78.67
1926	Dry	9.13	8.19	7.19	0.78	1.76	3.61	6.40	8.96	9.18	9.08	10.21	9.35	83.84
1927	Wet	7.50	6.70	5.90	1.47	6.11	11.12	10.51	10.97	10.87	11.22	11.23	10.80	104.40
1928	Above Normal	10.38	9.59	9.59	7.47	8.75	5.33	10.87	11.23	10.87	11.23	11.23	10.87	117.41
1929	Critical	11.23	10.87	10.96	7.71	7.28	3.74	4.28	6.98	7.22	6.52	6.53	0.82	84.14
1930	Dry	3.93	5.14	4.97	0.69	1.67	2.47	6.84	8.97	9.29	8.70	9.17	8.56	70.40
1931	Critical	6.21	5.22	4.59	0.70	1.63	2.71	5.79	7.75	8.01	7.23	7.23	6.79	63.86
1932	Dry	4.58	3.62	3.16	0.93	2.48	4.05	6.37	8.33	8.54	8.42	9.33	8.58	68.39
1933	Critical	6.75	5.98	5.28	0.73	6.61	3.34	6.40	8.82	9.10	8.62	9.16	8.52	79.31
1934	Critical	6.28	5.30	4.67	0.73	1.47	2.86	6.68	8.96	9.26	8.36	3.58	0.29	58.44
1935	Below Normal	9.55	7.84	6.39	0.71	2.29	3.67	10.76	11.23	10.87	11.23	11.23	10.87	96.64
1936	Below Normal	10.68	9.80	9.49	5.41	6.09	11.23	10.87	11.23	10.87	11.23	11.23	10.87	119.00
1937	Below Normal	11.23	10.71	10.70	8.05	10.15	10.83	10.87	11.23	10.87	11.23	11.23	10.87	127.97
1938	Wet	11.23	10.87	11.23	9.18	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	130.19
1939	Dry	11.23	10.87	11.23	9.70	10.15	7.08	8.67	10.93	1.42	11.23	1.89	10.87	105.27
1940	Above Normal	1.02	0.67	9.42	0.74	1.40	4.64	8.49	10.99	6.64	10.66	11.23	10.87	76.77
1941	Wet	9.62	8.63	7.55	4.86	9.70	10.73	10.87	11.23	10.87	11.23	11.23	10.87	117.39
1942	Wet	11.23	10.60	10.61	11.23	10.15	11.23	8.36	9.59	9.67	9.78	10.36	9.71	122.52
1943	Wet	8.46	7.63	7.16	11.00	10.15	10.71	10.87	11.23	10.87	11.23	11.23	10.87	121.41
1944	Dry	11.23	0.23	11.23	5.31	5.15	4.18	6.86	8.96	9.19	8.76	9.39	8.74	89.23
1945	Below Normal	6.50	5.55	4.89	1.32	2.29	11.23	10.87	11.23	10.87	11.23	11.23	10.87	98.08
1946	Below Normal	11.21	10.38	10.37	11.23	10.15	11.23	8.65	9.41	9.38	9.64	9.78	9.32	120.75
1947	Dry	8.71	7.97	7.88	6.71	6.96	4.91	10.87	11.23	10.87	11.23	11.23	10.87	109.44
1948	Below Normal	11.23	10.87	10.90	6.89	6.56	3.62	5.74	1.23	0.83	11.23	11.23	10.87	91.20
1949	Dry	9.79	8.85	7.81	1.23	2.13	3.31	9.56	11.23	10.87	11.23	4.18	10.87	91.06
1950	Below Normal	10.45	2.07	3.05	1.14	1.49	2.82	7.80	9.80	0.31	11.23	11.23	10.87	72.26
1951	Above Normal	9.52	8.54	7.52	11.23	10.15	11.23	9.70	10.65	10.59	10.91	10.92	10.49	121.45
1952	Wet	10.07	9.27	9.30	11.23	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.91
1953	Wet	11.23	10.87	11.23	11.23	10.15	6.86	7.05	9.15	1.35	10.36	11.23	10.55	111.26
1954	Above Normal	8.35	7.47	6.57	1.41	6.65	5.06	8.11	10.39	9.51	9.94	11.23	10.87	95.56
1955	Dry	8.80	7.86	6.88	1.46	2.78	4.17	7.33	9.27	9.46	9.40	10.50	9.64	87.55
1956	Wet	7.69	6.86	6.04	8.73	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	117.36
1957	Above Normal	11.23	10.55	10.57	9.32	8.91	8.21	8.43	10.81	4.82	11.21	11.23	10.87	116.16
1958	Wet	9.60	8.63	7.56	1.69	10.15	10.95	10.87	11.23	10.87	11.23	11.23	10.87	114.88
1959	Below Normal	11.23	1.18	11.23	5.89	6.37	5.41	7.21	9.02	0.33	10.92	11.23	10.87	90.89
1960	Dry	8.73	7.79	6.87	0.73	1.15	3.25	9.68	11.23	6.98	11.23	8.40	10.87	86.91
1961	Dry	11.09	10.03	9.06	2.14	2.70	2.79	7.51	9.42	9.67	9.56	7.13	3.05	84.15
1962	Below Normal	0.10	5.32	6.59	0.77	1.27	4.25	7.98	10.15	0.32	11.23	11.23	10.87	70.08
1963	Wet	9.89	8.87	7.81	9.16	9.54	9.03	8.42	9.54	9.54	9.75	10.04	9.52	111.11
1964	Dry	8.69	7.90	7.68	6.94	10.51	9.33	9.52	10.25	10.25	10.48	10.76	10.20	112.51
1965	Wet	9.39	8.57	8.36	10.29	10.15	11.14	8.96	9.81	3.81	10.72	11.09	10.49	112.78
1966	Below Normal	9.46	8.62	8.30	11.23	10.15	8.72	7.69	9.56	9.70	9.71	10.55	9.79	113.48
1967	Wet	8.19	7.33	6.65	3.27	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	113.12
1968	Below Normal	11.23	10.87	11.23	6.62	8.07	5.89	7.33	9.23	0.35	11.16	11.23	10.87	104.08
1969	Wet	8.88	7.94	6.99	8.42	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	119.91
1970	Wet	11.23	10.87	11.23	11.23	10.15	11.23	9.92	10.47	10.41	10.72	10.73	10.30	128.49
1971	Wet	9.89	9.10	9.12	11.23	10.15	10.68	7.70	9.63	9.76	9.80	10.60	9.85	117.51
1972	Below Normal	8.29	7.43	6.79	5.43	10.50	8.71	8.13	9.97	10.15	10.10	11.12	10.27	106.89
1973	Above Normal	8.41	7.53	6.74	2.71	10.15	11.10	10.36	11.23	10.87	11.23	11.23	10.87	112.43
1974	Wet	10.65	9.81	9.83	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.20
1975	Wet	10.79	9.93	9.95	11.23	10.08	11.23	10.76	11.13	10.87	11.23	11.23	10.87	129.30
1976	Critical	10.52	9.73	9.73	7.65	7.99	5.93	8.29	10.49	7.85	10.90	6.17	10.87	106.12
1977	Critical	9.83	8.82	5.78	0.76	1.18	1.62	3.26	0.30	0.00	0.36	0.62	0.31	32.84
1978	Above Normal	0.11	2.92	6.74	0.67	2.87	9.82	9.91	11.15	10.87	11.23	11.23	10.87	88.39
1979	Below Normal	10.25	9.38	9.17	6.46	6.68	11.23	10.87	11.23	10.87	11.23	11.23	10.87	119.47
1980	Above Normal	11.00	10.18	10.16	8.12	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.50
1981	Dry	11.23	9.84	11.23	6.41	6.41	5.09	7.58	9.81	0.37	11.23	11.23	10.87	101.30
1982	Wet	9.51	8.52	7.50	7.84	9.93	10.87	10.87	11.23	10.87	11.23	11.23	10.87	120.47
1983	Wet	11.23	10.87	11.23	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	132.24
1984	Wet	11.23	10.87	11.23	11.23	10.51	11.23	9.56	10.60	10.52	10.87	10.88	10.45	129.18
1985	Dry	10.01	9.23	9.28	11.23	9.21	10.38	9.86	10.47	10.43	10.73	10.74	10.30	121.87
1986	Wet	9.90	9.12	9.14	7.83	8.32	11.23	10.87	11.23	10.87	11.23	11.23	10.87	121.84
1987	Dry	11.23	1.19	11.23	5.36	5.21	2.92	4.43	5.86	6.08	5.49	5.50	5.17	69.67
1988	Critical	3.48	2.72	2.39	0.72	1.92	1.63	3.35	4.60	4.79	4.37	4.33	4.05	38.35
1989	Dry	2.68	2.05	1.83	1.01	2.04	2.44	10.71	11.23	10.87	11.23	11.23	10.87	78.19
1990	Critical	10.88	9.96	9.59	5.09	5.08	3.55	5.08	6.75	7.01	6.33	6.33	5.95	81.60
1991	Critical	4.01	3.15	2.76	0.70	1.19	1.63	3.47	4.57	4.76	4.35	4.32	4.06	38.97
1992	Critical	2.70	2.07	1.84	0.69	1.18	1.62	4.65	6.17	6.39	5.77	5.52	5.52	44.12
1993	Above Normal	2.50	2.03	3.88	0.73	9.82	9.55	8.87	10.16	1.61	11.23	11.23	10.87	82.48
1994	Critical	9.95	9.04	8.47	4.41	4.95	5.33	8.33	10.50	4.48	11.23	1.80	4.20	82.69
1995	Wet	0.68	1.12	10.21	0.77	7.71	6.41	10.87	11.23	10.87	11.23	11.23	10.87	93.20
1996	Wet	11.23	3.22	6.45	6.50	5.72	9.50	10.22	10.52	10.43	10.77	10.80	10.35	105.71
1997	Wet	9.94	9.18	9.20	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.23
1998	Wet	11.23	10.77	10.78	9.24	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.70
1999	Wet	10.79	10.18	10.08	11.23	10.15	10.23	9.61	10.55	10.47	10.84	10.86	10.41	125.40
2000	Above Normal	10.00	9.21	9.23	8.37	10.51	9.25	9.28	10.64	10.68	10.86	11.23	10.75	120.01
2001	Dry	9.46	8.60	8.15	4.39	4.48	3.72	6.70	9.00	9.29	8.48	8.64	8.12	89.03
2002	Dry	5.59	4.51	3.94	1.44	2.88	4.14	10.87	11.23	10.87	11.23	4.67	10.87	82.24
2003	Above Normal	1.33	0.92	8.34	2.21	3.33	4.32	7.26	9.16	0.27	11.11	11.23	10.87	70.35
	Average	8.62	7.47	7.99	5.63	6.80	7.35	8.67	9.78	8.34	10.07	9.66	9.50	99.86
	Wet	9.66	8.71	8.94	8.61	9.65	10.59	10.16	10.79	10.03	10.94	11.06	10.63	119.76
	Above Normal	7.09	6.71	8.33	4.69	7.68	8.30	9.32	10.65	8.14	10.94	11.14	10.76	103.75
	Below Normal	9.35	7.76	8.41	5.88	6.59	7.76	8.73	9.57	6.81	10.79	11.02	10.56	103.23
	Dry	8.32	6.49	7.34	3.73	4.39	4.55	8.23	9.85	8.58	9.93	8.64	9.37	89.43
	Critical	7.50	6.68	6.05	2.69	3.61	3.07	5.35	6.85	6.29	6.66	5.12	4.74	64.60

Energy generated (GWh) at Alamo Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.23	10.87	11.23	3.30	9.14	9.86	9.65	10.15	10.87	11.23	11.23	10.04	118.80
1923	Below Normal	9.44	8.66	8.59	11.23	10.15	9.70	7.43	9.51	10.87	9.96	10.54	9.78	115.86
1924	Critical	8.11	7.25	6.54	2.38	2.75	2.81	4.62	6.32	6.56	5.92	5.90	5.55	64.71
1925	Dry	3.70	2.91	2.55	0.71	1.36	4.10	8.45	10.91	10.87	11.03	11.23	10.87	78.69
1926	Dry	9.13	8.19	7.19	0.78	1.75	3.61	6.39	8.95	9.17	9.08	10.20	9.35	83.79
1927	Wet	7.50	6.70	5.89	1.47	6.10	11.12	10.51	10.97	10.87	11.23	11.23	10.80	104.39
1928	Above Normal	10.38	9.59	9.59	7.47	8.75	5.33	10.87	11.23	10.87	11.23	11.23	10.87	117.41
1929	Critical	11.23	10.87	10.96	7.71	7.28	3.74	4.27	6.98	7.22	6.52	6.53	0.97	84.28
1930	Dry	3.93	5.18	5.00	0.69	1.67	2.47	6.84	8.97	9.29	8.70	9.17	8.56	70.47
1931	Critical	6.21	5.22	4.59	0.70	1.63	2.71	5.79	7.75	8.01	7.23	7.23	6.79	63.86
1932	Dry	4.58	3.62	3.16	0.93	2.48	4.05	6.37	8.33	10.84	9.40	9.33	8.58	71.67
1933	Critical	6.75	5.98	5.28	0.73	6.34	3.34	6.40	8.82	9.10	8.62	9.16	8.52	79.04
1934	Critical	6.28	5.30	4.67	0.73	1.80	3.37	6.64	8.89	9.16	8.55	7.95	0.29	63.63
1935	Below Normal	8.61	7.87	6.70	0.73	2.27	3.65	10.47	11.23	10.87	11.23	11.23	10.87	95.73
1936	Below Normal	10.49	9.59	9.16	4.71	5.50	11.23	10.87	11.23	10.87	11.23	11.23	10.87	116.98
1937	Below Normal	11.23	10.71	10.70	8.05	10.15	10.83	10.87	11.23	10.87	11.23	11.23	10.87	127.97
1938	Wet	11.23	10.87	11.23	10.57	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	131.58
1939	Dry	11.23	10.87	11.23	11.23	10.15	6.26	7.32	9.19	3.60	11.11	2.52	9.69	104.40
1940	Above Normal	1.31	0.99	9.65	0.73	1.41	4.64	8.49	10.99	8.97	11.23	11.23	10.87	80.51
1941	Wet	9.63	8.63	7.56	4.86	9.70	10.69	10.87	11.23	10.87	11.23	11.23	10.87	117.37
1942	Wet	11.23	10.56	10.57	11.23	10.15	11.23	8.35	9.59	10.87	11.23	10.64	9.71	125.36
1943	Wet	8.45	7.63	7.16	10.98	10.15	10.62	10.87	11.23	10.87	11.23	11.23	10.87	121.29
1944	Dry	11.23	0.06	11.23	4.86	4.76	4.05	6.85	8.95	9.19	8.76	9.39	8.74	88.07
1945	Below Normal	6.50	5.55	4.89	1.32	2.29	11.23	10.87	11.23	10.87	11.23	11.23	10.87	98.08
1946	Below Normal	11.23	10.39	10.38	11.23	10.15	11.23	8.58	9.40	10.87	9.73	9.81	9.34	122.34
1947	Dry	8.67	7.92	7.79	6.52	6.80	4.90	10.87	11.23	10.87	11.23	11.23	10.87	108.90
1948	Below Normal	11.23	10.87	10.93	6.47	6.23	3.50	5.74	1.59	0.81	11.23	11.23	10.87	90.70
1949	Dry	9.81	8.86	7.76	1.23	2.13	3.31	9.51	11.23	10.87	11.23	4.02	10.87	90.83
1950	Below Normal	10.48	2.14	10.36	1.14	1.49	2.82	7.80	9.80	0.31	11.23	11.23	10.87	79.67
1951	Above Normal	9.52	8.54	7.52	11.23	10.15	11.23	9.71	10.66	10.87	11.23	10.93	10.50	122.09
1952	Wet	10.08	9.28	9.31	11.23	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.94
1953	Wet	11.12	10.24	10.26	11.23	10.15	11.23	7.32	9.49	9.64	9.65	10.62	9.83	120.78
1954	Above Normal	8.00	7.13	6.33	2.20	8.94	5.61	8.06	10.37	10.56	10.50	11.23	10.79	99.72
1955	Dry	8.64	7.72	6.75	1.47	2.87	4.28	7.51	9.50	9.69	9.63	10.76	9.88	88.70
1956	Wet	7.89	7.04	6.19	8.45	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	117.61
1957	Above Normal	11.23	10.59	10.60	9.33	8.92	8.04	8.43	10.81	4.58	11.20	11.23	10.87	115.83
1958	Wet	9.61	8.65	7.57	1.69	10.15	10.94	10.87	11.23	10.87	11.23	11.23	10.87	114.91
1959	Below Normal	11.23	4.72	11.23	6.39	6.37	5.42	7.21	9.02	0.33	10.92	11.23	10.87	94.94
1960	Dry	8.73	7.79	6.87	0.73	1.15	3.24	9.68	11.23	7.00	11.23	8.46	10.87	86.98
1961	Dry	11.08	10.02	9.05	2.14	2.70	2.79	7.51	9.42	9.67	9.56	7.12	3.06	84.12
1962	Below Normal	0.10	5.37	11.23	0.77	1.27	4.26	7.98	10.15	3.60	11.23	11.23	10.87	78.06
1963	Wet	9.89	8.87	7.81	9.16	9.54	9.03	8.42	9.54	10.87	11.23	10.04	9.52	113.92
1964	Dry	8.69	7.90	7.68	6.95	10.51	9.34	9.52	10.25	10.25	10.48	10.76	10.20	112.53
1965	Wet	9.39	8.57	8.36	10.30	10.15	11.14	8.95	9.81	7.06	11.23	11.02	10.42	116.40
1966	Below Normal	9.44	8.58	8.26	11.23	10.15	8.72	7.69	9.56	9.69	9.71	10.55	9.79	113.37
1967	Wet	8.19	7.33	6.65	3.27	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	113.12
1968	Below Normal	11.23	10.87	11.23	7.62	7.44	5.72	7.36	9.27	0.35	11.21	11.23	10.87	104.40
1969	Wet	8.93	7.98	7.03	8.39	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	120.01
1970	Wet	11.23	10.87	11.23	11.23	10.15	11.23	10.87	10.39	10.87	11.23	10.66	10.22	130.18
1971	Wet	9.82	9.03	9.06	11.23	10.15	10.79	7.73	9.62	9.74	9.79	10.56	9.83	117.35
1972	Below Normal	8.30	7.45	6.83	5.62	10.51	8.76	8.14	9.97	10.16	10.11	11.12	10.28	107.25
1973	Above Normal	8.42	7.54	6.75	2.75	10.15	11.10	10.36	11.23	10.87	11.23	11.23	10.87	112.50
1974	Wet	10.65	9.81	9.83	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.20
1975	Wet	10.76	9.89	9.92	11.23	10.10	11.23	10.74	11.11	10.87	11.23	11.23	10.87	129.18
1976	Critical	10.50	9.71	9.72	7.65	7.98	5.94	8.31	10.52	7.93	10.92	6.12	10.87	106.17
1977	Critical	9.85	8.83	5.50	0.76	1.18	1.62	3.26	0.26	0.00	0.36	0.62	0.31	32.55
1978	Above Normal	0.11	3.09	9.40	0.67	2.87	9.11	9.56	11.15	10.87	11.23	11.23	10.87	90.16
1979	Below Normal	9.96	9.04	8.61	5.08	5.50	11.23	10.71	11.13	10.87	11.23	11.23	10.87	115.46
1980	Above Normal	10.52	9.72	9.72	11.23	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.23
1981	Dry	11.23	10.87	11.17	9.08	10.15	8.36	8.32	10.79	8.50	11.19	11.23	10.87	121.76
1982	Wet	9.23	8.27	7.32	8.28	10.15	10.86	10.87	11.23	10.87	11.23	11.23	10.87	120.41
1983	Wet	11.23	10.87	11.23	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	132.24
1984	Wet	11.23	10.87	8.61	11.23	10.51	11.23	9.56	10.60	10.87	11.23	10.88	10.45	127.27
1985	Dry	10.01	9.23	9.28	11.23	9.21	10.38	9.86	10.47	10.43	10.73	10.74	10.30	121.87
1986	Wet	9.90	9.12	9.14	7.83	8.32	11.23	10.87	11.23	10.87	11.23	11.23	10.87	121.84
1987	Dry	11.23	5.17	11.23	6.02	5.21	2.92	4.43	5.86	6.08	5.49	5.50	5.16	74.30
1988	Critical	3.48	2.72	2.39	0.72	1.93	1.63	3.35	4.66	4.84	4.42	4.38	4.10	38.62
1989	Dry	2.71	2.08	1.85	1.00	2.03	2.42	10.66	11.23	10.87	11.23	10.65	10.87	77.60
1990	Critical	10.99	10.06	9.67	4.96	4.99	3.53	5.11	6.80	7.06	6.38	6.37	6.00	81.92
1991	Critical	4.05	3.18	2.78	0.70	1.19	1.63	3.47	4.57	4.76	4.35	4.32	4.06	39.06
1992	Critical	2.70	2.07	1.84	0.69	1.18	1.62	4.57	6.07	6.28	5.67	5.42	5.42	43.53
1993	Above Normal	2.69	2.04	3.62	0.73	9.83	9.58	8.89	10.16	4.23	11.23	11.23	10.87	85.10
1994	Critical	9.99	9.07	8.48	4.47	5.01	5.34	8.32	10.49	4.79	11.23	2.41	4.30	83.90
1995	Wet	0.64	1.22	11.23	0.77	7.71	6.41	10.87	11.23	10.87	11.23	11.23	10.87	94.28
1996	Wet	7.59	0.06	11.23	6.51	5.72	9.50	10.19	10.49	10.87	11.23	11.13	10.32	104.84
1997	Wet	9.91	9.15	9.17	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.14
1998	Wet	11.23	10.77	10.78	9.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.69
1999	Wet	10.74	10.14	10.52	11.23	10.15	10.23	9.61	10.55	10.87	11.23	11.23	10.41	126.91
2000	Above Normal	10.00	9.21	9.23	8.37	10.51	9.13	9.23	10.64	10.87	11.23	11.23	10.77	120.42
2001	Dry	9.43	8.56	8.09	4.22	4.34	3.68	6.70	9.00	9.29	8.49	8.65	8.13	88.58
2002	Dry	5.60	4.53	3.95	1.44	2.88	4.14	10.87	11.23	10.87	11.23	4.38	10.87	81.99
2003	Above Normal	1.33	1.48	11.23	2.21	3.33	4.32	7.26	9.16	0.27	11.11	11.23	10.87	73.80
	Average	8.55	7.52	8.21	5.74	6.84	7.42	8.66	9.78	8.85	10.17	9.73	9.48	100.95
	Wet	9.51	8.55	9.03	8.67	9.66	10.76	10.20	10.79	10.63	11.11	11.07	10.59	120.59
	Above Normal	7.06	6.73	8.74	5.02	7.88	8.27	9.28	10.65	8.73	11.16	11.21	10.76	105.46
	Below Normal	9.25	7.99	9.22	5.83	6.39	7.74	8.69	9.59	7.24	10.82	11.02	10.56	104.34
	Dry	8.31	6.75	7.32	3.96	4.56	4.68	8.20	9.82	9.30	9.99	8.63	9.32	90.85
	Critical	7.51	6.69	6.04	2.68	3.61	3.11	5.34	6.84	6.31	6.68	5.53	4.77	65.11

Difference in Energy generated (GWh) at Alamo Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.76	0.85	0.72	0.00	0.19
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.01)	0.00	1.25	0.30	0.01	0.01	0.12
1924	Critical	(0.01)	0.00	(0.01)	(0.05)	(0.03)	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00
1927	Wet	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.15	0.01
1930	Dry	0.00	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.30	0.98	0.00	0.00	0.27
1933	Critical	0.00	0.00	0.00	0.00	(0.27)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1934	Critical	0.00	0.00	0.00	0.00	0.33	0.51	(0.04)	(0.07)	(0.10)	0.19	4.37	0.00	0.43
1935	Below Normal	(0.94)	0.03	0.31	0.02	(0.02)	(0.02)	(0.29)	0.00	0.00	0.00	0.00	0.00	(0.08)
1936	Below Normal	(0.19)	(0.21)	(0.33)	(0.70)	(0.59)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.17)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	1.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12
1939	Dry	0.00	0.00	0.00	1.53	0.00	(0.82)	(1.35)	(1.74)	2.18	(0.12)	0.63	(1.18)	(0.07)
1940	Above Normal	0.29	0.32	0.23	(0.01)	0.01	0.00	0.00	0.00	2.33	0.57	0.00	0.00	0.31
1941	Wet	0.01	0.00	0.01	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	(0.04)	(0.04)	0.00	0.00	0.00	(0.01)	0.00	1.20	1.45	0.28	0.00	0.24
1943	Wet	(0.01)	0.00	0.00	(0.02)	0.00	(0.09)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1944	Dry	0.00	(0.17)	0.00	(0.45)	(0.39)	(0.13)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.10)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.02	0.01	0.01	0.00	0.00	0.00	(0.07)	(0.01)	1.49	0.09	0.03	0.02	0.13
1947	Dry	(0.04)	(0.05)	(0.09)	(0.19)	(0.16)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1948	Below Normal	0.00	0.00	0.03	(0.42)	(0.33)	(0.12)	0.00	0.36	(0.02)	0.00	0.00	0.00	(0.04)
1949	Dry	0.02	0.01	(0.05)	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	(0.16)	0.00	(0.02)
1950	Below Normal	0.03	0.07	7.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.62
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.28	0.32	0.01	0.01	0.05
1952	Wet	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	(0.11)	(0.63)	(0.97)	0.00	0.00	4.37	0.27	0.34	8.29	(0.71)	(0.61)	(0.72)	0.79
1954	Above Normal	(0.35)	(0.34)	(0.24)	0.79	2.29	0.55	(0.05)	(0.02)	1.05	0.56	0.00	(0.08)	0.35
1955	Dry	(0.16)	(0.14)	(0.13)	0.01	0.09	0.11	0.18	0.23	0.23	0.23	0.26	0.24	0.10
1956	Wet	0.20	0.18	0.15	(0.28)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1957	Above Normal	0.00	0.04	0.03	0.01	0.01	(0.17)	0.00	0.00	(0.24)	(0.01)	0.00	0.00	(0.03)
1958	Wet	0.01	0.02	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	3.54	0.00	0.50	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.34
1960	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.02	0.00	0.06	0.00	0.01
1961	Dry	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00
1962	Below Normal	0.00	0.05	4.64	0.00	0.00	0.01	0.00	0.00	3.28	0.00	0.00	0.00	0.67
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.33	1.48	0.00	0.00	0.23
1964	Dry	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	3.25	0.51	(0.07)	(0.07)	0.30
1966	Below Normal	(0.02)	(0.04)	(0.04)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	1.00	(0.63)	(0.17)	0.03	0.04	0.00	0.05	0.00	0.00	0.03
1969	Wet	0.05	0.04	0.04	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.95	(0.08)	0.46	0.51	(0.07)	(0.08)	0.14
1971	Wet	(0.07)	(0.07)	(0.06)	0.00	0.00	0.11	0.03	(0.01)	(0.02)	(0.01)	(0.04)	(0.02)	(0.01)
1972	Below Normal	0.01	0.02	0.04	0.19	0.01	0.05	0.01	0.00	0.01	0.01	0.00	0.01	0.03
1973	Above Normal	0.01	0.01	0.01	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	(0.03)	(0.04)	(0.03)	0.00	0.02	0.00	(0.02)	(0.02)	0.00	0.00	0.00	0.00	(0.01)
1976	Critical	(0.02)	(0.02)	(0.01)	0.00	(0.01)	0.01	0.02	0.03	0.08	0.02	(0.05)	0.00	0.00
1977	Critical	0.02	0.01	(0.28)	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.17	2.66	0.00	0.00	(0.71)	(0.35)	0.00	0.00	0.00	0.00	0.00	0.15
1979	Below Normal	(0.29)	(0.34)	(0.56)	(1.38)	(1.18)	0.00	(0.16)	(0.10)	0.00	0.00	0.00	0.00	(0.33)
1980	Above Normal	(0.48)	(0.46)	(0.44)	3.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14
1981	Dry	0.00	1.03	(0.06)	2.67	3.74	3.27	0.74	0.98	8.13	(0.04)	0.00	0.00	1.71
1982	Wet	(0.28)	(0.25)	(0.18)	0.44	0.22	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	(2.62)	0.00	0.00	0.00	0.00	0.00	0.35	0.36	0.00	0.00	(0.16)
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	3.98	0.00	0.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.39
1988	Critical	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.06	0.05	0.05	0.05	0.05	0.02
1989	Dry	0.03	0.03	0.02	(0.01)	(0.01)	(0.02)	(0.05)	0.00	0.00	0.00	(0.58)	0.00	(0.05)
1990	Critical	0.11	0.10	0.08	(0.13)	(0.09)	(0.02)	0.03	0.05	0.05	0.05	0.04	0.05	0.03
1991	Critical	0.04	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.10)	(0.11)	(0.10)	(0.10)	(0.10)	(0.05)
1993	Above Normal	0.19	0.01	(0.26)	0.00	0.01	0.03	0.02	0.00	2.62	0.00	0.00	0.00	0.22
1994	Critical	0.04	0.03	0.01	0.06	0.06	0.01	(0.01)	(0.01)	0.31	0.00	0.61	0.10	0.10
1995	Wet	(0.04)	0.10	1.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1996	Wet	(3.64)	(3.16)	4.78	0.01	0.00	0.00	(0.03)	(0.03)	0.44	0.46	0.33	(0.03)	(0.07)
1997	Wet	(0.03)	(0.03)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1998	Wet	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	(0.05)	(0.04)	0.44	0.00	0.00	0.00	0.00	0.00	0.40	0.39	0.37	0.00	0.13
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.05)	0.00	0.19	0.37	0.00	0.02	0.03
2001	Dry	(0.03)	(0.04)	(0.06)	(0.17)	(0.14)	(0.04)	0.00	0.00	0.00	0.01	0.01	0.01	(0.04)
2002	Dry	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.29)	0.00	(0.02)
2003	Above Normal	0.00	0.56	2.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29
	Average	(0.07)	0.05	0.22	0.10	0.04	0.08	(0.00)	(0.00)	0.51	0.11	0.07	(0.02)	0.09
	Wet	(0.15)	(0.15)	0.10	0.06	0.01	0.17	0.05	0.01	0.60	0.17	0.01	(0.04)	0.07
	Above Normal	(0.03)	0.03	0.41	0.33	0.19	(0.04)	(0.03)	(0.00)	0.58	0.22	0.06	(0.00)	0.14
	Below Normal	(0.10)	0.22	0.82	(0.06)	(0.20)	(0.02)	(0.03)	0.02	0.43	0.03	0.00	0.00	0.09
	Dry	(0.01)	0.26	(0.02)	0.23	0.17	0.13	(0.03)	(0.03)	0.71	0.06	(0.01)	(0.05)	0.12
	Critical	0.02	0.01	(0.02)	(0.01)	(0.00)	0.04	(0.01)	(0.01)	0.02	0.02	0.41	0.02	0.04

Percent Difference in Energy generated (GWh) at Alamo Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	8%	8%	7%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	13%	3%	0%	0%
1924	Critical	0%	0%	0%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	18%
1930	Dry	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	27%	12%	0%	0%
1933	Critical	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	22%	18%	-1%	-1%	-1%	2%	122%	0%
1935	Below Normal	-10%	0%	5%	3%	-1%	-1%	-3%	0%	0%	0%	0%	0%
1936	Below Normal	-2%	-2%	-3%	-13%	-10%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	15%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	16%	0%	-12%	-16%	-16%	154%	-1%	33%	-11%
1940	Above Normal	28%	48%	2%	-1%	1%	0%	0%	0%	35%	5%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	12%	15%	3%	0%
1943	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	-74%	0%	-8%	-8%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	16%	1%	0%	0%
1947	Dry	0%	-1%	-1%	-3%	-2%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-6%	-5%	-3%	0%	29%	-2%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	-1%	0%	0%	0%	-4%	0%
1950	Below Normal	0%	3%	240%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	3%	3%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-1%	-6%	-9%	0%	0%	64%	4%	4%	614%	-7%	-5%	-7%
1954	Above Normal	-4%	-5%	-4%	56%	34%	11%	-1%	0%	11%	6%	0%	-1%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	2%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-5%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	300%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	1%	70%	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	15%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	85%	5%	-1%	-1%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	15%	-8%	-3%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	10%	-1%	4%	5%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	3%	0%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	-1%	0%
1977	Critical	0%	0%	-5%	0%	0%	0%	0%	-13%	0%	0%	0%	0%
1978	Above Normal	0%	6%	39%	0%	0%	-7%	-4%	0%	0%	0%	0%	0%
1979	Below Normal	-3%	-4%	-6%	-21%	-18%	0%	-1%	-1%	0%	0%	0%	0%
1980	Above Normal	-4%	-5%	-4%	38%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	10%	-1%	42%	58%	64%	10%	10%	>1,000%	0%	0%	0%
1982	Wet	-3%	-3%	-2%	6%	2%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	-23%	0%	0%	0%	0%	0%	3%	3%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	334%	0%	12%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	1%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	0%
1990	Critical	1%	1%	1%	-3%	-2%	-1%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	8%	0%	-7%	0%	0%	0%	0%	0%	163%	0%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	7%	0%	34%	2%
1995	Wet	-6%	9%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	-32%	-98%	74%	0%	0%	0%	0%	0%	4%	4%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	4%	0%	0%	0%	0%	0%	4%	4%	3%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	-1%	0%	2%	3%	0%	0%
2001	Dry	0%	0%	-1%	-4%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-6%	0%
2003	Above Normal	0%	61%	35%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	7%	5%	2%	1%	2%	0%	0%	15%	1%	2%	0%
	Wet	-2%	-4%	2%	1%	0%	2%	1%	0%	29%	2%	0%	0%
	Above Normal	2%	9%	5%	8%	3%	0%	0%	0%	18%	2%	1%	0%
	Below Normal	-1%	21%	22%	-1%	-3%	0%	0%	2%	2%	0%	0%	0%
	Dry	0%	15%	0%	3%	3%	3%	0%	0%	10%	1%	1%	0%
	Critical	0%	0%	0%	0%	1%	1%	0%	-1%	1%	0%	13%	2%

Energy generated (GWh) at Castaic: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	96.83	77.56	52.53	9.88	50.24	61.99	60.57	58.73	53.98	56.25	55.50	52.63	686.69
1923	Below Normal	42.60	39.83	36.05	60.47	72.73	62.41	59.82	59.29	55.82	64.74	60.39	51.16	665.31
1924	Critical	37.72	34.62	24.15	16.27	15.38	22.05	29.79	28.36	26.15	30.98	23.26	16.91	305.64
1925	Dry	0.69	0.14	0.10	2.30	10.37	49.01	53.63	68.36	65.61	78.03	71.62	58.69	458.55
1926	Dry	43.35	39.72	25.67	10.31	12.03	28.78	37.87	56.77	53.76	63.95	58.66	48.05	478.92
1927	Wet	33.69	30.62	18.58	7.90	31.00	68.06	63.56	62.21	57.16	58.34	58.22	56.30	545.64
1928	Above Normal	46.84	44.00	41.37	33.95	42.39	40.09	71.83	70.13	64.97	66.24	66.20	64.02	652.03
1929	Critical	54.69	51.56	49.08	32.52	29.46	24.47	28.17	30.81	28.79	34.23	25.66	3.98	393.42
1930	Dry	9.47	9.11	4.16	10.05	11.69	20.80	45.69	44.77	42.70	50.46	41.29	31.73	321.92
1931	Critical	14.37	11.24	3.91	9.96	11.46	21.89	35.08	33.59	31.88	38.14	28.40	20.55	260.47
1932	Dry	2.87	0.17	0.10	8.11	12.44	77.85	38.16	51.84	48.77	57.87	52.52	42.75	393.45
1933	Critical	28.25	25.35	14.54	10.03	83.52	21.71	26.78	45.47	43.16	51.23	42.58	33.00	425.62
1934	Critical	16.07	12.97	5.22	10.24	10.84	22.81	39.40	38.35	37.05	44.07	33.04	1.40	271.46
1935	Below Normal	21.88	16.16	8.23	10.37	14.05	29.36	69.36	68.34	64.15	69.30	67.12	61.24	499.56
1936	Below Normal	49.96	46.72	40.26	25.35	29.82	92.25	54.03	68.23	63.12	64.47	64.32	62.18	660.71
1937	Below Normal	52.80	49.73	47.19	34.57	83.51	92.30	68.37	81.77	76.51	78.08	77.95	75.42	818.20
1938	Wet	66.20	62.61	60.26	40.85	84.50	92.99	85.98	84.57	79.40	80.93	80.79	78.21	897.29
1939	Dry	68.97	65.23	62.87	45.92	50.50	48.00	68.92	69.09	23.79	90.58	57.12	86.64	737.63
1940	Above Normal	29.36	24.80	93.78	9.88	10.52	35.09	67.01	68.80	66.14	83.16	77.46	63.41	629.41
1941	Wet	47.71	43.76	28.78	16.77	52.90	66.61	69.87	68.40	63.26	64.59	64.45	62.38	649.48
1942	Wet	52.98	49.88	47.32	64.18	82.08	79.19	59.35	58.18	54.29	60.79	57.74	50.92	716.90
1943	Wet	38.82	35.89	27.94	44.26	65.67	66.96	76.57	75.15	69.90	71.30	71.24	68.98	712.68
1944	Dry	59.66	0.14	93.79	27.45	24.66	27.36	47.98	47.24	44.78	52.99	44.77	35.01	505.83
1945	Below Normal	18.29	15.17	6.90	16.26	13.76	92.35	53.75	66.40	61.32	62.66	62.46	60.40	529.72
1946	Below Normal	50.99	47.99	45.42	65.18	84.51	85.97	57.47	55.21	50.48	52.87	52.10	49.14	697.33
1947	Dry	38.99	36.36	32.37	29.65	35.06	36.94	71.57	69.78	64.64	65.78	65.79	63.68	610.61
1948	Below Normal	54.34	51.22	48.73	32.61	29.54	24.15	34.83	56.42	1.53	86.79	79.69	65.28	565.13
1949	Dry	49.43	45.24	29.91	15.79	13.55	25.66	70.53	70.43	67.35	78.13	72.68	70.38	609.08
1950	Below Normal	55.68	53.10	67.51	12.00	10.84	22.17	62.24	61.92	1.50	83.95	77.00	63.04	570.95
1951	Above Normal	47.34	43.42	28.53	92.48	83.50	92.27	46.30	61.06	56.06	57.12	57.08	55.20	720.36
1952	Wet	45.71	42.90	40.25	63.28	87.52	93.01	72.23	77.59	72.32	73.84	73.74	71.36	813.75
1953	Wet	62.06	58.61	56.17	69.22	60.17	49.30	57.91	58.95	41.74	75.06	68.82	56.46	714.47
1954	Above Normal	41.37	37.65	24.01	13.34	34.33	37.27	64.78	65.67	62.78	75.86	70.40	57.73	585.19
1955	Dry	42.49	38.88	25.00	9.97	12.23	32.64	59.43	59.16	56.07	66.58	61.35	50.23	514.03
1956	Wet	35.67	32.50	20.04	51.50	86.50	92.28	55.55	68.49	63.42	64.63	64.54	62.48	697.60
1957	Above Normal	53.06	49.95	47.37	43.43	43.26	54.30	66.79	68.03	65.32	82.85	76.61	62.74	713.71
1958	Wet	47.10	43.19	28.33	3.49	58.99	67.61	85.79	84.80	79.53	81.04	81.08	78.43	739.38
1959	Below Normal	69.21	52.63	93.75	34.61	34.22	40.50	58.35	57.64	1.58	77.71	71.25	58.37	649.82
1960	Dry	43.07	39.44	25.44	9.91	9.43	24.55	71.39	71.51	68.54	84.32	78.30	72.25	598.15
1961	Dry	57.38	53.12	39.17	14.52	15.15	21.87	60.22	59.79	56.83	67.56	62.03	55.36	563.00
1962	Below Normal	0.18	78.89	87.54	10.34	9.67	32.69	63.43	64.04	1.54	86.97	79.85	65.42	580.56
1963	Wet	49.48	45.45	30.12	35.09	52.86	58.05	58.21	56.52	52.07	55.76	54.31	50.06	597.98
1964	Dry	39.24	36.50	31.13	28.61	77.65	61.14	61.84	60.27	55.81	59.59	58.08	53.76	623.62
1965	Wet	43.04	40.15	34.93	42.22	71.93	69.73	59.72	58.21	53.87	62.29	60.25	54.91	651.25
1966	Below Normal	43.78	40.80	34.61	52.91	66.47	56.81	60.16	59.32	55.89	64.37	60.30	51.29	646.71
1967	Wet	38.01	34.92	24.74	11.58	70.85	74.69	84.79	84.07	78.82	80.48	80.39	77.72	741.06
1968	Below Normal	68.48	64.75	62.38	35.44	43.50	43.57	59.60	59.09	1.61	79.82	73.15	59.94	651.33
1969	Wet	44.51	40.78	26.48	32.47	83.54	92.28	72.49	76.30	75.92	77.49	77.39	74.84	774.49
1970	Wet	65.56	61.96	59.55	74.81	84.49	92.90	60.82	60.03	55.07	56.29	56.10	54.18	781.76
1971	Wet	44.69	41.92	39.26	63.00	79.54	69.07	60.23	59.53	56.03	64.41	60.33	51.63	689.64
1972	Below Normal	38.54	35.47	25.65	20.07	56.44	56.60	62.69	62.28	59.15	69.23	64.15	53.65	603.92
1973	Above Normal	39.57	36.27	24.59	8.00	70.10	71.34	49.60	63.96	59.02	60.13	60.04	58.03	600.65
1974	Wet	48.58	45.65	43.03	65.94	84.50	92.89	85.67	64.92	59.96	61.14	61.04	58.98	772.30
1975	Wet	49.53	46.56	43.95	52.63	49.71	77.16	65.00	63.19	58.19	59.30	59.23	57.25	681.70
1976	Critical	47.82	44.95	42.35	36.19	37.74	41.89	66.03	66.18	63.37	78.31	71.78	65.08	661.69
1977	Critical	49.31	45.21	29.87	10.11	9.65	16.75	23.61	6.15	1.66	1.83	1.75	1.40	197.30
1978	Above Normal	0.18	39.18	57.33	9.87	12.50	61.33	65.79	64.11	59.66	63.53	61.97	57.47	552.92
1979	Below Normal	46.80	43.78	38.60	32.53	30.80	76.90	66.75	65.23	60.23	61.37	61.27	59.24	643.50
1980	Above Normal	49.83	46.87	44.29	74.55	86.47	92.30	70.34	83.75	78.48	80.10	79.99	77.41	864.38
1981	Dry	68.16	64.45	75.85	35.56	35.81	38.63	60.88	62.13	1.67	84.30	77.35	63.31	668.10
1982	Wet	47.56	43.65	28.72	30.38	54.55	67.60	83.94	82.77	77.59	79.18	79.02	76.44	751.40
1983	Wet	67.19	63.53	61.16	79.66	75.68	92.29	71.03	74.95	74.57	75.84	75.97	73.51	885.38
1984	Wet	73.53	69.69	92.30	70.43	86.49	92.28	45.63	60.89	55.81	57.05	56.93	55.03	816.06
1985	Dry	45.55	42.74	71.18	32.27	61.07	54.72	60.44	60.05	55.10	56.17	56.02	54.20	649.51
1986	Wet	44.71	41.95	39.28	32.81	55.69	92.24	71.05	84.52	79.29	80.72	80.79	78.24	781.29
1987	Dry	69.16	49.14	93.86	27.74	24.91	21.74	28.91	26.67	24.27	28.53	21.60	15.72	432.25
1988	Critical	0.18	0.14	0.10	1.10	12.71	17.09	24.04	22.14	19.21	22.93	17.24	12.58	149.46
1989	Dry	0.18	0.14	0.10	0.10	12.90	20.80	70.53	69.34	65.19	71.07	68.45	63.08	441.88
1990	Critical	51.52	48.17	41.05	24.02	22.52	23.92	31.84	29.98	27.91	33.21	24.82	18.03	376.99
1991	Critical	1.36	0.14	0.10	3.17	9.69	16.75	24.53	22.04	19.10	22.73	17.09	12.50	149.20
1992	Critical	0.18	0.14	0.10	0.10	5.51	16.95	29.88	27.78	25.48	30.15	22.73	16.78	175.78
1993	Above Normal	0.62	0.20	0.10	9.21	52.98	60.22	61.94	60.97	37.69	72.15	68.58	60.38	485.04
1994	Critical	47.72	44.20	35.08	23.60	24.02	39.79	66.22	66.29	63.46	80.81	18.92	78.97	589.08
1995	Wet	0.18	89.23	93.88	10.21	40.38	43.87	79.22	77.97	72.72	74.08	74.13	71.72	727.59
1996	Wet	62.44	58.97	90.15	25.00	29.22	60.16	62.24	60.11	55.07	56.21	56.14	54.24	669.95
1997	Wet	44.78	42.02	39.39	61.19	83.90	92.84	70.14	69.59	64.46	65.66	65.66	63.55	763.18
1998	Wet	54.15	51.01	48.46	43.28	81.66	90.37	67.92	64.51	59.34	60.60	60.62	58.57	740.49
1999	Wet	49.12	64.95	59.31	64.69	83.51	81.75	45.88	60.74	55.59	56.79	56.81	54.88	734.02
2000	Above Normal	45.39	42.59	39.94	40.00	65.91	58.92	64.34	63.45	59.41	66.00	63.09	56.10	665.14
2001	Dry	44.05	40.93	33.06	21.61	20.58	25.60	40.43	39.75	38.19	45.36	34.68	25.47	409.71
2002	Dry	6.87	3.78	0.10	3.94	12.52	32.46	68.79	67.14	61.88	63.20	63.22	67.39	451.29
2003	Above Normal	28.35	45.88	93.93	5.81	14.59	33.58	59.21	58.92	1.40	79.41	73.00	59.75	553.83
	Average	41.32	40.13	39.79	30.01	44.51	54.36	58.45	60.26	50.82	63.81	59.38	54.28	597.10
	Wet	48.35	49.32	45.48	44.49	68.38	77.55	68.11	69.12	64.05	67.45	66.76	63.51	732.57
	Above Normal	39.90	40.70	45.65	29.20	47.23	58.23	62.38	65.63	55.41	70.23	67.49	60.41	642.45
	Below Normal	43.82	45.45	45.92	31.62	41.42	57.72	59.35	63.23	39.60	71.60	67.93	59.70	627.34
	Dry	38.31	31.40	35.77	18.55	25.14	36.03	56.51	58.56	49.72	64.69	58.09	53.21	525.97
	Critical	29.10	26.56	20.46	14.78	22.71	23.84	35.45	34.76	32.27	39.05	27.27	23.43	329.68

Energy generated (GWh) at Castaic: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	96.83	77.56	52.53	9.88	50.24	61.99	60.57	58.73	62.99	68.00	59.93	52.63	711.88
1923	Below Normal	42.60	39.83	36.04	60.46	72.65	62.05	59.86	59.36	72.26	66.49	60.49	51.19	683.28
1924	Critical	37.72	34.61	24.07	16.13	15.26	22.01	29.80	28.37	26.16	30.99	23.27	16.92	305.31
1925	Dry	0.69	0.14	0.10	2.30	10.37	48.50	53.67	68.40	65.65	78.08	71.67	58.73	458.30
1926	Dry	43.38	39.75	25.70	10.31	12.02	28.76	37.83	56.74	53.72	63.91	58.63	48.02	478.77
1927	Wet	33.66	30.59	18.56	7.90	30.97	68.06	63.56	62.21	67.96	65.51	58.22	56.30	563.50
1928	Above Normal	46.84	44.00	41.37	33.95	42.36	40.09	71.83	70.13	64.97	66.24	66.20	64.02	652.00
1929	Critical	54.69	51.57	49.08	32.52	29.46	24.46	28.16	30.80	28.78	34.22	25.65	2.31	391.70
1930	Dry	9.55	8.89	3.93	10.05	11.69	20.80	45.69	44.77	42.70	50.45	41.29	31.72	321.53
1931	Critical	14.37	11.23	3.90	9.96	11.46	21.89	35.07	33.58	31.87	38.13	28.39	20.54	260.39
1932	Dry	2.87	0.17	0.10	8.10	12.45	80.34	38.15	51.83	61.36	63.24	52.51	42.74	413.86
1933	Critical	28.23	25.33	14.53	10.03	83.52	21.71	26.79	45.47	43.16	51.23	42.58	33.00	425.58
1934	Critical	16.07	12.97	5.22	10.24	12.20	39.37	29.71	43.10	41.06	48.59	39.23	1.40	299.16
1935	Below Normal	26.93	23.34	13.57	10.35	14.09	29.05	69.70	68.92	65.02	71.54	68.61	61.41	522.53
1936	Below Normal	49.45	46.13	38.30	23.17	27.24	92.25	54.02	68.22	72.56	72.99	64.31	62.17	670.81
1937	Below Normal	52.80	49.72	47.19	34.57	82.21	92.30	68.37	81.77	78.39	79.82	79.36	76.74	823.24
1938	Wet	70.13	66.53	62.39	49.44	84.50	92.99	89.16	86.62	84.68	82.43	82.36	79.89	931.12
1939	Dry	72.75	69.19	64.95	58.62	45.55	39.56	59.14	58.54	19.53	78.91	63.16	69.71	699.61
1940	Above Normal	34.79	23.17	93.78	9.88	10.55	35.09	67.03	68.82	78.75	88.53	77.49	63.42	651.30
1941	Wet	47.72	43.78	28.80	16.75	52.90	66.40	69.67	68.20	72.06	74.44	70.33	62.17	673.22
1942	Wet	52.77	49.68	47.12	64.12	82.01	78.88	59.37	58.20	63.32	75.49	59.30	50.94	741.20
1943	Wet	38.82	35.89	27.91	44.18	65.13	66.47	76.23	74.79	75.78	77.19	76.97	74.41	733.77
1944	Dry	60.13	0.14	93.79	25.76	23.16	26.88	47.97	47.23	44.77	52.98	44.76	35.01	502.58
1945	Below Normal	18.29	15.17	6.90	16.28	13.77	81.46	53.84	66.49	71.86	73.42	66.59	60.48	544.55
1946	Below Normal	51.08	48.07	45.51	65.15	84.51	85.81	57.55	55.37	68.18	54.02	52.52	49.20	716.97
1947	Dry	38.87	36.22	31.85	28.61	36.67	34.38	71.75	69.97	64.83	65.96	65.98	63.86	608.95
1948	Below Normal	54.52	51.40	48.91	32.68	29.24	24.05	34.84	54.24	1.53	86.87	79.70	65.25	563.23
1949	Dry	49.45	45.31	29.95	15.73	13.52	25.60	70.56	70.51	67.48	78.48	72.90	70.42	609.91
1950	Below Normal	55.56	52.90	0.10	12.00	10.84	22.17	62.24	61.92	1.50	83.95	77.00	63.04	503.22
1951	Above Normal	47.34	43.42	28.53	71.28	75.84	92.27	46.35	61.11	70.03	61.21	57.12	55.24	709.74
1952	Wet	45.76	42.95	40.29	63.29	79.50	93.01	71.92	66.58	70.41	73.89	67.66	60.60	775.86
1953	Wet	51.17	48.15	45.56	69.64	77.94	73.41	59.74	60.05	56.75	66.80	61.70	51.48	722.39
1954	Above Normal	37.44	34.24	22.66	14.93	48.00	40.05	64.46	65.57	62.67	74.65	68.49	56.18	589.34
1955	Dry	41.06	37.54	23.97	9.03	12.47	33.28	60.69	60.52	57.47	68.25	62.87	51.48	518.63
1956	Wet	36.80	33.57	20.88	32.57	86.54	92.28	55.73	68.65	73.28	74.79	70.17	62.63	707.89
1957	Above Normal	53.22	50.10	47.53	43.44	43.15	53.54	66.79	68.01	65.29	83.06	76.83	62.92	713.88
1958	Wet	47.27	43.34	28.45	3.48	58.95	67.57	85.75	84.76	79.56	81.37	81.13	78.39	740.02
1959	Below Normal	71.73	70.02	93.75	37.37	34.24	40.52	58.34	57.64	1.58	77.71	71.25	58.37	672.52
1960	Dry	43.07	39.44	25.44	9.91	9.43	24.45	71.39	71.52	68.55	84.30	78.29	72.17	597.96
1961	Dry	57.30	53.05	39.12	14.53	15.16	21.88	60.23	59.80	56.84	67.57	62.04	55.38	562.90
1962	Below Normal	0.18	78.28	22.94	10.34	9.67	32.70	63.43	64.04	19.51	86.96	79.85	65.41	533.31
1963	Wet	49.47	45.45	30.12	35.09	52.86	58.06	58.20	56.52	69.01	63.99	54.31	50.05	623.13
1964	Dry	39.24	36.50	31.14	28.67	77.65	61.17	61.83	60.26	55.80	59.57	58.06	53.75	623.64
1965	Wet	43.03	40.14	34.93	42.24	71.94	69.73	59.73	58.22	71.87	70.03	60.79	55.38	678.03
1966	Below Normal	44.24	41.24	35.01	52.88	66.44	56.81	60.15	59.32	55.88	64.36	60.29	51.29	647.91
1967	Wet	38.01	34.92	24.74	11.60	70.86	74.71	84.79	84.07	79.62	81.30	80.94	78.15	743.71
1968	Below Normal	71.54	76.03	71.71	40.45	39.55	42.54	59.83	59.33	1.61	80.18	73.49	60.21	676.47
1969	Wet	44.76	41.01	26.66	32.35	83.52	92.28	67.92	81.20	90.39	79.88	81.04	78.27	799.28
1970	Wet	71.67	68.22	62.79	72.49	77.04	92.90	68.02	59.63	69.36	66.37	55.69	53.79	817.97
1971	Wet	44.30	41.54	38.87	62.85	79.41	69.58	60.09	59.32	55.77	63.91	59.96	51.51	687.11
1972	Below Normal	38.55	35.51	25.93	21.01	56.68	56.87	62.70	62.27	59.14	69.17	64.12	53.66	605.61
1973	Above Normal	39.62	36.32	24.69	8.17	70.10	71.34	49.60	63.96	71.11	66.01	60.04	58.03	618.99
1974	Wet	48.58	45.65	43.03	65.94	75.94	92.89	84.20	64.74	71.62	73.26	61.88	58.81	786.54
1975	Wet	49.36	46.39	43.78	52.91	49.83	77.07	64.92	63.10	70.65	64.65	59.15	57.17	698.98
1976	Critical	47.73	44.87	42.27	36.14	37.76	41.95	66.16	66.32	63.51	78.42	71.88	65.38	662.39
1977	Critical	49.59	45.46	30.07	10.11	9.65	16.75	23.61	6.15	1.66	1.83	1.75	1.40	198.03
1978	Above Normal	0.18	37.65	32.27	9.87	12.50	57.78	66.55	65.51	70.60	74.13	75.18	58.13	560.35
1979	Below Normal	46.19	43.01	35.29	28.13	26.23	72.35	64.30	62.64	70.19	71.40	58.66	56.71	635.10
1980	Above Normal	47.26	44.41	41.80	49.72	86.52	92.30	56.85	71.90	74.65	76.01	75.93	67.30	784.65
1981	Dry	56.43	53.18	50.66	42.95	58.81	54.99	66.22	67.48	64.71	78.92	72.70	60.04	727.09
1982	Wet	44.99	41.33	27.71	32.28	56.20	67.55	83.92	82.75	79.14	80.76	80.38	77.66	754.67
1983	Wet	70.99	67.55	90.69	70.90	84.50	92.29	79.56	68.89	86.80	75.84	86.43	75.85	950.29
1984	Wet	75.61	71.71	92.30	70.43	78.86	92.28	45.63	60.89	70.01	68.01	56.93	55.03	837.69
1985	Dry	45.55	42.74	71.18	32.27	61.08	54.72	60.44	60.05	55.10	56.17	56.02	54.20	649.52
1986	Wet	44.71	41.95	39.28	32.81	33.14	92.70	81.53	84.71	79.47	80.94	81.03	78.52	770.79
1987	Dry	71.56	45.19	93.86	31.47	24.89	21.74	28.91	26.66	24.26	28.51	21.59	15.71	434.35
1988	Critical	0.18	0.14	0.10	1.09	12.72	17.09	24.04	22.35	19.44	23.20	17.44	12.73	150.52
1989	Dry	0.18	0.14	0.10	0.10	12.96	20.72	70.61	69.47	65.37	71.51	68.75	64.29	444.20
1990	Critical	52.59	49.18	41.74	23.59	22.22	23.90	32.01	30.18	28.13	33.47	25.01	18.17	380.19
1991	Critical	1.44	0.14	0.10	3.29	9.69	16.75	24.53	22.04	19.10	22.73	17.09	12.50	149.40
1992	Critical	0.18	0.14	0.10	0.10	5.51	16.95	29.53	27.38	25.04	29.63	22.34	16.50	173.40
1993	Above Normal	0.45	0.14	0.10	8.05	53.06	60.38	61.90	60.91	49.32	83.63	68.11	59.71	505.76
1994	Critical	47.29	43.93	35.05	23.89	24.24	39.84	66.15	66.21	63.38	80.38	13.24	78.10	581.70
1995	Wet	0.18	88.31	65.17	10.22	40.38	43.87	79.22	77.97	76.91	74.08	86.38	77.38	720.07
1996	Wet	75.24	0.14	0.10	25.05	29.20	60.14	62.07	59.93	65.69	68.38	57.98	54.07	557.99
1997	Wet	44.60	41.86	39.22	61.13	83.82	92.83	70.10	69.58	73.64	75.05	72.22	63.54	787.59
1998	Wet	54.14	51.00	48.45	43.26	81.65	88.66	68.65	64.15	71.11	73.27	60.43	58.40	763.17
1999	Wet	48.95	64.79	55.19	64.57	83.51	81.75	45.88	60.73	67.53	67.64	59.17	54.88	754.59
2000	Above Normal	45.39	42.59	39.94	39.99	65.93	58.32	64.45	63.62	72.94	71.19	63.45	56.18	683.99
2001	Dry	43.99	40.86	32.70	21.07	20.15	25.45	40.52	39.83	38.26	45.44	34.79	25.57	408.63
2002	Dry	7.00	3.91	0.10	4.05	12.51	32.45	68.72	67.06	61.81	63.13	63.15	67.19	451.08
2003	Above Normal	32.59	40.71	46.38	5.81	14.59	33.58	59.21	58.92	1.40	79.41	73.00	59.75	505.35
	Average	41.60	39.55	35.86	29.49	44.34	54.69	58.42	59.97	56.53	66.57	60.21	53.94	601.17
	Wet	48.95	47.17	41.65	43.75	67.35	78.40	69.06	68.71	72.78	73.05	68.56	63.66	743.10
	Above Normal	40.16	39.53	39.30	25.41	47.74	58.06	61.30	64.77	62.06	74.34	68.48	59.46	640.60
	Below Normal	44.55	47.90	37.23	31.77	40.53	56.50	59.23	62.97	45.66	74.21	68.30	59.65	628.48
	Dry	37.95	30.69	34.37	19.64	26.14	36.43	56.35	58.37	53.79	64.19	58.29	52.22	528.42
	Critical	29.17	26.63	20.52	14.76	22.81	25.22	34.63	35.16	32.61	39.40	27.32	23.25	331.48

Difference in Energy generated (GWh) at Castaic: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.01	11.75	4.43	0.00	2.10
1923	Below Normal	0.00	0.00	(0.01)	(0.01)	(0.08)	(0.36)	0.04	0.07	16.44	1.75	0.10	0.03	1.50
1924	Critical	0.00	(0.01)	(0.08)	(0.14)	(0.12)	(0.04)	0.01	0.01	0.01	0.01	0.01	0.01	(0.03)
1925	Dry	0.00	0.00	0.00	0.00	0.00	(0.51)	0.04	0.04	0.04	0.05	0.05	0.04	(0.02)
1926	Dry	0.03	0.03	0.03	0.00	(0.01)	(0.02)	(0.04)	(0.03)	(0.04)	(0.04)	(0.03)	(0.03)	(0.01)
1927	Wet	(0.03)	(0.03)	(0.02)	0.00	(0.03)	0.00	0.00	0.00	10.80	7.17	0.00	0.00	1.49
1928	Above Normal	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(1.67)	(0.14)
1930	Dry	0.08	(0.22)	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.03)
1931	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1932	Dry	0.00	0.00	0.00	(0.01)	0.01	2.49	(0.01)	(0.01)	12.59	5.37	(0.01)	(0.01)	1.70
1933	Critical	(0.02)	(0.02)	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	1.36	16.56	(9.69)	4.75	4.01	4.52	6.19	0.00	2.31
1935	Below Normal	5.05	7.18	5.34	(0.02)	0.04	(0.31)	0.34	0.58	0.87	2.24	1.49	0.17	1.91
1936	Below Normal	(0.51)	(0.59)	(1.96)	(2.18)	(2.58)	0.00	(0.01)	(0.01)	9.44	8.52	(0.01)	(0.01)	0.84
1937	Below Normal	0.00	(0.01)	0.00	0.00	(1.30)	0.00	0.00	0.00	1.88	1.74	1.41	1.32	0.42
1938	Wet	3.93	3.92	2.13	8.59	0.00	0.00	3.18	2.05	5.28	1.50	1.57	1.68	2.82
1939	Dry	3.78	3.96	2.08	12.70	(4.95)	(8.44)	(9.78)	(10.55)	(4.26)	(11.67)	6.04	(16.93)	(3.17)
1940	Above Normal	5.43	(1.63)	0.00	0.00	0.03	0.00	0.02	0.02	12.61	5.37	0.03	0.01	1.82
1941	Wet	0.01	0.02	0.02	(0.02)	0.00	(0.21)	(0.20)	(0.20)	8.80	9.85	5.88	(0.21)	1.98
1942	Wet	(0.21)	(0.20)	(0.20)	(0.06)	(0.07)	(0.31)	0.02	0.02	9.03	14.70	1.56	0.02	2.03
1943	Wet	0.00	0.00	(0.03)	(0.08)	(0.54)	(0.49)	(0.34)	(0.36)	5.88	5.89	5.73	5.43	1.76
1944	Dry	0.47	0.00	0.00	(1.69)	(1.50)	(0.48)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.27)
1945	Below Normal	0.00	0.00	0.00	0.02	0.01	(10.89)	0.09	0.09	10.54	10.76	4.13	0.08	1.24
1946	Below Normal	0.09	0.08	0.09	(0.03)	0.00	(0.16)	0.08	0.16	17.70	1.15	0.42	0.06	1.64
1947	Dry	(0.12)	(0.14)	(0.52)	(1.04)	1.61	(2.56)	0.18	0.19	0.19	0.18	0.19	0.18	(0.14)
1948	Below Normal	0.18	0.18	0.18	0.07	(0.30)	(0.10)	0.01	(2.18)	0.00	0.08	0.01	(0.03)	(0.16)
1949	Dry	0.02	0.07	0.04	(0.06)	(0.03)	(0.06)	0.03	0.08	0.13	0.35	0.22	0.04	0.07
1950	Below Normal	(0.12)	(0.20)	(67.41)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(5.64)
1951	Above Normal	0.00	0.00	0.00	(21.20)	(7.66)	0.00	0.05	0.05	13.97	4.09	0.04	0.04	(0.89)
1952	Wet	0.05	0.05	0.04	0.01	(8.02)	0.00	(0.31)	(11.01)	(1.91)	0.05	(6.08)	(10.76)	(3.16)
1953	Wet	(10.89)	(10.46)	(10.61)	0.42	17.77	24.11	1.83	1.10	15.01	(8.26)	(7.12)	(4.98)	0.66
1954	Above Normal	(3.93)	(3.41)	(1.35)	1.59	13.67	2.78	(0.32)	(0.10)	(0.11)	(1.21)	(1.91)	(1.55)	0.35
1955	Dry	(1.43)	(1.34)	(1.03)	(0.94)	0.24	0.64	1.26	1.36	1.40	1.67	1.52	1.25	0.38
1956	Wet	1.13	1.07	0.84	(18.93)	0.04	0.00	0.18	0.16	9.86	10.16	5.63	0.15	0.86
1957	Above Normal	0.16	0.15	0.16	0.01	(0.11)	(0.76)	0.00	(0.02)	(0.03)	0.21	0.22	0.18	0.01
1958	Wet	0.17	0.15	0.12	(0.01)	(0.04)	(0.04)	(0.04)	(0.04)	0.03	0.33	0.05	(0.04)	0.05
1959	Below Normal	2.52	17.39	0.00	2.76	0.02	0.02	(0.01)	0.00	0.00	0.00	0.00	0.00	1.89
1960	Dry	0.00	0.00	0.00	0.00	0.00	(0.10)	0.00	0.01	0.01	(0.02)	(0.01)	(0.08)	(0.02)
1961	Dry	(0.08)	(0.07)	(0.05)	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)
1962	Below Normal	0.00	(0.61)	(64.60)	0.00	0.00	0.01	0.00	0.00	17.97	(0.01)	0.00	(0.01)	(3.94)
1963	Wet	(0.01)	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	16.94	8.23	0.00	(0.01)	2.10
1964	Dry	0.00	0.00	0.01	0.06	0.00	0.03	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	0.00
1965	Wet	(0.01)	(0.01)	0.00	0.02	0.01	0.00	0.01	0.01	18.00	7.74	0.54	0.47	2.23
1966	Below Normal	0.46	0.44	0.40	(0.03)	(0.03)	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	0.10
1967	Wet	0.00	0.00	0.00	0.02	0.01	0.02	0.00	0.00	0.80	0.82	0.55	0.43	0.22
1968	Below Normal	3.06	11.28	9.33	5.01	(3.95)	(1.03)	0.23	0.24	0.00	0.36	0.34	0.27	2.10
1969	Wet	0.25	0.23	0.18	(0.12)	(0.02)	0.00	(4.57)	4.90	14.47	2.39	3.65	3.43	2.07
1970	Wet	6.11	6.26	3.24	(2.32)	(7.45)	0.00	7.20	(0.40)	14.29	10.08	(0.41)	(0.39)	3.02
1971	Wet	(0.39)	(0.38)	(0.39)	(0.15)	(0.13)	0.51	(0.14)	(0.21)	(0.26)	(0.50)	(0.37)	(0.12)	(0.21)
1972	Below Normal	0.01	0.04	0.28	0.94	0.24	0.27	0.01	(0.01)	(0.01)	(0.06)	(0.03)	0.01	0.14
1973	Above Normal	0.05	0.05	0.10	0.17	0.00	0.00	0.00	0.00	12.09	5.88	0.00	0.00	1.53
1974	Wet	0.00	0.00	0.00	0.00	(8.56)	0.00	(1.47)	(0.18)	11.66	12.12	0.84	(0.17)	1.19
1975	Wet	(0.17)	(0.17)	(0.17)	0.28	0.12	(0.09)	(0.08)	(0.09)	12.46	5.35	(0.08)	(0.08)	1.44
1976	Critical	(0.09)	(0.08)	(0.08)	(0.05)	0.02	0.06	0.13	0.14	0.14	0.11	0.10	0.30	0.06
1977	Critical	0.28	0.25	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1978	Above Normal	0.00	(1.53)	(25.06)	0.00	0.00	(3.55)	0.76	1.40	10.94	10.60	13.21	0.66	0.62
1979	Below Normal	(0.61)	(0.77)	(3.31)	(4.40)	(4.57)	(4.55)	(2.45)	(2.59)	9.96	10.03	(2.61)	(2.53)	(0.70)
1980	Above Normal	(2.57)	(2.46)	(2.49)	(24.83)	0.05	0.00	(13.49)	(11.85)	(3.83)	(4.09)	(4.06)	(10.11)	(6.64)
1981	Dry	(11.73)	(11.27)	(25.19)	7.39	23.00	16.36	5.34	5.35	63.04	(5.38)	(4.65)	(3.27)	4.92
1982	Wet	(2.57)	(2.32)	(1.01)	1.90	1.65	(0.05)	(0.02)	(0.02)	1.55	1.58	1.36	1.22	0.27
1983	Wet	3.80	4.02	29.53	(8.76)	8.82	0.00	8.53	(6.06)	12.23	0.00	10.46	2.34	5.41
1984	Wet	2.08	2.02	0.00	0.00	(7.63)	0.00	0.00	0.00	14.20	10.96	0.00	0.00	1.80
1985	Dry	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(22.55)	0.46	10.48	0.19	0.18	0.22	0.24	0.28	(0.88)
1987	Dry	2.40	(3.95)	0.00	3.73	(0.02)	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	0.18
1988	Critical	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	0.21	0.23	0.27	0.20	0.15	0.09
1989	Dry	0.00	0.00	0.00	0.00	0.06	(0.08)	0.08	0.13	0.18	0.44	0.30	1.21	0.19
1990	Critical	1.07	1.01	0.69	(0.43)	(0.30)	(0.02)	0.17	0.20	0.22	0.26	0.19	0.14	0.27
1991	Critical	0.08	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.35)	(0.40)	(0.44)	(0.52)	(0.39)	(0.28)	(0.20)
1993	Above Normal	(0.17)	(0.06)	0.00	(1.16)	0.08	0.16	(0.04)	(0.06)	11.63	11.48	(0.47)	(0.67)	1.73
1994	Critical	(0.43)	(0.27)	(0.03)	0.29	0.22	0.05	(0.07)	(0.08)	(0.08)	(0.43)	(5.68)	(0.87)	(0.62)
1995	Wet	0.00	(0.92)	(28.71)	0.01	0.00	0.00	0.00	0.00	4.19	0.00	12.25	5.66	(0.63)
1996	Wet	12.80	(58.83)	(90.05)	0.05	(0.02)	(0.02)	(0.17)	(0.18)	10.62	12.17	1.84	(0.17)	(9.33)
1997	Wet	(0.18)	(0.16)	(0.17)	(0.06)	(0.08)	(0.01)	(0.04)	(0.01)	9.18	9.39	6.56	(0.01)	2.03
1998	Wet	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(1.71)	0.73	(0.36)	11.77	12.67	(0.19)	(0.17)	1.89
1999	Wet	(0.17)	(0.16)	(4.12)	(0.12)	0.00	0.00	0.00	(0.01)	11.94	10.85	2.36	0.00	1.71
2000	Above Normal	0.00	0.00	0.00	(0.01)	0.02	(0.60)	0.11	0.17	13.53	5.19	0.36	0.08	1.57
2001	Dry	(0.06)	(0.07)	(0.36)	(0.54)	(0.43)	(0.15)	0.09	0.08	0.07	0.08	0.11	0.10	(0.09)
2002	Dry	0.13	0.13	0.00	0.11	(0.01)	(0.01)	(0.07)	(0.08)	(0.07)	(0.07)	(0.07)	(0.20)	(0.02)
2003	Above Normal	4.24	(5.17)	(47.55)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(4.04)
	Average	0.29	(0.58)	(3.92)	(0.53)	(0.17)	0.33	(0.03)	(0.29)	5.72	2.76	0.83	(0.34)	0.34
	Wet	0.60	(2.15)	(3.82)	(0.74)	(1.03)	0.85	0.95	(0.41)	8.73	5.59	1.80	0.15	0.88
	Above Normal	0.27	(1.17)	(6.35)	(3.79)	0.50	(0.16)	(1.08)	(0.87)	6.65	4.11	0.99	(0.95)	(0.15)
	Below Normal	0.72	2.46	(8.69)	0.15	(0.89)	(1.22)	(0.12)	(0.26)	6.06	2.61	0.37	(0.05)	0.10
	Dry	(0.36)	(0.72)	(1.40)	1.10	1.00	0.40	(0.16)	(0.19)	4.07	(0.51)	0.20	(0.98)	0.20
	Critical	0.07	0.07	0.06	(0.02)	0.10	1.38	(0.82)	0.40	0.34	0.35	0.05	(0.19)	0.15

Percent Difference in Energy generated (GWh) at Castaic: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	17%	21%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	29%	3%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	19%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-42%
1930	Dry	1%	-2%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	3%	0%	0%	26%	9%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	13%	73%	-25%	12%	11%	10%	19%	0%
1935	Below Normal	23%	44%	65%	0%	0%	-1%	0%	1%	1%	3%	2%	0%
1936	Below Normal	-1%	-1%	-5%	-9%	-9%	0%	0%	0%	15%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	-2%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	6%	6%	4%	21%	0%	0%	4%	2%	7%	2%	2%	2%
1939	Dry	5%	6%	3%	28%	-10%	-18%	-14%	-15%	-18%	-13%	11%	-20%
1940	Above Normal	18%	-7%	0%	0%	0%	0%	0%	0%	19%	6%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	24%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	8%	8%
1944	Dry	1%	0%	0%	-6%	-6%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-12%	0%	0%	17%	17%	7%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	35%	2%	1%	0%
1947	Dry	0%	0%	-2%	-4%	5%	-7%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	-1%	0%	0%	-4%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-23%	-9%	0%	0%	0%	25%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	-9%	0%	0%	-14%	-3%	0%	-8%	-15%
1953	Wet	-18%	-18%	-19%	1%	30%	49%	3%	2%	36%	-11%	-10%	-9%
1954	Above Normal	-9%	-9%	-6%	12%	40%	7%	0%	0%	0%	-2%	-3%	-3%
1955	Dry	-3%	-3%	-4%	-9%	2%	2%	2%	2%	2%	3%	2%	2%
1956	Wet	3%	3%	4%	-37%	0%	0%	0%	0%	16%	16%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	4%	33%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	-1%	-74%	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	33%	15%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	33%	12%	1%	1%
1966	Below Normal	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	17%	15%	14%	-9%	-2%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	1%	1%	0%	0%	0%	-6%	6%	19%	3%	5%	5%
1970	Wet	9%	10%	5%	-3%	-9%	0%	12%	-1%	26%	18%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	-1%	-1%	0%
1972	Below Normal	0%	0%	1%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	2%	0%	0%	0%	0%	20%	10%	0%	0%
1974	Wet	0%	0%	0%	0%	-10%	0%	-2%	0%	19%	20%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-4%	-44%	0%	0%	-6%	1%	2%	18%	17%	21%	1%
1979	Below Normal	-1%	-2%	-9%	-14%	-15%	-6%	-4%	-4%	17%	16%	-4%	-4%
1980	Above Normal	-5%	-5%	-6%	-33%	0%	0%	-19%	-14%	-5%	-5%	-5%	-13%
1981	Dry	-17%	-17%	-33%	21%	64%	42%	9%	9%	>1,000%	-6%	-6%	-5%
1982	Wet	-5%	-5%	-4%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	6%	6%	48%	-11%	12%	0%	12%	-8%	16%	0%	14%	3%
1984	Wet	3%	3%	0%	0%	-9%	0%	0%	0%	25%	19%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-40%	0%	15%	0%	0%	0%	0%	0%
1987	Dry	3%	-8%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	-1%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	2%
1990	Critical	2%	2%	2%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	6%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-2%	-2%
1993	Above Normal	-27%	-30%	0%	-13%	0%	0%	0%	0%	31%	16%	-1%	-1%
1994	Critical	-1%	-1%	0%	1%	1%	0%	0%	0%	0%	-1%	-30%	-1%
1995	Wet	0%	-1%	-31%	0%	0%	0%	0%	0%	6%	0%	17%	8%
1996	Wet	20%	-100%	-100%	0%	0%	0%	0%	0%	19%	22%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	-2%	1%	-1%	20%	21%	0%	0%
1999	Wet	0%	0%	-7%	0%	0%	0%	0%	0%	21%	19%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	23%	8%	1%	0%
2001	Dry	0%	0%	-1%	-2%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	2%	3%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	15%	-11%	-51%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	1%	-1%	-4%	0%	0%	1%	0%	0%	8%	5%	1%	-1%
	Wet	1%	-4%	-4%	-1%	-1%	2%	1%	-1%	15%	9%	3%	0%
	Above Normal	-1%	-5%	-9%	-5%	3%	0%	-2%	-1%	12%	7%	2%	-1%
	Below Normal	2%	7%	-7%	0%	-2%	-2%	0%	0%	8%	4%	1%	0%
	Dry	0%	-1%	-2%	2%	3%	1%	0%	0%	1%	0%	0%	-1%
	Critical	1%	0%	0%	0%	1%	6%	-2%	1%	1%	1%	-1%	-4%

Energy generated (GWh) at DCanyon: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	114.09	127.44	106.34	28.22	81.42	91.37	84.47	90.50	89.27	91.04	92.25	89.76	1,086.17
1923	Below Normal	86.43	81.64	80.80	122.76	114.01	90.83	63.94	84.81	83.90	81.76	91.19	88.22	1,070.29
1924	Critical	74.34	68.55	58.82	20.21	25.88	26.67	40.34	58.41	59.86	51.57	51.63	50.18	586.46
1925	Dry	32.35	26.09	21.15	5.85	12.63	35.43	74.45	97.08	96.33	91.95	106.63	103.08	703.02
1926	Dry	83.51	77.08	62.41	5.85	16.44	33.81	56.83	79.34	78.89	75.22	87.44	84.42	741.24
1927	Wet	68.53	63.08	51.05	11.77	55.34	102.37	92.15	97.66	96.27	98.92	98.83	96.21	932.18
1928	Above Normal	94.75	89.77	90.55	61.97	77.60	50.18	106.15	111.15	109.38	112.38	112.32	109.38	1,125.58
1929	Critical	107.79	102.36	103.36	66.09	64.71	35.42	37.24	64.90	66.26	57.15	57.49	1.27	764.04
1930	Dry	33.45	48.77	45.66	5.66	15.65	23.11	60.08	82.31	83.67	75.09	80.42	78.17	632.04
1931	Critical	55.65	48.09	39.34	5.59	15.19	25.48	51.19	72.03	73.53	63.40	63.69	61.86	575.04
1932	Dry	40.09	32.52	26.36	7.79	23.16	34.94	56.13	74.11	73.96	70.12	80.08	77.50	596.76
1933	Critical	61.51	56.21	45.59	5.64	65.08	30.39	58.49	80.46	81.49	73.93	79.90	77.59	716.28
1934	Critical	56.24	48.89	39.98	5.80	13.71	26.92	59.52	83.50	85.23	73.53	23.09	1.28	517.69
1935	Below Normal	87.18	73.25	56.79	5.90	21.56	34.31	93.96	105.08	103.91	104.12	108.86	105.72	900.64
1936	Below Normal	97.54	91.75	87.27	46.18	54.44	133.83	101.24	108.74	107.12	110.04	109.98	107.09	1,155.22
1937	Below Normal	105.39	99.97	100.88	69.11	113.80	107.75	125.96	131.98	129.93	133.44	133.37	129.94	1,381.52
1938	Wet	128.05	121.63	122.83	76.25	100.13	131.12	130.96	136.39	134.44	137.87	137.79	134.33	1,491.79
1939	Dry	132.34	125.68	126.83	80.38	88.49	64.02	74.86	97.70	1.49	98.73	1.75	96.17	988.44
1940	Above Normal	0.87	0.32	71.68	5.53	13.00	43.51	72.94	97.78	48.38	87.87	113.57	109.99	665.44
1941	Wet	88.63	81.69	66.17	41.55	86.09	99.36	103.03	108.24	106.50	109.54	109.43	106.54	1,106.77
1942	Wet	104.97	99.63	100.49	120.10	105.55	122.24	72.55	85.58	84.71	83.91	90.18	87.31	1,157.22
1943	Wet	77.46	72.08	65.64	94.96	110.51	100.22	114.68	120.01	117.94	121.35	121.25	118.22	1,234.32
1944	Dry	116.51	0.53	127.43	52.36	51.05	40.28	59.87	81.55	82.10	75.05	81.98	79.67	848.38
1945	Below Normal	58.56	51.47	42.07	10.99	21.50	134.77	100.61	105.33	103.89	106.70	106.61	103.86	946.36
1946	Below Normal	102.18	96.82	97.69	120.56	102.35	135.86	75.35	83.92	82.70	84.35	85.76	83.32	1,150.86
1947	Dry	79.90	75.40	74.25	55.61	61.55	46.16	105.65	110.55	108.81	111.72	111.63	108.80	1,050.03
1948	Below Normal	107.22	101.76	102.75	65.73	63.82	34.63	50.88	1.11	1.41	102.83	116.81	113.27	862.22
1949	Dry	90.57	83.91	68.20	9.97	20.08	31.09	82.68	102.76	101.92	98.69	19.20	124.45	833.52
1950	Below Normal	96.39	11.25	18.29	10.17	14.04	26.47	66.88	87.19	1.35	98.77	111.85	108.44	651.09
1951	Above Normal	86.59	80.06	65.04	107.06	112.84	139.55	86.83	95.14	93.77	96.30	96.23	93.71	1,153.12
1952	Wet	92.31	87.53	88.23	120.82	103.55	134.57	105.56	124.13	121.91	125.47	125.40	122.22	1,351.70
1953	Wet	120.59	114.40	115.41	117.76	102.45	64.61	60.36	81.59	1.17	87.99	99.64	96.60	1,062.57
1954	Above Normal	77.08	70.83	57.41	11.35	59.98	47.47	69.59	92.45	80.23	81.49	103.29	100.01	851.18
1955	Dry	80.65	74.21	60.07	11.64	25.92	39.04	62.73	82.35	81.73	78.19	90.11	87.15	773.79
1956	Wet	70.30	64.65	52.34	75.94	112.41	138.64	102.96	108.02	106.43	109.30	109.19	106.41	1,156.59
1957	Above Normal	104.82	99.47	100.29	79.43	78.14	76.85	72.36	96.19	29.40	94.01	114.18	110.55	1,055.69
1958	Wet	88.52	81.89	66.45	13.42	97.30	101.49	130.83	136.98	134.77	138.42	138.42	134.81	1,263.30
1959	Below Normal	133.03	0.47	125.76	57.48	61.70	51.45	61.38	79.98	1.54	90.87	102.54	99.43	865.63
1960	Dry	79.27	72.98	59.24	5.55	10.57	30.63	83.92	104.62	51.24	105.79	63.63	123.71	791.15
1961	Dry	103.02	95.53	81.76	17.68	25.24	26.36	64.26	83.75	83.47	79.59	54.03	17.13	731.82
1962	Below Normal	0.91	42.62	52.18	5.88	11.20	39.89	68.38	90.26	1.44	102.30	116.10	112.59	643.75
1963	Wet	89.96	83.10	67.46	79.72	85.67	84.12	73.20	85.11	83.93	84.77	87.83	85.30	990.17
1964	Dry	79.62	74.72	71.69	57.92	117.26	88.57	83.22	91.52	90.35	91.33	94.22	91.47	1,031.89
1965	Wet	85.99	80.78	78.00	87.92	113.99	104.73	78.06	87.55	22.68	94.26	98.16	95.22	1,027.34
1966	Below Normal	87.52	81.99	77.72	113.49	112.45	82.11	66.18	85.28	84.52	82.28	91.42	88.35	1,053.31
1967	Wet	74.99	69.23	59.86	26.66	116.92	113.85	129.10	135.54	133.38	137.04	137.04	133.57	1,267.18
1968	Below Normal	131.60	124.91	126.05	63.44	78.14	56.18	62.69	82.05	1.63	93.17	104.78	101.74	1,026.38
1969	Wet	80.84	74.46	60.45	73.26	108.51	138.45	124.54	130.31	128.21	131.67	131.64	128.32	1,310.66
1970	Wet	126.40	120.06	121.12	112.94	97.85	133.85	86.99	93.42	92.13	94.56	94.50	91.95	1,265.77
1971	Wet	90.63	85.87	86.57	121.00	109.49	100.95	66.39	85.89	85.19	83.23	91.88	88.84	1,095.93
1972	Below Normal	75.92	70.24	61.34	45.71	93.76	81.45	70.13	88.86	88.27	85.09	96.13	92.93	949.83
1973	Above Normal	77.06	71.12	59.78	22.02	99.72	100.92	92.75	100.55	99.21	101.66	101.61	98.91	1,025.31
1974	Wet	97.43	92.31	93.09	120.19	104.94	131.37	125.57	101.80	100.46	102.99	102.95	100.32	1,273.42
1975	Wet	98.87	93.66	94.42	106.21	88.90	119.80	94.51	99.21	97.89	100.38	100.32	97.76	1,191.93
1976	Critical	96.20	91.21	92.01	63.94	70.82	53.90	71.28	93.43	62.42	91.68	41.84	115.05	943.78
1977	Critical	91.53	84.30	48.18	5.71	10.89	14.93	27.56	1.12	1.78	1.82	1.78	1.33	290.93
1978	Above Normal	1.02	12.65	53.05	5.53	26.70	90.46	86.32	99.24	97.98	98.96	102.08	99.16	773.15
1979	Below Normal	93.53	87.89	85.10	55.33	59.97	119.04	98.03	103.44	102.07	104.63	104.55	101.92	1,115.50
1980	Above Normal	100.25	94.95	95.80	65.69	113.12	137.75	128.88	134.78	132.63	136.33	136.27	132.83	1,409.28
1981	Dry	130.99	88.18	130.37	62.91	62.34	48.40	64.82	87.19	1.80	98.78	111.84	108.51	996.13
1982	Wet	86.47	79.80	64.78	68.09	88.98	101.02	127.51	133.43	131.36	134.78	134.73	131.29	1,282.24
1983	Wet	129.48	122.92	124.04	104.96	119.82	136.70	121.77	127.55	125.53	128.93	128.91	125.67	1,496.28
1984	Wet	131.74	117.63	130.91	116.76	114.97	139.72	85.65	94.72	93.15	95.91	95.84	93.35	1,310.35
1985	Dry	91.85	87.17	87.87	120.80	82.73	96.52	86.35	93.45	92.32	94.70	94.59	92.00	1,120.35
1986	Wet	90.72	86.02	86.72	67.13	73.16	130.73	131.09	137.28	134.75	138.83	138.00	134.33	1,348.76
1987	Dry	133.47	0.47	124.39	52.86	51.62	28.08	38.55	54.16	55.49	47.81	48.11	46.73	681.74
1988	Critical	30.49	24.55	19.90	5.92	18.07	15.02	28.46	42.20	43.28	37.57	37.38	36.23	339.07
1989	Dry	23.29	18.48	14.97	8.49	19.20	22.84	93.48	106.37	104.97	105.06	100.16	108.81	726.12
1990	Critical	99.56	93.50	88.18	43.37	45.74	32.47	44.57	62.60	64.13	55.29	55.55	54.00	738.96
1991	Critical	35.12	28.38	23.00	5.75	10.98	15.04	29.65	41.97	43.11	37.40	37.37	36.33	344.10
1992	Critical	23.52	18.73	15.17	5.69	10.87	14.89	40.56	57.11	58.36	50.33	47.89	50.12	393.24
1993	Above Normal	19.76	16.95	35.37	6.01	87.02	88.33	77.00	90.54	1.41	99.99	107.72	104.44	734.54
1994	Critical	92.07	85.83	77.81	36.90	45.06	50.43	71.53	93.45	26.49	96.74	1.75	26.49	704.55
1995	Wet	0.88	0.99	84.72	5.78	68.56	59.67	119.56	125.12	123.16	126.59	126.56	123.33	964.92
1996	Wet	121.56	18.45	54.09	57.14	52.37	87.90	89.63	93.78	92.43	95.00	94.94	92.36	949.65
1997	Wet	90.96	86.27	87.01	121.95	102.88	135.24	105.21	110.16	108.34	111.36	111.29	108.44	1,279.11
1998	Wet	106.82	101.39	102.26	78.56	101.67	133.19	99.34	101.57	99.97	103.04	103.01	100.27	1,231.09
1999	Wet	98.61	93.56	94.36	121.77	110.80	94.38	86.13	94.28	92.75	95.67	95.65	93.05	1,171.01
2000	Above Normal	91.66	86.95	87.65	71.23	115.56	86.56	80.59	94.80	93.55	93.27	99.62	96.56	1,098.00
2001	Dry	86.41	80.80	74.44	37.25	40.46	35.63	59.64	83.68	85.31	74.44	76.28	74.30	808.64
2002	Dry	49.35	40.83	33.25	11.88	26.85	38.82	101.04	105.76	104.05	107.24	27.40	118.37	764.84
2003	Above Normal	0.83	0.39	68.69	18.94	31.23	40.58	62.16	81.59	1.08	92.85	104.47	101.35	604.16
	Average	82.49	70.90	75.20	52.43	67.07	75.22	81.12	93.02	78.82	94.00	91.41	93.19	954.88
	Wet	93.91	84.35	85.33	82.41	97.42	113.09	102.21	109.05	101.90	110.45	111.67	108.69	1,200.47
	Above Normal	64.07	62.58	74.30	40.25	74.69	82.79	85.00	98.73	73.02	98.85	106.97	103.89	965.14
	Below Normal	90.24	72.57	79.62	56.62	65.91	80.61	78.97	88.43	63.83	98.60	105.71	102.63	983.76
	Dry	81.48	61.30	71.69	33.91	41.74	42.43	72.70	89.90	76.55	87.75	73.86	90.02	823.33
	Critical	68.67	62.55	54.28	22.55	33.08	28.46	46.70	62.60	55.50	57.53	41.61	42.64	576.18

Energy generated (GWh) at DCanyon: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	114.09	127.44	106.34	28.22	81.42	91.37	84.46	90.50	104.07	110.34	99.52	89.76	1,127.53
1923	Below Normal	86.43	81.64	80.79	122.76	114.03	90.17	63.87	84.84	110.84	84.38	91.27	88.29	1,099.31
1924	Critical	74.30	68.50	58.68	19.81	25.55	26.57	40.35	58.44	59.89	51.59	51.65	50.19	585.52
1925	Dry	32.36	26.10	21.15	5.85	12.61	35.41	74.50	97.13	96.39	92.00	106.70	103.15	703.35
1926	Dry	83.57	77.13	62.45	5.85	16.41	33.79	56.76	79.29	78.84	75.18	87.39	84.36	741.02
1927	Wet	68.49	63.04	51.02	11.77	55.31	102.38	92.16	97.66	114.02	110.71	98.84	96.21	961.61
1928	Above Normal	94.75	89.77	90.55	61.97	77.55	50.18	106.15	111.15	109.39	112.38	112.32	109.38	1,125.54
1929	Critical	107.80	102.37	103.37	66.09	64.71	35.41	37.22	64.87	66.23	57.13	57.47	1.27	763.94
1930	Dry	33.93	49.65	46.60	5.66	15.64	23.10	60.09	82.31	83.67	75.10	80.41	78.17	634.33
1931	Critical	55.65	48.09	39.34	5.59	15.19	25.48	51.18	72.01	73.51	63.38	63.67	61.84	574.93
1932	Dry	40.08	32.51	26.35	7.78	23.16	34.93	56.14	74.12	94.67	78.96	80.09	77.50	626.29
1933	Critical	61.50	56.21	45.59	5.64	62.25	30.39	58.49	80.46	81.50	73.93	79.90	77.59	713.45
1934	Critical	56.24	48.89	39.99	5.80	16.87	30.65	59.35	81.67	82.82	73.98	67.86	1.28	565.40
1935	Below Normal	76.75	73.14	58.93	5.89	21.36	34.11	91.24	104.80	103.69	103.07	109.50	106.26	888.74
1936	Below Normal	95.87	89.88	83.57	40.06	49.26	134.05	101.22	108.72	122.63	124.04	109.96	107.08	1,166.34
1937	Below Normal	105.38	99.97	100.88	69.11	115.31	107.74	125.96	131.98	133.01	136.30	135.69	132.11	1,393.44
1938	Wet	134.47	128.02	126.28	88.82	98.03	133.19	133.47	139.11	127.08	139.48	138.66	134.83	1,521.44
1939	Dry	138.42	132.01	130.09	107.47	89.39	56.46	62.50	81.59	31.02	92.59	1.75	85.03	1,008.32
1940	Above Normal	0.87	0.51	88.33	5.53	13.06	43.52	72.96	97.80	69.37	96.42	113.60	110.02	711.99
1941	Wet	88.66	81.71	66.19	41.50	86.08	98.99	102.69	107.88	120.94	125.72	119.08	106.19	1,145.63
1942	Wet	104.62	99.29	100.15	120.14	105.65	121.66	72.51	85.58	99.51	107.97	92.69	87.33	1,197.10
1943	Wet	77.44	72.06	65.58	94.81	109.51	99.36	114.09	119.40	127.57	131.01	130.64	127.11	1,268.58
1944	Dry	117.26	0.54	127.46	47.90	47.07	38.97	59.85	81.53	82.08	75.03	81.96	79.65	839.30
1945	Below Normal	58.55	51.46	42.06	10.99	21.49	129.85	100.76	105.49	121.21	124.40	113.42	104.02	983.70
1946	Below Normal	102.34	96.97	97.85	120.57	102.37	135.60	74.65	83.89	111.38	84.97	85.97	83.49	1,180.05
1947	Dry	79.44	74.88	73.21	53.99	60.23	46.09	105.95	110.87	109.13	112.04	111.95	109.11	1,046.89
1948	Below Normal	107.53	102.06	103.05	63.93	61.82	33.90	50.90	1.11	1.41	103.54	117.53	113.99	860.77
1949	Dry	91.11	84.40	68.61	9.93	20.01	31.04	82.19	102.64	101.81	98.44	17.51	125.02	832.71
1950	Below Normal	96.81	12.11	95.78	10.17	14.04	26.47	66.88	87.19	1.35	98.77	111.85	108.44	729.86
1951	Above Normal	86.59	80.06	65.04	131.84	121.66	139.53	86.93	95.23	116.74	103.05	96.32	93.80	1,216.79
1952	Wet	92.40	87.61	88.32	120.82	112.76	134.58	105.08	104.86	117.76	124.41	114.24	103.26	1,306.10
1953	Wet	101.85	96.51	97.32	118.65	110.93	107.82	62.88	84.66	83.93	81.16	91.85	88.88	1,126.44
1954	Above Normal	73.30	67.39	56.23	18.03	80.18	52.58	69.23	92.33	91.48	87.56	101.11	97.79	887.21
1955	Dry	79.06	72.76	58.87	11.71	26.74	40.13	64.32	84.43	83.79	80.15	92.36	89.34	783.66
1956	Wet	72.07	66.29	53.67	73.49	112.64	138.57	103.33	108.35	122.69	126.06	118.51	106.73	1,202.40
1957	Above Normal	105.13	99.77	100.60	79.56	78.25	75.32	72.34	96.15	26.88	93.90	114.41	110.79	1,053.10
1958	Wet	88.69	82.04	66.58	13.40	97.23	101.43	130.77	136.92	134.81	138.95	138.49	134.81	1,264.12
1959	Below Normal	137.16	32.25	125.76	61.98	61.70	51.47	61.38	79.98	1.54	90.87	102.55	99.43	906.07
1960	Dry	79.27	72.98	59.24	5.55	10.58	30.53	83.95	104.63	51.43	105.80	64.28	123.59	791.83
1961	Dry	102.94	95.45	81.71	17.72	25.28	26.38	64.27	83.76	83.48	79.59	53.94	17.16	731.68
1962	Below Normal	0.91	43.14	125.11	5.88	11.20	39.91	68.37	90.25	30.98	102.30	116.09	112.58	746.72
1963	Wet	89.95	83.10	67.46	79.72	85.67	84.12	73.21	85.11	111.76	98.29	87.83	85.29	1,031.51
1964	Dry	79.62	74.72	71.69	58.05	117.26	88.62	83.22	91.50	90.34	91.32	94.20	91.45	1,031.99
1965	Wet	85.99	80.77	78.01	87.97	113.98	104.73	78.04	87.55	51.92	105.34	97.46	94.53	1,066.29
1966	Below Normal	87.27	81.63	77.36	113.43	112.38	82.11	66.19	85.28	84.52	82.28	91.41	88.34	1,052.20
1967	Wet	74.99	69.23	59.88	26.69	116.92	113.89	129.10	135.54	134.70	138.38	137.95	134.28	1,271.55
1968	Below Normal	136.61	118.83	130.28	71.93	72.04	54.55	62.99	82.44	1.63	93.60	105.27	102.22	1,032.39
1969	Wet	81.23	74.83	60.74	72.96	108.72	147.13	124.68	130.46	115.45	135.30	137.35	133.67	1,322.52
1970	Wet	136.10	129.96	126.06	115.95	106.72	134.47	97.91	92.77	115.61	111.12	93.84	91.31	1,351.82
1971	Wet	89.99	85.26	85.95	121.10	109.70	102.91	66.67	85.80	85.08	83.27	91.60	88.58	1,095.91
1972	Below Normal	76.05	70.42	61.85	47.39	94.37	81.92	70.26	88.91	88.32	85.17	96.14	92.95	953.75
1973	Above Normal	77.15	71.21	59.95	22.28	99.72	100.92	92.75	100.55	119.08	111.33	101.61	98.91	1,055.46
1974	Wet	97.43	92.31	93.09	120.19	109.22	134.84	125.82	101.50	119.61	122.91	104.32	100.02	1,321.26
1975	Wet	98.57	93.38	94.13	106.92	89.09	119.64	94.37	99.07	118.35	109.16	100.17	97.62	1,220.47
1976	Critical	96.06	91.07	91.88	63.87	70.76	54.01	71.45	93.64	63.21	91.82	41.21	115.29	944.27
1977	Critical	91.64	84.41	45.17	5.71	10.89	14.93	27.56	1.12	1.78	1.82	1.78	1.33	288.14
1978	Above Normal	1.02	14.21	81.04	5.53	26.70	84.23	83.00	99.20	112.84	107.45	120.40	100.66	836.28
1979	Below Normal	90.90	84.86	78.65	43.30	49.79	110.56	93.76	98.92	118.21	120.84	100.00	97.47	1,087.26
1980	Above Normal	95.86	90.76	91.57	102.09	112.18	138.23	105.32	114.04	125.24	128.37	128.35	114.85	1,346.86
1981	Dry	110.87	105.08	105.97	76.22	104.60	78.20	71.45	96.04	68.71	94.24	107.34	103.97	1,122.69
1982	Wet	84.65	78.07	64.32	71.81	92.06	100.94	127.47	133.39	133.90	137.37	136.95	133.29	1,294.22
1983	Wet	135.68	129.46	113.65	114.53	132.97	144.92	121.77	127.55	124.21	128.93	124.29	129.22	1,527.18
1984	Wet	134.87	120.67	147.26	116.76	124.28	139.72	85.65	94.72	116.49	113.93	95.84	93.35	1,383.54
1985	Dry	91.85	87.17	87.87	120.77	82.73	96.52	86.35	93.45	92.32	94.70	94.59	92.00	1,120.32
1986	Wet	90.72	86.02	86.72	67.13	73.15	130.93	131.41	137.61	134.49	139.02	137.97	134.31	1,349.48
1987	Dry	137.40	32.25	129.03	58.86	51.57	28.06	38.53	54.13	55.46	47.79	48.09	46.71	727.88
1988	Critical	30.48	24.54	19.89	5.92	18.09	15.02	28.46	42.73	43.83	38.03	37.84	36.69	341.52
1989	Dry	23.59	18.72	15.17	8.42	19.07	22.66	93.00	106.35	104.97	104.90	89.00	110.68	716.53
1990	Critical	100.85	94.67	88.95	42.22	44.92	32.34	44.93	63.11	64.65	55.73	55.99	54.43	742.79
1991	Critical	35.40	28.61	23.19	5.75	10.98	15.04	29.65	41.97	43.11	37.40	37.37	36.33	344.80
1992	Critical	23.52	18.73	15.17	5.69	10.87	14.89	39.82	56.08	57.31	49.43	47.02	49.20	387.73
1993	Above Normal	21.85	17.16	32.73	6.04	87.16	88.60	77.17	90.53	22.11	120.99	108.89	105.12	778.35
1994	Critical	92.84	86.58	78.67	37.44	45.54	50.50	71.44	93.33	29.85	96.27	1.75	28.72	712.93
1995	Wet	0.88	0.52	124.11	5.78	68.56	59.67	119.56	125.12	130.05	102.99	123.29	132.08	992.61
1996	Wet	58.33	0.51	95.73	57.23	52.34	87.87	89.34	93.47	109.86	114.98	97.95	92.05	949.66
1997	Wet	90.66	85.98	86.72	121.98	103.00	136.30	105.19	110.15	123.42	126.80	122.07	108.42	1,320.69
1998	Wet	106.80	101.38	102.24	78.44	101.70	133.19	100.45	100.94	119.28	121.47	102.65	99.91	1,268.45
1999	Wet	98.26	93.23	99.10	121.84	110.80	94.38	86.13	94.28	112.38	113.51	99.53	93.05	1,216.49
2000	Above Normal	91.65	86.95	87.65	71.22	115.59	85.42	80.12	94.82	115.43	100.82	99.84	96.75	1,126.26
2001	Dry	86.15	80.49	73.76	35.81	39.28	35.23	59.63	83.64	85.27	74.44	76.35	74.37	804.42
2002	Dry	49.47	40.96	33.36	11.88	26.85	38.81	100.91	105.63	103.92	107.10	24.32	119.13	762.34
2003	Above Normal	0.83	0.39	128.94	18.94	31.23	40.58	62.16	81.59	1.08	92.85	104.47	101.35	664.41
	Average	81.56	71.65	78.95	54.00	68.27	76.11	80.83	92.43	87.98	98.27	92.41	92.89	975.35
	Wet	91.68	83.89	88.47	83.48	99.50	115.68	102.84	108.44	115.57	118.78	112.85	108.71	1,229.89
	Above Normal	63.59	62.14	82.41	45.94	77.06	82.54	82.72	96.99	84.48	105.46	108.40	102.43	994.15
	Below Normal	89.90	74.17	90.14	56.24	64.37	79.46	78.46	88.13	73.62	102.47	106.19	102.62	1,005.76
	Dry	80.91	64.32	70.70	36.08	43.80	43.61	72.42	89.61	83.18	87.74	72.90	89.47	834.75
	Critical	68.86	62.72	54.16	22.46	33.05	28.77	46.66	62.45	55.64	57.54	45.29	42.85	580.45

Difference in Energy generated (GWh) at DCanyon: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	14.80	19.30	7.27	0.00	3.45
1923	Below Normal	0.00	0.00	(0.01)	0.00	0.02	(0.66)	(0.07)	0.03	26.94	2.62	0.08	0.07	2.42
1924	Critical	(0.04)	(0.05)	(0.14)	(0.40)	(0.33)	(0.10)	0.01	0.03	0.03	0.02	0.02	0.01	(0.08)
1925	Dry	0.01	0.01	0.00	0.00	(0.02)	(0.02)	0.05	0.05	0.06	0.05	0.07	0.07	0.03
1926	Dry	0.06	0.05	0.04	0.00	(0.03)	(0.02)	(0.07)	(0.05)	(0.05)	(0.04)	(0.05)	(0.06)	(0.02)
1927	Wet	(0.04)	(0.04)	(0.03)	0.00	(0.03)	0.01	0.01	0.00	17.75	11.79	0.01	0.00	2.45
1928	Above Normal	0.00	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1929	Critical	0.01	0.01	0.01	0.00	0.00	(0.01)	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	0.00	(0.01)
1930	Dry	0.48	0.88	0.94	0.00	(0.01)	(0.01)	0.01	0.00	0.00	0.01	(0.01)	0.00	0.19
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)
1932	Dry	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.01	0.01	20.71	8.84	0.01	0.00	2.46
1933	Critical	(0.01)	0.00	0.00	0.00	(2.83)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.24)
1934	Critical	0.00	0.00	0.01	0.00	3.16	3.73	(0.17)	(1.83)	(2.41)	0.45	44.77	0.00	3.98
1935	Below Normal	(10.43)	(0.11)	2.14	(0.01)	(0.20)	(0.20)	(2.72)	(0.28)	(0.22)	(1.05)	0.64	0.54	(0.99)
1936	Below Normal	(1.67)	(1.87)	(3.70)	(6.12)	(5.18)	0.22	(0.02)	(0.02)	15.51	14.00	(0.02)	(0.01)	0.93
1937	Below Normal	(0.01)	0.00	0.00	0.00	1.51	(0.01)	0.00	0.00	3.08	2.86	2.32	2.17	0.99
1938	Wet	6.42	6.39	3.45	12.57	(2.10)	2.07	2.51	2.72	(7.36)	1.61	0.87	0.50	2.47
1939	Dry	6.08	6.33	3.26	27.09	0.90	(7.56)	(12.36)	(16.11)	29.53	(6.14)	0.00	(11.14)	1.66
1940	Above Normal	0.00	0.19	16.65	0.00	0.06	0.01	0.02	0.02	20.99	8.55	0.03	0.03	3.88
1941	Wet	0.03	0.02	0.02	(0.05)	(0.01)	(0.37)	(0.34)	(0.36)	14.44	16.18	9.65	(0.35)	3.24
1942	Wet	(0.35)	(0.34)	(0.34)	0.04	0.10	(0.58)	(0.04)	0.00	14.80	24.06	2.51	0.02	3.32
1943	Wet	(0.02)	(0.02)	(0.06)	(0.15)	(1.00)	(0.86)	(0.59)	(0.61)	9.63	9.66	9.39	8.89	2.86
1944	Dry	0.75	0.01	0.03	(4.46)	(3.98)	(1.31)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.76)
1945	Below Normal	(0.01)	(0.01)	(0.01)	0.00	(0.01)	(4.92)	0.15	0.16	17.32	17.70	6.81	0.16	3.11
1946	Below Normal	0.16	0.15	0.16	0.01	0.02	(0.26)	(0.70)	(0.03)	28.68	0.62	0.21	0.17	2.43
1947	Dry	(0.46)	(0.52)	(1.04)	(1.62)	(1.32)	(0.07)	0.30	0.32	0.32	0.32	0.32	0.31	(0.26)
1948	Below Normal	0.31	0.30	0.30	(1.80)	(2.00)	(0.73)	0.02	0.00	0.00	0.71	0.72	0.72	(0.12)
1949	Dry	0.54	0.49	0.41	(0.04)	(0.07)	(0.05)	(0.49)	(0.12)	(0.11)	(0.25)	(1.69)	0.57	(0.07)
1950	Below Normal	0.42	0.86	77.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.56
1951	Above Normal	0.00	0.00	0.00	24.78	8.82	(0.02)	0.10	0.09	22.97	6.75	0.09	0.09	5.31
1952	Wet	0.09	0.08	0.09	0.00	9.21	0.01	(0.48)	(19.27)	(4.15)	(1.06)	(11.16)	(18.96)	(3.80)
1953	Wet	(18.74)	(17.89)	(18.09)	0.89	8.48	43.21	2.52	3.07	82.76	(6.83)	(7.79)	(7.72)	5.32
1954	Above Normal	(3.78)	(3.44)	(1.18)	6.68	20.20	5.11	(0.36)	(0.12)	11.25	6.07	(2.18)	(2.22)	3.00
1955	Dry	(1.59)	(1.45)	(1.20)	0.07	0.82	1.09	1.59	2.08	2.06	1.96	2.25	2.19	0.82
1956	Wet	1.77	1.64	1.33	(2.45)	0.23	(0.07)	0.37	0.33	16.26	16.76	9.32	0.32	3.82
1957	Above Normal	0.31	0.30	0.31	0.13	0.11	(1.53)	(0.02)	(0.04)	(2.52)	(0.11)	0.23	0.24	(0.22)
1958	Wet	0.17	0.15	0.13	(0.02)	(0.07)	(0.06)	(0.06)	(0.06)	0.04	0.53	0.07	0.00	0.07
1959	Below Normal	4.13	31.78	0.00	4.50	0.00	0.02	0.00	0.00	0.00	0.00	0.01	0.00	3.37
1960	Dry	0.00	0.00	0.00	0.00	0.01	(0.10)	0.03	0.01	0.19	0.01	0.65	(0.12)	0.06
1961	Dry	(0.08)	(0.08)	(0.05)	0.04	0.04	0.02	0.01	0.01	0.01	0.00	(0.09)	0.03	(0.01)
1962	Below Normal	0.00	0.52	72.93	0.00	0.00	0.02	(0.01)	(0.01)	29.54	0.00	(0.01)	(0.01)	8.58
1963	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	27.83	13.52	0.00	(0.01)	3.45
1964	Dry	0.00	0.00	0.00	0.13	0.00	0.05	0.00	(0.02)	(0.01)	(0.01)	(0.02)	(0.02)	0.01
1965	Wet	0.00	(0.01)	0.01	0.05	(0.01)	0.00	(0.02)	0.00	29.24	11.08	(0.70)	(0.69)	3.25
1966	Below Normal	(0.25)	(0.36)	(0.36)	(0.06)	(0.07)	0.00	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.09)
1967	Wet	0.00	0.00	0.02	0.03	0.00	0.04	0.00	0.00	1.32	1.34	0.91	0.71	0.36
1968	Below Normal	5.01	(6.08)	4.23	8.49	(6.10)	(1.63)	0.30	0.39	0.00	0.43	0.49	0.48	0.50
1969	Wet	0.39	0.37	0.29	(0.30)	0.21	8.68	0.14	0.15	(12.76)	3.63	5.71	5.35	0.99
1970	Wet	9.70	9.90	4.94	3.01	8.87	0.62	10.92	(0.65)	23.48	16.56	(0.66)	(0.64)	7.17
1971	Wet	(0.64)	(0.61)	(0.62)	0.10	0.21	1.96	0.28	(0.09)	(0.11)	0.04	(0.28)	(0.26)	0.00
1972	Below Normal	0.13	0.18	0.51	1.68	0.61	0.47	0.13	0.05	0.05	0.08	0.01	0.02	0.33
1973	Above Normal	0.09	0.09	0.17	0.26	0.00	0.00	0.00	0.00	19.87	9.67	0.00	0.00	2.51
1974	Wet	0.00	0.00	0.00	0.00	4.28	3.47	0.25	(0.30)	19.15	19.92	1.37	(0.30)	3.99
1975	Wet	(0.30)	(0.28)	(0.29)	0.71	0.19	(0.16)	(0.14)	(0.14)	20.46	8.78	(0.15)	(0.14)	2.38
1976	Critical	(0.14)	(0.14)	(0.13)	(0.07)	(0.06)	0.11	0.17	0.21	0.79	0.14	(0.63)	0.24	0.04
1977	Critical	0.11	0.11	(3.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.23)
1978	Above Normal	0.00	1.56	27.99	0.00	0.00	(6.23)	(3.32)	(0.04)	14.86	8.49	18.32	1.50	5.26
1979	Below Normal	(2.63)	(3.03)	(6.45)	(12.03)	(10.18)	(8.48)	(4.27)	(4.52)	16.14	16.21	(4.55)	(4.45)	(2.35)
1980	Above Normal	(4.39)	(4.19)	(4.23)	36.40	(0.94)	0.48	(23.56)	(20.74)	(7.39)	(7.96)	(7.92)	(17.98)	(5.20)
1981	Dry	(20.12)	16.90	(24.40)	13.31	42.26	29.80	6.63	8.85	66.91	(4.54)	(4.50)	(4.54)	10.55
1982	Wet	(1.82)	(1.73)	(0.46)	3.72	3.08	(0.08)	(0.04)	(0.04)	2.54	2.59	2.22	2.00	1.00
1983	Wet	6.20	6.54	(10.39)	9.57	13.15	8.22	0.00	0.00	(1.32)	0.00	(4.62)	3.55	2.58
1984	Wet	3.13	3.04	16.35	0.00	9.31	0.00	0.00	0.00	23.34	18.02	0.00	0.00	6.10
1985	Dry	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(0.01)	0.20	0.32	0.33	(0.26)	0.19	(0.03)	(0.02)	0.06
1987	Dry	3.93	31.78	4.64	6.00	(0.05)	(0.02)	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	(0.02)	3.85
1988	Critical	(0.01)	(0.01)	(0.01)	0.00	0.02	0.00	0.00	0.53	0.55	0.46	0.46	0.46	0.20
1989	Dry	0.30	0.24	0.20	(0.07)	(0.13)	(0.18)	(0.48)	(0.02)	0.00	(0.16)	(11.16)	1.87	(0.80)
1990	Critical	1.29	1.17	0.77	(1.15)	(0.82)	(0.13)	0.36	0.51	0.52	0.44	0.44	0.43	0.32
1991	Critical	0.28	0.23	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.74)	(1.03)	(1.05)	(0.90)	(0.87)	(0.92)	(0.46)
1993	Above Normal	2.09	0.21	(2.64)	0.03	0.14	0.27	0.17	(0.01)	20.70	21.00	1.17	0.68	3.65
1994	Critical	0.77	0.75	0.86	0.54	0.48	0.07	(0.09)	(0.12)	3.36	(0.47)	0.00	2.23	0.70
1995	Wet	0.00	(0.47)	39.39	0.00	0.00	0.00	0.00	0.00	6.89	(23.60)	(3.27)	8.75	2.31
1996	Wet	(63.23)	(17.94)	41.64	0.09	(0.03)	(0.03)	(0.29)	(0.31)	17.43	19.98	3.01	(0.31)	0.00
1997	Wet	(0.30)	(0.29)	(0.29)	0.03	0.12	1.06	(0.02)	(0.01)	15.08	15.44	10.78	(0.02)	3.47
1998	Wet	(0.02)	(0.01)	(0.02)	(0.12)	0.03	0.00	1.11	(0.63)	19.31	18.43	(0.36)	(0.36)	3.11
1999	Wet	(0.35)	(0.33)	4.74	0.07	0.00	0.00	0.00	0.00	19.63	17.84	3.88	0.00	3.79
2000	Above Normal	(0.01)	0.00	0.00	(0.01)	0.03	(1.14)	(0.47)	0.02	21.88	7.55	0.22	0.19	2.36
2001	Dry	(0.26)	(0.31)	(0.68)	(1.44)	(1.18)	(0.40)	(0.01)	(0.04)	(0.04)	0.00	0.07	0.07	(0.35)
2002	Dry	0.12	0.13	0.11	0.00	0.00	(0.01)	(0.13)	(0.13)	(0.13)	(0.14)	(3.08)	0.76	(0.21)
2003	Above Normal	0.00	0.00	60.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.02
	Average	(0.93)	0.75	3.75	1.57	1.19	0.89	(0.29)	(0.58)	9.16	4.27	0.99	(0.30)	1.71
	Wet	(2.23)	(0.45)	3.15	1.07	2.09	2.59	0.63	(0.61)	13.67	8.33	1.18	0.01	2.45
	Above Normal	(0.47)	(0.44)	8.11	5.69	2.36	(0.25)	(2.29)	(1.74)	11.45	6.61	1.44	(1.46)	2.42
	Below Normal	(0.35)	1.60	10.52	(0.38)	(1.54)	(1.15)	(0.51)	(0.30)	9.79	3.87	0.48	(0.01)	1.83
	Dry	(0.57)	3.03	(0.99)	2.17	2.07	1.18	(0.28)	(0.29)	6.63	(0.01)	(0.96)	(0.56)	0.95
	Critical	0.19	0.17	(0.12)	(0.09)	(0.03)	0.31	(0.04)	(0.15)	0.15	0.01	3.68	0.20	0.36

Percent Difference in Energy generated (GWh) at DCanyon: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	17%	21%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	32%	3%	0%	0%
1924	Critical	0%	0%	0%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	18%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	28%	13%	0%	0%
1933	Critical	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	23%	14%	0%	-2%	-3%	1%	194%	0%
1935	Below Normal	-12%	0%	4%	0%	-1%	-1%	-3%	0%	0%	-1%	1%	1%
1936	Below Normal	-2%	-2%	-4%	-13%	-10%	0%	0%	0%	14%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	5%	5%	3%	16%	-2%	2%	2%	2%	-5%	1%	1%	0%
1939	Dry	5%	5%	3%	34%	1%	-12%	-17%	-16%	>1,000%	-6%	0%	-12%
1940	Above Normal	0%	59%	23%	0%	0%	0%	0%	0%	43%	10%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	29%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	-1%	-1%	8%	8%	8%	8%
1944	Dry	1%	2%	0%	-9%	-8%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-4%	0%	0%	17%	17%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	35%	1%	0%	0%
1947	Dry	-1%	-1%	-1%	-3%	-2%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-3%	-3%	-2%	0%	0%	0%	1%	1%	1%
1949	Dry	1%	1%	1%	0%	0%	0%	-1%	0%	0%	0%	-9%	0%
1950	Below Normal	0%	8%	424%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	23%	8%	0%	0%	0%	24%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	9%	0%	0%	-16%	-3%	-1%	-9%	-16%
1953	Wet	-16%	-16%	-16%	1%	8%	67%	4%	4%	>1,000%	-8%	-8%	-8%
1954	Above Normal	-5%	-5%	-2%	59%	34%	11%	-1%	0%	14%	7%	-2%	-2%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	3%	3%	3%	3%	2%	3%
1956	Wet	3%	3%	3%	-3%	0%	0%	0%	0%	15%	15%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-9%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	>1,000%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	1%	140%	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	33%	16%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	129%	12%	-1%	-1%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	-5%	3%	13%	-8%	-3%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	6%	0%	0%	-10%	3%	4%	4%
1970	Wet	8%	8%	4%	3%	9%	0%	13%	-1%	25%	18%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	20%	10%	0%	0%
1974	Wet	0%	0%	0%	0%	4%	3%	0%	0%	19%	19%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	-2%	0%
1977	Critical	0%	0%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	12%	53%	0%	0%	-7%	-4%	0%	15%	9%	18%	2%
1979	Below Normal	-3%	-3%	-8%	-22%	-17%	-7%	-4%	-4%	16%	15%	-4%	-4%
1980	Above Normal	-4%	-4%	-4%	55%	-1%	0%	-18%	-15%	-6%	-6%	-6%	-14%
1981	Dry	-15%	19%	-19%	21%	68%	62%	10%	10%	>1,000%	-5%	-4%	-4%
1982	Wet	-2%	-2%	-1%	5%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	5%	5%	-8%	9%	11%	6%	0%	0%	-1%	0%	-4%	3%
1984	Wet	2%	3%	12%	0%	8%	0%	0%	0%	25%	19%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	3%	>1,000%	4%	11%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	-1%	-1%	-1%	0%	0%	0%	-11%	2%
1990	Critical	1%	1%	1%	-3%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	11%	1%	-7%	0%	0%	0%	0%	0%	>1,000%	21%	1%	1%
1994	Critical	1%	1%	1%	1%	1%	0%	0%	0%	13%	0%	0%	8%
1995	Wet	0%	-47%	46%	0%	0%	0%	0%	0%	6%	-19%	-3%	7%
1996	Wet	-52%	-97%	77%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	1%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	1%	-1%	19%	18%	0%	0%
1999	Wet	0%	0%	5%	0%	0%	0%	0%	0%	21%	19%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	-1%	0%	23%	8%	0%	0%
2001	Dry	0%	0%	-1%	-4%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	1%
2003	Above Normal	0%	0%	88%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-1%	-1%	10%	2%	2%	2%	0%	0%	9%	4%	3%	0%
	Wet	-2%	-5%	5%	1%	2%	3%	1%	0%	15%	9%	1%	0%
	Above Normal	0%	5%	13%	12%	3%	0%	-2%	-1%	12%	7%	2%	-1%
	Below Normal	-1%	0%	40%	-1%	-3%	-1%	-1%	0%	8%	4%	0%	0%
	Dry	0%	2%	-1%	3%	3%	3%	0%	0%	2%	0%	-2%	-1%
	Critical	0%	0%	0%	0%	1%	1%	0%	0%	1%	0%	16%	1%

Energy generated (GWh) at Mojave Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.82	10.83	9.11	2.44	6.99	7.85	7.46	7.81	7.72	7.88	7.98	7.74	95.63
1923	Below Normal	7.35	6.91	6.93	10.52	9.77	7.80	5.70	7.31	7.24	7.09	7.90	7.61	92.13
1924	Critical	6.31	5.79	5.04	1.74	2.22	2.30	3.67	5.05	5.18	4.49	4.50	4.35	50.64
1925	Dry	2.71	2.15	1.82	0.51	1.09	3.24	6.41	8.36	8.32	7.97	9.22	8.89	60.69
1926	Dry	7.10	6.52	5.35	0.51	1.42	2.91	5.09	6.84	6.83	6.54	7.58	7.29	63.98
1927	Wet	5.82	5.32	4.38	1.02	4.75	8.79	8.13	8.42	8.32	8.56	8.55	8.29	80.35
1928	Above Normal	8.06	7.61	7.77	5.31	6.65	4.31	9.33	9.58	9.44	9.71	9.71	9.42	96.90
1929	Critical	9.17	8.69	8.86	5.66	5.54	3.05	3.39	5.60	5.72	4.97	5.00	0.16	65.81
1930	Dry	2.82	4.09	3.92	0.50	1.35	2.00	5.37	7.08	7.23	6.52	6.97	6.75	54.60
1931	Critical	4.71	4.04	3.38	0.49	1.31	2.20	4.61	6.21	6.35	5.51	5.53	5.35	49.69
1932	Dry	3.38	2.70	2.27	0.68	1.99	3.20	4.83	6.39	6.40	6.09	6.94	6.70	51.57
1933	Critical	5.21	4.73	3.91	0.50	5.76	2.62	5.03	6.93	7.03	6.42	6.93	6.70	61.77
1934	Critical	4.77	4.10	3.43	0.51	1.18	2.33	5.32	7.19	7.35	6.38	2.07	0.16	44.79
1935	Below Normal	7.41	6.19	4.87	0.52	1.86	2.96	8.28	9.06	8.98	9.01	9.41	9.11	77.66
1936	Below Normal	8.30	7.78	7.48	3.96	4.66	11.67	8.72	9.38	9.25	9.51	9.51	9.23	99.45
1937	Below Normal	8.97	8.48	8.65	5.91	9.92	9.23	10.83	11.37	11.20	11.52	11.51	11.18	118.77
1938	Wet	10.91	10.34	10.53	6.53	8.59	11.25	11.46	11.75	11.60	11.90	11.89	11.56	128.31
1939	Dry	11.28	10.69	10.88	6.88	7.57	5.49	6.64	8.41	0.19	8.56	0.22	8.32	85.13
1940	Above Normal	0.01	0.00	6.19	0.49	1.12	3.75	6.47	8.43	4.24	7.62	9.82	9.47	57.61
1941	Wet	7.54	6.91	5.67	3.58	7.39	8.54	9.05	9.33	9.19	9.47	9.46	9.18	95.31
1942	Wet	8.93	8.45	8.62	10.29	9.05	10.48	6.44	7.38	7.32	7.28	7.81	7.53	99.58
1943	Wet	6.58	6.09	5.63	8.14	9.47	8.61	10.06	10.34	10.16	10.48	10.47	10.18	106.21
1944	Dry	9.92	0.00	10.92	4.48	4.37	3.47	5.34	7.03	7.08	6.51	7.10	6.88	73.10
1945	Below Normal	4.97	4.33	3.61	0.96	1.85	11.75	8.66	9.08	8.97	9.23	9.22	8.95	81.58
1946	Below Normal	8.70	8.21	8.38	10.34	8.78	11.65	6.69	7.24	7.15	7.31	7.43	7.19	99.07
1947	Dry	6.78	6.38	6.37	4.77	5.27	3.97	9.29	9.54	9.39	9.65	9.64	9.37	90.42
1948	Below Normal	9.13	8.64	8.81	5.62	5.46	2.98	4.57	0.14	0.18	8.90	10.10	9.76	74.29
1949	Dry	7.71	7.10	5.85	0.87	1.73	2.68	7.31	8.85	8.80	8.55	1.76	10.71	71.92
1950	Below Normal	8.20	0.90	1.59	0.88	1.21	2.29	5.95	7.52	0.17	8.56	9.67	9.35	56.29
1951	Above Normal	7.37	6.77	5.58	9.37	9.67	11.96	7.48	8.21	8.10	8.33	8.33	8.08	99.25
1952	Wet	7.85	7.42	7.57	10.35	8.88	11.54	9.27	10.70	10.50	10.84	10.83	10.52	116.27
1953	Wet	10.28	9.72	9.90	10.09	8.77	5.54	5.39	7.03	0.14	7.63	8.62	8.33	91.44
1954	Above Normal	6.55	5.98	4.92	0.99	5.15	4.08	6.19	7.97	6.93	7.08	8.93	8.62	73.39
1955	Dry	6.85	6.27	5.15	1.01	2.23	3.36	5.58	7.10	7.06	6.79	7.81	7.52	66.73
1956	Wet	5.97	5.45	4.49	6.52	9.83	11.89	8.86	9.31	9.19	9.45	9.44	9.17	99.57
1957	Above Normal	8.92	8.44	8.60	6.80	6.69	6.60	6.42	8.28	2.61	8.15	9.86	9.53	90.90
1958	Wet	7.53	6.93	5.70	1.17	8.35	8.72	11.44	11.80	11.61	11.95	11.95	11.60	108.75
1959	Below Normal	11.34	0.00	10.79	4.92	5.29	4.42	5.49	6.89	0.19	7.88	8.87	8.57	74.65
1960	Dry	6.74	6.17	5.08	0.49	0.91	2.64	7.41	9.01	4.49	9.16	5.55	10.65	68.30
1961	Dry	8.77	8.10	7.01	1.52	2.17	2.28	5.73	7.21	7.22	6.91	4.73	1.54	63.19
1962	Below Normal	0.02	3.59	4.49	0.52	0.97	3.44	6.08	7.77	0.18	8.86	10.03	9.70	55.65
1963	Wet	7.65	7.03	5.78	6.85	7.35	7.23	6.49	7.34	7.25	7.35	7.60	7.36	85.28
1964	Dry	6.76	6.32	6.15	4.97	10.05	7.60	7.36	7.89	7.81	7.91	8.15	7.89	88.86
1965	Wet	7.31	6.84	6.69	7.54	9.77	8.99	6.91	7.55	2.02	8.16	8.49	8.20	88.47
1966	Below Normal	7.44	6.94	6.66	9.73	9.64	7.05	5.90	7.36	7.31	7.14	7.92	7.62	90.71
1967	Wet	6.37	5.85	5.13	2.30	10.03	9.78	11.28	11.68	11.49	11.83	11.83	11.50	109.07
1968	Below Normal	11.22	10.62	10.81	5.44	6.69	4.83	5.59	7.07	0.21	8.07	9.06	8.77	88.38
1969	Wet	6.87	6.29	5.18	6.29	9.50	11.88	10.72	11.23	11.05	11.37	11.37	11.05	112.80
1970	Wet	10.77	10.21	10.39	9.68	8.39	11.48	7.68	8.07	7.97	8.19	8.18	7.93	108.94
1971	Wet	7.71	7.28	7.43	10.37	9.38	8.66	5.91	7.40	7.36	7.22	7.96	7.67	94.35
1972	Below Normal	6.45	5.93	5.26	3.93	8.04	7.00	6.23	7.66	7.63	7.38	8.32	8.02	81.85
1973	Above Normal	6.55	6.01	5.13	1.90	8.56	8.86	7.99	8.68	8.58	8.79	8.79	8.53	88.37
1974	Wet	8.29	7.83	7.99	10.30	9.00	11.27	10.98	8.78	8.69	8.91	8.90	8.65	109.59
1975	Wet	8.42	7.94	8.10	9.10	7.61	10.28	8.32	8.56	8.46	8.68	8.68	8.43	102.58
1976	Critical	8.18	7.73	7.89	5.48	6.06	4.63	6.32	8.05	5.42	7.95	3.69	9.91	81.31
1977	Critical	7.79	7.13	4.14	0.50	0.94	1.30	2.59	0.14	0.00	0.20	0.46	0.18	25.37
1978	Above Normal	0.03	1.04	4.57	0.49	2.30	7.77	7.62	8.56	8.47	8.56	8.83	8.55	66.79
1979	Below Normal	7.97	7.45	7.30	4.74	5.14	10.22	8.63	8.93	8.82	9.05	9.04	8.79	96.08
1980	Above Normal	8.54	8.05	8.22	5.82	9.70	11.82	11.09	11.61	11.43	11.77	11.76	11.43	121.24
1981	Dry	11.17	7.49	11.18	5.39	5.34	4.16	5.78	7.52	0.23	8.56	9.67	9.36	85.85
1982	Wet	7.35	6.75	5.55	5.85	7.64	8.68	11.16	11.50	11.33	11.64	11.63	11.30	110.38
1983	Wet	11.04	10.45	10.64	9.01	10.27	11.92	10.47	10.99	10.82	11.13	11.13	10.82	128.69
1984	Wet	11.32	10.09	11.22	9.83	10.04	11.98	7.37	8.17	8.04	8.30	8.29	8.05	112.70
1985	Dry	7.81	7.39	7.56	10.33	7.10	8.29	7.64	8.06	7.99	8.20	8.18	7.93	96.48
1986	Wet	7.71	7.29	7.44	5.74	6.26	11.22	11.47	11.82	11.62	11.98	11.91	11.55	116.01
1987	Dry	11.38	0.00	10.67	4.53	4.42	2.42	3.53	4.68	4.81	4.17	4.20	4.06	58.87
1988	Critical	2.56	2.02	1.71	0.52	1.56	1.31	2.66	3.65	3.76	3.29	3.28	3.16	29.48
1989	Dry	1.94	1.50	1.29	0.74	1.65	1.98	8.25	9.17	9.06	9.09	8.67	9.37	62.71
1990	Critical	8.47	7.93	7.56	3.72	3.92	2.80	4.04	5.40	5.55	4.81	4.83	4.68	63.71
1991	Critical	2.96	2.35	1.98	0.51	0.95	1.31	2.75	3.63	3.74	3.28	3.27	3.17	29.90
1992	Critical	1.97	1.52	1.31	0.50	0.94	1.30	3.70	4.94	5.05	4.39	4.18	4.35	34.15
1993	Above Normal	1.65	1.37	3.03	0.53	7.47	7.59	6.82	7.81	0.18	8.66	9.32	9.00	63.43
1994	Critical	7.84	7.27	6.67	3.17	3.86	4.34	6.35	8.05	2.35	8.38	0.22	2.37	60.87
1995	Wet	0.02	0.00	7.34	0.51	5.89	5.13	10.48	10.78	10.62	10.93	10.93	10.62	83.25
1996	Wet	10.36	1.53	4.66	4.91	4.50	7.55	7.91	8.09	7.99	8.22	8.22	7.96	81.90
1997	Wet	7.73	7.31	7.46	10.45	8.82	11.60	9.25	9.50	9.35	9.62	9.62	9.34	110.05
1998	Wet	9.09	8.61	8.77	6.72	8.72	11.42	8.73	8.75	8.62	8.91	8.91	8.64	105.89
1999	Wet	8.39	8.12	8.09	10.25	9.69	8.11	7.41	8.13	8.00	8.28	8.28	8.02	100.77
2000	Above Normal	7.79	7.37	7.52	6.10	9.90	7.43	7.12	8.16	8.06	8.08	8.62	8.33	94.48
2001	Dry	7.34	6.84	6.38	3.19	3.47	3.07	5.31	7.20	7.34	6.46	6.61	6.42	69.63
2002	Dry	4.17	3.42	2.86	1.03	2.31	3.34	8.88	9.11	8.97	9.27	2.46	10.19	66.01
2003	Above Normal	0.01	0.00	5.92	1.64	2.68	3.49	5.53	7.02	0.13	8.05	9.04	8.74	52.25
	Average	7.04	6.00	6.45	4.50	5.77	6.47	7.14	8.02	6.81	8.14	7.92	8.04	82.30
	Wet	7.99	7.16	7.32	7.05	8.38	9.71	8.95	9.40	8.80	9.55	9.65	9.36	103.33
	Above Normal	5.61	5.29	6.38	3.49	6.41	7.13	7.46	8.51	6.32	8.56	9.25	8.95	83.35
	Below Normal	7.68	6.14	6.83	4.86	5.66	6.95	6.95	7.63	5.53	8.54	9.14	8.85	84.75
	Dry	6.92	5.17	6.15	2.91	3.58	3.67	6.43	7.75	6.62	7.61	6.41	7.77	71.00
	Critical	5.83	5.28	4.66	1.94	2.85	2.46	4.20	5.40	4.79	5.01	3.66	3.71	49.79

Energy generated (GWh) at Mojave Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.82	10.83	9.11	2.44	6.99	7.85	7.46	7.81	8.98	9.54	8.61	7.74	99.18
1923	Below Normal	7.35	6.91	6.93	10.52	9.77	7.74	5.69	7.31	9.55	7.32	7.90	7.62	94.61
1924	Critical	6.31	5.78	5.03	1.71	2.20	2.29	3.68	5.05	5.19	4.49	4.50	4.35	50.58
1925	Dry	2.72	2.15	1.82	0.51	1.09	3.24	6.41	8.37	8.33	7.98	9.23	8.89	60.74
1926	Dry	7.10	6.52	5.35	0.51	1.42	2.91	5.09	6.84	6.83	6.53	7.57	7.28	63.95
1927	Wet	5.82	5.32	4.38	1.02	4.75	8.79	8.13	8.42	9.84	9.57	8.55	8.29	82.88
1928	Above Normal	8.06	7.61	7.77	5.31	6.64	4.31	9.33	9.59	9.44	9.71	9.71	9.42	96.90
1929	Critical	9.17	8.69	8.87	5.66	5.54	3.05	3.39	5.60	5.72	4.97	5.00	0.16	65.82
1930	Dry	2.86	4.17	4.00	0.50	1.35	2.00	5.37	7.08	7.23	6.52	6.97	6.75	54.80
1931	Critical	4.71	4.04	3.38	0.49	1.31	2.20	4.61	6.21	6.35	5.51	5.53	5.35	49.69
1932	Dry	3.38	2.70	2.27	0.68	1.99	3.20	4.83	6.39	8.17	6.85	6.94	6.70	54.10
1933	Critical	5.21	4.73	3.91	0.50	5.52	2.62	5.03	6.93	7.03	6.42	6.93	6.70	61.53
1934	Critical	4.77	4.10	3.43	0.51	1.46	2.74	5.21	7.04	7.14	6.42	5.90	0.16	48.88
1935	Below Normal	6.53	6.18	5.06	0.52	1.84	2.94	8.04	9.03	8.96	8.92	9.47	9.16	76.65
1936	Below Normal	8.15	7.62	7.17	3.43	4.22	11.69	8.72	9.38	10.58	10.71	9.50	9.22	100.39
1937	Below Normal	8.97	8.48	8.65	5.91	10.05	9.23	10.83	11.37	11.47	11.77	11.71	11.37	119.81
1938	Wet	11.46	10.89	10.83	7.61	8.41	11.43	11.67	11.98	10.97	12.04	11.97	11.60	130.86
1939	Dry	11.80	11.23	11.15	9.20	7.65	4.85	5.58	7.04	2.72	8.02	0.27	7.35	86.86
1940	Above Normal	0.01	0.00	7.58	0.49	1.13	3.75	6.47	8.43	6.04	8.36	9.82	9.48	61.56
1941	Wet	7.54	6.91	5.67	3.57	7.39	8.50	9.02	9.30	10.42	10.86	10.28	9.14	98.60
1942	Wet	8.90	8.43	8.59	10.30	9.06	10.43	6.43	7.38	8.59	9.34	8.02	7.53	103.00
1943	Wet	6.58	6.09	5.63	8.13	9.39	8.53	10.01	10.29	10.99	11.31	11.27	10.94	109.16
1944	Dry	9.99	0.00	10.92	4.10	4.03	3.35	5.34	7.02	7.08	6.51	7.10	6.88	72.32
1945	Below Normal	4.96	4.32	3.61	0.96	1.85	11.33	8.68	9.10	10.46	10.74	9.80	8.96	84.77
1946	Below Normal	8.71	8.23	8.39	10.34	8.78	11.62	6.63	7.24	9.61	7.36	7.45	7.21	101.57
1947	Dry	6.75	6.33	6.28	4.63	5.16	3.97	9.32	9.56	9.42	9.68	9.67	9.40	90.17
1948	Below Normal	9.15	8.66	8.84	5.47	5.29	2.92	4.58	0.14	0.18	8.97	10.16	9.82	74.18
1949	Dry	7.75	7.15	5.88	0.87	1.72	2.68	7.27	8.84	8.79	8.53	1.61	10.76	71.85
1950	Below Normal	8.24	0.98	8.20	0.88	1.21	2.29	5.95	7.52	0.17	8.56	9.67	9.35	63.02
1951	Above Normal	7.37	6.77	5.58	11.49	10.43	11.96	7.49	8.22	10.07	8.91	8.33	8.09	104.71
1952	Wet	7.86	7.42	7.58	10.35	9.67	11.54	9.23	9.05	10.15	10.74	9.87	8.90	112.36
1953	Wet	8.67	8.19	8.35	10.17	9.51	9.24	5.60	7.29	7.24	7.04	7.95	7.67	96.92
1954	Above Normal	6.22	5.69	4.82	1.56	6.88	4.52	6.16	7.96	7.89	7.59	8.75	8.43	76.47
1955	Dry	6.72	6.15	5.05	1.02	2.30	3.46	5.72	7.28	7.24	6.96	8.00	7.71	67.61
1956	Wet	6.12	5.59	4.60	6.31	9.85	11.89	8.90	9.34	10.58	10.88	10.23	9.20	103.49
1957	Above Normal	8.95	8.47	8.63	6.81	6.70	6.46	6.42	8.28	2.40	8.14	9.89	9.55	90.70
1958	Wet	7.54	6.94	5.71	1.16	8.34	8.71	11.44	11.80	11.62	11.99	11.95	11.60	108.80
1959	Below Normal	11.70	2.72	10.79	5.31	5.29	4.42	5.49	6.89	0.19	7.88	8.87	8.57	78.12
1960	Dry	6.74	6.17	5.08	0.49	0.92	2.63	7.41	9.01	4.50	9.16	5.61	10.64	68.36
1961	Dry	8.76	8.09	7.00	1.53	2.17	2.28	5.73	7.22	7.22	6.91	4.72	1.55	63.18
1962	Below Normal	0.02	3.63	10.71	0.52	0.97	3.44	6.08	7.77	2.71	8.86	10.03	9.70	64.44
1963	Wet	7.65	7.03	5.78	6.85	7.35	7.23	6.49	7.34	9.64	8.50	7.60	7.36	88.82
1964	Dry	6.76	6.32	6.15	4.98	10.05	7.61	7.36	7.89	7.80	7.91	8.15	7.88	88.86
1965	Wet	7.31	6.84	6.69	7.54	9.77	8.99	6.91	7.55	4.52	9.11	8.43	8.15	91.81
1966	Below Normal	7.42	6.91	6.63	9.72	9.63	7.05	5.90	7.36	7.30	7.14	7.92	7.62	90.60
1967	Wet	6.37	5.85	5.14	2.30	10.03	9.78	11.28	11.68	11.61	11.94	11.91	11.56	109.45
1968	Below Normal	11.65	10.11	11.17	6.17	6.17	4.69	5.62	7.11	0.21	8.11	9.10	8.81	88.92
1969	Wet	6.90	6.33	5.21	6.27	9.51	12.62	10.73	11.24	9.97	11.68	11.85	11.51	113.82
1970	Wet	11.60	11.05	10.81	9.94	9.15	11.53	8.61	8.01	9.98	9.60	8.12	7.87	116.27
1971	Wet	7.65	7.22	7.37	10.38	9.40	8.83	5.93	7.40	7.35	7.22	7.93	7.64	94.32
1972	Below Normal	6.46	5.95	5.31	4.07	8.09	7.04	6.24	7.67	7.64	7.39	8.32	8.02	82.20
1973	Above Normal	6.55	6.02	5.14	1.92	8.56	8.86	7.99	8.68	10.28	9.62	8.79	8.53	90.94
1974	Wet	8.29	7.83	7.99	10.30	9.37	11.57	11.01	8.76	10.33	10.62	9.02	8.63	113.72
1975	Wet	8.39	7.92	8.07	9.16	7.63	10.27	8.31	8.55	10.22	9.44	8.66	8.42	105.04
1976	Critical	8.17	7.72	7.88	5.47	6.06	4.64	6.34	8.07	5.49	7.96	3.63	9.93	81.36
1977	Critical	7.80	7.14	3.88	0.50	0.94	1.30	2.59	0.14	0.00	0.20	0.46	0.19	25.14
1978	Above Normal	0.03	1.17	6.96	0.49	2.30	7.24	7.33	8.55	9.74	9.30	10.40	8.68	72.19
1979	Below Normal	7.74	7.19	6.75	3.71	4.27	9.49	8.27	8.54	10.21	10.44	8.65	8.41	93.67
1980	Above Normal	8.16	7.69	7.85	8.75	9.81	11.86	9.07	9.83	10.79	11.08	11.08	9.89	115.86
1981	Dry	9.45	8.92	9.09	6.53	8.95	6.71	6.34	8.27	5.97	8.17	9.28	8.97	96.65
1982	Wet	7.20	6.60	5.51	6.17	7.90	8.67	11.16	11.50	11.55	11.86	11.82	11.47	111.41
1983	Wet	11.57	11.01	9.76	9.83	11.40	12.62	10.76	10.99	10.43	11.13	10.74	11.12	131.36
1984	Wet	11.59	10.35	12.62	9.83	10.84	11.98	7.37	8.17	10.04	9.84	8.29	8.05	118.97
1985	Dry	7.81	7.39	7.56	10.33	7.10	8.29	7.64	8.06	7.99	8.20	8.18	7.93	96.48
1986	Wet	7.71	7.29	7.44	5.74	6.26	11.24	11.49	11.85	11.60	12.00	11.91	11.55	116.08
1987	Dry	11.71	2.68	11.11	5.04	4.41	2.42	3.52	4.68	4.81	4.17	4.19	4.05	62.79
1988	Critical	2.56	2.02	1.71	0.52	1.56	1.31	2.66	3.70	3.80	3.33	3.32	3.20	29.69
1989	Dry	1.97	1.52	1.31	0.74	1.64	1.96	8.21	9.16	9.06	9.08	7.72	9.53	61.90
1990	Critical	8.58	8.03	7.63	3.62	3.85	2.79	4.07	5.44	5.59	4.85	4.87	4.72	64.04
1991	Critical	2.98	2.37	2.00	0.51	0.95	1.31	2.75	3.63	3.74	3.28	3.27	3.17	29.96
1992	Critical	1.97	1.52	1.31	0.50	0.94	1.30	3.63	4.85	4.96	4.31	4.10	4.27	33.66
1993	Above Normal	1.82	1.39	2.81	0.53	7.48	7.61	6.83	7.81	1.99	10.45	9.41	9.06	67.19
1994	Critical	7.90	7.33	6.74	3.22	3.90	4.34	6.34	8.04	2.64	8.34	0.27	2.54	61.60
1995	Wet	0.02	0.00	10.63	0.51	5.89	5.13	10.48	10.78	11.21	8.92	10.66	11.37	85.60
1996	Wet	4.97	0.00	8.22	4.92	4.49	7.55	7.89	8.07	9.48	9.93	8.47	7.94	81.93
1997	Wet	7.71	7.28	7.44	10.45	8.83	11.69	9.25	9.50	10.64	10.95	10.54	9.34	113.62
1998	Wet	9.09	8.60	8.77	6.71	8.72	11.42	8.83	8.70	10.27	10.49	8.88	8.61	109.09
1999	Wet	8.36	8.10	8.50	10.26	9.69	8.11	7.41	8.13	9.68	9.81	8.61	8.02	104.68
2000	Above Normal	7.79	7.37	7.52	6.10	9.90	7.33	7.08	8.16	9.94	8.73	8.64	8.34	96.90
2001	Dry	7.32	6.81	6.33	3.07	3.37	3.03	5.31	7.19	7.34	6.46	6.62	6.42	69.27
2002	Dry	4.18	3.43	2.87	1.03	2.31	3.34	8.87	9.10	8.96	9.26	2.19	10.25	65.79
2003	Above Normal	0.01	0.00	11.06	1.64	2.68	3.49	5.53	7.02	0.13	8.05	9.04	8.74	57.39
	Average	6.96	6.06	6.77	4.63	5.87	6.55	7.12	7.97	7.60	8.51	8.00	8.01	84.06
	Wet	7.80	7.12	7.59	7.15	8.56	9.93	9.01	9.35	9.96	10.26	9.75	9.36	105.85
	Above Normal	5.57	5.25	7.07	3.96	6.63	7.10	7.26	8.36	7.31	9.12	9.37	8.83	85.83
	Below Normal	7.65	6.28	7.73	4.82	5.53	6.85	6.91	7.60	6.37	8.87	9.18	8.85	86.64
	Dry	6.88	5.43	6.07	3.10	3.76	3.77	6.41	7.72	7.19	7.61	6.33	7.72	71.98
	Critical	5.84	5.29	4.65	1.93	2.85	2.49	4.19	5.39	4.80	5.01	3.98	3.73	50.16

Difference in Energy generated (GWh) at Mojave Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.26	1.66	0.63	0.00	0.30
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.01)	0.00	2.31	0.23	0.00	0.01	0.21
1924	Critical	0.00	(0.01)	(0.01)	(0.03)	(0.02)	(0.01)	0.01	0.00	0.01	0.00	0.00	0.00	0.00
1925	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.52	1.01	0.00	0.00	0.21
1928	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.04	0.08	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.77	0.76	0.00	0.00	0.21
1933	Critical	0.00	0.00	0.00	0.00	(0.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1934	Critical	0.00	0.00	0.00	0.00	0.28	0.41	(0.11)	(0.15)	(0.21)	0.04	3.83	0.00	0.34
1935	Below Normal	(0.88)	(0.01)	0.19	0.00	(0.02)	(0.02)	(0.24)	(0.03)	(0.02)	(0.09)	0.06	0.05	(0.08)
1936	Below Normal	(0.15)	(0.16)	(0.31)	(0.53)	(0.44)	0.02	0.00	0.00	1.33	1.20	(0.01)	(0.01)	0.08
1937	Below Normal	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.27	0.25	0.20	0.19	0.09
1938	Wet	0.55	0.55	0.30	1.08	(0.18)	0.18	0.21	0.23	(0.63)	0.14	0.08	0.04	0.21
1939	Dry	0.52	0.54	0.27	2.32	0.08	(0.64)	(1.06)	(1.37)	2.53	(0.54)	0.05	(0.97)	0.14
1940	Above Normal	0.00	0.00	1.39	0.00	0.01	0.00	0.00	0.00	1.80	0.74	0.00	0.01	0.33
1941	Wet	0.00	0.00	0.00	(0.01)	0.00	(0.04)	(0.03)	(0.03)	1.23	1.39	0.82	(0.04)	0.27
1942	Wet	(0.03)	(0.02)	(0.03)	0.01	0.01	(0.05)	(0.01)	0.00	1.27	2.06	0.21	0.00	0.29
1943	Wet	0.00	0.00	0.00	(0.01)	(0.08)	(0.08)	(0.05)	(0.05)	0.83	0.83	0.80	0.76	0.25
1944	Dry	0.07	0.00	0.00	(0.38)	(0.34)	(0.12)	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.07)
1945	Below Normal	(0.01)	(0.01)	0.00	0.00	0.00	(0.42)	0.02	0.02	1.49	1.51	0.58	0.01	0.27
1946	Below Normal	0.01	0.02	0.01	0.00	0.00	(0.03)	(0.06)	0.00	2.46	0.05	0.02	0.02	0.21
1947	Dry	(0.03)	(0.05)	(0.09)	(0.14)	(0.11)	0.00	0.03	0.02	0.03	0.03	0.03	0.03	(0.02)
1948	Below Normal	0.02	0.02	0.03	(0.15)	(0.17)	(0.06)	0.01	0.00	0.00	0.07	0.06	0.06	(0.01)
1949	Dry	0.04	0.05	0.03	0.00	(0.01)	0.00	(0.04)	(0.01)	(0.01)	(0.02)	(0.15)	0.05	(0.01)
1950	Below Normal	0.04	0.08	6.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.56
1951	Above Normal	0.00	0.00	0.00	2.12	0.76	0.00	0.01	0.01	1.97	0.58	0.00	0.01	0.46
1952	Wet	0.01	0.00	0.01	0.00	0.79	0.00	(0.04)	(1.65)	(0.35)	(0.10)	(0.96)	(1.62)	(0.33)
1953	Wet	(1.61)	(1.53)	(1.55)	0.08	0.74	3.70	0.21	0.26	7.10	(0.59)	(0.67)	(0.66)	0.46
1954	Above Normal	(0.33)	(0.29)	(0.10)	0.57	1.73	0.44	(0.03)	(0.01)	0.96	0.51	(0.18)	(0.19)	0.26
1955	Dry	(0.13)	(0.12)	(0.10)	0.01	0.07	0.10	0.14	0.18	0.18	0.17	0.19	0.19	0.07
1956	Wet	0.15	0.14	0.11	(0.21)	0.02	0.00	0.04	0.03	1.39	1.43	0.79	0.03	0.33
1957	Above Normal	0.03	0.03	0.03	0.01	0.01	(0.14)	0.00	0.00	(0.21)	(0.01)	0.03	0.02	(0.02)
1958	Wet	0.01	0.01	0.01	(0.01)	(0.01)	(0.01)	0.00	0.00	0.01	0.04	0.00	0.00	0.00
1959	Below Normal	0.36	2.72	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29
1960	Dry	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.00	0.01	0.00	0.06	(0.01)	0.01
1961	Dry	(0.01)	(0.01)	(0.01)	0.01	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.01	0.00
1962	Below Normal	0.00	0.04	6.22	0.00	0.00	0.00	0.00	0.00	2.53	0.00	0.00	0.00	0.73
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.39	1.15	0.00	0.00	0.30
1964	Dry	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.50	0.95	(0.06)	(0.05)	0.28
1966	Below Normal	(0.02)	(0.03)	(0.03)	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)
1967	Wet	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.12	0.11	0.08	0.06	0.03
1968	Below Normal	0.43	(0.51)	0.36	0.73	(0.52)	(0.14)	0.03	0.04	0.00	0.04	0.04	0.04	0.04
1969	Wet	0.03	0.04	0.03	(0.02)	0.01	0.74	0.01	0.01	(1.08)	0.31	0.48	0.46	0.08
1970	Wet	0.83	0.84	0.42	0.26	0.76	0.05	0.93	(0.06)	2.01	1.41	(0.06)	(0.06)	0.61
1971	Wet	(0.06)	(0.06)	(0.06)	0.01	0.02	0.17	0.02	0.00	(0.01)	0.00	(0.03)	(0.03)	0.00
1972	Below Normal	0.01	0.02	0.05	0.14	0.05	0.04	0.01	0.01	0.01	0.01	0.00	0.00	0.03
1973	Above Normal	0.00	0.01	0.01	0.02	0.00	0.00	0.00	0.00	1.70	0.83	0.00	0.00	0.21
1974	Wet	0.00	0.00	0.00	0.00	0.37	0.30	0.03	(0.02)	1.64	1.71	0.12	(0.02)	0.34
1975	Wet	(0.03)	(0.02)	(0.03)	0.06	0.02	(0.01)	(0.01)	(0.01)	1.76	0.76	(0.02)	(0.01)	0.21
1976	Critical	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.01	0.02	0.02	0.07	0.01	(0.06)	0.02	0.00
1977	Critical	0.01	0.01	(0.26)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.02)
1978	Above Normal	0.00	0.13	2.39	0.00	0.00	(0.53)	(0.29)	(0.01)	1.27	0.74	1.57	0.13	0.45
1979	Below Normal	(0.23)	(0.26)	(0.55)	(1.03)	(0.87)	(0.73)	(0.36)	(0.39)	1.39	1.39	(0.39)	(0.38)	(0.20)
1980	Above Normal	(0.38)	(0.36)	(0.37)	2.93	0.11	0.04	(2.02)	(1.78)	(0.64)	(0.69)	(0.68)	(1.54)	(0.45)
1981	Dry	(1.72)	1.43	(2.09)	1.14	3.61	2.55	0.56	0.75	5.74	(0.39)	(0.39)	(0.39)	0.90
1982	Wet	(0.15)	(0.15)	(0.04)	0.32	0.26	(0.01)	0.00	0.00	0.22	0.22	0.19	0.17	0.09
1983	Wet	0.53	0.56	(0.88)	0.82	1.13	0.70	0.29	0.00	(0.39)	0.00	(0.39)	0.30	0.22
1984	Wet	0.27	0.26	1.40	0.00	0.80	0.00	0.00	0.00	2.00	1.54	0.00	0.00	0.52
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.03	(0.02)	0.02	0.00	0.00	0.01
1987	Dry	0.33	2.68	0.44	0.51	(0.01)	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	0.33
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.04	0.04	0.04	0.02
1989	Dry	0.03	0.02	0.02	0.00	(0.01)	(0.02)	(0.04)	(0.01)	0.00	(0.01)	(0.95)	0.16	(0.07)
1990	Critical	0.11	0.10	0.07	(0.10)	(0.07)	(0.01)	0.03	0.04	0.04	0.04	0.04	0.04	0.03
1991	Critical	0.02	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.09)	(0.09)	(0.08)	(0.08)	(0.08)	(0.04)
1993	Above Normal	0.17	0.02	(0.22)	0.00	0.01	0.02	0.01	0.00	1.81	1.79	0.09	0.06	0.31
1994	Critical	0.06	0.06	0.07	0.05	0.04	0.00	(0.01)	(0.01)	0.29	(0.04)	0.05	0.17	0.06
1995	Wet	0.00	0.00	3.29	0.00	0.00	0.00	0.00	0.00	0.59	(2.01)	(0.27)	0.75	0.20
1996	Wet	(5.39)	(1.53)	3.56	0.01	(0.01)	0.00	(0.02)	(0.02)	1.49	1.71	0.25	(0.02)	0.00
1997	Wet	(0.02)	(0.03)	(0.02)	0.00	0.01	0.09	0.00	0.00	1.29	1.33	0.92	0.00	0.30
1998	Wet	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.10	(0.05)	1.65	1.58	(0.03)	(0.03)	0.27
1999	Wet	(0.03)	(0.02)	0.41	0.01	0.00	0.00	0.00	0.00	1.68	1.53	0.33	0.00	0.33
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.04)	0.00	1.88	0.65	0.02	0.01	0.20
2001	Dry	(0.02)	(0.03)	(0.05)	(0.12)	(0.10)	(0.04)	0.00	(0.01)	0.00	0.00	0.01	0.00	(0.03)
2002	Dry	0.01	0.01	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.27)	0.06	(0.02)
2003	Above Normal	0.00	0.00	5.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.43
	Average	(0.08)	0.06	0.32	0.13	0.11	0.08	(0.02)	(0.05)	0.78	0.37	0.09	(0.03)	0.15
	Wet	(0.19)	(0.04)	0.27	0.09	0.18	0.22	0.07	(0.05)	1.16	0.71	0.10	0.00	0.21
	Above Normal	(0.04)	(0.04)	0.69	0.47	0.22	(0.02)	(0.20)	(0.15)	0.98	0.57	0.12	(0.12)	0.21
	Below Normal	(0.03)	0.14	0.90	(0.03)	(0.13)	(0.10)	(0.04)	(0.03)	0.84	0.33	0.04	(0.00)	0.16
	Dry	(0.05)	0.26	(0.08)	0.19	0.18	0.10	(0.02)	(0.02)	0.57	(0.00)	(0.08)	(0.05)	0.08
	Critical	0.02	0.01	(0.01)	(0.01)	(0.00)	0.03	(0.01)	(0.01)	0.01	0.00	0.32	0.02	0.03

Percent Difference in Energy generated (GWh) at Mojave Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	16%	21%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	32%	3%	0%	0%
1924	Critical	0%	0%	0%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	18%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	28%	12%	0%	0%
1933	Critical	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	24%	18%	-2%	-2%	-3%	1%	185%	0%
1935	Below Normal	-12%	0%	4%	0%	-1%	-1%	-3%	0%	0%	-1%	1%	1%
1936	Below Normal	-2%	-2%	-4%	-13%	-9%	0%	0%	0%	14%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	5%	5%	3%	17%	-2%	2%	2%	2%	-5%	1%	1%	0%
1939	Dry	5%	5%	2%	34%	1%	-12%	-16%	-16%	>1,000%	-6%	23%	-12%
1940	Above Normal	0%	0%	22%	0%	1%	0%	0%	0%	42%	10%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	28%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	8%	7%
1944	Dry	1%	0%	0%	-8%	-8%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-4%	0%	0%	17%	16%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	34%	1%	0%	0%
1947	Dry	0%	-1%	-1%	-3%	-2%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-3%	-3%	-2%	0%	0%	0%	1%	1%	1%
1949	Dry	1%	1%	1%	0%	-1%	0%	-1%	0%	0%	0%	-9%	0%
1950	Below Normal	0%	9%	416%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	23%	8%	0%	0%	0%	24%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	9%	0%	0%	-15%	-3%	-1%	-9%	-15%
1953	Wet	-16%	-16%	-16%	1%	8%	67%	4%	4%	>1,000%	-8%	-8%	-8%
1954	Above Normal	-5%	-5%	-2%	58%	34%	11%	0%	0%	14%	7%	-2%	-2%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	3%	3%	3%	3%	2%	3%
1956	Wet	3%	3%	2%	-3%	0%	0%	0%	0%	15%	15%	8%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-8%	0%	0%	0%
1958	Wet	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	-	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	1%
1962	Below Normal	0%	1%	139%	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	33%	16%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	124%	12%	-1%	-1%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	-5%	3%	13%	-8%	-3%	1%	1%	0%	0%	0%	0%
1969	Wet	0%	1%	1%	0%	0%	6%	0%	0%	-10%	3%	4%	4%
1970	Wet	8%	8%	4%	3%	9%	0%	12%	-1%	25%	17%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	20%	9%	0%	0%
1974	Wet	0%	0%	0%	0%	4%	3%	0%	0%	19%	19%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	-2%	0%
1977	Critical	0%	0%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	6%
1978	Above Normal	0%	13%	52%	0%	0%	-7%	-4%	0%	15%	9%	18%	2%
1979	Below Normal	-3%	-3%	-8%	-22%	-17%	-7%	-4%	-4%	16%	15%	-4%	-4%
1980	Above Normal	-4%	-4%	-5%	50%	1%	0%	-18%	-15%	-6%	-6%	-6%	-13%
1981	Dry	-15%	19%	-19%	21%	68%	61%	10%	10%	>1,000%	-5%	-4%	-4%
1982	Wet	-2%	-2%	-1%	5%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	5%	5%	-8%	9%	11%	6%	3%	0%	-4%	0%	-4%	3%
1984	Wet	2%	3%	12%	0%	8%	0%	0%	0%	25%	19%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	3%	-	4%	11%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	2%	1%	2%	0%	-1%	-1%	0%	0%	0%	0%	-11%	2%
1990	Critical	1%	1%	1%	-3%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	10%	1%	-7%	0%	0%	0%	0%	0%	>1,000%	21%	1%	1%
1994	Critical	1%	1%	1%	2%	1%	0%	0%	0%	12%	0%	23%	7%
1995	Wet	0%	0%	45%	0%	0%	0%	0%	0%	6%	-18%	-2%	7%
1996	Wet	-52%	-100%	76%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	1%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	1%	-1%	19%	18%	0%	0%
1999	Wet	0%	0%	5%	0%	0%	0%	0%	0%	21%	18%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	-1%	0%	23%	8%	0%	0%
2001	Dry	0%	0%	-1%	-4%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	1%
2003	Above Normal	0%	0%	87%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-1%	-1%	10%	2%	2%	2%	0%	0%	9%	4%	3%	0%
	Wet	-2%	-4%	5%	1%	2%	3%	1%	0%	15%	8%	1%	0%
	Above Normal	0%	0%	12%	11%	4%	0%	-2%	-1%	12%	7%	2%	-1%
	Below Normal	-1%	0%	39%	-1%	-3%	-1%	0%	0%	8%	4%	0%	0%
	Dry	0%	1%	-1%	3%	3%	3%	0%	0%	2%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	1%	0%	0%	1%	0%	17%	1%

Energy generated (GWh) at Oroville Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	164.30	78.63	103.42	49.60	80.06	158.45	119.23	609.34	325.41	387.00	255.99	342.19	2,673.62
1923	Below Normal	131.76	77.46	119.72	49.47	100.47	53.91	85.23	122.17	127.79	377.39	305.46	150.45	1,701.28
1924	Critical	67.43	48.76	50.22	46.48	44.58	69.58	107.18	113.56	130.01	222.08	71.01	40.50	1,011.39
1925	Dry	20.74	20.08	19.29	36.38	19.31	20.02	62.99	94.69	178.39	349.83	179.97	180.42	1,182.11
1926	Dry	59.29	31.47	45.05	22.09	18.05	44.29	47.70	181.42	254.87	357.66	184.14	100.19	1,346.22
1927	Wet	25.98	39.89	112.10	20.09	77.22	238.14	223.49	228.22	165.78	431.79	347.46	362.76	2,272.92
1928	Above Normal	121.32	71.30	79.56	44.97	120.97	260.20	86.67	125.93	263.90	424.32	319.32	266.80	2,185.26
1929	Critical	104.14	40.71	41.44	43.40	50.57	41.64	113.92	129.24	126.82	91.21	75.78	36.32	895.19
1930	Dry	29.84	19.82	113.51	19.77	101.82	19.40	71.41	105.21	246.03	366.97	217.77	166.46	1,478.01
1931	Critical	46.63	21.75	22.01	21.20	20.02	19.75	135.47	100.42	117.50	161.23	85.88	35.72	787.58
1932	Dry	25.29	19.78	104.54	19.00	35.42	76.05	93.38	76.71	171.02	222.95	204.69	64.94	1,113.77
1933	Critical	63.75	46.48	21.96	21.19	19.88	124.92	95.17	114.92	137.15	167.39	70.00	36.91	919.72
1934	Critical	26.83	20.66	63.15	35.07	83.35	24.29	107.91	125.88	134.80	89.98	79.77	39.52	831.21
1935	Below Normal	40.57	19.35	19.67	35.19	19.33	18.95	55.09	119.18	183.58	397.76	321.00	199.54	1,429.21
1936	Below Normal	99.65	68.85	58.74	43.73	54.70	184.17	88.07	119.89	143.61	391.67	325.33	196.14	1,774.55
1937	Below Normal	144.34	76.38	157.42	45.28	39.41	46.68	83.06	121.27	328.35	341.77	279.04	75.95	1,738.95
1938	Wet	61.28	57.15	45.53	49.25	237.06	575.85	480.74	607.94	396.30	253.96	246.16	383.78	3,395.00
1939	Dry	137.08	81.85	159.88	52.70	50.70	53.47	180.70	171.22	180.17	361.87	212.68	97.99	1,740.31
1940	Above Normal	39.82	29.01	28.50	44.30	29.51	571.95	185.71	112.08	204.29	439.91	343.31	295.05	2,323.44
1941	Wet	106.99	67.25	44.86	48.84	446.83	386.35	157.02	383.32	218.32	378.03	183.96	391.08	2,812.85
1942	Wet	133.99	78.52	191.67	482.17	520.62	90.67	381.60	280.65	320.86	329.27	238.32	389.76	3,438.10
1943	Wet	147.04	74.96	50.74	501.32	225.96	547.96	178.59	122.67	169.19	439.22	341.66	365.85	3,165.16
1944	Dry	136.45	77.55	151.64	57.47	54.15	59.63	108.23	115.31	215.13	337.29	180.25	64.76	1,557.86
1945	Below Normal	42.66	38.94	55.33	39.97	39.88	49.07	94.53	105.41	145.36	378.91	297.82	184.02	1,471.90
1946	Below Normal	90.23	41.59	45.19	49.06	46.18	53.12	110.80	139.05	201.08	424.10	340.01	194.98	1,735.39
1947	Dry	119.23	48.33	46.47	49.58	43.29	50.67	93.28	159.93	184.76	366.25	205.26	190.21	1,557.26
1948	Below Normal	40.92	35.69	34.61	46.04	29.25	24.79	43.00	88.35	130.04	408.63	326.47	130.27	1,338.06
1949	Dry	73.23	47.31	45.72	47.64	43.52	48.58	101.64	109.80	213.25	357.42	174.69	177.06	1,439.86
1950	Below Normal	22.24	22.10	27.49	35.61	18.34	19.46	91.54	116.33	130.80	407.74	324.39	170.84	1,386.88
1951	Above Normal	62.97	48.42	386.51	393.69	330.91	155.21	113.33	133.34	218.51	440.33	340.08	291.63	2,914.93
1952	Wet	117.71	69.62	46.81	49.70	317.00	238.57	580.03	609.34	408.64	179.85	122.44	384.49	3,124.20
1953	Wet	160.04	84.77	164.24	580.34	47.35	212.30	206.96	196.77	289.77	442.57	279.09	360.12	3,024.32
1954	Above Normal	134.58	74.63	88.13	87.11	45.60	259.33	243.68	122.04	270.08	439.14	328.52	293.90	2,386.74
1955	Dry	105.17	45.97	43.87	45.32	43.70	49.01	106.71	112.83	159.21	330.96	178.09	67.25	1,288.09
1956	Wet	46.56	41.45	66.04	573.90	355.44	220.97	185.52	463.58	250.65	372.00	235.16	378.27	3,189.54
1957	Above Normal	134.17	81.08	216.18	50.12	107.14	109.39	105.59	112.40	143.67	443.02	326.83	271.27	2,100.86
1958	Wet	50.62	69.53	47.47	48.76	512.41	399.62	286.00	453.99	326.92	249.12	147.98	380.36	2,972.78
1959	Below Normal	158.74	85.60	203.94	48.94	205.87	73.07	143.20	126.73	232.86	412.74	303.86	161.11	2,156.66
1960	Dry	75.81	53.36	30.08	29.09	26.44	25.14	128.84	121.51	221.76	368.86	250.39	205.06	1,536.34
1961	Dry	27.85	36.85	40.73	28.40	24.30	25.40	88.86	112.74	157.21	331.25	148.57	43.48	1,065.64
1962	Below Normal	35.94	21.43	35.24	21.57	16.97	18.32	87.38	192.74	178.09	391.39	293.74	197.50	1,490.31
1963	Wet	30.56	30.75	31.64	32.98	477.30	281.10	462.05	195.80	207.84	452.27	329.38	345.62	2,877.29
1964	Dry	106.08	47.02	45.37	45.68	44.39	48.68	128.21	110.05	150.68	352.19	172.65	200.89	1,451.89
1965	Wet	48.96	44.72	91.88	575.85	144.29	179.55	319.66	215.70	175.61	425.64	240.17	371.12	2,833.15
1966	Below Normal	142.40	71.50	47.38	48.07	46.67	53.03	108.44	114.31	218.61	414.16	314.69	223.17	1,802.43
1967	Wet	86.58	39.82	42.47	46.19	45.53	409.07	93.29	425.32	387.16	157.68	141.35	406.42	2,280.88
1968	Below Normal	160.16	80.56	136.58	61.18	373.53	223.70	131.72	128.74	229.04	427.32	296.02	219.68	2,468.23
1969	Wet	55.20	43.09	44.61	331.23	379.48	217.27	315.66	556.01	224.38	229.51	172.00	396.56	2,965.00
1970	Wet	142.19	79.65	303.50	576.37	322.23	137.74	119.21	124.82	175.38	412.24	311.51	278.36	2,983.20
1971	Wet	116.16	70.29	60.87	64.34	60.00	180.38	217.08	381.54	287.06	424.28	306.45	364.94	2,533.39
1972	Below Normal	139.58	70.60	47.24	47.98	46.26	52.22	118.51	118.26	192.83	395.23	300.27	204.77	1,733.75
1973	Above Normal	48.00	43.30	45.10	48.37	234.03	203.79	98.41	182.66	240.40	392.34	247.47	254.48	2,038.35
1974	Wet	93.65	48.17	230.44	578.66	174.54	582.37	335.60	304.48	254.41	352.63	114.12	375.73	3,444.80
1975	Wet	135.65	77.05	59.57	54.84	172.19	435.61	87.62	393.58	314.87	389.44	145.03	374.98	2,640.43
1976	Critical	53.60	76.56	163.22	49.27	50.42	56.46	121.63	126.87	132.75	319.95	158.87	180.63	1,490.23
1977	Critical	67.58	28.33	30.72	30.19	27.19	25.24	65.22	48.92	95.55	32.25	31.88	30.90	513.97
1978	Above Normal	24.67	18.83	18.50	35.52	22.87	182.50	208.86	129.33	164.40	376.80	299.02	273.21	1,754.51
1979	Below Normal	148.13	73.96	179.56	35.71	30.49	29.49	82.02	127.87	272.42	382.04	273.67	178.51	1,813.87
1980	Above Normal	89.37	48.92	49.13	162.41	539.41	176.62	98.13	119.47	125.88	290.37	174.95	296.55	2,171.21
1981	Dry	151.92	80.54	92.85	51.30	44.81	50.79	87.49	121.45	244.21	379.21	230.38	156.34	1,691.29
1982	Wet	38.39	32.06	509.56	278.01	529.40	456.83	575.19	384.91	233.30	238.35	139.22	220.12	3,635.34
1983	Wet	101.85	289.86	372.49	428.14	521.91	575.85	322.41	515.72	511.46	211.56	137.14	226.64	4,215.03
1984	Wet	196.77	489.14	580.66	185.68	274.46	309.53	107.25	127.12	265.44	434.67	254.48	289.56	3,514.76
1985	Dry	117.91	44.79	46.25	52.33	45.08	50.31	100.17	190.18	214.46	367.95	173.94	166.83	1,570.20
1986	Wet	106.65	30.77	54.14	39.01	483.99	576.42	87.76	124.81	153.61	394.37	284.46	333.51	2,669.50
1987	Dry	136.41	68.40	157.74	44.14	38.97	43.23	81.31	137.17	165.10	93.09	70.95	60.88	1,097.39
1988	Critical	33.78	23.05	41.71	26.64	40.52	43.57	58.30	78.72	119.66	202.25	61.68	54.48	784.36
1989	Dry	28.98	35.75	17.87	17.45	23.67	18.05	87.14	181.86	228.95	353.32	209.05	146.03	1,348.12
1990	Critical	72.43	67.28	130.70	18.38	17.00	16.85	109.41	67.19	108.12	293.92	57.35	64.26	1,022.89
1991	Critical	37.21	16.70	30.49	22.22	24.41	29.17	46.72	60.93	136.29	244.79	56.98	60.07	765.98
1992	Critical	28.46	21.29	31.41	27.13	18.00	15.82	60.68	124.28	170.22	107.13	84.23	89.57	778.22
1993	Above Normal	26.77	18.00	18.15	35.41	18.46	279.89	169.41	347.60	244.46	429.73	342.47	323.41	2,253.76
1994	Critical	132.34	69.26	66.00	33.04	27.88	25.37	109.98	98.12	127.26	303.18	151.44	69.64	1,213.51
1995	Wet	53.63	26.97	42.41	28.71	217.50	575.85	479.60	606.44	467.97	188.51	163.84	226.20	3,077.63
1996	Wet	164.46	83.38	172.83	414.98	538.70	341.08	271.18	428.84	193.09	416.23	225.86	364.74	3,615.37
1997	Wet	131.73	76.91	449.97	575.85	311.49	182.18	120.09	120.38	168.64	393.19	200.57	335.00	3,066.00
1998	Wet	129.00	72.01	60.25	46.56	514.18	478.87	139.98	362.41	500.27	203.25	130.73	221.62	2,859.13
1999	Wet	195.44	280.80	202.74	471.55	501.99	379.33	97.75	120.93	148.20	404.94	190.12	227.22	3,221.01
2000	Above Normal	144.32	75.73	202.86	49.64	243.63	315.72	80.27	132.94	234.94	445.97	322.43	283.10	2,531.55
2001	Dry	114.66	68.61	176.15	43.55	39.55	42.60	80.39	138.68	172.60	182.49	74.50	60.36	1,194.14
2002	Dry	62.54	28.60	41.50	27.00	28.22	23.62	101.52	91.01	135.17	322.52	96.09	150.10	1,107.89
2003	Above Normal	58.91	45.30	57.54	44.20	42.72	49.89	67.69	246.20	174.66	449.17	316.26	314.16	1,866.70
	Average	90.08	62.84	105.03	119.51	151.72	171.63	153.81	199.63	214.26	333.55	215.81	216.89	2,034.75
	Wet	102.96	92.25	156.90	272.44	323.43	354.21	262.74	335.97	277.50	338.64	216.49	336.72	3,070.26
	Above Normal	87.43	52.76	107.80	87.11	151.28	226.91	131.42	197.78	217.55	413.18	301.39	292.15	2,266.74
	Below Normal	99.81	56.00	83.44	43.41	76.24	64.28	94.47	124.31	193.89	396.49	307.27	177.64	1,717.25
	Dry	84.92	47.56	76.58	38.27	40.30	41.61	97.22	129.54	194.05	322.34	175.78	127.74	1,375.91
	Critical	61.18	40.07	57.75	31.18	35.32	41.06	94.30	99.09	128.01	186.28	82.07	61.54	917.85

Energy generated (GWh) at Oroville Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	164.30	78.63	103.42	49.60	80.06	158.45	119.23	609.34	325.41	387.01	255.99	342.19	2,673.63
1923	Below Normal	131.76	77.46	119.72	49.47	100.71	53.91	85.22	122.17	127.78	377.33	305.41	150.05	1,700.99
1924	Critical	67.43	48.77	50.22	46.48	44.58	69.60	107.19	113.37	130.13	222.41	70.80	40.51	1,011.49
1925	Dry	20.75	20.09	19.30	36.39	19.31	20.03	63.00	94.70	178.33	349.88	180.10	180.51	1,182.39
1926	Dry	59.37	31.47	45.05	22.15	18.05	44.31	47.69	181.42	255.00	357.62	184.40	99.70	1,346.23
1927	Wet	25.98	39.89	112.10	20.09	77.22	238.14	223.49	228.22	165.78	431.81	347.47	362.76	2,272.95
1928	Above Normal	121.31	71.30	79.56	44.97	120.97	260.16	86.67	125.93	263.91	424.31	319.33	266.80	2,185.22
1929	Critical	104.12	40.73	41.44	43.38	50.59	41.64	113.92	129.25	126.82	91.22	75.79	36.32	895.22
1930	Dry	29.83	19.82	113.51	19.77	101.82	19.40	71.41	105.21	246.08	366.96	217.76	166.46	1,478.03
1931	Critical	46.64	21.75	22.01	21.20	20.02	19.75	135.47	100.43	117.53	161.03	85.93	35.72	787.48
1932	Dry	25.28	19.78	104.54	19.00	35.42	76.05	93.38	76.70	171.01	222.96	204.77	64.93	1,113.82
1933	Critical	63.81	46.52	21.96	21.19	19.87	124.90	95.16	114.90	137.20	167.03	70.00	36.91	919.45
1934	Critical	26.83	20.66	63.15	35.07	83.38	24.47	108.02	114.96	135.61	90.57	80.82	39.97	823.51
1935	Below Normal	41.46	19.56	19.83	35.40	19.44	19.02	55.23	119.37	183.85	398.60	321.93	200.36	1,434.05
1936	Below Normal	95.06	69.30	59.12	44.03	71.57	184.17	88.07	119.89	143.61	391.70	325.36	196.14	1,788.02
1937	Below Normal	144.34	76.38	157.52	45.27	39.41	46.68	83.05	121.27	330.63	341.57	278.77	75.85	1,740.74
1938	Wet	59.24	57.15	45.53	49.20	237.11	575.85	480.74	607.94	396.30	253.97	246.19	383.78	3,393.00
1939	Dry	137.08	81.85	159.59	52.60	50.55	53.19	201.11	169.88	178.93	358.84	211.68	83.42	1,738.72
1940	Above Normal	39.43	28.76	28.41	44.32	29.52	572.01	185.71	112.09	204.29	439.91	343.47	295.12	2,323.04
1941	Wet	107.08	67.24	44.86	48.84	446.40	386.35	157.02	383.32	218.32	376.30	184.02	391.05	2,810.80
1942	Wet	133.97	78.51	191.54	482.17	520.62	90.67	381.60	280.65	320.86	329.29	238.53	389.74	3,438.15
1943	Wet	147.03	74.95	50.74	501.09	225.96	547.96	178.59	122.66	169.20	444.84	341.21	365.29	3,169.52
1944	Dry	136.15	77.38	151.27	57.34	54.04	59.52	108.05	115.16	211.30	336.85	179.31	67.21	1,553.58
1945	Below Normal	42.58	38.86	55.23	39.90	39.83	49.01	94.46	105.35	145.24	378.84	297.44	183.74	1,470.48
1946	Below Normal	90.23	41.52	45.13	49.02	46.15	53.08	110.73	135.14	207.15	422.86	341.02	194.72	1,736.75
1947	Dry	116.17	48.26	46.41	49.53	43.25	50.64	93.23	159.90	184.68	366.00	204.20	190.47	1,552.74
1948	Below Normal	38.62	35.69	34.61	46.05	29.85	24.78	42.99	88.34	130.02	408.57	326.42	130.23	1,336.17
1949	Dry	73.33	47.30	45.70	47.62	43.51	48.57	101.63	109.78	213.21	357.34	174.47	176.47	1,438.93
1950	Below Normal	22.23	22.09	27.51	35.61	18.34	19.46	91.54	116.33	130.80	407.75	324.39	170.85	1,386.90
1951	Above Normal	62.98	48.42	386.47	393.69	330.91	155.21	113.33	133.34	218.53	440.33	340.10	292.66	2,915.97
1952	Wet	117.65	69.58	46.79	49.69	315.72	238.57	580.03	609.34	408.64	179.85	121.98	383.95	3,121.79
1953	Wet	159.32	84.29	166.54	580.34	47.49	212.16	206.96	196.77	289.77	442.79	279.84	360.44	3,026.71
1954	Above Normal	135.01	74.92	97.27	86.89	45.51	246.44	243.68	122.07	270.07	439.19	328.56	293.91	2,383.52
1955	Dry	103.31	46.05	43.92	45.36	43.75	49.07	106.78	112.92	159.33	331.23	179.31	73.96	1,294.99
1956	Wet	40.07	41.48	66.06	573.90	355.44	220.97	185.52	463.58	250.65	372.02	235.17	378.27	3,183.13
1957	Above Normal	134.17	81.07	216.20	50.11	107.14	109.35	105.59	112.39	143.67	443.02	326.83	271.28	2,100.82
1958	Wet	50.61	69.54	47.47	48.76	512.41	399.62	286.00	453.99	326.92	249.23	147.99	379.92	2,972.46
1959	Below Normal	158.74	85.60	205.24	48.93	204.83	73.07	143.20	126.74	232.94	412.80	303.90	163.80	2,159.79
1960	Dry	75.72	53.30	30.02	29.04	26.40	25.12	128.81	121.43	221.60	368.53	250.31	201.67	1,531.95
1961	Dry	27.85	36.86	40.74	28.40	24.30	25.41	88.86	112.73	157.20	330.92	148.75	43.49	1,065.51
1962	Below Normal	35.94	21.44	35.40	21.42	16.97	18.32	87.39	192.76	178.10	391.42	293.77	197.53	1,490.46
1963	Wet	30.57	30.75	31.64	32.98	477.46	281.10	462.05	195.80	207.85	452.28	329.39	345.63	2,877.50
1964	Dry	106.10	47.02	45.37	45.68	44.39	48.68	128.24	110.04	150.68	352.20	172.64	200.91	1,451.95
1965	Wet	48.85	44.72	91.88	575.85	144.29	179.55	319.66	215.70	175.61	425.48	240.20	371.13	2,832.92
1966	Below Normal	142.41	71.50	47.39	48.07	46.67	53.04	108.44	114.32	218.65	414.16	314.73	223.14	1,802.52
1967	Wet	86.62	39.83	42.47	46.19	45.53	409.13	93.29	425.32	387.16	157.68	141.39	407.71	2,282.32
1968	Below Normal	160.13	80.54	139.41	56.90	373.53	223.70	131.73	128.75	229.07	427.32	296.04	219.68	2,466.80
1969	Wet	55.51	43.09	44.61	330.77	379.48	217.27	315.66	556.01	224.38	230.01	169.61	396.69	2,963.09
1970	Wet	142.24	79.68	305.36	576.37	322.23	137.74	119.21	124.80	175.43	412.19	311.49	284.31	2,991.05
1971	Wet	115.72	69.75	60.70	64.23	59.90	172.96	217.08	381.54	287.06	424.27	306.35	364.97	2,524.53
1972	Below Normal	139.60	70.61	47.25	47.98	46.26	52.22	118.51	118.26	192.85	395.22	300.27	204.80	1,733.83
1973	Above Normal	48.00	43.30	45.10	48.37	234.02	203.79	98.41	182.66	240.41	392.29	247.48	254.51	2,038.34
1974	Wet	93.89	48.17	230.18	578.66	174.54	582.37	335.60	304.48	254.41	352.67	114.11	375.72	3,444.80
1975	Wet	135.63	77.04	59.50	54.84	172.27	435.61	87.62	393.58	314.87	389.43	145.04	374.98	2,640.41
1976	Critical	53.60	76.56	163.22	49.28	50.43	56.46	121.63	126.87	132.76	320.31	158.82	180.60	1,490.54
1977	Critical	67.27	28.34	30.72	30.19	27.19	25.24	65.23	48.93	95.55	32.25	31.88	30.90	513.69
1978	Above Normal	24.67	18.83	18.50	35.52	22.87	182.47	208.86	129.28	164.45	376.86	299.10	273.26	1,754.67
1979	Below Normal	147.99	73.87	133.71	36.34	30.91	29.74	82.73	128.81	273.80	384.94	277.42	181.85	1,782.11
1980	Above Normal	85.30	49.98	50.19	222.54	539.41	176.62	97.92	119.18	125.47	289.24	173.84	260.25	2,189.94
1981	Dry	152.62	80.86	93.15	51.94	45.46	69.57	87.96	122.11	245.29	379.11	240.08	158.40	1,726.55
1982	Wet	40.80	32.48	523.25	278.01	529.40	456.83	575.19	384.91	233.30	238.46	139.22	220.32	3,652.17
1983	Wet	101.53	289.86	372.49	428.14	521.91	575.85	322.41	515.72	511.46	211.56	137.14	226.64	4,214.71
1984	Wet	196.77	489.14	580.66	185.68	274.46	309.52	107.25	127.12	265.45	434.67	254.48	289.56	3,514.76
1985	Dry	117.91	44.79	46.25	52.33	45.08	50.31	100.17	190.19	214.47	367.96	173.93	166.83	1,570.22
1986	Wet	106.60	30.77	54.19	39.01	483.98	576.42	87.76	124.81	153.61	394.38	284.47	333.51	2,669.51
1987	Dry	136.41	68.40	157.84	44.14	38.96	43.23	81.31	137.14	166.43	93.01	70.88	60.81	1,098.56
1988	Critical	33.74	23.03	41.67	26.62	40.49	43.54	58.26	78.69	119.60	200.67	61.68	54.49	782.48
1989	Dry	28.99	35.76	17.87	17.44	23.67	18.04	87.14	181.82	228.93	353.33	206.75	142.96	1,342.70
1990	Critical	72.93	67.45	131.69	18.50	17.05	16.89	109.65	67.34	108.37	294.73	61.99	64.29	1,030.88
1991	Critical	37.22	16.71	30.49	22.22	24.35	29.24	46.72	60.92	136.27	245.02	56.69	60.07	765.92
1992	Critical	28.46	21.29	31.41	27.13	18.00	15.82	60.68	124.29	156.92	120.52	83.98	89.56	778.06
1993	Above Normal	26.76	17.99	18.15	35.42	18.46	280.29	169.41	347.60	244.46	429.57	342.36	323.39	2,253.86
1994	Critical	132.36	69.27	67.93	33.02	27.87	25.36	109.93	98.08	127.20	302.60	151.15	69.59	1,214.36
1995	Wet	53.60	26.95	42.38	28.70	216.38	575.85	479.60	606.44	467.97	188.51	163.84	226.45	3,076.67
1996	Wet	164.46	83.38	172.57	414.98	538.70	341.08	271.18	428.84	193.08	414.01	225.96	364.75	3,612.99
1997	Wet	131.71	76.90	449.85	575.85	311.49	182.18	120.09	120.38	163.25	395.26	200.75	335.38	3,063.09
1998	Wet	129.16	72.10	60.33	46.60	517.73	478.87	139.98	362.41	500.27	203.25	130.73	221.62	2,863.05
1999	Wet	195.44	280.80	202.74	471.55	501.99	379.32	97.75	120.93	148.20	404.86	190.08	227.21	3,220.87
2000	Above Normal	144.32	75.73	202.91	49.64	243.72	315.72	80.26	132.94	234.93	445.96	322.45	283.12	2,531.70
2001	Dry	114.65	68.60	173.74	43.61	39.60	42.66	80.48	138.85	172.81	184.99	74.50	60.36	1,194.85
2002	Dry	62.55	28.60	41.50	27.00	28.21	23.62	101.52	91.00	135.17	322.53	95.05	151.16	1,107.91
2003	Above Normal	58.91	45.29	57.53	44.20	42.72	49.89	67.69	246.20	174.66	449.17	316.28	314.16	1,866.70
	Average	89.81	62.85	104.86	120.19	151.94	171.62	154.07	199.45	214.13	333.75	215.95	216.51	2,035.15
	Wet	102.69	92.23	157.56	272.40	323.47	353.92	262.74	335.97	277.30	338.81	216.41	336.99	3,070.50
	Above Normal	87.10	52.85	108.64	92.11	151.28	225.87	131.40	197.75	217.52	413.07	301.32	289.22	2,268.12
	Below Normal	99.36	56.03	80.51	43.17	77.46	64.30	94.52	124.11	194.61	396.65	307.63	178.05	1,716.40
	Dry	84.67	47.57	76.43	38.30	40.32	42.63	98.38	129.50	193.91	322.24	176.05	127.21	1,377.20
	Critical	61.20	40.09	57.99	31.19	35.32	41.08	94.32	98.17	127.00	187.36	82.46	61.58	917.76

Difference in Energy generated (GWh) at Oroville Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.24	0.00	(0.01)	0.00	(0.01)	(0.06)	(0.05)	(0.40)	(0.02)
1924	Critical	0.00	0.01	0.00	0.00	0.00	0.02	0.01	(0.19)	0.12	0.33	(0.21)	0.01	0.01
1925	Dry	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	(0.06)	0.05	0.13	0.09	0.02
1926	Dry	0.08	0.00	0.00	0.06	0.00	0.02	(0.01)	0.00	0.13	(0.04)	0.26	(0.49)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	0.00
1928	Above Normal	(0.01)	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.01	(0.01)	0.01	0.00	0.00
1929	Critical	(0.02)	0.02	0.00	(0.02)	0.02	0.00	0.00	0.01	0.00	0.01	0.01	0.00	0.00
1930	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.01)	(0.01)	0.00	0.00
1931	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	(0.20)	0.05	0.00	(0.01)
1932	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.01	0.08	(0.01)	0.00
1933	Critical	0.06	0.04	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.02)	0.05	(0.36)	0.00	0.00	(0.02)
1934	Critical	0.00	0.00	0.00	0.00	0.03	0.18	0.11	(10.92)	0.81	0.59	1.05	0.45	(0.64)
1935	Below Normal	0.89	0.21	0.16	0.21	0.11	0.07	0.14	0.19	0.27	0.84	0.93	0.82	0.40
1936	Below Normal	(4.59)	0.45	0.38	0.30	16.87	0.00	0.00	0.00	0.00	0.03	0.03	0.00	1.12
1937	Below Normal	0.00	0.00	0.10	(0.01)	0.00	0.00	(0.01)	0.00	2.28	(0.20)	(0.27)	(0.10)	0.15
1938	Wet	(2.04)	0.00	0.00	(0.05)	0.05	0.00	0.00	0.00	0.00	0.01	0.03	0.00	(0.17)
1939	Dry	0.00	0.00	(0.29)	(0.10)	(0.15)	(0.28)	20.41	(1.34)	(1.24)	(3.03)	(1.00)	(14.57)	(0.13)
1940	Above Normal	(0.39)	(0.25)	(0.09)	0.02	0.01	0.06	0.00	0.01	0.00	0.00	0.16	0.07	(0.03)
1941	Wet	0.09	(0.01)	0.00	0.00	(0.43)	0.00	0.00	0.00	0.00	(1.73)	0.06	(0.03)	(0.17)
1942	Wet	(0.02)	(0.01)	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.21	(0.02)	0.00
1943	Wet	(0.01)	(0.01)	0.00	(0.23)	0.00	0.00	0.00	(0.01)	0.01	5.62	(0.45)	(0.56)	0.36
1944	Dry	(0.30)	(0.17)	(0.37)	(0.13)	(0.11)	(0.11)	(0.18)	(0.15)	(3.83)	(0.44)	(0.94)	2.45	(0.36)
1945	Below Normal	(0.08)	(0.08)	(0.10)	(0.07)	(0.05)	(0.06)	(0.07)	(0.06)	(0.12)	(0.07)	(0.38)	(0.28)	(0.12)
1946	Below Normal	0.00	(0.07)	(0.06)	(0.04)	(0.03)	(0.04)	(0.07)	(3.91)	6.07	(1.24)	1.01	(0.26)	0.11
1947	Dry	(3.06)	(0.07)	(0.06)	(0.05)	(0.04)	(0.03)	(0.05)	(0.03)	(0.08)	(0.25)	(1.06)	0.26	(0.38)
1948	Below Normal	(2.30)	0.00	0.00	0.01	0.60	(0.01)	(0.01)	(0.01)	(0.02)	(0.06)	(0.05)	(0.04)	(0.16)
1949	Dry	0.10	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	(0.02)	(0.04)	(0.08)	(0.22)	(0.59)	(0.08)
1950	Below Normal	(0.01)	(0.01)	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1951	Above Normal	0.01	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.02	1.03	0.09
1952	Wet	(0.06)	(0.04)	(0.02)	(0.01)	(1.28)	0.00	0.00	0.00	0.00	0.00	(0.46)	(0.54)	(0.20)
1953	Wet	(0.72)	(0.48)	2.30	0.00	0.14	(0.14)	0.00	0.00	0.00	0.22	0.75	0.32	0.20
1954	Above Normal	0.43	0.29	9.14	(0.22)	(0.09)	(12.89)	0.00	0.03	(0.01)	0.05	0.04	0.01	(0.27)
1955	Dry	(1.86)	0.08	0.05	0.04	0.05	0.06	0.07	0.09	0.12	0.27	1.22	6.71	0.58
1956	Wet	(6.49)	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	(0.53)
1957	Above Normal	0.00	(0.01)	0.02	(0.01)	0.00	(0.04)	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00
1958	Wet	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.01	(0.44)	(0.03)
1959	Below Normal	0.00	0.00	1.30	(0.01)	(1.04)	0.00	0.00	0.01	0.08	0.06	0.04	2.69	0.26
1960	Dry	(0.09)	(0.06)	(0.06)	(0.05)	(0.04)	(0.02)	(0.03)	(0.08)	(0.16)	(0.33)	(0.08)	(3.39)	(0.37)
1961	Dry	0.00	0.01	0.01	0.00	0.00	0.01	0.00	(0.01)	(0.01)	(0.33)	0.18	0.01	(0.01)
1962	Below Normal	0.00	0.01	0.16	(0.15)	0.00	0.00	0.01	0.02	0.01	0.03	0.03	0.03	0.01
1963	Wet	0.01	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02
1964	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.03	(0.01)	0.00	0.01	(0.01)	0.02	0.00
1965	Wet	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)	0.03	0.01	(0.02)
1966	Below Normal	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.04	0.00	0.04	(0.03)	0.01
1967	Wet	0.04	0.01	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.04	1.29	0.12
1968	Below Normal	(0.03)	(0.02)	2.83	(4.28)	0.00	0.00	0.01	0.01	0.03	0.00	0.02	0.00	(0.12)
1969	Wet	0.31	0.00	0.00	(0.46)	0.00	0.00	0.00	0.00	0.00	0.50	(2.39)	0.13	(0.16)
1970	Wet	0.05	0.03	1.86	0.00	0.00	0.00	0.00	(0.02)	0.05	(0.05)	(0.02)	5.95	0.65
1971	Wet	(0.44)	(0.54)	(0.17)	(0.11)	(0.10)	(7.42)	0.00	0.00	0.00	(0.01)	(0.10)	0.03	(0.74)
1972	Below Normal	0.02	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	0.00	0.03	0.01
1973	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	(0.05)	0.01	0.03	0.00
1974	Wet	0.24	0.00	(0.26)	0.00	0.00	0.00	0.00	0.00	0.00	0.04	(0.01)	(0.01)	0.00
1975	Wet	(0.02)	(0.01)	(0.07)	0.00	0.08	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.36	(0.05)	(0.03)	0.03
1977	Critical	(0.31)	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	(0.05)	0.05	0.06	0.08	0.05	0.01
1979	Below Normal	(0.14)	(0.09)	(45.85)	0.63	0.42	0.25	0.71	0.94	1.38	2.90	3.75	3.34	(2.65)
1980	Above Normal	(4.07)	1.06	1.06	60.13	0.00	0.00	(0.21)	(0.29)	(0.41)	(1.13)	(1.11)	(36.30)	1.56
1981	Dry	0.70	0.32	0.30	0.64	0.65	18.78	0.47	0.66	1.08	(0.10)	9.70	2.06	2.94
1982	Wet	2.41	0.42	13.69	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.20	1.40
1983	Wet	(0.32)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1984	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.01)	0.00	0.00
1986	Wet	(0.05)	0.00	0.05	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
1987	Dry	0.00	0.00	0.10	0.00	(0.01)	0.00	0.00	(0.03)	1.33	(0.08)	(0.07)	(0.07)	0.10
1988	Critical	(0.04)	(0.02)	(0.04)	(0.02)	(0.03)	(0.03)	(0.04)	(0.03)	(0.06)	(1.58)	0.00	0.01	(0.16)
1989	Dry	0.01	0.01	0.00	(0.01)	0.00	(0.01)	0.00	(0.04)	(0.02)	0.01	(2.30)	(3.07)	(0.45)
1990	Critical	0.50	0.17	0.99	0.12	0.05	0.04	0.24	0.15	0.25	0.81	4.64	0.03	0.67
1991	Critical	0.01	0.01	0.00	0.00	(0.06)	0.07	0.00	(0.01)	(0.02)	0.23	(0.29)	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(13.30)	13.39	(0.25)	(0.01)	(0.01)
1993	Above Normal	(0.01)	(0.01)	0.00	0.01	0.00	0.40	0.00	0.00	0.00	(0.16)	(0.11)	(0.02)	0.01
1994	Critical	0.02	0.01	1.93	(0.02)	(0.01)	(0.01)	(0.05)	(0.04)	(0.06)	(0.58)	(0.29)	(0.05)	0.07
1995	Wet	(0.03)	(0.02)	(0.03)	(0.01)	(1.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.25	(0.08)
1996	Wet	0.00	0.00	(0.26)	0.00	0.00	0.00	0.00	0.00	(0.01)	(2.22)	0.10	0.01	(0.20)
1997	Wet	(0.02)	(0.01)	(0.12)	0.00	0.00	0.00	0.00	0.00	(5.39)	2.07	0.18	0.38	(0.24)
1998	Wet	0.16	0.09	0.08	0.04	3.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33
1999	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.08)	(0.04)	(0.01)	(0.01)
2000	Above Normal	0.00	0.00	0.05	0.00	0.09	0.00	(0.01)	0.00	(0.01)	(0.01)	0.02	0.02	0.01
2001	Dry	(0.01)	(0.01)	(2.41)	0.06	0.05	0.06	0.09	0.17	0.21	2.50	0.00	0.00	0.06
2002	Dry	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.01	(1.04)	1.06	0.00
2003	Above Normal	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00
	Average	(0.26)	0.02	(0.17)	0.69	0.23	(0.01)	0.26	(0.18)	(0.13)	0.20	0.14	(0.38)	0.03
	Wet	(0.27)	(0.02)	0.65	(0.03)	0.04	(0.29)	0.00	(0.00)	(0.20)	0.17	(0.08)	0.27	0.02
	Above Normal	(0.34)	0.09	0.84	4.99	0.00	(1.05)	(0.02)	(0.03)	(0.03)	(0.10)	(0.07)	(2.93)	0.12
	Below Normal	(0.45)	0.03	(2.93)	(0.24)	1.22	0.02	0.05	(0.20)	0.72	0.16	0.36	0.42	(0.07)
	Dry	(0.24)	0.01	(0.15)	0.03	0.02	1.03	1.16	(0.04)	(0.14)	(0.10)	0.27	(0.53)	0.11
	Critical	0.02	0.02	0.24	0.01	0.00	0.02	0.02	(0.92)	(1.01)	1.08	0.39	0.03	(0.01)

Percent Difference in Energy generated (GWh) at Oroville Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	1%	0%	-9%	1%	1%	1%	1%
1935	Below Normal	2%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-5%	1%	1%	1%	31%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1938	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-1%	11%	-1%	-1%	-1%	0%	-15%
1940	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	-1%	4%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	-3%	3%	0%	0%	0%
1947	Dry	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1948	Below Normal	-6%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	10%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1955	Dry	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	10%
1956	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%	2%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	2%	-7%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1970	Wet	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1971	Wet	0%	-1%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	-26%	2%	1%	1%	1%	1%	1%	1%	1%	2%
1980	Above Normal	-5%	2%	2%	37%	0%	0%	0%	0%	0%	0%	-1%	-12%
1981	Dry	0%	0%	0%	1%	1%	37%	1%	1%	0%	0%	4%	1%
1982	Wet	6%	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-2%
1990	Critical	1%	0%	1%	1%	0%	0%	0%	0%	0%	0%	8%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-8%	12%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-3%	1%	0%	0%
1998	Wet	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	1%	3%	0%	0%	0%	0%	0%	0%	0%	-1%
	Below Normal	-1%	0%	-2%	0%	2%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	2%	1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	1%	1%	0%

Energy generated (GWh) at SWP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.14	10.46	0.00	0.00	0.92	0.00	41.49	43.15	0.00	0.00	0.00	0.00	99.16
1923	Below Normal	0.00	2.43	0.00	3.23	1.46	9.19	27.89	38.81	31.14	0.00	0.00	0.00	114.15
1924	Critical	0.00	0.00	0.00	0.00	0.00	14.31	21.06	22.50	30.05	0.00	24.27	11.28	123.47
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.54	51.84	51.27	0.00	24.41	0.00	159.06
1926	Dry	0.00	0.00	0.00	0.00	0.00	18.37	14.31	32.48	17.70	0.00	14.45	0.00	97.31
1927	Wet	6.36	0.00	0.00	0.00	0.00	7.36	53.34	59.54	28.22	0.00	0.00	0.00	154.82
1928	Above Normal	0.49	6.35	0.00	0.00	5.43	0.00	58.65	63.83	30.37	0.00	0.00	0.00	165.12
1929	Critical	1.23	18.74	0.00	0.00	0.00	0.00	0.00	26.96	30.14	31.85	18.82	0.00	127.74
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	17.10	27.36	25.40	0.00	0.00	0.00	69.86
1931	Critical	0.00	0.00	0.00	0.00	0.00	4.00	28.76	34.53	42.51	8.71	30.16	15.14	163.81
1932	Dry	1.13	0.00	0.00	0.00	0.00	0.00	26.76	42.74	40.19	10.80	0.00	3.16	124.78
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	19.77	40.97	60.86	22.22	34.01	22.34	200.17
1934	Critical	7.31	0.00	0.00	0.00	0.00	0.00	34.04	34.87	51.42	39.88	25.69	0.00	193.21
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	53.43	63.54	42.99	0.00	0.00	0.00	159.96
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	53.81	74.09	45.18	0.00	0.00	0.00	173.08
1937	Below Normal	0.00	10.80	0.00	0.00	0.00	0.00	63.62	77.98	28.88	4.10	1.30	19.92	206.60
1938	Wet	5.14	0.00	0.00	0.00	0.00	0.00	48.60	0.02	11.96	12.11	7.99	0.00	85.82
1939	Dry	19.81	49.19	0.00	0.00	0.00	10.41	34.10	34.98	30.77	0.00	0.00	0.00	179.26
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	28.19	37.94	23.16	0.00	0.00	0.00	89.29
1941	Wet	0.00	9.29	0.00	0.00	0.00	0.00	52.03	52.58	21.63	0.00	0.00	0.00	135.53
1942	Wet	14.52	33.22	0.00	0.00	0.00	0.00	28.76	32.58	13.78	0.00	0.00	0.00	122.86
1943	Wet	0.00	21.17	0.00	0.00	0.00	0.00	62.13	66.16	33.36	2.39	0.00	0.00	185.21
1944	Dry	8.51	4.03	0.00	0.00	0.00	0.00	19.11	24.46	23.20	0.00	0.00	2.73	82.04
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	55.48	69.07	44.19	0.00	0.00	0.00	168.74
1946	Below Normal	0.00	0.00	0.00	0.00	22.34	12.70	45.20	51.52	37.07	0.00	0.00	0.00	168.83
1947	Dry	0.00	0.00	0.00	0.00	0.00	7.95	63.51	66.84	40.68	0.00	15.39	0.00	194.37
1948	Below Normal	0.00	0.00	8.50	0.00	10.95	0.00	10.69	16.18	0.00	0.00	0.00	0.00	46.32
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	48.92	53.07	47.77	0.00	3.87	0.00	153.63
1950	Below Normal	13.30	0.00	0.00	0.00	0.00	0.00	27.33	25.69	1.20	0.00	0.00	0.00	67.52
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	47.82	64.53	36.41	0.00	0.00	0.00	148.76
1952	Wet	0.99	0.00	0.00	0.00	9.97	0.00	40.70	55.03	12.15	5.76	0.00	0.00	124.60
1953	Wet	15.44	38.07	0.00	9.17	0.00	0.00	22.98	25.06	13.94	0.00	0.00	0.00	124.66
1954	Above Normal	3.96	18.72	0.00	0.00	0.00	0.00	31.40	35.01	26.72	0.00	0.00	0.00	115.81
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	33.32	45.47	53.61	0.00	14.64	3.25	150.29
1956	Wet	3.18	0.00	0.00	0.00	0.00	0.00	58.45	67.80	24.90	0.00	0.00	0.00	154.33
1957	Above Normal	10.67	34.55	0.00	0.00	8.77	0.00	29.41	30.89	24.60	0.00	0.00	0.00	138.89
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	56.64	74.32	26.37	6.60	5.16	0.00	169.09
1959	Below Normal	7.26	15.46	0.00	0.00	0.00	0.00	17.53	28.61	3.11	0.00	0.00	0.00	71.97
1960	Dry	0.00	0.75	0.00	0.00	0.00	0.00	44.89	37.23	36.35	0.00	0.01	0.00	119.23
1961	Dry	11.08	0.00	0.00	0.00	0.00	0.00	32.04	37.07	49.57	0.00	5.84	0.00	135.60
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.18	28.72	9.35	0.00	0.00	0.00	64.25
1963	Wet	0.00	0.00	0.00	3.93	7.56	0.00	39.56	46.80	27.18	0.00	0.00	0.00	125.03
1964	Dry	0.00	0.00	0.00	0.00	29.09	20.26	49.18	52.59	40.95	0.00	15.46	0.00	207.53
1965	Wet	1.73	0.00	0.00	0.00	0.16	0.00	35.89	43.13	15.34	0.00	0.00	0.00	96.25
1966	Below Normal	9.50	0.00	0.00	0.00	2.94	4.10	32.64	39.79	37.05	0.00	0.00	0.00	126.02
1967	Wet	0.00	0.00	0.00	0.00	3.20	0.00	60.32	63.55	8.10	7.80	5.60	0.00	148.57
1968	Below Normal	7.35	37.90	0.00	0.00	1.80	0.00	19.71	29.86	6.23	0.00	0.00	0.00	102.85
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.92	1.90	13.22	0.00	19.04
1970	Wet	6.14	56.78	0.00	0.00	0.00	0.00	55.68	62.53	42.45	0.00	0.00	0.00	223.58
1971	Wet	2.14	0.00	0.00	7.84	13.34	0.00	28.56	34.52	27.08	0.00	0.00	0.00	113.48
1972	Below Normal	0.00	17.75	0.00	0.00	24.62	14.82	30.87	38.71	37.58	0.00	0.00	0.00	164.35
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	50.15	65.24	34.75	0.00	0.00	0.00	150.14
1974	Wet	0.00	0.00	0.00	0.00	11.73	1.91	68.47	63.26	24.44	0.00	0.00	0.00	169.81
1975	Wet	0.00	22.76	0.00	0.00	0.00	0.00	47.69	44.33	18.14	0.00	0.00	0.00	132.92
1976	Critical	0.00	31.10	0.00	0.00	0.00	0.00	31.79	42.16	46.55	0.00	3.43	0.00	155.03
1977	Critical	5.09	8.16	6.12	0.00	0.00	5.43	8.24	0.00	0.00	0.00	0.00	0.00	33.04
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	23.53	23.39	8.40	0.00	0.00	0.00	55.32
1979	Below Normal	1.32	11.33	0.00	0.00	0.00	0.00	57.72	58.99	35.69	0.00	0.00	0.00	165.05
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	61.68	78.75	40.61	3.46	5.11	0.00	189.61
1981	Dry	8.73	29.76	0.00	0.00	0.00	0.00	20.49	23.33	8.81	0.00	0.86	0.00	91.98
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.22	44.61	8.89	4.84	0.00	128.56
1983	Wet	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	10.63	0.00	10.76
1984	Wet	0.00	0.00	0.00	0.12	0.00	0.00	45.93	64.61	34.76	0.00	0.00	0.00	145.42
1985	Dry	0.00	0.00	0.00	0.14	0.00	10.44	48.02	57.00	40.36	0.00	15.96	0.00	171.92
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	64.61	85.77	47.60	6.77	9.34	0.00	214.09
1987	Dry	11.53	16.41	0.00	0.00	0.00	0.00	13.25	1.83	8.67	17.68	10.75	0.00	80.12
1988	Critical	2.76	0.00	0.00	0.00	0.00	0.00	3.22	6.72	19.96	0.00	16.85	1.09	50.60
1989	Dry	3.27	0.00	0.00	0.00	0.00	0.00	44.78	49.84	40.16	0.00	9.63	0.00	147.68
1990	Critical	0.00	5.93	0.00	0.00	0.00	3.61	15.74	10.31	24.25	0.00	17.64	0.21	77.69
1991	Critical	3.62	0.00	0.00	0.00	0.00	0.00	2.23	7.79	0.46	0.00	13.67	5.01	32.78
1992	Critical	0.00	1.61	0.00	0.00	0.00	0.00	11.78	12.79	8.34	20.02	11.11	0.00	65.65
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	36.21	40.09	0.40	0.00	0.00	0.00	76.70
1994	Critical	0.00	23.93	0.00	0.00	0.00	0.00	33.82	36.11	40.38	0.00	0.00	0.00	134.24
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	47.78	0.00	13.42	3.90	0.00	0.00	65.10
1996	Wet	27.81	20.06	0.00	0.00	0.00	0.00	42.12	40.79	20.59	0.00	0.00	0.00	151.37
1997	Wet	14.98	21.71	0.00	0.00	0.00	0.00	66.86	70.46	48.08	3.44	0.00	0.00	225.53
1998	Wet	8.22	15.79	0.00	0.00	0.00	0.00	37.05	39.58	0.00	0.00	0.00	0.00	100.64
1999	Wet	0.00	0.00	0.00	0.11	0.00	0.00	47.40	61.95	32.18	0.00	0.00	9.72	151.36
2000	Above Normal	11.04	28.69	0.00	0.00	0.00	0.00	44.27	49.58	23.44	0.00	0.00	0.00	157.02
2001	Dry	3.83	24.49	0.00	0.00	0.00	0.00	21.26	32.28	28.14	3.20	31.25	0.00	144.45
2002	Dry	9.33	0.00	0.00	0.00	0.00	0.00	57.14	55.52	44.18	0.00	14.36	0.00	180.53
2003	Above Normal	7.51	0.00	0.00	0.00	0.00	0.00	27.85	24.69	0.00	0.00	0.00	0.00	60.05
	Average	3.41	7.90	0.18	0.30	1.88	1.77	35.91	41.77	26.65	2.70	5.31	1.14	128.92
	Wet	4.10	9.19	0.00	0.82	1.77	0.36	42.75	47.10	22.85	2.29	2.18	0.37	133.79
	Above Normal	3.07	8.23	0.00	0.00	1.26	0.00	40.05	46.42	20.74	0.29	0.43	0.00	120.49
	Below Normal	2.77	6.83	0.61	0.23	4.58	2.92	37.29	45.83	25.69	0.29	0.09	1.42	128.55
	Dry	4.29	6.92	0.00	0.01	1.62	3.75	34.43	40.33	34.88	1.76	9.83	0.51	138.31
	Critical	1.67	7.46	0.51	0.00	0.00	2.28	17.54	22.98	29.58	10.22	16.30	4.59	113.12

Energy generated (GWh) at SWP San Luis: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.14	10.46	0.00	0.00	0.90	0.00	41.45	43.08	0.00	0.00	0.00	0.00	99.03
1923	Below Normal	0.00	2.43	0.00	3.92	1.57	8.79	27.72	38.52	30.87	0.00	0.00	0.00	113.82
1924	Critical	0.00	0.00	0.00	0.00	0.00	14.29	21.08	22.66	30.10	0.00	24.30	11.33	123.76
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.58	51.89	51.37	0.00	24.41	0.00	159.25
1926	Dry	0.00	0.00	0.00	0.00	0.00	18.35	14.27	32.44	17.62	0.00	14.32	0.00	97.00
1927	Wet	6.35	0.00	0.00	0.00	0.00	7.36	53.35	59.55	28.23	0.00	0.00	0.00	154.84
1928	Above Normal	0.50	6.36	0.00	0.00	5.40	0.00	58.65	63.83	30.36	0.00	0.00	0.00	165.10
1929	Critical	1.24	18.74	0.00	0.00	0.00	0.00	0.00	26.94	30.12	31.84	18.81	0.00	127.69
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	17.10	27.36	25.39	0.00	0.00	0.00	69.85
1931	Critical	0.00	0.00	0.00	0.00	0.00	4.01	28.76	34.53	42.51	8.79	30.15	15.15	163.90
1932	Dry	1.14	0.00	0.00	0.00	0.00	0.00	26.73	42.68	40.11	10.78	0.00	3.15	124.59
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	19.77	40.97	60.86	22.42	34.05	22.37	200.44
1934	Critical	7.33	0.00	0.00	0.00	0.00	0.00	32.66	45.31	56.23	46.38	36.27	0.00	224.18
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	51.12	61.95	42.48	0.00	0.00	0.00	155.55
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	53.80	74.08	45.17	0.00	0.00	0.00	173.05
1937	Below Normal	0.00	10.82	0.00	0.00	0.00	0.00	68.24	79.12	27.41	3.86	1.18	17.38	208.01
1938	Wet	5.04	0.00	0.00	0.00	0.00	0.00	57.28	61.04	9.88	11.26	6.81	0.00	151.31
1939	Dry	14.57	44.82	0.00	0.00	0.00	4.10	13.92	28.01	6.40	0.00	0.20	0.00	112.02
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	28.53	38.81	23.54	0.00	0.00	0.00	90.88
1941	Wet	0.00	9.43	0.00	0.00	0.00	0.00	51.63	51.48	20.15	0.00	0.00	0.00	132.69
1942	Wet	13.97	32.89	0.00	0.00	0.00	0.00	28.64	32.37	13.74	0.00	0.00	0.00	121.61
1943	Wet	0.00	21.15	0.00	0.00	0.00	0.00	61.09	64.54	35.03	0.53	0.00	0.00	182.34
1944	Dry	7.44	2.53	0.00	0.00	0.00	0.00	19.13	24.51	24.36	0.00	0.00	2.67	80.64
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	55.36	68.87	43.82	0.00	0.00	0.00	168.05
1946	Below Normal	0.00	0.00	0.00	0.00	22.28	14.63	44.56	51.07	35.52	0.00	0.00	0.00	168.06
1947	Dry	0.00	0.00	0.00	0.00	0.00	6.37	63.62	67.20	41.03	0.00	15.77	0.00	193.99
1948	Below Normal	0.00	0.00	12.77	0.00	10.23	0.00	10.71	16.37	0.00	0.00	0.00	0.00	50.08
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	48.53	52.81	47.74	0.00	3.78	0.00	152.86
1950	Below Normal	13.29	0.00	0.00	0.00	0.00	0.00	27.35	25.73	1.20	0.00	0.00	0.00	67.57
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	47.88	64.57	36.43	0.00	0.00	0.00	148.88
1952	Wet	1.02	0.00	0.00	0.00	9.88	0.00	40.54	41.76	4.56	0.00	0.00	0.00	97.76
1953	Wet	6.82	29.64	0.00	19.69	7.57	1.61	27.14	33.58	32.78	0.00	0.00	0.00	158.83
1954	Above Normal	3.49	19.36	0.00	0.00	7.92	0.00	31.83	36.53	29.26	0.20	0.00	0.00	128.59
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	34.51	46.97	55.20	0.00	15.40	1.46	153.54
1956	Wet	6.57	0.00	0.00	0.00	0.00	0.00	58.66	67.94	25.00	0.00	0.00	0.00	158.17
1957	Above Normal	10.76	34.55	0.00	0.00	8.73	0.00	29.34	30.74	24.22	0.00	0.00	0.00	138.34
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	57.08	71.63	23.40	8.15	4.21	0.00	164.47
1959	Below Normal	5.63	13.64	0.00	0.00	0.00	0.00	17.79	28.82	3.17	0.00	0.00	0.00	69.05
1960	Dry	0.00	0.75	0.00	0.00	0.00	0.00	44.81	37.11	36.27	0.00	0.01	0.00	118.95
1961	Dry	11.07	0.00	0.00	0.00	0.00	0.00	32.05	37.07	49.57	0.00	5.79	0.00	135.55
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.18	28.73	9.34	0.00	0.00	0.00	64.25
1963	Wet	0.00	0.00	0.00	3.93	7.56	0.00	39.51	46.69	26.97	0.00	0.00	0.00	124.66
1964	Dry	0.00	0.00	0.00	0.00	29.10	20.31	49.20	52.63	41.04	0.00	15.48	0.00	207.76
1965	Wet	1.78	0.00	0.00	0.00	0.15	0.00	35.32	41.79	14.90	0.00	0.00	0.00	93.94
1966	Below Normal	9.55	0.00	0.00	0.00	2.91	4.10	32.63	39.77	37.04	0.00	0.00	0.00	126.00
1967	Wet	0.00	0.00	0.00	0.00	3.21	0.00	61.07	63.12	8.98	6.64	4.98	0.00	148.00
1968	Below Normal	8.04	31.14	0.00	0.00	0.00	0.00	19.90	30.06	6.44	0.00	0.00	0.00	95.58
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	34.40	0.00	0.00	0.00	6.53	0.00	40.93
1970	Wet	9.07	57.31	0.00	0.00	0.00	0.00	60.46	61.61	41.37	0.00	0.00	0.00	229.82
1971	Wet	1.27	0.00	0.00	7.89	13.45	0.00	28.83	34.80	27.10	0.00	0.00	0.00	113.34
1972	Below Normal	0.00	18.10	0.00	0.00	24.82	15.01	30.99	38.82	37.64	0.00	0.00	0.00	165.38
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	50.15	65.24	34.38	0.00	0.00	0.00	149.77
1974	Wet	0.00	0.00	0.00	0.00	11.61	1.84	67.51	62.21	23.29	0.00	0.00	0.00	166.46
1975	Wet	0.00	22.82	0.00	0.00	0.00	0.00	47.74	44.53	18.16	0.00	0.00	0.00	133.25
1976	Critical	0.00	31.08	0.00	0.00	0.00	0.00	31.90	42.30	46.73	0.00	3.42	0.00	155.43
1977	Critical	5.21	8.18	5.76	0.00	0.00	5.43	8.24	0.00	0.00	0.00	0.00	0.00	32.82
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.69	23.69	9.16	0.00	0.00	0.00	55.54
1979	Below Normal	0.40	11.85	0.00	0.00	0.00	0.00	53.66	54.46	32.03	0.00	0.00	0.00	152.40
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	45.71	65.85	29.30	0.00	0.00	0.00	140.86
1981	Dry	2.04	28.06	0.00	0.00	2.69	7.83	27.49	35.63	35.45	0.00	0.62	0.00	139.81
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.03	43.57	8.35	4.27	0.00	131.22
1983	Wet	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	5.21	0.00	5.34
1984	Wet	0.00	0.00	0.00	0.12	0.00	0.00	45.93	64.61	34.76	0.00	0.00	0.00	145.42
1985	Dry	0.00	0.00	0.00	0.14	0.00	10.44	48.02	57.00	40.36	0.00	15.96	0.00	171.92
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	69.16	85.56	46.94	6.67	8.82	0.00	217.15
1987	Dry	11.27	12.86	0.00	0.00	0.00	0.00	13.07	1.79	7.97	17.46	10.59	0.00	75.01
1988	Critical	2.79	0.00	0.00	0.00	0.00	0.00	3.23	6.94	20.26	0.00	17.03	1.23	51.48
1989	Dry	3.32	0.00	0.00	0.00	0.00	0.00	44.40	49.59	40.16	0.00	9.19	0.00	146.66
1990	Critical	0.00	6.09	0.00	0.00	0.00	3.58	15.79	15.47	24.24	0.00	16.46	0.12	81.75
1991	Critical	3.51	0.00	0.00	0.00	0.00	0.00	2.16	7.72	0.47	0.00	13.47	4.91	32.24
1992	Critical	0.00	1.59	0.00	0.00	0.00	0.00	11.39	12.31	13.07	15.51	10.84	0.00	64.71
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	36.21	40.07	0.65	0.00	0.00	0.00	76.93
1994	Critical	0.00	24.01	0.00	0.00	0.00	0.00	33.85	36.23	40.95	0.00	0.00	0.00	135.04
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	48.26	35.64	12.83	0.24	0.00	0.00	96.97
1996	Wet	10.21	0.00	0.00	0.00	0.00	0.00	40.92	38.63	19.78	0.00	0.00	0.00	109.54
1997	Wet	14.92	21.78	0.00	0.00	0.00	0.00	66.85	70.45	48.51	3.10	0.00	0.00	225.61
1998	Wet	8.21	15.75	0.00	0.00	0.00	0.00	38.71	39.13	0.00	0.00	0.00	0.00	101.80
1999	Wet	0.00	0.00	0.00	0.11	0.00	0.00	47.43	62.03	32.25	0.00	0.00	9.72	151.54
2000	Above Normal	11.04	28.68	0.00	0.00	0.00	0.00	43.83	49.22	23.19	0.00	0.00	0.00	155.96
2001	Dry	3.70	24.20	0.00	0.00	0.00	0.00	21.28	32.28	28.10	2.46	31.32	0.00	143.34
2002	Dry	9.35	0.00	0.00	0.00	0.00	0.00	57.02	55.38	44.07	0.00	14.27	0.00	180.09
2003	Above Normal	7.98	0.00	0.00	0.00	0.00	0.00	27.84	24.66	0.00	0.00	0.00	0.00	60.48
	Average	2.96	7.33	0.23	0.44	2.07	1.81	36.19	42.88	26.62	2.50	5.17	1.09	129.27
	Wet	3.28	8.11	0.00	1.23	2.06	0.42	44.90	50.37	22.78	1.73	1.57	0.37	136.81
	Above Normal	3.08	8.28	0.00	0.00	1.91	0.00	38.68	45.52	20.04	0.02	0.00	0.00	117.53
	Below Normal	2.64	6.28	0.91	0.28	4.42	3.04	37.14	45.46	25.15	0.28	0.08	1.24	126.92
	Dry	3.55	6.29	0.00	0.01	1.77	3.74	33.71	40.69	35.12	1.71	9.84	0.40	136.82
	Critical	1.67	7.47	0.48	0.00	0.00	2.28	17.40	24.28	30.46	10.41	17.07	4.59	116.12

Difference in Energy generated (GWh) at SWP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	(0.04)	(0.07)	0.00	0.00	0.00	0.00	(0.01)
1923	Below Normal	0.00	0.00	0.00	0.69	0.11	(0.40)	(0.17)	(0.29)	(0.27)	0.00	0.00	0.00	(0.03)
1924	Critical	0.00	0.00	0.00	0.00	0.00	(0.02)	0.02	0.16	0.05	0.00	0.03	0.05	0.02
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.10	0.00	0.00	0.00	0.02
1926	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.04)	(0.04)	(0.08)	0.00	(0.13)	0.00	(0.03)
1927	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.00
1928	Above Normal	0.01	0.01	0.00	0.00	(0.03)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1929	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.01)	(0.01)	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.08	(0.01)	0.01	0.01
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.06)	(0.08)	(0.02)	0.00	(0.01)	(0.02)
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.04	0.03	0.02
1934	Critical	0.02	0.00	0.00	0.00	0.00	0.00	(1.38)	10.44	4.81	6.50	10.58	0.00	2.58
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(2.31)	(1.59)	(0.51)	0.00	0.00	0.00	(0.37)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.02	0.00	0.00	0.00	0.00	4.62	1.14	(1.47)	(0.24)	(0.12)	(2.54)	0.12
1938	Wet	(0.10)	0.00	0.00	0.00	0.00	0.00	8.68	61.02	(2.08)	(0.85)	(1.18)	0.00	5.46
1939	Dry	(5.24)	(4.37)	0.00	0.00	0.00	(6.31)	(20.18)	(6.97)	(24.37)	0.00	0.20	0.00	(5.60)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.87	0.38	0.00	0.00	0.00	0.13
1941	Wet	0.00	0.14	0.00	0.00	0.00	0.00	(0.40)	(1.10)	(1.48)	0.00	0.00	0.00	(0.24)
1942	Wet	(0.55)	(0.33)	0.00	0.00	0.00	0.00	(0.12)	(0.21)	(0.04)	0.00	0.00	0.00	(0.10)
1943	Wet	0.00	(0.02)	0.00	0.00	0.00	0.00	(1.04)	(1.62)	1.67	(1.86)	0.00	0.00	(0.24)
1944	Dry	(1.07)	(1.50)	0.00	0.00	0.00	0.00	0.02	0.05	1.16	0.00	0.00	(0.06)	(0.12)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.20)	(0.37)	0.00	0.00	0.00	(0.06)
1946	Below Normal	0.00	0.00	0.00	0.00	(0.06)	1.93	(0.64)	(0.45)	(1.55)	0.00	0.00	0.00	(0.06)
1947	Dry	0.00	0.00	0.00	0.00	0.00	(1.58)	0.11	0.36	0.35	0.00	0.38	0.00	(0.03)
1948	Below Normal	0.00	0.00	4.27	0.00	(0.72)	0.00	0.02	0.19	0.00	0.00	0.00	0.00	0.31
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.39)	(0.26)	(0.03)	0.00	(0.09)	0.00	(0.06)
1950	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	0.04	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.04	0.02	0.00	0.00	0.00	0.01
1952	Wet	0.03	0.00	0.00	0.00	(0.09)	0.00	(0.16)	(13.27)	(7.59)	(5.76)	0.00	0.00	(2.24)
1953	Wet	(8.62)	(8.43)	0.00	10.52	7.57	1.61	4.16	8.52	18.84	0.00	0.00	0.00	2.85
1954	Above Normal	(0.47)	0.64	0.00	0.00	7.92	0.00	0.43	1.52	2.54	0.20	0.00	0.00	1.07
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1.50	1.59	0.00	0.76	(1.79)	0.27
1956	Wet	3.39	0.00	0.00	0.00	0.00	0.00	0.21	0.14	0.10	0.00	0.00	0.00	0.32
1957	Above Normal	0.09	0.00	0.00	0.00	(0.04)	0.00	(0.07)	(0.15)	(0.38)	0.00	0.00	0.00	(0.05)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.44	(2.69)	(2.97)	1.55	(0.95)	0.00	(0.39)
1959	Below Normal	(1.63)	(1.82)	0.00	0.00	0.00	0.00	0.26	0.21	0.06	0.00	0.00	0.00	(0.24)
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.12)	(0.08)	0.00	0.00	0.00	(0.02)
1961	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.05)	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.11)	(0.21)	0.00	0.00	0.00	(0.03)
1964	Dry	0.00	0.00	0.00	0.00	0.01	0.05	0.02	0.04	0.09	0.00	0.02	0.00	0.02
1965	Wet	0.05	0.00	0.00	0.00	(0.01)	0.00	(0.57)	(1.34)	(0.44)	0.00	0.00	0.00	(0.19)
1966	Below Normal	0.05	0.00	0.00	0.00	(0.03)	0.00	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.75	(0.43)	0.88	(1.16)	(0.62)	0.00	(0.05)
1968	Below Normal	0.69	(6.76)	0.00	0.00	(1.80)	0.00	0.19	0.20	0.21	0.00	0.00	0.00	(0.61)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	34.40	0.00	(3.92)	(1.90)	(6.69)	0.00	1.82
1970	Wet	2.93	0.53	0.00	0.00	0.00	0.00	4.78	(0.92)	(1.08)	0.00	0.00	0.00	0.52
1971	Wet	(0.87)	0.00	0.00	0.05	0.11	0.00	0.27	0.28	0.02	0.00	0.00	0.00	(0.01)
1972	Below Normal	0.00	0.35	0.00	0.00	0.20	0.19	0.12	0.11	0.06	0.00	0.00	0.00	0.09
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.37)	0.00	0.00	0.00	(0.03)
1974	Wet	0.00	0.00	0.00	0.00	(0.12)	(0.07)	(0.96)	(1.05)	(1.15)	0.00	0.00	0.00	(0.28)
1975	Wet	0.00	0.06	0.00	0.00	0.00	0.00	0.05	0.20	0.02	0.00	0.00	0.00	0.03
1976	Critical	0.00	(0.02)	0.00	0.00	0.00	0.00	0.11	0.14	0.18	0.00	(0.01)	0.00	0.03
1977	Critical	0.12	0.02	(0.36)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.84)	0.30	0.76	0.00	0.00	0.00	0.02
1979	Below Normal	(0.92)	0.52	0.00	0.00	0.00	0.00	(4.06)	(4.53)	(3.66)	0.00	0.00	0.00	(1.05)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(15.97)	(12.90)	(11.31)	(3.46)	(5.11)	0.00	(4.06)
1981	Dry	(6.69)	(1.70)	0.00	0.00	2.69	7.83	7.00	12.30	26.64	0.00	(0.24)	0.00	3.99
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.81	(1.04)	(0.54)	(0.57)	0.00	0.22
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(5.42)	0.00	(0.45)
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	4.55	(0.21)	(0.66)	(0.10)	(0.52)	0.00	0.26
1987	Dry	(0.26)	(3.55)	0.00	0.00	0.00	0.00	(0.18)	(0.04)	(0.70)	(0.22)	(0.16)	0.00	(0.43)
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.22	0.30	0.00	0.18	0.14	0.07
1989	Dry	0.05	0.00	0.00	0.00	0.00	0.00	(0.38)	(0.25)	0.00	0.00	(0.44)	0.00	(0.09)
1990	Critical	0.00	0.16	0.00	0.00	0.00	(0.03)	0.05	5.16	(0.01)	0.00	(1.18)	(0.09)	0.34
1991	Critical	(0.11)	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.07)	0.01	0.00	(0.20)	(0.10)	(0.04)
1992	Critical	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.39)	(0.48)	4.73	(4.51)	(0.27)	0.00	(0.08)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.25	0.00	0.00	0.00	0.02
1994	Critical	0.00	0.08	0.00	0.00	0.00	0.00	0.03	0.12	0.57	0.00	0.00	0.00	0.07
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.48	35.64	(0.59)	(3.66)	0.00	0.00	2.66
1996	Wet	(17.60)	(20.06)	0.00	0.00	0.00	0.00	(1.20)	(2.16)	(0.81)	0.00	0.00	0.00	(3.49)
1997	Wet	(0.06)	0.07	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.43	(0.34)	0.00	0.00	0.01
1998	Wet	(0.01)	(0.04)	0.00	0.00	0.00	0.00	1.66	(0.45)	0.00	0.00	0.00	0.00	0.10
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.08	0.07	0.00	0.00	0.00	0.02
2000	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.44)	(0.36)	(0.25)	0.00	0.00	0.00	(0.09)
2001	Dry	(0.13)	(0.29)	0.00	0.00	0.00	0.00	0.02	0.00	(0.04)	(0.74)	0.07	0.00	(0.09)
2002	Dry	0.02	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.14)	(0.11)	0.00	(0.09)	0.00	(0.04)
2003	Above Normal	0.47	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	0.00	0.00	0.00	0.00	0.04
	Average	(0.44)	(0.56)	0.05	0.14	0.19	0.04	0.28	1.11	(0.03)	(0.21)	(0.14)	(0.05)	0.03
	Wet	(0.82)	(1.08)	0.00	0.41	0.29	0.06	2.15	3.27	(0.08)	(0.56)	(0.61)	0.00	0.25
	Above Normal	0.01	0.05	0.00	0.00	0.65	0.00	(1.38)	(0.90)	(0.70)	(0.27)	(0.43)	0.00	(0.25)
	Below Normal	(0.13)	(0.55)	0.31	0.05	(0.16)	0.12	(0.15)	(0.37)	(0.54)	(0.02)	(0.01)	(0.18)	(0.14)
	Dry	(0.74)	(0.63)	0.00	0.00	0.15	(0.00)	(0.72)	0.36	0.25	(0.05)	0.01	(0.10)	(0.12)
	Critical	0.01	0.02	(0.03)	0.00	0.00	(0.00)	(0.14)	1.31	0.89	0.19	0.76	0.00	0.25

Percent Difference in Energy generated (GWh) at SWP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	21%	8%	-4%	-1%	-1%	-1%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	2%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1932	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	-4%	30%	9%	16%	41%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	-4%	-3%	-1%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	7%	1%	-5%	-6%	-9%	-13%
1938	Wet	-2%	0%	0%	0%	0%	0%	18%	>1,000%	-17%	-7%	-15%	0%
1939	Dry	-26%	-9%	0%	0%	0%	-61%	-59%	-20%	-79%	0%	-	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	1%	2%	2%	0%	0%	0%
1941	Wet	0%	2%	0%	0%	0%	0%	-1%	-2%	-7%	0%	0%	0%
1942	Wet	-4%	-1%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	-2%	-2%	5%	-78%	0%	0%
1944	Dry	-13%	-37%	0%	0%	0%	0%	0%	0%	5%	0%	0%	-2%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	15%	-1%	-1%	-4%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	-20%	0%	1%	1%	0%	2%	0%
1948	Below Normal	0%	0%	50%	0%	-7%	0%	0%	1%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	-2%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	3%	0%	0%	0%	-1%	0%	0%	-24%	-62%	-100%	0%	0%
1953	Wet	-56%	-22%	0%	115%	-	-	18%	34%	135%	0%	0%	0%
1954	Above Normal	-12%	3%	0%	0%	-	0%	1%	4%	10%	-	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	4%	3%	3%	0%	5%	-55%
1956	Wet	107%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	1%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	1%	-4%	-11%	23%	-18%	0%
1959	Below Normal	-22%	-12%	0%	0%	0%	0%	1%	1%	2%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	3%	0%	0%	0%	-6%	0%	-2%	-3%	-3%	0%	0%	0%
1966	Below Normal	1%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	1%	-1%	11%	-15%	-11%	0%
1968	Below Normal	9%	-18%	0%	0%	-100%	0%	1%	1%	3%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	-	0%	-100%	-100%	-51%	0%
1970	Wet	48%	1%	0%	0%	0%	0%	9%	-1%	-3%	0%	0%	0%
1971	Wet	-41%	0%	0%	1%	1%	0%	1%	1%	0%	0%	0%	0%
1972	Below Normal	0%	2%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	-1%	-4%	-1%	-2%	-5%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	2%	0%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	-4%	1%	9%	0%	0%	0%
1979	Below Normal	-70%	5%	0%	0%	0%	0%	-7%	-8%	-10%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	-26%	-16%	-28%	-100%	-100%	0%
1981	Dry	-77%	-6%	0%	0%	-	-	34%	53%	302%	0%	-28%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	7%	-2%	-6%	-12%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-51%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	7%	0%	-1%	-1%	-6%	0%
1987	Dry	-2%	-22%	0%	0%	0%	0%	-1%	-2%	-8%	-1%	-1%	0%
1988	Critical	1%	0%	0%	0%	0%	0%	0%	3%	2%	0%	1%	13%
1989	Dry	2%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	-5%	0%
1990	Critical	0%	3%	0%	0%	0%	-1%	0%	50%	0%	0%	-7%	-43%
1991	Critical	-3%	0%	0%	0%	0%	0%	-3%	-1%	2%	0%	-1%	-2%
1992	Critical	0%	-1%	0%	0%	0%	0%	-3%	-4%	57%	-23%	-2%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	63%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	1%	-	-4%	-94%	0%	0%
1996	Wet	-63%	-100%	0%	0%	0%	0%	-3%	-5%	-4%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	-10%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	4%	-1%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%
2001	Dry	-3%	-1%	0%	0%	0%	0%	0%	0%	0%	-23%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2003	Above Normal	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-3%	-3%	1%	2%	-1%	-1%	0%	1%	3%	-6%	-3%	-1%
	Wet	0%	-5%	0%	4%	0%	0%	2%	0%	-3%	-15%	-6%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	-2%	-1%	4%	-8%	-8%	0%
	Below Normal	-6%	-2%	4%	2%	-7%	1%	0%	-1%	-1%	0%	-1%	-1%
	Dry	-7%	-4%	0%	0%	0%	-4%	-1%	2%	12%	-1%	-2%	-3%
	Critical	0%	0%	0%	0%	0%	0%	-1%	7%	6%	0%	3%	-3%

Energy generated (GWh) at Syst. Tot.: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	476.99	374.89	330.14	107.98	271.41	390.81	365.76	941.25	551.88	629.84	484.06	579.07	5,504.08
1923	Below Normal	323.93	253.13	292.86	301.95	367.86	279.89	291.15	363.03	354.41	622.60	549.73	357.41	4,357.95
1924	Critical	225.87	194.37	168.06	105.41	108.11	163.19	234.79	263.94	288.89	370.03	206.28	146.07	2,475.01
1925	Dry	65.68	56.30	49.77	51.75	55.09	145.27	273.71	376.52	464.39	628.60	467.04	423.43	3,057.55
1926	Dry	238.93	193.05	169.52	50.25	61.00	157.31	195.07	415.89	478.72	596.90	421.06	292.30	3,270.00
1927	Wet	172.97	168.68	224.24	51.54	205.90	512.55	513.08	525.39	411.61	693.20	601.74	618.49	4,699.39
1928	Above Normal	330.75	267.23	267.30	182.35	307.89	425.77	391.51	439.38	552.95	715.64	600.86	538.68	5,020.31
1929	Critical	341.81	272.06	251.26	183.22	182.80	131.64	213.58	294.86	295.74	254.49	210.43	49.36	2,681.25
1930	Dry	90.27	97.29	195.13	47.21	157.57	84.35	237.97	306.80	463.49	584.13	408.39	334.69	3,007.29
1931	Critical	142.98	101.92	80.18	48.43	60.57	93.26	297.60	287.13	313.44	334.30	250.43	163.97	2,174.21
1932	Dry	84.13	63.79	159.64	45.92	87.18	257.11	254.42	295.52	392.84	436.39	412.55	233.74	2,723.23
1933	Critical	192.00	163.34	104.47	48.63	234.78	220.10	232.01	335.77	376.29	383.09	272.78	209.34	2,772.60
1934	Critical	132.18	104.54	133.34	63.01	134.14	98.35	289.45	338.61	365.21	302.32	198.16	50.38	2,209.69
1935	Below Normal	188.55	137.40	105.50	63.42	71.69	110.80	337.51	422.85	464.83	678.55	598.00	448.44	3,627.54
1936	Below Normal	312.01	265.22	238.14	148.26	176.84	516.55	354.19	438.64	425.51	669.31	598.30	445.76	4,588.73
1937	Below Normal	375.19	298.08	380.89	191.97	314.42	330.59	408.63	490.02	669.51	669.39	600.88	374.71	5,104.28
1938	Wet	337.52	308.25	294.56	214.78	527.16	966.65	885.08	991.63	733.36	578.77	568.93	716.12	7,122.81
1939	Dry	442.84	394.67	434.04	231.29	245.38	225.74	428.88	450.52	267.44	673.13	337.65	368.20	4,499.78
1940	Above Normal	95.13	76.00	270.81	72.92	67.55	768.98	428.38	382.94	407.90	731.15	645.67	568.39	4,515.82
1941	Wet	308.05	256.38	178.81	134.20	702.83	669.77	462.56	718.10	483.49	651.47	432.90	667.85	5,666.41
1942	Wet	379.18	322.40	417.02	799.30	856.28	375.08	645.17	539.16	553.83	560.72	463.04	626.05	6,537.23
1943	Wet	322.44	251.84	182.30	762.42	495.16	856.56	519.68	456.03	463.53	749.20	640.22	665.92	6,365.30
1944	Dry	398.85	96.07	477.59	174.41	164.41	162.45	285.42	321.15	429.87	558.03	377.96	224.43	3,670.64
1945	Below Normal	151.05	133.33	125.67	87.78	95.30	362.98	361.18	412.00	419.79	651.89	564.15	428.92	3,794.04
1946	Below Normal	311.12	241.99	242.50	303.39	331.94	370.25	343.73	388.25	434.27	660.66	569.84	398.00	4,595.94
1947	Dry	294.81	204.62	195.11	172.47	180.68	181.36	402.08	481.21	473.21	649.80	484.81	448.71	4,168.87
1948	Below Normal	267.11	245.84	250.13	182.69	168.96	109.71	175.91	202.80	140.49	716.70	632.41	381.14	3,473.89
1949	Dry	270.63	228.13	183.82	93.52	96.89	135.36	370.04	405.01	510.13	647.34	341.71	461.76	3,744.34
1950	Below Normal	244.41	125.77	163.30	71.49	56.53	90.58	304.34	351.18	141.79	708.29	621.42	420.51	3,299.61
1951	Above Normal	253.24	221.88	569.63	728.77	647.00	488.98	344.33	419.00	474.73	699.34	589.91	532.43	5,969.24
1952	Wet	322.88	254.71	224.57	301.30	637.76	580.31	948.19	1,023.95	725.10	464.20	395.31	689.47	6,567.75
1953	Wet	437.68	363.69	415.25	927.62	272.21	399.94	418.23	431.22	401.25	719.34	541.02	613.78	5,941.23
1954	Above Normal	317.41	250.48	210.44	137.00	179.83	415.07	493.86	378.56	518.80	711.07	606.87	546.95	4,766.34
1955	Dry	285.81	205.20	164.43	83.99	101.97	156.38	319.14	357.68	413.09	575.77	423.08	261.13	3,347.67
1956	Wet	201.78	179.08	169.58	836.26	680.58	562.96	471.67	825.31	525.68	645.96	492.85	655.11	6,246.82
1957	Above Normal	375.49	326.17	446.22	223.34	296.14	304.91	334.30	372.95	315.18	739.32	623.81	543.18	4,901.01
1958	Wet	240.49	248.06	180.94	79.31	802.45	689.51	670.96	877.85	671.30	568.21	454.51	710.01	6,193.60
1959	Below Normal	453.11	199.06	532.21	180.91	365.58	210.92	337.85	349.97	261.42	698.01	581.70	399.00	4,569.74
1960	Dry	250.91	214.46	147.90	57.76	59.86	106.03	402.01	405.61	450.37	675.87	486.54	496.52	3,753.84
1961	Dry	259.88	241.48	207.82	78.97	84.08	97.09	301.07	352.52	411.71	581.13	338.90	158.18	3,112.83
1962	Below Normal	42.27	203.51	242.06	49.79	49.98	122.15	301.64	449.11	205.75	701.41	598.83	463.76	3,430.26
1963	Wet	223.52	208.61	166.75	194.50	743.10	516.57	747.94	451.56	433.34	694.57	560.73	575.38	5,516.57
1964	Dry	282.64	203.13	189.02	169.66	342.85	280.60	383.41	374.16	400.47	601.83	414.63	427.37	4,069.77
1965	Wet	235.46	213.51	254.48	837.76	415.20	442.95	583.89	475.20	316.97	687.36	482.41	623.18	5,568.37
1966	Below Normal	347.18	246.68	203.72	275.25	295.35	254.30	322.38	356.81	466.43	668.35	564.09	444.19	4,444.73
1967	Wet	251.75	186.71	162.16	105.53	306.30	725.17	451.00	829.35	719.58	462.46	444.42	736.65	5,381.08
1968	Below Normal	451.89	380.50	405.13	203.26	593.93	394.18	332.57	357.90	261.03	719.45	577.06	466.98	5,143.88
1969	Wet	232.99	205.66	168.05	524.25	698.65	559.27	615.31	896.85	518.90	529.79	478.10	717.02	6,144.84
1970	Wet	422.37	388.76	587.59	918.10	622.20	463.41	384.13	400.84	430.21	665.65	555.37	516.12	6,354.75
1971	Wet	318.87	252.94	237.76	326.20	339.05	438.24	441.36	658.62	534.60	677.10	550.28	604.14	5,379.16
1972	Below Normal	312.63	241.27	170.11	143.64	281.04	263.21	339.39	368.69	446.75	655.91	557.41	430.56	4,210.61
1973	Above Normal	212.28	194.64	164.51	96.45	500.46	469.95	344.10	484.52	509.22	655.81	493.63	499.59	4,625.16
1974	Wet	304.70	239.40	445.83	914.20	471.43	975.25	730.40	623.44	517.10	613.31	340.97	637.25	6,813.28
1975	Wet	353.83	298.03	251.60	273.66	384.55	766.02	357.82	701.24	574.40	648.25	371.86	632.67	5,613.93
1976	Critical	254.03	300.45	366.26	192.53	203.45	196.45	350.16	393.19	362.62	593.06	347.38	451.61	4,011.19
1977	Critical	276.04	215.18	148.62	59.39	61.15	80.42	149.44	65.78	111.43	47.78	45.88	42.95	1,304.06
1978	Above Normal	31.43	102.97	178.65	62.51	78.81	416.09	466.89	379.75	394.04	637.67	554.29	521.06	3,824.16
1979	Below Normal	356.91	272.35	372.62	160.05	156.82	297.65	369.04	420.31	551.56	649.93	530.89	417.51	4,555.64
1980	Above Normal	305.46	245.31	242.45	387.90	894.11	512.04	428.13	495.14	452.31	611.17	483.72	613.31	5,671.05
1981	Dry	443.89	330.95	381.73	191.19	183.72	178.79	288.80	354.30	280.38	678.40	516.23	406.32	4,234.70
1982	Wet	225.06	203.12	712.01	450.78	803.14	753.81	945.19	785.03	574.60	551.12	436.77	521.53	6,962.16
1983	Wet	376.35	578.48	671.75	744.93	863.00	972.21	622.58	846.44	836.31	499.72	428.90	517.56	7,958.23
1984	Wet	494.98	811.34	970.53	464.63	589.22	666.12	333.77	408.08	526.12	693.10	491.80	529.46	6,979.15
1985	Dry	321.24	225.23	273.36	254.79	249.25	271.87	353.76	470.44	472.36	617.88	413.80	390.36	4,314.34
1986	Wet	306.27	208.59	228.52	180.54	741.12	966.06	424.37	511.47	493.86	738.42	619.02	665.80	6,084.04
1987	Dry	435.38	177.26	483.00	159.66	147.71	120.11	192.68	257.79	296.17	223.72	179.99	147.60	2,821.07
1988	Critical	80.03	58.89	72.12	41.73	90.48	95.31	138.52	180.05	236.57	319.79	159.17	126.27	1,598.93
1989	Dry	65.55	62.81	40.83	32.48	72.63	82.69	361.09	482.11	518.18	633.95	472.60	400.53	3,225.45
1990	Critical	287.20	273.95	326.56	113.33	111.72	101.62	236.31	204.65	259.47	455.37	187.02	163.59	2,720.79
1991	Critical	90.55	55.67	64.96	38.84	57.16	78.03	128.08	158.44	236.42	365.30	152.81	136.12	1,562.38
1992	Critical	62.06	51.20	54.62	38.82	44.12	64.87	173.29	258.67	308.51	247.67	196.54	186.58	1,686.95
1993	Above Normal	57.39	43.51	65.30	61.93	211.14	525.49	415.37	633.97	331.17	713.17	621.44	586.24	4,266.12
1994	Critical	339.30	278.44	226.80	121.16	125.52	154.11	341.20	357.84	310.22	589.04	205.14	238.13	3,286.90
1995	Wet	65.89	177.59	299.80	58.16	398.05	806.15	858.85	967.60	797.15	472.69	443.69	508.87	5,854.49
1996	Wet	456.08	233.07	407.20	585.91	731.13	593.92	553.96	731.85	424.88	665.94	452.10	609.66	6,445.70
1997	Wet	347.78	280.85	687.26	905.75	614.27	515.31	429.43	438.54	460.59	680.81	460.75	613.22	6,434.56
1998	Wet	371.77	302.33	270.22	218.52	843.44	851.82	419.21	674.04	771.69	437.10	357.57	458.25	5,975.96
1999	Wet	419.06	538.45	440.89	789.31	842.58	680.76	326.72	398.29	389.57	657.32	415.11	463.15	6,361.21
2000	Above Normal	358.21	288.33	403.41	207.55	522.69	560.99	329.51	405.71	485.31	715.84	582.68	527.65	5,387.88
2001	Dry	312.91	267.24	349.86	131.41	128.56	134.61	243.23	345.40	381.51	374.03	258.72	195.60	3,123.08
2002	Dry	154.78	89.79	87.92	53.79	86.30	126.85	394.40	385.30	411.39	595.13	254.78	421.68	3,062.11
2003	Above Normal	123.41	129.76	298.21	84.96	111.04	160.59	270.39	487.67	189.20	740.26	597.13	573.27	3,765.89
	Average	272.29	230.09	275.72	249.41	328.30	376.11	395.42	467.76	435.31	589.89	450.63	444.59	4,515.52
	Wet	312.68	295.41	355.76	484.59	599.49	665.63	567.71	661.04	549.58	615.61	480.01	611.26	6,198.77
	Above Normal	244.77	210.10	287.26	196.14	340.67	453.31	384.38	485.07	431.89	691.69	573.67	552.49	4,851.42
	Below Normal	295.53	231.72	266.06	168.85	237.59	265.27	327.11	383.68	374.54	676.46	581.77	419.78	4,228.35
	Dry	261.06	186.19	232.81	115.58	139.17	161.33	315.95	379.89	417.54	574.00	389.47	338.48	3,511.48
	Critical	202.00	172.50	166.44	87.88	117.83	123.11	232.04	261.58	288.73	355.19	202.67	163.70	2,373.66

Energy generated (GWh) at Syst. Tot.: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	476.99	374.89	330.14	107.98	271.40	390.81	365.71	941.17	583.10	670.42	499.74	579.08	5,591.43
1923	Below Normal	323.92	253.12	292.84	302.63	368.13	277.96	290.96	362.86	410.92	628.46	549.94	357.09	4,418.83
1924	Critical	225.83	194.31	167.78	104.73	107.53	163.00	234.86	263.92	289.11	370.42	206.13	146.16	2,473.78
1925	Dry	65.71	56.32	49.78	51.76	55.07	144.45	273.87	376.71	464.54	628.79	467.33	423.66	3,057.99
1926	Dry	239.15	193.17	169.60	50.31	60.95	156.57	194.88	415.73	478.68	596.75	421.12	291.60	3,268.51
1927	Wet	172.86	168.59	224.17	51.54	205.82	512.55	513.09	525.40	448.15	717.51	601.76	618.49	4,759.93
1928	Above Normal	330.76	267.24	267.31	182.34	307.74	425.73	391.52	439.38	552.96	715.65	600.88	538.69	5,020.20
1929	Critical	341.80	272.09	251.27	183.19	182.82	131.62	213.55	294.83	295.69	254.44	210.40	47.00	2,678.70
1930	Dry	90.88	97.83	195.80	47.21	157.57	84.34	237.97	306.80	463.53	584.12	408.38	334.68	3,009.11
1931	Critical	142.97	101.90	80.16	48.43	60.56	93.28	297.56	287.08	313.43	334.09	250.44	163.94	2,173.84
1932	Dry	84.11	63.77	159.63	45.89	87.18	261.08	254.38	295.46	437.66	455.54	412.62	233.70	2,791.02
1933	Critical	192.06	163.36	104.45	48.62	231.44	220.09	232.01	335.76	376.35	382.86	272.82	209.37	2,769.19
1934	Critical	132.20	104.54	133.35	63.01	140.10	129.70	272.42	341.59	374.50	317.28	272.70	50.82	2,332.21
1935	Below Normal	185.31	148.98	116.78	63.61	71.65	110.16	332.65	422.10	465.76	681.85	602.03	450.13	3,651.01
1936	Below Normal	303.69	262.54	231.02	137.75	186.01	516.78	354.16	438.61	457.42	698.17	598.30	445.73	4,630.18
1937	Below Normal	375.17	298.09	381.00	191.96	314.01	330.57	413.25	491.15	677.04	674.84	605.27	376.56	5,128.91
1938	Wet	348.23	321.44	301.68	243.43	524.94	968.90	901.52	1,058.87	731.73	582.08	571.24	719.34	7,273.40
1939	Dry	450.21	403.48	440.53	282.32	238.11	196.68	401.87	406.06	269.14	644.58	347.34	310.60	4,390.92
1940	Above Normal	103.68	73.64	288.98	72.93	67.67	769.05	428.76	383.86	453.57	749.59	645.93	568.54	4,606.20
1941	Wet	308.22	256.55	178.85	134.10	702.33	669.00	461.48	716.27	511.74	682.82	452.86	667.10	5,741.32
1942	Wet	377.89	321.33	416.15	799.25	856.29	373.96	645.03	538.99	585.50	611.81	468.78	626.07	6,621.05
1943	Wet	322.40	251.77	182.17	761.86	493.22	854.76	517.46	453.17	485.06	773.70	659.10	683.70	6,438.37
1944	Dry	399.04	94.23	477.24	166.32	157.21	160.03	285.23	321.01	426.58	557.52	377.33	226.79	3,648.53
1945	Below Normal	150.95	133.24	125.56	87.74	95.25	340.24	361.30	412.06	454.96	688.28	577.77	428.95	3,856.30
1946	Below Normal	311.48	242.24	242.76	303.30	331.86	371.60	342.34	383.56	500.58	661.89	572.01	398.04	4,661.66
1947	Dry	290.54	203.71	193.01	168.83	181.65	175.58	402.75	482.19	474.12	650.20	484.63	449.70	4,156.91
1948	Below Normal	264.97	246.44	255.03	180.44	165.98	108.62	175.97	199.84	140.46	717.55	633.18	381.82	3,470.30
1949	Dry	271.57	228.76	184.25	93.36	96.75	135.18	369.12	404.72	510.14	647.55	339.73	461.74	3,742.87
1950	Below Normal	244.69	126.46	147.81	71.49	56.53	90.58	304.35	351.22	141.79	708.30	621.43	420.51	3,285.16
1951	Above Normal	253.24	221.88	569.59	721.87	644.39	488.96	344.59	419.22	522.33	713.53	590.10	533.82	6,023.52
1952	Wet	323.02	254.84	224.71	301.29	633.48	580.32	947.02	972.18	710.03	457.42	373.02	651.12	6,428.45
1953	Wet	390.49	318.09	380.48	939.77	317.38	490.62	428.33	445.13	542.15	698.24	521.41	597.10	6,069.19
1954	Above Normal	306.67	241.90	217.42	147.35	233.60	410.81	493.35	379.78	534.41	716.54	601.49	542.01	4,825.33
1955	Dry	279.45	201.43	161.41	82.63	103.37	158.77	324.32	363.93	419.51	581.06	430.42	272.01	3,378.31
1956	Wet	201.33	182.78	172.51	802.99	680.88	563.01	472.58	826.07	559.19	680.41	511.99	655.71	6,309.45
1957	Above Normal	376.17	326.78	446.86	223.50	296.06	301.82	334.20	372.70	311.79	739.52	624.43	543.73	4,897.56
1958	Wet	240.95	248.56	181.27	79.28	802.32	689.38	671.28	875.05	668.43	570.97	453.71	709.44	6,190.64
1959	Below Normal	460.01	263.00	533.72	190.67	364.41	210.97	338.12	350.18	261.57	698.08	581.74	402.19	4,654.66
1960	Dry	250.83	214.72	147.84	57.72	59.83	105.74	401.95	405.45	450.36	675.51	487.26	492.27	3,749.48
1961	Dry	259.66	241.29	207.70	79.04	84.15	97.13	301.10	352.52	411.73	580.75	338.97	158.25	3,112.29
1962	Below Normal	42.28	203.16	223.53	49.63	49.98	122.18	301.65	449.13	269.85	701.43	598.84	463.78	3,475.44
1963	Wet	223.51	208.60	166.74	194.51	743.28	516.57	747.83	451.45	491.75	723.89	560.74	575.39	5,604.26
1964	Dry	282.66	203.13	189.02	169.90	342.87	280.74	383.45	374.15	400.52	601.78	414.57	427.35	4,070.14
1965	Wet	235.35	213.50	254.49	837.85	415.20	442.96	583.28	473.88	380.31	712.10	482.47	623.12	5,654.51
1966	Below Normal	347.68	246.97	203.94	275.14	295.20	254.31	322.39	356.79	466.45	668.35	564.12	444.15	4,445.49
1967	Wet	251.80	186.72	162.18	105.59	306.32	725.31	451.75	828.92	723.20	464.06	445.71	739.61	5,391.17
1968	Below Normal	462.87	385.08	427.79	216.53	578.59	390.60	333.49	358.98	261.27	720.56	578.15	467.95	5,181.86
1969	Wet	234.22	206.47	168.69	523.17	698.86	568.70	642.47	904.83	522.94	536.22	480.71	728.44	6,215.72
1970	Wet	445.63	410.02	600.23	917.69	620.02	464.09	413.20	398.48	477.98	700.19	553.92	521.78	6,523.23
1971	Wet	316.16	251.08	236.25	326.00	339.08	432.77	441.74	658.45	534.08	676.32	549.24	603.68	5,364.85
1972	Below Normal	312.83	241.88	171.15	147.16	282.31	264.39	339.68	368.87	446.86	655.91	557.38	430.65	4,219.07
1973	Above Normal	212.46	194.83	164.87	97.03	500.44	469.95	344.10	484.52	549.75	675.65	493.64	499.62	4,686.86
1974	Wet	304.98	239.40	445.53	914.20	462.40	978.95	727.35	621.77	555.38	654.35	343.80	636.64	6,884.75
1975	Wet	353.18	297.48	250.91	274.88	385.06	765.71	357.56	701.13	616.56	666.33	371.57	632.38	5,672.75
1976	Critical	253.73	300.14	365.98	192.37	203.43	196.69	350.67	393.81	363.97	593.84	346.76	452.31	4,013.70
1977	Critical	276.36	215.75	145.02	59.40	61.15	80.42	149.45	65.75	111.43	47.77	45.88	42.96	1,301.34
1978	Above Normal	31.43	102.39	171.92	62.51	78.81	402.95	463.36	382.22	428.50	663.92	595.41	523.79	3,907.21
1979	Below Normal	351.71	268.00	306.04	139.27	137.74	281.48	356.99	407.57	582.62	686.29	525.53	411.96	4,455.20
1980	Above Normal	291.02	237.46	234.53	459.70	893.34	512.57	364.85	440.51	426.45	591.28	462.28	535.69	5,449.68
1981	Dry	397.33	331.02	315.45	220.69	273.21	269.75	312.76	386.39	489.62	664.35	514.66	398.35	4,573.58
1982	Wet	221.46	197.69	725.37	458.27	809.33	753.64	945.11	789.77	578.81	556.06	440.93	525.90	7,002.34
1983	Wet	388.78	591.98	707.87	741.63	891.17	981.12	639.99	836.62	854.98	499.72	435.19	525.14	8,094.19
1984	Wet	501.69	817.85	985.65	464.63	587.18	666.11	333.77	408.08	574.53	730.55	491.81	529.47	7,091.32
1985	Dry	321.24	225.23	273.35	254.76	249.25	271.86	353.76	470.45	472.37	617.89	413.80	390.36	4,314.32
1986	Wet	306.23	208.59	228.58	180.54	704.90	966.72	445.98	511.93	493.22	738.90	618.88	666.22	6,070.69
1987	Dry	443.23	205.93	488.19	172.76	147.62	120.08	192.46	257.67	297.01	223.39	179.72	147.50	2,875.56
1988	Critical	80.00	58.85	72.07	41.69	90.49	95.29	138.49	181.20	237.81	318.91	160.22	127.19	1,602.21
1989	Dry	65.97	63.10	41.07	32.40	72.58	82.34	360.26	482.01	518.46	634.50	457.25	400.76	3,210.70
1990	Critical	290.99	277.28	329.57	111.39	110.31	101.44	237.30	210.88	260.69	457.13	192.22	164.28	2,743.48
1991	Critical	90.91	55.95	65.18	39.04	57.09	78.09	128.01	158.36	236.40	365.58	152.26	136.01	1,562.88
1992	Critical	62.06	51.19	54.62	38.82	44.12	64.87	171.45	256.34	295.45	257.16	194.31	185.02	1,675.41
1993	Above Normal	59.56	43.65	62.17	60.14	211.44	526.52	415.50	633.83	375.13	754.14	621.80	585.88	4,349.76
1994	Critical	339.51	278.95	229.96	122.24	126.43	154.26	340.96	357.65	314.57	587.19	196.43	239.19	3,287.34
1995	Wet	65.82	175.76	297.97	58.15	396.76	806.15	859.32	1,003.24	810.73	443.41	459.73	527.69	5,904.73
1996	Wet	386.62	96.76	314.04	586.09	731.05	593.86	552.13	729.04	460.42	704.91	458.75	608.96	6,222.63
1997	Wet	347.06	280.30	686.51	905.69	614.27	517.16	429.33	438.50	485.89	714.58	483.12	613.57	6,515.98
1998	Wet	371.90	302.36	270.27	218.39	847.51	849.10	423.24	672.33	810.13	477.38	356.88	457.57	6,057.06
1999	Wet	418.36	537.80	439.90	789.19	842.58	680.75	326.76	398.36	430.44	694.34	423.42	463.14	6,445.04
2000	Above Normal	358.21	288.32	403.46	207.55	522.87	558.67	328.70	405.66	530.62	732.70	583.51	528.02	5,448.29
2001	Dry	312.35	266.46	345.63	128.90	126.51	133.96	243.48	345.67	381.74	376.37	259.06	195.86	3,115.99
2002	Dry	155.14	90.15	88.05	53.95	86.28	126.84	394.03	384.89	411.01	594.87	249.70	423.44	3,058.35
2003	Above Normal	130.64	122.10	291.11	84.96	111.04	160.59	270.38	487.65	189.20	740.26	597.14	573.28	3,758.35
	Average	270.90	229.50	273.63	251.30	329.80	377.69	395.67	467.56	454.69	599.07	453.14	443.19	4,546.15
	Wet	309.93	290.24	353.97	485.00	600.45	669.70	572.25	663.00	578.59	633.40	483.49	611.80	6,251.81
	Above Normal	244.24	207.92	287.36	202.32	344.90	451.54	378.75	480.88	454.82	705.27	576.36	546.01	4,880.37
	Below Normal	295.54	237.09	261.36	168.38	235.55	262.17	326.24	382.35	395.54	685.00	583.26	419.97	4,252.43
	Dry	258.84	187.99	229.31	119.93	143.34	164.51	315.98	379.55	432.04	573.08	389.11	335.48	3,529.14
	Critical	202.37	172.86	166.62	87.74	117.96	125.73	230.56	262.26	289.12	357.22	208.38	163.69	2,384.51

Difference in Energy generated (GWh) at Syst. Tot.: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.05)	(0.08)	31.22	40.58	15.68	0.01	7.28
1923	Below Normal	(0.01)	(0.01)	(0.02)	0.68	0.27	(1.93)	(0.19)	(0.17)	56.51	5.86	0.21	(0.32)	5.07
1924	Critical	(0.04)	(0.06)	(0.28)	(0.68)	(0.58)	(0.19)	0.07	(0.02)	0.22	0.39	(0.15)	0.09	(0.10)
1925	Dry	0.03	0.02	0.01	0.01	(0.02)	(0.82)	0.16	0.19	0.15	0.19	0.29	0.23	0.04
1926	Dry	0.22	0.12	0.08	0.06	(0.05)	(0.74)	(0.19)	(0.16)	(0.04)	(0.15)	0.06	(0.70)	(0.12)
1927	Wet	(0.11)	(0.09)	(0.07)	0.00	(0.08)	0.00	0.01	0.01	36.54	24.31	0.02	0.00	5.04
1928	Above Normal	0.01	0.01	0.01	(0.01)	(0.15)	(0.04)	0.01	0.00	0.01	0.01	0.02	0.01	(0.01)
1929	Critical	(0.01)	0.03	0.01	(0.03)	0.02	(0.02)	(0.03)	(0.03)	(0.05)	(0.05)	(0.03)	(2.36)	(0.21)
1930	Dry	0.61	0.54	0.67	0.00	0.00	(0.01)	0.00	0.00	0.04	(0.01)	(0.01)	(0.01)	0.15
1931	Critical	(0.01)	(0.02)	(0.02)	0.00	(0.01)	0.02	(0.04)	(0.05)	(0.01)	(0.21)	0.01	(0.03)	(0.03)
1932	Dry	(0.02)	(0.02)	(0.01)	(0.03)	0.00	3.97	(0.04)	(0.06)	44.82	19.15	0.07	(0.04)	5.65
1933	Critical	0.06	0.02	(0.02)	(0.01)	(3.34)	(0.01)	0.00	(0.01)	0.06	(0.23)	0.04	0.03	(0.28)
1934	Critical	0.02	0.00	0.01	0.00	5.96	31.35	(17.03)	2.98	9.29	14.96	74.54	0.44	10.21
1935	Below Normal	(3.24)	11.58	11.28	0.19	(0.04)	(0.64)	(4.86)	(0.75)	0.93	3.30	4.03	1.69	1.96
1936	Below Normal	(8.32)	(2.68)	(7.12)	(10.51)	9.17	0.23	(0.03)	(0.03)	31.91	28.86	0.00	(0.03)	3.45
1937	Below Normal	(0.02)	0.01	0.11	(0.01)	(0.41)	(0.02)	4.62	1.13	7.53	5.45	4.39	1.85	2.05
1938	Wet	10.71	13.19	7.12	28.65	(2.22)	2.25	16.44	67.24	(1.63)	3.31	2.31	3.22	12.55
1939	Dry	7.37	8.81	6.49	51.03	(7.27)	(29.06)	(27.01)	(44.46)	1.70	(28.55)	9.69	(57.60)	(9.07)
1940	Above Normal	8.55	(2.36)	18.17	0.01	0.12	0.07	0.38	0.92	45.67	18.44	0.26	0.15	7.53
1941	Wet	0.17	0.17	0.04	(0.10)	(0.50)	(0.77)	(1.08)	(1.83)	28.25	31.35	19.96	(0.75)	6.24
1942	Wet	(1.29)	(1.07)	(0.87)	(0.05)	0.01	(1.12)	(0.14)	(0.17)	31.67	51.09	5.74	0.02	6.99
1943	Wet	(0.04)	(0.07)	(0.13)	(0.56)	(1.94)	(1.80)	(2.22)	(2.86)	21.53	24.50	18.88	17.78	6.09
1944	Dry	0.19	(1.84)	(0.35)	(8.09)	(7.20)	(2.42)	(0.19)	(0.14)	(3.29)	(0.51)	(0.63)	2.36	(1.84)
1945	Below Normal	(0.10)	(0.09)	(0.11)	(0.04)	(0.05)	(22.74)	0.12	0.06	35.17	36.39	13.62	0.03	5.19
1946	Below Normal	0.36	0.25	0.26	(0.09)	(0.08)	1.35	(1.39)	(4.69)	66.31	1.23	2.17	0.04	5.48
1947	Dry	(4.27)	(0.91)	(2.10)	(3.64)	0.97	(5.78)	0.67	0.98	0.91	0.40	(0.18)	0.99	(1.00)
1948	Below Normal	(2.14)	0.60	4.90	(2.25)	(2.98)	(1.09)	0.06	(2.96)	(0.03)	0.85	0.77	0.68	(0.30)
1949	Dry	0.94	0.63	0.43	(0.16)	(0.14)	(0.18)	(0.92)	(0.29)	0.01	0.21	(1.98)	(0.02)	(0.12)
1950	Below Normal	0.28	0.69	(15.49)	0.00	0.00	0.00	0.01	0.04	0.00	0.01	0.01	0.00	(1.20)
1951	Above Normal	0.00	0.00	(0.04)	(6.90)	(2.61)	(0.02)	0.26	0.22	47.60	14.19	0.19	1.39	4.52
1952	Wet	0.14	0.13	0.14	(0.01)	(4.28)	0.01	(1.17)	(51.77)	(15.07)	(6.78)	(22.29)	(38.35)	(11.61)
1953	Wet	(47.19)	(45.60)	(34.77)	12.15	45.17	90.68	10.10	13.91	140.90	(21.10)	(19.61)	(16.68)	10.66
1954	Above Normal	(10.74)	(8.58)	6.98	10.35	53.77	(4.26)	(0.51)	1.22	15.61	5.47	(5.38)	(4.94)	4.92
1955	Dry	(6.36)	(3.77)	(3.02)	(1.36)	1.40	2.39	5.18	6.25	6.42	5.29	7.34	10.88	2.55
1956	Wet	(0.45)	3.70	2.93	(33.27)	0.30	0.05	0.91	0.76	33.51	34.45	19.14	0.60	5.22
1957	Above Normal	0.68	0.61	0.64	0.16	(0.08)	(3.09)	(0.10)	(0.25)	(3.39)	0.20	0.62	0.55	(0.29)
1958	Wet	0.46	0.50	0.33	(0.03)	(0.13)	(0.13)	0.32	(2.80)	(2.87)	2.76	(0.80)	(0.57)	(0.25)
1959	Below Normal	6.90	63.94	1.51	9.76	(1.17)	0.05	0.27	0.21	0.15	0.07	0.04	3.19	7.08
1960	Dry	(0.08)	0.26	(0.06)	(0.04)	(0.03)	(0.29)	(0.06)	(0.16)	(0.01)	(0.36)	0.72	(4.25)	(0.36)
1961	Dry	(0.22)	(0.19)	(0.12)	0.07	0.07	0.04	0.03	0.00	0.02	(0.38)	0.07	0.07	(0.04)
1962	Below Normal	0.01	(0.35)	(18.53)	(0.16)	0.00	0.03	0.01	0.02	64.10	0.02	0.01	0.02	3.77
1963	Wet	(0.01)	(0.01)	(0.01)	0.01	0.18	0.00	(0.11)	(0.11)	58.41	29.32	0.01	0.01	7.31
1964	Dry	0.02	0.00	0.00	0.24	0.02	0.14	0.04	(0.01)	0.05	(0.05)	(0.06)	(0.02)	0.03
1965	Wet	(0.11)	(0.01)	0.01	0.09	0.00	0.01	(0.61)	(1.32)	63.34	24.74	0.06	(0.06)	7.18
1966	Below Normal	0.50	0.29	0.22	(0.11)	(0.15)	0.01	0.01	(0.02)	0.02	0.00	0.03	(0.04)	0.06
1967	Wet	0.05	0.01	0.02	0.06	0.02	0.14	0.75	(0.43)	3.62	1.60	1.29	2.96	0.84
1968	Below Normal	10.98	4.58	22.66	13.27	(15.34)	(3.58)	0.92	1.08	0.24	1.11	1.09	0.97	3.17
1969	Wet	1.23	0.81	0.64	(1.08)	0.21	9.43	27.16	7.98	4.04	6.43	2.61	11.42	5.91
1970	Wet	23.26	21.26	12.64	(0.41)	(2.18)	0.68	29.07	(2.36)	47.77	34.54	(1.45)	5.66	14.04
1971	Wet	(2.71)	(1.86)	(1.51)	(0.20)	0.03	(5.47)	0.38	(0.17)	(0.52)	(0.78)	(1.04)	(0.46)	(1.19)
1972	Below Normal	0.20	0.61	1.04	3.52	1.27	1.18	0.29	0.18	0.11	0.00	(0.03)	0.09	0.71
1973	Above Normal	0.18	0.19	0.36	0.58	(0.02)	0.00	0.00	0.00	40.53	19.84	0.01	0.03	5.14
1974	Wet	0.28	0.00	(0.30)	0.00	(9.03)	3.70	(3.05)	(1.67)	38.28	41.04	2.83	(0.61)	5.96
1975	Wet	(0.65)	(0.55)	(0.69)	1.22	0.51	(0.31)	(0.26)	(0.11)	42.16	18.08	(0.29)	(0.29)	4.90
1976	Critical	(0.30)	(0.31)	(0.28)	(0.16)	(0.02)	0.24	0.51	0.62	1.35	0.78	(0.62)	0.70	0.21
1977	Critical	0.32	0.57	(3.60)	0.01	0.00	0.00	0.01	(0.03)	0.00	(0.01)	0.00	0.01	(0.23)
1978	Above Normal	0.00	(0.58)	(6.73)	0.00	0.00	(13.14)	(3.53)	2.47	34.46	26.25	41.12	2.73	6.92
1979	Below Normal	(5.20)	(4.35)	(66.58)	(20.78)	(19.08)	(16.17)	(12.05)	(12.74)	31.06	36.36	(5.36)	(5.55)	(8.37)
1980	Above Normal	(14.44)	(7.85)	(7.92)	71.80	(0.77)	0.53	(63.28)	(54.63)	(25.86)	(19.89)	(21.44)	(77.62)	(18.45)
1981	Dry	(46.56)	0.07	(66.28)	29.50	89.49	90.96	23.96	32.09	209.24	(14.05)	(1.57)	(7.97)	28.24
1982	Wet	(3.60)	(5.43)	13.36	7.49	6.19	(0.17)	(0.08)	4.74	4.21	4.94	4.16	4.37	3.35
1983	Wet	12.43	13.50	36.12	(3.30)	28.17	8.91	17.41	(9.82)	18.67	0.00	6.29	7.58	11.33
1984	Wet	6.71	6.51	15.12	0.00	(2.04)	(0.01)	0.00	0.00	48.41	37.45	0.01	0.01	9.35
1985	Dry	0.00	0.00	(0.01)	(0.03)	0.00	(0.01)	0.00	0.01	0.01	0.01	0.00	0.00	0.00
1986	Wet	(0.04)	0.00	0.06	0.00	(36.22)	0.66	21.61	0.46	(0.64)	0.48	(0.14)	0.42	(1.11)
1987	Dry	7.85	28.67	5.19	13.10	(0.09)	(0.03)	(0.22)	(0.12)	0.84	(0.33)	(0.27)	(0.10)	4.54
1988	Critical	(0.03)	(0.04)	(0.05)	(0.04)	0.01	(0.02)	(0.03)	1.15	1.24	(0.88)	1.05	0.92	0.27
1989	Dry	0.42	0.29	0.24	(0.08)	(0.05)	(0.35)	(0.83)	(0.10)	0.28	0.55	(15.35)	0.23	(1.23)
1990	Critical	3.79	3.33	3.01	(1.94)	(1.41)	(0.18)	0.99	6.23	1.22	1.76	5.20	0.69	1.89
1991	Critical	0.36	0.28	0.22	0.20	(0.07)	0.06	(0.07)	(0.08)	(0.02)	0.28	(0.55)	(0.11)	0.04
1992	Critical	0.00	(0.01)	0.00	0.00	0.00	0.00	(1.84)	(2.33)	(13.06)	9.49	(2.23)	(1.56)	(0.96)
1993	Above Normal	2.17	0.14	(3.13)	(1.79)	0.30	1.03	0.13	(0.14)	43.96	40.97	0.36	(0.36)	6.97
1994	Critical	0.21	0.51	3.16	1.08	0.91	0.15	(0.24)	(0.19)	4.35	(1.85)	(8.71)	1.06	0.04
1995	Wet	(0.07)	(1.83)	(1.83)	(0.01)	(1.29)	0.00	0.47	35.64	13.58	(29.28)	16.04	18.82	4.19
1996	Wet	(69.46)	(136.31)	(93.16)	0.18	(0.08)	(0.06)	(1.83)	(2.81)	35.54	38.97	6.65	(0.70)	(18.59)
1997	Wet	(0.72)	(0.55)	(0.75)	(0.06)	0.00	1.85	(0.10)	(0.04)	25.30	33.77	22.37	0.35	6.79
1998	Wet	0.13	0.03	0.05	(0.13)	4.07	(2.72)	4.03	(1.71)	38.44	40.28	(0.69)	(0.68)	6.76
1999	Wet	(0.70)	(0.65)	(0.99)	(0.12)	0.00	(0.01)	0.04	0.07	40.87	37.02	8.31	(0.01)	6.99
2000	Above Normal	0.00	(0.01)	0.05	0.00	0.18	(2.32)	(0.81)	(0.05)	45.31	16.86	0.83	0.37	5.03
2001	Dry	(0.56)	(0.78)	(4.23)	(2.51)	(2.05)	(0.65)	0.25	0.27	0.23	2.34	0.34	0.26	(0.59)
2002	Dry	0.36	0.36	0.13	0.16	(0.02)	(0.01)	(0.37)	(0.41)	(0.38)	(0.26)	(5.08)	1.76	(0.31)
2003	Above Normal	7.23	(7.66)	(7.10)	0.00	0.00	0.00	(0.01)	(0.02)	0.00	0.00	0.01	0.01	(0.63)
	Average	(1.38)	(0.59)	(2.10)	1.89	1.51	1.58	0.26	(0.20)	19.38	9.18	2.51	(1.40)	2.55
	Wet	(2.75)	(5.16)	(1.79)	0.40	0.96	4.07	4.54	1.95	29.01	17.79	3.48	0.54	4.42
	Above Normal	(0.53)	(2.17)	0.11	6.18	4.23	(1.77)	(5.63)	(4.20)	22.93	13.58	2.69	(6.47)	2.41
	Below Normal	0.01	5.36	(4.71)	(0.47)	(2.04)	(3.09)	(0.87)	(1.33)	21.00	8.54	1.50	0.19	2.01
	Dry	(2.23)	1.79	(3.50)	4.35	4.17	3.18	0.03	(0.34)	14.50	(0.92)	(0.36)	(3.00)	1.47
	Critical	0.36	0.36	0.18	(0.13)	0.12	2.62	(1.48)	0.69	0.38	2.04	5.71	(0.01)	0.90

Percent Difference in Energy generated (GWh) at Syst. Tot.: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	6%	6%	3%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	16%	1%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	9%	4%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%
1930	Dry	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	11%	4%	0%	0%
1933	Critical	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	4%	32%	-6%	1%	3%	5%	38%	1%
1935	Below Normal	-2%	8%	11%	0%	0%	-1%	-1%	0%	0%	0%	1%	0%
1936	Below Normal	-3%	-1%	-3%	-7%	5%	0%	0%	0%	7%	4%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	1%	0%	1%	1%	1%	0%
1938	Wet	3%	4%	2%	13%	0%	0%	2%	7%	0%	1%	0%	0%
1939	Dry	2%	2%	1%	22%	-3%	-13%	-6%	-10%	1%	-4%	3%	-16%
1940	Above Normal	9%	-3%	7%	0%	0%	0%	0%	0%	11%	3%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	6%	5%	5%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	6%	9%	1%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	5%	3%	3%	3%
1944	Dry	0%	-2%	0%	-5%	-4%	-1%	0%	0%	-1%	0%	0%	1%
1945	Below Normal	0%	0%	0%	0%	0%	-6%	0%	0%	8%	6%	2%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	15%	0%	0%	0%
1947	Dry	-1%	0%	-1%	-2%	1%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	-1%	0%	2%	-1%	-2%	-1%	0%	-1%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	-9%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-1%	0%	0%	0%	0%	10%	2%	0%	0%
1952	Wet	0%	0%	0%	0%	-1%	0%	0%	-5%	-2%	-1%	-6%	-6%
1953	Wet	-11%	-13%	-8%	1%	17%	23%	2%	3%	35%	-3%	-4%	-3%
1954	Above Normal	-3%	-3%	3%	8%	30%	-1%	0%	0%	3%	1%	-1%	-1%
1955	Dry	-2%	-2%	-2%	-2%	1%	2%	2%	2%	2%	1%	2%	4%
1956	Wet	0%	2%	2%	-4%	0%	0%	0%	0%	6%	5%	4%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	-1%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	2%	32%	0%	5%	0%	0%	0%	0%	0%	0%	0%	1%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	-8%	0%	0%	0%	0%	0%	31%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	4%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	20%	4%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1968	Below Normal	2%	1%	6%	7%	-3%	-1%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	0%	2%	4%	1%	1%	1%	1%	2%
1970	Wet	6%	5%	2%	0%	0%	0%	8%	-1%	11%	5%	0%	1%
1971	Wet	-1%	-1%	-1%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	2%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	8%	3%	0%	0%
1974	Wet	0%	0%	0%	0%	-2%	0%	0%	0%	7%	7%	1%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	7%	3%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-1%	-4%	0%	0%	-3%	-1%	1%	9%	4%	7%	1%
1979	Below Normal	-1%	-2%	-18%	-13%	-12%	-5%	-3%	-3%	6%	6%	-1%	-1%
1980	Above Normal	-5%	-3%	-3%	19%	0%	0%	-15%	-11%	-6%	-3%	-4%	-13%
1981	Dry	-10%	0%	-17%	15%	49%	51%	8%	9%	75%	-2%	0%	-2%
1982	Wet	-2%	-3%	2%	2%	1%	0%	0%	1%	1%	1%	1%	1%
1983	Wet	3%	2%	5%	0%	3%	1%	3%	-1%	2%	0%	1%	1%
1984	Wet	1%	1%	2%	0%	0%	0%	0%	0%	9%	5%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-5%	0%	5%	0%	0%	0%	0%	0%
1987	Dry	2%	16%	1%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	1%	1%
1989	Dry	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1990	Critical	1%	1%	1%	-2%	-1%	0%	0%	3%	0%	0%	3%	0%
1991	Critical	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-4%	4%	-1%	-1%
1993	Above Normal	4%	0%	-5%	-3%	0%	0%	0%	0%	13%	6%	0%	0%
1994	Critical	0%	0%	1%	1%	1%	0%	0%	0%	1%	0%	-4%	0%
1995	Wet	0%	-1%	-1%	0%	0%	0%	0%	4%	2%	-6%	4%	4%
1996	Wet	-15%	-58%	-23%	0%	0%	0%	0%	0%	8%	6%	1%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	5%	5%	5%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	1%	0%	5%	9%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	10%	6%	2%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	9%	2%	0%	0%
2001	Dry	0%	0%	-1%	-2%	-2%	0%	0%	0%	0%	1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	6%	-6%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	-1%	1%	1%	1%	0%	0%	5%	1%	1%	0%
	Wet	-1%	-2%	-1%	0%	0%	1%	1%	0%	6%	3%	1%	0%
	Above Normal	1%	-1%	0%	2%	2%	0%	-1%	-1%	5%	2%	0%	-1%
	Below Normal	0%	3%	-1%	0%	-1%	-1%	0%	0%	6%	1%	0%	0%
	Dry	0%	1%	-1%	2%	2%	2%	0%	0%	5%	0%	0%	-1%
	Critical	0%	0%	0%	0%	0%	3%	-1%	0%	0%	1%	3%	0%

Energy generated (GWh) at Thermalito Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.48	12.39	16.56	8.71	13.03	24.48	6.51	86.00	32.47	42.67	27.73	44.33	335.36
1923	Below Normal	20.48	12.39	19.50	8.71	16.39	8.88	4.96	5.12	4.96	42.23	37.20	18.82	199.64
1924	Critical	9.06	8.42	9.02	8.71	8.14	12.26	9.88	12.18	14.76	35.53	10.94	6.48	145.38
1925	Dry	4.61	4.46	4.71	4.61	4.16	4.10	3.72	3.84	13.65	42.14	20.17	25.69	135.86
1926	Dry	10.36	6.02	8.68	4.61	4.16	8.30	3.72	15.51	24.55	45.25	22.58	13.59	167.33
1927	Wet	4.61	4.46	21.22	4.61	13.18	36.29	23.76	20.76	10.18	48.53	41.73	49.56	278.89
1928	Above Normal	20.48	12.39	14.08	8.71	21.09	41.74	4.96	5.12	24.57	51.21	41.61	38.99	284.95
1929	Critical	20.48	8.42	8.71	8.71	7.86	8.71	9.41	11.37	12.97	7.15	4.95	3.83	112.57
1930	Dry	4.61	4.46	20.34	4.61	18.45	4.10	3.72	3.84	22.93	45.26	27.18	23.35	182.85
1931	Critical	6.40	4.46	4.61	4.61	4.16	4.10	15.23	11.82	13.98	26.32	11.68	5.55	112.92
1932	Dry	4.61	4.46	23.04	4.61	4.31	14.48	5.56	3.84	14.10	24.57	26.66	3.83	134.07
1933	Critical	9.31	9.11	4.61	4.61	4.16	24.04	3.88	10.55	11.05	21.67	3.84	3.83	110.66
1934	Critical	4.61	4.46	13.74	4.61	17.15	5.42	12.49	16.31	17.33	12.80	10.26	6.29	125.47
1935	Below Normal	8.42	4.46	4.61	4.61	4.30	4.10	4.96	5.12	11.29	44.73	39.34	24.49	160.43
1936	Below Normal	15.68	12.39	11.17	8.71	9.52	28.29	4.96	5.84	8.01	42.87	38.56	22.13	208.13
1937	Below Normal	20.48	12.39	28.28	8.71	7.86	8.71	4.96	5.12	37.46	41.58	38.95	5.38	219.88
1938	Wet	14.76	8.42	8.71	8.71	36.96	89.10	65.00	88.76	40.65	21.36	23.81	49.56	455.80
1939	Dry	20.48	12.39	25.34	8.71	8.22	8.71	13.33	16.29	14.59	47.05	28.85	15.73	219.69
1940	Above Normal	6.14	5.95	6.14	6.14	5.75	89.10	19.09	5.12	14.72	51.21	43.02	41.01	293.39
1941	Wet	18.77	12.39	8.71	8.71	68.71	58.61	18.83	43.66	15.33	39.01	14.92	49.56	357.21
1942	Wet	20.48	12.39	30.41	73.60	80.48	14.27	52.35	29.96	30.08	32.34	23.16	49.56	449.08
1943	Wet	20.48	12.39	8.71	76.72	34.68	82.32	20.91	5.12	9.80	49.58	40.81	49.56	411.08
1944	Dry	20.48	13.30	27.47	11.18	10.46	11.18	8.97	7.78	21.04	44.77	26.79	4.96	208.38
1945	Below Normal	8.71	8.42	8.71	8.71	7.86	8.71	4.96	5.38	7.90	44.73	38.56	23.77	176.42
1946	Below Normal	16.89	8.42	8.71	8.71	7.86	8.71	4.96	8.44	15.62	49.80	42.70	23.76	204.58
1947	Dry	17.49	8.42	8.71	8.71	7.86	8.71	4.96	11.12	14.78	44.88	25.64	26.78	188.06
1948	Below Normal	11.39	7.17	7.16	6.60	5.95	5.12	4.96	5.12	4.96	45.48	39.57	11.97	155.45
1949	Dry	10.09	8.42	8.71	8.71	7.86	8.71	6.84	6.21	19.18	45.61	20.93	25.45	176.72
1950	Below Normal	4.61	4.46	5.69	4.61	4.16	4.10	4.96	5.12	4.96	46.87	40.31	19.58	149.43
1951	Above Normal	10.86	8.42	59.53	59.83	50.17	23.64	4.96	9.10	17.11	51.21	42.21	39.36	376.40
1952	Wet	20.48	12.39	8.71	8.71	48.77	36.28	86.23	89.10	44.98	12.05	6.63	46.30	420.63
1953	Wet	20.48	12.39	25.24	89.10	7.86	32.01	22.57	16.94	27.57	49.86	31.52	47.26	382.80
1954	Above Normal	20.48	12.39	15.23	14.93	7.86	39.67	30.92	5.12	24.38	51.21	41.44	40.59	304.22
1955	Dry	16.16	8.42	8.71	8.71	7.86	8.71	8.16	5.57	11.78	43.06	22.99	5.34	155.47
1956	Wet	10.77	8.42	8.71	89.10	54.34	32.84	16.07	55.50	21.66	39.71	23.77	49.56	410.45
1957	Above Normal	20.48	12.39	35.32	8.71	17.71	17.27	4.96	5.12	4.96	49.54	38.34	39.98	254.78
1958	Wet	8.71	11.77	8.71	8.71	80.48	61.00	38.05	53.61	33.11	20.37	9.24	46.01	379.77
1959	Below Normal	20.48	12.39	31.65	8.71	31.93	11.91	9.35	6.11	20.16	50.45	40.40	25.04	268.58
1960	Dry	11.23	10.11	6.14	6.14	5.75	5.12	12.86	7.23	19.23	45.12	32.50	30.05	191.48
1961	Dry	6.14	5.95	7.06	6.14	5.55	5.30	6.05	6.28	12.99	44.89	18.57	3.83	128.75
1962	Below Normal	4.61	4.46	4.61	4.61	4.16	4.10	3.85	16.64	13.26	47.67	39.18	27.85	175.00
1963	Wet	6.14	5.95	6.14	6.14	71.63	42.54	65.00	16.18	13.80	50.34	38.17	46.72	368.75
1964	Dry	18.37	8.78	8.71	8.71	8.14	8.71	6.91	5.12	10.61	43.71	19.65	30.16	177.58
1965	Wet	12.86	8.42	13.99	89.10	22.52	27.41	38.73	17.97	10.88	48.09	27.30	49.56	366.83
1966	Below Normal	20.48	12.39	8.71	8.71	7.86	8.71	4.96	5.12	19.25	51.21	42.21	32.53	222.14
1967	Wet	14.53	8.42	8.71	8.71	7.86	62.21	10.71	47.30	42.08	7.26	7.95	49.04	274.78
1968	Below Normal	20.48	12.39	21.42	10.29	56.50	34.05	9.87	5.96	20.27	51.21	38.13	29.44	310.01
1969	Wet	9.79	8.42	8.71	53.45	57.71	33.06	37.46	65.67	18.54	19.27	14.01	49.56	375.65
1970	Wet	20.48	12.39	46.73	89.10	49.31	21.11	7.36	5.12	13.18	49.01	39.89	40.04	393.72
1971	Wet	20.48	13.49	11.38	11.38	10.28	27.47	19.10	44.00	27.94	48.66	36.05	49.56	319.79
1972	Below Normal	20.48	12.39	8.71	8.71	8.14	8.71	4.96	5.12	15.01	46.47	38.10	28.09	204.89
1973	Above Normal	8.71	8.42	8.71	8.71	36.36	31.30	4.96	13.42	20.36	44.72	27.67	33.12	246.46
1974	Wet	16.62	8.42	36.09	89.10	26.80	89.10	41.92	29.65	21.70	38.84	5.29	46.40	449.93
1975	Wet	20.48	12.39	9.76	8.71	26.73	66.14	4.96	42.97	30.48	42.79	11.04	48.18	324.63
1976	Critical	8.71	12.39	26.11	8.71	8.14	8.71	4.96	5.78	5.63	36.47	17.75	30.44	173.80
1977	Critical	15.13	5.95	6.14	6.14	5.55	5.12	4.40	4.96	12.44	7.60	7.58	7.38	88.39
1978	Above Normal	4.86	4.46	4.61	4.61	4.16	27.71	25.29	5.12	7.90	39.64	33.19	36.58	198.13
1979	Below Normal	20.48	12.39	30.16	6.14	5.55	5.12	4.96	5.12	24.73	43.95	33.59	21.79	213.98
1980	Above Normal	16.25	8.42	8.71	26.86	83.35	27.22	4.96	5.12	4.96	28.99	15.62	36.87	267.33
1981	Dry	20.48	12.39	15.65	8.71	7.86	8.71	4.96	5.12	21.48	44.92	27.69	19.34	197.31
1982	Wet	7.08	5.95	78.90	42.72	80.48	68.65	86.23	41.00	18.50	18.70	7.90	24.76	480.87
1983	Wet	14.95	43.07	56.25	64.97	80.48	89.10	43.40	60.79	57.89	14.65	7.49	25.01	558.05
1984	Wet	25.80	72.10	89.10	28.69	41.20	46.28	4.96	5.12	24.46	51.21	30.43	39.14	458.49
1985	Dry	20.48	8.42	8.71	8.71	7.86	8.71	4.96	14.93	18.05	45.56	19.97	25.78	192.14
1986	Wet	19.43	8.42	8.71	8.71	80.48	89.10	4.96	5.12	8.09	45.26	34.05	49.53	361.86
1987	Dry	20.48	12.39	30.00	8.71	7.86	8.71	4.96	10.88	16.56	8.98	5.12	4.96	139.61
1988	Critical	6.14	5.95	6.14	6.14	8.15	6.42	3.72	8.24	13.81	34.76	7.27	6.46	113.20
1989	Dry	4.61	4.46	4.61	4.61	5.52	4.10	3.72	12.39	19.39	40.73	23.58	23.83	151.55
1990	Critical	13.21	12.39	25.35	4.61	4.16	4.10	6.13	3.95	5.15	41.03	4.80	4.96	129.84
1991	Critical	4.94	4.46	6.52	4.61	4.16	4.10	3.72	3.84	16.90	38.26	9.06	6.79	107.36
1992	Critical	4.61	5.43	4.61	4.61	4.31	4.10	3.72	8.32	18.77	10.92	6.44	9.49	85.33
1993	Above Normal	5.23	4.46	4.61	4.61	4.16	44.09	17.80	39.81	22.18	47.29	40.17	41.22	275.63
1994	Critical	20.48	12.39	12.10	6.14	5.55	5.12	4.96	5.12	7.17	39.39	18.66	8.57	145.65
1995	Wet	10.00	5.95	6.14	6.14	34.18	89.10	63.90	89.10	54.36	12.17	11.75	22.26	405.05
1996	Wet	20.48	12.39	25.99	62.66	83.35	51.96	33.27	53.35	11.75	44.94	21.68	46.66	468.48
1997	Wet	20.48	12.39	71.00	89.10	47.60	27.11	4.96	5.12	11.72	46.05	22.18	47.02	404.73
1998	Wet	20.48	12.39	11.20	8.71	78.94	73.13	14.63	47.13	56.67	12.86	5.91	22.31	364.36
1999	Wet	26.95	41.87	30.90	71.12	76.67	58.12	4.96	5.12	8.66	45.87	18.51	26.09	414.84
2000	Above Normal	20.48	12.39	32.72	8.71	38.34	48.10	4.96	7.86	19.20	51.21	39.03	38.45	321.45
2001	Dry	20.48	12.39	32.23	8.71	7.86	8.71	4.96	10.63	17.27	25.50	5.12	4.96	158.82
2002	Dry	12.37	5.95	6.14	6.14	6.11	5.12	4.96	5.12	8.80	42.93	7.90	23.59	135.13
2003	Above Normal	9.06	9.94	8.71	8.71	7.86	8.71	4.96	24.43	10.31	51.21	38.54	41.97	224.41
	Average	14.27	10.74	17.63	19.34	24.23	26.94	15.10	18.77	18.61	38.48	24.70	28.26	257.06
	Wet	16.41	14.90	24.96	42.56	50.06	54.01	31.93	37.85	25.54	34.95	21.35	43.03	397.56
	Above Normal	13.63	9.34	17.91	14.10	24.15	35.25	11.19	17.61	16.93	46.68	35.71	39.37	281.88
	Below Normal	15.26	9.75	14.22	7.61	12.72	10.66	5.55	6.38	14.85	46.38	39.06	22.47	204.90
	Dry	13.53	8.40	14.16	7.28	7.55	7.79	6.30	8.43	16.72	40.27	21.22	17.29	168.93
	Critical	10.26	7.82	10.64	6.02	6.79	7.68	6.88	8.54	12.50	25.99	9.44	8.34	120.88

Energy generated (GWh) at Thermalito Dam: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.48	12.39	16.56	8.71	13.03	24.48	6.51	86.00	32.47	42.67	27.73	44.33	335.36
1923	Below Normal	20.48	12.39	19.50	8.71	16.43	8.71	4.96	5.12	4.96	42.22	37.20	18.75	199.43
1924	Critical	9.06	8.42	9.02	8.71	8.14	12.26	9.88	12.15	14.77	35.55	10.94	6.48	145.38
1925	Dry	4.61	4.46	4.71	4.61	4.16	4.10	3.72	3.84	13.64	42.14	20.19	25.70	135.88
1926	Dry	10.38	6.03	8.68	4.61	4.16	7.62	3.72	15.51	24.57	45.25	22.63	13.49	166.65
1927	Wet	4.61	4.46	21.22	4.61	13.18	36.29	23.76	20.76	10.18	48.53	41.73	49.56	278.89
1928	Above Normal	20.48	12.39	14.08	8.71	21.09	41.73	4.96	5.12	24.57	51.21	41.61	39.00	284.95
1929	Critical	20.48	8.42	8.71	8.71	7.86	8.71	9.41	11.37	12.97	7.15	4.95	3.83	112.57
1930	Dry	4.61	4.46	20.34	4.61	18.45	4.10	3.72	3.84	22.94	45.26	27.18	23.35	182.86
1931	Critical	6.40	4.46	4.61	4.61	4.16	4.10	15.23	11.83	13.98	26.28	11.69	5.55	112.90
1932	Dry	4.61	4.46	23.04	4.61	4.31	14.48	5.56	3.84	14.10	24.57	26.68	3.83	134.09
1933	Critical	9.33	9.12	4.61	4.61	4.16	24.04	3.88	10.55	11.06	21.61	3.84	3.83	110.64
1934	Critical	4.61	4.46	13.74	4.61	17.15	5.39	12.51	14.24	17.30	12.78	10.33	6.29	123.41
1935	Below Normal	8.52	4.46	4.61	4.61	4.30	4.10	4.96	5.12	11.29	44.74	39.36	24.52	160.59
1936	Below Normal	14.78	12.39	11.11	8.71	12.15	28.29	4.96	5.84	8.01	42.87	38.57	22.13	209.81
1937	Below Normal	20.48	12.39	28.30	8.71	7.86	8.71	4.96	5.12	37.82	41.59	38.96	5.38	220.28
1938	Wet	14.36	8.42	8.71	8.71	36.97	89.10	65.00	88.76	40.65	21.36	23.81	49.56	455.41
1939	Dry	20.48	12.39	25.29	8.71	7.98	8.71	16.49	16.22	14.56	46.96	29.04	13.03	219.86
1940	Above Normal	6.14	5.95	6.14	6.14	5.75	89.10	19.09	5.12	14.72	51.21	43.05	41.03	293.44
1941	Wet	18.79	12.39	8.71	8.71	68.65	58.61	18.83	43.66	15.33	38.77	14.93	49.56	356.94
1942	Wet	20.48	12.39	30.39	73.60	80.48	14.27	52.35	29.96	30.08	32.34	23.19	49.56	449.09
1943	Wet	20.48	12.39	8.71	76.69	34.68	82.33	20.91	5.12	9.81	50.42	40.80	49.56	411.90
1944	Dry	20.48	13.30	27.46	11.19	10.46	11.19	8.97	7.78	20.45	44.72	27.13	4.96	208.09
1945	Below Normal	8.71	8.42	8.71	8.71	7.86	8.71	4.96	5.38	7.90	44.77	38.56	23.76	176.45
1946	Below Normal	16.92	8.42	8.71	8.71	7.86	8.71	4.96	7.89	16.49	49.67	42.92	23.78	205.04
1947	Dry	17.01	8.42	8.71	8.71	7.86	8.71	4.96	11.13	14.79	44.89	25.49	26.87	187.55
1948	Below Normal	10.93	7.17	7.16	6.60	6.06	5.12	4.96	5.12	4.96	45.48	39.57	11.96	155.09
1949	Dry	10.29	8.42	8.71	8.71	7.86	8.71	6.84	6.22	19.18	45.62	20.90	25.34	176.80
1950	Below Normal	4.61	4.46	5.70	4.61	4.16	4.10	4.96	5.12	4.96	46.87	40.31	19.58	149.44
1951	Above Normal	10.86	8.42	59.53	59.83	50.17	23.64	4.96	9.10	17.12	51.21	42.22	39.54	376.60
1952	Wet	20.48	12.39	8.71	8.71	48.58	36.28	86.23	89.10	45.03	12.11	6.63	46.32	420.57
1953	Wet	20.48	12.39	25.61	89.10	7.86	31.57	22.56	16.91	27.53	49.85	31.59	47.25	382.70
1954	Above Normal	20.48	12.39	16.72	14.93	7.86	37.78	30.92	5.12	24.38	51.21	41.44	40.59	303.82
1955	Dry	15.81	8.42	8.71	8.71	7.86	8.71	8.16	5.57	11.78	43.06	23.19	6.67	156.65
1956	Wet	9.48	8.42	8.71	89.10	54.34	32.97	16.07	55.50	21.66	39.71	23.77	49.56	409.29
1957	Above Normal	20.48	12.39	35.33	8.71	17.71	17.27	4.96	5.12	4.96	49.54	38.35	39.99	254.81
1958	Wet	8.71	11.84	8.71	8.71	80.48	61.00	38.05	53.61	33.11	20.39	9.25	45.94	379.80
1959	Below Normal	20.48	12.39	31.85	8.71	31.78	11.91	9.36	6.11	20.17	50.46	40.41	25.55	269.18
1960	Dry	11.24	10.42	6.14	6.14	5.75	5.12	12.87	7.23	19.23	45.12	32.55	29.44	191.25
1961	Dry	6.14	5.95	7.06	6.14	5.55	5.30	6.05	6.28	12.99	44.82	18.60	3.83	128.71
1962	Below Normal	4.61	4.46	4.61	4.61	4.16	4.10	3.85	16.64	13.26	47.67	39.18	27.86	175.01
1963	Wet	6.14	5.95	6.14	6.14	71.65	42.54	64.95	16.18	13.80	50.34	38.18	46.73	368.74
1964	Dry	18.38	8.78	8.71	8.71	8.14	8.71	6.91	5.12	10.61	43.72	19.65	30.17	177.61
1965	Wet	12.84	8.42	13.99	89.10	22.52	27.40	38.73	17.97	10.88	48.06	27.30	49.56	366.77
1966	Below Normal	20.48	12.39	8.71	8.71	7.86	8.71	4.96	5.12	19.26	51.21	42.22	32.53	222.16
1967	Wet	14.54	8.42	8.71	8.71	7.86	62.22	10.71	47.30	42.08	7.26	7.96	49.23	275.00
1968	Below Normal	20.48	12.39	21.85	9.65	56.50	34.05	9.87	5.96	20.28	51.21	38.13	29.44	309.81
1969	Wet	9.85	8.42	8.71	53.38	57.71	33.06	37.46	65.67	18.54	19.34	13.66	49.56	375.36
1970	Wet	20.48	12.39	47.01	89.10	49.32	21.11	7.35	5.12	13.19	49.01	39.89	41.15	395.12
1971	Wet	20.48	13.49	11.38	11.38	10.28	26.38	19.10	44.00	27.94	48.65	36.03	49.56	318.67
1972	Below Normal	20.48	12.39	8.71	8.71	8.14	8.71	4.96	5.12	15.01	46.47	38.10	28.10	204.90
1973	Above Normal	8.71	8.42	8.71	8.71	36.35	31.30	4.96	13.42	20.36	44.71	27.67	33.12	246.44
1974	Wet	16.66	8.42	36.05	89.10	26.80	89.10	41.92	29.65	21.70	38.85	5.29	46.41	449.95
1975	Wet	20.48	12.39	9.75	8.71	26.74	66.14	4.96	42.97	30.48	42.79	11.04	48.18	324.63
1976	Critical	8.71	12.39	26.12	8.71	8.14	8.71	4.96	5.78	5.63	36.53	17.75	30.44	173.87
1977	Critical	15.07	5.95	6.14	6.14	5.55	5.12	4.40	4.96	12.44	7.60	7.58	7.38	88.33
1978	Above Normal	4.86	4.46	4.61	4.61	4.16	27.71	25.30	5.12	7.92	39.66	33.22	36.61	198.24
1979	Below Normal	20.48	12.39	22.26	6.14	5.55	5.12	4.96	5.12	24.63	43.79	33.60	21.80	205.84
1980	Above Normal	15.21	8.42	8.71	36.14	83.35	27.22	4.96	5.12	4.96	28.89	15.51	31.28	269.77
1981	Dry	20.48	12.39	15.57	8.71	7.86	11.40	4.96	5.12	21.45	44.53	28.97	19.44	200.88
1982	Wet	7.41	5.95	80.86	42.72	80.48	68.65	86.23	41.00	18.50	18.71	8.04	24.79	483.34
1983	Wet	14.91	43.07	56.25	64.97	80.48	89.10	43.40	60.79	57.89	14.65	7.49	25.01	558.01
1984	Wet	25.80	72.10	89.10	28.69	41.20	46.28	4.96	5.12	24.46	51.21	30.43	39.14	458.49
1985	Dry	20.48	8.42	8.71	8.71	7.86	8.71	4.96	14.93	18.05	45.56	19.97	25.79	192.15
1986	Wet	19.43	8.42	8.71	8.71	80.48	89.10	4.96	5.12	8.10	45.26	34.05	49.53	361.87
1987	Dry	20.48	12.39	30.02	8.71	7.86	8.71	4.96	10.87	16.82	8.98	5.12	4.96	139.88
1988	Critical	6.14	5.95	6.14	6.14	8.15	6.42	3.72	8.24	13.81	34.47	7.27	6.46	112.91
1989	Dry	4.61	4.46	4.61	4.61	5.52	4.10	3.72	12.38	19.39	40.73	23.17	23.16	150.46
1990	Critical	13.26	12.39	25.36	4.61	4.16	4.10	6.14	3.95	5.16	41.03	5.71	4.97	130.84
1991	Critical	4.94	4.46	6.52	4.61	4.16	4.10	3.72	3.84	16.90	38.31	9.00	6.79	107.35
1992	Critical	4.61	5.43	4.61	4.61	4.31	4.10	3.72	8.32	16.24	13.44	6.39	9.49	85.27
1993	Above Normal	5.23	4.46	4.61	4.61	4.16	44.15	17.80	39.81	22.18	47.27	40.15	41.22	275.65
1994	Critical	20.48	12.39	12.43	6.14	5.55	5.12	4.96	5.12	7.17	39.32	18.62	8.57	145.87
1995	Wet	10.00	5.95	6.14	6.14	34.01	89.10	63.90	89.10	54.36	12.17	11.75	22.29	404.91
1996	Wet	20.48	12.39	25.96	62.66	83.35	51.96	33.27	53.35	11.75	44.52	21.70	46.60	467.99
1997	Wet	20.48	12.39	70.98	89.10	47.60	27.83	4.96	5.12	10.94	46.31	22.18	47.02	404.91
1998	Wet	20.48	12.39	11.21	8.71	79.45	73.13	14.63	47.13	55.33	12.87	5.91	22.31	363.55
1999	Wet	26.96	41.87	30.90	71.12	76.67	58.12	4.96	5.12	8.66	45.86	18.50	26.08	414.82
2000	Above Normal	20.48	12.39	32.73	8.71	38.35	48.10	4.96	7.86	19.20	51.21	39.03	38.46	321.48
2001	Dry	20.48	12.39	31.77	8.71	7.86	8.71	4.96	10.64	17.27	25.96	5.12	4.96	158.83
2002	Dry	12.37	5.95	6.14	6.14	6.10	5.12	4.96	5.12	8.80	42.93	7.70	23.79	135.12
2003	Above Normal	9.06	9.94	8.71	8.71	7.86	8.71	4.96	24.43	10.31	51.21	38.54	41.97	224.41
	Average	14.22	10.75	17.58	19.44	24.26	26.93	15.14	18.73	18.56	38.50	24.73	28.18	257.04
	Wet	16.36	14.90	25.05	42.55	50.07	53.99	31.93	37.85	25.46	34.97	21.35	43.08	397.57
	Above Normal	13.54	9.34	18.04	14.88	24.15	35.10	11.20	17.61	16.93	46.67	35.71	38.93	282.08
	Below Normal	15.17	9.75	13.70	7.56	12.91	10.65	5.55	6.34	14.93	46.36	39.08	22.51	204.50
	Dry	13.50	8.42	14.13	7.28	7.53	7.90	6.47	8.42	16.70	40.27	21.29	17.15	169.07
	Critical	10.26	7.82	10.67	6.02	6.79	7.68	6.88	8.36	12.29	26.17	9.51	8.34	120.78

Difference in Energy generated (GWh) at Thermalito Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.04	(0.17)	0.00	0.00	0.00	(0.01)	0.00	(0.07)	(0.02)
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.01	0.02	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.02	0.01	0.00
1926	Dry	0.02	0.01	0.00	0.00	0.00	(0.68)	0.00	0.00	0.02	0.00	0.05	(0.10)	(0.06)
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.04)	0.01	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00
1933	Critical	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.06)	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	(0.03)	0.02	(2.07)	(0.03)	(0.02)	0.07	0.00	(0.17)
1935	Below Normal	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.01
1936	Below Normal	(0.90)	0.00	(0.06)	0.00	2.63	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.14
1937	Below Normal	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.36	0.01	0.01	0.00	0.03
1938	Wet	(0.40)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1939	Dry	0.00	0.00	(0.05)	0.00	(0.24)	0.00	3.16	(0.07)	(0.03)	(0.09)	0.19	(2.70)	0.01
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.00
1941	Wet	0.02	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	(0.24)	0.01	0.00	(0.02)
1942	Wet	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00
1943	Wet	0.00	0.00	0.00	(0.03)	0.00	0.01	0.00	0.00	0.01	0.84	(0.01)	0.00	0.07
1944	Dry	0.00	0.00	(0.01)	0.01	0.00	0.01	0.00	0.00	(0.59)	(0.05)	0.34	0.00	(0.02)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	(0.01)	0.00
1946	Below Normal	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.55)	0.87	(0.13)	0.22	0.02	0.04
1947	Dry	(0.48)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.15)	0.09	(0.04)
1948	Below Normal	(0.46)	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)
1949	Dry	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	(0.03)	(0.11)	0.01
1950	Below Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.18	0.02
1952	Wet	0.00	0.00	0.00	0.00	(0.19)	0.00	0.00	0.00	0.05	0.06	0.00	0.02	0.00
1953	Wet	0.00	0.00	0.37	0.00	0.00	(0.44)	(0.01)	(0.03)	(0.04)	(0.01)	0.07	(0.01)	(0.01)
1954	Above Normal	0.00	0.00	1.49	0.00	0.00	(1.89)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1955	Dry	(0.35)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	1.33	0.10
1956	Wet	(1.29)	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)
1957	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00
1958	Wet	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	(0.07)	0.00
1959	Below Normal	0.00	0.00	0.20	0.00	(0.15)	0.00	0.01	0.00	0.01	0.01	0.01	0.51	0.05
1960	Dry	0.01	0.31	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.05	(0.61)	(0.02)
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.03	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.02	0.00	(0.05)	0.00	0.00	0.00	0.01	0.01	0.00
1964	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1965	Wet	(0.02)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.03)	0.00	0.00	(0.01)
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00
1967	Wet	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.19	0.02
1968	Below Normal	0.00	0.00	0.43	(0.64)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.02)
1969	Wet	0.06	0.00	0.00	(0.07)	0.00	0.00	0.00	0.00	0.00	0.07	(0.35)	0.00	(0.02)
1970	Wet	0.00	0.00	0.28	0.00	0.01	0.00	(0.01)	0.00	0.01	0.00	0.00	1.11	0.12
1971	Wet	0.00	0.00	0.00	0.00	0.00	(1.09)	0.00	0.00	0.00	(0.01)	(0.02)	0.00	(0.09)
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1974	Wet	0.04	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1975	Wet	0.00	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.01
1977	Critical	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.02	0.02	0.03	0.03	0.01
1979	Below Normal	0.00	0.00	(7.90)	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.16)	0.01	0.01	(0.68)
1980	Above Normal	(1.04)	0.00	0.00	9.28	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.11)	(5.59)	0.20
1981	Dry	0.00	0.00	(0.08)	0.00	0.00	2.69	0.00	0.00	(0.03)	(0.39)	1.28	0.10	0.30
1982	Wet	0.33	0.00	1.96	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.14	0.03	0.21
1983	Wet	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.02	0.00	0.00	0.00	0.00	(0.01)	0.26	0.00	0.00	0.00	0.02
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.29)	0.00	0.00	(0.02)
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.41)	(0.67)	(0.09)
1990	Critical	0.05	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.91	0.01	0.08
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.06)	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.53)	2.52	(0.05)	0.00	(0.01)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	(0.02)	(0.02)	0.00	0.00
1994	Critical	0.00	0.00	0.33	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.04)	0.00	0.02
1995	Wet	0.00	0.00	0.00	0.00	(0.17)	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.01)
1996	Wet	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.42)	0.02	(0.06)	(0.04)
1997	Wet	0.00	0.00	(0.02)	0.00	0.00	0.72	0.00	0.00	(0.78)	0.26	0.00	0.00	0.02
1998	Wet	0.00	0.00	0.01	0.00	0.51	0.00	0.00	0.00	(1.34)	0.01	0.00	0.00	(0.07)
1999	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00
2000	Above Normal	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
2001	Dry	0.00	0.00	(0.46)	0.00	0.00	0.00	0.00	0.01	0.00	0.46	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.20)	0.20	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.05)	0.00	(0.04)	0.10	0.03	(0.01)	0.04	(0.03)	(0.05)	0.03	0.03	(0.07)	(0.00)
	Wet	(0.05)	0.00	0.10	(0.00)	0.01	(0.03)	(0.00)	(0.00)	(0.08)	0.02	(0.00)	0.05	0.00
	Above Normal	(0.09)	0.00	0.13	0.77	0.00	(0.15)	0.00	0.00	0.00	(0.01)	(0.00)	(0.44)	0.02
	Below Normal	(0.09)	0.00	(0.52)	(0.05)	0.19	(0.01)	0.00	(0.04)	0.08	(0.02)	0.02	0.04	(0.03)
	Dry	(0.03)	0.02	(0.03)	0.00	(0.01)	0.11	0.18	(0.00)	(0.02)	(0.01)	0.08	(0.14)	0.01
	Critical	0.00	0.00	0.03	0.00	0.00	(0.00)	0.00	(0.17)	(0.21)	0.18	0.07	0.00	(0.01)

Percent Difference in Energy generated (GWh) at Thermalito Dam: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	-8%	0%	0%	0%	0%	0%	-1%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	-1%	0%	-13%	0%	0%	1%	0%
1935	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-6%	0%	-1%	0%	28%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1938	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	-3%	0%	24%	0%	0%	0%	1%	-17%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	1%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	-7%	6%	0%	1%	0%
1947	Dry	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1948	Below Normal	-4%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	1%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	10%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1955	Dry	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	25%
1956	Wet	-12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1960	Dry	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	2%	-6%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1970	Wet	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1971	Wet	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	-26%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	-6%	0%	0%	35%	0%	0%	0%	0%	0%	0%	-1%	-15%
1981	Dry	0%	0%	-1%	0%	0%	31%	0%	0%	0%	-1%	5%	1%
1982	Wet	5%	0%	2%	0%	0%	0%	0%	0%	0%	0%	2%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	-3%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	19%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-13%	23%	-1%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	3%	0%	0%	-7%	1%	0%	0%
1998	Wet	0%	0%	0%	0%	1%	0%	0%	0%	-2%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	2%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	0%	1%	3%	0%	0%	0%	0%	0%	0%	0%	-1%
	Below Normal	-1%	0%	-2%	0%	2%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	2%	2%	0%

Energy generated (GWh) at Warne: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	55.10	46.70	30.94	5.84	29.63	36.82	36.37	35.58	32.92	34.60	34.10	32.38	410.98
1923	Below Normal	25.87	23.80	21.28	35.55	42.87	37.10	36.18	36.00	33.95	39.72	37.06	31.38	400.76
1924	Critical	22.90	20.97	14.26	9.59	9.12	13.20	18.25	17.57	16.31	19.46	14.77	10.83	187.23
1925	Dry	0.87	0.48	0.14	1.38	6.16	29.37	32.52	41.45	39.94	47.65	43.77	35.79	279.52
1926	Dry	26.20	24.06	15.17	6.09	7.14	17.23	23.16	34.56	32.93	39.20	35.99	29.42	291.15
1927	Wet	20.48	18.61	11.01	4.67	18.31	40.42	38.14	37.61	34.80	35.85	35.72	34.58	330.20
1928	Above Normal	28.43	26.22	24.38	19.97	25.01	23.91	43.07	42.40	39.44	40.56	40.48	39.20	393.07
1929	Critical	33.06	30.69	28.85	19.13	17.38	14.62	17.18	19.01	17.83	21.41	16.21	2.97	238.34
1930	Dry	6.16	5.90	2.56	5.94	6.94	12.48	27.76	27.25	26.24	31.14	25.59	19.68	197.64
1931	Critical	9.00	7.12	2.34	5.88	6.80	13.13	21.46	20.76	19.69	23.76	17.86	13.01	160.81
1932	Dry	2.18	0.54	0.17	4.80	7.37	46.55	23.22	31.56	29.86	35.56	32.31	26.27	240.39
1933	Critical	17.22	15.48	8.58	5.92	49.77	13.08	16.49	27.66	26.44	31.60	26.37	20.45	259.06
1934	Critical	10.08	8.15	3.15	6.05	6.43	13.72	24.07	23.55	22.77	27.32	20.65	1.44	167.38
1935	Below Normal	13.54	10.16	4.94	6.12	8.32	17.47	41.67	41.30	39.07	42.40	41.04	37.47	303.50
1936	Below Normal	30.20	27.94	23.73	14.92	17.60	55.10	32.50	41.24	38.35	39.51	39.37	38.11	398.57
1937	Below Normal	31.96	29.61	27.76	20.34	49.77	55.10	40.97	49.29	46.32	47.66	47.52	46.06	492.36
1938	Wet	39.94	37.22	35.46	24.02	49.77	55.10	51.47	50.96	48.14	49.41	49.26	47.82	538.57
1939	Dry	41.63	38.78	37.01	27.01	29.77	28.56	41.66	41.90	15.01	55.10	35.14	52.47	444.04
1940	Above Normal	17.90	15.26	55.10	5.84	6.25	20.94	40.48	41.79	40.34	50.71	47.26	38.60	380.47
1941	Wet	28.80	26.45	17.06	9.89	31.20	39.57	41.85	41.32	38.39	39.61	39.46	38.24	391.84
1942	Wet	32.07	29.70	27.89	37.73	48.37	47.00	35.77	35.24	33.11	37.35	35.47	31.27	430.97
1943	Wet	23.60	21.62	16.47	26.03	38.72	39.78	45.88	45.35	42.31	43.64	43.54	42.27	429.21
1944	Dry	36.08	0.29	55.10	16.15	14.56	16.34	29.06	28.82	27.35	32.65	27.67	21.67	305.74
1945	Below Normal	11.37	9.45	4.18	9.58	8.15	55.10	32.33	40.09	37.29	38.43	38.25	37.05	321.27
1946	Below Normal	30.91	28.58	26.75	38.32	49.77	51.02	34.63	33.46	30.79	32.59	32.06	30.28	419.16
1947	Dry	23.70	21.75	19.07	17.45	20.69	22.04	42.95	42.22	39.27	40.28	40.23	39.01	368.66
1948	Below Normal	32.87	30.49	28.66	19.19	17.44	14.42	21.25	34.25	1.56	52.84	48.56	39.72	341.25
1949	Dry	29.81	27.28	17.62	9.31	8.02	15.33	42.56	42.65	40.99	47.71	44.40	42.83	368.51
1950	Below Normal	33.54	31.89	39.68	7.08	6.44	13.27	37.63	37.61	1.52	51.17	46.97	38.39	345.19
1951	Above Normal	28.59	26.24	16.92	55.10	49.77	55.10	27.91	36.96	34.17	35.14	35.05	33.97	434.92
1952	Wet	27.75	25.58	23.70	37.20	51.55	55.10	43.30	46.83	43.73	45.16	45.04	43.70	488.64
1953	Wet	37.55	34.86	33.06	40.69	35.47	29.31	35.01	35.74	25.56	45.86	42.09	34.47	429.67
1954	Above Normal	25.02	22.81	14.18	7.87	20.26	22.19	39.19	39.90	38.16	46.36	43.05	35.23	354.22
1955	Dry	25.70	23.57	14.75	5.89	7.24	19.47	35.87	35.93	34.16	40.79	37.61	30.75	311.73
1956	Wet	21.65	19.74	11.92	30.56	51.55	55.10	33.38	41.37	38.56	39.65	39.53	38.36	421.37
1957	Above Normal	32.13	29.74	27.88	25.54	25.53	32.29	40.35	41.22	39.81	50.53	46.75	38.24	430.01
1958	Wet	28.42	26.12	16.72	2.08	34.79	40.13	51.35	51.12	48.12	49.47	49.43	47.94	445.69
1959	Below Normal	41.82	31.34	55.10	20.36	20.20	24.15	35.35	34.99	1.65	47.45	43.54	35.60	391.55
1960	Dry	26.06	23.87	15.04	5.85	5.60	14.70	43.01	43.28	41.78	51.39	47.75	43.94	362.27
1961	Dry	34.55	31.91	23.05	8.56	8.97	13.08	36.41	36.25	34.75	41.37	38.01	33.78	340.69
1962	Below Normal	0.52	47.19	51.41	6.11	5.74	19.46	38.35	38.80	1.58	52.99	48.69	39.82	350.66
1963	Wet	29.84	27.46	17.79	20.64	31.19	34.49	35.01	34.26	31.72	34.32	33.40	30.80	360.92
1964	Dry	23.87	21.89	18.29	16.84	45.76	36.31	37.18	36.46	34.00	36.61	35.64	33.01	375.86
1965	Wet	26.17	24.03	20.63	24.83	42.40	41.41	35.94	35.28	32.77	38.22	36.95	33.67	392.30
1966	Below Normal	26.58	24.45	20.34	31.11	39.18	33.77	36.42	36.07	34.10	39.50	37.01	31.44	389.97
1967	Wet	23.08	21.13	14.59	6.83	41.76	44.34	50.64	50.66	47.69	49.14	49.02	47.54	446.42
1968	Below Normal	41.36	38.49	36.66	20.85	25.68	25.96	36.06	35.91	1.70	48.71	44.68	36.55	392.61
1969	Wet	26.89	24.67	15.62	19.11	49.77	55.10	43.57	46.09	46.00	47.36	47.24	45.83	467.25
1970	Wet	39.60	36.84	35.07	43.97	49.77	55.10	36.49	36.39	33.62	34.64	34.46	33.36	469.31
1971	Wet	27.17	25.00	23.14	37.04	46.88	41.03	36.40	36.10	34.18	39.51	37.02	31.66	415.13
1972	Below Normal	23.37	21.44	15.12	11.82	33.29	33.71	37.88	37.85	36.12	42.41	39.32	32.83	365.16
1973	Above Normal	23.98	21.98	14.47	4.73	41.55	42.64	29.87	38.78	36.02	36.93	36.82	35.65	363.42
1974	Wet	29.48	27.20	25.36	38.76	49.77	55.10	51.31	39.29	36.57	37.55	37.43	36.29	464.11
1975	Wet	30.09	27.74	25.86	30.95	29.32	45.81	38.96	38.27	35.50	36.43	36.32	35.20	410.45
1976	Critical	29.00	26.78	24.94	21.29	22.28	24.94	39.86	40.23	38.62	47.81	43.86	39.62	399.23
1977	Critical	29.78	27.28	17.66	5.97	5.74	10.04	14.56	4.17	0.00	3.71	1.81	1.45	122.17
1978	Above Normal	0.56	23.88	33.84	5.83	7.42	36.49	39.56	38.84	36.36	38.95	37.96	35.22	334.91
1979	Below Normal	28.43	26.17	22.72	19.14	18.18	45.66	40.05	39.50	36.72	37.66	37.54	36.38	388.15
1980	Above Normal	30.23	27.92	26.16	44.46	51.55	55.10	42.18	50.42	47.46	48.91	48.78	47.34	520.51
1981	Dry	41.20	38.31	44.61	20.92	21.14	23.01	36.82	37.76	1.81	51.39	47.20	38.59	402.76
1982	Wet	28.69	26.38	16.99	17.88	32.17	40.16	50.29	49.98	47.04	48.36	48.21	46.76	452.91
1983	Wet	40.60	37.77	35.95	46.82	44.69	55.10	42.63	45.21	45.17	46.38	46.39	45.03	531.74
1984	Wet	44.57	41.80	55.10	41.89	51.55	55.10	27.43	36.85	33.93	35.10	34.96	33.88	492.16
1985	Dry	27.63	25.49	42.51	18.98	36.19	32.50	36.34	36.30	33.65	34.57	34.41	33.32	391.89
1986	Wet	27.15	25.01	23.09	19.31	33.22	55.10	42.58	50.92	48.02	49.26	49.25	47.76	470.67
1987	Dry	41.72	29.27	55.10	16.33	14.71	13.02	17.74	16.55	15.19	17.98	13.76	10.10	261.47
1988	Critical	0.62	0.46	0.16	0.68	7.54	10.28	14.77	13.77	12.10	14.62	11.15	8.22	94.37
1989	Dry	0.60	0.43	0.16	0.09	7.64	12.49	42.48	41.92	39.60	43.46	41.84	38.54	269.25
1990	Critical	31.14	28.81	24.14	14.14	13.30	14.33	19.50	18.48	17.35	20.79	15.70	11.50	229.18
1991	Critical	1.32	0.48	0.11	1.89	5.77	10.03	15.01	13.67	12.05	14.49	11.05	8.19	94.06
1992	Critical	0.62	0.42	0.17	0.09	3.31	10.20	18.32	17.28	15.89	18.96	14.44	10.75	110.45
1993	Above Normal	0.87	0.50	0.15	5.44	31.24	35.82	37.32	36.99	23.23	44.12	41.93	36.92	294.53
1994	Critical	28.89	26.54	20.67	13.90	14.19	23.73	40.01	40.20	38.63	49.30	12.36	47.89	356.31
1995	Wet	0.51	53.33	55.10	6.03	23.83	26.11	47.43	46.95	44.02	45.28	45.25	43.87	437.71
1996	Wet	37.73	35.07	53.03	14.72	17.26	35.76	37.38	36.37	33.55	34.57	34.47	33.34	403.25
1997	Wet	27.17	25.06	23.23	35.97	49.44	55.10	42.06	42.09	39.13	40.26	40.20	39.00	458.71
1998	Wet	32.78	30.37	28.50	25.45	48.13	53.61	40.68	38.85	35.96	37.21	37.16	35.96	444.66
1999	Wet	29.75	38.96	35.40	38.58	49.77	48.85	27.58	36.59	33.72	34.94	34.89	33.76	442.79
2000	Above Normal	27.54	25.40	23.48	23.52	38.85	35.00	38.69	38.28	36.03	40.44	38.65	34.37	400.25
2001	Dry	26.67	24.58	19.44	12.72	12.16	15.28	24.55	24.19	23.35	28.09	21.63	15.98	248.64
2002	Dry	4.55	2.70	0.12	2.35	7.41	19.34	41.20	40.41	37.47	38.74	38.69	41.18	274.16
2003	Above Normal	17.42	27.33	55.10	3.45	8.63	20.01	35.73	35.65	1.35	48.46	44.58	36.43	334.14
	Average	25.05	24.11	23.46	17.69	26.32	32.38	35.23	36.52	31.00	39.15	36.43	33.29	360.62
	Wet	29.29	29.53	26.84	26.22	40.41	46.11	40.87	41.76	38.90	41.33	40.85	38.94	441.03
	Above Normal	23.98	24.50	26.88	17.30	27.97	34.69	37.56	39.73	33.77	42.98	41.28	36.96	387.62
	Below Normal	26.60	27.21	27.02	18.61	24.47	34.38	35.81	38.31	24.34	43.79	41.54	36.51	378.58
	Dry	23.29	18.95	21.11	10.93	14.86	21.51	34.14	35.53	30.41	39.65	35.65	32.57	318.58
	Critical	17.80	16.10	12.09	8.71	13.47	14.28	21.62	21.36	19.81	24.44	17.19	14.69	201.55

Energy generated (GWh) at Warne: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	55.10	46.70	30.94	5.84	29.63	36.82	36.37	35.58	38.31	41.63	36.75	32.38	426.05
1923	Below Normal	25.87	23.80	21.28	35.54	42.82	36.89	36.21	36.04	43.79	40.76	37.13	31.40	411.53
1924	Critical	22.90	20.96	14.21	9.51	9.05	13.18	18.25	17.58	16.32	19.47	14.77	10.83	187.03
1925	Dry	0.88	0.48	0.14	1.39	6.16	29.07	32.54	41.47	39.97	47.68	43.80	35.81	279.39
1926	Dry	26.22	24.08	15.18	6.09	7.13	17.22	23.14	34.54	32.91	39.18	35.97	29.40	291.06
1927	Wet	20.46	18.59	10.99	4.68	18.29	40.42	38.14	37.61	41.26	40.14	35.72	34.58	340.88
1928	Above Normal	28.43	26.22	24.38	19.97	24.99	23.91	43.07	42.40	39.44	40.56	40.48	39.20	393.05
1929	Critical	33.06	30.69	28.85	19.13	17.38	14.62	17.17	19.00	17.82	21.40	16.20	2.14	237.46
1930	Dry	6.17	5.66	2.42	5.94	6.94	12.48	27.76	27.25	26.24	31.14	25.59	19.68	197.27
1931	Critical	9.00	7.12	2.34	5.88	6.80	13.13	21.46	20.75	19.68	23.76	17.85	13.01	160.78
1932	Dry	2.18	0.53	0.17	4.79	7.37	48.03	23.22	31.55	37.39	38.78	32.31	26.27	252.59
1933	Critical	17.22	15.47	8.57	5.92	49.77	13.08	16.49	27.66	26.44	31.60	26.36	20.45	259.03
1934	Critical	10.08	8.15	3.15	6.05	7.24	23.69	18.31	26.39	25.17	30.03	24.36	1.44	184.06
1935	Below Normal	16.52	14.42	8.07	6.11	8.34	17.29	41.90	41.67	39.59	43.74	41.94	37.55	317.14
1936	Below Normal	29.89	27.64	22.59	13.64	16.08	55.10	32.50	41.24	44.00	44.61	39.36	38.11	404.76
1937	Below Normal	31.96	29.61	27.76	20.34	49.03	55.10	40.97	49.29	47.45	48.70	48.37	46.85	495.43
1938	Wet	42.28	39.55	36.71	29.09	49.77	55.10	53.33	52.18	51.29	50.30	50.20	48.82	558.62
1939	Dry	43.87	41.12	38.23	34.49	26.85	23.56	35.80	35.59	12.37	48.16	38.72	42.36	421.12
1940	Above Normal	21.11	14.27	55.10	5.84	6.26	20.95	40.48	41.80	47.89	53.93	47.27	38.61	393.51
1941	Wet	28.81	26.46	17.07	9.87	31.20	39.45	41.74	41.20	43.65	45.50	42.98	38.12	406.05
1942	Wet	31.95	29.59	27.77	37.70	48.33	46.82	35.78	35.26	38.52	46.14	36.40	31.27	445.53
1943	Wet	23.59	21.62	16.46	25.98	38.40	39.49	45.68	45.13	45.82	47.16	46.97	45.52	441.82
1944	Dry	36.36	0.29	55.10	15.16	13.68	16.06	29.06	28.82	27.35	32.65	27.67	21.67	303.87
1945	Below Normal	11.36	9.45	4.18	9.60	8.16	48.65	32.38	40.15	43.60	44.87	40.73	37.11	330.24
1946	Below Normal	30.96	28.63	26.80	38.30	49.77	50.92	34.68	33.57	41.38	33.28	32.32	30.31	430.92
1947	Dry	23.63	21.68	18.77	16.84	21.67	20.53	43.06	42.33	39.38	40.40	40.34	39.11	367.74
1948	Below Normal	32.98	30.59	28.77	19.23	17.26	14.35	21.26	32.95	1.56	52.89	48.56	39.69	340.09
1949	Dry	29.82	27.32	17.64	9.28	8.00	15.29	42.59	42.70	41.07	47.92	44.53	42.85	369.01
1950	Below Normal	33.47	31.78	0.15	7.08	6.44	13.27	37.63	37.61	1.52	51.17	46.97	38.39	305.48
1951	Above Normal	28.59	26.24	16.92	42.51	45.24	55.10	27.94	36.99	42.53	37.59	35.08	33.99	428.72
1952	Wet	27.78	25.61	23.72	37.20	46.86	55.10	43.12	40.27	42.60	45.18	41.39	37.22	466.05
1953	Wet	31.06	28.68	26.84	40.94	45.94	43.58	36.13	36.38	34.51	40.96	37.86	31.55	434.43
1954	Above Normal	22.71	20.79	13.39	8.80	28.31	23.84	39.01	39.84	38.10	45.65	41.92	34.31	356.67
1955	Dry	24.85	22.79	14.14	5.34	7.38	19.85	36.63	36.75	35.00	41.79	38.53	31.50	314.55
1956	Wet	22.33	20.38	12.41	19.16	51.55	55.10	33.50	41.47	44.46	45.73	42.90	38.46	427.45
1957	Above Normal	32.23	29.84	27.97	25.54	25.46	31.84	40.34	41.21	39.80	50.65	46.89	38.34	430.11
1958	Wet	28.52	26.21	16.79	2.08	34.77	40.10	51.33	51.10	48.13	49.66	49.46	47.92	446.07
1959	Below Normal	43.32	41.66	55.10	21.99	20.21	24.16	35.35	34.99	1.65	47.44	43.54	35.60	405.01
1960	Dry	26.06	23.87	15.04	5.85	5.60	14.65	43.02	43.28	41.78	51.38	47.74	43.90	362.17
1961	Dry	34.51	31.87	23.02	8.57	8.98	13.08	36.41	36.25	34.76	41.37	38.02	33.79	340.63
1962	Below Normal	0.52	46.83	13.53	6.11	5.74	19.47	38.35	38.79	12.34	52.98	48.69	39.82	323.17
1963	Wet	29.84	27.45	17.79	20.64	31.19	34.49	35.01	34.26	41.86	39.24	33.39	30.80	375.96
1964	Dry	23.87	21.89	18.29	16.87	45.77	36.32	37.17	36.46	33.99	36.59	35.63	33.00	375.85
1965	Wet	26.17	24.03	20.63	24.84	42.40	41.41	35.95	35.28	43.54	42.85	37.27	33.95	408.32
1966	Below Normal	26.86	24.71	20.58	31.09	39.16	33.77	36.42	36.06	34.10	39.49	37.00	31.44	390.68
1967	Wet	23.08	21.13	14.60	6.84	41.76	44.35	50.64	50.66	48.17	49.63	49.35	47.80	448.01
1968	Below Normal	43.19	45.18	42.13	23.81	23.35	25.35	36.19	36.05	1.70	48.93	44.88	36.71	407.47
1969	Wet	27.04	24.81	15.73	19.04	49.77	55.10	40.75	49.01	53.33	48.78	49.42	47.88	480.66
1970	Wet	43.23	40.55	36.97	42.61	45.42	55.10	40.77	36.15	42.17	40.67	34.22	33.12	490.98
1971	Wet	26.93	24.78	22.92	36.95	46.80	41.33	36.31	35.98	34.02	39.21	36.80	31.59	413.62
1972	Below Normal	23.38	21.45	15.28	12.37	33.43	33.86	37.88	37.84	36.11	42.37	39.30	32.84	366.11
1973	Above Normal	24.01	22.01	14.53	4.83	41.55	42.64	29.87	38.78	43.26	40.45	36.82	35.65	374.40
1974	Wet	29.48	27.20	25.36	38.76	44.76	55.10	50.43	39.19	43.55	44.81	37.94	36.19	472.77
1975	Wet	29.98	27.65	25.76	31.11	29.39	45.76	38.91	38.22	42.95	39.63	36.27	35.15	420.78
1976	Critical	28.95	26.74	24.90	21.26	22.29	24.98	39.93	40.32	38.70	47.88	43.92	39.80	399.67
1977	Critical	29.95	27.44	17.78	5.97	5.74	10.04	14.56	4.17	0.00	3.71	1.81	1.45	122.62
1978	Above Normal	0.56	22.98	19.14	5.83	7.42	34.40	40.06	39.71	42.91	45.30	45.87	35.58	339.76
1979	Below Normal	28.04	25.79	20.78	16.56	15.49	42.98	38.60	37.96	42.68	43.65	35.97	34.85	383.35
1980	Above Normal	28.70	26.47	24.70	29.23	51.55	55.10	34.16	43.35	45.18	46.46	46.35	41.25	472.50
1981	Dry	34.21	31.66	29.84	25.26	34.68	32.69	40.03	40.95	39.53	48.19	44.42	36.66	438.12
1982	Wet	27.18	24.99	16.40	18.99	33.15	40.13	50.27	49.96	47.97	49.31	49.02	47.49	454.86
1983	Wet	42.86	40.16	53.81	41.89	49.77	55.10	51.22	41.45	53.33	46.38	52.65	46.42	575.04
1984	Wet	45.80	43.00	55.10	41.89	47.03	55.10	27.43	36.85	42.43	41.66	34.96	33.88	505.13
1985	Dry	27.63	25.49	42.51	18.98	36.19	32.50	36.34	36.30	33.65	34.57	34.41	33.32	391.89
1986	Wet	27.15	25.01	23.09	19.31	19.57	55.10	48.81	51.03	48.13	49.40	49.39	47.92	463.91
1987	Dry	43.15	27.00	55.10	18.52	14.70	13.01	17.74	16.54	15.18	17.97	13.76	10.10	262.77
1988	Critical	0.62	0.46	0.16	0.68	7.54	10.28	14.77	13.90	12.24	14.78	11.27	8.30	95.00
1989	Dry	0.60	0.43	0.16	0.09	7.68	12.44	42.53	42.00	39.71	43.72	42.02	39.26	270.64
1990	Critical	31.78	29.42	24.54	13.89	13.13	14.31	19.60	18.60	17.48	20.95	15.82	11.59	231.11
1991	Critical	1.37	0.49	0.11	1.97	5.77	10.03	15.01	13.67	12.05	14.49	11.05	8.19	94.20
1992	Critical	0.62	0.42	0.17	0.09	3.31	10.20	18.11	17.05	15.63	18.64	14.21	10.58	109.03
1993	Above Normal	0.77	0.46	0.15	4.76	31.29	35.91	37.29	36.95	30.19	50.99	41.65	36.52	306.93
1994	Critical	28.64	26.37	20.65	14.07	14.32	23.76	39.97	40.15	38.59	49.05	8.98	47.37	351.92
1995	Wet	0.51	52.81	38.30	6.03	23.83	26.11	47.43	46.95	46.53	45.28	52.58	47.25	433.61
1996	Wet	45.35	0.29	0.22	14.75	17.25	35.75	37.28	36.26	39.91	41.86	35.57	33.24	337.73
1997	Wet	27.07	24.96	23.13	35.94	49.39	55.10	42.04	42.08	44.62	45.88	44.13	38.99	473.33
1998	Wet	32.78	30.37	28.50	25.44	48.12	52.60	41.12	38.63	43.00	44.79	37.05	35.86	458.26
1999	Wet	29.65	38.86	32.94	38.51	49.77	48.85	27.58	36.59	40.87	41.44	36.30	33.76	455.12
2000	Above Normal	27.54	25.40	23.48	23.52	38.86	34.65	38.77	38.39	44.12	43.55	38.87	34.41	411.56
2001	Dry	26.63	24.54	19.23	12.41	11.91	15.20	24.60	24.24	23.39	28.14	21.70	16.04	248.03
2002	Dry	4.62	2.78	0.12	2.41	7.41	19.34	41.16	40.36	37.42	38.69	38.64	41.06	274.01
2003	Above Normal	19.93	24.28	27.26	3.45	8.63	20.01	35.73	35.65	1.35	48.46	44.58	36.43	305.76
	Average	25.22	23.77	21.16	17.38	26.21	32.57	35.25	36.35	34.42	40.80	36.93	33.09	363.15
	Wet	29.65	28.26	24.62	25.78	39.79	46.60	41.57	41.51	44.10	44.68	41.93	39.03	447.50
	Above Normal	24.14	23.81	23.16	15.01	28.27	34.60	36.92	39.22	37.76	45.44	41.88	36.39	386.59
	Below Normal	27.02	28.68	21.93	18.70	23.95	33.65	35.74	38.16	27.96	45.35	41.77	36.48	379.38
	Dry	23.07	18.53	20.28	11.57	15.45	21.74	34.04	35.41	32.84	39.35	35.77	31.99	320.04
	Critical	17.85	16.14	12.12	8.70	13.53	15.11	21.14	21.60	20.01	24.65	17.22	14.60	202.66

Difference in Energy generated (GWh) at Warne: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.39	7.03	2.65	0.00	1.26
1923	Below Normal	0.00	0.00	0.00	(0.01)	(0.05)	(0.21)	0.03	0.04	9.84	1.04	0.07	0.02	0.90
1924	Critical	0.00	(0.01)	(0.05)	(0.08)	(0.07)	(0.02)	0.00	0.01	0.01	0.01	0.00	0.00	(0.02)
1925	Dry	0.01	0.00	0.00	0.01	0.00	(0.30)	0.02	0.02	0.03	0.03	0.03	0.02	(0.01)
1926	Dry	0.02	0.02	0.01	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)
1927	Wet	(0.02)	(0.02)	(0.02)	0.01	(0.02)	0.00	0.00	0.00	6.46	4.29	0.00	0.00	0.89
1928	Above Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.83)	(0.07)
1930	Dry	0.01	(0.24)	(0.14)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00
1932	Dry	0.00	(0.01)	0.00	(0.01)	0.00	1.48	0.00	(0.01)	7.53	3.22	0.00	0.00	1.02
1933	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.81	9.97	(5.76)	2.84	2.40	2.71	3.71	0.00	1.39
1935	Below Normal	2.98	4.26	3.13	(0.01)	0.02	(0.18)	0.23	0.37	0.52	1.34	0.90	0.08	1.14
1936	Below Normal	(0.31)	(0.30)	(1.14)	(1.28)	(1.52)	0.00	0.00	0.00	5.65	5.10	(0.01)	0.00	0.52
1937	Below Normal	0.00	0.00	0.00	0.00	(0.74)	0.00	0.00	0.00	1.13	1.04	0.85	0.79	0.26
1938	Wet	2.34	2.33	1.25	5.07	0.00	0.00	1.86	1.22	3.15	0.89	0.94	1.00	1.67
1939	Dry	2.24	2.34	1.22	7.48	(2.92)	(5.00)	(5.86)	(6.31)	(2.64)	(6.94)	3.58	(10.11)	(1.91)
1940	Above Normal	3.21	(0.99)	0.00	0.00	0.01	0.01	0.00	0.01	7.55	3.22	0.01	0.01	1.09
1941	Wet	0.01	0.01	0.01	(0.02)	0.00	(0.12)	(0.11)	(0.12)	5.26	5.89	3.52	(0.12)	1.18
1942	Wet	(0.12)	(0.11)	(0.12)	(0.03)	(0.04)	(0.18)	0.01	0.02	5.41	8.79	0.93	0.00	1.21
1943	Wet	(0.01)	0.00	(0.01)	(0.05)	(0.32)	(0.29)	(0.20)	(0.22)	3.51	3.52	3.43	3.25	1.05
1944	Dry	0.28	0.00	0.00	(0.99)	(0.88)	(0.28)	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)
1945	Below Normal	(0.01)	0.00	0.00	0.02	0.01	(6.45)	0.05	0.06	6.31	6.44	2.48	0.06	0.75
1946	Below Normal	0.05	0.05	0.05	(0.02)	0.00	(0.10)	0.05	0.11	10.59	0.69	0.26	0.03	0.98
1947	Dry	(0.07)	(0.07)	(0.30)	(0.61)	0.98	(1.51)	0.11	0.11	0.11	0.12	0.11	0.10	(0.08)
1948	Below Normal	0.11	0.10	0.11	0.04	(0.18)	(0.07)	0.01	(1.30)	0.00	0.05	0.00	(0.03)	(0.10)
1949	Dry	0.01	0.04	0.02	(0.03)	(0.02)	(0.04)	0.03	0.05	0.08	0.21	0.13	0.02	0.04
1950	Below Normal	(0.07)	(0.11)	(39.53)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(3.31)
1951	Above Normal	0.00	0.00	0.00	(12.59)	(4.53)	0.00	0.03	0.03	8.36	2.45	0.03	0.02	(0.52)
1952	Wet	0.03	0.03	0.02	0.00	(4.69)	0.00	(0.18)	(6.56)	(1.13)	0.02	(3.65)	(6.48)	(1.88)
1953	Wet	(6.49)	(6.18)	(6.22)	0.25	10.47	14.27	1.12	0.64	8.95	(4.90)	(4.23)	(2.92)	0.40
1954	Above Normal	(2.31)	(2.02)	(0.79)	0.93	8.05	1.65	(0.18)	(0.06)	(0.06)	(0.71)	(1.13)	(0.92)	0.20
1955	Dry	(0.85)	(0.78)	(0.61)	(0.55)	0.14	0.38	0.76	0.82	0.84	1.00	0.92	0.75	0.24
1956	Wet	0.68	0.64	0.49	(11.40)	0.00	0.00	0.12	0.10	5.90	6.08	3.37	0.10	0.51
1957	Above Normal	0.10	0.10	0.09	0.00	(0.07)	(0.45)	(0.01)	(0.01)	(0.01)	0.12	0.14	0.10	0.01
1958	Wet	0.10	0.09	0.07	0.00	(0.02)	(0.03)	(0.02)	(0.02)	0.01	0.19	0.03	(0.02)	0.03
1959	Below Normal	1.50	10.32	0.00	1.63	0.01	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	1.12
1960	Dry	0.00	0.00	0.00	0.00	0.00	(0.05)	0.01	0.00	0.00	(0.01)	(0.01)	(0.04)	(0.01)
1961	Dry	(0.04)	(0.04)	(0.03)	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00
1962	Below Normal	0.00	(0.36)	(37.88)	0.00	0.00	0.01	0.00	(0.01)	10.76	(0.01)	0.00	0.00	(2.29)
1963	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	10.14	4.92	(0.01)	0.00	1.25
1964	Dry	0.00	0.00	0.00	0.03	0.01	0.01	(0.01)	0.00	(0.01)	(0.02)	(0.01)	(0.01)	0.00
1965	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	10.77	4.63	0.32	0.28	1.34
1966	Below Normal	0.28	0.26	0.24	(0.02)	(0.02)	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00	0.06
1967	Wet	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.48	0.49	0.33	0.26	0.13
1968	Below Normal	1.83	6.69	5.47	2.96	(2.33)	(0.61)	0.13	0.14	0.00	0.22	0.20	0.16	1.24
1969	Wet	0.15	0.14	0.11	(0.07)	0.00	0.00	(2.82)	2.92	7.33	1.42	2.18	2.05	1.12
1970	Wet	3.63	3.71	1.90	(1.36)	(4.35)	0.00	4.28	(0.24)	8.55	6.03	(0.24)	(0.24)	1.81
1971	Wet	(0.24)	(0.22)	(0.22)	(0.09)	(0.08)	0.30	(0.09)	(0.12)	(0.16)	(0.30)	(0.22)	(0.07)	(0.13)
1972	Below Normal	0.01	0.01	0.16	0.55	0.14	0.15	0.00	(0.01)	(0.01)	(0.04)	(0.02)	0.01	0.08
1973	Above Normal	0.03	0.03	0.06	0.10	0.00	0.00	0.00	0.00	7.24	3.52	0.00	0.00	0.92
1974	Wet	0.00	0.00	0.00	0.00	(5.01)	0.00	(0.88)	(0.10)	6.98	7.26	0.51	(0.10)	0.72
1975	Wet	(0.11)	(0.09)	(0.10)	0.16	0.07	(0.05)	(0.05)	(0.05)	7.45	3.20	(0.05)	(0.05)	0.86
1976	Critical	(0.05)	(0.04)	(0.04)	(0.03)	0.01	0.04	0.07	0.09	0.08	0.07	0.06	0.18	0.04
1977	Critical	0.17	0.16	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1978	Above Normal	0.00	(0.90)	(14.70)	0.00	0.00	(2.09)	0.50	0.87	6.55	6.35	7.91	0.36	0.40
1979	Below Normal	(0.39)	(0.38)	(1.94)	(2.58)	(2.69)	(2.68)	(1.45)	(1.54)	5.96	5.99	(1.57)	(1.53)	(0.40)
1980	Above Normal	(1.53)	(1.45)	(1.46)	(15.23)	0.00	0.00	(8.02)	(7.07)	(2.28)	(2.45)	(2.43)	(6.09)	(4.00)
1981	Dry	(6.99)	(6.65)	(14.77)	4.34	13.54	9.68	3.21	3.19	37.72	(3.20)	(2.78)	(1.93)	2.95
1982	Wet	(1.51)	(1.39)	(0.59)	1.11	0.98	(0.03)	(0.02)	(0.02)	0.93	0.95	0.81	0.73	0.16
1983	Wet	2.26	2.39	17.86	(4.93)	5.08	0.00	8.59	(3.76)	8.16	0.00	6.26	1.39	3.61
1984	Wet	1.23	1.20	0.00	0.00	(4.52)	0.00	0.00	0.00	8.50	6.56	0.00	0.00	1.08
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(13.65)	0.00	6.23	0.11	0.11	0.14	0.14	0.16	(0.56)
1987	Dry	1.43	(2.27)	0.00	2.19	(0.01)	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.11
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.14	0.16	0.12	0.08	0.05
1989	Dry	0.00	0.00	0.00	0.00	0.04	(0.05)	0.05	0.08	0.11	0.26	0.18	0.72	0.12
1990	Critical	0.64	0.61	0.40	(0.25)	(0.17)	(0.02)	0.10	0.12	0.13	0.16	0.12	0.09	0.16
1991	Critical	0.05	0.01	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.21)	(0.23)	(0.26)	(0.32)	(0.23)	(0.17)	(0.12)
1993	Above Normal	(0.10)	(0.04)	0.00	(0.68)	0.05	0.09	(0.03)	(0.04)	6.96	6.87	(0.28)	(0.40)	1.03
1994	Critical	(0.25)	(0.17)	(0.02)	0.17	0.13	0.03	(0.04)	(0.05)	(0.04)	(0.25)	(3.38)	(0.52)	(0.37)
1995	Wet	0.00	(0.52)	(16.80)	0.00	0.00	0.00	0.00	0.00	2.51	0.00	7.33	3.38	(0.34)
1996	Wet	7.62	(34.78)	(52.81)	0.03	(0.01)	(0.01)	(0.10)	(0.11)	6.36	7.29	1.10	(0.10)	(5.46)
1997	Wet	(0.10)	(0.10)	(0.10)	(0.03)	(0.05)	0.00	(0.02)	(0.01)	5.49	5.62	3.93	(0.01)	1.22
1998	Wet	0.00	0.00	0.00	(0.01)	(0.01)	(1.01)	0.44	(0.22)	7.04	7.58	(0.11)	(0.10)	1.13
1999	Wet	(0.10)	(0.10)	(2.46)	(0.07)	0.00	0.00	0.00	0.00	7.15	6.50	1.41	0.00	1.03
2000	Above Normal	0.00	0.00	0.00	0.00	0.01	(0.35)	0.08	0.11	8.09	3.11	0.22	0.04	0.94
2001	Dry	(0.04)	(0.04)	(0.21)	(0.31)	(0.25)	(0.08)	0.05	0.05	0.04	0.05	0.07	0.06	(0.05)
2002	Dry	0.07	0.08	0.00	0.06	0.00	0.00	(0.04)	(0.05)	(0.05)	(0.05)	(0.05)	(0.12)	(0.01)
2003	Above Normal	2.51	(3.05)	(27.84)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.37)
	Average	0.17	(0.34)	(2.29)	(0.32)	(0.11)	0.19	0.03	(0.17)	3.42	1.65	0.50	(0.20)	0.21
	Wet	0.36	(1.27)	(2.22)	(0.44)	(0.62)	0.49	0.70	(0.25)	5.20	3.35	1.08	0.09	0.54
	Above Normal	0.16	(0.69)	(3.72)	(2.29)	0.29	(0.10)	(0.64)	(0.51)	3.98	2.46	0.59	(0.57)	(0.09)
	Below Normal	0.43	1.47	(5.10)	0.09	(0.53)	(0.72)	(0.07)	(0.15)	3.63	1.56	0.22	(0.03)	0.07
	Dry	(0.22)	(0.42)	(0.82)	0.65	0.59	0.23	(0.09)	(0.12)	2.43	(0.30)	0.12	(0.59)	0.12
	Critical	0.05	0.05	0.03	(0.01)	0.06	0.83	(0.49)	0.24	0.20	0.21	0.03	(0.10)	0.09

Percent Difference in Energy generated (GWh) at Warne: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	16%	20%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	29%	3%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	1%	0%	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	19%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-28%
1930	Dry	0%	-4%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	-2%	0%	0%	0%	3%	0%	0%	25%	9%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	13%	73%	-24%	12%	11%	10%	18%	0%
1935	Below Normal	22%	42%	63%	0%	0%	-1%	1%	1%	1%	3%	2%	0%
1936	Below Normal	-1%	-1%	-5%	-9%	-9%	0%	0%	0%	15%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	-1%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	6%	6%	4%	21%	0%	0%	4%	2%	7%	2%	2%	2%
1939	Dry	5%	6%	3%	28%	-10%	-18%	-14%	-15%	-18%	-13%	10%	-19%
1940	Above Normal	18%	-6%	0%	0%	0%	0%	0%	0%	19%	6%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	16%	24%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	8%	8%
1944	Dry	1%	0%	0%	-6%	-6%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-12%	0%	0%	17%	17%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	34%	2%	1%	0%
1947	Dry	0%	0%	-2%	-3%	5%	-7%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	-1%	0%	0%	-4%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-100%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-23%	-9%	0%	0%	0%	24%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	-9%	0%	0%	-14%	-3%	0%	-8%	-15%
1953	Wet	-17%	-18%	-19%	1%	30%	49%	3%	2%	35%	-11%	-10%	-8%
1954	Above Normal	-9%	-9%	-6%	12%	40%	7%	0%	0%	0%	-2%	-3%	-3%
1955	Dry	-3%	-3%	-4%	-9%	2%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	4%	-37%	0%	0%	0%	0%	15%	15%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	4%	33%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	-1%	-74%	0%	0%	0%	0%	0%	681%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	32%	14%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	33%	12%	1%	1%
1966	Below Normal	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	17%	15%	14%	-9%	-2%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	1%	1%	0%	0%	0%	-6%	6%	16%	3%	5%	4%
1970	Wet	9%	10%	5%	-3%	-9%	0%	12%	-1%	25%	17%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	-1%	-1%	0%
1972	Below Normal	0%	0%	1%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	2%	0%	0%	0%	0%	20%	10%	0%	0%
1974	Wet	0%	0%	0%	0%	-10%	0%	-2%	0%	19%	19%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-4%	-43%	0%	0%	-6%	1%	2%	18%	16%	21%	1%
1979	Below Normal	-1%	-1%	-9%	-13%	-15%	-6%	-4%	-4%	16%	16%	-4%	-4%
1980	Above Normal	-5%	-5%	-6%	-34%	0%	0%	-19%	-14%	-5%	-5%	-5%	-13%
1981	Dry	-17%	-17%	-33%	21%	64%	42%	9%	8%	>1,000%	-6%	-6%	-5%
1982	Wet	-5%	-5%	-3%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	6%	6%	50%	-11%	11%	0%	20%	-8%	18%	0%	13%	3%
1984	Wet	3%	3%	0%	0%	-9%	0%	0%	0%	25%	19%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-41%	0%	15%	0%	0%	0%	0%	0%
1987	Dry	3%	-8%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	1%	0%	2%
1990	Critical	2%	2%	2%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	4%	2%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-2%	-2%
1993	Above Normal	-11%	-8%	0%	-13%	0%	0%	0%	0%	30%	16%	-1%	-1%
1994	Critical	-1%	-1%	0%	1%	1%	0%	0%	0%	0%	-1%	-27%	-1%
1995	Wet	0%	-1%	-30%	0%	0%	0%	0%	0%	6%	0%	16%	8%
1996	Wet	20%	-99%	-100%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	-2%	1%	-1%	20%	20%	0%	0%
1999	Wet	0%	0%	-7%	0%	0%	0%	0%	0%	21%	19%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	22%	8%	1%	0%
2001	Dry	0%	0%	-1%	-2%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	2%	3%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	14%	-11%	-51%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	1%	-1%	-4%	0%	0%	1%	0%	0%	17%	5%	1%	-1%
	Wet	1%	-4%	-4%	-1%	-1%	2%	2%	-1%	15%	9%	3%	0%
	Above Normal	1%	-4%	-9%	-5%	3%	0%	-2%	-1%	12%	6%	2%	-1%
	Below Normal	2%	6%	-8%	0%	-2%	-2%	0%	0%	57%	4%	1%	0%
	Dry	0%	-1%	-2%	2%	3%	1%	0%	0%	1%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	6%	-2%	1%	1%	1%	-1%	-2%

Energy Use (GWh) At Pumping Plant at Badger Hill: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.88	1.40	1.25	0.66	0.98	1.61	1.87	2.41	2.97	3.08	2.65	1.97	22.73
1923	Below Normal	1.30	1.10	0.90	1.23	0.98	1.25	1.55	2.57	3.14	3.28	2.77	2.04	22.11
1924	Critical	1.08	0.83	0.72	0.19	0.20	0.37	0.64	0.81	1.53	1.59	1.40	0.70	10.06
1925	Dry	0.43	0.37	0.39	0.17	0.19	0.77	1.71	2.82	3.41	3.56	3.00	2.21	19.03
1926	Dry	1.13	0.85	0.76	0.17	0.24	0.54	0.91	2.33	2.81	2.94	2.47	1.81	16.96
1927	Wet	0.93	0.70	0.63	0.39	0.76	1.77	1.99	2.50	3.09	3.20	2.77	2.07	20.80
1928	Above Normal	1.41	1.21	0.99	0.44	0.56	0.54	2.22	2.76	3.39	3.50	3.04	2.28	22.34
1929	Critical	1.56	1.34	1.10	0.17	0.16	0.24	0.59	0.90	1.67	1.74	1.53	0.77	11.77
1930	Dry	0.48	0.41	0.44	0.17	0.23	0.36	1.11	1.58	2.40	2.50	2.16	1.30	13.14
1931	Critical	0.74	0.59	0.59	0.16	0.22	0.40	0.81	1.01	1.88	1.96	1.73	0.87	10.96
1932	Dry	0.54	0.46	0.49	0.23	0.38	0.76	1.26	2.05	2.55	2.67	2.25	1.62	15.26
1933	Critical	0.83	0.62	0.56	0.17	0.53	0.68	1.00	1.65	2.42	2.53	2.18	1.34	14.51
1934	Critical	0.75	0.59	0.58	0.17	0.20	0.42	0.95	1.19	2.19	2.28	2.01	0.68	12.01
1935	Below Normal	0.76	0.65	0.68	0.17	0.32	0.55	2.04	2.76	3.37	3.50	3.00	2.24	20.04
1936	Below Normal	1.41	1.17	0.98	0.17	0.40	2.01	2.16	2.75	3.39	3.50	3.04	2.28	23.26
1937	Below Normal	1.56	1.34	1.10	0.20	0.48	0.94	2.67	3.31	4.07	4.21	3.65	2.75	26.28
1938	Wet	1.89	1.62	1.34	0.56	1.20	2.16	2.83	3.53	4.36	4.51	3.90	2.92	30.82
1939	Dry	1.99	1.70	1.39	0.41	0.47	0.66	1.69	2.81	3.40	3.55	2.99	2.20	23.26
1940	Above Normal	1.11	0.83	0.74	0.16	0.19	0.70	1.68	2.84	3.44	3.59	3.02	2.23	20.53
1941	Wet	1.14	0.85	0.77	0.77	1.04	1.76	2.27	2.84	3.51	3.64	3.15	2.34	24.08
1942	Wet	1.59	1.36	1.11	1.09	0.99	1.44	1.70	2.49	3.06	3.18	2.71	2.00	22.72
1943	Wet	1.15	0.92	0.78	1.02	1.07	1.66	2.54	3.17	3.92	4.06	3.51	2.62	26.42
1944	Dry	1.78	1.52	1.24	0.16	0.15	0.42	1.17	1.73	2.47	2.58	2.21	1.40	16.83
1945	Below Normal	0.78	0.61	0.60	0.33	0.33	1.98	2.15	2.68	3.30	3.41	2.96	2.22	21.35
1946	Below Normal	1.52	1.30	1.07	1.24	1.11	1.59	1.75	2.33	2.89	2.99	2.57	1.90	22.26
1947	Dry	1.23	1.03	0.84	0.46	0.41	0.73	2.21	2.74	3.38	3.49	3.02	2.27	21.81
1948	Below Normal	1.55	1.33	1.10	0.17	0.16	0.23	0.80	2.40	2.90	3.02	2.55	1.87	18.08
1949	Dry	0.97	0.73	0.66	0.30	0.30	0.50	1.86	2.89	3.50	3.65	3.09	2.28	20.73
1950	Below Normal	1.24	0.97	0.84	0.17	0.17	0.42	1.53	2.51	2.38	3.29	2.79	2.08	18.39
1951	Above Normal	1.12	0.86	0.77	1.46	1.35	1.91	1.97	2.58	3.19	3.30	2.85	2.12	23.48
1952	Wet	1.43	1.22	0.99	1.14	1.20	1.75	2.19	3.29	4.07	4.21	3.64	2.71	27.84
1953	Wet	1.84	1.57	1.28	1.12	0.57	0.65	1.41	2.45	2.98	3.11	2.61	1.92	21.51
1954	Above Normal	0.95	0.70	0.63	0.36	0.80	0.79	1.63	2.75	3.34	3.49	2.93	2.16	20.53
1955	Dry	1.08	0.81	0.72	0.38	0.44	0.62	1.43	2.38	2.89	3.02	2.54	1.86	18.17
1956	Wet	0.94	0.70	0.62	1.12	1.52	2.18	2.33	2.92	3.61	3.74	3.23	2.40	25.31
1957	Above Normal	1.62	1.38	1.12	0.35	0.39	0.94	1.67	2.80	3.40	3.55	2.99	2.20	22.41
1958	Wet	1.11	0.83	0.74	0.46	1.17	1.78	2.84	3.54	4.36	4.51	3.91	2.93	28.18
1959	Below Normal	1.99	1.71	1.40	0.33	0.48	0.64	1.41	2.33	2.24	3.07	2.59	1.93	20.12
1960	Dry	1.01	0.77	0.69	0.16	0.16	0.48	1.89	2.93	3.55	3.70	3.13	2.32	20.79
1961	Dry	1.27	0.98	0.86	0.17	0.21	0.37	1.47	2.42	2.92	3.05	2.57	1.89	18.18
1962	Below Normal	0.97	0.73	0.65	0.17	0.16	0.64	1.57	2.63	3.18	3.32	2.79	2.06	18.87
1963	Wet	1.05	0.79	0.71	1.18	1.05	1.52	1.72	2.40	2.96	3.07	2.63	1.94	21.02
1964	Dry	1.21	1.00	0.83	0.60	1.19	1.19	1.86	2.48	3.06	3.17	2.72	2.02	21.33
1965	Wet	1.28	1.06	0.88	0.83	1.06	1.55	1.78	2.44	3.01	3.13	2.68	1.98	21.68
1966	Below Normal	1.22	1.00	0.83	1.15	0.99	1.28	1.59	2.56	3.14	3.27	2.77	2.04	21.84
1967	Wet	1.09	0.85	0.73	0.47	1.29	1.92	2.82	3.52	4.34	4.49	3.89	2.91	28.32
1968	Below Normal	1.98	1.70	1.39	0.46	0.57	0.65	1.42	2.36	2.87	2.99	2.52	1.85	20.76
1969	Wet	0.92	0.69	0.61	1.08	1.23	1.99	2.77	3.46	4.27	4.42	3.83	2.85	28.12
1970	Wet	1.93	1.65	1.35	1.24	1.13	1.91	1.98	2.53	3.13	3.24	2.80	2.08	24.97
1971	Wet	1.40	1.19	0.97	1.14	1.00	1.20	1.60	2.57	3.14	3.28	2.77	2.04	22.30
1972	Below Normal	1.11	0.87	0.74	0.67	0.96	1.35	1.64	2.64	3.22	3.36	2.83	2.09	21.48
1973	Above Normal	1.09	0.83	0.72	0.51	1.20	1.77	2.04	2.63	3.25	3.36	2.91	2.17	22.48
1974	Wet	1.47	1.26	1.03	1.24	1.28	1.90	2.20	2.76	3.42	3.54	3.06	2.27	25.43
1975	Wet	1.53	1.30	1.06	0.82	0.60	1.72	2.04	2.54	3.14	3.24	2.81	2.09	22.89
1976	Critical	1.42	1.22	1.00	0.39	0.37	0.59	1.62	2.69	3.26	3.40	2.86	2.10	20.92
1977	Critical	1.07	0.80	0.71	0.17	0.16	0.23	0.43	0.53	0.00	0.00	0.00	2.11	6.21
1978	Above Normal	0.86	0.64	0.61	0.16	0.46	1.54	1.90	2.59	3.17	3.29	2.83	2.11	20.16
1979	Below Normal	1.36	1.14	0.95	0.30	0.36	1.82	2.10	2.63	3.24	3.34	2.90	2.17	22.31
1980	Above Normal	1.49	1.28	1.05	0.53	1.33	2.03	2.81	3.51	4.33	4.48	3.88	2.90	29.62
1981	Dry	1.97	1.69	1.38	0.29	0.40	0.57	1.49	2.53	3.07	3.20	2.69	1.98	21.26
1982	Wet	1.00	0.75	0.67	1.01	1.09	1.81	2.81	3.51	4.33	4.48	3.88	2.90	28.24
1983	Wet	1.97	1.69	1.38	1.41	1.30	1.96	2.73	3.41	4.23	4.37	3.78	2.81	31.04
1984	Wet	2.10	1.82	1.52	1.61	1.34	1.90	1.96	2.57	3.19	3.30	2.85	2.11	26.27
1985	Dry	1.42	1.21	0.98	1.17	1.01	1.73	1.95	2.52	3.12	3.23	2.79	2.07	23.20
1986	Wet	1.40	1.19	0.97	0.16	0.27	2.15	2.80	3.48	4.28	4.43	3.84	2.89	27.86
1987	Dry	1.98	1.70	1.40	0.16	0.15	0.22	0.60	0.75	1.40	1.46	1.29	0.65	11.76
1988	Critical	0.40	0.34	0.37	0.17	0.27	0.24	0.45	0.59	1.11	1.15	1.02	0.50	6.61
1989	Dry	0.31	0.26	0.28	0.25	0.29	0.36	2.02	2.79	3.41	3.54	3.04	2.26	18.81
1990	Critical	1.41	1.16	0.98	0.16	0.18	0.31	0.70	0.87	1.63	1.70	1.50	0.75	11.35
1991	Critical	0.47	0.40	0.43	0.17	0.16	0.23	0.47	0.58	1.09	1.14	1.00	0.50	6.64
1992	Critical	0.31	0.26	0.28	0.17	0.16	0.23	0.64	0.79	1.48	1.54	1.36	0.68	7.90
1993	Above Normal	0.43	0.36	0.39	0.18	1.06	1.57	1.78	2.59	3.17	3.29	2.81	2.07	19.70
1994	Critical	1.21	0.97	0.82	0.37	0.36	0.70	1.64	2.71	3.29	3.43	2.89	2.12	20.51
1995	Wet	1.07	0.80	0.72	0.17	0.88	1.02	2.58	3.21	3.96	4.09	3.55	2.66	24.71
1996	Wet	1.82	1.56	1.28	0.87	0.71	1.53	1.95	2.43	3.01	3.11	2.69	2.00	22.96
1997	Wet	1.36	1.16	0.95	1.15	1.16	2.02	2.36	2.95	3.65	3.78	3.26	2.43	26.23
1998	Wet	1.64	1.40	1.14	0.35	1.03	1.69	2.11	2.67	3.30	3.41	2.95	2.20	23.89
1999	Wet	1.50	1.48	1.25	1.34	1.34	1.91	1.96	2.56	3.18	3.29	2.84	2.11	24.76
2000	Above Normal	1.42	1.21	0.98	0.35	0.86	1.18	1.83	2.63	3.22	3.34	2.85	2.11	21.98
2001	Dry	1.26	1.02	0.86	0.16	0.18	0.41	0.99	1.27	2.24	2.34	2.05	1.08	13.86
2002	Dry	0.66	0.55	0.58	0.40	0.46	0.61	2.12	2.63	3.24	3.35	2.90	2.18	19.68
2003	Above Normal	1.49	1.28	1.06	0.53	0.49	0.64	1.41	2.34	2.84	2.97	2.49	1.83	19.37
	Average	1.25	1.03	0.88	0.54	0.66	1.11	1.75	2.45	3.06	3.20	2.74	2.00	20.66
	Wet	1.41	1.17	0.98	0.91	1.05	1.73	2.24	2.91	3.60	3.72	3.21	2.39	25.32
	Above Normal	1.24	1.00	0.86	0.47	0.81	1.27	1.90	2.70	3.31	3.44	2.94	2.18	22.11
	Below Normal	1.34	1.12	0.95	0.48	0.53	1.10	1.74	2.60	3.10	3.33	2.84	2.11	21.23
	Dry	1.15	0.95	0.82	0.32	0.38	0.63	1.54	2.31	2.93	3.06	2.61	1.86	18.56
	Critical	0.94	0.76	0.68	0.21	0.25	0.39	0.83	1.19	1.80	1.87	1.62	1.09	11.62

Energy Use (GWh) At Pumping Plant at Badger Hill: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.88	1.40	1.25	0.66	0.98	1.61	1.87	2.41	2.97	3.08	2.65	1.97	22.73
1923	Below Normal	1.30	1.10	0.90	1.23	0.98	1.24	1.55	2.57	3.15	3.28	2.77	2.04	22.11
1924	Critical	1.08	0.83	0.72	0.19	0.20	0.37	0.64	0.82	1.53	1.59	1.40	0.70	10.07
1925	Dry	0.43	0.37	0.39	0.17	0.19	0.77	1.71	2.82	3.41	3.56	3.00	2.21	19.03
1926	Dry	1.13	0.85	0.76	0.17	0.24	0.54	0.90	2.33	2.81	2.93	2.47	1.81	16.94
1927	Wet	0.93	0.70	0.63	0.39	0.76	1.77	1.99	2.50	3.09	3.20	2.77	2.07	20.80
1928	Above Normal	1.41	1.21	0.99	0.44	0.56	0.54	2.22	2.76	3.39	3.50	3.04	2.28	22.34
1929	Critical	1.56	1.34	1.10	0.17	0.16	0.24	0.59	0.90	1.67	1.74	1.53	0.77	11.77
1930	Dry	0.48	0.41	0.44	0.17	0.23	0.36	1.11	1.58	2.40	2.50	2.16	1.30	13.14
1931	Critical	0.74	0.59	0.59	0.16	0.22	0.40	0.81	1.01	1.88	1.96	1.72	0.87	10.95
1932	Dry	0.54	0.46	0.49	0.23	0.38	0.76	1.26	2.05	2.55	2.67	2.25	1.62	15.26
1933	Critical	0.83	0.62	0.56	0.17	0.53	0.68	1.00	1.65	2.42	2.53	2.18	1.34	14.51
1934	Critical	0.75	0.59	0.58	0.17	0.25	0.49	1.07	1.49	2.34	2.44	2.12	0.77	13.06
1935	Below Normal	0.87	0.73	0.72	0.17	0.32	0.55	2.00	2.79	3.41	3.54	3.03	2.25	20.38
1936	Below Normal	1.37	1.12	0.95	0.18	0.41	2.01	2.16	2.75	3.38	3.50	3.04	2.28	23.15
1937	Below Normal	1.56	1.34	1.10	0.20	0.48	0.94	2.67	3.31	4.07	4.21	3.65	2.75	26.28
1938	Wet	1.89	1.62	1.34	0.51	1.17	2.10	2.85	3.55	4.38	4.53	3.92	2.93	30.79
1939	Dry	2.00	1.71	1.40	0.35	0.36	0.51	1.43	2.36	2.26	3.10	2.63	1.96	20.07
1940	Above Normal	1.03	0.79	0.71	0.16	0.19	0.70	1.68	2.84	3.44	3.59	3.02	2.23	20.38
1941	Wet	1.14	0.85	0.77	0.77	1.04	1.75	2.27	2.83	3.50	3.62	3.14	2.34	24.02
1942	Wet	1.59	1.36	1.11	1.10	0.99	1.43	1.70	2.49	3.06	3.18	2.71	2.00	22.72
1943	Wet	1.15	0.92	0.78	1.02	1.06	1.65	2.53	3.16	3.90	4.03	3.49	2.60	26.29
1944	Dry	1.77	0.69	2.06	0.16	0.15	0.42	1.17	1.73	2.47	2.58	2.21	1.40	16.81
1945	Below Normal	0.78	0.61	0.60	0.33	0.33	1.95	2.15	2.68	3.30	3.41	2.96	2.22	21.32
1946	Below Normal	1.52	1.30	1.07	1.24	1.11	1.59	1.74	2.34	2.90	3.01	2.58	1.91	22.31
1947	Dry	1.22	1.02	0.84	0.46	0.41	0.73	2.21	2.75	3.39	3.50	3.03	2.27	21.83
1948	Below Normal	1.56	1.34	1.10	0.17	0.16	0.23	0.80	2.40	2.90	3.03	2.55	1.88	18.12
1949	Dry	0.97	0.73	0.66	0.30	0.30	0.50	1.85	2.89	3.51	3.66	3.10	2.29	20.76
1950	Below Normal	1.24	0.96	0.84	0.17	0.17	0.42	1.53	2.51	2.38	3.29	2.79	2.08	18.38
1951	Above Normal	1.12	0.86	0.77	1.44	1.35	1.91	1.97	2.58	3.19	3.31	2.85	2.12	23.47
1952	Wet	1.43	1.22	0.99	1.14	1.19	1.74	2.19	2.82	3.49	3.61	3.12	2.32	25.26
1953	Wet	1.57	1.34	1.09	1.28	0.96	1.08	1.53	2.60	3.18	3.33	2.80	2.06	22.82
1954	Above Normal	1.05	0.80	0.70	0.37	0.93	0.88	1.63	2.78	3.37	3.53	2.96	2.18	21.18
1955	Dry	1.09	0.81	0.73	0.38	0.46	0.64	1.47	2.44	2.96	3.09	2.60	1.91	18.58
1956	Wet	0.96	0.72	0.64	1.09	1.50	2.19	2.33	2.92	3.62	3.74	3.24	2.40	25.35
1957	Above Normal	1.63	1.39	1.13	0.35	0.39	0.91	1.67	2.80	3.40	3.55	2.99	2.20	22.41
1958	Wet	1.11	0.83	0.74	0.46	1.17	1.78	2.84	3.54	4.36	4.51	3.91	2.92	28.17
1959	Below Normal	1.99	1.71	1.40	0.33	0.48	0.64	1.41	2.33	2.24	3.07	2.59	1.93	20.12
1960	Dry	1.01	0.77	0.69	0.16	0.16	0.48	1.89	2.93	3.55	3.70	3.13	2.32	20.79
1961	Dry	1.27	0.99	0.86	0.17	0.21	0.37	1.47	2.42	2.92	3.05	2.57	1.89	18.19
1962	Below Normal	0.85	0.79	0.71	0.17	0.16	0.65	1.57	2.63	3.18	3.32	2.79	2.06	18.88
1963	Wet	1.05	0.79	0.71	1.18	1.05	1.52	1.72	2.40	2.96	3.07	2.63	1.94	21.02
1964	Dry	1.21	1.00	0.83	0.60	1.19	1.19	1.86	2.48	3.06	3.17	2.72	2.02	21.33
1965	Wet	1.28	1.06	0.88	0.83	1.06	1.55	1.78	2.45	3.01	3.13	2.68	1.98	21.69
1966	Below Normal	1.22	1.00	0.83	1.15	0.99	1.28	1.59	2.56	3.14	3.27	2.77	2.04	21.84
1967	Wet	1.09	0.85	0.73	0.47	1.29	1.92	2.82	3.52	4.34	4.49	3.89	2.91	28.32
1968	Below Normal	1.98	1.70	1.39	0.46	0.55	0.65	1.42	2.37	2.88	3.00	2.52	1.85	20.77
1969	Wet	0.93	0.69	0.61	1.08	1.22	2.00	2.77	3.46	4.28	4.43	3.83	2.85	28.15
1970	Wet	1.94	1.66	1.35	1.21	1.10	1.87	1.99	2.51	3.11	3.22	2.78	2.06	24.80
1971	Wet	1.39	1.18	0.96	1.15	1.01	1.23	1.60	2.55	3.13	3.27	2.76	2.04	22.27
1972	Below Normal	1.12	0.87	0.75	0.68	0.96	1.35	1.65	2.64	3.22	3.36	2.83	2.09	21.52
1973	Above Normal	1.09	0.83	0.73	0.51	1.20	1.77	2.04	2.63	3.25	3.36	2.91	2.17	22.49
1974	Wet	1.47	1.26	1.03	1.24	1.28	1.89	2.20	2.75	3.41	3.53	3.05	2.26	25.37
1975	Wet	1.53	1.30	1.06	0.83	0.60	1.72	2.03	2.54	3.13	3.24	2.80	2.09	22.87
1976	Critical	1.42	1.22	1.00	0.39	0.37	0.60	1.63	2.69	3.26	3.41	2.87	2.11	20.97
1977	Critical	1.07	0.80	0.71	0.17	0.16	0.23	0.43	0.53	0.00	0.00	0.00	2.11	6.21
1978	Above Normal	0.60	0.78	0.74	0.16	0.46	1.43	1.85	2.67	3.26	3.39	2.89	2.15	20.38
1979	Below Normal	1.30	1.06	0.90	0.30	0.36	1.74	2.01	2.51	3.09	3.20	2.77	2.08	21.32
1980	Above Normal	1.42	1.22	1.00	0.86	1.30	2.01	2.35	3.04	3.76	3.89	3.36	2.50	26.71
1981	Dry	1.70	1.45	1.18	0.38	0.70	0.96	1.65	2.79	3.39	3.54	2.99	2.20	22.93
1982	Wet	1.13	0.85	0.75	1.01	1.09	1.81	2.81	3.51	4.33	4.48	3.88	2.90	28.55
1983	Wet	1.97	1.68	1.38	1.41	1.30	1.96	2.73	3.41	4.23	4.37	3.78	2.81	31.03
1984	Wet	2.10	1.82	1.52	1.61	1.34	1.90	1.96	2.57	3.19	3.30	2.85	2.11	26.27
1985	Dry	1.42	1.21	0.98	1.17	1.01	1.73	1.95	2.52	3.12	3.23	2.79	2.07	23.20
1986	Wet	1.40	1.19	0.97	0.16	0.27	2.10	2.80	3.49	4.29	4.43	3.85	2.89	27.84
1987	Dry	1.99	1.71	1.40	0.16	0.15	0.22	0.60	0.75	1.40	1.46	1.29	0.65	11.78
1988	Critical	0.40	0.34	0.37	0.17	0.27	0.24	0.45	0.59	1.12	1.17	1.03	0.51	6.66
1989	Dry	0.31	0.26	0.28	0.25	0.28	0.36	2.02	2.80	3.42	3.55	3.04	2.27	18.84
1990	Critical	1.40	1.15	0.97	0.16	0.18	0.32	0.71	0.88	1.64	1.71	1.51	0.76	11.39
1991	Critical	0.47	0.40	0.43	0.17	0.16	0.23	0.47	0.58	1.09	1.14	1.00	0.50	6.64
1992	Critical	0.31	0.26	0.28	0.17	0.16	0.23	0.62	0.78	1.45	1.51	1.33	0.67	7.77
1993	Above Normal	0.42	0.35	0.38	0.18	1.06	1.57	1.78	2.58	3.16	3.29	2.80	2.07	19.64
1994	Critical	1.21	0.97	0.82	0.37	0.36	0.70	1.64	2.71	3.28	3.43	2.89	2.12	20.50
1995	Wet	1.07	0.80	0.72	0.17	0.88	1.02	2.58	3.21	3.96	4.09	3.55	2.66	24.71
1996	Wet	1.82	0.43	2.42	0.87	0.71	1.53	1.94	2.42	3.00	3.10	2.68	2.00	22.92
1997	Wet	1.36	1.16	0.95	1.15	1.16	2.03	2.36	2.95	3.65	3.77	3.26	2.43	26.23
1998	Wet	1.64	1.40	1.14	0.36	1.03	1.69	2.12	2.65	3.28	3.39	2.93	2.19	23.82
1999	Wet	1.49	1.28	1.24	1.34	1.34	1.91	1.96	2.56	3.18	3.29	2.84	2.11	24.54
2000	Above Normal	1.42	1.21	0.98	0.35	0.86	1.16	1.82	2.64	3.23	3.36	2.86	2.12	22.01
2001	Dry	1.25	1.01	0.86	0.16	0.18	0.41	0.99	1.28	2.24	2.34	2.05	1.08	13.85
2002	Dry	0.66	0.55	0.58	0.40	0.46	0.61	2.12	2.63	3.24	3.35	2.90	2.17	19.67
2003	Above Normal	1.49	1.28	1.05	0.53	0.49	0.64	1.41	2.34	2.84	2.97	2.49	1.83	19.36
	Average	1.24	1.00	0.90	0.55	0.67	1.12	1.74	2.44	3.04	3.19	2.73	2.00	20.61
	Wet	1.40	1.11	1.02	0.92	1.06	1.74	2.25	2.90	3.58	3.71	3.20	2.38	25.25
	Above Normal	1.21	1.01	0.87	0.50	0.81	1.26	1.86	2.67	3.27	3.40	2.90	2.15	21.93
	Below Normal	1.33	1.12	0.95	0.48	0.53	1.09	1.73	2.60	3.09	3.32	2.83	2.10	21.18
	Dry	1.14	0.89	0.86	0.32	0.39	0.64	1.54	2.31	2.89	3.05	2.61	1.86	18.50
	Critical	0.94	0.76	0.68	0.21	0.25	0.39	0.84	1.22	1.81	1.89	1.63	1.10	11.71

Difference in Energy Use (GWh) At Pumping Plant at Badger Hill: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.05	0.07	0.12	0.30	0.15	0.16	0.11	0.09	0.09
1935	Below Normal	0.11	0.08	0.04	0.00	0.00	0.00	(0.04)	0.03	0.04	0.04	0.03	0.01	0.03
1936	Below Normal	(0.04)	(0.05)	(0.03)	0.01	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	(0.05)	(0.03)	(0.06)	0.02	0.02	0.02	0.02	0.02	0.01	0.00
1939	Dry	0.01	0.01	0.01	(0.06)	(0.11)	(0.15)	(0.26)	(0.45)	(1.14)	(0.45)	(0.36)	(0.24)	(0.27)
1940	Above Normal	(0.08)	(0.04)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1941	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	(0.03)	(0.02)	(0.02)	(0.01)
1944	Dry	(0.01)	(0.83)	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.01	0.02	0.01	0.01	0.00
1947	Dry	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
1948	Below Normal	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.01	0.01	0.01	0.00
1950	Below Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.47)	(0.58)	(0.60)	(0.52)	(0.39)	(0.22)
1953	Wet	(0.27)	(0.23)	(0.19)	0.16	0.39	0.43	0.12	0.15	0.20	0.22	0.19	0.14	0.11
1954	Above Normal	0.10	0.10	0.07	0.01	0.13	0.09	0.00	0.03	0.03	0.04	0.03	0.02	0.05
1955	Dry	0.01	0.00	0.01	0.00	0.02	0.02	0.04	0.06	0.07	0.07	0.06	0.05	0.03
1956	Wet	0.02	0.02	0.02	(0.03)	(0.02)	0.01	0.00	0.00	0.01	0.00	0.01	0.00	0.00
1957	Above Normal	0.01	0.01	0.01	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	(0.12)	0.06	0.06	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
1969	Wet	0.01	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1970	Wet	0.01	0.01	0.00	(0.03)	(0.03)	(0.04)	0.01	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)
1971	Wet	(0.01)	(0.01)	(0.01)	0.01	0.01	0.03	0.00	(0.02)	(0.01)	(0.01)	(0.01)	0.00	0.00
1972	Below Normal	0.01	0.00	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1975	Wet	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	(0.26)	0.14	0.13	0.00	0.00	(0.11)	(0.05)	0.08	0.09	0.10	0.06	0.04	0.02
1979	Below Normal	(0.06)	(0.08)	(0.05)	0.00	0.00	(0.08)	(0.09)	(0.12)	(0.15)	(0.14)	(0.13)	(0.09)	(0.08)
1980	Above Normal	(0.07)	(0.06)	(0.05)	0.33	(0.03)	(0.02)	(0.46)	(0.47)	(0.57)	(0.59)	(0.52)	(0.40)	(0.24)
1981	Dry	(0.27)	(0.24)	(0.20)	0.09	0.30	0.39	0.16	0.26	0.32	0.34	0.30	0.22	0.14
1982	Wet	0.13	0.10	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1983	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.01	0.01	0.00	0.01	0.00	0.00
1987	Dry	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.01	0.00
1989	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.00
1990	Critical	(0.01)	(0.01)	(0.01)	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)
1993	Above Normal	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	(1.13)	1.14	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.01	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)
1999	Wet	(0.01)	(0.20)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.01	0.01	0.02	0.01	0.01	0.00
2001	Dry	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
2003	Above Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.01)	(0.03)	0.02	0.01	0.01	0.01	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.00)
	Wet	(0.00)	(0.06)	0.04	0.00	0.01	0.01	0.01	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)
	Above Normal	(0.03)	0.01	0.01	0.03	0.01	(0.01)	(0.04)	(0.03)	(0.04)	(0.04)	(0.04)	(0.03)	(0.02)
	Below Normal	(0.01)	0.00	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)
	Dry	(0.02)	(0.06)	0.04	0.00	0.01	0.01	(0.00)	(0.01)	(0.04)	(0.00)	0.00	0.00	(0.01)
	Critical	(0.00)	(0.00)	(0.00)	0.00	0.00	0.01	0.01	0.03	0.01	0.01	0.01	0.01	0.01

Percent Difference in Energy Use (GWh) At Pumping Plant at Badger Hill: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	25%	17%	13%	25%	7%	7%	5%	13%
1935	Below Normal	14%	12%	6%	0%	0%	0%	-2%	1%	1%	1%	1%	0%
1936	Below Normal	-3%	-4%	-3%	6%	2%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-9%	-3%	-3%	1%	1%	0%	0%	1%	0%
1939	Dry	1%	1%	1%	-15%	-23%	-23%	-15%	-16%	-34%	-13%	-12%	-11%
1940	Above Normal	-7%	-5%	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	-1%	0%	0%
1942	Wet	0%	0%	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	-1%	-1%	-1%	-1%
1944	Dry	-1%	-55%	66%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	1%	0%	1%
1947	Dry	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1949	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	-1%	-1%	0%	-14%	-14%	-14%	-14%	-14%
1953	Wet	-15%	-15%	-15%	14%	68%	66%	9%	6%	7%	7%	7%	7%
1954	Above Normal	11%	14%	11%	3%	16%	11%	0%	1%	1%	1%	1%	1%
1955	Dry	1%	0%	1%	0%	5%	3%	3%	3%	2%	2%	2%	3%
1956	Wet	2%	3%	3%	-3%	-1%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	1%	1%	1%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-12%	8%	9%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	-1%	1%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	1%	0%	-2%	-3%	-2%	1%	-1%	-1%	-1%	-1%	-1%
1971	Wet	-1%	-1%	-1%	1%	1%	3%	0%	-1%	0%	0%	0%	0%
1972	Below Normal	1%	0%	1%	1%	0%	0%	1%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	2%	1%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	-30%	22%	21%	0%	0%	-7%	-3%	3%	3%	3%	2%	2%
1979	Below Normal	-4%	-7%	-5%	0%	0%	-4%	-4%	-5%	-5%	-4%	-4%	-4%
1980	Above Normal	-5%	-5%	-5%	62%	-2%	-1%	-16%	-13%	-13%	-13%	-13%	-14%
1981	Dry	-14%	-14%	-14%	31%	75%	68%	11%	10%	10%	11%	11%	11%
1982	Wet	13%	13%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1987	Dry	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	2%	1%	2%
1989	Dry	0%	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	-1%	-1%	-1%	0%	0%	3%	1%	1%	1%	1%	1%	1%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-3%	-1%	-2%	-2%	-2%	-1%
1993	Above Normal	-2%	-3%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-72%	89%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	3%	0%	0%	0%	-1%	-1%	-1%	-1%	0%
1999	Wet	-1%	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-2%	-1%	0%	0%	1%	0%	0%
2001	Dry	-1%	-1%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-1%	-1%	2%	1%	2%	2%	0%	0%	0%	0%	0%	0%
	Wet	0%	-3%	3%	0%	2%	2%	0%	0%	0%	0%	0%	0%
	Above Normal	-3%	2%	2%	5%	1%	0%	-2%	-1%	-1%	-1%	-1%	-1%
	Below Normal	0%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	-1%	-4%	3%	1%	3%	3%	0%	0%	-1%	0%	0%	0%
	Critical	0%	0%	0%	0%	2%	2%	1%	2%	1%	1%	0%	1%

Energy Use (GWh) At Pumping Plant at Buena Vista: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	60.12	51.69	41.64	10.19	33.84	38.87	38.65	39.86	39.25	40.70	40.43	37.80	473.04
1923	Below Normal	33.50	30.30	29.02	48.17	48.25	38.85	33.92	39.20	39.18	41.80	42.19	37.23	461.61
1924	Critical	29.45	25.96	21.43	9.75	10.40	12.46	19.07	23.32	23.72	23.74	21.42	18.21	238.93
1925	Dry	9.43	7.12	6.08	2.32	5.87	22.52	34.66	44.87	45.33	48.42	49.39	42.88	318.89
1926	Dry	33.23	29.44	23.28	4.47	7.21	16.21	25.47	37.12	37.41	39.91	40.71	35.31	329.77
1927	Wet	26.90	23.66	18.51	5.49	22.09	43.32	41.34	42.56	41.75	43.13	42.80	40.42	391.97
1928	Above Normal	36.72	33.44	32.63	25.79	31.02	23.04	47.01	48.08	47.03	48.58	48.33	45.75	467.42
1929	Critical	41.98	38.53	37.68	25.95	24.25	15.07	17.77	25.57	26.01	26.10	23.60	4.05	306.56
1930	Dry	12.22	14.57	12.70	4.19	6.93	11.34	28.57	34.04	34.84	35.71	34.05	29.24	258.40
1931	Critical	18.91	15.34	11.78	4.20	6.76	12.21	23.26	28.25	28.82	28.95	26.11	22.15	226.74
1932	Dry	12.10	8.83	7.52	4.28	9.04	29.66	25.62	34.28	34.50	36.70	37.03	32.11	271.67
1933	Critical	23.71	20.66	16.03	4.30	36.44	13.71	22.72	33.84	34.47	35.69	34.31	29.48	305.36
1934	Critical	19.52	15.96	12.30	4.33	6.25	12.82	26.55	32.44	33.29	33.36	19.11	1.47	217.40
1935	Below Normal	29.05	22.81	17.11	4.34	8.95	16.49	43.55	46.29	46.02	47.97	48.08	44.12	374.78
1936	Below Normal	38.27	34.69	32.15	18.89	21.69	57.48	40.88	47.06	46.15	47.69	47.38	44.78	477.11
1937	Below Normal	40.98	37.48	36.63	27.26	49.39	49.08	50.90	56.61	55.57	57.40	57.12	54.09	572.51
1938	Wet	50.19	46.18	45.30	31.44	49.55	57.70	57.19	58.54	57.86	59.58	59.17	55.98	628.68
1939	Dry	51.99	47.61	46.79	33.88	36.21	29.14	39.04	45.14	12.44	53.32	21.57	48.91	466.04
1940	Above Normal	11.06	8.41	45.31	4.28	6.00	20.32	38.10	45.23	35.15	48.89	52.44	45.60	360.79
1941	Wet	35.48	31.48	24.93	15.49	35.83	42.10	45.79	46.96	46.13	47.69	47.29	44.66	463.83
1942	Wet	40.87	37.27	36.49	48.89	49.52	50.16	35.65	38.84	38.73	40.87	40.97	36.85	495.11
1943	Wet	30.43	27.06	23.75	36.41	45.16	42.12	50.58	51.83	50.94	52.68	52.28	49.43	512.67
1944	Dry	45.56	0.97	56.81	19.15	18.15	16.96	29.17	34.66	35.06	36.46	35.39	30.53	358.87
1945	Below Normal	20.60	17.09	13.25	7.22	8.89	57.45	40.66	45.69	44.86	46.36	46.01	43.51	391.59
1946	Below Normal	39.73	36.27	35.43	49.35	49.54	55.20	35.70	37.28	36.68	38.15	37.89	35.27	486.49
1947	Dry	30.92	27.84	26.46	22.98	25.01	21.46	46.84	47.84	46.80	48.27	48.03	45.52	437.97
1948	Below Normal	41.76	38.31	37.46	24.08	22.61	14.72	23.06	19.26	5.00	52.63	53.37	46.54	378.80
1949	Dry	36.15	32.29	25.73	6.89	8.46	14.64	41.43	46.74	47.07	49.93	30.70	50.65	390.68
1950	Below Normal	39.35	18.63	24.09	5.71	6.29	12.51	35.21	40.52	1.57	52.30	52.69	45.68	334.55
1951	Above Normal	35.34	31.23	24.84	51.12	49.55	57.36	35.20	41.67	41.00	42.27	41.89	39.52	490.99
1952	Wet	35.79	32.45	31.69	48.73	51.32	57.16	46.74	53.57	52.67	54.48	54.07	51.09	569.76
1953	Wet	47.25	43.09	42.30	50.18	41.71	29.00	32.35	38.26	16.50	45.92	46.31	40.32	473.19
1954	Above Normal	30.86	27.24	21.42	6.70	24.16	21.86	36.70	43.05	40.84	45.37	48.11	41.82	388.13
1955	Dry	32.26	28.49	22.41	5.98	9.72	18.55	33.32	38.48	38.65	41.38	42.12	36.57	347.93
1956	Wet	27.86	24.53	19.23	33.10	51.34	57.73	41.77	46.98	46.33	47.76	47.34	44.71	488.68
1957	Above Normal	40.88	37.19	36.41	32.39	31.52	33.35	37.93	44.60	30.76	50.11	52.30	45.55	472.99
1958	Wet	35.26	31.35	24.80	4.91	40.22	42.84	57.12	58.76	57.90	59.73	59.40	56.15	528.44
1959	Below Normal	52.25	16.28	55.23	22.31	23.47	23.43	32.78	37.46	1.69	48.40	48.65	42.16	404.11
1960	Dry	32.37	28.50	22.54	4.26	5.13	14.18	41.92	47.47	36.50	53.13	41.88	51.02	378.90
1961	Dry	41.27	36.99	30.92	8.65	10.15	12.35	33.97	38.99	39.42	42.05	34.56	22.69	352.01
1962	Below Normal	0.58	33.06	37.56	4.46	5.47	18.76	35.94	41.87	3.80	53.42	54.04	47.01	335.97
1963	Wet	36.48	32.44	25.82	29.90	35.44	35.97	35.40	38.05	37.57	39.27	39.15	36.04	421.53
1964	Dry	30.98	27.76	25.67	23.24	50.85	37.54	38.75	40.58	40.14	41.87	41.73	38.51	437.62
1965	Wet	33.56	30.19	28.23	34.31	48.19	43.74	36.98	39.18	24.88	43.21	43.12	39.53	445.12
1966	Below Normal	33.94	30.50	27.97	43.50	45.91	35.01	34.56	39.33	39.39	41.79	42.20	37.27	451.37
1967	Wet	29.68	26.20	21.80	10.55	48.32	47.62	56.35	58.19	57.37	59.24	58.87	55.67	529.86
1968	Below Normal	51.69	47.29	46.45	24.20	29.72	25.30	33.39	38.36	1.89	49.47	49.65	43.10	440.51
1969	Wet	33.08	29.17	23.06	27.56	49.57	57.50	51.76	54.92	55.38	57.13	56.72	53.60	549.45
1970	Wet	49.61	45.34	44.55	51.12	49.55	57.36	39.33	40.97	40.32	41.58	41.17	38.80	539.70
1971	Wet	35.11	31.80	31.05	48.67	49.52	42.61	34.57	39.45	39.52	41.95	42.27	37.47	473.99
1972	Below Normal	30.01	26.56	22.34	17.63	38.52	34.96	36.17	41.13	41.41	44.05	44.58	39.06	416.42
1973	Above Normal	30.63	27.05	21.95	8.39	43.70	44.23	37.54	43.83	43.15	44.38	44.03	41.56	430.44
1974	Wet	37.83	34.39	33.61	49.55	49.58	57.37	54.48	44.45	43.88	45.16	44.75	42.25	537.30
1975	Wet	38.48	34.88	34.11	41.93	35.90	49.76	42.29	43.24	42.49	43.77	43.45	41.08	491.38
1976	Critical	37.31	34.00	33.21	26.75	28.02	24.89	37.35	43.34	37.11	48.11	35.04	46.90	432.03
1977	Critical	36.34	32.26	21.09	4.38	5.27	8.25	14.19	3.41	0.00	2.66	2.41	2.68	132.94
1978	Above Normal	0.63	18.58	30.90	4.11	9.99	38.66	40.75	43.66	43.17	44.92	44.86	41.48	361.71
1979	Below Normal	36.50	32.97	30.99	23.09	23.27	49.62	43.72	44.94	44.14	45.46	45.15	42.72	462.57
1980	Above Normal	38.95	35.52	34.72	37.64	51.34	57.56	52.28	57.89	57.09	58.97	58.56	55.39	595.91
1981	Dry	51.47	39.20	50.73	23.73	23.92	22.11	34.33	40.61	3.39	51.91	52.40	45.55	439.35
1982	Wet	35.17	31.19	24.78	25.69	36.77	42.68	55.84	57.38	56.63	58.36	57.94	54.75	537.18
1983	Wet	50.83	46.47	45.65	51.12	49.58	57.46	50.63	53.82	54.34	56.00	55.63	52.57	624.10
1984	Wet	53.26	47.28	55.31	51.12	51.31	57.35	34.67	41.51	40.73	42.16	41.75	39.39	555.84
1985	Dry	35.60	32.31	39.61	41.09	36.79	38.30	39.11	40.92	40.36	41.57	41.16	38.78	465.60
1986	Wet	35.12	31.86	31.07	26.30	33.37	57.71	53.50	58.79	57.83	59.72	59.27	56.03	560.57
1987	Dry	52.37	15.44	55.18	19.34	18.35	12.50	18.38	21.74	22.02	22.00	19.95	16.97	294.24
1988	Critical	8.79	6.68	5.72	2.04	7.77	8.39	14.51	17.46	17.46	17.69	15.89	13.49	135.89
1989	Dry	6.84	5.10	4.40	2.48	8.09	11.29	43.86	46.94	46.60	48.80	46.67	45.31	316.38
1990	Critical	39.16	35.44	32.57	17.81	17.46	14.57	20.70	24.78	25.28	25.35	22.88	19.46	295.46
1991	Critical	10.36	7.70	6.56	2.51	5.30	8.28	14.90	17.33	17.37	17.56	15.81	13.49	137.17
1992	Critical	6.89	5.15	4.45	1.73	4.24	8.31	19.15	22.84	23.10	23.14	20.36	18.09	157.45
1993	Above Normal	6.65	5.10	9.14	4.08	36.10	37.72	37.49	40.92	16.00	47.68	47.99	43.28	332.15
1994	Critical	36.13	32.39	28.54	16.16	17.61	23.11	37.52	43.36	29.35	49.90	11.65	31.44	357.16
1995	Wet	2.87	25.53	47.13	4.42	28.12	26.55	52.47	53.81	52.87	54.61	54.35	51.44	454.17
1996	Wet	47.58	22.53	37.54	21.28	20.76	37.59	40.36	40.99	40.20	41.53	41.20	38.87	430.43
1997	Wet	35.18	32.02	31.25	48.23	49.55	57.51	46.50	47.85	47.05	48.55	48.17	45.50	537.36
1998	Wet	41.66	37.95	37.16	32.17	49.52	56.44	44.16	44.14	43.29	44.89	44.58	42.08	518.04
1999	Wet	38.27	40.20	38.44	49.61	49.55	44.86	34.86	41.27	40.52	42.02	41.67	39.25	500.52
2000	Above Normal	35.52	32.23	31.45	29.35	46.90	36.81	38.98	42.47	42.20	44.59	44.79	40.51	465.80
2001	Dry	34.00	30.53	27.27	15.59	15.58	15.44	26.80	32.80	33.62	33.98	31.19	26.62	323.42
2002	Dry	15.53	11.83	9.31	4.43	10.02	18.44	44.87	45.79	44.73	46.41	28.84	48.33	328.53
2003	Above Normal	11.20	13.92	42.73	6.68	11.58	19.17	33.08	38.10	1.41	49.30	49.54	42.95	319.66
	Average	32.48	28.23	29.28	21.78	28.71	32.86	37.32	41.14	36.13	44.00	41.85	39.20	413.00
	Wet	37.07	33.71	32.98	33.78	43.13	48.16	45.10	47.47	45.53	48.88	48.60	45.54	509.96
	Above Normal	28.21	26.80	31.10	18.39	31.31	35.75	39.48	44.11	36.42	47.15	47.77	43.43	429.92
	Below Normal	34.87	30.16	31.83	22.87	27.28	34.92	37.17	41.07	29.10	47.64	47.79	43.04	427.74
	Dry	31.35	23.60	27.41	13.72	16.97	20.15	34.78	39.95	35.49	42.88	37.63	38.08	362.02
	Critical	25.71	22.51	19.28	9.99	14.15	13.51	22.31	26.33	24.67	27.69	20.72	18.41	245.26

Energy Use (GWh) At Pumping Plant at Buena Vista: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	60.12	51.69	41.64	10.19	33.84	38.87	38.65	39.86	43.64	46.84	41.40	37.80	484.54
1923	Below Normal	33.50	30.30	29.02	48.17	48.23	38.60	33.92	39.23	48.56	41.85	42.24	37.26	470.88
1924	Critical	29.44	25.95	21.38	9.62	10.28	12.43	19.08	23.33	23.72	23.75	21.43	18.21	238.62
1925	Dry	9.44	7.12	6.09	2.32	5.87	22.39	34.68	44.90	45.36	48.45	49.42	42.90	318.94
1926	Dry	33.25	29.46	23.30	4.47	7.20	16.20	25.44	37.10	37.38	39.88	40.69	35.29	329.66
1927	Wet	26.88	23.65	18.50	5.49	22.07	43.32	41.35	42.56	47.35	46.19	42.80	40.42	400.58
1928	Above Normal	36.72	33.44	32.63	25.79	31.00	23.04	47.01	48.08	47.03	48.58	48.33	45.75	467.40
1929	Critical	41.98	38.53	37.68	25.94	24.25	15.07	17.77	25.56	26.00	26.09	23.59	4.04	306.50
1930	Dry	12.22	14.56	12.71	4.19	6.93	11.34	28.57	34.04	34.84	35.71	34.05	29.24	258.40
1931	Critical	18.91	15.34	11.78	4.20	6.76	12.21	23.26	28.24	28.81	28.94	26.10	22.15	226.70
1932	Dry	12.10	8.82	7.52	4.27	9.04	30.29	25.62	34.28	41.31	38.55	37.02	32.11	280.93
1933	Critical	23.71	20.66	16.03	4.30	35.82	13.71	22.72	33.84	34.47	35.69	34.31	29.48	304.74
1934	Critical	19.52	15.96	12.30	4.33	7.36	18.26	24.09	33.47	34.07	34.88	30.69	1.47	236.40
1935	Below Normal	28.24	24.71	19.18	4.37	8.91	16.35	43.04	46.47	46.36	48.53	48.78	44.31	379.25
1936	Below Normal	37.76	34.10	30.92	16.72	19.68	57.48	40.87	47.05	50.83	51.66	47.37	44.77	479.21
1937	Below Normal	40.97	37.47	36.63	27.26	49.39	49.07	50.90	56.61	55.57	57.41	57.12	54.09	572.49
1938	Wet	50.33	46.18	45.30	34.53	49.54	57.62	58.57	59.69	56.26	60.35	59.80	56.55	634.72
1939	Dry	53.23	48.80	48.01	41.23	34.95	24.95	33.26	38.15	12.08	49.19	24.81	41.97	450.63
1940	Above Normal	13.21	8.77	45.87	4.25	6.02	20.33	38.11	45.24	42.03	50.68	52.45	45.61	372.57
1941	Wet	35.49	31.49	24.94	15.47	35.83	41.95	45.65	46.81	50.37	52.55	49.24	44.51	474.30
1942	Wet	40.73	37.13	36.36	48.88	49.52	49.95	35.65	38.85	43.13	48.98	40.99	36.86	507.03
1943	Wet	30.43	27.06	23.73	36.35	44.76	41.78	50.34	51.57	53.21	54.86	54.11	50.92	519.12
1944	Dry	45.32	0.36	57.39	17.72	16.87	16.55	29.17	34.65	35.05	36.45	35.38	30.52	355.43
1945	Below Normal	20.60	17.09	13.25	7.23	8.89	53.59	40.72	45.75	50.29	51.84	46.80	43.57	399.62
1946	Below Normal	39.79	36.33	35.49	49.34	49.54	55.10	35.57	37.35	46.87	38.33	38.09	35.34	497.14
1947	Dry	30.79	27.69	26.12	22.27	25.06	20.81	46.96	47.97	46.93	48.41	48.17	45.65	436.83
1948	Below Normal	41.89	38.43	37.58	23.14	21.77	14.41	23.07	19.53	4.96	52.66	53.37	46.62	377.43
1949	Dry	36.20	32.32	25.62	6.87	8.44	14.61	41.33	46.75	47.11	50.00	30.42	50.79	390.46
1950	Below Normal	39.41	18.76	24.26	5.71	6.29	12.51	35.21	40.52	1.57	52.30	52.69	45.68	334.91
1951	Above Normal	35.34	31.23	24.84	51.12	49.55	57.36	35.23	41.70	48.74	43.26	41.92	39.55	499.84
1952	Wet	35.82	32.49	31.72	48.73	51.32	57.16	46.55	45.66	49.15	52.11	47.33	43.39	541.43
1953	Wet	39.66	36.01	35.25	50.53	49.52	45.05	33.63	39.42	39.56	42.39	42.82	37.50	491.34
1954	Above Normal	29.14	25.62	20.56	8.92	32.83	23.78	36.53	43.02	43.29	46.42	47.18	40.97	398.26
1955	Dry	31.57	27.84	21.85	5.78	9.98	18.99	34.07	39.39	39.60	42.39	43.15	37.46	352.07
1956	Wet	28.61	25.21	19.79	27.64	51.34	57.73	41.92	47.11	51.31	52.85	49.14	44.83	497.48
1957	Above Normal	41.00	37.30	36.52	32.42	31.51	32.79	37.92	44.58	30.20	50.13	52.41	45.65	472.43
1958	Wet	35.34	31.42	24.85	4.90	40.19	42.81	57.09	58.74	57.87	59.70	59.38	56.14	528.43
1959	Below Normal	52.22	26.17	55.19	22.35	23.48	23.44	32.78	37.46	1.69	48.40	48.65	42.16	413.99
1960	Dry	32.37	28.50	22.54	4.27	5.14	14.13	41.93	47.48	36.54	53.13	42.02	50.97	379.02
1961	Dry	41.23	36.96	30.90	8.67	10.16	12.35	33.97	38.99	39.43	42.05	34.54	22.70	351.95
1962	Below Normal	0.58	33.02	37.42	4.46	5.47	18.77	35.94	41.87	14.22	53.42	54.04	47.01	346.22
1963	Wet	36.48	32.44	25.82	29.91	35.44	35.97	35.40	38.05	47.30	43.04	39.15	36.04	435.04
1964	Dry	30.98	27.76	25.67	23.29	50.85	37.55	38.75	40.58	40.13	41.86	41.72	38.51	437.65
1965	Wet	33.56	30.19	28.23	34.33	48.19	43.75	36.98	39.18	35.25	46.27	43.11	39.50	458.54
1966	Below Normal	34.01	30.53	28.00	43.47	45.88	35.01	34.56	39.33	39.39	41.78	42.19	37.27	451.42
1967	Wet	29.68	26.20	21.80	10.56	48.32	47.63	56.35	58.19	57.37	59.24	58.87	55.67	529.88
1968	Below Normal	51.69	46.86	49.68	25.50	27.29	24.67	33.53	38.53	2.15	49.60	49.80	43.24	442.54
1969	Wet	33.21	29.31	23.18	27.45	49.56	57.50	50.60	56.20	55.50	58.53	58.11	54.95	554.10
1970	Wet	51.01	46.69	45.94	51.12	49.54	57.30	43.54	40.69	48.25	46.58	40.88	38.52	560.06
1971	Wet	34.84	31.56	30.81	48.64	49.52	42.99	34.59	39.34	39.40	41.79	42.07	37.36	472.91
1972	Below Normal	30.04	26.61	22.50	18.31	38.75	35.13	36.20	41.14	41.42	44.04	44.57	39.07	417.78
1973	Above Normal	30.67	27.09	22.01	8.51	43.70	44.23	37.54	43.83	49.62	46.58	44.03	41.56	439.37
1974	Wet	37.83	34.39	33.61	49.55	49.58	57.36	54.15	44.32	50.05	51.54	44.62	42.12	549.12
1975	Wet	38.36	34.77	34.00	42.17	35.98	49.70	42.23	43.18	49.21	45.60	43.39	41.02	499.61
1976	Critical	37.26	33.94	33.15	26.73	28.02	24.94	37.43	43.43	37.33	48.18	34.94	47.04	432.39
1977	Critical	36.44	32.35	20.49	4.38	5.27	8.25	14.19	3.33	0.00	2.65	2.41	2.70	132.46
1978	Above Normal	0.63	18.58	30.81	4.11	9.99	36.16	40.25	44.22	48.42	48.51	51.18	42.07	374.93
1979	Below Normal	35.75	32.06	28.90	18.82	19.42	46.36	41.98	43.08	49.03	50.28	43.24	40.91	449.83
1980	Above Normal	37.16	33.86	33.06	39.97	51.33	57.52	42.71	49.40	52.31	53.82	53.19	47.11	551.44
1981	Dry	43.33	39.42	38.64	31.72	42.33	33.85	37.55	44.39	39.09	49.03	49.71	43.41	492.47
1982	Wet	33.88	30.03	24.11	27.19	37.90	42.65	55.83	57.37	56.61	58.34	57.92	54.74	536.57
1983	Wet	50.88	46.51	48.92	51.12	49.58	57.46	54.98	52.23	56.26	56.00	55.92	53.74	633.60
1984	Wet	54.47	48.45	43.43	51.12	51.31	57.35	34.67	41.51	48.62	47.77	41.75	39.39	559.84
1985	Dry	35.60	32.31	39.60	41.09	36.79	38.29	39.11	40.92	40.36	41.57	41.16	38.78	465.58
1986	Wet	35.12	31.86	31.07	26.30	27.60	57.64	56.21	58.92	57.83	59.83	59.34	56.11	557.83
1987	Dry	52.59	21.00	55.18	19.56	18.33	12.49	18.38	21.73	22.02	21.99	19.94	16.96	300.17
1988	Critical	8.78	6.67	5.72	2.04	7.78	8.39	14.51	17.65	17.66	17.89	16.07	13.64	136.80
1989	Dry	6.93	5.17	4.46	2.46	8.08	11.22	43.78	46.99	46.68	48.92	44.35	46.03	315.07
1990	Critical	39.70	35.94	32.92	17.40	17.17	14.52	20.83	24.96	25.48	25.54	23.05	19.61	297.12
1991	Critical	10.46	7.77	6.61	2.54	5.30	8.28	14.90	17.33	17.37	17.56	15.81	13.49	137.42
1992	Critical	6.89	5.15	4.45	1.73	4.24	8.31	18.87	22.46	22.70	22.75	20.01	17.78	155.34
1993	Above Normal	7.02	5.11	8.54	3.80	36.16	37.83	37.51	40.89	23.28	54.00	47.77	43.17	345.08
1994	Critical	36.11	32.38	28.55	16.37	17.79	23.13	37.48	43.31	30.05	49.69	11.65	31.44	357.95
1995	Wet	2.78	25.52	47.16	4.42	28.12	26.55	52.47	53.81	54.02	49.48	55.38	53.68	453.39
1996	Wet	35.10	0.36	27.87	21.32	20.74	37.57	40.24	40.87	45.67	47.95	41.07	38.74	397.50
1997	Wet	35.06	31.90	31.13	48.22	49.55	57.51	46.48	47.84	51.55	53.11	50.58	45.49	548.42
1998	Wet	41.66	37.94	37.15	32.14	49.52	56.01	44.59	43.88	49.53	51.12	44.42	41.93	529.89
1999	Wet	38.13	40.07	38.42	49.58	49.55	44.86	34.86	41.26	46.88	47.56	41.67	39.25	512.09
2000	Above Normal	35.52	32.23	31.45	29.35	46.91	36.37	38.91	42.54	49.58	46.12	44.97	40.58	474.53
2001	Dry	33.93	30.44	27.05	15.08	15.16	15.32	26.83	32.81	33.64	34.00	31.24	26.66	322.16
2002	Dry	15.59	11.89	9.34	4.46	10.02	18.44	44.82	45.74	44.67	46.35	28.15	48.44	327.91
2003	Above Normal	12.26	13.93	42.75	6.68	11.58	19.17	33.08	38.10	1.41	49.30	49.54	42.95	320.75
	Average	32.15	28.06	28.84	21.91	28.94	33.08	37.27	40.93	39.14	45.14	41.99	38.94	416.40
	Wet	36.36	32.65	32.04	33.76	43.23	48.74	45.57	47.20	49.90	51.30	48.61	45.36	514.72
	Above Normal	28.23	26.57	30.89	18.76	32.04	35.62	38.62	43.46	39.96	48.69	47.86	42.73	433.43
	Below Normal	34.75	30.89	32.00	22.49	26.64	34.32	37.02	40.99	32.35	48.72	47.78	42.95	430.91
	Dry	30.93	23.91	26.78	14.43	17.84	20.54	34.68	39.83	37.90	42.66	37.55	37.69	364.74
	Critical	25.77	22.55	19.26	9.97	14.17	13.96	22.09	26.41	24.81	27.80	21.67	18.42	246.87

Difference in Energy Use (GWh) At Pumping Plant at Buena Vista: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.39	6.14	0.97	0.00	0.96
1923	Below Normal	0.00	0.00	0.00	0.00	(0.02)	(0.25)	0.00	0.03	9.38	0.05	0.05	0.03	0.77
1924	Critical	(0.01)	(0.01)	(0.05)	(0.13)	(0.12)	(0.03)	0.01	0.01	0.00	0.01	0.01	0.00	(0.03)
1925	Dry	0.01	0.00	0.01	0.00	0.00	(0.13)	0.02	0.03	0.03	0.03	0.03	0.02	0.00
1926	Dry	0.02	0.02	0.02	0.00	(0.01)	(0.01)	(0.03)	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	(0.01)
1927	Wet	(0.02)	(0.01)	(0.01)	0.00	(0.02)	0.00	0.01	0.00	5.60	3.06	0.00	0.00	0.72
1928	Above Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1930	Dry	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1932	Dry	0.00	(0.01)	0.00	(0.01)	0.00	0.63	0.00	0.00	6.81	1.85	(0.01)	0.00	0.77
1933	Critical	0.00	0.00	0.00	0.00	(0.62)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1934	Critical	0.00	0.00	0.00	0.00	1.11	5.44	(2.46)	1.03	0.78	1.52	11.58	0.00	1.58
1935	Below Normal	(0.81)	1.90	2.07	0.03	(0.04)	(0.14)	(0.51)	0.18	0.34	0.56	0.70	0.19	0.37
1936	Below Normal	(0.51)	(0.59)	(1.23)	(2.17)	(2.01)	0.00	(0.01)	(0.01)	4.68	3.97	(0.01)	(0.01)	0.17
1937	Below Normal	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1938	Wet	0.14	0.00	0.00	3.09	(0.01)	(0.08)	1.38	1.15	(1.60)	0.77	0.63	0.57	0.50
1939	Dry	1.24	1.19	1.22	7.35	(1.26)	(4.19)	(5.78)	(6.99)	(0.36)	(4.13)	3.24	(6.94)	(1.28)
1940	Above Normal	2.15	0.36	0.56	(0.03)	0.02	0.01	0.01	0.01	6.88	1.79	0.01	0.01	0.98
1941	Wet	0.01	0.01	0.01	(0.02)	0.00	(0.15)	(0.14)	(0.15)	4.24	4.86	1.95	(0.15)	0.87
1942	Wet	(0.14)	(0.14)	(0.13)	(0.01)	0.00	(0.21)	0.00	0.01	4.40	8.11	0.02	0.01	0.99
1943	Wet	0.00	0.00	(0.02)	(0.06)	(0.40)	(0.34)	(0.24)	(0.26)	2.27	2.18	1.83	1.49	0.54
1944	Dry	(0.24)	(0.61)	0.58	(1.43)	(1.28)	(0.41)	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.29)
1945	Below Normal	0.00	0.00	0.00	0.01	0.00	(3.86)	0.06	0.06	5.43	5.48	0.79	0.06	0.67
1946	Below Normal	0.06	0.06	0.06	(0.01)	0.00	(0.10)	(0.13)	0.07	10.19	0.18	0.20	0.07	0.89
1947	Dry	(0.13)	(0.15)	(0.34)	(0.71)	0.05	(0.65)	0.12	0.13	0.13	0.14	0.14	0.13	(0.10)
1948	Below Normal	0.13	0.12	0.12	(0.94)	(0.84)	(0.31)	0.01	0.27	(0.04)	0.03	0.00	0.08	(0.11)
1949	Dry	0.05	0.03	(0.11)	(0.02)	(0.02)	(0.03)	(0.10)	0.01	0.04	0.07	(0.28)	0.14	(0.02)
1950	Below Normal	0.06	0.13	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	7.74	0.99	0.03	0.03	0.74
1952	Wet	0.03	0.04	0.03	0.00	0.00	0.00	(0.19)	(7.91)	(3.52)	(2.37)	(6.74)	(7.70)	(2.36)
1953	Wet	(7.59)	(7.08)	(7.05)	0.35	7.81	16.05	1.28	1.16	23.06	(3.53)	(3.49)	(2.82)	1.51
1954	Above Normal	(1.72)	(1.62)	(0.86)	2.22	8.67	1.92	(0.17)	(0.03)	2.45	1.05	(0.93)	(0.85)	0.84
1955	Dry	(0.69)	(0.65)	(0.56)	(0.20)	0.26	0.44	0.75	0.91	0.95	1.01	1.03	0.89	0.35
1956	Wet	0.75	0.68	0.56	(5.46)	0.00	0.00	0.15	0.13	4.98	5.09	1.80	0.12	0.73
1957	Above Normal	0.12	0.11	0.11	0.03	(0.01)	(0.56)	(0.01)	(0.02)	(0.56)	0.02	0.11	0.10	(0.05)
1958	Wet	0.08	0.07	0.05	(0.01)	(0.03)	(0.03)	(0.03)	(0.02)	(0.03)	(0.03)	(0.02)	(0.01)	0.00
1959	Below Normal	(0.03)	9.89	(0.04)	0.04	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.82
1960	Dry	0.00	0.00	0.00	0.01	0.01	(0.05)	0.01	0.01	0.04	0.00	0.14	(0.05)	0.01
1961	Dry	(0.04)	(0.03)	(0.02)	0.02	0.01	0.00	0.00	0.00	0.01	0.00	(0.02)	0.01	(0.01)
1962	Below Normal	0.00	(0.04)	(0.14)	0.00	0.00	0.01	0.00	0.00	10.42	0.00	0.00	0.00	0.85
1963	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	9.73	3.77	0.00	0.00	1.13
1964	Dry	0.00	0.00	0.00	0.05	0.00	0.01	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.00	10.37	3.06	(0.01)	(0.03)	1.12
1966	Below Normal	0.07	0.03	0.03	(0.03)	(0.03)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	(0.43)	3.23	1.30	(2.43)	(0.63)	0.14	0.17	0.26	0.13	0.15	0.14	0.17
1969	Wet	0.13	0.14	0.12	(0.11)	(0.01)	0.00	(1.16)	1.28	0.12	1.40	1.39	1.35	0.39
1970	Wet	1.40	1.35	1.39	0.00	(0.01)	(0.06)	4.21	(0.28)	7.93	5.00	(0.29)	(0.28)	1.70
1971	Wet	(0.27)	(0.24)	(0.24)	(0.03)	0.00	0.38	0.02	(0.11)	(0.12)	(0.16)	(0.20)	(0.11)	(0.09)
1972	Below Normal	0.03	0.05	0.16	0.68	0.23	0.17	0.03	0.01	0.01	(0.01)	(0.01)	0.01	0.11
1973	Above Normal	0.04	0.04	0.06	0.12	0.00	0.00	0.00	0.00	6.47	2.20	0.00	0.00	0.74
1974	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.33)	(0.13)	6.17	6.38	(0.13)	(0.13)	0.98
1975	Wet	(0.12)	(0.11)	(0.11)	0.24	0.08	(0.06)	(0.06)	(0.06)	6.72	1.83	(0.06)	(0.06)	0.69
1976	Critical	(0.05)	(0.06)	(0.06)	(0.02)	0.00	0.05	0.08	0.09	0.22	0.07	(0.10)	0.14	0.03
1977	Critical	0.10	0.09	(0.60)	0.00	0.00	0.00	0.00	(0.08)	0.00	(0.01)	0.00	0.02	(0.04)
1978	Above Normal	0.00	0.00	(0.09)	0.00	0.00	(2.50)	(0.50)	0.56	5.25	3.59	6.32	0.59	1.10
1979	Below Normal	(0.75)	(0.91)	(2.09)	(4.27)	(3.85)	(3.26)	(1.74)	(1.86)	4.89	4.82	(1.91)	(1.81)	(1.06)
1980	Above Normal	(1.79)	(1.66)	(1.66)	2.33	(0.01)	(0.04)	(9.57)	(8.49)	(4.78)	(5.15)	(5.37)	(8.28)	(3.71)
1981	Dry	(8.14)	0.22	(12.09)	7.99	18.41	11.74	3.22	3.78	35.70	(2.88)	(2.69)	(2.14)	4.43
1982	Wet	(1.29)	(1.16)	(0.67)	1.50	1.13	(0.03)	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.05)
1983	Wet	0.05	0.04	3.27	0.00	0.00	0.00	4.35	(1.59)	1.92	0.00	0.29	1.17	0.79
1984	Wet	1.21	1.17	(11.88)	0.00	0.00	0.00	0.00	0.00	7.89	5.61	0.00	0.00	0.33
1985	Dry	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(5.77)	(0.07)	2.71	0.13	0.00	0.11	0.07	0.08	(0.23)
1987	Dry	0.22	5.56	0.00	0.22	(0.02)	(0.01)	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.49
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.19	0.20	0.20	0.18	0.15	0.08
1989	Dry	0.09	0.07	0.06	(0.02)	(0.01)	(0.07)	(0.08)	0.05	0.08	0.12	(2.32)	0.72	(0.11)
1990	Critical	0.54	0.50	0.35	(0.41)	(0.29)	(0.05)	0.13	0.18	0.20	0.19	0.17	0.15	0.14
1991	Critical	0.10	0.07	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.28)	(0.38)	(0.40)	(0.39)	(0.35)	(0.31)	(0.18)
1993	Above Normal	0.37	0.01	(0.60)	(0.28)	0.06	0.11	0.02	(0.03)	7.28	6.32	(0.22)	(0.11)	1.08
1994	Critical	(0.02)	(0.01)	0.01	0.21	0.18	0.02	(0.04)	(0.05)	0.70	(0.21)	0.00	0.00	0.07
1995	Wet	(0.09)	(0.01)	0.03	0.00	0.00	0.00	0.00	0.00	1.15	(5.13)	1.03	2.24	(0.07)
1996	Wet	(12.48)	(22.17)	(9.67)	0.04	(0.02)	(0.02)	(0.12)	(0.12)	5.47	6.42	(0.13)	(0.13)	(2.74)
1997	Wet	(0.12)	(0.12)	(0.12)	(0.01)	0.00	0.00	(0.02)	(0.01)	4.50	4.56	2.41	(0.01)	0.92
1998	Wet	0.00	(0.01)	(0.01)	(0.03)	0.00	(0.43)	0.43	(0.26)	6.24	6.23	(0.16)	(0.15)	0.99
1999	Wet	(0.14)	(0.13)	(0.02)	(0.03)	0.00	0.00	0.00	(0.01)	6.36	5.54	0.00	0.00	0.96
2000	Above Normal	0.00	0.00	0.00	0.00	0.01	(0.44)	(0.07)	0.07	7.38	1.53	0.18	0.07	0.73
2001	Dry	(0.07)	(0.09)	(0.22)	(0.51)	(0.42)	(0.12)	0.03	0.01	0.02	0.02	0.05	0.04	(0.10)
2002	Dry	0.06	0.06	0.03	0.03	0.00	0.00	(0.05)	(0.05)	(0.06)	(0.06)	(0.69)	0.11	(0.05)
2003	Above Normal	1.06	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
	Average	(0.33)	(0.17)	(0.44)	0.13	0.23	0.22	(0.06)	(0.21)	3.01	1.15	0.14	(0.26)	0.28
	Wet	(0.71)	(1.06)	(0.94)	(0.02)	0.11	0.58	0.47	(0.27)	4.38	2.41	0.01	(0.18)	0.40
	Above Normal	0.02	(0.23)	(0.20)	0.37	0.73	(0.13)	(0.86)	(0.66)	3.54	1.54	0.09	(0.70)	0.29
	Below Normal	(0.13)	0.73	0.17	(0.38)	(0.64)	(0.60)	(0.15)	(0.08)	3.25	1.09	(0.00)	(0.09)	0.26
	Dry	(0.42)	0.31	(0.63)	0.71	0.87	0.40	(0.11)	(0.12)	2.41	(0.22)	(0.08)	(0.40)	0.23
	Critical	0.05	0.05	(0.03)	(0.03)	0.02	0.45	(0.21)	0.08	0.14	0.11	0.96	0.01	0.13

Percent Difference in Energy Use (GWh) At Pumping Plant at Buena Vista: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	11%	15%	2%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	24%	0%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	7%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	20%	5%	0%	0%
1933	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	42%	-9%	3%	2%	5%	61%	0%
1935	Below Normal	-3%	8%	12%	1%	0%	-1%	-1%	0%	1%	1%	1%	0%
1936	Below Normal	-1%	-2%	-4%	-11%	-9%	0%	0%	0%	10%	8%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	10%	0%	0%	2%	2%	-3%	1%	1%	1%
1939	Dry	2%	2%	3%	22%	-3%	-14%	-15%	-15%	-3%	-8%	15%	-14%
1940	Above Normal	19%	4%	1%	-1%	0%	0%	0%	0%	20%	4%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	9%	10%	4%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	11%	20%	0%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	-1%	4%	4%	4%	3%
1944	Dry	-1%	-63%	1%	-7%	-7%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-7%	0%	0%	12%	12%	2%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	28%	0%	1%	0%
1947	Dry	0%	-1%	-1%	-3%	0%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-4%	-4%	-2%	0%	1%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	19%	2%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-7%	-4%	-12%	-15%
1953	Wet	-16%	-16%	-17%	1%	19%	55%	4%	3%	140%	-8%	-8%	-7%
1954	Above Normal	-6%	-6%	-4%	33%	36%	9%	0%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-2%	-3%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-16%	0%	0%	0%	0%	11%	11%	4%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	61%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	274%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	26%	10%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	42%	7%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	-1%	7%	5%	-8%	-2%	0%	0%	14%	0%	0%	0%
1969	Wet	0%	0%	1%	0%	0%	0%	-2%	2%	0%	2%	2%	3%
1970	Wet	3%	3%	3%	0%	0%	0%	11%	-1%	20%	12%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	15%	5%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	14%	14%	0%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	16%	4%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-2%	0%	0%	0%	1%
1978	Above Normal	0%	0%	0%	0%	0%	-6%	-1%	1%	12%	8%	14%	1%
1979	Below Normal	-2%	-3%	-7%	-18%	-17%	-7%	-4%	-4%	11%	11%	-4%	-4%
1980	Above Normal	-5%	-5%	-5%	6%	0%	0%	-18%	-15%	-8%	-9%	-9%	-15%
1981	Dry	-16%	1%	-24%	34%	77%	53%	9%	9%	>1,000%	-6%	-5%	-5%
1982	Wet	-4%	-4%	-3%	6%	3%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	7%	0%	0%	0%	9%	-3%	4%	0%	1%	2%
1984	Wet	2%	2%	-21%	0%	0%	0%	0%	0%	19%	13%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-17%	0%	5%	0%	0%	0%	0%	0%
1987	Dry	0%	36%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	6%	0%	-7%	-7%	0%	0%	0%	0%	46%	13%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	2%	0%	0%	0%
1995	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	2%	-9%	2%	4%
1996	Wet	-26%	-98%	-26%	0%	0%	0%	0%	0%	14%	15%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	10%	9%	5%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	1%	-1%	14%	14%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	16%	13%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	17%	3%	0%	0%
2001	Dry	0%	0%	-1%	-3%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	-1%	1%	1%	1%	0%	0%	11%	3%	1%	-1%
	Wet	-2%	-4%	-2%	0%	0%	2%	1%	-1%	14%	6%	0%	0%
	Above Normal	2%	0%	-1%	3%	3%	0%	-2%	-1%	11%	4%	0%	-1%
	Below Normal	0%	5%	1%	-2%	-3%	-1%	0%	0%	27%	2%	0%	0%
	Dry	-1%	-1%	-1%	2%	4%	2%	0%	0%	1%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	4%	-1%	0%	0%	0%	5%	0%

Energy Use (GWh) At Pumping Plant at Chrisman: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	153.98	134.87	108.71	26.62	88.69	101.12	99.38	101.54	98.38	101.94	102.14	97.37	1,214.74
1923	Below Normal	86.38	79.35	76.04	127.05	126.72	100.90	85.70	98.14	96.56	103.27	105.56	94.62	1,180.29
1924	Critical	75.02	67.60	55.84	25.52	27.17	31.95	48.57	58.15	58.25	57.89	52.52	45.96	604.44
1925	Dry	23.60	18.28	15.73	5.90	15.21	57.78	87.73	112.71	112.47	120.43	124.34	109.22	803.40
1926	Dry	84.86	76.71	60.70	11.57	18.70	41.25	64.84	93.18	92.74	99.17	102.42	89.87	836.01
1927	Wet	68.61	61.60	48.22	14.20	57.64	112.79	106.60	108.82	105.08	108.42	108.44	104.40	1,004.82
1928	Above Normal	94.94	87.66	85.59	67.81	81.23	59.18	121.47	123.30	118.91	122.70	122.95	118.42	1,204.16
1929	Critical	108.79	101.10	98.91	68.29	63.75	39.11	45.26	63.82	63.97	63.74	57.97	8.43	783.14
1930	Dry	30.89	37.95	33.18	10.85	17.98	29.01	72.70	85.13	85.97	87.83	84.52	74.19	650.20
1931	Critical	47.94	39.79	30.61	10.86	17.54	31.22	59.24	70.46	70.84	70.67	64.08	56.00	569.25
1932	Dry	30.42	22.72	19.48	11.04	23.37	76.64	64.74	86.00	85.44	91.06	92.97	81.68	685.56
1933	Critical	60.39	53.75	41.73	11.12	95.82	34.96	57.42	84.63	85.04	87.87	85.28	74.81	772.82
1934	Critical	49.53	41.40	31.96	11.22	16.19	32.79	67.60	80.94	81.90	81.50	44.94	3.49	543.46
1935	Below Normal	73.30	59.11	44.47	11.23	23.25	41.89	112.02	117.96	115.69	120.58	121.92	113.63	955.05
1936	Below Normal	98.77	90.86	84.25	49.64	56.76	150.17	105.21	120.46	116.36	120.10	120.22	115.76	1,228.56
1937	Below Normal	106.06	98.29	96.12	71.75	130.07	127.44	131.29	145.22	140.56	145.05	145.37	140.08	1,477.30
1938	Wet	130.14	121.21	118.95	82.68	130.07	150.57	147.44	149.69	145.68	149.82	149.96	144.68	1,620.89
1939	Dry	134.55	124.90	122.79	89.18	95.00	74.99	99.28	113.36	25.56	133.32	50.83	125.12	1,188.88
1940	Above Normal	26.29	21.17	118.86	11.08	15.54	51.63	96.89	113.61	85.54	121.62	132.34	116.39	910.96
1941	Wet	90.78	82.08	65.05	40.67	93.91	109.51	117.93	119.93	115.91	119.70	119.67	115.28	1,190.42
1942	Wet	105.63	97.70	95.70	128.96	130.07	130.93	90.85	97.78	95.95	101.36	102.76	94.07	1,271.76
1943	Wet	77.87	70.62	62.03	96.01	118.52	109.62	130.27	132.33	127.96	132.17	132.25	127.62	1,317.27
1944	Dry	117.77	1.79	149.30	50.35	47.66	43.74	74.22	86.77	86.59	89.91	88.16	77.53	913.79
1945	Below Normal	52.33	44.38	34.46	18.77	23.06	150.11	104.64	116.90	113.06	116.68	116.72	112.46	1,003.57
1946	Below Normal	102.79	95.10	92.96	130.17	130.07	144.20	91.37	94.70	91.59	95.19	95.41	90.65	1,254.20
1947	Dry	79.56	72.84	69.27	60.37	65.49	54.52	121.05	122.74	118.38	121.98	122.24	117.86	1,126.30
1948	Below Normal	108.24	100.52	98.34	63.36	59.42	38.18	58.72	45.83	6.92	132.53	135.63	119.40	967.09
1949	Dry	92.95	84.35	67.24	17.92	21.98	37.31	105.71	117.86	117.21	124.53	75.07	129.96	992.09
1950	Below Normal	101.10	48.21	62.85	14.86	16.33	32.00	89.54	101.73	3.71	129.26	131.89	115.89	847.37
1951	Above Normal	89.88	81.28	64.69	134.85	130.07	149.81	90.23	106.19	102.72	105.75	105.70	101.85	1,263.02
1952	Wet	92.33	85.03	83.06	128.53	134.71	149.27	120.47	136.77	132.26	136.68	136.75	131.90	1,467.76
1953	Wet	122.13	113.00	110.97	132.36	109.46	74.53	82.01	95.67	36.88	114.40	116.67	102.77	1,210.85
1954	Above Normal	78.82	70.98	55.83	17.40	63.12	55.60	93.16	107.87	100.58	112.35	120.95	106.42	983.08
1955	Dry	82.30	74.21	58.39	15.51	25.07	47.12	84.71	96.60	95.82	102.86	105.98	93.08	881.65
1956	Wet	71.06	63.87	50.09	87.24	134.71	150.56	107.20	119.80	116.18	119.61	119.54	115.31	1,255.17
1957	Above Normal	105.55	97.47	95.46	85.23	82.72	86.04	96.37	111.90	73.88	124.77	131.94	116.23	1,207.56
1958	Wet	90.19	81.74	64.69	12.67	105.45	111.46	147.25	150.28	145.80	150.24	150.59	145.15	1,355.51
1959	Below Normal	135.24	42.17	145.08	58.62	61.36	59.95	83.36	94.02	4.02	119.56	121.71	106.91	1,032.00
1960	Dry	82.29	74.13	58.66	11.04	13.29	36.23	106.98	119.75	89.21	132.91	104.52	130.88	959.89
1961	Dry	106.12	96.69	80.88	22.62	26.49	31.64	86.38	97.87	97.75	104.51	85.91	56.38	893.24
1962	Below Normal	1.26	85.09	97.49	11.54	14.16	47.66	91.42	105.15	3.86	133.91	136.84	120.29	848.67
1963	Wet	93.54	84.66	67.43	78.82	92.87	93.48	90.35	96.39	93.59	97.80	98.49	92.44	1,079.86
1964	Dry	79.59	72.58	67.16	61.06	133.50	97.36	99.51	103.18	100.47	104.78	105.39	99.04	1,123.62
1965	Wet	86.44	79.02	73.93	90.38	126.53	114.01	94.68	99.18	59.88	108.02	108.82	101.52	1,142.41
1966	Below Normal	87.34	79.77	73.22	114.71	120.54	90.79	87.50	98.55	97.19	103.30	105.63	94.79	1,153.33
1967	Wet	75.66	68.23	56.82	27.56	126.77	123.98	145.24	148.78	144.41	148.96	149.20	143.88	1,359.49
1968	Below Normal	133.77	124.07	121.90	63.60	77.80	64.84	84.91	96.31	4.16	122.38	124.34	109.37	1,127.45
1969	Wet	84.15	75.91	60.04	72.62	130.07	149.96	133.09	140.13	139.11	143.34	143.48	138.40	1,410.30
1970	Wet	128.26	118.91	116.87	134.85	130.07	149.81	101.14	104.40	101.02	104.03	103.88	99.99	1,393.23
1971	Wet	90.57	83.31	81.38	128.37	130.07	110.79	87.55	98.98	97.67	103.86	105.91	95.40	1,213.86
1972	Below Normal	76.59	69.23	58.25	46.27	101.05	90.68	91.79	102.98	102.21	108.96	111.68	99.28	1,058.97
1973	Above Normal	78.05	70.44	57.18	21.85	114.62	115.14	96.45	111.96	108.47	111.41	111.41	107.28	1,104.26
1974	Wet	97.76	90.14	88.15	130.68	130.07	149.68	140.89	113.29	109.97	113.00	112.95	108.92	1,385.50
1975	Wet	99.32	91.42	89.43	110.49	94.12	129.81	109.00	110.54	106.93	109.98	110.05	106.09	1,267.18
1976	Critical	96.46	89.13	87.09	70.36	73.51	63.94	94.98	108.85	91.00	119.85	86.63	119.98	1,101.78
1977	Critical	93.16	84.19	54.94	11.33	13.65	21.11	36.16	6.60	0.00	6.52	5.95	3.64	337.25
1978	Above Normal	1.40	44.51	78.82	10.64	25.78	100.55	104.52	111.32	108.48	112.82	113.64	106.88	919.36
1979	Below Normal	94.20	86.34	81.20	60.70	60.99	129.40	112.79	114.99	111.23	114.41	114.51	110.41	1,191.17
1980	Above Normal	100.76	93.13	91.08	99.07	134.71	150.13	134.48	147.98	143.66	148.24	148.39	143.15	1,534.78
1981	Dry	133.18	102.70	133.19	62.39	62.63	56.68	87.28	101.95	4.43	129.60	132.23	116.25	1,122.51
1982	Wet	89.96	81.33	64.66	67.70	96.35	110.99	143.85	146.58	142.37	146.54	146.66	141.42	1,378.41
1983	Wet	131.46	121.90	119.77	134.85	130.07	149.86	130.11	137.22	136.38	140.36	140.62	135.69	1,608.29
1984	Wet	137.90	124.04	145.29	134.85	134.71	149.77	88.84	105.75	101.99	105.44	105.32	101.51	1,435.41
1985	Dry	91.85	84.65	103.96	108.37	96.44	99.46	100.61	104.31	101.17	104.04	103.88	99.97	1,198.71
1986	Wet	90.62	83.47	81.44	69.21	87.75	150.50	137.82	150.52	145.85	150.47	150.46	144.93	1,443.04
1987	Dry	135.64	39.98	144.96	50.86	48.17	32.34	46.84	54.23	54.12	53.65	48.96	42.85	752.60
1988	Critical	21.99	17.15	14.78	5.17	20.18	21.46	36.97	43.48	42.77	43.06	38.90	33.97	339.88
1989	Dry	17.04	13.04	11.34	6.28	21.01	28.86	112.66	119.47	117.00	122.53	118.00	116.64	803.87
1990	Critical	101.01	92.80	85.33	46.81	45.82	37.62	52.72	61.80	62.14	61.86	56.15	49.17	753.23
1991	Critical	25.99	19.81	16.97	6.40	13.73	21.17	37.95	43.19	42.59	42.78	38.74	33.98	343.30
1992	Critical	17.19	13.17	11.45	4.35	10.92	21.27	48.79	56.97	56.76	56.45	49.85	45.72	392.89
1993	Above Normal	16.28	12.97	23.81	10.54	94.63	98.14	95.70	103.23	35.88	119.28	121.25	111.01	842.72
1994	Critical	92.90	84.68	74.66	42.37	46.02	58.95	95.41	108.87	70.47	124.55	24.86	79.13	902.87
1995	Wet	4.78	66.41	123.67	11.46	73.58	68.18	135.43	137.82	133.42	137.68	138.05	133.08	1,163.56
1996	Wet	123.23	58.78	98.45	56.01	54.13	97.77	103.99	104.71	101.03	104.26	104.28	100.32	1,106.96
1997	Wet	90.89	83.91	81.93	127.21	130.07	150.12	119.65	122.06	118.03	121.66	121.72	117.39	1,384.64
1998	Wet	107.61	99.47	97.44	84.64	130.07	147.46	113.88	112.75	108.83	112.72	112.87	108.64	1,336.38
1999	Wet	98.92	105.49	100.89	130.86	130.07	116.80	89.34	105.14	101.45	105.10	105.13	101.17	1,290.36
2000	Above Normal	91.64	84.43	82.43	77.21	123.16	95.39	99.70	107.57	105.34	111.40	113.03	103.88	1,195.18
2001	Dry	87.38	79.80	71.35	40.95	40.86	39.75	68.21	81.86	82.75	83.14	76.83	67.41	820.29
2002	Dry	39.21	30.57	24.16	11.41	25.86	46.84	115.94	117.43	113.08	117.23	71.71	125.34	838.78
2003	Above Normal	27.62	36.12	112.27	17.33	29.94	48.69	84.11	95.65	3.28	121.84	124.00	108.96	809.81
	Average	83.44	73.70	76.63	57.28	75.25	85.23	95.59	104.18	89.78	109.82	105.24	100.50	1,056.63
	Wet	95.38	88.20	86.40	89.00	113.15	125.47	115.96	120.97	113.99	122.52	122.87	117.38	1,311.28
	Above Normal	72.10	69.59	81.23	48.30	82.02	92.62	101.04	111.84	90.43	117.84	120.65	111.49	1,099.14
	Below Normal	89.81	78.75	83.33	60.16	71.54	90.59	95.02	103.78	71.94	118.94	120.53	110.25	1,094.64
	Dry	80.51	61.55	71.76	35.98	44.37	51.75	88.86	100.80	87.79	106.86	94.11	97.40	921.74
	Critical	65.86	58.71	50.36	26.15	37.03	34.63	56.76	65.65	60.48	68.06	50.49	46.19	620.36

Energy Use (GWh) At Pumping Plant at Chrisman: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	153.98	134.87	108.71	26.62	88.69	101.12	99.38	101.54	114.38	122.81	110.00	97.37	1,259.47
1923	Below Normal	86.38	79.34	76.04	127.04	126.66	100.24	85.68	98.20	125.74	106.23	105.69	94.68	1,211.92
1924	Critical	74.99	67.57	55.72	25.16	26.85	31.87	48.58	58.17	58.27	57.91	52.54	45.98	603.61
1925	Dry	23.61	18.29	15.73	5.91	15.20	57.44	87.79	112.77	112.53	120.50	124.42	109.28	803.47
1926	Dry	84.91	76.77	60.75	11.57	18.68	41.22	64.77	93.13	92.68	99.11	102.36	89.81	835.76
1927	Wet	68.56	61.56	48.18	14.20	57.60	112.79	106.60	108.82	124.28	121.18	108.44	104.40	1,036.61
1928	Above Normal	94.94	87.66	85.59	67.81	81.17	59.18	121.47	123.30	118.91	122.70	122.96	118.42	1,204.11
1929	Critical	108.79	101.11	98.91	68.29	63.75	39.10	45.25	63.80	63.95	63.72	57.95	8.42	783.04
1930	Dry	30.87	37.91	33.21	10.85	17.98	29.00	72.69	85.12	85.97	87.83	84.52	74.19	650.14
1931	Critical	47.93	39.78	30.60	10.86	17.53	31.22	59.22	70.44	70.82	70.65	64.06	55.98	569.09
1932	Dry	30.40	22.71	19.47	11.03	23.37	78.29	64.74	86.00	107.83	100.62	92.96	81.68	719.10
1933	Critical	60.38	53.74	41.72	11.12	94.18	34.96	57.42	84.63	85.04	87.87	85.28	74.81	771.15
1934	Critical	49.53	41.40	31.96	11.22	19.09	46.98	60.94	83.66	83.98	85.66	75.66	3.49	593.57
1935	Below Normal	70.93	64.03	49.83	11.30	23.15	41.55	110.50	118.15	116.32	121.78	123.53	113.94	965.01
1936	Below Normal	97.28	89.23	80.98	43.94	51.44	150.18	105.20	120.44	133.12	135.24	120.20	115.74	1,242.99
1937	Below Normal	106.04	98.28	96.11	71.75	130.07	127.44	131.30	145.22	143.90	148.14	147.88	142.43	1,488.56
1938	Wet	137.10	128.13	122.67	96.79	130.07	150.41	151.07	152.71	145.85	151.83	151.61	146.18	1,664.42
1939	Dry	140.92	131.57	126.10	114.50	91.82	64.42	84.58	95.75	35.88	121.51	58.65	106.33	1,172.03
1940	Above Normal	31.62	22.01	120.25	11.01	15.60	51.64	96.91	113.64	108.12	131.01	132.38	116.42	950.61
1941	Wet	90.81	82.11	65.07	40.63	93.90	109.13	117.57	119.55	131.54	137.21	130.11	114.90	1,232.53
1942	Wet	105.26	97.35	95.35	128.93	130.07	130.36	90.83	97.80	111.98	127.43	105.51	94.09	1,314.96
1943	Wet	77.85	70.60	61.97	95.85	117.47	108.75	129.65	131.68	138.39	142.63	142.41	137.26	1,354.51
1944	Dry	118.59	0.75	150.29	46.56	44.27	42.64	74.20	86.76	86.57	89.90	88.15	77.51	906.19
1945	Below Normal	52.32	44.37	34.45	18.78	23.06	139.93	104.80	117.07	131.79	135.82	124.08	112.62	1,039.09
1946	Below Normal	102.96	95.26	93.12	130.15	130.07	143.94	90.98	94.79	122.81	96.48	95.89	90.76	1,287.21
1947	Dry	79.18	72.43	68.37	58.52	65.61	52.79	121.37	123.07	118.71	122.32	122.58	118.19	1,123.14
1948	Below Normal	108.57	100.83	98.65	60.88	57.21	37.37	58.74	46.54	6.81	132.60	135.64	119.61	963.45
1949	Dry	93.06	84.44	66.96	17.85	21.91	37.24	105.42	117.83	117.25	124.66	74.29	130.29	991.20
1950	Below Normal	101.23	48.55	63.28	14.86	16.33	32.00	89.54	101.73	3.71	129.26	131.89	115.89	848.27
1951	Above Normal	89.88	81.28	64.69	134.85	130.07	149.81	90.34	106.28	127.56	113.04	105.80	101.94	1,295.54
1952	Wet	92.42	85.11	83.14	128.53	134.71	149.26	119.97	116.44	128.24	135.96	125.02	111.92	1,410.72
1953	Wet	102.41	94.39	92.42	133.28	130.07	117.14	84.93	98.44	97.30	104.55	107.02	95.13	1,257.08
1954	Above Normal	74.10	66.65	53.51	23.26	86.03	60.76	92.66	107.67	106.90	114.96	118.35	104.09	1,008.94
1955	Dry	80.41	72.46	56.91	14.96	25.76	48.24	86.63	98.90	98.17	105.37	108.57	95.37	891.75
1956	Wet	72.99	65.64	51.56	72.85	134.71	150.58	107.58	120.13	133.74	137.71	129.60	115.64	1,292.73
1957	Above Normal	105.87	97.78	95.77	85.30	82.71	84.53	96.35	111.85	72.41	124.85	132.22	116.49	1,206.13
1958	Wet	90.39	81.93	64.84	12.65	105.38	111.40	147.19	150.22	145.85	150.82	150.67	145.12	1,356.46
1959	Below Normal	139.71	75.27	144.97	63.47	61.37	59.97	83.36	94.01	4.02	119.56	121.71	106.92	1,074.34
1960	Dry	82.29	74.13	58.66	11.05	13.29	36.11	107.00	119.76	89.32	132.90	104.89	130.76	960.16
1961	Dry	106.03	96.60	80.82	22.66	26.53	31.66	86.39	97.88	97.76	104.52	85.87	56.41	893.13
1962	Below Normal	1.26	84.99	97.11	11.54	14.16	47.68	91.41	105.14	35.81	133.90	136.84	120.28	880.12
1963	Wet	93.54	84.65	67.42	78.82	92.87	93.48	90.35	96.39	123.70	112.42	98.48	92.44	1,124.56
1964	Dry	79.59	72.58	67.17	61.19	133.50	97.41	99.50	103.16	100.45	104.75	105.37	99.02	1,123.69
1965	Wet	86.43	79.01	73.94	90.43	126.53	114.02	94.67	99.18	91.68	120.75	108.78	101.43	1,186.85
1966	Below Normal	87.50	79.86	73.28	114.64	120.47	90.79	87.50	98.54	97.18	103.29	105.62	94.78	1,153.45
1967	Wet	75.66	68.24	56.83	27.59	126.78	124.02	145.24	148.78	145.85	150.41	150.18	144.65	1,364.23
1968	Below Normal	139.19	129.89	130.43	72.97	71.37	63.17	85.27	96.74	4.16	122.94	124.91	109.88	1,150.92
1969	Wet	84.58	76.30	60.38	72.34	130.07	149.96	130.04	143.48	143.85	147.02	149.42	143.96	1,431.40
1970	Wet	138.51	129.39	121.98	134.85	130.07	149.70	112.25	103.70	126.41	121.93	103.16	99.29	1,471.24
1971	Wet	89.88	82.67	80.74	128.29	130.07	111.80	87.63	98.77	97.40	103.48	105.44	95.17	1,211.34
1972	Below Normal	76.69	69.35	58.69	48.08	101.65	91.15	91.88	103.02	102.23	108.96	111.66	99.31	1,062.67
1973	Above Normal	78.14	70.53	57.34	22.15	114.62	115.14	96.45	111.96	129.97	121.86	111.41	107.28	1,136.85
1974	Wet	97.76	90.14	88.15	130.68	130.07	149.67	140.03	112.96	130.70	134.54	114.44	108.60	1,427.74
1975	Wet	99.01	91.12	89.13	111.14	94.32	129.63	108.85	110.38	129.07	119.48	109.89	105.94	1,297.96
1976	Critical	96.31	88.98	86.95	70.29	73.50	64.05	95.17	109.08	91.57	120.04	86.37	120.34	1,102.65
1977	Critical	93.42	84.43	53.36	11.33	13.65	21.11	36.16	6.39	0.00	6.49	5.95	3.67	335.96
1978	Above Normal	1.40	44.50	78.60	10.64	25.78	93.85	102.96	112.24	126.20	126.44	135.22	108.03	965.86
1979	Below Normal	91.99	83.87	75.65	49.41	50.82	120.84	108.29	110.22	128.79	132.03	109.65	105.70	1,167.26
1980	Above Normal	96.12	88.77	86.73	105.34	134.71	150.02	109.67	126.09	136.21	140.10	140.16	124.25	1,438.17
1981	Dry	111.96	103.34	101.33	83.48	111.09	87.40	95.34	111.44	95.97	121.99	125.15	110.64	1,259.13
1982	Wet	86.57	78.28	62.87	71.64	99.34	110.91	143.81	146.54	145.12	149.35	149.07	143.60	1,387.10
1983	Wet	138.17	128.97	135.64	134.85	130.07	149.86	141.61	133.03	145.85	140.36	146.69	139.33	1,664.43
1984	Wet	141.08	127.12	113.92	134.85	134.71	149.77	88.84	105.75	127.24	124.92	105.32	101.51	1,455.03
1985	Dry	91.85	84.65	103.95	108.36	96.44	99.46	100.61	104.31	101.17	104.04	103.88	99.97	1,198.69
1986	Wet	90.62	83.47	81.44	69.22	72.52	150.36	144.98	150.86	145.85	150.75	150.64	145.13	1,435.84
1987	Dry	139.86	61.62	144.97	57.36	48.13	32.33	46.82	54.21	54.10	53.63	48.94	42.83	784.80
1988	Critical	21.98	17.14	14.77	5.16	20.20	21.46	36.97	43.96	43.27	43.55	39.34	34.36	342.16
1989	Dry	17.25	13.21	11.48	6.23	20.96	28.69	112.41	119.54	117.16	122.80	111.84	118.51	800.08
1990	Critical	102.43	94.11	86.24	45.72	45.04	37.49	53.07	62.26	62.62	62.34	56.58	49.55	757.45
1991	Critical	26.24	19.97	17.10	6.48	13.73	21.17	37.95	43.19	42.59	42.78	38.74	33.98	343.92
1992	Critical	17.19	13.17	11.46	4.35	10.92	21.27	48.07	56.05	55.79	55.49	49.00	44.94	387.70
1993	Above Normal	17.29	13.00	22.23	9.80	94.78	98.43	95.78	103.18	59.54	140.66	121.23	110.74	886.66
1994	Critical	92.83	84.66	74.70	42.93	46.50	59.03	95.30	108.74	72.34	123.99	24.85	79.13	905.00
1995	Wet	4.55	66.38	123.78	11.46	73.58	68.18	135.43	137.82	140.87	124.13	146.08	142.16	1,174.42
1996	Wet	96.87	0.75	72.41	56.10	54.09	97.74	103.67	104.38	119.90	125.88	107.54	100.00	1,039.33
1997	Wet	90.57	83.61	81.64	127.17	130.07	150.12	119.62	122.04	134.34	138.36	133.39	117.37	1,428.30
1998	Wet	107.59	99.46	97.42	84.56	130.07	146.33	115.01	112.08	129.73	133.87	112.46	108.25	1,376.83
1999	Wet	98.55	105.14	100.83	130.78	130.07	116.79	89.34	105.13	122.67	124.39	109.33	101.17	1,334.19
2000	Above Normal	91.64	84.43	82.43	77.21	123.20	94.24	99.48	107.70	129.18	120.05	113.46	104.04	1,227.06
2001	Dry	87.16	79.55	70.75	39.60	39.74	39.42	68.28	81.90	82.79	83.21	76.96	67.53	816.89
2002	Dry	39.36	30.73	24.23	11.48	25.85	46.83	115.81	117.30	112.94	117.09	69.88	125.63	837.13
2003	Above Normal	30.41	36.15	112.31	17.33	29.94	48.69	84.11	95.65	3.28	121.84	124.00	108.96	812.67
	Average	83.10	73.81	75.60	57.98	75.85	85.81	95.43	103.62	99.80	114.58	106.57	100.05	1,072.19
	Wet	94.53	86.21	84.37	89.17	113.43	127.01	117.18	120.27	129.13	131.98	125.03	117.49	1,335.80
	Above Normal	72.12	68.97	80.68	49.28	83.94	92.28	98.80	110.09	102.72	125.03	122.27	109.84	1,116.01
	Below Normal	90.15	81.65	83.76	59.92	69.85	89.02	94.60	103.56	82.60	123.30	121.09	110.18	1,109.66
	Dry	79.85	62.99	70.06	38.51	46.67	52.81	88.58	100.49	94.85	106.49	93.85	96.33	931.47
	Critical	66.00	58.84	50.29	26.08	37.08	35.81	56.18	65.86	60.85	68.37	53.03	46.22	624.61

Difference in Energy Use (GWh) At Pumping Plant at Chrisman: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.00	20.87	7.86	0.00	3.73
1923	Below Normal	0.00	(0.01)	0.00	(0.01)	(0.06)	(0.66)	(0.02)	0.06	29.18	2.96	0.13	0.06	2.64
1924	Critical	(0.03)	(0.03)	(0.12)	(0.36)	(0.32)	(0.08)	0.01	0.02	0.02	0.02	0.02	0.02	(0.07)
1925	Dry	0.01	0.01	0.00	0.01	(0.01)	(0.34)	0.06	0.06	0.06	0.07	0.08	0.06	0.01
1926	Dry	0.05	0.06	0.05	0.00	(0.02)	(0.03)	(0.07)	(0.05)	(0.06)	(0.06)	(0.06)	(0.06)	(0.02)
1927	Wet	(0.05)	(0.04)	(0.04)	0.00	(0.04)	0.00	0.00	0.00	19.20	12.76	0.00	0.00	2.65
1928	Above Normal	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1929	Critical	0.00	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)
1930	Dry	(0.02)	(0.04)	0.03	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)
1931	Critical	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)
1932	Dry	(0.02)	(0.01)	(0.01)	(0.01)	0.00	1.65	0.00	0.00	22.39	9.56	(0.01)	0.00	2.80
1933	Critical	(0.01)	(0.01)	(0.01)	0.00	(1.64)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)
1934	Critical	0.00	0.00	0.00	0.00	2.90	14.19	(6.66)	2.72	2.08	4.16	30.72	0.00	4.18
1935	Below Normal	(2.37)	4.92	5.36	0.07	(0.10)	(0.34)	(1.52)	0.19	0.63	1.20	1.61	0.31	0.83
1936	Below Normal	(1.49)	(1.63)	(3.27)	(5.70)	(5.32)	0.01	(0.01)	(0.02)	16.76	15.14	(0.02)	(0.02)	1.20
1937	Below Normal	(0.02)	(0.01)	(0.01)	0.00	0.00	0.00	0.01	0.00	3.34	3.09	2.51	2.35	0.94
1938	Wet	6.96	6.92	3.72	14.11	0.00	(0.16)	3.63	3.02	0.17	2.01	1.65	1.50	3.63
1939	Dry	6.37	6.67	3.31	25.32	(3.18)	(10.57)	(14.70)	(17.61)	10.32	(11.81)	7.82	(18.79)	(1.40)
1940	Above Normal	5.33	0.84	1.39	(0.07)	0.06	0.01	0.02	0.03	22.58	9.39	0.04	0.03	3.30
1941	Wet	0.03	0.03	0.02	(0.04)	(0.01)	(0.38)	(0.36)	(0.38)	15.63	17.51	10.44	(0.38)	3.51
1942	Wet	(0.37)	(0.35)	(0.35)	(0.03)	0.00	(0.57)	(0.02)	0.02	16.03	26.07	2.75	0.02	3.60
1943	Wet	(0.02)	(0.02)	(0.06)	(0.16)	(1.05)	(0.87)	(0.62)	(0.65)	10.43	10.46	10.16	9.64	3.10
1944	Dry	0.82	(1.04)	0.99	(3.79)	(3.39)	(1.10)	(0.02)	(0.01)	(0.02)	(0.01)	(0.01)	(0.02)	(0.63)
1945	Below Normal	(0.01)	(0.01)	(0.01)	0.01	0.00	(10.18)	0.16	0.17	18.73	19.14	7.36	0.16	2.96
1946	Below Normal	0.17	0.16	0.16	(0.02)	0.00	(0.26)	(0.39)	0.09	31.22	1.29	0.48	0.11	2.75
1947	Dry	(0.38)	(0.41)	(0.90)	(1.85)	0.12	(1.73)	0.32	0.33	0.33	0.34	0.34	0.33	(0.26)
1948	Below Normal	0.33	0.31	0.31	(2.48)	(2.21)	(0.81)	0.02	0.71	(0.11)	0.07	0.01	0.21	(0.30)
1949	Dry	0.11	0.09	(0.28)	(0.07)	(0.07)	(0.07)	(0.29)	(0.03)	0.04	0.13	(0.78)	0.33	(0.07)
1950	Below Normal	0.13	0.34	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.09	24.84	7.29	0.10	0.09	2.71
1952	Wet	0.09	0.08	0.08	0.00	0.00	(0.01)	(0.50)	(20.33)	(4.02)	(0.72)	(11.73)	(19.98)	(4.75)
1953	Wet	(19.72)	(18.61)	(18.55)	0.92	20.61	42.61	2.92	2.77	60.42	(9.85)	(9.65)	(7.64)	3.85
1954	Above Normal	(4.72)	(4.33)	(2.32)	5.86	22.91	5.16	(0.50)	(0.20)	6.32	2.61	(2.60)	(2.33)	2.16
1955	Dry	(1.89)	(1.75)	(1.48)	(0.55)	0.69	1.12	1.92	2.30	2.35	2.51	2.59	2.29	0.84
1956	Wet	1.93	1.77	1.47	(14.39)	0.00	0.02	0.38	0.33	17.56	18.10	10.06	0.33	3.13
1957	Above Normal	0.32	0.31	0.31	0.07	(0.01)	(1.51)	(0.02)	(0.05)	(1.47)	0.08	0.28	0.26	(0.12)
1958	Wet	0.20	0.19	0.15	(0.02)	(0.07)	(0.06)	(0.06)	(0.06)	0.05	0.58	0.08	(0.03)	0.08
1959	Below Normal	4.47	33.10	(0.11)	4.85	0.01	0.02	0.00	(0.01)	0.00	0.00	0.00	0.01	3.53
1960	Dry	0.00	0.00	0.00	0.01	0.00	(0.12)	0.02	0.01	0.11	(0.01)	0.37	(0.12)	0.02
1961	Dry	(0.09)	(0.09)	(0.06)	0.04	0.04	0.02	0.01	0.01	0.01	0.01	(0.04)	0.03	(0.01)
1962	Below Normal	0.00	(0.10)	(0.38)	0.00	0.00	0.02	(0.01)	(0.01)	31.95	(0.01)	0.00	(0.01)	2.62
1963	Wet	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	30.11	14.62	(0.01)	0.00	3.73
1964	Dry	0.00	0.00	0.01	0.13	0.00	0.05	(0.01)	(0.02)	(0.02)	(0.03)	(0.02)	(0.02)	0.01
1965	Wet	(0.01)	(0.01)	0.01	0.05	0.00	0.01	(0.01)	0.00	31.80	12.73	(0.04)	(0.09)	3.70
1966	Below Normal	0.16	0.09	0.06	(0.07)	(0.07)	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.01
1967	Wet	0.00	0.01	0.01	0.03	0.01	0.04	0.00	0.00	1.44	1.45	0.98	0.77	0.40
1968	Below Normal	5.42	5.82	8.53	9.37	(6.43)	(1.67)	0.36	0.43	0.00	0.56	0.57	0.51	1.96
1969	Wet	0.43	0.39	0.34	(0.28)	0.00	0.00	(3.05)	3.35	4.74	3.68	5.94	5.56	1.76
1970	Wet	10.25	10.48	5.11	0.00	0.00	(0.11)	11.11	(0.70)	25.39	17.90	(0.72)	(0.70)	6.50
1971	Wet	(0.69)	(0.64)	(0.64)	(0.08)	0.00	1.01	0.08	(0.21)	(0.27)	(0.38)	(0.47)	(0.23)	(0.21)
1972	Below Normal	0.10	0.12	0.44	1.81	0.60	0.47	0.09	0.04	0.02	0.00	(0.02)	0.03	0.31
1973	Above Normal	0.09	0.09	0.16	0.30	0.00	0.00	0.00	0.00	21.50	10.45	0.00	0.00	2.72
1974	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.86)	(0.33)	20.73	21.54	1.49	(0.32)	3.52
1975	Wet	(0.31)	(0.30)	(0.30)	0.65	0.20	(0.18)	(0.15)	(0.16)	22.14	9.50	(0.16)	(0.15)	2.57
1976	Critical	(0.15)	(0.15)	(0.14)	(0.07)	(0.01)	0.11	0.19	0.23	0.57	0.19	(0.26)	0.36	0.07
1977	Critical	0.26	0.24	(1.58)	0.00	0.00	0.00	0.00	(0.21)	0.00	(0.03)	0.00	0.03	(0.11)
1978	Above Normal	0.00	(0.01)	(0.22)	0.00	0.00	(6.70)	(1.56)	0.92	17.72	13.62	21.58	1.15	3.88
1979	Below Normal	(2.21)	(2.47)	(5.55)	(11.29)	(10.17)	(8.56)	(4.50)	(4.77)	17.56	17.62	(4.86)	(4.71)	(1.99)
1980	Above Normal	(4.64)	(4.36)	(4.35)	6.27	0.00	(0.11)	(24.81)	(21.89)	(7.45)	(8.14)	(8.23)	(18.90)	(8.05)
1981	Dry	(21.22)	0.64	(31.86)	21.09	48.46	30.72	8.06	9.49	91.54	(7.61)	(7.08)	(5.61)	11.39
1982	Wet	(3.39)	(3.05)	(1.79)	3.94	2.99	(0.08)	(0.04)	(0.04)	2.75	2.81	2.41	2.18	0.72
1983	Wet	6.71	7.07	15.87	0.00	0.00	0.00	11.50	(4.19)	9.47	0.00	6.07	3.64	4.68
1984	Wet	3.18	3.08	(31.37)	0.00	0.00	0.00	0.00	0.00	25.25	19.48	0.00	0.00	1.64
1985	Dry	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.01	(15.23)	(0.14)	7.16	0.34	0.00	0.28	0.18	0.20	(0.60)
1987	Dry	4.22	21.64	0.01	6.50	(0.04)	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	2.68
1988	Critical	(0.01)	(0.01)	(0.01)	(0.01)	0.02	0.00	0.00	0.48	0.50	0.49	0.44	0.39	0.19
1989	Dry	0.21	0.17	0.14	(0.05)	(0.05)	(0.17)	(0.25)	0.07	0.16	0.27	(6.16)	1.87	(0.32)
1990	Critical	1.42	1.31	0.91	(1.09)	(0.78)	(0.13)	0.35	0.46	0.48	0.48	0.43	0.38	0.35
1991	Critical	0.25	0.16	0.13	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1992	Critical	0.00	0.00	0.01	0.00	0.00	0.00	(0.72)	(0.92)	(0.97)	(0.96)	(0.85)	(0.78)	(0.43)
1993	Above Normal	1.01	0.03	(1.58)	(0.74)	0.15	0.29	0.08	(0.05)	23.66	21.38	(0.02)	(0.27)	3.66
1994	Critical	(0.07)	(0.02)	0.04	0.56	0.48	0.08	(0.11)	(0.13)	1.87	(0.56)	(0.01)	0.00	0.18
1995	Wet	(0.23)	(0.03)	0.11	0.00	0.00	0.00	0.00	0.00	7.45	(13.55)	8.03	9.08	0.90
1996	Wet	(26.36)	(58.03)	(26.04)	0.09	(0.04)	(0.03)	(0.32)	(0.33)	18.87	21.62	3.26	(0.32)	(5.64)
1997	Wet	(0.32)	(0.30)	(0.29)	(0.04)	0.00	0.00	(0.03)	(0.02)	16.31	16.70	11.67	(0.02)	3.64
1998	Wet	(0.02)	(0.01)	(0.02)	(0.08)	0.00	(1.13)	1.13	(0.67)	20.90	21.15	(0.41)	(0.39)	3.37
1999	Wet	(0.37)	(0.35)	(0.06)	(0.08)	0.00	(0.01)	0.00	(0.01)	21.22	19.29	4.20	0.00	3.65
2000	Above Normal	0.00	0.00	0.00	0.00	0.04	(1.15)	(0.22)	0.13	23.84	8.65	0.43	0.16	2.66
2001	Dry	(0.22)	(0.25)	(0.60)	(1.35)	(1.12)	(0.33)	0.07	0.04	0.04	0.07	0.13	0.12	(0.28)
2002	Dry	0.15	0.16	0.07	0.07	(0.01)	(0.01)	(0.13)	(0.13)	(0.14)	(0.14)	(1.83)	0.29	(0.14)
2003	Above Normal	2.79	0.03	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24
	Average	(0.34)	0.11	(1.03)	0.70	0.59	0.58	(0.16)	(0.55)	10.03	4.76	1.33	(0.45)	1.30
	Wet	(0.85)	(1.99)	(2.02)	0.18	0.28	1.54	1.23	(0.70)	15.15	9.45	2.16	0.10	2.04
	Above Normal	0.02	(0.62)	(0.55)	0.97	1.92	(0.33)	(2.24)	(1.75)	12.30	7.18	1.62	(1.65)	1.41
	Below Normal	0.33	2.90	0.43	(0.25)	(1.70)	(1.57)	(0.41)	(0.22)	10.66	4.36	0.55	(0.07)	1.25
	Dry	(0.66)	1.44	(1.70)	2.53	2.30	1.06	(0.28)	(0.31)	7.06	(0.37)	(0.26)	(1.07)	0.81
	Critical	0.14	0.12	(0.06)	(0.07)	0.05	1.18	(0.58)	0.22	0.38	0.31	2.54	0.03	0.35

Percent Difference in Energy Use (GWh) At Pumping Plant at Chrisman: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	16%	20%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	30%	3%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	18%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	26%	10%	0%	0%
1933	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	43%	-10%	3%	3%	5%	68%	0%
1935	Below Normal	-3%	8%	12%	1%	0%	-1%	-1%	0%	1%	1%	1%	0%
1936	Below Normal	-2%	-2%	-4%	-11%	-9%	0%	0%	0%	14%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	5%	6%	3%	17%	0%	0%	2%	2%	0%	1%	1%	1%
1939	Dry	5%	5%	3%	28%	-3%	-14%	-15%	-16%	40%	-9%	15%	-15%
1940	Above Normal	20%	4%	1%	-1%	0%	0%	0%	0%	26%	8%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	26%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	8%	8%
1944	Dry	1%	-58%	1%	-8%	-7%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-7%	0%	0%	17%	16%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	34%	1%	1%	0%
1947	Dry	0%	-1%	-1%	-3%	0%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-4%	-4%	-2%	0%	2%	-2%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	24%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-3%	-1%	-9%	-15%
1953	Wet	-16%	-16%	-17%	1%	19%	57%	4%	3%	164%	-9%	-8%	-7%
1954	Above Normal	-6%	-6%	-4%	34%	36%	9%	-1%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-3%	-4%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-16%	0%	0%	0%	0%	15%	15%	8%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	78%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	828%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	32%	15%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	53%	12%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	5%	7%	15%	-8%	-3%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	1%	1%	0%	0%	0%	-2%	2%	3%	3%	4%	4%
1970	Wet	8%	9%	4%	0%	0%	0%	11%	-1%	25%	17%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	20%	9%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	19%	19%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-3%	0%	0%	0%	1%
1978	Above Normal	0%	0%	0%	0%	0%	-7%	-1%	1%	16%	12%	19%	1%
1979	Below Normal	-2%	-3%	-7%	-19%	-17%	-7%	-4%	-4%	16%	15%	-4%	-4%
1980	Above Normal	-5%	-5%	-5%	6%	0%	0%	-18%	-15%	-5%	-5%	-6%	-13%
1981	Dry	-16%	1%	-24%	34%	77%	54%	9%	9%	>1,000%	-6%	-5%	-5%
1982	Wet	-4%	-4%	-3%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	5%	6%	13%	0%	0%	0%	9%	-3%	7%	0%	4%	3%
1984	Wet	2%	2%	-22%	0%	0%	0%	0%	0%	25%	18%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-17%	0%	5%	0%	0%	0%	0%	0%
1987	Dry	3%	54%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	6%	0%	-7%	-7%	0%	0%	0%	0%	66%	18%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	3%	0%	0%	0%
1995	Wet	-5%	0%	0%	0%	0%	0%	0%	0%	6%	-10%	6%	7%
1996	Wet	-21%	-99%	-26%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	1%	-1%	19%	19%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	21%	18%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	23%	8%	0%	0%
2001	Dry	0%	0%	-1%	-3%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	-3%	0%
2003	Above Normal	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	-1%	1%	1%	1%	0%	0%	21%	4%	2%	0%
	Wet	-1%	-4%	-2%	0%	0%	2%	1%	-1%	19%	9%	2%	0%
	Above Normal	2%	-1%	-1%	3%	3%	0%	-2%	-1%	16%	7%	2%	-1%
	Below Normal	0%	6%	1%	0%	-3%	-1%	0%	0%	67%	4%	0%	0%
	Dry	0%	0%	-1%	3%	4%	2%	0%	0%	4%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	4%	-1%	0%	1%	0%	6%	0%

Energy Use (GWh) At Pumping Plant at Del Valle: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.17	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.61
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.85	0.03	0.05	0.07	0.08	0.07	0.04	1.19
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.05	0.07	0.08	0.07	0.04	1.45
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.06	0.04	1.41
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.07	0.07	0.04	1.41
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.06	0.09	0.07	0.04	1.45
1932	Dry	0.00	0.00	0.00	0.00	0.00	1.07	0.03	0.05	0.07	0.07	0.07	0.05	1.41
1933	Critical	0.00	0.00	0.00	0.00	1.08	0.01	0.03	0.04	0.06	0.08	0.07	0.05	1.42
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.06	0.07	0.08	0.07	0.05	1.47
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.85	0.28	0.05	0.06	0.08	0.07	0.05	1.44
1937	Below Normal	0.00	0.00	0.00	0.00	1.08	0.02	0.03	0.05	0.06	0.08	0.07	0.05	1.44
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.79	0.33	0.05	0.07	0.08	0.07	0.05	1.44
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.07	0.07	0.05	1.44
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.88	0.25	0.05	0.07	0.08	0.07	0.05	1.45
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1947	Dry	0.00	0.00	0.00	0.00	0.82	0.00	0.40	0.06	0.07	0.07	0.07	0.05	1.54
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.08	0.07	0.05	1.44
1951	Above Normal	0.00	0.00	0.00	0.86	0.22	0.01	0.03	0.05	0.06	0.07	0.07	0.05	1.42
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.08	0.06	0.05	1.45
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1956	Wet	0.00	0.00	0.00	0.97	0.11	0.01	0.03	0.05	0.07	0.08	0.07	0.05	1.44
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.08	0.06	1.47
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.08	0.08	0.07	0.05	1.45
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.08	0.07	0.05	1.43
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.07	0.07	0.04	1.42
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.04	1.41
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.07	0.07	0.05	1.44
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.37	0.05	0.06	0.08	0.08	0.05	1.42
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1969	Wet	0.00	0.00	0.00	0.00	0.73	0.36	0.03	0.06	0.07	0.08	0.07	0.05	1.45
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.98	0.14	0.06	0.07	0.08	0.07	0.05	1.45
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.05	0.07	0.08	0.07	0.05	1.45
1973	Above Normal	0.00	0.00	0.00	0.24	0.76	0.10	0.04	0.06	0.07	0.08	0.07	0.05	1.47
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.06	0.07	0.07	0.07	0.05	1.43
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.06	0.05	1.44
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.04	0.00	0.15	0.07	0.04	1.43
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1980	Above Normal	0.00	0.00	0.00	1.08	0.00	0.01	0.03	0.05	0.06	0.08	0.06	0.05	1.42
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.08	0.08	0.07	0.05	1.46
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1983	Wet	0.00	0.00	0.76	0.32	0.00	0.01	0.03	0.05	0.06	0.07	0.07	0.05	1.42
1984	Wet	0.03	0.01	0.00	0.00	0.00	0.02	0.03	0.06	0.07	0.08	0.07	0.06	0.43
1985	Dry	0.00	0.00	1.08	0.00	0.02	0.00	0.40	0.05	0.07	0.08	0.07	0.04	1.81
1986	Wet	0.00	0.00	0.00	0.00	1.08	0.02	0.03	0.05	0.07	0.08	0.07	0.04	1.44
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.47	0.39	0.05	0.07	0.08	0.07	0.05	1.18
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.35	0.40	0.05	0.07	0.08	0.07	0.05	1.07
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.53	0.39	0.05	0.06	0.08	0.07	0.05	1.23
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.40	0.06	0.07	0.08	0.07	0.05	1.03
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.92	0.21	0.06	0.07	0.08	0.07	0.05	1.46
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1999	Wet	0.00	0.73	0.00	0.00	0.00	0.01	0.03	0.05	0.07	0.07	0.07	0.05	1.08
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.07	0.07	0.08	0.07	0.05	1.47
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
	Average	0.00	0.01	0.02	0.04	0.07	0.62	0.33	0.05	0.07	0.08	0.07	0.05	1.41
	Wet	0.00	0.03	0.03	0.05	0.07	0.60	0.29	0.05	0.07	0.08	0.07	0.05	1.38
	Above Normal	0.01	0.00	0.00	0.18	0.08	0.56	0.30	0.05	0.07	0.08	0.07	0.05	1.46
	Below Normal	0.00	0.00	0.00	0.00	0.08	0.70	0.35	0.05	0.07	0.08	0.07	0.05	1.44
	Dry	0.00	0.00	0.06	0.00	0.05	0.65	0.35	0.05	0.07	0.08	0.07	0.05	1.43
	Critical	0.00	0.00	0.00	0.00	0.09	0.60	0.36	0.05	0.06	0.09	0.07	0.05	1.37

Energy Use (GWh) At Pumping Plant at Del Valle: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.17	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.61
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.85	0.03	0.05	0.07	0.08	0.07	0.04	1.19
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.05	0.07	0.08	0.07	0.04	1.45
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.06	0.04	1.41
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.07	0.07	0.04	1.41
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.06	0.09	0.07	0.04	1.45
1932	Dry	0.00	0.00	0.00	0.00	0.00	1.07	0.03	0.05	0.07	0.07	0.07	0.05	1.41
1933	Critical	0.00	0.00	0.00	0.00	1.08	0.01	0.03	0.04	0.06	0.08	0.07	0.05	1.42
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.06	0.07	0.08	0.07	0.05	1.47
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.85	0.28	0.05	0.06	0.08	0.07	0.05	1.44
1937	Below Normal	0.00	0.00	0.00	0.00	1.08	0.02	0.03	0.05	0.06	0.08	0.07	0.05	1.44
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.07	0.07	0.05	1.44
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.89	0.23	0.05	0.07	0.08	0.07	0.05	1.44
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1947	Dry	0.00	0.00	0.00	0.00	1.08	0.00	0.35	0.06	0.07	0.07	0.07	0.05	1.75
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.08	0.07	0.05	1.44
1951	Above Normal	0.00	0.00	0.00	0.88	0.20	0.01	0.03	0.05	0.06	0.07	0.07	0.05	1.42
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.08	0.06	0.05	1.45
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1956	Wet	0.00	0.00	0.00	0.00	0.77	0.32	0.03	0.05	0.07	0.08	0.07	0.05	1.44
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.08	0.06	1.47
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.08	0.08	0.07	0.05	1.45
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.08	0.07	0.05	1.43
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.07	0.07	0.04	1.42
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.04	1.41
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.07	0.07	0.05	1.44
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.37	0.05	0.06	0.08	0.08	0.05	1.42
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1969	Wet	0.00	0.00	0.00	0.00	0.74	1.61	0.00	0.06	0.07	0.08	0.07	0.05	2.68
1970	Wet	0.00	0.00	0.00	0.00	0.00	1.00	0.12	0.06	0.07	0.08	0.07	0.05	1.45
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.05	0.07	0.08	0.07	0.05	1.45
1973	Above Normal	0.00	0.00	0.00	0.21	0.76	0.13	0.04	0.06	0.07	0.08	0.07	0.05	1.47
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.06	0.07	0.07	0.07	0.05	1.43
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.06	0.05	1.44
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.04	0.00	0.15	0.07	0.04	1.43
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1980	Above Normal	0.00	0.00	0.00	0.15	0.76	0.18	0.03	0.05	0.06	0.08	0.06	0.05	1.42
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.08	0.08	0.07	0.05	1.46
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1983	Wet	0.00	0.00	0.00	0.70	1.45	1.61	0.04	0.00	0.00	0.00	0.07	0.05	3.92
1984	Wet	0.03	0.01	1.61	0.00	0.00	0.00	0.03	0.06	0.07	0.08	0.07	0.06	2.02
1985	Dry	0.00	0.00	1.08	0.00	0.02	0.00	0.40	0.05	0.07	0.08	0.07	0.04	1.81
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.04	1.43
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.47	0.39	0.05	0.07	0.08	0.07	0.05	1.18
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.35	0.40	0.05	0.07	0.08	0.07	0.05	1.07
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.54	0.39	0.05	0.06	0.08	0.07	0.05	1.24
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.40	0.06	0.07	0.08	0.07	0.05	1.03
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.92	0.21	0.06	0.07	0.08	0.07	0.05	1.46
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1999	Wet	0.00	0.73	0.00	0.00	0.00	0.01	0.03	0.05	0.07	0.07	0.07	0.05	1.08
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.07	0.07	0.08	0.07	0.05	1.47
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
	Average	0.00	0.01	0.03	0.02	0.10	0.67	0.33	0.05	0.07	0.08	0.07	0.05	1.48
	Wet	0.00	0.03	0.06	0.03	0.11	0.74	0.30	0.05	0.06	0.08	0.07	0.05	1.59
	Above Normal	0.01	0.00	0.00	0.10	0.14	0.57	0.30	0.05	0.07	0.08	0.07	0.05	1.46
	Below Normal	0.00	0.00	0.00	0.00	0.08	0.70	0.35	0.05	0.07	0.08	0.07	0.05	1.44
	Dry	0.00	0.00	0.06	0.00	0.06	0.65	0.35	0.05	0.07	0.08	0.07	0.05	1.44
	Critical	0.00	0.00	0.00	0.00	0.09	0.60	0.36	0.05	0.06	0.09	0.07	0.05	1.37

Difference in Energy Use (GWh) At Pumping Plant at Del Valle: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	(0.06)	0.06	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.26	0.00	(0.05)	0.00	0.00	0.00	0.00	0.00	0.02
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	(0.97)	0.66	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.01	1.25	(0.03)	0.00	0.00	0.00	0.00	0.00	0.10
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	(0.03)	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	(0.93)	0.76	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	(0.76)	0.38	1.45	1.60	0.01	(0.05)	(0.06)	(0.07)	0.00	0.00	0.21
1984	Wet	0.00	0.00	1.61	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.13
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(1.08)	0.71	0.36	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.01	(0.02)	0.02	0.05	0.00	(0.00)	(0.00)	(0.00)	0.00	0.00	0.01
	Wet	0.00	0.00	0.03	(0.02)	0.04	0.15	0.01	(0.00)	(0.00)	(0.00)	0.00	0.00	0.02
	Above Normal	0.00	0.00	0.00	(0.08)	0.06	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.01	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Del Valle: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	-8%	18%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	1%	-8%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	32%	0%	-13%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	2%	-9%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	-100%	600%	>1,000%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	1%	347%	-100%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	2%	-14%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	-13%	0%	30%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	-86%	-	>1,000%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	-100%	119%	-	>1,000%	33%	-100%	-100%	-100%	0%	0%
1984	Wet	0%	0%	-	0%	0%	-100%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-100%	>1,000%	>1,000%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	-1%	-1%	7%	4%	-1%	-1%	-1%	-1%	0%	0%
	Wet	0%	0%	-4%	1%	19%	9%	-2%	-4%	-4%	-4%	0%	0%
	Above Normal	0%	0%	0%	-8%	-1%	3%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	2%	0%	-1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Edmonston: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	538.81	471.93	380.40	93.16	310.36	353.83	347.77	355.31	344.26	356.69	357.40	340.70	4,250.62
1923	Below Normal	302.27	277.65	266.10	444.57	443.43	353.07	299.88	343.43	337.89	361.37	369.37	331.09	4,130.12
1924	Critical	262.50	236.56	195.39	89.31	95.06	111.81	169.96	203.47	203.84	202.58	183.78	160.84	2,115.10
1925	Dry	82.59	63.98	55.03	20.65	53.23	202.19	306.99	394.38	393.55	421.40	435.10	382.18	2,811.27
1926	Dry	296.93	268.44	212.41	40.49	65.45	144.33	226.89	326.07	324.50	347.01	358.41	314.47	2,925.40
1927	Wet	240.06	215.56	168.72	49.68	201.71	394.68	373.00	380.78	367.71	379.40	379.47	365.32	3,516.09
1928	Above Normal	332.22	306.73	299.50	237.29	284.24	207.10	425.05	431.45	416.09	429.35	430.24	414.37	4,213.63
1929	Critical	380.67	353.77	346.10	238.95	223.07	136.85	158.38	223.33	223.84	223.03	202.86	29.50	2,740.35
1930	Dry	108.08	132.78	116.12	37.97	62.92	101.50	254.38	297.87	300.82	307.33	295.76	259.62	2,275.15
1931	Critical	167.76	139.23	107.11	38.02	61.36	109.23	207.28	246.54	247.89	247.30	224.25	195.94	1,991.91
1932	Dry	106.43	79.52	68.15	38.65	81.79	268.18	226.54	300.94	298.98	318.64	325.32	285.83	2,398.97
1933	Critical	211.30	188.08	146.01	38.92	335.28	122.33	200.92	296.14	297.57	307.48	298.42	261.78	2,704.23
1934	Critical	173.32	144.87	111.84	39.27	56.67	114.74	236.54	283.23	286.59	285.18	157.24	12.20	1,901.69
1935	Below Normal	256.49	206.82	155.60	39.29	81.36	146.57	391.97	412.76	404.83	421.94	426.61	397.63	3,341.87
1936	Below Normal	345.61	317.93	294.81	173.71	198.61	525.49	368.16	421.50	407.15	420.24	420.66	405.06	4,298.93
1937	Below Normal	371.11	343.95	336.33	251.06	455.14	445.96	459.43	508.15	491.84	507.55	508.69	490.17	5,169.38
1938	Wet	455.40	424.16	416.23	289.32	455.14	526.88	515.91	523.80	509.75	524.24	524.74	506.28	5,671.85
1939	Dry	470.81	437.05	429.67	312.06	332.43	262.41	347.39	396.69	89.44	466.50	177.86	437.81	4,160.12
1940	Above Normal	91.98	74.07	415.93	38.76	54.38	180.65	339.05	397.56	299.34	425.58	463.10	407.26	3,187.66
1941	Wet	317.65	287.23	227.61	142.32	328.60	383.21	412.68	419.68	405.61	418.87	418.74	403.40	4,165.60
1942	Wet	369.62	341.88	334.88	451.26	455.14	458.16	317.89	342.17	335.75	354.67	359.59	329.18	4,450.19
1943	Wet	272.48	247.12	217.04	335.95	414.71	383.60	455.84	463.06	447.77	462.51	462.77	446.58	4,609.43
1944	Dry	412.10	6.28	522.45	176.20	166.76	153.06	259.70	303.63	302.99	314.63	308.50	271.29	3,197.59
1945	Below Normal	183.11	155.30	120.57	65.69	80.70	525.27	366.14	409.06	395.61	408.29	408.42	393.51	3,511.67
1946	Below Normal	359.70	332.79	325.29	455.50	455.14	504.60	319.71	331.37	320.49	333.09	333.88	317.19	4,388.75
1947	Dry	278.40	254.90	242.40	211.25	229.15	190.78	423.59	429.48	414.23	426.82	427.74	412.42	3,941.16
1948	Below Normal	378.77	351.74	344.12	221.71	207.93	133.61	205.48	160.36	24.20	463.74	474.62	417.81	3,384.09
1949	Dry	325.24	295.16	235.30	62.70	76.91	130.57	369.91	412.42	410.13	435.75	262.69	454.75	3,471.53
1950	Below Normal	353.76	168.71	219.94	52.01	57.16	111.96	313.33	355.98	12.97	452.30	461.53	405.53	2,965.18
1951	Above Normal	314.52	284.41	226.38	471.87	455.14	524.22	315.75	371.58	359.45	370.06	369.88	356.41	4,419.67
1952	Wet	323.09	297.53	290.65	449.75	471.39	522.31	421.54	478.58	462.82	478.27	478.52	461.56	5,136.01
1953	Wet	427.36	395.43	388.31	463.15	383.02	260.79	286.96	334.77	129.05	400.29	408.26	359.61	4,237.00
1954	Above Normal	275.82	248.36	195.35	60.90	220.88	194.55	326.00	377.45	351.96	393.14	423.25	372.40	3,440.06
1955	Dry	288.00	259.69	204.30	54.26	87.74	164.90	296.42	338.03	335.29	359.92	370.84	325.72	3,085.11
1956	Wet	248.65	223.48	175.28	305.29	471.39	526.85	375.13	419.20	406.52	418.53	418.31	403.50	4,392.13
1957	Above Normal	369.34	341.06	334.03	298.23	289.47	301.07	337.20	391.55	258.51	436.61	461.70	406.72	4,225.49
1958	Wet	315.58	286.03	226.36	44.33	369.00	390.02	515.27	525.87	510.19	525.73	526.96	507.90	4,743.24
1959	Below Normal	473.24	147.58	507.67	205.13	214.73	209.77	291.68	328.98	14.07	418.38	425.88	374.12	3,611.23
1960	Dry	287.94	259.39	205.26	38.63	46.49	126.78	374.33	419.02	312.16	465.07	365.74	457.97	3,358.78
1961	Dry	371.33	338.33	283.01	79.16	92.70	110.72	302.26	342.45	342.05	365.69	300.63	197.30	3,125.63
1962	Below Normal	4.39	297.75	341.13	40.40	49.54	166.79	319.90	367.93	13.51	468.57	478.85	420.93	2,969.69
1963	Wet	327.33	296.24	235.94	275.80	324.96	327.11	316.15	337.29	327.50	342.22	344.63	323.48	3,778.65
1964	Dry	278.51	253.98	235.02	213.68	467.13	340.68	348.21	361.04	351.57	366.65	368.80	346.56	3,931.83
1965	Wet	302.48	276.50	258.71	316.26	442.74	398.96	331.31	347.04	209.54	378.00	380.80	355.24	3,997.58
1966	Below Normal	305.60	279.15	256.22	401.38	421.78	317.69	306.16	344.84	340.08	361.46	369.62	331.68	4,035.66
1967	Wet	264.75	238.76	198.83	96.45	443.61	433.84	508.21	520.62	505.33	521.25	522.07	503.47	4,757.19
1968	Below Normal	468.08	434.15	426.54	222.57	272.25	226.90	297.11	337.01	14.55	428.24	435.09	382.72	3,945.21
1969	Wet	294.46	265.62	210.11	254.13	455.14	524.73	465.70	490.33	486.77	501.57	502.06	484.29	4,934.91
1970	Wet	448.81	416.10	408.97	471.87	455.14	524.21	353.93	365.33	353.49	364.02	363.50	349.89	4,875.26
1971	Wet	316.94	291.51	284.75	449.20	455.14	387.69	306.35	346.34	341.78	363.43	370.61	333.81	4,247.55
1972	Below Normal	268.00	242.24	203.83	161.91	353.61	317.32	321.20	360.36	357.66	381.26	390.79	347.41	3,705.59
1973	Above Normal	273.12	246.49	200.10	76.45	401.09	402.89	337.49	391.76	379.56	389.84	389.86	375.40	3,864.05
1974	Wet	342.08	315.41	308.45	457.28	455.14	523.77	493.01	396.42	384.82	395.40	395.24	381.13	4,848.15
1975	Wet	347.56	319.88	312.93	386.63	329.35	454.22	381.40	386.79	374.17	384.86	385.09	371.23	4,434.11
1976	Critical	337.54	311.88	304.75	246.21	257.24	223.75	332.34	380.88	318.44	419.39	303.15	419.84	3,855.41
1977	Critical	325.97	294.59	192.24	39.65	47.76	73.88	126.54	23.09	0.00	22.83	20.80	12.73	1,180.08
1978	Above Normal	4.90	155.74	275.82	37.23	90.21	351.85	365.74	389.52	379.60	394.79	397.66	374.00	3,217.06
1979	Below Normal	329.61	302.12	284.15	212.40	213.43	452.81	394.67	402.39	389.22	400.35	400.71	386.36	4,168.22
1980	Above Normal	352.58	325.89	318.70	346.68	471.39	525.35	470.56	517.82	502.71	518.71	519.23	500.90	5,370.52
1981	Dry	466.04	359.37	466.04	218.32	219.15	198.33	305.42	356.75	15.51	453.48	462.70	406.77	3,927.88
1982	Wet	314.80	284.60	226.25	236.89	337.14	388.39	503.36	512.93	498.19	512.78	513.21	494.86	4,823.40
1983	Wet	460.01	426.54	419.10	471.87	455.14	524.39	455.27	480.15	477.21	491.15	492.06	474.80	5,627.69
1984	Wet	482.55	434.04	508.39	471.87	471.39	524.09	310.86	370.04	356.89	368.95	368.55	355.21	5,022.83
1985	Dry	321.39	296.23	363.79	379.19	337.47	348.05	352.05	365.00	354.03	364.06	363.51	349.82	4,194.59
1986	Wet	317.09	292.06	284.99	242.20	307.06	526.63	482.27	526.69	510.36	526.52	526.49	507.14	5,049.50
1987	Dry	474.62	139.88	507.24	177.95	168.57	113.16	163.91	189.76	189.38	187.73	171.31	149.94	2,633.45
1988	Critical	76.93	60.00	51.71	18.08	70.60	75.09	129.36	152.15	149.66	150.69	136.11	118.86	1,189.24
1989	Dry	59.64	45.64	39.68	21.97	73.50	100.98	394.22	418.04	409.42	428.77	412.90	408.15	2,812.91
1990	Critical	353.46	324.73	298.59	163.81	160.34	131.64	184.47	216.27	217.43	216.47	196.49	172.07	2,635.77
1991	Critical	90.95	69.33	59.38	22.40	48.05	74.09	132.79	151.12	149.02	149.71	135.54	118.91	1,201.29
1992	Critical	60.14	46.07	40.08	15.23	38.19	74.44	170.72	199.37	198.62	197.52	174.44	159.98	1,374.80
1993	Above Normal	56.97	45.39	83.31	36.87	331.14	343.42	334.88	361.21	125.55	417.40	424.29	388.46	2,948.89
1994	Critical	325.06	296.31	261.27	148.25	161.04	206.29	333.85	380.96	246.60	435.84	87.01	276.88	3,159.36
1995	Wet	16.72	232.37	432.77	40.09	257.48	238.56	473.89	482.27	466.87	481.78	483.06	465.66	4,071.52
1996	Wet	431.21	205.68	344.49	195.98	189.41	342.11	363.88	366.40	353.53	364.82	364.90	351.05	3,873.46
1997	Wet	318.03	293.62	286.71	445.14	455.14	525.31	418.69	427.11	413.02	425.71	425.93	410.76	4,845.17
1998	Wet	376.54	348.08	340.96	296.18	455.14	516.01	398.47	394.54	380.82	394.45	394.95	380.17	4,676.31
1999	Wet	346.14	369.12	353.03	457.90	455.14	408.69	312.62	367.89	354.99	367.76	367.86	354.01	4,515.15
2000	Above Normal	320.66	295.45	288.45	270.18	430.98	333.80	348.87	376.40	368.59	389.80	395.53	363.51	4,182.22
2001	Dry	305.76	279.23	249.65	143.29	142.96	139.08	238.69	286.43	289.57	290.91	268.85	235.87	2,870.29
2002	Dry	137.20	106.96	84.53	39.94	90.48	163.89	405.70	410.93	395.69	410.21	250.94	438.59	2,935.06
2003	Above Normal	96.64	126.41	392.86	60.64	104.76	170.39	294.32	334.69	11.47	426.34	433.92	381.26	2,833.70
	Average	291.97	257.89	268.15	200.45	263.33	298.24	334.47	364.54	314.15	384.28	368.25	351.67	3,697.38
	Wet	333.75	308.64	302.33	311.42	395.94	439.05	405.75	423.31	398.86	428.74	429.94	410.75	4,588.46
	Above Normal	252.30	243.49	284.24	169.02	287.00	324.09	353.56	391.36	316.42	412.36	422.17	390.12	3,846.13
	Below Normal	314.27	275.56	291.59	210.52	250.34	316.99	332.49	363.15	251.72	416.20	421.77	385.80	3,830.40
	Dry	281.72	215.38	251.11	125.91	155.27	181.09	310.92	352.72	307.18	373.92	329.31	340.84	3,225.37
	Critical	230.47	205.45	176.21	91.51	129.56	121.18	198.60	229.71	211.63	238.17	176.67	161.63	2,170.77

Energy Use (GWh) At Pumping Plant at Edmonston: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	538.81	471.93	380.40	93.16	310.36	353.84	347.76	355.32	400.26	429.75	384.90	340.71	4,407.20
1923	Below Normal	302.26	277.63	266.06	444.55	443.23	350.76	299.82	343.64	439.99	371.72	369.84	331.32	4,240.82
1924	Critical	262.41	236.44	194.97	88.04	93.97	111.51	170.01	203.54	203.91	202.65	183.84	160.90	2,112.19
1925	Dry	82.63	64.00	55.05	20.66	53.19	200.99	307.18	394.61	393.78	421.65	435.36	382.41	2,811.51
1926	Dry	297.12	268.62	212.56	40.49	65.36	144.24	226.65	325.87	324.30	346.80	358.18	314.27	2,924.46
1927	Wet	239.90	215.40	168.60	49.69	201.56	394.68	373.01	380.79	434.89	424.03	379.47	365.32	3,627.34
1928	Above Normal	332.23	306.74	299.50	237.28	284.02	207.10	425.06	431.47	416.11	429.36	430.26	414.39	4,213.52
1929	Critical	380.69	353.79	346.12	238.95	223.06	136.82	158.33	223.26	223.77	222.96	202.79	29.45	2,739.99
1930	Dry	108.01	132.65	116.22	37.97	62.91	101.48	254.37	297.87	300.81	307.32	295.74	259.61	2,274.96
1931	Critical	167.73	139.21	107.09	38.02	61.35	109.24	207.23	246.47	247.81	247.22	224.18	195.88	1,991.43
1932	Dry	106.39	79.48	68.13	38.61	81.79	273.96	226.53	300.94	377.33	352.08	325.30	285.81	2,516.35
1933	Critical	211.27	188.04	145.97	38.92	329.57	122.32	200.92	296.14	297.58	307.48	298.43	261.78	2,698.42
1934	Critical	173.32	144.87	111.85	39.27	66.80	164.40	213.25	292.74	293.86	299.75	264.76	12.20	2,077.07
1935	Below Normal	248.19	224.07	174.36	39.56	81.01	145.38	386.68	413.44	407.03	426.14	432.25	398.71	3,376.82
1936	Below Normal	340.42	312.24	283.36	153.74	180.00	525.50	368.10	421.43	465.82	473.23	420.59	404.99	4,349.42
1937	Below Normal	371.06	343.91	336.30	251.06	455.14	445.93	459.43	508.15	503.52	518.38	517.46	498.40	5,208.74
1938	Wet	479.73	448.34	429.26	338.70	455.14	526.31	528.62	534.38	510.36	531.29	530.50	511.51	5,824.14
1939	Dry	493.10	460.38	441.26	400.67	321.30	225.42	295.95	335.03	125.55	425.20	205.23	372.08	4,101.17
1940	Above Normal	110.66	77.02	420.79	38.51	54.57	180.68	339.11	397.64	378.33	458.44	463.22	407.37	3,326.34
1941	Wet	317.75	287.31	227.68	142.16	328.59	381.88	411.42	418.33	460.27	480.13	455.28	402.07	4,312.87
1942	Wet	368.32	340.65	333.65	451.14	455.14	456.14	317.84	342.23	391.83	445.89	369.19	329.25	4,601.27
1943	Wet	272.42	247.06	216.86	335.39	411.07	380.52	453.66	460.79	484.25	499.08	498.31	480.29	4,739.70
1944	Dry	414.98	2.61	525.89	162.93	154.92	149.21	259.65	303.57	302.93	314.57	308.44	271.24	3,170.94
1945	Below Normal	183.07	155.27	120.54	65.73	80.69	489.64	366.71	409.65	461.16	475.25	434.18	394.09	3,635.98
1946	Below Normal	360.28	333.35	325.84	455.41	455.14	503.69	318.35	331.70	429.75	337.61	335.53	317.61	4,504.26
1947	Dry	277.06	253.44	239.26	204.76	229.59	184.71	424.72	430.66	415.39	428.01	428.94	413.58	3,930.12
1948	Below Normal	379.91	352.82	345.19	213.03	200.19	130.77	205.56	162.84	23.84	463.98	474.62	418.55	3,371.30
1949	Dry	325.65	295.47	234.30	62.47	76.68	130.30	368.90	412.33	410.27	436.20	259.94	455.91	3,468.42
1950	Below Normal	354.21	169.89	221.43	52.01	57.16	111.96	313.33	355.98	12.97	452.30	461.53	405.53	2,968.30
1951	Above Normal	314.52	284.41	226.38	471.87	455.14	524.23	316.10	371.90	446.37	395.57	370.21	356.72	4,533.42
1952	Wet	323.40	297.83	290.94	449.76	471.39	522.28	419.81	407.46	448.74	475.75	437.46	391.62	4,936.44
1953	Wet	358.34	330.28	323.38	466.37	455.14	409.88	297.17	344.46	340.49	365.85	374.47	332.88	4,398.71
1954	Above Normal	259.31	233.21	187.25	81.40	301.03	212.61	324.23	376.76	374.05	402.26	414.14	364.25	3,530.50
1955	Dry	281.37	253.56	199.13	52.36	90.13	168.81	303.15	346.09	343.52	368.70	379.90	333.71	3,120.43
1956	Wet	255.39	229.69	180.40	254.92	471.39	526.90	376.44	420.37	467.98	481.88	453.51	404.65	4,523.52
1957	Above Normal	370.46	342.14	335.10	298.48	289.41	295.77	337.15	391.39	253.38	436.86	462.68	407.61	4,220.43
1958	Wet	316.30	286.68	226.88	44.26	368.74	389.80	515.05	525.64	510.36	527.75	527.22	507.80	4,746.48
1959	Below Normal	488.88	263.39	507.27	222.08	214.75	209.86	291.68	328.98	14.07	418.38	425.89	374.12	3,759.35
1960	Dry	287.94	259.39	205.26	38.65	46.51	126.35	374.41	419.07	312.56	465.03	367.02	457.55	3,359.74
1961	Dry	371.01	338.04	282.81	79.29	92.83	110.78	302.29	342.49	342.09	365.73	300.47	197.40	3,125.23
1962	Below Normal	4.39	297.39	339.81	40.40	49.53	166.85	319.88	367.92	125.31	468.54	478.82	420.90	3,079.74
1963	Wet	327.31	296.22	235.93	275.81	324.96	327.12	316.15	337.29	432.84	393.39	344.62	323.48	3,935.12
1964	Dry	278.52	253.99	235.04	214.12	467.14	340.85	348.18	360.97	351.49	366.56	368.70	346.50	3,932.06
1965	Wet	302.45	276.48	258.73	316.43	442.76	398.98	331.25	347.05	320.82	422.54	380.64	354.94	4,153.07
1966	Below Normal	306.18	279.45	256.43	401.15	421.54	317.70	306.17	344.83	340.06	361.43	369.59	331.66	4,036.19
1967	Wet	264.76	238.77	198.87	96.56	443.65	433.96	508.22	520.62	510.36	526.33	525.50	506.16	4,773.76
1968	Below Normal	487.05	454.53	456.40	255.34	249.75	221.06	298.37	338.51	14.55	430.19	437.10	384.48	4,027.33
1969	Wet	295.95	267.00	211.27	253.13	455.14	524.75	455.03	502.08	503.37	514.47	522.84	503.73	5,008.76
1970	Wet	484.69	452.77	426.82	471.87	455.14	523.83	392.79	362.86	442.34	426.67	360.98	347.44	5,148.20
1971	Wet	314.53	289.29	282.53	448.91	455.14	391.22	306.62	345.62	340.83	362.10	368.97	333.03	4,238.79
1972	Below Normal	268.36	242.69	205.36	168.25	355.69	318.94	321.51	360.48	357.73	381.26	390.72	347.50	3,718.49
1973	Above Normal	273.44	246.81	200.66	77.50	401.09	402.90	337.49	391.77	454.78	426.43	389.86	375.40	3,978.13
1974	Wet	342.08	315.41	308.45	457.28	455.14	523.73	489.98	395.28	457.33	470.79	400.44	380.01	4,995.92
1975	Wet	346.46	318.85	311.90	388.92	330.06	453.61	380.88	386.24	451.65	418.09	384.53	370.70	4,541.89
1976	Critical	337.01	311.38	304.25	245.95	257.19	224.14	333.03	381.71	320.44	420.04	302.22	421.08	3,858.44
1977	Critical	326.90	295.45	186.70	39.66	47.76	73.88	126.55	22.36	0.00	22.70	20.80	12.85	1,175.61
1978	Above Normal	4.90	155.73	275.04	37.23	90.20	328.41	360.26	392.75	441.59	442.43	473.15	378.01	3,379.70
1979	Below Normal	321.91	293.47	264.72	172.89	177.85	422.84	378.92	385.67	450.65	462.01	383.70	369.88	4,084.51
1980	Above Normal	336.36	310.62	303.49	368.61	471.39	524.94	383.77	441.21	476.61	490.26	490.47	434.76	5,032.49
1981	Dry	391.78	361.62	354.59	292.10	388.73	305.83	333.63	389.94	335.81	426.89	437.92	387.17	4,406.01
1982	Wet	302.92	273.92	220.01	250.69	347.63	388.09	503.21	512.78	507.81	522.61	521.63	502.47	4,853.77
1983	Wet	483.50	451.30	474.63	471.87	455.14	524.39	495.52	465.50	510.36	491.15	513.29	487.54	5,824.19
1984	Wet	493.67	444.83	398.64	471.87	471.39	524.09	310.86	370.04	445.23	437.14	368.55	355.21	5,091.52
1985	Dry	321.39	296.23	363.73	379.19	337.48	348.04	352.05	365.00	354.03	364.06	363.52	349.82	4,194.54
1986	Wet	317.09	292.07	284.99	242.20	253.77	526.14	507.32	527.91	510.36	527.52	527.11	507.84	5,024.32
1987	Dry	489.40	215.64	507.28	200.73	168.43	113.11	163.85	189.68	189.30	187.65	171.24	149.87	2,746.18
1988	Critical	76.90	59.97	51.69	18.06	70.67	75.08	129.35	153.82	151.41	152.40	137.66	120.22	1,197.23
1989	Dry	60.36	46.23	40.17	21.81	73.36	100.38	393.34	418.30	409.96	429.69	391.34	414.68	2,799.62
1990	Critical	358.43	329.31	301.78	159.99	157.60	131.20	185.70	217.87	219.12	218.13	197.98	173.39	2,650.50
1991	Critical	91.82	69.89	59.84	22.69	48.05	74.10	132.79	151.12	149.02	149.71	135.55	118.91	1,203.49
1992	Critical	60.14	46.07	40.08	15.23	38.19	74.44	168.22	196.12	195.21	194.18	171.47	157.24	1,356.59
1993	Above Normal	60.52	45.49	77.80	34.29	331.65	344.42	335.14	361.04	208.35	492.20	424.20	387.49	3,102.59
1994	Critical	324.84	296.25	261.39	150.24	162.73	206.55	333.48	380.52	253.12	433.86	86.97	276.88	3,166.83
1995	Wet	15.91	232.29	433.13	40.09	257.46	238.56	473.89	482.27	492.95	434.37	511.18	497.47	4,109.57
1996	Wet	338.98	2.61	253.38	196.31	189.27	342.01	362.78	365.25	419.55	440.46	376.30	349.92	3,636.82
1997	Wet	316.92	292.57	285.66	445.01	455.14	525.32	418.56	427.06	470.10	484.16	466.75	410.71	4,997.96
1998	Wet	376.49	348.03	340.91	295.91	455.14	512.06	402.44	392.21	453.96	468.46	393.54	378.80	4,817.95
1999	Wet	344.83	367.91	352.83	457.62	455.14	408.69	312.61	367.88	429.27	435.28	382.56	354.00	4,668.62
2000	Above Normal	320.66	295.44	288.44	270.17	431.11	329.75	348.10	376.85	452.03	420.07	397.02	364.04	4,293.68
2001	Dry	305.00	278.37	247.58	138.55	139.06	137.93	238.91	286.59	289.68	291.17	269.31	236.29	2,858.44
2002	Dry	137.73	107.52	84.78	40.18	90.47	163.86	405.24	410.45	395.22	409.73	244.53	439.60	2,929.31
2003	Above Normal	106.43	126.51	393.01	60.64	104.76	170.39	294.32	334.69	11.47	426.34	433.92	381.26	2,843.74
	Average	290.80	258.26	264.54	202.90	265.41	300.25	333.93	362.60	349.24	400.92	372.91	350.08	3,751.84
	Wet	330.77	301.68	295.24	312.03	396.93	444.42	410.04	420.86	451.86	461.81	437.49	411.11	4,674.26
	Above Normal	252.36	241.34	282.32	172.43	293.73	322.92	345.71	385.23	359.44	437.50	427.84	384.33	3,905.15
	Below Normal	315.44	285.72	293.08	209.66	244.41	311.49	331.04	362.37	289.03	431.46	423.70	385.55	3,882.95
	Dry	279.41	220.40	245.17	134.75	163.33	184.79	309.94	351.64	331.89	372.61	328.39	337.08	3,259.42
	Critical	230.96	205.89	175.98	91.25	129.75	125.31	196.57	230.47	212.94	239.26	185.55	161.73	2,185.65

Difference in Energy Use (GWh) At Pumping Plant at Edmonston: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.01	56.00	73.06	27.50	0.01	13.05
1923	Below Normal	(0.01)	(0.02)	(0.04)	(0.02)	(0.20)	(2.31)	(0.06)	0.21	102.10	10.35	0.47	0.23	9.23
1924	Critical	(0.09)	(0.12)	(0.42)	(1.27)	(1.09)	(0.30)	0.05	0.07	0.07	0.07	0.06	0.06	(0.24)
1925	Dry	0.04	0.02	0.02	0.01	(0.04)	(1.20)	0.19	0.23	0.23	0.25	0.26	0.23	0.02
1926	Dry	0.19	0.18	0.15	0.00	(0.09)	(0.09)	(0.24)	(0.20)	(0.20)	(0.21)	(0.23)	(0.20)	(0.08)
1927	Wet	(0.16)	(0.16)	(0.12)	0.01	(0.15)	0.00	0.01	0.01	67.18	44.63	0.00	0.00	9.27
1928	Above Normal	0.01	0.01	0.00	(0.01)	(0.22)	0.00	0.01	0.02	0.02	0.01	0.02	0.02	(0.01)
1929	Critical	0.02	0.02	0.02	0.00	(0.01)	(0.03)	(0.05)	(0.07)	(0.07)	(0.07)	(0.07)	(0.05)	(0.03)
1930	Dry	(0.07)	(0.13)	0.10	0.00	(0.01)	(0.02)	(0.01)	0.00	(0.01)	(0.01)	(0.02)	(0.01)	(0.02)
1931	Critical	(0.03)	(0.02)	(0.02)	0.00	(0.01)	0.01	(0.05)	(0.07)	(0.08)	(0.08)	(0.07)	(0.06)	(0.04)
1932	Dry	(0.04)	(0.04)	(0.02)	(0.04)	0.00	5.78	(0.01)	0.00	78.35	33.44	(0.02)	(0.02)	9.78
1933	Critical	(0.03)	(0.04)	(0.04)	0.00	(5.71)	(0.01)	0.00	0.00	0.01	0.00	0.01	0.00	(0.48)
1934	Critical	0.00	0.00	0.01	0.00	10.13	49.66	(23.29)	9.51	7.27	14.57	107.52	0.00	14.62
1935	Below Normal	(8.30)	17.25	18.76	0.27	(0.35)	(1.19)	(5.29)	0.68	2.20	4.20	5.64	1.08	2.91
1936	Below Normal	(5.19)	(5.69)	(11.45)	(19.97)	(18.61)	0.01	(0.06)	(0.07)	58.67	52.99	(0.07)	(0.07)	4.21
1937	Below Normal	(0.05)	(0.04)	(0.03)	0.00	0.00	(0.03)	0.00	0.00	11.68	10.83	8.77	8.23	3.28
1938	Wet	24.33	24.18	13.03	49.38	0.00	(0.57)	12.71	10.58	0.61	7.05	5.76	5.23	12.69
1939	Dry	22.29	23.33	11.59	88.61	(11.13)	(36.99)	(51.44)	(61.66)	36.11	(41.30)	27.37	(65.73)	(4.91)
1940	Above Normal	18.68	2.95	4.86	(0.25)	0.19	0.03	0.06	0.08	78.99	32.86	0.12	0.11	11.56
1941	Wet	0.10	0.08	0.07	(0.16)	(0.01)	(1.33)	(1.26)	(1.35)	54.66	61.26	36.54	(1.33)	12.27
1942	Wet	(1.30)	(1.23)	(1.23)	(0.12)	0.00	(2.02)	(0.05)	0.06	56.08	91.22	9.60	0.07	12.59
1943	Wet	(0.06)	(0.06)	(0.18)	(0.56)	(3.64)	(3.08)	(2.18)	(2.27)	36.48	36.57	35.54	33.71	10.86
1944	Dry	2.88	(3.67)	3.44	(13.27)	(11.84)	(3.85)	(0.05)	(0.06)	(0.06)	(0.06)	(0.06)	(0.05)	(2.22)
1945	Below Normal	(0.04)	(0.03)	(0.03)	0.04	(0.01)	(35.63)	0.57	0.59	65.55	66.96	25.76	0.58	10.36
1946	Below Normal	0.58	0.56	0.55	(0.09)	0.00	(0.91)	(1.36)	0.33	109.26	4.52	1.65	0.42	9.63
1947	Dry	(1.34)	(1.46)	(3.14)	(6.49)	0.44	(6.07)	1.13	1.18	1.16	1.19	1.20	1.16	(0.92)
1948	Below Normal	1.14	1.08	1.07	(8.68)	(7.74)	(2.84)	0.08	2.48	(0.36)	0.24	0.00	0.74	(1.07)
1949	Dry	0.41	0.31	(1.00)	(0.23)	(0.23)	(0.27)	(1.01)	(0.09)	0.14	0.45	(2.75)	1.16	(0.26)
1950	Below Normal	0.45	1.18	1.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.35	0.32	86.92	25.51	0.33	0.31	9.48
1952	Wet	0.31	0.30	0.29	0.01	0.00	(0.03)	(1.73)	(71.12)	(14.08)	(2.52)	(41.06)	(69.94)	(16.63)
1953	Wet	(69.02)	(65.15)	(64.93)	3.22	72.12	149.09	10.21	9.69	211.44	(34.44)	(33.79)	(26.73)	13.48
1954	Above Normal	(16.51)	(15.15)	(8.10)	20.50	80.15	18.06	(1.77)	(0.69)	22.09	9.12	(9.11)	(8.15)	7.54
1955	Dry	(6.63)	(6.13)	(5.17)	(1.90)	2.39	3.91	6.73	8.06	8.23	8.78	9.06	7.99	2.94
1956	Wet	6.74	6.21	5.12	(50.37)	0.00	0.05	1.31	1.17	61.46	63.35	35.20	1.15	10.95
1957	Above Normal	1.12	1.08	1.07	0.25	(0.06)	(5.30)	(0.05)	(0.16)	(5.13)	0.25	0.98	0.89	(0.42)
1958	Wet	0.72	0.65	0.52	(0.07)	(0.26)	(0.22)	(0.22)	(0.23)	0.17	2.02	0.26	(0.10)	0.27
1959	Below Normal	15.64	115.81	(0.40)	16.95	0.02	0.09	0.00	0.00	0.00	0.00	0.01	0.00	12.34
1960	Dry	0.00	0.00	0.00	0.02	0.02	(0.43)	0.08	0.05	0.40	(0.04)	1.28	(0.42)	0.08
1961	Dry	(0.32)	(0.29)	(0.20)	0.13	0.13	0.06	0.03	0.04	0.04	0.04	(0.16)	0.10	(0.03)
1962	Below Normal	0.00	(0.36)	(1.32)	0.00	(0.01)	0.06	(0.02)	(0.01)	111.80	(0.03)	(0.03)	(0.03)	9.17
1963	Wet	(0.02)	(0.02)	(0.01)	0.01	0.00	0.01	0.00	0.00	105.34	51.17	(0.01)	0.00	13.04
1964	Dry	0.01	0.01	0.02	0.44	0.01	0.17	(0.03)	(0.07)	(0.08)	(0.09)	(0.10)	(0.06)	0.02
1965	Wet	(0.03)	(0.02)	0.02	0.17	0.02	0.02	(0.06)	0.01	111.28	44.54	(0.16)	(0.30)	12.96
1966	Below Normal	0.58	0.30	0.21	(0.23)	(0.24)	0.01	0.01	(0.01)	(0.02)	(0.03)	(0.03)	(0.02)	0.04
1967	Wet	0.01	0.01	0.04	0.11	0.04	0.12	0.01	0.00	5.03	5.08	3.43	2.69	1.38
1968	Below Normal	18.97	20.38	29.86	32.77	(22.50)	(5.84)	1.26	1.50	0.00	1.95	2.01	1.76	6.84
1969	Wet	1.49	1.38	1.16	(1.00)	0.00	0.02	(10.67)	11.75	16.60	12.90	20.78	19.44	6.15
1970	Wet	35.88	36.67	17.85	0.00	0.00	(0.38)	38.86	(2.47)	88.85	62.65	(2.52)	(2.45)	22.75
1971	Wet	(2.41)	(2.22)	(2.22)	(0.29)	0.00	3.53	0.27	(0.72)	(0.95)	(1.33)	(1.64)	(0.78)	(0.73)
1972	Below Normal	0.36	0.45	1.53	6.34	2.08	1.62	0.31	0.12	0.07	0.00	(0.07)	0.09	1.08
1973	Above Normal	0.32	0.32	0.56	1.05	0.00	0.01	0.00	0.01	75.22	36.59	0.00	0.00	9.51
1974	Wet	0.00	0.00	0.00	0.00	0.00	(0.04)	(3.03)	(1.14)	72.51	75.39	5.20	(1.12)	12.31
1975	Wet	(1.10)	(1.03)	(1.03)	2.29	0.71	(0.61)	(0.52)	(0.55)	77.48	33.23	(0.56)	(0.53)	8.98
1976	Critical	(0.53)	(0.50)	(0.50)	(0.26)	(0.05)	0.39	0.69	0.83	2.00	0.65	(0.93)	1.24	0.25
1977	Critical	0.93	0.86	(5.54)	0.01	0.00	0.00	0.01	(0.73)	0.00	(0.13)	0.00	0.12	(0.37)
1978	Above Normal	0.00	(0.01)	(0.78)	0.00	(0.01)	(23.44)	(5.48)	3.23	61.99	47.64	75.49	4.01	13.55
1979	Below Normal	(7.70)	(8.65)	(19.43)	(39.51)	(35.58)	(29.97)	(15.75)	(16.72)	61.43	61.66	(17.01)	(16.48)	(6.98)
1980	Above Normal	(16.22)	(15.27)	(15.21)	21.93	0.00	(0.41)	(86.79)	(76.61)	(26.10)	(28.45)	(28.76)	(66.14)	(28.17)
1981	Dry	(74.26)	2.25	(111.45)	73.78	169.58	107.50	28.21	33.19	320.30	(26.59)	(24.78)	(19.60)	39.84
1982	Wet	(11.88)	(10.68)	(6.24)	13.80	10.49	(0.30)	(0.15)	(0.15)	9.62	9.83	8.42	7.61	2.53
1983	Wet	23.49	24.76	55.53	0.00	0.00	0.00	40.25	(14.65)	33.15	0.00	21.23	12.74	16.38
1984	Wet	11.12	10.79	(109.75)	0.00	0.00	0.00	0.00	0.00	88.34	68.19	0.00	0.00	5.72
1985	Dry	0.00	0.00	(0.06)	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1986	Wet	0.00	0.01	0.00	0.00	(53.29)	(0.49)	25.05	1.22	0.00	1.00	0.62	0.70	(2.10)
1987	Dry	14.78	75.76	0.04	22.78	(0.14)	(0.05)	(0.06)	(0.08)	(0.08)	(0.08)	(0.07)	(0.07)	9.39
1988	Critical	(0.03)	(0.03)	(0.02)	(0.02)	0.07	(0.01)	(0.01)	1.67	1.75	1.71	1.55	1.36	0.67
1989	Dry	0.72	0.59	0.49	(0.16)	(0.14)	(0.60)	(0.88)	0.26	0.54	0.92	(21.56)	6.53	(1.11)
1990	Critical	4.97	4.58	3.19	(3.82)	(2.74)	(0.44)	1.23	1.60	1.69	1.66	1.49	1.32	1.23
1991	Critical	0.87	0.56	0.46	0.29	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.18
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(2.50)	(3.25)	(3.41)	(3.34)	(2.97)	(2.74)	(1.52)
1993	Above Normal	3.55	0.10	(5.51)	(2.58)	0.51	1.00	0.26	(0.17)	82.80	74.80	(0.09)	(0.97)	12.81
1994	Critical	(0.22)	(0.06)	0.12	1.99	1.69	0.26	(0.37)	(0.44)	6.52	(1.98)	(0.04)	0.00	0.62
1995	Wet	(0.81)	(0.08)	0.36	0.00	(0.02)	0.00	0.00	0.00	26.08	(47.41)	28.12	31.81	3.17
1996	Wet	(92.23)	(203.07)	(91.11)	0.33	(0.14)	(0.10)	(1.10)	(1.15)	66.02	75.64	11.40	(1.13)	(19.72)
1997	Wet	(1.11)	(1.05)	(1.05)	(0.13)	0.00	0.01	(0.13)	(0.05)	57.08	58.45	40.82	(0.05)	12.73
1998	Wet	(0.05)	(0.05)	(0.05)	(0.27)	0.00	(3.95)	3.97	(2.33)	73.14	74.01	(1.41)	(1.37)	11.80
1999	Wet	(1.31)	(1.21)	(0.20)	(0.28)	0.00	0.00	(0.01)	(0.01)	74.28	67.52	14.70	(0.01)	12.79
2000	Above Normal	0.00	(0.01)	(0.01)	(0.01)	0.13	(4.05)	(0.77)	0.45	83.44	30.27	1.49	0.53	9.29
2001	Dry	(0.76)	(0.86)	(2.07)	(4.74)	(3.90)	(1.15)	0.22	0.16	0.11	0.26	0.46	0.42	(0.99)
2002	Dry	0.53	0.56	0.25	0.24	(0.01)	(0.03)	(0.46)	(0.48)	(0.47)	(0.48)	(6.41)	1.01	(0.48)
2003	Above Normal	9.79	0.10	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.84
	Average	(1.17)	0.38	(3.61)	2.45	2.08	2.01	(0.55)	(1.93)	35.08	16.64	4.65	(1.58)	4.54
	Wet	(2.97)	(6.96)	(7.08)	0.62	0.99	5.37	4.29	(2.45)	52.99	33.08	7.56	0.36	7.15
	Above Normal	0.06	(2.16)	(1.91)	3.41	6.72	(1.17)	(7.85)	(6.13)	43.02	25.14	5.66	(5.78)	4.92
	Below Normal	1.17	10.16	1.48	(0.87)	(5.94)	(5.50)	(1.45)	(0.78)	37.31	15.26	1.94	(0.25)	4.38
	Dry	(2.31)	5.02	(5.95)	8.84	8.06	3.70	(0.98)	(1.08)	24.71	(1.31)	(0.92)	(3.75)	2.84
	Critical	0.49	0.44	(0.23)	(0.26)	0.19	4.13	(2.02)	0.76	1.31	1.09	8.88	0.10	1.24

Percent Difference in Energy Use (GWh) At Pumping Plant at Edmonston: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	16%	20%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	30%	3%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	18%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	26%	10%	0%	0%
1933	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	43%	-10%	3%	3%	5%	68%	0%
1935	Below Normal	-3%	8%	12%	1%	0%	-1%	-1%	0%	1%	1%	1%	0%
1936	Below Normal	-2%	-2%	-4%	-11%	-9%	0%	0%	0%	14%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	5%	6%	3%	17%	0%	0%	2%	2%	0%	1%	1%	1%
1939	Dry	5%	5%	3%	28%	-3%	-14%	-15%	-16%	40%	-9%	15%	-15%
1940	Above Normal	20%	4%	1%	-1%	0%	0%	0%	0%	26%	8%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	26%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	8%	8%
1944	Dry	1%	-58%	1%	-8%	-7%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-7%	0%	0%	17%	16%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	34%	1%	0%	0%
1947	Dry	0%	-1%	-1%	-3%	0%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-4%	-4%	-2%	0%	2%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	24%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-3%	-1%	-9%	-15%
1953	Wet	-16%	-16%	-17%	1%	19%	57%	4%	3%	164%	-9%	-8%	-7%
1954	Above Normal	-6%	-6%	-4%	34%	36%	9%	-1%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-3%	-4%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-16%	0%	0%	0%	0%	15%	15%	8%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	78%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	828%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	32%	15%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	53%	12%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	5%	7%	15%	-8%	-3%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	1%	1%	0%	0%	0%	-2%	2%	3%	3%	4%	4%
1970	Wet	8%	9%	4%	0%	0%	0%	11%	-1%	25%	17%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	20%	9%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	19%	19%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-3%	0%	-1%	0%	1%
1978	Above Normal	0%	0%	0%	0%	0%	-7%	-1%	1%	16%	12%	19%	1%
1979	Below Normal	-2%	-3%	-7%	-19%	-17%	-7%	-4%	-4%	16%	15%	-4%	-4%
1980	Above Normal	-5%	-5%	-5%	6%	0%	0%	-18%	-15%	-5%	-5%	-6%	-13%
1981	Dry	-16%	1%	-24%	34%	77%	54%	9%	9%	>1,000%	-6%	-5%	-5%
1982	Wet	-4%	-4%	-3%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	5%	6%	13%	0%	0%	0%	9%	-3%	7%	0%	4%	3%
1984	Wet	2%	2%	-22%	0%	0%	0%	0%	0%	25%	18%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-17%	0%	5%	0%	0%	0%	0%	0%
1987	Dry	3%	54%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	6%	0%	-7%	-7%	0%	0%	0%	0%	66%	18%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	3%	0%	0%	0%
1995	Wet	-5%	0%	0%	0%	0%	0%	0%	0%	6%	-10%	6%	7%
1996	Wet	-21%	-99%	-26%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	1%	-1%	19%	19%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	21%	18%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	23%	8%	0%	0%
2001	Dry	0%	0%	-1%	-3%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	-3%	0%
2003	Above Normal	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	-1%	1%	1%	1%	0%	0%	21%	4%	2%	0%
	Wet	-1%	-4%	-2%	0%	0%	2%	1%	-1%	19%	9%	2%	0%
	Above Normal	2%	-1%	-1%	3%	3%	0%	-2%	-1%	16%	7%	2%	-1%
	Below Normal	0%	6%	1%	0%	-3%	-1%	0%	0%	67%	4%	0%	0%
	Dry	0%	0%	-1%	3%	4%	2%	0%	0%	4%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	4%	-1%	0%	1%	0%	6%	0%

Energy Use (GWh) At Pumping Plant at Las Perillas: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.72	0.54	0.48	0.25	0.38	0.62	0.72	0.93	1.14	1.18	1.02	0.76	8.74
1923	Below Normal	0.50	0.42	0.35	0.47	0.38	0.48	0.60	0.99	1.21	1.26	1.07	0.79	8.52
1924	Critical	0.42	0.32	0.28	0.07	0.08	0.14	0.25	0.31	0.59	0.61	0.54	0.27	3.88
1925	Dry	0.17	0.14	0.15	0.07	0.07	0.30	0.66	1.08	1.31	1.37	1.15	0.85	7.32
1926	Dry	0.43	0.33	0.29	0.07	0.09	0.21	0.35	0.90	1.08	1.13	0.95	0.70	6.53
1927	Wet	0.36	0.27	0.24	0.15	0.29	0.68	0.77	0.96	1.19	1.23	1.07	0.80	8.01
1928	Above Normal	0.54	0.46	0.38	0.17	0.22	0.21	0.85	1.06	1.31	1.35	1.17	0.88	8.60
1929	Critical	0.60	0.52	0.42	0.06	0.06	0.09	0.23	0.35	0.64	0.67	0.59	0.30	4.53
1930	Dry	0.19	0.16	0.17	0.06	0.09	0.14	0.43	0.61	0.92	0.96	0.83	0.50	5.06
1931	Critical	0.28	0.23	0.23	0.06	0.09	0.15	0.31	0.39	0.72	0.75	0.66	0.33	4.20
1932	Dry	0.21	0.18	0.19	0.09	0.15	0.29	0.48	0.79	0.98	1.03	0.87	0.62	5.88
1933	Critical	0.32	0.24	0.22	0.06	0.20	0.26	0.38	0.63	0.93	0.97	0.84	0.52	5.57
1934	Critical	0.29	0.23	0.23	0.07	0.08	0.16	0.37	0.46	0.84	0.88	0.77	0.26	4.64
1935	Below Normal	0.29	0.25	0.26	0.07	0.12	0.21	0.78	1.06	1.30	1.35	1.16	0.86	7.71
1936	Below Normal	0.54	0.45	0.38	0.07	0.15	0.77	0.83	1.06	1.30	1.35	1.17	0.88	8.95
1937	Below Normal	0.60	0.52	0.42	0.08	0.19	0.36	1.03	1.28	1.57	1.62	1.41	1.06	10.14
1938	Wet	0.73	0.63	0.52	0.21	0.46	0.83	1.09	1.36	1.68	1.74	1.50	1.12	11.87
1939	Dry	0.77	0.66	0.54	0.16	0.18	0.25	0.65	1.08	1.31	1.37	1.15	0.85	8.97
1940	Above Normal	0.43	0.32	0.28	0.06	0.07	0.27	0.65	1.09	1.32	1.38	1.16	0.86	7.89
1941	Wet	0.44	0.33	0.29	0.30	0.40	0.68	0.87	1.09	1.35	1.40	1.21	0.90	9.26
1942	Wet	0.61	0.52	0.43	0.42	0.38	0.55	0.66	0.96	1.18	1.22	1.04	0.77	8.74
1943	Wet	0.44	0.36	0.30	0.39	0.41	0.64	0.98	1.22	1.51	1.56	1.35	1.01	10.17
1944	Dry	0.68	0.58	0.48	0.06	0.06	0.16	0.45	0.67	0.95	0.99	0.85	0.54	6.47
1945	Below Normal	0.30	0.24	0.23	0.13	0.13	0.76	0.83	1.03	1.27	1.31	1.14	0.85	8.22
1946	Below Normal	0.58	0.50	0.41	0.48	0.43	0.61	0.67	0.90	1.11	1.15	0.99	0.73	8.56
1947	Dry	0.47	0.40	0.33	0.18	0.16	0.28	0.85	1.06	1.30	1.34	1.16	0.87	8.40
1948	Below Normal	0.60	0.51	0.42	0.07	0.06	0.09	0.31	0.92	1.12	1.16	0.98	0.72	6.96
1949	Dry	0.37	0.28	0.25	0.12	0.11	0.19	0.72	1.11	1.35	1.41	1.19	0.88	7.98
1950	Below Normal	0.48	0.37	0.33	0.07	0.06	0.16	0.59	0.97	0.92	1.27	1.08	0.80	7.10
1951	Above Normal	0.43	0.33	0.30	0.56	0.52	0.74	0.76	0.99	1.23	1.27	1.10	0.81	9.04
1952	Wet	0.55	0.47	0.38	0.44	0.46	0.67	0.84	1.27	1.57	1.62	1.40	1.05	10.72
1953	Wet	0.71	0.61	0.49	0.43	0.22	0.25	0.54	0.94	1.15	1.20	1.01	0.74	8.29
1954	Above Normal	0.37	0.27	0.24	0.14	0.31	0.30	0.63	1.06	1.29	1.34	1.13	0.83	7.91
1955	Dry	0.42	0.31	0.28	0.14	0.17	0.24	0.55	0.92	1.11	1.16	0.98	0.72	7.00
1956	Wet	0.36	0.27	0.24	0.43	0.59	0.84	0.90	1.12	1.39	1.44	1.24	0.92	9.74
1957	Above Normal	0.62	0.53	0.43	0.13	0.15	0.36	0.64	1.08	1.31	1.37	1.15	0.85	8.62
1958	Wet	0.43	0.32	0.29	0.18	0.45	0.69	1.09	1.36	1.68	1.74	1.51	1.13	10.87
1959	Below Normal	0.77	0.66	0.54	0.13	0.19	0.25	0.54	0.90	0.86	1.18	1.00	0.74	7.76
1960	Dry	0.39	0.30	0.27	0.06	0.06	0.19	0.73	1.13	1.37	1.42	1.21	0.89	8.02
1961	Dry	0.49	0.38	0.33	0.06	0.08	0.14	0.57	0.93	1.13	1.18	0.99	0.73	7.01
1962	Below Normal	0.37	0.28	0.25	0.07	0.06	0.25	0.61	1.01	1.22	1.28	1.08	0.79	7.27
1963	Wet	0.40	0.30	0.27	0.45	0.40	0.59	0.66	0.92	1.14	1.18	1.01	0.75	8.07
1964	Dry	0.47	0.39	0.32	0.23	0.46	0.46	0.72	0.96	1.18	1.22	1.05	0.78	8.24
1965	Wet	0.49	0.41	0.34	0.32	0.41	0.60	0.69	0.94	1.16	1.20	1.03	0.76	8.35
1966	Below Normal	0.47	0.39	0.32	0.44	0.38	0.49	0.61	0.99	1.21	1.26	1.07	0.78	8.41
1967	Wet	0.42	0.33	0.28	0.18	0.50	0.74	1.09	1.36	1.67	1.73	1.50	1.12	10.92
1968	Below Normal	0.76	0.65	0.53	0.18	0.22	0.25	0.55	0.91	1.10	1.15	0.97	0.71	7.98
1969	Wet	0.36	0.26	0.24	0.42	0.47	0.77	1.07	1.33	1.65	1.70	1.47	1.10	10.84
1970	Wet	0.74	0.64	0.52	0.48	0.43	0.74	0.76	0.97	1.21	1.25	1.08	0.80	9.62
1971	Wet	0.54	0.46	0.37	0.44	0.39	0.46	0.62	0.99	1.21	1.26	1.07	0.79	8.60
1972	Below Normal	0.43	0.33	0.29	0.26	0.37	0.52	0.63	1.02	1.24	1.29	1.09	0.80	8.27
1973	Above Normal	0.42	0.32	0.28	0.20	0.46	0.68	0.79	1.01	1.25	1.30	1.12	0.83	8.66
1974	Wet	0.57	0.48	0.40	0.48	0.49	0.73	0.85	1.06	1.32	1.36	1.18	0.87	9.79
1975	Wet	0.59	0.50	0.41	0.32	0.23	0.66	0.78	0.98	1.21	1.25	1.08	0.81	8.82
1976	Critical	0.55	0.47	0.38	0.15	0.14	0.23	0.63	1.03	1.25	1.31	1.10	0.81	8.05
1977	Critical	0.41	0.31	0.27	0.06	0.06	0.09	0.16	0.21	0.00	0.00	0.00	0.81	2.38
1978	Above Normal	0.33	0.25	0.24	0.06	0.18	0.59	0.73	1.00	1.22	1.27	1.09	0.81	7.77
1979	Below Normal	0.52	0.44	0.37	0.11	0.14	0.70	0.81	1.01	1.25	1.29	1.12	0.84	8.60
1980	Above Normal	0.57	0.49	0.40	0.20	0.51	0.78	1.08	1.35	1.67	1.73	1.49	1.12	11.39
1981	Dry	0.76	0.65	0.53	0.11	0.15	0.22	0.57	0.97	1.18	1.23	1.04	0.76	8.17
1982	Wet	0.39	0.29	0.26	0.39	0.42	0.70	1.08	1.35	1.67	1.73	1.49	1.12	10.89
1983	Wet	0.76	0.65	0.53	0.54	0.50	0.76	1.05	1.31	1.63	1.68	1.46	1.08	11.95
1984	Wet	0.81	0.70	0.59	0.62	0.52	0.73	0.75	0.99	1.23	1.27	1.10	0.81	10.12
1985	Dry	0.55	0.47	0.38	0.45	0.39	0.67	0.75	0.97	1.20	1.24	1.07	0.80	8.94
1986	Wet	0.54	0.46	0.37	0.06	0.10	0.83	1.08	1.34	1.65	1.70	1.48	1.11	10.72
1987	Dry	0.76	0.66	0.54	0.06	0.06	0.09	0.23	0.29	0.54	0.56	0.50	0.25	4.54
1988	Critical	0.16	0.13	0.14	0.07	0.10	0.09	0.17	0.23	0.43	0.44	0.39	0.19	2.54
1989	Dry	0.12	0.10	0.11	0.10	0.11	0.14	0.78	1.07	1.31	1.36	1.17	0.87	7.24
1990	Critical	0.54	0.45	0.38	0.06	0.07	0.12	0.27	0.34	0.63	0.65	0.58	0.29	4.38
1991	Critical	0.18	0.15	0.16	0.07	0.06	0.09	0.18	0.22	0.42	0.44	0.39	0.19	2.55
1992	Critical	0.12	0.10	0.11	0.06	0.06	0.09	0.25	0.31	0.57	0.59	0.52	0.26	3.04
1993	Above Normal	0.16	0.14	0.15	0.07	0.41	0.60	0.69	1.00	1.22	1.27	1.08	0.80	7.59
1994	Critical	0.46	0.37	0.32	0.14	0.14	0.27	0.63	1.04	1.27	1.32	1.11	0.82	7.89
1995	Wet	0.41	0.31	0.28	0.07	0.34	0.39	0.99	1.24	1.52	1.57	1.37	1.02	9.51
1996	Wet	0.70	0.60	0.49	0.34	0.27	0.59	0.75	0.94	1.16	1.20	1.04	0.77	8.85
1997	Wet	0.52	0.45	0.37	0.44	0.45	0.78	0.91	1.13	1.40	1.45	1.26	0.93	10.09
1998	Wet	0.63	0.54	0.44	0.14	0.40	0.65	0.81	1.03	1.27	1.31	1.14	0.85	9.21
1999	Wet	0.58	0.57	0.48	0.52	0.52	0.73	0.76	0.99	1.22	1.27	1.09	0.81	9.54
2000	Above Normal	0.55	0.47	0.38	0.14	0.33	0.46	0.70	1.01	1.24	1.29	1.10	0.81	8.48
2001	Dry	0.48	0.39	0.33	0.06	0.07	0.16	0.38	0.49	0.86	0.90	0.79	0.42	5.33
2002	Dry	0.25	0.21	0.22	0.15	0.18	0.24	0.82	1.01	1.25	1.29	1.12	0.84	7.58
2003	Above Normal	0.57	0.49	0.41	0.20	0.19	0.25	0.54	0.90	1.09	1.14	0.96	0.70	7.44
	Average	0.48	0.40	0.34	0.21	0.25	0.43	0.67	0.94	1.18	1.23	1.06	0.77	7.96
	Wet	0.54	0.45	0.38	0.35	0.40	0.66	0.86	1.12	1.39	1.43	1.24	0.92	9.75
	Above Normal	0.48	0.38	0.33	0.18	0.31	0.49	0.73	1.04	1.27	1.32	1.13	0.84	8.51
	Below Normal	0.52	0.43	0.36	0.19	0.21	0.42	0.67	1.00	1.19	1.28	1.10	0.81	8.18
	Dry	0.44	0.37	0.32	0.12	0.15	0.24	0.59	0.89	1.13	1.18	1.00	0.72	7.15
	Critical	0.36	0.29	0.26	0.08	0.10	0.15	0.32	0.46	0.69	0.72	0.62	0.42	4.47

Energy Use (GWh) At Pumping Plant at Las Perillas: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.72	0.54	0.48	0.25	0.38	0.62	0.72	0.93	1.14	1.18	1.02	0.76	8.74
1923	Below Normal	0.50	0.42	0.35	0.47	0.38	0.48	0.60	0.99	1.21	1.26	1.07	0.79	8.52
1924	Critical	0.42	0.32	0.28	0.07	0.08	0.14	0.25	0.31	0.59	0.61	0.54	0.27	3.88
1925	Dry	0.17	0.14	0.15	0.07	0.07	0.30	0.66	1.08	1.31	1.37	1.15	0.85	7.32
1926	Dry	0.44	0.33	0.29	0.07	0.09	0.21	0.35	0.90	1.08	1.13	0.95	0.70	6.54
1927	Wet	0.36	0.27	0.24	0.15	0.29	0.68	0.77	0.96	1.19	1.23	1.07	0.80	8.01
1928	Above Normal	0.54	0.46	0.38	0.17	0.22	0.21	0.85	1.06	1.31	1.35	1.17	0.88	8.60
1929	Critical	0.60	0.52	0.42	0.06	0.06	0.09	0.23	0.35	0.64	0.67	0.59	0.30	4.53
1930	Dry	0.19	0.16	0.17	0.06	0.09	0.14	0.43	0.61	0.92	0.96	0.83	0.50	5.06
1931	Critical	0.28	0.23	0.23	0.06	0.09	0.15	0.31	0.39	0.72	0.75	0.66	0.33	4.20
1932	Dry	0.21	0.18	0.19	0.09	0.15	0.29	0.48	0.79	0.98	1.03	0.87	0.62	5.88
1933	Critical	0.32	0.24	0.22	0.06	0.20	0.26	0.38	0.63	0.93	0.97	0.84	0.52	5.57
1934	Critical	0.29	0.23	0.23	0.07	0.10	0.19	0.41	0.58	0.90	0.94	0.82	0.30	5.06
1935	Below Normal	0.34	0.28	0.28	0.07	0.12	0.21	0.77	1.08	1.31	1.36	1.17	0.87	7.86
1936	Below Normal	0.53	0.43	0.37	0.07	0.16	0.77	0.83	1.06	1.30	1.35	1.17	0.88	8.92
1937	Below Normal	0.60	0.52	0.42	0.08	0.19	0.36	1.03	1.28	1.57	1.62	1.41	1.06	10.14
1938	Wet	0.73	0.63	0.52	0.20	0.45	0.81	1.10	1.37	1.69	1.74	1.51	1.13	11.88
1939	Dry	0.77	0.66	0.54	0.13	0.14	0.20	0.55	0.91	0.87	1.19	1.01	0.75	7.72
1940	Above Normal	0.40	0.30	0.27	0.06	0.07	0.27	0.65	1.09	1.32	1.38	1.16	0.86	7.83
1941	Wet	0.44	0.33	0.29	0.30	0.40	0.67	0.87	1.09	1.35	1.40	1.21	0.90	9.25
1942	Wet	0.61	0.52	0.43	0.42	0.38	0.55	0.66	0.96	1.18	1.23	1.04	0.77	8.75
1943	Wet	0.44	0.35	0.30	0.39	0.41	0.63	0.97	1.21	1.50	1.55	1.34	1.00	10.09
1944	Dry	0.68	0.26	0.79	0.06	0.06	0.16	0.45	0.67	0.95	0.99	0.85	0.54	6.46
1945	Below Normal	0.30	0.24	0.23	0.13	0.13	0.75	0.83	1.03	1.27	1.31	1.14	0.85	8.21
1946	Below Normal	0.58	0.50	0.41	0.48	0.43	0.61	0.67	0.90	1.12	1.16	0.99	0.73	8.58
1947	Dry	0.47	0.39	0.32	0.18	0.16	0.28	0.85	1.06	1.30	1.35	1.17	0.88	8.41
1948	Below Normal	0.60	0.52	0.42	0.07	0.06	0.09	0.31	0.93	1.12	1.17	0.98	0.72	6.99
1949	Dry	0.37	0.28	0.25	0.11	0.11	0.19	0.71	1.11	1.35	1.41	1.19	0.88	7.96
1950	Below Normal	0.48	0.37	0.32	0.07	0.06	0.16	0.59	0.97	0.92	1.27	1.08	0.80	7.09
1951	Above Normal	0.43	0.33	0.30	0.55	0.52	0.74	0.76	0.99	1.23	1.27	1.10	0.82	9.04
1952	Wet	0.55	0.47	0.38	0.44	0.46	0.67	0.84	1.08	1.34	1.39	1.20	0.89	9.71
1953	Wet	0.60	0.51	0.42	0.49	0.37	0.42	0.59	1.00	1.23	1.28	1.08	0.79	8.78
1954	Above Normal	0.41	0.31	0.27	0.14	0.36	0.34	0.63	1.07	1.30	1.36	1.14	0.84	8.17
1955	Dry	0.42	0.31	0.28	0.15	0.18	0.25	0.57	0.94	1.14	1.19	1.00	0.73	7.16
1956	Wet	0.37	0.28	0.25	0.42	0.58	0.84	0.90	1.13	1.39	1.44	1.25	0.93	9.78
1957	Above Normal	0.63	0.53	0.43	0.13	0.15	0.35	0.64	1.08	1.31	1.37	1.15	0.85	8.62
1958	Wet	0.43	0.32	0.29	0.18	0.45	0.69	1.09	1.36	1.68	1.74	1.50	1.13	10.86
1959	Below Normal	0.77	0.66	0.54	0.13	0.19	0.25	0.54	0.90	0.86	1.18	1.00	0.74	7.76
1960	Dry	0.39	0.30	0.27	0.06	0.06	0.19	0.73	1.13	1.37	1.42	1.21	0.89	8.02
1961	Dry	0.49	0.38	0.33	0.06	0.08	0.14	0.57	0.93	1.13	1.18	0.99	0.73	7.01
1962	Below Normal	0.33	0.30	0.27	0.07	0.06	0.25	0.61	1.01	1.22	1.28	1.08	0.79	7.27
1963	Wet	0.40	0.30	0.27	0.45	0.40	0.59	0.66	0.92	1.14	1.18	1.01	0.75	8.07
1964	Dry	0.47	0.39	0.32	0.23	0.46	0.46	0.72	0.96	1.18	1.22	1.05	0.78	8.24
1965	Wet	0.49	0.41	0.34	0.32	0.41	0.60	0.69	0.94	1.16	1.20	1.03	0.76	8.35
1966	Below Normal	0.47	0.39	0.32	0.44	0.38	0.49	0.61	0.99	1.21	1.26	1.06	0.78	8.40
1967	Wet	0.42	0.33	0.28	0.18	0.50	0.74	1.09	1.36	1.67	1.73	1.50	1.12	10.92
1968	Below Normal	0.76	0.65	0.53	0.18	0.21	0.25	0.55	0.91	1.11	1.16	0.97	0.71	7.99
1969	Wet	0.36	0.27	0.24	0.42	0.47	0.77	1.07	1.33	1.65	1.70	1.47	1.10	10.85
1970	Wet	0.75	0.64	0.52	0.47	0.42	0.72	0.76	0.97	1.20	1.24	1.07	0.79	9.55
1971	Wet	0.53	0.46	0.37	0.44	0.39	0.47	0.62	0.98	1.21	1.26	1.06	0.78	8.57
1972	Below Normal	0.43	0.34	0.29	0.26	0.37	0.52	0.63	1.01	1.24	1.29	1.09	0.80	8.27
1973	Above Normal	0.42	0.32	0.28	0.20	0.46	0.68	0.79	1.01	1.25	1.30	1.12	0.83	8.66
1974	Wet	0.57	0.48	0.40	0.48	0.49	0.73	0.85	1.06	1.31	1.36	1.17	0.87	9.77
1975	Wet	0.59	0.50	0.41	0.32	0.23	0.66	0.78	0.98	1.21	1.25	1.08	0.81	8.82
1976	Critical	0.55	0.47	0.38	0.15	0.14	0.23	0.63	1.04	1.26	1.31	1.10	0.81	8.07
1977	Critical	0.41	0.31	0.27	0.06	0.06	0.09	0.16	0.21	0.00	0.00	0.00	0.81	2.38
1978	Above Normal	0.23	0.30	0.28	0.06	0.18	0.55	0.71	1.03	1.25	1.30	1.11	0.83	7.83
1979	Below Normal	0.50	0.41	0.35	0.11	0.14	0.67	0.77	0.97	1.19	1.23	1.07	0.80	8.21
1980	Above Normal	0.55	0.47	0.39	0.33	0.50	0.77	0.91	1.17	1.45	1.50	1.29	0.96	10.29
1981	Dry	0.65	0.56	0.45	0.15	0.27	0.37	0.64	1.08	1.31	1.36	1.15	0.85	8.84
1982	Wet	0.43	0.33	0.29	0.39	0.42	0.70	1.08	1.35	1.67	1.73	1.49	1.12	11.00
1983	Wet	0.76	0.65	0.53	0.54	0.50	0.76	1.05	1.31	1.63	1.68	1.46	1.08	11.95
1984	Wet	0.81	0.70	0.59	0.62	0.52	0.73	0.75	0.99	1.23	1.27	1.10	0.81	10.12
1985	Dry	0.55	0.47	0.38	0.45	0.39	0.67	0.75	0.97	1.20	1.24	1.07	0.80	8.94
1986	Wet	0.54	0.46	0.37	0.06	0.10	0.81	1.08	1.34	1.65	1.71	1.48	1.11	10.71
1987	Dry	0.76	0.66	0.54	0.06	0.06	0.09	0.23	0.29	0.54	0.56	0.50	0.25	4.54
1988	Critical	0.16	0.13	0.14	0.07	0.10	0.09	0.17	0.23	0.43	0.45	0.40	0.20	2.57
1989	Dry	0.12	0.10	0.11	0.10	0.11	0.14	0.78	1.08	1.32	1.37	1.17	0.87	7.27
1990	Critical	0.54	0.44	0.37	0.06	0.07	0.12	0.27	0.34	0.63	0.66	0.58	0.29	4.37
1991	Critical	0.18	0.15	0.17	0.07	0.06	0.09	0.18	0.22	0.42	0.44	0.39	0.19	2.56
1992	Critical	0.12	0.10	0.11	0.06	0.06	0.09	0.24	0.30	0.56	0.58	0.51	0.26	2.99
1993	Above Normal	0.16	0.14	0.15	0.07	0.41	0.61	0.69	0.99	1.22	1.27	1.08	0.80	7.59
1994	Critical	0.47	0.37	0.32	0.14	0.14	0.27	0.63	1.04	1.26	1.32	1.11	0.82	7.89
1995	Wet	0.41	0.31	0.28	0.07	0.34	0.39	0.99	1.24	1.52	1.57	1.37	1.02	9.51
1996	Wet	0.70	0.16	0.93	0.34	0.27	0.59	0.75	0.93	1.15	1.19	1.03	0.77	8.81
1997	Wet	0.52	0.45	0.36	0.44	0.45	0.78	0.91	1.13	1.40	1.45	1.26	0.93	10.08
1998	Wet	0.63	0.54	0.44	0.14	0.40	0.65	0.81	1.02	1.26	1.30	1.13	0.84	9.16
1999	Wet	0.57	0.49	0.48	0.52	0.52	0.73	0.76	0.99	1.22	1.27	1.09	0.81	9.45
2000	Above Normal	0.55	0.47	0.38	0.14	0.33	0.45	0.70	1.02	1.24	1.29	1.10	0.82	8.49
2001	Dry	0.48	0.39	0.33	0.06	0.07	0.16	0.38	0.49	0.86	0.90	0.79	0.42	5.33
2002	Dry	0.25	0.21	0.22	0.15	0.18	0.24	0.81	1.01	1.25	1.29	1.12	0.84	7.57
2003	Above Normal	0.57	0.49	0.41	0.20	0.19	0.25	0.54	0.90	1.09	1.14	0.96	0.70	7.44
	Average	0.48	0.38	0.35	0.21	0.26	0.43	0.67	0.94	1.17	1.23	1.05	0.77	7.93
	Wet	0.54	0.43	0.39	0.35	0.41	0.67	0.87	1.12	1.38	1.43	1.23	0.92	9.72
	Above Normal	0.47	0.39	0.34	0.19	0.31	0.49	0.72	1.03	1.26	1.31	1.12	0.83	8.44
	Below Normal	0.51	0.43	0.36	0.19	0.21	0.42	0.67	1.00	1.19	1.28	1.09	0.81	8.16
	Dry	0.44	0.34	0.33	0.12	0.15	0.25	0.59	0.89	1.11	1.18	1.00	0.72	7.13
	Critical	0.36	0.29	0.26	0.08	0.10	0.15	0.32	0.47	0.70	0.73	0.63	0.43	4.51

Difference in Energy Use (GWh) At Pumping Plant at Las Perillas: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.02	0.03	0.04	0.12	0.06	0.06	0.05	0.04	0.04
1935	Below Normal	0.05	0.03	0.02	0.00	0.00	0.00	(0.01)	0.02	0.01	0.01	0.01	0.01	0.01
1936	Below Normal	(0.01)	(0.02)	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	0.01	0.01	0.01	0.00	0.01	0.01	0.00
1939	Dry	0.00	0.00	0.00	(0.03)	(0.04)	(0.05)	(0.10)	(0.17)	(0.44)	(0.18)	(0.14)	(0.10)	(0.10)
1940	Above Normal	(0.03)	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1941	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1943	Wet	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1944	Dry	0.00	(0.32)	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1947	Dry	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1948	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.23)	(0.23)	(0.20)	(0.16)	(0.08)
1953	Wet	(0.11)	(0.10)	(0.07)	0.06	0.15	0.17	0.05	0.06	0.08	0.08	0.07	0.05	0.04
1954	Above Normal	0.04	0.04	0.03	0.00	0.05	0.04	0.00	0.01	0.01	0.02	0.01	0.01	0.02
1955	Dry	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.02	0.01	0.01
1956	Wet	0.01	0.01	0.01	(0.01)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.00
1957	Above Normal	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	(0.04)	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1969	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.01	0.00	0.00	(0.01)	(0.01)	(0.02)	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1971	Wet	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00
1972	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	(0.10)	0.05	0.04	0.00	0.00	(0.04)	(0.02)	0.03	0.03	0.03	0.02	0.02	0.01
1979	Below Normal	(0.02)	(0.03)	(0.02)	0.00	0.00	(0.03)	(0.04)	(0.04)	(0.06)	(0.06)	(0.05)	(0.04)	(0.03)
1980	Above Normal	(0.02)	(0.02)	(0.01)	0.13	(0.01)	(0.01)	(0.17)	(0.18)	(0.22)	(0.23)	(0.20)	(0.16)	(0.09)
1981	Dry	(0.11)	(0.09)	(0.08)	0.04	0.12	0.15	0.07	0.11	0.13	0.13	0.11	0.09	0.06
1982	Wet	0.04	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
1990	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	(0.44)	0.44	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1997	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1999	Wet	(0.01)	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.01	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.01)	0.01	0.00	0.00	0.00	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)
	Wet	(0.00)	(0.02)	0.02	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)
	Above Normal	(0.01)	0.00	0.00	0.01	0.00	(0.00)	(0.02)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Dry	(0.01)	(0.02)	0.01	0.00	0.01	0.01	(0.00)	(0.00)	(0.02)	0.00	0.00	0.00	(0.00)
	Critical	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Las Perillas: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	25%	19%	11%	26%	7%	7%	6%	15%
1935	Below Normal	17%	12%	8%	0%	0%	0%	-1%	2%	1%	1%	1%	1%
1936	Below Normal	-2%	-4%	-3%	0%	7%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-5%	-2%	-2%	1%	1%	1%	0%	1%	1%
1939	Dry	0%	0%	0%	-19%	-22%	-20%	-15%	-16%	-34%	-13%	-12%	-12%
1940	Above Normal	-7%	-6%	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1943	Wet	0%	-3%	0%	0%	0%	-2%	-1%	-1%	-1%	-1%	-1%	-1%
1944	Dry	0%	-55%	65%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	0%
1947	Dry	0%	-3%	-3%	0%	0%	0%	0%	0%	0%	1%	1%	1%
1948	Below Normal	0%	2%	0%	0%	0%	0%	0%	1%	0%	1%	0%	0%
1949	Dry	0%	0%	0%	-8%	0%	0%	-1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	1%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-15%	-14%	-14%	-15%
1953	Wet	-15%	-16%	-14%	14%	68%	68%	9%	6%	7%	7%	7%	7%
1954	Above Normal	11%	15%	13%	0%	16%	13%	0%	1%	1%	1%	1%	1%
1955	Dry	0%	0%	0%	7%	6%	4%	4%	2%	3%	3%	2%	1%
1956	Wet	3%	4%	4%	-2%	-2%	0%	0%	1%	0%	0%	1%	1%
1957	Above Normal	2%	0%	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-11%	7%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	-5%	0%	0%	0%	1%	1%	0%	0%
1969	Wet	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	0%	0%	-2%	-2%	-3%	0%	0%	-1%	-1%	-1%	-1%
1971	Wet	-2%	0%	0%	0%	0%	2%	0%	-1%	0%	0%	-1%	-1%
1972	Below Normal	0%	3%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	-30%	20%	17%	0%	0%	-7%	-3%	3%	2%	2%	2%	2%
1979	Below Normal	-4%	-7%	-5%	0%	0%	-4%	-5%	-4%	-5%	-5%	-4%	-5%
1980	Above Normal	-4%	-4%	-3%	65%	-2%	-1%	-16%	-13%	-13%	-13%	-13%	-14%
1981	Dry	-14%	-14%	-15%	36%	80%	68%	12%	11%	11%	11%	11%	12%
1982	Wet	10%	14%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	-2%	0%	0%	0%	1%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	3%	5%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%	0%
1990	Critical	0%	-2%	-3%	0%	0%	0%	0%	0%	0%	2%	0%	0%
1991	Critical	0%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-4%	-3%	-2%	-2%	-2%	0%
1993	Above Normal	0%	0%	0%	0%	0%	2%	0%	-1%	0%	0%	0%	0%
1994	Critical	2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-73%	90%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	0%
1997	Wet	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%
1999	Wet	-2%	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-2%	0%	1%	0%	0%	0%	1%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-1%	-1%	2%	1%	2%	2%	0%	0%	0%	0%	0%	0%
	Wet	0%	-3%	3%	0%	2%	2%	0%	0%	0%	0%	0%	0%
	Above Normal	-2%	2%	2%	5%	1%	0%	-2%	-1%	-1%	-1%	-1%	-1%
	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	-1%	-4%	3%	1%	4%	3%	0%	0%	-1%	0%	0%	0%
	Critical	0%	0%	0%	0%	2%	2%	1%	2%	0%	1%	1%	2%

Energy Use (GWh) At Pumping Plant at Oso: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	26.99	22.85	15.14	2.88	14.50	18.02	17.81	17.44	16.15	16.99	16.73	15.89	201.39
1923	Below Normal	12.69	11.66	10.42	17.39	20.97	18.16	17.72	17.65	16.66	19.48	18.17	15.39	196.36
1924	Critical	11.23	10.28	6.99	4.71	4.48	6.48	8.95	8.64	8.04	9.59	7.28	5.35	92.02
1925	Dry	0.47	0.26	0.09	0.70	3.04	14.38	15.93	20.31	19.59	23.36	21.45	17.55	137.13
1926	Dry	12.84	11.79	7.44	3.00	3.51	8.45	11.35	16.94	16.16	19.23	17.65	14.44	142.80
1927	Wet	10.05	9.13	5.40	2.31	8.97	19.78	18.67	18.43	17.07	17.59	17.52	16.96	161.88
1928	Above Normal	13.93	12.85	11.93	9.78	12.25	11.71	21.08	20.77	19.34	19.90	19.84	19.21	192.59
1929	Critical	16.20	15.03	14.12	9.37	8.52	7.17	8.43	9.34	8.78	10.54	7.98	1.51	116.99
1930	Dry	3.05	2.92	1.27	2.92	3.42	6.13	13.60	13.37	12.89	15.29	12.57	9.68	97.11
1931	Critical	4.44	3.51	1.17	2.90	3.35	6.44	10.52	10.20	9.69	11.69	8.79	6.42	79.12
1932	Dry	1.11	0.29	0.11	2.37	3.63	22.77	11.39	15.48	14.66	17.46	15.85	12.90	118.02
1933	Critical	8.46	7.60	4.21	2.92	24.36	6.42	8.09	13.57	12.98	15.52	12.95	10.05	127.13
1934	Critical	4.97	4.02	1.56	2.98	3.17	6.73	11.80	11.56	11.19	13.43	10.15	0.76	82.32
1935	Below Normal	6.66	5.00	2.44	3.02	4.09	8.56	20.40	20.24	19.16	20.80	20.12	18.37	148.86
1936	Below Normal	14.80	13.69	11.62	7.31	8.63	26.97	15.92	20.21	18.81	19.39	19.30	18.68	195.33
1937	Below Normal	15.66	14.50	13.59	9.96	24.36	26.97	20.06	24.14	22.70	23.37	23.29	22.57	241.17
1938	Wet	19.56	18.22	17.35	11.76	24.36	26.97	25.19	24.96	23.59	24.22	24.14	23.43	263.75
1939	Dry	20.39	18.98	18.11	13.22	14.57	13.98	20.39	20.53	7.40	27.02	17.24	25.70	217.53
1940	Above Normal	8.79	7.49	26.97	2.87	3.08	10.26	19.82	20.48	19.78	24.86	23.16	18.92	186.48
1941	Wet	14.11	12.96	8.36	4.85	15.27	19.36	20.49	20.25	18.82	19.43	19.35	18.75	192.00
1942	Wet	15.71	14.55	13.65	18.46	23.66	22.99	17.52	17.28	16.25	18.33	17.40	15.34	211.14
1943	Wet	11.57	10.60	8.07	12.74	18.94	19.47	22.46	22.21	20.74	21.40	21.34	20.72	210.26
1944	Dry	17.67	0.17	26.97	7.92	7.14	8.01	14.24	14.14	13.43	16.03	13.59	10.65	149.96
1945	Below Normal	5.60	4.65	2.07	4.71	4.01	26.97	15.83	19.65	18.29	18.86	18.75	18.17	157.56
1946	Below Normal	15.15	14.00	13.09	18.75	24.36	24.96	16.96	16.41	15.11	16.00	15.73	14.86	205.38
1947	Dry	11.62	10.66	9.34	8.55	10.14	10.80	21.02	20.68	19.26	19.76	19.72	19.12	180.67
1948	Below Normal	16.11	14.93	14.03	9.40	8.55	7.07	10.42	16.79	0.83	25.90	23.79	19.47	167.29
1949	Dry	14.61	13.37	8.63	4.57	3.94	7.52	20.83	20.89	20.10	23.39	21.76	20.99	180.60
1950	Below Normal	16.43	15.62	19.41	3.48	3.17	6.51	18.43	18.44	0.81	25.08	23.02	18.82	169.22
1951	Above Normal	14.01	12.85	8.29	26.97	24.36	26.97	13.67	18.12	16.77	17.25	17.19	16.66	213.11
1952	Wet	13.60	12.53	11.60	18.20	25.23	26.97	21.20	22.94	21.44	22.14	22.07	21.42	239.34
1953	Wet	18.39	17.07	16.18	19.91	17.36	14.35	17.15	17.52	12.56	22.49	20.63	16.90	210.51
1954	Above Normal	12.27	11.18	6.95	3.87	9.92	10.87	19.19	19.55	18.71	22.73	21.10	17.28	173.62
1955	Dry	12.60	11.55	7.23	2.90	3.56	9.54	17.57	17.61	16.76	20.01	18.44	15.09	152.86
1956	Wet	10.62	9.68	5.85	14.96	25.23	26.97	16.35	20.27	18.91	19.45	19.38	18.81	206.48
1957	Above Normal	15.74	14.57	13.65	12.50	12.50	15.81	19.75	20.20	19.52	24.77	22.91	18.75	210.67
1958	Wet	13.93	12.79	8.19	1.04	17.02	19.64	25.13	25.04	23.58	24.25	24.22	23.49	218.32
1959	Below Normal	20.48	15.35	26.97	9.97	9.89	11.83	17.31	17.15	0.87	23.26	21.34	17.46	191.88
1960	Dry	12.78	11.70	7.37	2.88	2.76	7.21	21.06	21.20	20.48	25.19	23.40	21.53	177.56
1961	Dry	16.93	15.62	11.29	4.21	4.41	6.42	17.83	17.77	17.05	20.29	18.64	16.57	167.03
1962	Below Normal	0.29	23.09	25.15	3.01	2.83	9.54	18.78	19.01	0.84	25.97	23.86	19.52	171.89
1963	Wet	14.62	13.45	8.72	10.11	15.26	16.88	17.15	16.80	15.57	16.85	16.38	15.11	176.90
1964	Dry	11.70	10.73	8.96	8.25	22.39	17.77	18.21	17.87	16.68	17.97	17.48	16.19	184.20
1965	Wet	12.83	11.78	10.10	12.16	20.74	20.26	17.60	17.29	16.08	18.75	18.12	16.51	192.22
1966	Below Normal	13.03	11.98	9.96	15.22	19.17	16.53	17.84	17.68	16.73	19.38	18.15	15.43	191.10
1967	Wet	11.32	10.36	7.15	3.36	20.43	21.69	24.78	24.81	23.37	24.09	24.02	23.29	218.67
1968	Below Normal	20.25	18.84	17.94	10.21	12.57	12.71	17.66	17.60	0.90	23.88	21.90	17.92	192.38
1969	Wet	13.18	12.09	7.66	9.36	24.36	26.97	21.33	22.58	22.54	23.22	23.15	22.45	228.89
1970	Wet	19.39	18.04	17.16	21.51	24.36	26.97	17.87	17.84	16.50	17.00	16.90	16.36	229.90
1971	Wet	13.32	12.25	11.33	18.12	22.93	20.08	17.82	17.70	16.77	19.38	18.15	15.53	203.38
1972	Below Normal	11.46	10.51	7.41	5.80	16.29	16.50	18.55	18.55	17.72	20.80	19.28	16.11	178.98
1973	Above Normal	11.76	10.78	7.10	2.34	20.33	20.86	14.63	19.01	17.67	18.12	18.05	17.48	178.13
1974	Wet	14.45	13.32	12.42	18.96	24.36	26.97	25.11	19.26	17.94	18.43	18.35	17.80	227.37
1975	Wet	14.74	13.59	12.66	15.14	14.35	22.41	19.07	18.75	17.41	17.88	17.81	17.26	201.07
1976	Critical	14.21	13.12	12.21	10.43	10.91	12.22	19.51	19.72	18.94	23.44	21.49	19.42	195.62
1977	Critical	14.60	13.37	8.65	2.94	2.83	4.93	7.15	2.09	0.00	1.89	0.95	0.77	60.17
1978	Above Normal	0.32	11.70	16.56	2.87	3.65	17.86	19.37	19.04	17.83	19.11	18.61	17.27	164.19
1979	Below Normal	13.93	12.82	11.13	9.37	8.91	22.34	19.61	19.36	18.01	18.48	18.41	17.84	190.21
1980	Above Normal	14.81	13.67	12.80	21.75	25.23	26.97	20.65	24.69	23.26	23.98	23.90	23.20	254.91
1981	Dry	20.17	18.75	21.82	10.24	10.35	11.27	18.03	18.51	0.95	25.19	23.13	18.92	197.33
1982	Wet	14.06	12.92	8.33	8.76	15.75	19.65	24.61	24.48	23.05	23.71	23.62	22.91	221.85
1983	Wet	19.88	18.49	17.59	22.90	21.86	26.97	20.87	22.15	22.14	22.74	22.73	22.07	260.39
1984	Wet	21.82	20.46	26.97	20.49	25.23	26.97	13.44	18.06	16.65	17.23	17.15	16.62	241.09
1985	Dry	13.54	12.49	20.80	9.30	17.71	15.91	17.79	17.79	16.51	16.97	16.88	16.34	192.03
1986	Wet	13.31	12.26	11.31	9.46	16.26	26.97	20.84	24.94	23.53	24.15	24.13	23.40	230.56
1987	Dry	20.43	14.34	26.97	8.00	7.21	6.39	8.71	8.14	7.49	8.86	6.79	5.00	128.33
1988	Critical	0.35	0.26	0.10	0.36	3.71	5.05	7.26	6.79	5.98	7.22	5.51	4.08	46.67
1989	Dry	0.33	0.24	0.10	0.07	3.76	6.13	20.79	20.54	19.42	21.31	20.51	18.89	132.09
1990	Critical	15.26	14.11	11.82	6.93	6.52	7.03	9.56	9.08	8.54	10.24	7.74	5.68	112.51
1991	Critical	0.68	0.27	0.08	0.95	2.84	4.93	7.37	6.74	5.95	7.16	5.46	4.06	46.49
1992	Critical	0.34	0.24	0.11	0.07	1.64	5.01	8.99	8.50	7.83	9.34	7.12	5.32	54.51
1993	Above Normal	0.47	0.28	0.10	2.68	15.29	17.53	18.27	18.13	11.42	21.64	20.55	18.10	144.46
1994	Critical	14.16	13.00	10.12	6.81	6.96	11.62	19.59	19.70	18.94	24.17	6.11	23.46	174.64
1995	Wet	0.29	26.11	26.97	2.97	11.67	12.79	23.22	23.00	21.58	22.20	22.18	21.50	214.48
1996	Wet	18.48	17.17	25.93	7.22	8.46	17.50	18.30	17.83	16.46	16.97	16.91	16.35	197.58
1997	Wet	13.32	12.28	11.38	17.60	24.18	26.97	20.59	20.62	19.19	19.75	19.71	19.12	224.71
1998	Wet	16.06	14.87	13.95	12.46	23.54	26.22	19.92	19.04	17.64	18.26	18.22	17.63	217.81
1999	Wet	14.58	19.07	17.32	18.88	24.36	23.90	13.52	17.94	16.55	17.15	17.11	16.56	216.94
2000	Above Normal	13.50	12.44	11.50	11.52	19.01	17.13	18.95	18.76	17.67	19.84	18.95	16.85	196.12
2001	Dry	13.07	12.04	9.53	6.24	5.97	7.50	12.03	11.87	11.48	13.81	10.64	7.87	122.05
2002	Dry	2.26	1.35	0.08	1.17	3.65	9.48	20.17	19.80	18.37	19.01	18.97	20.18	134.49
2003	Above Normal	8.55	13.39	26.97	1.71	4.24	9.81	17.50	17.48	0.73	23.76	21.85	17.86	163.85
	Average	12.28	11.81	11.49	8.67	12.89	15.85	17.25	17.90	15.22	19.21	17.86	16.33	176.76
	Wet	14.35	14.46	13.14	12.83	19.77	22.56	20.01	20.46	19.07	20.27	20.03	19.09	216.06
	Above Normal	11.76	12.00	13.16	8.48	13.70	16.98	18.39	19.47	16.57	21.08	20.24	18.12	189.96
	Below Normal	13.04	13.33	13.23	9.11	11.99	16.83	17.54	18.78	11.96	21.48	20.37	17.90	185.54
	Dry	11.42	9.29	10.34	5.36	7.29	10.54	16.72	17.41	14.93	19.45	17.48	15.98	156.21
	Critical	8.74	7.90	5.93	4.28	6.61	7.00	10.60	10.49	9.74	12.02	8.46	7.24	99.02

Energy Use (GWh) At Pumping Plant at Oso: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	26.99	22.85	15.14	2.88	14.50	18.02	17.81	17.44	18.79	20.42	18.02	15.89	208.75
1923	Below Normal	12.68	11.66	10.42	17.39	20.95	18.05	17.73	17.66	21.47	20.00	18.21	15.40	201.62
1924	Critical	11.23	10.28	6.97	4.67	4.44	6.47	8.96	8.64	8.04	9.59	7.28	5.35	91.92
1925	Dry	0.47	0.26	0.09	0.70	3.03	14.23	15.94	20.32	19.60	23.38	21.47	17.56	137.05
1926	Dry	12.85	11.80	7.44	3.00	3.51	8.44	11.34	16.93	16.15	19.22	17.64	14.43	142.75
1927	Wet	10.04	9.12	5.40	2.31	8.96	19.78	18.67	18.43	20.23	19.69	17.52	16.96	167.11
1928	Above Normal	13.93	12.85	11.93	9.78	12.24	11.71	21.08	20.77	19.34	19.90	19.84	19.22	192.59
1929	Critical	16.20	15.03	14.12	9.37	8.52	7.17	8.43	9.34	8.77	10.53	7.98	1.11	116.57
1930	Dry	3.06	2.80	1.21	2.92	3.41	6.13	13.60	13.37	12.89	15.29	12.57	9.68	96.93
1931	Critical	4.44	3.51	1.17	2.90	3.35	6.44	10.52	10.20	9.68	11.68	8.79	6.42	79.10
1932	Dry	1.11	0.29	0.11	2.36	3.63	23.50	11.38	15.47	18.34	19.03	15.85	12.90	123.97
1933	Critical	8.45	7.59	4.21	2.92	24.36	6.42	8.09	13.57	12.98	15.52	12.95	10.05	127.11
1934	Critical	4.97	4.02	1.56	2.98	3.56	11.61	8.99	12.95	12.37	14.75	11.97	0.76	90.49
1935	Below Normal	8.11	7.08	3.97	3.01	4.10	8.48	20.51	20.42	19.41	21.45	20.56	18.41	155.51
1936	Below Normal	14.65	13.54	11.06	6.69	7.88	26.97	15.92	20.21	21.57	21.88	19.30	18.68	198.35
1937	Below Normal	15.66	14.50	13.59	9.96	23.98	26.97	20.06	24.14	23.25	23.88	23.70	22.95	242.64
1938	Wet	20.70	19.36	17.96	14.24	24.36	26.97	26.11	25.56	25.13	24.66	24.59	23.92	273.56
1939	Dry	21.48	20.12	18.70	16.88	13.15	11.54	17.53	17.45	6.11	23.61	18.98	20.76	206.31
1940	Above Normal	10.36	7.00	26.97	2.87	3.09	10.26	19.82	20.48	23.47	26.43	23.16	18.93	192.84
1941	Wet	14.12	12.96	8.36	4.85	15.27	19.30	20.43	20.19	21.40	22.31	21.07	18.69	198.95
1942	Wet	15.65	14.49	13.59	18.44	23.64	22.91	17.52	17.28	18.89	22.63	17.85	15.34	218.23
1943	Wet	11.57	10.60	8.07	12.72	18.79	19.32	22.36	22.11	22.46	23.12	23.01	22.30	216.43
1944	Dry	17.81	0.17	26.97	7.43	6.71	7.87	14.24	14.14	13.43	16.03	13.59	10.65	149.04
1945	Below Normal	5.60	4.65	2.07	4.71	4.01	23.80	15.86	19.67	21.37	22.00	19.96	18.19	161.89
1946	Below Normal	15.17	14.02	13.12	18.74	24.36	24.91	16.99	16.46	20.29	16.34	15.86	14.87	211.13
1947	Dry	11.59	10.63	9.19	8.25	10.61	10.06	21.08	20.74	19.31	19.82	19.78	19.17	180.23
1948	Below Normal	16.16	14.98	14.08	9.42	8.46	7.04	10.43	16.15	0.83	25.92	23.79	19.46	166.72
1949	Dry	14.61	13.38	8.64	4.55	3.93	7.50	20.85	20.92	20.13	23.49	21.82	21.00	180.82
1950	Below Normal	16.40	15.56	0.10	3.48	3.17	6.51	18.43	18.44	0.81	25.08	23.02	18.82	149.82
1951	Above Normal	14.01	12.85	8.29	20.79	22.13	26.97	13.69	18.13	20.85	18.44	17.21	16.67	210.03
1952	Wet	13.62	12.54	11.62	18.20	22.92	26.97	21.11	19.73	20.89	22.16	20.29	18.25	228.30
1953	Wet	15.22	14.05	13.14	20.03	22.47	21.32	17.69	17.83	16.93	20.09	18.56	15.48	212.81
1954	Above Normal	11.14	10.19	6.56	4.32	13.86	11.68	19.10	19.52	18.68	22.38	20.55	16.83	174.81
1955	Dry	12.19	11.17	6.93	2.63	3.63	9.73	17.93	18.01	17.17	20.50	18.89	15.45	154.23
1956	Wet	10.95	9.99	6.09	9.39	25.23	26.97	16.40	20.32	21.79	22.42	21.03	18.85	209.43
1957	Above Normal	15.79	14.61	13.69	12.50	12.47	15.59	19.75	20.19	19.51	24.83	22.98	18.80	210.71
1958	Wet	13.98	12.84	8.23	1.04	17.01	19.63	25.12	25.02	23.59	24.35	24.23	23.48	218.52
1959	Below Normal	21.21	20.39	26.97	10.77	9.90	11.83	17.31	17.15	0.87	23.26	21.34	17.46	198.46
1960	Dry	12.78	11.70	7.37	2.88	2.76	7.19	21.06	21.20	20.48	25.19	23.39	21.51	177.51
1961	Dry	16.90	15.60	11.27	4.21	4.41	6.42	17.83	17.77	17.05	20.29	18.64	16.57	166.96
1962	Below Normal	0.29	22.92	6.63	3.01	2.83	9.54	18.78	19.01	6.10	25.97	23.86	19.52	158.46
1963	Wet	14.62	13.45	8.72	10.11	15.26	16.88	17.15	16.80	20.52	19.25	16.38	15.11	184.25
1964	Dry	11.71	10.73	8.96	8.27	22.39	17.78	18.20	17.87	16.68	17.96	17.48	16.19	184.22
1965	Wet	12.83	11.78	10.10	12.16	20.74	20.26	17.60	17.30	21.34	21.02	18.27	16.65	200.05
1966	Below Normal	13.17	12.11	10.08	15.21	19.16	16.53	17.83	17.68	16.73	19.37	18.15	15.42	191.44
1967	Wet	11.32	10.36	7.16	3.37	20.43	21.70	24.78	24.81	23.60	24.33	24.18	23.42	219.46
1968	Below Normal	21.15	22.11	20.61	11.66	11.44	12.42	17.72	17.67	0.90	23.99	21.99	18.00	199.66
1969	Wet	13.25	12.16	7.71	9.32	24.36	26.97	19.95	24.00	26.78	23.91	24.21	23.46	236.08
1970	Wet	21.17	19.85	18.09	20.84	22.22	26.97	19.96	17.72	20.67	19.95	16.79	16.24	240.47
1971	Wet	13.20	12.14	11.22	18.08	22.89	20.22	17.78	17.63	16.69	19.24	18.05	15.50	202.64
1972	Below Normal	11.47	10.51	7.49	6.07	16.36	16.58	18.55	18.55	17.71	20.78	19.27	16.11	179.45
1973	Above Normal	11.78	10.79	7.12	2.38	20.33	20.86	14.63	19.01	21.21	19.84	18.05	17.48	183.48
1974	Wet	14.45	13.32	12.42	18.96	21.90	26.97	24.68	19.20	21.35	21.97	18.60	17.74	231.56
1975	Wet	14.69	13.54	12.61	15.22	14.39	22.39	19.05	18.73	21.06	19.44	17.79	17.24	206.15
1976	Critical	14.19	13.10	12.19	10.41	10.92	12.24	19.55	19.76	18.98	23.47	21.53	19.51	195.85
1977	Critical	14.68	13.44	8.71	2.94	2.83	4.93	7.15	2.09	0.00	1.89	0.95	0.77	60.38
1978	Above Normal	0.32	11.26	9.38	2.87	3.65	16.84	19.61	19.46	21.04	22.21	22.48	17.45	166.57
1979	Below Normal	13.75	12.64	10.18	8.11	7.59	21.03	18.90	18.61	20.92	21.41	17.64	17.09	187.87
1980	Above Normal	14.07	12.96	12.09	14.31	25.23	26.97	16.73	21.24	22.15	22.78	22.71	20.22	231.46
1981	Dry	16.76	15.50	14.61	12.37	16.97	16.00	19.60	20.07	19.38	23.63	21.77	17.97	214.63
1982	Wet	13.32	12.25	8.04	9.30	16.22	19.64	24.60	24.47	23.51	24.17	24.02	23.27	222.81
1983	Wet	20.99	19.65	26.32	20.49	24.36	26.97	25.07	20.31	27.74	22.74	25.79	22.75	283.18
1984	Wet	22.42	21.05	26.97	20.49	23.01	26.97	13.44	18.06	20.80	20.43	17.15	16.62	247.41
1985	Dry	13.54	12.49	20.80	9.30	17.71	15.91	17.79	17.79	16.51	16.97	16.88	16.34	192.03
1986	Wet	13.31	12.26	11.31	9.46	9.59	26.97	23.89	24.99	23.59	24.21	24.20	23.48	227.26
1987	Dry	21.13	13.22	26.97	9.07	7.21	6.39	8.71	8.14	7.49	8.86	6.79	5.00	128.98
1988	Critical	0.35	0.26	0.10	0.35	3.71	5.05	7.26	6.85	6.05	7.30	5.57	4.12	46.97
1989	Dry	0.34	0.24	0.10	0.07	3.78	6.11	20.82	20.58	19.47	21.44	20.59	19.25	132.79
1990	Critical	15.57	14.41	12.01	6.81	6.44	7.02	9.62	9.14	8.61	10.31	7.79	5.72	113.45
1991	Critical	0.71	0.27	0.08	0.98	2.84	4.93	7.37	6.74	5.95	7.16	5.46	4.06	46.55
1992	Critical	0.34	0.24	0.11	0.07	1.64	5.01	8.89	8.38	7.71	9.19	7.01	5.23	53.82
1993	Above Normal	0.42	0.26	0.10	2.35	15.32	17.58	18.26	18.11	14.82	24.99	20.42	17.91	150.54
1994	Critical	14.04	12.92	10.11	6.90	7.02	11.64	19.57	19.68	18.92	24.04	4.45	23.21	172.50
1995	Wet	0.29	25.84	18.74	2.97	11.67	12.79	23.22	23.00	22.80	22.20	25.76	23.15	212.43
1996	Wet	22.20	0.17	0.13	7.23	8.45	17.50	18.25	17.78	19.57	20.53	17.45	16.30	165.56
1997	Wet	13.27	12.23	11.33	17.58	24.16	26.97	20.58	20.62	21.87	22.50	21.63	19.12	231.86
1998	Wet	16.06	14.87	13.95	12.45	23.54	25.73	20.13	18.93	21.08	21.96	18.17	17.58	224.45
1999	Wet	14.53	19.02	16.12	18.84	24.36	23.90	13.52	17.94	20.04	20.32	17.80	16.56	222.95
2000	Above Normal	13.50	12.44	11.50	11.52	19.01	16.96	18.98	18.82	21.63	21.36	19.06	16.88	201.66
2001	Dry	13.05	12.03	9.42	6.09	5.84	7.46	12.06	11.90	11.50	13.83	10.67	7.90	121.75
2002	Dry	2.30	1.39	0.08	1.20	3.65	9.48	20.15	19.78	18.35	18.98	18.95	20.12	134.43
2003	Above Normal	9.78	11.90	13.34	1.71	4.24	9.81	17.50	17.48	0.73	23.76	21.85	17.86	149.96
	Average	12.37	11.65	10.37	8.51	12.83	15.95	17.26	17.82	16.91	20.01	18.11	16.23	178.02
	Wet	14.53	13.84	12.05	12.62	19.47	22.81	20.35	20.34	21.70	21.91	20.55	19.13	219.30
	Above Normal	11.84	11.66	11.34	7.36	13.84	16.94	18.08	19.22	18.52	22.28	20.53	17.85	189.45
	Below Normal	13.25	14.05	10.74	9.16	11.73	16.48	17.50	18.70	13.73	22.24	20.48	17.88	185.93
	Dry	11.32	9.08	9.94	5.68	7.57	10.65	16.67	17.36	16.11	19.31	17.54	15.69	156.92
	Critical	8.76	7.92	5.95	4.28	6.64	7.41	10.37	10.61	9.84	12.12	8.48	7.19	99.56

Difference in Energy Use (GWh) At Pumping Plant at Oso: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.64	3.43	1.29	0.00	0.61
1923	Below Normal	(0.01)	0.00	0.00	0.00	(0.02)	(0.11)	0.01	0.01	4.81	0.52	0.04	0.01	0.44
1924	Critical	0.00	0.00	(0.02)	(0.04)	(0.04)	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)
1925	Dry	0.00	0.00	0.00	0.00	(0.01)	(0.15)	0.01	0.01	0.01	0.02	0.02	0.01	(0.01)
1926	Dry	0.01	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1927	Wet	(0.01)	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	3.16	2.10	0.00	0.00	0.44
1928	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.40)	(0.04)
1930	Dry	0.01	(0.12)	(0.06)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	(0.01)	0.00	0.73	(0.01)	(0.01)	3.68	1.57	0.00	0.00	0.50
1933	Critical	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.39	4.88	(2.81)	1.39	1.18	1.32	1.82	0.00	0.68
1935	Below Normal	1.45	2.08	1.53	(0.01)	0.01	(0.08)	0.11	0.18	0.25	0.65	0.44	0.04	0.55
1936	Below Normal	(0.15)	(0.15)	(0.56)	(0.62)	(0.75)	0.00	0.00	0.00	2.76	2.49	0.00	0.00	0.25
1937	Below Normal	0.00	0.00	0.00	0.00	(0.38)	0.00	0.00	0.00	0.55	0.51	0.41	0.38	0.12
1938	Wet	1.14	1.14	0.61	2.48	0.00	0.00	0.92	0.60	1.54	0.44	0.45	0.49	0.82
1939	Dry	1.09	1.14	0.59	3.66	(1.42)	(2.44)	(2.86)	(3.08)	(1.29)	(3.41)	1.74	(4.94)	(0.94)
1940	Above Normal	1.57	(0.49)	0.00	0.00	0.01	0.00	0.00	0.00	3.69	1.57	0.00	0.01	0.53
1941	Wet	0.01	0.00	0.00	0.00	0.00	(0.06)	(0.06)	(0.06)	2.58	2.88	1.72	(0.06)	0.58
1942	Wet	(0.06)	(0.06)	(0.06)	(0.02)	(0.02)	(0.08)	0.00	0.00	2.64	4.30	0.45	0.00	0.59
1943	Wet	0.00	0.00	0.00	(0.02)	(0.15)	(0.15)	(0.10)	(0.10)	1.72	1.72	1.67	1.58	0.51
1944	Dry	0.14	0.00	0.00	(0.49)	(0.43)	(0.14)	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	(3.17)	0.03	0.02	3.08	3.14	1.21	0.02	0.36
1946	Below Normal	0.02	0.02	0.03	(0.01)	0.00	(0.05)	0.03	0.05	5.18	0.34	0.13	0.01	0.48
1947	Dry	(0.03)	(0.03)	(0.15)	(0.30)	0.47	(0.74)	0.06	0.06	0.05	0.06	0.06	0.05	(0.04)
1948	Below Normal	0.05	0.05	0.05	0.02	(0.09)	(0.03)	0.01	(0.64)	0.00	0.02	0.00	(0.01)	(0.05)
1949	Dry	0.00	0.01	0.01	(0.02)	(0.01)	(0.02)	0.02	0.03	0.03	0.10	0.06	0.01	0.02
1950	Below Normal	(0.03)	(0.06)	(19.31)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.62)
1951	Above Normal	0.00	0.00	0.00	(6.18)	(2.23)	0.00	0.02	0.01	4.08	1.19	0.02	0.01	(0.26)
1952	Wet	0.02	0.01	0.02	0.00	(2.31)	0.00	(0.09)	(3.21)	(0.55)	0.02	(1.78)	(3.17)	(0.92)
1953	Wet	(3.17)	(3.02)	(3.04)	0.12	5.11	6.97	0.54	0.31	4.37	(2.40)	(2.07)	(1.42)	0.19
1954	Above Normal	(1.13)	(0.99)	(0.39)	0.45	3.94	0.81	(0.09)	(0.03)	(0.03)	(0.35)	(0.55)	(0.45)	0.10
1955	Dry	(0.41)	(0.38)	(0.30)	(0.27)	0.07	0.19	0.36	0.40	0.41	0.49	0.45	0.36	0.11
1956	Wet	0.33	0.31	0.24	(5.57)	0.00	0.00	0.05	0.05	2.88	2.97	1.65	0.04	0.25
1957	Above Normal	0.05	0.04	0.04	0.00	(0.03)	(0.22)	0.00	(0.01)	(0.01)	0.06	0.07	0.05	0.00
1958	Wet	0.05	0.05	0.04	0.00	(0.01)	(0.01)	(0.01)	(0.02)	0.01	0.10	0.01	(0.01)	0.02
1959	Below Normal	0.73	5.04	0.00	0.80	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55
1960	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00
1961	Dry	(0.03)	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1962	Below Normal	0.00	(0.17)	(18.52)	0.00	0.00	0.00	0.00	0.00	5.26	0.00	0.00	0.00	(1.12)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.95	2.40	0.00	0.00	0.61
1964	Dry	0.01	0.00	0.00	0.02	0.00	0.01	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	5.26	2.27	0.15	0.14	0.65
1966	Below Normal	0.14	0.13	0.12	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.01)	0.03
1967	Wet	0.00	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.23	0.24	0.16	0.13	0.07
1968	Below Normal	0.90	3.27	2.67	1.45	(1.13)	(0.29)	0.06	0.07	0.00	0.11	0.09	0.08	0.61
1969	Wet	0.07	0.07	0.05	(0.04)	0.00	0.00	(1.38)	1.42	4.24	0.69	1.06	1.01	0.60
1970	Wet	1.78	1.81	0.93	(0.67)	(2.14)	0.00	2.09	(0.12)	4.17	2.95	(0.11)	(0.12)	0.88
1971	Wet	(0.12)	(0.11)	(0.11)	(0.04)	(0.04)	0.14	(0.04)	(0.07)	(0.08)	(0.14)	(0.10)	(0.03)	(0.06)
1972	Below Normal	0.01	0.00	0.08	0.27	0.07	0.08	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00	0.04
1973	Above Normal	0.02	0.01	0.02	0.04	0.00	0.00	0.00	0.00	3.54	1.72	0.00	0.00	0.45
1974	Wet	0.00	0.00	0.00	0.00	(2.46)	0.00	(0.43)	(0.06)	3.41	3.54	0.25	(0.06)	0.35
1975	Wet	(0.05)	(0.05)	(0.05)	0.08	0.04	(0.02)	(0.02)	(0.02)	3.65	1.56	(0.02)	(0.02)	0.42
1976	Critical	(0.02)	(0.02)	(0.02)	(0.02)	0.01	0.02	0.04	0.04	0.04	0.03	0.04	0.09	0.02
1977	Critical	0.08	0.07	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1978	Above Normal	0.00	(0.44)	(7.18)	0.00	0.00	(1.02)	0.24	0.42	3.21	3.10	3.87	0.18	0.20
1979	Below Normal	(0.18)	(0.18)	(0.95)	(1.26)	(1.32)	(1.31)	(0.71)	(0.75)	2.91	2.93	(0.77)	(0.75)	(0.20)
1980	Above Normal	(0.74)	(0.71)	(0.71)	(7.44)	0.00	0.00	(3.92)	(3.45)	(1.11)	(1.20)	(1.19)	(2.98)	(1.95)
1981	Dry	(3.41)	(3.25)	(7.21)	2.13	6.62	4.73	1.57	1.56	18.43	(1.56)	(1.36)	(0.95)	1.44
1982	Wet	(0.74)	(0.67)	(0.29)	0.54	0.47	(0.01)	(0.01)	(0.01)	0.46	0.46	0.40	0.36	0.08
1983	Wet	1.11	1.16	8.73	(2.41)	2.50	0.00	4.20	(1.84)	5.60	0.00	3.06	0.68	1.90
1984	Wet	0.60	0.59	0.00	0.00	(2.22)	0.00	0.00	0.00	4.15	3.20	0.00	0.00	0.53
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(6.67)	0.00	3.05	0.05	0.06	0.06	0.07	0.08	(0.28)
1987	Dry	0.70	(1.12)	0.00	1.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1988	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.06	0.07	0.08	0.06	0.04	0.03
1989	Dry	0.01	0.00	0.00	0.00	0.02	(0.02)	0.03	0.04	0.05	0.13	0.08	0.36	0.06
1990	Critical	0.31	0.30	0.19	(0.12)	(0.08)	(0.01)	0.06	0.06	0.07	0.07	0.05	0.04	0.08
1991	Critical	0.03	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.12)	(0.12)	(0.15)	(0.11)	(0.09)	(0.06)
1993	Above Normal	(0.05)	(0.02)	0.00	(0.33)	0.03	0.05	(0.01)	(0.02)	3.40	3.35	(0.13)	(0.19)	0.51
1994	Critical	(0.12)	(0.08)	(0.01)	0.09	0.06	0.02	(0.02)	(0.02)	(0.02)	(0.13)	(1.66)	(0.25)	(0.18)
1995	Wet	0.00	(0.27)	(8.23)	0.00	0.00	0.00	0.00	0.00	1.22	0.00	3.58	1.65	(0.17)
1996	Wet	3.72	(17.00)	(25.80)	0.01	(0.01)	0.00	(0.05)	(0.05)	3.11	3.56	0.54	(0.05)	(2.67)
1997	Wet	(0.05)	(0.05)	(0.05)	(0.02)	(0.02)	0.00	(0.01)	0.00	2.68	2.75	1.92	0.00	0.60
1998	Wet	0.00	0.00	0.00	(0.01)	0.00	(0.49)	0.21	(0.11)	3.44	3.70	(0.05)	(0.05)	0.55
1999	Wet	(0.05)	(0.05)	(1.20)	(0.04)	0.00	0.00	0.00	0.00	3.49	3.17	0.69	0.00	0.50
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.17)	0.03	0.06	3.96	1.52	0.11	0.03	0.46
2001	Dry	(0.02)	(0.01)	(0.11)	(0.15)	(0.13)	(0.04)	0.03	0.03	0.02	0.02	0.03	0.03	(0.02)
2002	Dry	0.04	0.04	0.00	0.03	0.00	0.00	(0.02)	(0.02)	(0.02)	(0.03)	(0.02)	(0.06)	(0.01)
2003	Above Normal	1.23	(1.49)	(13.63)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.16)
	Average	0.08	(0.17)	(1.12)	(0.16)	(0.05)	0.09	0.01	(0.08)	1.70	0.81	0.24	(0.10)	0.10
	Wet	0.18	(0.62)	(1.08)	(0.22)	(0.31)	0.24	0.34	(0.12)	2.63	1.64	0.53	0.05	0.27
	Above Normal	0.08	(0.34)	(1.82)	(1.12)	0.14	(0.05)	(0.31)	(0.25)	1.95	1.20	0.29	(0.28)	(0.04)
	Below Normal	0.21	0.72	(2.49)	0.04	(0.26)	(0.35)	(0.03)	(0.08)	1.77	0.76	0.11	(0.02)	0.03
	Dry	(0.11)	(0.21)	(0.40)	0.32	0.29	0.12	(0.05)	(0.06)	1.19	(0.15)	0.06	(0.29)	0.06
	Critical	0.02	0.02	0.02	(0.01)	0.03	0.41	(0.24)	0.12	0.10	0.10	0.02	(0.05)	0.05

Percent Difference in Energy Use (GWh) At Pumping Plant at Oso: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	16%	20%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	29%	3%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	19%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-26%
1930	Dry	0%	-4%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	3%	0%	0%	25%	9%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	12%	73%	-24%	12%	11%	10%	18%	0%
1935	Below Normal	22%	42%	63%	0%	0%	-1%	1%	1%	1%	3%	2%	0%
1936	Below Normal	-1%	-1%	-5%	-8%	-9%	0%	0%	0%	15%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	-2%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	6%	6%	4%	21%	0%	0%	4%	2%	7%	2%	2%	2%
1939	Dry	5%	6%	3%	28%	-10%	-17%	-14%	-15%	-17%	-13%	10%	-19%
1940	Above Normal	18%	-7%	0%	0%	0%	0%	0%	0%	19%	6%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	16%	23%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	8%	8%
1944	Dry	1%	0%	0%	-6%	-6%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-12%	0%	0%	17%	17%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	34%	2%	1%	0%
1947	Dry	0%	0%	-2%	-4%	5%	-7%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	-1%	0%	0%	-4%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-99%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-23%	-9%	0%	0%	0%	24%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	-9%	0%	0%	-14%	-3%	0%	-8%	-15%
1953	Wet	-17%	-18%	-19%	1%	29%	49%	3%	2%	35%	-11%	-10%	-8%
1954	Above Normal	-9%	-9%	-6%	12%	40%	7%	0%	0%	0%	-2%	-3%	-3%
1955	Dry	-3%	-3%	-4%	-9%	2%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	4%	-37%	0%	0%	0%	0%	15%	15%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	4%	33%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	-1%	-74%	0%	0%	0%	0%	0%	626%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	32%	14%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	33%	12%	1%	1%
1966	Below Normal	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	17%	15%	14%	-9%	-2%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	1%	1%	0%	0%	0%	-6%	6%	19%	3%	5%	4%
1970	Wet	9%	10%	5%	-3%	-9%	0%	12%	-1%	25%	17%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	-1%	-1%	0%
1972	Below Normal	0%	0%	1%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	2%	0%	0%	0%	0%	20%	9%	0%	0%
1974	Wet	0%	0%	0%	0%	-10%	0%	-2%	0%	19%	19%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-4%	-43%	0%	0%	-6%	1%	2%	18%	16%	21%	1%
1979	Below Normal	-1%	-1%	-9%	-13%	-15%	-6%	-4%	-4%	16%	16%	-4%	-4%
1980	Above Normal	-5%	-5%	-6%	-34%	0%	0%	-19%	-14%	-5%	-5%	-5%	-13%
1981	Dry	-17%	-17%	-33%	21%	64%	42%	9%	8%	>1,000%	-6%	-6%	-5%
1982	Wet	-5%	-5%	-3%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	6%	6%	50%	-11%	11%	0%	20%	-8%	25%	0%	13%	3%
1984	Wet	3%	3%	0%	0%	-9%	0%	0%	0%	25%	19%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-41%	0%	15%	0%	0%	0%	0%	0%
1987	Dry	3%	-8%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	-3%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	3%	0%	0%	0%	1%	0%	0%	0%	0%	1%	0%	2%
1990	Critical	2%	2%	2%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	4%	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-2%	-2%
1993	Above Normal	-11%	-7%	0%	-12%	0%	0%	0%	0%	30%	15%	-1%	-1%
1994	Critical	-1%	-1%	0%	1%	1%	0%	0%	0%	0%	-1%	-27%	-1%
1995	Wet	0%	-1%	-31%	0%	0%	0%	0%	0%	6%	0%	16%	8%
1996	Wet	20%	-99%	-99%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	-2%	1%	-1%	20%	20%	0%	0%
1999	Wet	0%	0%	-7%	0%	0%	0%	0%	0%	21%	18%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	22%	8%	1%	0%
2001	Dry	0%	0%	-1%	-2%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	2%	3%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	14%	-11%	-51%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	1%	-1%	-4%	0%	0%	1%	0%	0%	16%	5%	1%	-1%
	Wet	1%	-4%	-4%	-1%	-1%	2%	2%	-1%	15%	9%	3%	0%
	Above Normal	1%	-4%	-9%	-5%	3%	0%	-1%	-1%	12%	6%	2%	-1%
	Below Normal	2%	6%	-8%	0%	-2%	-2%	0%	0%	53%	4%	1%	0%
	Dry	0%	-1%	-2%	2%	3%	1%	0%	0%	1%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	6%	-2%	1%	1%	1%	-1%	-2%

Energy Use (GWh) At Pumping Plant at Pearblossom: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	90.99	83.96	75.54	20.02	56.56	60.87	56.41	59.32	58.22	59.82	60.81	58.69	741.21
1923	Below Normal	55.65	52.83	52.80	90.68	82.18	61.47	44.35	56.13	56.00	55.12	61.18	57.84	726.23
1924	Critical	48.21	44.47	40.30	15.83	18.09	17.82	28.48	38.71	39.88	34.84	34.85	33.43	394.91
1925	Dry	21.90	17.50	15.45	4.33	8.59	24.89	50.48	64.93	65.50	63.15	72.56	67.87	477.15
1926	Dry	54.74	50.58	44.51	4.80	11.13	22.44	39.45	53.23	53.87	51.86	59.69	55.73	502.03
1927	Wet	44.91	41.32	36.47	8.93	37.97	68.76	61.41	64.13	62.54	64.84	65.14	63.06	619.48
1928	Above Normal	61.23	58.50	59.02	48.96	57.09	33.89	70.76	73.31	71.11	73.81	74.32	71.96	753.96
1929	Critical	70.01	67.28	67.70	51.20	48.27	24.25	26.33	42.91	44.00	38.51	38.71	1.50	520.67
1930	Dry	23.19	32.32	31.56	4.20	10.60	15.46	41.78	54.52	55.97	50.82	54.21	51.61	426.24
1931	Critical	37.13	31.97	28.24	4.29	10.30	17.02	35.69	47.62	48.78	42.65	42.82	41.05	387.56
1932	Dry	27.19	21.91	19.20	5.71	15.62	24.57	38.06	49.63	50.31	48.22	54.60	51.22	406.24
1933	Critical	40.35	36.84	32.58	4.52	43.44	20.24	39.14	53.38	54.60	50.17	53.98	51.25	480.49
1934	Critical	37.49	32.44	28.69	4.46	9.31	17.96	41.22	55.08	56.45	49.34	17.48	1.51	351.43
1935	Below Normal	57.80	48.38	39.39	4.37	14.54	22.76	63.45	69.55	68.79	69.46	72.79	69.49	600.77
1936	Below Normal	63.43	60.08	58.57	35.84	39.75	90.99	66.06	71.57	69.60	72.19	72.63	70.32	771.03
1937	Below Normal	68.31	65.48	65.93	53.48	81.23	69.41	82.27	87.05	84.38	87.59	88.23	85.47	918.83
1938	Wet	83.34	80.21	80.55	60.06	76.32	90.99	86.43	89.22	87.03	89.94	90.39	87.70	1,002.18
1939	Dry	85.50	81.93	82.49	63.90	66.70	45.25	51.96	65.10	1.73	67.85	1.97	64.62	679.00
1940	Above Normal	0.32	0.17	59.38	4.58	8.84	28.78	50.89	65.44	35.31	60.61	77.00	72.24	463.56
1941	Wet	58.01	53.52	46.94	29.70	60.10	66.29	68.24	70.80	68.96	71.54	71.80	69.54	735.44
1942	Wet	67.63	64.66	65.26	90.68	79.06	81.76	49.27	56.36	56.08	56.00	60.09	57.12	783.97
1943	Wet	50.05	46.64	44.03	69.09	77.84	66.48	75.82	78.44	76.26	79.16	79.48	77.14	820.43
1944	Dry	75.12	0.17	84.64	35.14	34.05	26.82	41.67	54.19	55.05	50.98	55.40	52.63	565.86
1945	Below Normal	38.91	34.07	30.12	8.18	14.50	90.99	65.64	69.30	67.52	70.02	70.40	68.21	627.86
1946	Below Normal	66.23	63.38	63.83	90.68	76.75	90.96	50.63	54.82	53.85	55.33	56.36	54.31	777.13
1947	Dry	51.21	48.47	48.32	43.82	45.50	30.50	70.48	72.95	70.77	73.40	73.87	71.61	700.90
1948	Below Normal	69.67	66.90	67.31	45.71	43.44	23.49	35.42	1.31	1.66	70.60	79.61	74.61	579.73
1949	Dry	59.52	55.23	48.89	7.64	13.55	20.68	56.97	68.44	68.70	67.10	17.06	81.38	565.16
1950	Below Normal	62.85	9.07	16.28	7.20	9.52	17.67	46.80	58.37	1.60	67.71	76.13	71.38	444.58
1951	Above Normal	56.84	52.60	46.47	75.11	76.59	90.99	56.26	62.07	60.77	62.82	62.99	61.05	764.56
1952	Wet	59.23	56.42	57.09	90.68	79.32	90.99	69.68	81.07	78.77	81.78	82.13	79.67	906.83
1953	Wet	77.73	74.27	74.88	90.68	75.18	43.86	42.15	54.39	1.42	60.26	67.71	63.61	726.14
1954	Above Normal	50.47	46.41	40.87	8.68	41.28	31.36	48.54	61.76	54.90	56.17	70.04	65.75	576.23
1955	Dry	52.74	48.56	42.58	8.93	17.46	25.84	43.91	55.13	55.57	53.76	61.41	57.49	523.38
1956	Wet	46.04	42.34	37.34	53.46	78.76	90.99	66.68	70.43	68.88	71.22	71.41	69.28	766.83
1957	Above Normal	67.33	64.26	64.93	61.65	58.61	51.94	50.46	64.31	23.20	64.38	77.26	72.58	720.91
1958	Wet	57.87	53.58	46.99	10.20	67.82	67.64	86.38	89.67	87.19	90.32	90.87	88.06	836.59
1959	Below Normal	86.04	0.17	84.64	38.81	41.41	34.13	43.15	53.56	1.79	62.36	69.87	65.51	581.44
1960	Dry	52.02	47.93	42.38	4.52	7.22	20.39	57.78	69.68	36.86	71.70	45.26	80.97	536.71
1961	Dry	67.10	62.36	56.49	13.93	17.50	17.61	45.02	56.05	56.86	54.74	38.72	13.28	499.66
1962	Below Normal	0.36	29.12	38.58	4.75	7.99	26.41	47.84	60.39	1.69	70.14	79.02	74.12	440.41
1963	Wet	59.06	54.65	48.25	56.12	58.95	55.64	49.42	55.76	54.94	55.91	57.98	55.68	662.36
1964	Dry	51.19	48.14	47.10	44.81	85.12	58.71	55.83	60.08	59.23	60.33	62.36	59.79	692.69
1965	Wet	55.49	52.30	51.42	65.61	82.18	69.62	52.54	57.51	16.48	62.19	64.82	62.06	692.22
1966	Below Normal	56.36	52.91	51.26	82.87	79.86	54.35	45.76	56.44	56.45	55.41	61.31	57.90	710.88
1967	Wet	48.62	44.90	40.93	20.74	82.18	75.84	85.09	88.66	86.26	89.39	89.91	87.21	839.73
1968	Below Normal	85.03	81.41	81.97	43.21	52.47	37.27	43.94	54.91	1.87	63.83	71.28	66.99	684.18
1969	Wet	53.01	48.87	43.16	51.60	76.22	90.99	80.76	85.10	82.90	85.79	86.21	83.65	868.26
1970	Wet	81.46	77.99	78.60	88.90	76.69	90.99	57.72	60.97	59.74	61.71	61.89	59.92	856.58
1971	Wet	58.16	55.34	56.01	90.68	80.85	67.70	45.81	56.76	56.79	55.95	61.54	58.20	743.79
1972	Below Normal	49.17	45.53	41.77	34.17	65.79	54.02	48.39	59.04	59.38	57.74	64.82	61.01	640.83
1973	Above Normal	50.16	46.32	41.53	16.94	69.48	68.62	60.24	65.81	64.41	66.43	66.70	64.59	681.23
1974	Wet	62.74	59.83	60.43	90.68	75.99	90.99	82.28	66.38	65.10	67.13	67.35	65.34	854.24
1975	Wet	63.49	60.41	61.08	80.34	65.68	81.01	62.85	65.12	63.62	65.75	66.07	64.07	799.49
1976	Critical	62.12	59.37	59.92	50.30	52.52	37.71	49.68	62.50	43.88	62.75	31.39	75.35	647.49
1977	Critical	59.72	55.01	35.25	4.68	7.44	10.09	20.07	1.33	0.00	1.91	3.73	1.65	200.88
1978	Above Normal	0.47	10.77	37.80	4.10	17.99	60.79	58.45	65.50	64.47	65.62	67.91	65.08	518.95
1979	Below Normal	60.70	57.36	56.49	42.65	43.83	80.42	65.36	68.10	66.41	68.66	69.05	66.96	745.99
1980	Above Normal	64.98	62.13	62.59	53.12	78.67	90.99	83.66	88.10	85.74	88.90	89.34	86.67	934.89
1981	Dry	84.61	58.13	84.64	42.34	41.83	32.17	45.41	58.38	2.04	67.72	76.14	71.46	664.87
1982	Wet	56.74	52.44	46.31	48.02	61.40	67.07	84.18	87.26	85.01	87.88	88.32	85.64	850.27
1983	Wet	83.59	80.01	80.60	84.64	82.18	90.99	78.82	83.18	81.12	83.93	84.32	81.83	995.21
1984	Wet	85.44	76.96	84.64	90.68	79.54	90.99	55.38	61.75	60.28	62.55	62.71	60.80	871.72
1985	Dry	58.87	56.15	57.02	90.68	56.91	64.01	57.42	60.99	59.90	61.83	61.97	59.95	745.70
1986	Wet	58.24	55.51	56.16	52.01	55.04	90.99	86.82	90.22	87.39	90.86	90.99	88.06	902.29
1987	Dry	86.61	0.17	84.64	35.47	34.43	18.81	27.33	35.93	37.02	32.35	32.52	31.18	456.46
1988	Critical	20.65	16.42	14.51	4.38	12.21	10.15	20.61	28.10	28.99	25.63	25.45	24.33	231.43
1989	Dry	15.73	12.26	11.00	6.21	12.97	15.29	63.37	70.40	69.53	70.17	67.37	71.42	485.72
1990	Critical	64.74	61.16	59.28	33.70	33.53	22.80	31.30	41.42	42.66	37.30	37.43	35.93	501.25
1991	Critical	23.81	19.06	16.76	4.26	7.50	10.17	21.35	27.94	28.89	25.52	25.44	24.42	235.12
1992	Critical	15.89	12.42	11.13	4.22	7.42	10.07	28.65	37.89	38.88	34.02	32.46	33.38	266.43
1993	Above Normal	13.94	11.69	24.38	4.44	60.79	58.94	52.32	59.80	1.66	66.89	71.98	68.40	495.23
1994	Critical	59.76	55.86	52.60	28.69	32.23	33.41	49.91	62.50	21.18	65.99	1.98	20.18	484.29
1995	Wet	0.34	2.31	63.98	4.74	47.86	39.65	79.31	82.23	79.86	82.91	83.46	80.90	647.55
1996	Wet	78.86	14.43	36.70	39.92	35.68	58.69	59.73	61.49	60.02	62.22	62.50	60.45	630.69
1997	Wet	58.64	56.03	56.61	90.68	76.98	90.99	69.60	71.93	70.10	72.61	72.87	70.68	857.72
1998	Wet	68.70	65.64	66.28	61.09	79.14	90.99	65.85	66.47	64.74	67.39	67.73	65.57	829.59
1999	Wet	63.57	62.20	61.36	90.68	76.61	62.41	55.71	61.41	59.97	62.40	62.61	60.60	779.53
2000	Above Normal	58.77	56.02	56.70	55.29	84.11	58.14	54.76	62.61	61.97	62.40	66.63	63.33	740.73
2001	Dry	56.04	52.62	50.19	29.00	29.46	23.75	41.20	55.17	56.51	50.01	51.19	49.16	544.30
2002	Dry	33.34	27.47	24.07	8.66	18.08	25.70	67.39	69.73	67.59	70.50	20.60	77.56	510.69
2003	Above Normal	0.28	0.17	50.38	13.51	21.00	26.84	43.49	54.53	1.34	63.60	71.09	66.73	412.96
	Average	53.83	46.42	50.89	39.32	47.79	50.42	54.65	61.39	52.03	62.61	61.12	61.22	641.68
	Wet	60.81	55.11	57.00	61.95	70.21	75.90	67.61	71.41	66.21	72.37	73.47	70.99	803.04
	Above Normal	42.98	41.08	51.63	30.53	52.58	55.18	57.19	65.21	48.59	65.95	71.34	68.09	650.37
	Below Normal	58.61	47.62	53.50	41.61	46.66	53.88	53.50	58.61	42.21	66.15	70.91	67.44	660.71
	Dry	53.15	40.11	48.62	25.23	29.26	28.49	49.75	59.70	51.28	59.25	50.38	59.39	554.60
	Critical	44.99	41.03	37.25	17.54	23.52	19.31	32.70	41.62	37.35	39.05	28.81	28.67	391.83

Energy Use (GWh) At Pumping Plant at Pearblossom: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	90.99	83.96	75.54	20.02	56.56	60.87	56.40	59.32	68.08	72.68	65.65	58.69	768.76
1923	Below Normal	55.65	52.83	52.79	90.68	82.18	61.04	44.32	56.16	73.96	56.89	61.25	57.89	745.64
1924	Critical	48.19	44.44	40.24	15.52	17.84	17.75	28.49	38.72	39.90	34.85	34.86	33.45	394.25
1925	Dry	21.90	17.50	15.45	4.33	8.58	24.88	50.51	64.97	65.54	63.18	72.60	67.91	477.35
1926	Dry	54.77	50.61	44.54	4.80	11.11	22.43	39.40	53.19	53.83	51.83	59.65	55.69	501.85
1927	Wet	44.88	41.30	36.45	8.93	37.94	68.76	61.41	64.13	74.36	72.70	65.14	63.06	639.06
1928	Above Normal	61.23	58.50	59.02	48.95	57.05	33.89	70.76	73.32	71.12	73.82	74.32	71.96	753.94
1929	Critical	70.01	67.28	67.70	51.20	48.27	24.24	26.32	42.90	43.99	38.50	38.70	2.51	521.62
1930	Dry	23.17	32.58	31.76	4.20	10.60	15.46	41.78	54.53	55.97	50.82	54.21	51.61	426.69
1931	Critical	37.13	31.97	28.23	4.29	10.29	17.02	35.68	47.60	48.77	42.64	42.80	41.04	387.46
1932	Dry	27.18	21.91	19.20	5.71	15.62	24.57	38.06	49.64	64.10	54.11	54.60	51.22	425.92
1933	Critical	40.35	36.84	32.58	4.52	41.65	20.24	39.14	53.38	54.60	50.17	53.98	51.25	478.70
1934	Critical	37.49	32.44	28.69	4.47	11.42	21.15	40.56	54.12	55.26	50.00	46.16	1.51	383.27
1935	Below Normal	50.98	48.23	41.13	4.47	14.41	22.63	61.89	69.44	68.96	69.06	73.43	69.83	594.46
1936	Below Normal	62.39	58.83	56.56	31.13	35.72	90.99	66.05	71.56	79.92	81.52	72.61	70.30	777.58
1937	Below Normal	68.30	65.48	65.93	53.48	82.18	69.40	82.27	87.05	86.44	89.49	89.78	86.92	926.72
1938	Wet	87.62	84.46	82.84	68.37	76.49	90.99	88.06	90.99	82.68	90.99	90.99	88.06	1,022.54
1939	Dry	89.48	86.11	84.60	81.54	67.09	40.29	43.87	54.64	21.40	63.49	6.27	56.46	695.24
1940	Above Normal	2.28	2.32	60.91	4.50	8.88	28.79	50.90	65.45	49.29	66.31	77.02	72.26	488.91
1941	Wet	58.02	53.53	46.95	29.67	60.10	66.04	68.02	70.56	78.58	82.32	78.23	69.31	761.33
1942	Wet	67.40	64.44	65.04	90.68	79.10	81.37	49.24	56.37	65.94	72.03	61.77	57.14	810.52
1943	Wet	50.04	46.62	44.00	68.97	77.14	65.91	75.44	78.05	82.69	85.61	85.75	83.08	843.30
1944	Dry	75.63	0.17	84.64	32.18	31.41	25.95	41.66	54.18	55.03	50.97	55.39	52.61	559.82
1945	Below Normal	38.90	34.06	30.11	8.18	14.49	87.82	65.74	69.41	79.06	81.80	74.94	68.32	652.83
1946	Below Normal	66.33	63.48	63.94	90.68	76.75	90.80	50.24	54.84	73.02	55.82	56.56	54.44	796.90
1947	Dry	50.94	48.15	47.75	42.52	44.43	30.45	70.68	73.16	70.97	73.60	74.08	71.82	698.55
1948	Below Normal	69.87	67.10	67.51	42.93	41.23	22.68	35.44	3.68	1.66	70.58	79.56	74.84	577.08
1949	Dry	59.61	55.27	48.53	7.61	13.50	20.65	56.69	68.38	68.68	66.98	16.03	81.75	563.68
1950	Below Normal	63.12	9.62	65.28	7.20	9.52	17.67	46.80	58.37	1.60	67.71	76.13	71.38	494.40
1951	Above Normal	56.84	52.60	46.47	90.68	82.18	90.99	56.33	62.13	76.06	67.32	63.05	61.11	805.76
1952	Wet	59.28	56.48	57.15	90.68	85.12	90.99	69.37	68.45	76.43	81.39	74.90	67.29	877.53
1953	Wet	65.50	62.40	63.05	90.68	82.18	71.93	43.71	56.13	56.28	55.01	61.83	58.32	767.02
1954	Above Normal	47.64	43.79	38.98	13.94	55.66	34.74	48.22	61.61	61.91	59.90	68.56	64.30	599.25
1955	Dry	51.69	47.58	41.69	8.99	18.01	26.55	44.98	56.51	56.95	55.08	62.93	58.92	529.88
1956	Wet	47.21	43.42	38.28	51.76	78.84	90.99	66.93	70.66	79.70	82.38	77.63	69.50	797.30
1957	Above Normal	67.54	64.48	65.14	61.73	58.68	50.92	50.45	64.28	21.61	64.32	77.41	72.73	719.29
1958	Wet	57.97	53.68	47.07	10.19	67.77	67.60	86.35	89.64	87.22	90.68	90.92	88.06	837.15
1959	Below Normal	88.79	21.34	84.64	41.80	41.40	34.15	43.15	53.56	1.79	62.36	69.87	65.51	608.36
1960	Dry	52.03	47.93	42.38	4.52	7.23	20.33	57.79	69.69	36.98	71.70	45.67	80.90	537.15
1961	Dry	67.04	62.31	56.46	13.96	17.53	17.63	45.02	56.05	56.87	54.75	38.66	13.30	499.58
1962	Below Normal	0.36	29.45	84.64	4.75	7.99	26.42	47.84	60.39	21.36	70.14	79.02	74.11	506.47
1963	Wet	59.05	54.64	48.25	56.12	58.95	55.64	49.42	55.76	73.47	64.92	57.98	55.68	689.88
1964	Dry	51.19	48.14	47.11	44.90	85.12	58.75	55.83	60.07	59.22	60.32	62.34	59.78	692.77
1965	Wet	55.49	52.30	51.42	65.64	82.18	69.62	52.53	57.51	35.97	69.60	64.38	61.63	718.27
1966	Below Normal	56.20	52.68	51.04	82.82	79.81	54.35	45.77	56.44	56.45	55.41	61.31	57.89	710.17
1967	Wet	48.63	44.90	40.93	20.76	82.18	75.87	85.09	88.66	87.15	90.29	90.52	87.68	842.66
1968	Below Normal	88.36	78.20	84.64	48.83	48.34	36.18	44.14	55.17	1.87	64.13	71.63	67.31	688.80
1969	Wet	53.26	49.12	43.38	51.39	76.28	90.99	80.85	85.21	75.66	88.09	89.90	87.09	871.22
1970	Wet	87.81	84.47	81.77	90.68	82.18	90.99	64.64	60.56	75.41	72.77	61.48	59.51	912.27
1971	Wet	57.76	54.97	55.63	90.68	80.93	68.34	45.96	56.67	56.66	55.92	61.30	58.02	742.84
1972	Below Normal	49.23	45.63	42.01	35.45	66.31	54.34	48.47	59.08	59.40	57.78	64.82	61.02	643.54
1973	Above Normal	50.22	46.38	41.62	17.15	69.48	68.62	60.24	65.81	77.64	72.87	66.70	64.59	701.32
1974	Wet	62.74	59.83	60.43	90.68	82.18	90.99	82.43	66.18	77.86	80.40	68.26	65.14	887.12
1975	Wet	63.30	60.22	60.90	80.81	65.80	80.89	62.76	65.02	77.25	71.59	65.97	63.97	818.48
1976	Critical	62.02	59.28	59.83	50.26	52.49	37.78	49.79	62.64	44.38	62.85	31.00	75.50	647.82
1977	Critical	59.80	55.09	33.36	4.68	7.44	10.09	20.07	1.33	0.00	1.87	3.73	1.69	199.15
1978	Above Normal	0.47	11.75	55.47	4.10	17.99	56.36	56.62	65.69	75.00	71.91	80.57	66.09	562.02
1979	Below Normal	59.15	55.41	53.11	33.39	35.92	74.54	62.59	65.15	77.27	79.54	66.07	64.07	726.21
1980	Above Normal	62.12	59.36	59.83	76.50	78.84	90.99	68.27	74.42	81.24	83.88	84.19	74.89	894.53
1981	Dry	71.40	68.08	68.71	59.90	77.08	52.87	49.79	64.08	47.81	64.25	72.68	68.34	764.99
1982	Wet	55.31	51.07	45.29	50.97	63.50	67.01	84.15	87.23	86.70	89.61	89.80	86.98	857.62
1983	Wet	87.72	84.37	74.69	90.68	75.92	90.99	80.93	83.18	75.66	83.93	81.99	84.09	994.15
1984	Wet	87.42	78.88	50.14	90.68	85.12	90.99	55.38	61.75	75.83	74.55	62.71	60.80	874.25
1985	Dry	58.87	56.15	57.00	90.68	56.91	64.01	57.42	61.00	59.90	61.83	61.97	59.95	745.69
1986	Wet	58.24	55.51	56.16	52.01	55.04	90.99	87.04	90.45	87.24	90.99	90.99	88.06	902.72
1987	Dry	89.22	24.30	84.64	39.47	34.39	18.80	27.32	35.91	37.00	32.34	32.51	31.16	487.06
1988	Critical	20.64	16.41	14.51	4.38	12.23	10.15	20.61	28.45	29.34	25.93	25.76	24.63	233.04
1989	Dry	15.93	12.43	11.14	6.16	12.88	15.17	63.10	70.41	69.58	70.12	60.37	72.61	479.90
1990	Critical	65.56	61.89	59.83	32.81	32.87	22.66	31.54	41.75	43.00	37.59	37.72	36.21	503.43
1991	Critical	24.00	19.21	16.90	4.26	7.50	10.17	21.35	27.94	28.89	25.52	25.44	24.42	235.60
1992	Critical	15.89	12.42	11.13	4.22	7.42	10.07	28.16	37.21	38.20	33.43	31.89	32.78	262.82
1993	Above Normal	15.22	11.79	22.68	4.47	60.89	59.13	52.41	59.79	17.55	80.42	72.26	68.58	525.19
1994	Critical	59.98	56.02	52.65	29.11	32.60	33.46	49.85	62.42	23.30	65.69	6.13	20.82	492.03
1995	Wet	0.34	2.83	84.64	4.74	47.86	39.65	79.31	82.23	84.45	68.00	81.99	86.53	662.57
1996	Wet	39.41	0.17	65.94	39.98	35.66	58.67	59.53	61.29	71.64	75.53	64.50	60.25	632.57
1997	Wet	58.44	55.84	56.41	90.68	77.04	90.99	69.59	71.92	80.14	82.89	80.05	70.66	884.65
1998	Wet	68.69	65.63	66.27	61.01	79.15	90.99	66.55	66.06	77.61	79.76	67.49	65.33	854.54
1999	Wet	63.34	61.97	64.34	90.68	76.61	62.40	55.71	61.41	73.04	74.28	65.20	60.60	809.58
2000	Above Normal	58.77	56.02	56.70	55.28	84.14	57.37	54.50	62.65	76.61	67.49	66.82	63.46	759.81
2001	Dry	55.89	52.42	49.84	27.89	28.54	23.48	41.20	55.15	56.49	50.02	51.25	49.21	541.38
2002	Dry	33.40	27.55	24.14	8.66	18.08	25.69	67.31	69.64	67.50	70.41	18.65	78.03	509.06
2003	Above Normal	0.28	3.95	84.64	13.51	21.00	26.84	43.49	54.53	1.34	63.60	71.09	66.73	451.00
	Average	53.25	46.99	52.48	40.40	48.52	50.80	54.48	61.04	58.16	65.46	61.88	61.00	654.46
	Wet	59.42	54.73	57.21	62.62	71.20	76.95	68.09	71.00	75.22	77.93	74.30	70.99	819.66
	Above Normal	42.80	41.24	55.58	34.24	54.28	54.96	55.72	64.08	56.45	70.38	72.30	67.12	669.15
	Below Normal	58.40	48.74	60.24	41.13	45.45	53.07	53.19	58.59	48.77	68.73	71.21	67.42	674.94
	Dry	52.74	42.18	47.75	27.11	31.01	29.33	49.58	59.51	55.77	59.21	49.99	58.96	563.14
	Critical	45.09	41.11	37.14	17.48	23.50	19.57	32.63	41.54	37.47	39.09	31.51	28.82	394.93

Difference in Energy Use (GWh) At Pumping Plant at Pearblossom: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	9.86	12.86	4.84	0.00	2.30
1923	Below Normal	0.00	0.00	(0.01)	0.00	0.00	(0.43)	(0.03)	0.03	17.96	1.77	0.07	0.05	1.62
1924	Critical	(0.02)	(0.03)	(0.06)	(0.31)	(0.25)	(0.07)	0.01	0.01	0.02	0.01	0.01	0.02	(0.06)
1925	Dry	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.03	0.04	0.04	0.03	0.04	0.04	0.02
1926	Dry	0.03	0.03	0.03	0.00	(0.02)	(0.01)	(0.05)	(0.04)	(0.04)	(0.03)	(0.04)	(0.04)	(0.02)
1927	Wet	(0.03)	(0.02)	(0.02)	0.00	(0.03)	0.00	0.00	0.00	11.82	7.86	0.00	0.00	1.63
1928	Above Normal	0.00	0.00	0.00	(0.01)	(0.04)	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	1.01	0.08
1930	Dry	(0.02)	0.26	0.20	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.04
1931	Critical	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	(0.02)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)
1932	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	13.79	5.89	0.00	0.00	1.64
1933	Critical	0.00	0.00	0.00	0.00	(1.79)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)
1934	Critical	0.00	0.00	0.00	0.01	2.11	3.19	(0.66)	(0.96)	(1.19)	0.66	28.68	0.00	2.65
1935	Below Normal	(6.82)	(0.15)	1.74	0.10	(0.13)	(0.13)	(1.56)	(0.11)	0.17	(0.40)	0.64	0.34	(0.53)
1936	Below Normal	(1.04)	(1.25)	(2.01)	(4.71)	(4.03)	0.00	(0.01)	(0.01)	10.32	9.33	(0.02)	(0.02)	0.55
1937	Below Normal	(0.01)	0.00	0.00	0.00	0.95	(0.01)	0.00	0.00	2.06	1.90	1.55	1.45	0.66
1938	Wet	4.28	4.25	2.29	8.31	0.17	0.00	1.63	1.77	(4.35)	1.05	0.60	0.36	1.70
1939	Dry	3.98	4.18	2.11	17.64	0.39	(4.96)	(8.09)	(10.46)	19.67	(4.36)	4.30	(8.16)	1.35
1940	Above Normal	1.96	2.15	1.53	(0.08)	0.04	0.01	0.01	0.01	13.98	5.70	0.02	0.02	2.11
1941	Wet	0.01	0.01	0.01	(0.03)	0.00	(0.25)	(0.22)	(0.24)	9.62	10.78	6.43	(0.23)	2.16
1942	Wet	(0.23)	(0.22)	(0.22)	0.00	0.04	(0.39)	(0.03)	0.01	9.86	16.03	1.68	0.02	2.21
1943	Wet	(0.01)	(0.02)	(0.03)	(0.12)	(0.70)	(0.57)	(0.38)	(0.39)	6.43	6.45	6.27	5.94	1.91
1944	Dry	0.51	0.00	0.00	(2.96)	(2.64)	(0.87)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(0.02)	(0.50)
1945	Below Normal	(0.01)	(0.01)	(0.01)	0.00	(0.01)	(3.17)	0.10	0.11	11.54	11.78	4.54	0.11	2.08
1946	Below Normal	0.10	0.10	0.11	0.00	0.00	(0.16)	(0.39)	0.02	19.17	0.49	0.20	0.13	1.65
1947	Dry	(0.27)	(0.32)	(0.57)	(1.30)	(1.07)	(0.05)	0.20	0.21	0.20	0.20	0.21	0.21	(0.20)
1948	Below Normal	0.20	0.20	0.20	(2.78)	(2.21)	(0.81)	0.02	2.37	0.00	(0.02)	(0.05)	0.23	(0.22)
1949	Dry	0.09	0.04	(0.36)	(0.03)	(0.05)	(0.03)	(0.28)	(0.06)	(0.02)	(0.12)	(1.03)	0.37	(0.12)
1950	Below Normal	0.27	0.55	49.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.15
1951	Above Normal	0.00	0.00	0.00	15.57	5.59	0.00	0.07	0.06	15.29	4.50	0.06	0.06	3.43
1952	Wet	0.05	0.06	0.06	0.00	5.80	0.00	(0.31)	(12.62)	(2.34)	(0.39)	(7.23)	(12.38)	(2.44)
1953	Wet	(12.23)	(11.87)	(11.83)	0.00	7.00	28.07	1.56	1.74	54.86	(5.25)	(5.88)	(5.29)	3.41
1954	Above Normal	(2.83)	(2.62)	(1.89)	5.26	14.38	3.38	(0.32)	(0.15)	7.01	3.73	(1.48)	(1.45)	1.92
1955	Dry	(1.05)	(0.98)	(0.89)	0.06	0.55	0.71	1.07	1.38	1.38	1.32	1.52	1.43	0.54
1956	Wet	1.17	1.08	0.94	(1.70)	0.08	0.00	0.25	0.23	10.82	11.16	6.22	0.22	2.54
1957	Above Normal	0.21	0.22	0.21	0.08	0.07	(1.02)	(0.01)	(0.03)	(1.59)	(0.06)	0.15	0.15	(0.14)
1958	Wet	0.10	0.10	0.08	(0.01)	(0.05)	(0.04)	(0.03)	(0.03)	0.03	0.36	0.05	0.00	0.05
1959	Below Normal	2.75	21.17	0.00	2.99	(0.01)	0.02	0.00	0.00	0.00	0.00	0.00	0.00	2.24
1960	Dry	0.01	0.00	0.00	0.00	0.01	(0.06)	0.01	0.01	0.12	0.00	0.41	(0.07)	0.04
1961	Dry	(0.06)	(0.05)	(0.03)	0.03	0.03	0.02	0.00	0.00	0.01	0.01	(0.06)	0.02	(0.01)
1962	Below Normal	0.00	0.33	46.06	0.00	0.00	0.01	0.00	0.00	19.67	0.00	0.00	(0.01)	5.51
1963	Wet	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	18.53	9.01	0.00	0.00	2.29
1964	Dry	0.00	0.00	0.01	0.09	0.00	0.04	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	0.01
1965	Wet	0.00	0.00	0.00	0.03	0.00	0.00	(0.01)	0.00	19.49	7.41	(0.44)	(0.43)	2.17
1966	Below Normal	(0.16)	(0.23)	(0.22)	(0.05)	(0.05)	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.06)
1967	Wet	0.01	0.00	0.00	0.02	0.00	0.03	0.00	0.00	0.89	0.90	0.61	0.47	0.24
1968	Below Normal	3.33	(3.21)	2.67	5.62	(4.13)	(1.09)	0.20	0.26	0.00	0.30	0.35	0.32	0.39
1969	Wet	0.25	0.25	0.22	(0.21)	0.06	0.00	0.09	0.11	(7.24)	2.30	3.69	3.44	0.25
1970	Wet	6.35	6.48	3.17	1.78	5.49	0.00	6.92	(0.41)	15.67	11.06	(0.41)	(0.41)	4.64
1971	Wet	(0.40)	(0.37)	(0.38)	0.00	0.08	0.64	0.15	(0.09)	(0.13)	(0.03)	(0.24)	(0.18)	(0.08)
1972	Below Normal	0.06	0.10	0.24	1.28	0.52	0.32	0.08	0.04	0.02	0.04	0.00	0.01	0.23
1973	Above Normal	0.06	0.06	0.09	0.21	0.00	0.00	0.00	0.00	13.23	6.44	0.00	0.00	1.67
1974	Wet	0.00	0.00	0.00	0.00	6.19	0.00	0.15	(0.20)	12.76	13.27	0.91	(0.20)	2.74
1975	Wet	(0.19)	(0.19)	(0.18)	0.47	0.12	(0.12)	(0.09)	(0.10)	13.63	5.84	(0.10)	(0.10)	1.58
1976	Critical	(0.10)	(0.09)	(0.09)	(0.04)	(0.03)	0.07	0.11	0.14	0.50	0.10	(0.39)	0.15	0.03
1977	Critical	0.08	0.08	(1.89)	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.04	(0.14)
1978	Above Normal	0.00	0.98	17.67	0.00	0.00	(4.43)	(1.83)	0.19	10.53	6.29	12.66	1.01	3.59
1979	Below Normal	(1.55)	(1.95)	(3.38)	(9.26)	(7.91)	(5.88)	(2.77)	(2.95)	10.86	10.88	(2.98)	(2.89)	(1.65)
1980	Above Normal	(2.86)	(2.77)	(2.76)	23.38	0.17	0.00	(15.39)	(13.68)	(4.50)	(5.02)	(5.15)	(11.78)	(3.36)
1981	Dry	(13.21)	9.95	(15.93)	17.56	35.25	20.70	4.38	5.70	45.77	(3.47)	(3.46)	(3.12)	8.34
1982	Wet	(1.43)	(1.37)	(1.02)	2.95	2.10	(0.06)	(0.03)	(0.03)	1.69	1.73	1.48	1.34	0.61
1983	Wet	4.13	4.36	(5.91)	6.04	(6.26)	0.00	2.11	0.00	(5.46)	0.00	(2.33)	2.26	(0.09)
1984	Wet	1.98	1.92	(34.50)	0.00	5.58	0.00	0.00	0.00	15.55	12.00	0.00	0.00	0.21
1985	Dry	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.23	(0.15)	0.13	0.00	0.00	0.04
1987	Dry	2.61	24.13	0.00	4.00	(0.04)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.02)	2.55
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.02	0.00	0.00	0.35	0.35	0.30	0.31	0.30	0.13
1989	Dry	0.20	0.17	0.14	(0.05)	(0.09)	(0.12)	(0.27)	0.01	0.05	(0.05)	(7.00)	1.19	(0.49)
1990	Critical	0.82	0.73	0.55	(0.89)	(0.66)	(0.14)	0.24	0.33	0.34	0.29	0.29	0.28	0.18
1991	Critical	0.19	0.15	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.49)	(0.68)	(0.68)	(0.59)	(0.57)	(0.60)	(0.30)
1993	Above Normal	1.28	0.10	(1.70)	0.03	0.10	0.19	0.09	(0.01)	15.89	13.53	0.28	0.18	2.50
1994	Critical	0.22	0.16	0.05	0.42	0.37	0.05	(0.06)	(0.08)	2.12	(0.30)	4.15	0.64	0.65
1995	Wet	0.00	0.52	20.66	0.00	0.00	0.00	0.00	0.00	4.59	(14.91)	(1.47)	5.63	1.25
1996	Wet	(39.45)	(14.26)	29.24	0.06	(0.02)	(0.02)	(0.20)	(0.20)	11.62	13.31	2.00	(0.20)	0.16
1997	Wet	(0.20)	(0.19)	(0.20)	0.00	0.06	0.00	(0.01)	(0.01)	10.04	10.28	7.18	(0.02)	2.24
1998	Wet	(0.01)	(0.01)	(0.01)	(0.08)	0.01	0.00	0.70	(0.41)	12.87	12.37	(0.24)	(0.24)	2.08
1999	Wet	(0.23)	(0.23)	2.98	0.00	0.00	(0.01)	0.00	0.00	13.07	11.88	2.59	0.00	2.50
2000	Above Normal	0.00	0.00	0.00	(0.01)	0.03	(0.77)	(0.26)	0.04	14.64	5.09	0.19	0.13	1.59
2001	Dry	(0.15)	(0.20)	(0.35)	(1.11)	(0.92)	(0.27)	0.00	(0.02)	(0.02)	0.01	0.06	0.05	(0.24)
2002	Dry	0.06	0.08	0.07	0.00	0.00	(0.01)	(0.08)	(0.09)	(0.09)	(0.09)	(1.95)	0.47	(0.14)
2003	Above Normal	0.00	3.78	34.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.17
	Average	(0.58)	0.56	1.59	1.08	0.73	0.38	(0.16)	(0.35)	6.13	2.85	0.76	(0.22)	1.06
	Wet	(1.39)	(0.37)	0.21	0.67	0.99	1.05	0.48	(0.41)	9.01	5.56	0.82	0.00	1.38
	Above Normal	(0.18)	0.16	3.95	3.70	1.70	(0.22)	(1.47)	(1.13)	7.86	4.42	0.96	(0.97)	1.57
	Below Normal	(0.21)	1.12	6.74	(0.49)	(1.22)	(0.81)	(0.31)	(0.02)	6.56	2.58	0.31	(0.02)	1.19
	Dry	(0.40)	2.07	(0.87)	1.89	1.74	0.84	(0.17)	(0.19)	4.49	(0.04)	(0.39)	(0.43)	0.71
	Critical	0.10	0.08	(0.11)	(0.07)	(0.02)	0.26	(0.07)	(0.08)	0.12	0.03	2.70	0.15	0.26

Percent Difference in Energy Use (GWh) At Pumping Plant at Pearblossom: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	17%	21%	8%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	32%	3%	0%	0%
1924	Critical	0%	0%	0%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	19%	12%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%
1930	Dry	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	27%	12%	0%	0%
1933	Critical	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	23%	18%	-2%	-2%	-2%	1%	164%	0%
1935	Below Normal	-12%	0%	4%	2%	-1%	-1%	-2%	0%	0%	-1%	1%	0%
1936	Below Normal	-2%	-2%	-3%	-13%	-10%	0%	0%	0%	15%	13%	0%	0%
1937	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	5%	5%	3%	14%	0%	0%	2%	2%	-5%	1%	1%	0%
1939	Dry	5%	5%	3%	28%	1%	-11%	-16%	-16%	>1,000%	-6%	218%	-13%
1940	Above Normal	613%	>1,000%	3%	-2%	0%	0%	0%	0%	40%	9%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	15%	9%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	18%	29%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	-1%	0%	8%	8%	8%	8%
1944	Dry	1%	0%	0%	-8%	-8%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-3%	0%	0%	17%	17%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	36%	1%	0%	0%
1947	Dry	-1%	-1%	-1%	-3%	-2%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-6%	-5%	-3%	0%	181%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	-6%	0%
1950	Below Normal	0%	6%	301%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	21%	7%	0%	0%	0%	25%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	7%	0%	0%	-16%	-3%	0%	-9%	-16%
1953	Wet	-16%	-16%	-16%	0%	9%	64%	4%	3%	>1,000%	-9%	-9%	-8%
1954	Above Normal	-6%	-6%	-5%	61%	35%	11%	-1%	0%	13%	7%	-2%	-2%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	2%	3%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-3%	0%	0%	0%	0%	16%	16%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-7%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	>1,000%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	1%	119%	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	34%	16%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	118%	12%	-1%	-1%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	-4%	3%	13%	-8%	-3%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	1%	1%	0%	0%	0%	0%	0%	-9%	3%	4%	4%
1970	Wet	8%	8%	4%	2%	7%	0%	12%	-1%	26%	18%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	21%	10%	0%	0%
1974	Wet	0%	0%	0%	0%	8%	0%	0%	0%	20%	20%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	21%	9%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	-1%	0%
1977	Critical	0%	0%	-5%	0%	0%	0%	0%	0%	0%	-2%	0%	2%
1978	Above Normal	0%	9%	47%	0%	0%	-7%	-3%	0%	16%	10%	19%	2%
1979	Below Normal	-3%	-3%	-6%	-22%	-18%	-7%	-4%	-4%	16%	16%	-4%	-4%
1980	Above Normal	-4%	-4%	-4%	44%	0%	0%	-18%	-16%	-5%	-6%	-6%	-14%
1981	Dry	-16%	17%	-19%	41%	84%	64%	10%	10%	>1,000%	-5%	-5%	-4%
1982	Wet	-3%	-3%	-2%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	5%	5%	-7%	7%	-8%	0%	3%	0%	-7%	0%	-3%	3%
1984	Wet	2%	2%	-41%	0%	7%	0%	0%	0%	26%	19%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	3%	>1,000%	0%	11%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	-1%	-1%	0%	0%	0%	0%	-10%	2%
1990	Critical	1%	1%	1%	-3%	-2%	-1%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	9%	1%	-7%	1%	0%	0%	0%	0%	957%	20%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	10%	0%	210%	3%
1995	Wet	0%	23%	32%	0%	0%	0%	0%	0%	6%	-18%	-2%	7%
1996	Wet	-50%	-99%	80%	0%	0%	0%	0%	0%	19%	21%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	14%	10%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	1%	-1%	20%	18%	0%	0%
1999	Wet	0%	0%	5%	0%	0%	0%	0%	0%	22%	19%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	24%	8%	0%	0%
2001	Dry	0%	0%	-1%	-4%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-9%	1%
2003	Above Normal	0%	>1,000%	68%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	7%	-1%	7%	2%	2%	1%	0%	2%	21%	4%	8%	1%
	Wet	-2%	-3%	2%	1%	1%	2%	1%	0%	15%	9%	1%	0%
	Above Normal	51%	0%	8%	10%	4%	0%	-2%	-1%	92%	7%	2%	-1%
	Below Normal	-1%	0%	30%	-1%	-3%	-1%	0%	13%	8%	4%	0%	0%
	Dry	0%	1%	-1%	4%	4%	3%	0%	0%	2%	0%	11%	-1%
	Critical	0%	0%	0%	0%	1%	1%	0%	0%	1%	0%	31%	6%

Energy Use (GWh) At Pumping Plant at South Bay: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	21.07	9.69	10.53	2.74	8.69	17.92	14.15	12.52	13.37	13.45	12.77	12.99	149.89
1923	Below Normal	3.69	5.15	8.08	11.40	8.81	15.11	9.62	9.51	11.56	13.28	12.76	11.86	120.83
1924	Critical	2.25	3.19	5.66	0.85	1.32	10.21	6.93	4.98	5.93	6.68	6.72	6.32	61.04
1925	Dry	1.27	0.94	0.47	0.03	0.03	16.91	6.91	10.52	13.26	15.62	14.78	13.46	94.20
1926	Dry	3.82	3.97	6.13	0.77	1.04	10.82	8.06	8.77	11.04	12.93	12.22	11.10	90.67
1927	Wet	2.05	2.27	5.01	1.01	4.98	19.24	15.47	13.88	14.43	14.22	13.45	13.98	119.99
1928	Above Normal	4.81	6.26	9.22	1.27	2.44	10.95	17.29	15.83	16.15	15.77	14.93	15.81	130.73
1929	Critical	6.55	7.75	10.67	0.89	1.22	9.63	6.64	5.35	6.41	7.23	7.27	4.00	73.61
1930	Dry	1.35	1.00	0.50	0.14	0.99	10.08	8.68	7.40	9.16	10.49	10.32	9.55	69.66
1931	Critical	1.87	1.21	2.42	0.45	0.97	10.29	7.67	6.04	7.10	8.13	8.12	7.59	61.86
1932	Dry	1.55	1.15	0.57	0.04	0.04	19.31	5.23	8.07	10.13	11.87	11.31	10.39	79.66
1933	Critical	1.88	1.16	4.57	0.63	18.08	7.49	4.34	7.47	9.23	10.77	10.48	9.67	85.77
1934	Critical	1.89	1.19	2.74	0.49	0.88	10.44	8.22	6.87	8.18	9.23	9.32	2.47	61.92
1935	Below Normal	1.79	3.02	4.97	0.33	1.34	10.74	14.93	13.80	15.06	15.60	14.79	14.82	111.19
1936	Below Normal	5.44	6.27	8.93	0.86	1.76	21.07	15.33	15.36	15.83	15.59	14.78	15.44	136.66
1937	Below Normal	6.17	7.37	10.27	0.97	18.47	8.50	15.73	18.60	18.96	18.56	17.57	18.62	159.79
1938	Wet	9.21	9.92	12.66	1.70	11.35	21.07	19.30	19.08	19.79	19.40	18.44	19.24	181.16
1939	Dry	9.61	10.16	12.77	1.44	2.16	11.57	11.03	10.65	12.99	15.80	15.00	13.76	126.94
1940	Above Normal	4.03	4.10	6.24	0.77	0.83	11.48	10.81	10.67	13.41	15.65	14.90	13.62	106.51
1941	Wet	3.95	4.04	6.19	5.28	9.55	18.91	16.62	15.18	15.84	15.62	14.82	15.33	141.33
1942	Wet	5.98	7.19	10.03	10.33	9.07	16.58	11.49	10.32	12.09	13.19	12.59	11.97	130.83
1943	Wet	2.57	3.67	6.32	9.57	9.64	18.04	17.89	16.67	17.32	17.11	16.25	16.85	151.90
1944	Dry	7.34	3.37	13.99	1.02	1.30	10.61	8.82	7.73	9.44	10.94	10.67	9.95	95.18
1945	Below Normal	1.89	1.15	3.18	0.81	1.33	21.07	14.96	14.91	15.49	15.21	14.39	15.08	119.47
1946	Below Normal	5.81	7.08	10.01	11.54	10.04	17.50	12.47	11.43	12.38	12.59	11.98	12.00	134.83
1947	Dry	2.75	4.35	7.28	1.27	10.87	2.59	17.33	15.80	16.09	15.70	14.86	15.82	124.71
1948	Below Normal	6.50	7.71	10.63	0.91	1.23	9.56	7.50	8.95	11.28	13.23	12.54	11.45	101.49
1949	Dry	2.09	2.63	5.16	0.93	1.27	10.68	12.34	11.87	14.27	16.15	15.28	14.38	107.05
1950	Below Normal	4.72	4.90	7.11	0.48	0.83	10.33	10.23	9.47	11.84	14.00	13.28	12.12	99.31
1951	Above Normal	2.59	3.13	5.47	21.07	16.99	14.93	10.57	13.32	14.04	13.83	13.20	13.53	142.67
1952	Wet	4.24	5.73	8.64	10.65	10.79	18.50	15.85	17.21	17.86	17.68	16.80	17.43	161.38
1953	Wet	7.90	8.70	11.39	10.65	2.84	11.31	9.43	8.60	10.91	13.00	12.40	11.40	118.53
1954	Above Normal	1.79	2.60	5.02	1.06	5.67	11.91	10.54	10.14	12.72	15.05	14.26	13.08	103.84
1955	Dry	3.39	3.68	5.88	1.10	1.37	11.14	9.86	9.15	11.44	13.46	12.82	11.73	95.02
1956	Wet	2.24	2.86	5.26	21.07	17.33	16.61	12.54	15.10	15.91	15.65	14.90	15.32	154.79
1957	Above Normal	5.90	7.09	9.88	1.32	1.90	13.36	10.79	10.51	13.32	15.60	14.80	13.58	118.05
1958	Wet	3.83	3.98	6.13	1.19	10.43	19.06	20.06	19.15	19.81	19.43	18.56	19.34	160.97
1959	Below Normal	9.72	10.22	12.82	1.42	2.19	11.53	9.94	8.97	11.31	13.31	12.57	11.48	115.48
1960	Dry	2.08	2.73	5.15	0.70	0.68	10.70	12.33	11.91	14.45	16.30	15.41	14.43	106.87
1961	Dry	4.80	4.93	7.15	0.80	1.36	10.21	9.97	9.04	2.14	15.53	14.85	13.49	94.27
1962	Below Normal	0.00	6.04	7.67	0.71	1.06	11.16	10.41	9.82	12.37	14.54	13.81	12.61	100.20
1963	Wet	3.06	3.45	5.72	10.85	8.96	16.92	11.74	11.12	12.37	12.82	12.27	12.08	121.36
1964	Dry	2.79	4.18	7.00	2.27	11.04	14.91	13.78	12.25	13.36	13.78	13.11	13.08	121.55
1965	Wet	3.84	5.07	7.88	6.50	9.69	17.54	12.76	11.31	12.58	13.25	12.68	12.30	125.40
1966	Below Normal	3.07	4.32	7.07	10.72	8.90	15.28	10.11	9.68	11.75	13.24	12.80	11.90	118.84
1967	Wet	2.34	3.27	5.76	1.23	11.93	20.01	19.70	18.94	19.62	19.34	18.43	19.17	159.74
1968	Below Normal	9.54	10.10	12.69	1.52	2.72	11.57	9.94	9.06	11.45	13.43	12.71	11.67	116.40
1969	Wet	2.17	2.82	5.21	9.98	19.03	15.78	15.08	18.10	18.86	18.55	17.70	18.29	161.57
1970	Wet	8.65	9.35	11.97	11.73	10.34	21.07	11.83	13.11	13.81	13.64	12.95	13.26	151.71
1971	Wet	4.00	5.55	8.48	10.70	9.08	14.75	10.05	9.85	11.89	13.42	12.89	12.05	122.71
1972	Below Normal	2.49	3.42	5.93	3.57	8.87	16.23	10.64	9.86	12.16	14.02	13.46	12.40	113.05
1973	Above Normal	2.77	3.44	5.82	3.97	19.03	12.72	11.58	14.31	14.94	14.64	13.91	14.37	131.50
1974	Wet	5.12	6.48	9.40	11.57	11.54	19.40	15.76	14.23	15.05	14.80	14.11	14.47	151.93
1975	Wet	5.13	6.41	9.27	6.33	3.13	19.05	15.57	14.00	14.54	14.24	13.54	14.11	135.32
1976	Critical	4.84	6.28	9.24	1.23	1.82	11.19	10.60	10.25	12.00	15.22	14.40	13.22	110.29
1977	Critical	3.59	3.80	6.02	0.75	0.70	9.36	6.14	3.36	0.00	1.69	0.82	4.50	40.73
1978	Above Normal	0.00	2.01	4.38	0.31	1.41	17.86	13.70	13.47	14.45	14.79	14.03	14.16	110.57
1979	Below Normal	4.90	5.94	8.71	1.10	1.80	19.89	16.22	14.74	15.21	14.91	14.12	14.82	132.36
1980	Above Normal	5.54	6.86	9.81	13.37	11.89	12.67	15.85	18.85	19.54	19.23	18.28	19.03	170.92
1981	Dry	9.47	10.03	12.63	1.35	1.98	11.12	10.13	9.67	12.20	14.21	13.48	12.33	118.60
1982	Wet	2.76	3.26	5.56	9.31	9.33	18.77	19.35	18.44	19.15	18.83	17.95	18.61	161.32
1983	Wet	9.02	9.63	20.67	16.83	11.72	11.59	14.66	17.65	18.43	18.16	17.38	17.93	183.67
1984	Wet	20.26	16.94	16.45	18.07	14.96	14.82	10.42	13.31	14.00	13.85	13.17	13.51	179.76
1985	Dry	4.14	5.65	20.53	10.74	8.88	6.31	14.56	13.06	13.88	13.65	12.93	13.21	137.54
1986	Wet	4.02	5.54	8.50	0.91	13.64	14.04	16.15	19.16	19.75	19.31	18.35	19.18	158.55
1987	Dry	9.73	10.29	12.93	1.06	1.35	9.58	6.88	4.69	5.57	6.17	6.25	5.86	80.36
1988	Critical	1.15	0.85	0.42	0.03	0.04	6.52	6.21	3.73	4.52	5.20	5.13	4.78	38.58
1989	Dry	0.93	0.69	0.34	0.04	0.04	5.85	14.62	13.69	15.09	15.81	14.93	14.88	96.91
1990	Critical	5.50	6.24	8.83	0.84	1.24	9.99	7.27	5.25	6.30	7.14	7.17	6.74	72.51
1991	Critical	1.35	0.99	0.49	0.03	0.03	7.18	6.24	3.70	4.46	5.11	5.05	4.78	39.41
1992	Critical	0.91	0.67	0.33	0.03	0.02	4.54	7.00	4.95	5.80	6.54	6.60	6.17	43.56
1993	Above Normal	1.22	0.90	0.45	0.03	5.73	17.71	12.24	11.14	12.93	14.06	13.44	12.84	102.69
1994	Critical	3.37	4.26	6.83	1.16	1.77	11.67	10.72	10.27	10.01	15.74	14.96	13.72	104.48
1995	Wet	2.40	5.04	6.96	0.77	7.26	13.68	18.86	17.63	18.15	17.80	16.90	17.77	143.22
1996	Wet	8.34	9.18	11.92	6.82	4.33	17.50	15.05	13.22	13.81	13.62	12.95	13.33	140.07
1997	Wet	4.15	5.70	8.69	10.72	10.46	21.07	14.78	15.43	16.12	15.84	15.11	15.59	153.66
1998	Wet	6.12	7.28	10.06	1.33	9.83	18.74	15.91	14.35	15.01	14.84	14.14	14.63	142.24
1999	Wet	5.31	20.39	14.35	13.16	14.54	14.83	10.49	13.24	13.96	13.70	13.13	13.45	160.55
2000	Above Normal	4.19	5.66	8.57	1.25	7.13	15.06	12.92	12.16	13.78	14.67	13.98	13.61	122.98
2001	Dry	4.15	4.97	7.56	0.82	1.24	10.50	8.25	7.15	8.48	9.52	9.56	9.01	81.21
2002	Dry	1.81	1.30	0.87	0.68	1.42	11.11	16.79	15.12	15.51	15.16	14.31	15.19	109.27
2003	Above Normal	5.94	7.26	10.21	1.00	1.63	11.27	9.82	9.06	11.40	13.45	12.71	11.65	105.40
	Average	4.54	5.23	7.65	4.21	6.02	13.64	12.06	11.75	12.88	13.84	13.20	12.94	117.96
	Wet	5.33	6.68	9.17	8.39	10.22	17.26	14.88	14.93	15.81	15.82	15.07	15.41	148.99
	Above Normal	4.99	4.92	7.13	4.01	6.95	13.99	12.52	12.67	14.17	15.02	14.27	14.02	124.65
	Below Normal	4.70	5.91	8.43	3.31	4.95	14.25	12.00	11.73	13.33	14.39	13.68	13.31	119.99
	Dry	4.06	4.22	7.05	1.40	2.61	10.78	10.87	10.36	11.58	13.51	12.89	12.31	101.65
	Critical	2.93	3.13	4.85	0.62	2.34	9.04	7.33	6.02	6.66	8.22	8.00	7.00	66.15

Energy Use (GWh) At Pumping Plant at South Bay: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	21.07	9.69	10.53	2.74	8.69	17.92	14.15	12.52	13.37	13.45	12.77	12.99	149.89
1923	Below Normal	3.69	5.15	8.08	11.40	8.80	15.04	9.60	9.50	11.55	13.28	12.77	11.86	120.72
1924	Critical	2.25	3.18	5.65	0.85	1.32	10.21	6.93	4.98	5.93	6.68	6.72	6.32	61.02
1925	Dry	1.27	0.94	0.47	0.03	0.03	16.91	6.91	10.53	13.26	15.62	14.79	13.46	94.22
1926	Dry	3.82	3.97	6.14	0.77	1.04	10.82	8.05	8.77	11.03	12.93	12.21	11.09	90.64
1927	Wet	2.05	2.26	5.00	1.01	4.98	19.24	15.47	13.88	14.43	14.22	13.45	13.98	119.97
1928	Above Normal	4.81	6.26	9.22	1.27	2.43	10.95	17.29	15.83	16.15	15.77	14.93	15.81	130.72
1929	Critical	6.55	7.75	10.67	0.89	1.22	9.62	6.64	5.35	6.41	7.22	7.27	4.00	73.59
1930	Dry	1.35	1.00	0.50	0.14	0.99	10.08	8.68	7.40	9.16	10.49	10.32	9.55	69.66
1931	Critical	1.87	1.21	2.42	0.45	0.97	10.29	7.67	6.04	7.10	8.13	8.12	7.59	61.86
1932	Dry	1.55	1.15	0.57	0.04	0.04	19.30	5.23	8.07	10.12	11.87	11.31	10.39	79.64
1933	Critical	1.88	1.15	4.57	0.63	18.08	7.49	4.34	7.47	9.23	10.77	10.48	9.67	85.76
1934	Critical	1.89	1.19	2.74	0.49	1.07	10.71	8.62	7.35	8.91	10.21	10.09	1.31	64.58
1935	Below Normal	3.11	4.24	5.77	0.44	1.33	10.74	14.26	13.37	14.93	15.78	14.96	14.74	113.67
1936	Below Normal	5.30	5.95	8.51	0.86	1.74	21.07	15.34	15.36	15.83	15.59	14.78	15.44	135.77
1937	Below Normal	6.17	7.37	10.27	0.97	18.47	8.50	15.73	18.61	18.96	18.56	17.57	18.62	159.80
1938	Wet	9.21	9.92	12.66	1.50	11.03	20.06	20.06	19.19	19.89	19.50	18.53	19.35	180.90
1939	Dry	9.71	10.25	12.86	1.43	2.02	10.98	9.97	9.03	11.32	13.33	12.64	11.57	115.11
1940	Above Normal	2.10	2.76	5.19	0.70	0.84	11.48	10.81	10.67	13.41	15.66	14.91	13.63	102.16
1941	Wet	3.95	4.04	6.19	5.27	9.55	18.87	16.58	15.13	15.79	15.57	14.78	15.28	141.00
1942	Wet	5.93	7.15	9.99	10.34	9.08	16.53	11.48	10.31	12.08	13.20	12.60	11.97	130.66
1943	Wet	2.57	3.67	6.31	9.57	9.55	17.95	17.82	16.59	17.23	17.02	16.17	16.76	151.21
1944	Dry	7.27	3.35	13.97	1.02	1.30	10.62	8.82	7.73	9.44	10.94	10.67	9.95	95.08
1945	Below Normal	1.89	1.15	3.18	0.81	1.33	21.07	14.83	14.93	15.51	15.23	14.40	15.10	119.43
1946	Below Normal	5.83	7.09	10.03	11.53	10.03	17.49	12.29	11.30	12.33	12.63	12.02	11.98	134.55
1947	Dry	2.71	4.26	7.16	1.27	13.72	0.30	16.82	15.84	16.13	15.74	14.90	15.86	124.71
1948	Below Normal	6.54	7.74	10.66	0.91	1.23	9.56	7.50	8.95	11.29	13.25	12.55	11.46	101.64
1949	Dry	2.09	2.65	5.17	0.92	1.26	10.68	12.23	11.78	14.23	16.16	15.29	14.35	106.81
1950	Below Normal	4.68	4.84	7.04	0.48	0.83	10.33	10.23	9.47	11.84	14.00	13.28	12.12	99.14
1951	Above Normal	2.59	3.13	5.47	21.07	16.85	14.94	10.58	13.33	14.06	13.84	13.21	13.54	142.61
1952	Wet	4.25	5.74	8.66	10.65	10.78	18.48	15.83	14.65	15.29	15.19	14.44	14.87	148.83
1953	Wet	5.50	6.73	9.58	12.03	8.74	13.88	9.46	9.08	11.37	13.32	12.77	11.84	124.30
1954	Above Normal	2.14	2.98	5.41	1.13	8.19	12.53	10.45	10.05	12.63	14.95	14.20	13.02	107.68
1955	Dry	3.30	3.63	5.84	1.11	1.41	11.22	10.00	9.36	11.71	13.77	13.12	12.01	96.48
1956	Wet	2.49	3.03	5.39	10.02	19.71	20.09	12.59	15.15	15.95	15.69	14.94	15.37	150.42
1957	Above Normal	5.95	7.12	9.91	1.32	1.91	13.16	10.80	10.51	13.32	15.61	14.80	13.58	117.99
1958	Wet	3.84	3.98	6.13	1.19	10.42	19.05	20.06	19.15	19.80	19.42	18.55	19.33	160.92
1959	Below Normal	9.71	10.22	12.82	1.42	2.18	11.53	9.94	8.97	11.31	13.31	12.57	11.48	115.46
1960	Dry	2.08	2.73	5.15	0.70	0.68	10.69	12.33	11.92	14.46	16.30	15.41	14.43	106.88
1961	Dry	4.80	4.94	7.15	0.80	1.36	10.22	9.97	9.05	1.75	15.62	14.91	13.56	94.13
1962	Below Normal	0.00	6.14	7.75	0.71	1.06	11.16	10.41	9.82	12.37	14.54	13.81	12.61	100.38
1963	Wet	3.06	3.45	5.72	10.85	8.96	16.92	11.74	11.12	12.37	12.82	12.27	12.08	121.36
1964	Dry	2.79	4.18	7.00	2.29	11.04	14.91	13.78	12.25	12.96	13.86	13.19	13.15	121.40
1965	Wet	3.91	5.11	7.93	6.50	9.69	17.54	12.75	11.31	12.58	13.25	12.68	12.30	125.55
1966	Below Normal	3.07	4.32	7.07	10.73	8.90	15.29	10.11	9.68	11.75	13.24	12.79	11.90	118.85
1967	Wet	2.34	3.27	5.76	1.23	11.93	20.01	19.70	18.94	19.62	19.34	18.43	19.17	159.74
1968	Below Normal	9.54	10.10	12.69	1.51	2.52	11.57	9.97	9.11	11.50	13.49	12.77	11.72	116.49
1969	Wet	2.22	2.85	5.24	9.94	19.03	15.68	1.25	18.11	18.87	18.57	17.71	18.31	147.78
1970	Wet	8.67	9.36	11.98	11.49	10.13	21.07	11.67	13.01	13.71	13.54	12.85	13.16	150.64
1971	Wet	3.91	5.48	8.42	10.73	9.11	14.95	10.12	9.91	11.91	13.39	12.86	12.04	122.83
1972	Below Normal	2.50	3.46	5.98	3.65	8.80	16.23	10.67	9.89	12.17	14.02	13.47	12.40	113.24
1973	Above Normal	2.78	3.45	5.84	3.59	19.03	12.72	11.58	14.31	14.94	14.64	13.91	14.37	131.16
1974	Wet	5.12	6.48	9.40	11.57	11.51	19.37	15.73	14.19	15.01	14.75	14.07	14.43	151.63
1975	Wet	5.09	6.38	9.24	6.46	3.17	19.03	15.55	13.98	14.52	14.22	13.52	14.09	135.25
1976	Critical	4.82	6.26	9.23	1.23	1.82	11.19	10.61	10.27	12.00	15.26	14.44	13.25	110.38
1977	Critical	3.62	3.82	6.03	0.75	0.70	9.36	6.14	3.36	0.00	1.69	0.82	4.50	40.79
1978	Above Normal	0.41	1.74	4.24	0.31	1.41	16.96	12.87	12.71	14.22	15.16	14.39	14.07	108.49
1979	Below Normal	4.69	5.40	7.98	1.09	1.78	19.38	15.71	14.13	14.58	14.31	13.54	14.20	126.79
1980	Above Normal	4.97	6.40	9.39	8.62	19.71	14.06	12.89	15.94	16.66	16.44	15.64	16.14	156.86
1981	Dry	6.75	7.78	10.54	1.35	4.72	13.50	10.63	10.71	13.38	15.46	14.70	13.55	123.07
1982	Wet	3.83	4.09	6.27	9.42	9.52	18.76	19.35	18.43	19.15	18.82	17.95	18.60	164.19
1983	Wet	9.01	9.63	12.25	21.07	15.98	0.00	0.15	2.37	3.56	17.20	17.38	17.93	126.53
1984	Wet	20.26	16.94	16.45	3.40	0.82	10.97	10.42	13.31	14.00	13.85	13.17	13.51	147.10
1985	Dry	4.14	5.65	20.53	10.75	8.88	6.31	14.56	13.06	13.88	13.65	12.93	13.21	137.55
1986	Wet	4.02	5.54	8.50	0.91	1.68	21.07	20.20	19.25	19.84	19.40	18.44	19.26	158.11
1987	Dry	9.81	10.35	12.98	1.06	1.35	9.58	6.88	4.68	5.57	6.17	6.25	5.85	80.53
1988	Critical	1.15	0.85	0.42	0.03	0.04	6.52	6.21	3.77	4.56	5.25	5.18	4.83	38.81
1989	Dry	0.94	0.69	0.35	0.04	0.04	5.89	14.50	13.62	15.07	15.85	14.97	14.87	96.83
1990	Critical	5.48	6.18	8.75	0.84	1.25	10.01	7.29	5.29	6.34	7.20	7.22	6.79	72.64
1991	Critical	1.36	1.00	0.50	0.03	0.03	7.25	6.24	3.70	4.46	5.11	5.05	4.78	39.51
1992	Critical	0.91	0.67	0.33	0.03	0.02	4.54	6.96	4.87	5.71	6.44	6.49	6.08	43.05
1993	Above Normal	1.19	0.88	0.44	0.03	5.61	17.74	12.29	11.17	12.94	14.05	13.43	12.85	102.62
1994	Critical	3.38	4.28	6.86	1.16	1.77	11.66	10.71	10.25	10.01	15.73	14.96	13.70	104.47
1995	Wet	2.40	4.99	6.94	0.77	7.25	13.68	18.86	17.63	18.15	17.80	16.90	17.77	143.14
1996	Wet	8.34	3.82	14.49	6.84	4.33	17.50	15.02	13.18	13.77	13.58	12.91	13.29	137.07
1997	Wet	4.11	5.67	8.67	10.72	10.46	21.07	14.79	15.43	16.12	15.84	15.11	15.58	153.57
1998	Wet	6.12	7.28	10.06	1.33	9.82	18.74	15.92	14.27	14.92	14.76	14.06	14.55	141.83
1999	Wet	5.23	20.39	14.29	13.26	14.54	14.83	10.49	13.24	13.96	13.70	13.13	13.45	160.51
2000	Above Normal	4.19	5.66	8.57	1.25	7.14	14.90	12.80	12.08	13.76	14.71	14.02	13.60	122.68
2001	Dry	4.14	4.92	7.48	0.82	1.24	10.51	8.26	7.16	8.49	9.53	9.57	9.02	81.14
2002	Dry	1.82	1.30	0.90	0.68	1.42	11.11	16.77	15.10	15.49	15.14	14.30	15.17	109.20
2003	Above Normal	5.93	7.24	10.20	1.00	1.63	11.27	9.82	9.06	11.40	13.45	12.71	11.65	105.36
	Average	4.49	5.11	7.52	3.91	6.04	13.60	11.69	11.47	12.62	13.77	13.15	12.84	116.20
	Wet	5.29	6.43	8.90	7.62	9.68	17.13	13.96	14.26	15.15	15.69	14.99	15.32	144.42
	Above Normal	4.84	4.78	7.03	3.59	7.79	14.05	12.19	12.35	13.91	14.81	14.08	13.77	123.19
	Below Normal	4.77	5.94	8.42	3.32	4.93	14.21	11.90	11.65	13.28	14.37	13.66	13.26	119.71
	Dry	3.91	4.10	6.93	1.40	2.92	10.76	10.80	10.34	11.53	13.47	12.86	12.28	101.28
	Critical	2.93	3.13	4.85	0.62	2.36	9.07	7.36	6.06	6.72	8.31	8.07	6.90	66.37

Difference in Energy Use (GWh) At Pumping Plant at South Bay: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	(0.01)	(0.07)	(0.02)	(0.01)	(0.01)	0.00	0.01	0.00	(0.01)
1924	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00
1926	Dry	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00
1927	Wet	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1933	Critical	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.19	0.27	0.40	0.48	0.73	0.98	0.77	(1.16)	0.22
1935	Below Normal	1.32	1.22	0.80	0.11	(0.01)	0.00	(0.67)	(0.43)	(0.13)	0.18	0.17	(0.08)	0.21
1936	Below Normal	(0.14)	(0.32)	(0.42)	0.00	(0.02)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.07)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	(0.20)	(0.32)	(1.01)	0.76	0.11	0.10	0.10	0.09	0.11	(0.02)
1939	Dry	0.10	0.09	0.09	(0.01)	(0.14)	(0.59)	(1.06)	(1.62)	(1.67)	(2.47)	(2.36)	(2.19)	(0.99)
1940	Above Normal	(1.93)	(1.34)	(1.05)	(0.07)	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.36)
1941	Wet	0.00	0.00	0.00	(0.01)	0.00	(0.04)	(0.04)	(0.05)	(0.05)	(0.05)	(0.04)	(0.05)	(0.03)
1942	Wet	(0.05)	(0.04)	(0.04)	0.01	0.01	(0.05)	(0.01)	(0.01)	(0.01)	0.01	0.01	0.00	(0.01)
1943	Wet	0.00	0.00	(0.01)	0.00	(0.09)	(0.09)	(0.07)	(0.08)	(0.09)	(0.09)	(0.08)	(0.09)	(0.06)
1944	Dry	(0.07)	(0.02)	(0.02)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	0.02	0.02	0.02	0.01	0.02	0.00
1946	Below Normal	0.02	0.01	0.02	(0.01)	(0.01)	(0.01)	(0.18)	(0.13)	(0.05)	0.04	0.04	(0.02)	(0.02)
1947	Dry	(0.04)	(0.09)	(0.12)	0.00	2.85	(2.29)	(0.51)	0.04	0.04	0.04	0.04	0.04	0.00
1948	Below Normal	0.04	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.01	0.01
1949	Dry	0.00	0.02	0.01	(0.01)	(0.01)	0.00	(0.11)	(0.09)	(0.04)	0.01	0.01	(0.03)	(0.02)
1950	Below Normal	(0.04)	(0.06)	(0.07)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1951	Above Normal	0.00	0.00	0.00	0.00	(0.14)	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.00
1952	Wet	0.01	0.01	0.02	0.00	(0.01)	(0.02)	(0.02)	(2.56)	(2.57)	(2.49)	(2.36)	(2.56)	(1.05)
1953	Wet	(2.40)	(1.97)	(1.81)	1.38	5.90	2.57	0.03	0.48	0.46	0.32	0.37	0.44	0.48
1954	Above Normal	0.35	0.38	0.39	0.07	2.52	0.62	(0.09)	(0.09)	(0.09)	(0.10)	(0.06)	(0.06)	0.32
1955	Dry	(0.09)	(0.05)	(0.04)	0.01	0.04	0.08	0.14	0.21	0.27	0.31	0.30	0.28	0.12
1956	Wet	0.25	0.17	0.13	(11.05)	2.38	3.48	0.05	0.05	0.04	0.04	0.04	0.05	(0.36)
1957	Above Normal	0.05	0.03	0.03	0.00	0.01	(0.20)	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1958	Wet	0.01	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1959	Below Normal	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	(0.39)	0.09	0.06	0.07	(0.01)
1962	Below Normal	0.00	0.10	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	(0.40)	0.08	0.08	0.07	(0.01)
1965	Wet	0.07	0.04	0.05	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01
1966	Below Normal	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	(0.01)	(0.20)	0.00	0.03	0.05	0.05	0.06	0.06	0.05	0.01
1969	Wet	0.05	0.03	0.03	(0.04)	0.00	(0.10)	(13.83)	0.01	0.01	0.02	0.01	0.02	(1.15)
1970	Wet	0.02	0.01	0.01	(0.24)	(0.21)	0.00	(0.16)	(0.10)	(0.10)	(0.10)	(0.10)	(0.10)	(0.09)
1971	Wet	(0.09)	(0.07)	(0.06)	0.03	0.03	0.20	0.07	0.06	0.02	(0.03)	(0.03)	(0.01)	0.01
1972	Below Normal	0.01	0.04	0.05	0.08	(0.07)	0.00	0.03	0.03	0.01	0.00	0.01	0.00	0.02
1973	Above Normal	0.01	0.01	0.02	(0.38)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1974	Wet	0.00	0.00	0.00	0.00	(0.03)	(0.03)	(0.03)	(0.04)	(0.04)	(0.05)	(0.04)	(0.04)	(0.02)
1975	Wet	(0.04)	(0.03)	(0.03)	0.13	0.04	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)
1976	Critical	(0.02)	(0.02)	(0.01)	0.00	0.00	0.00	0.01	0.02	0.00	0.04	0.04	0.03	0.01
1977	Critical	0.03	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1978	Above Normal	0.41	(0.27)	(0.14)	0.00	0.00	(0.90)	(0.83)	(0.76)	(0.23)	0.37	0.36	(0.09)	(0.17)
1979	Below Normal	(0.21)	(0.54)	(0.73)	(0.01)	(0.02)	(0.51)	(0.51)	(0.61)	(0.63)	(0.60)	(0.58)	(0.62)	(0.46)
1980	Above Normal	(0.57)	(0.46)	(0.42)	(4.75)	7.82	1.39	(2.96)	(2.91)	(2.88)	(2.79)	(2.64)	(2.89)	(1.17)
1981	Dry	(2.72)	(2.25)	(2.09)	0.00	2.74	2.38	0.50	1.04	1.18	1.25	1.22	1.22	0.37
1982	Wet	1.07	0.83	0.71	0.11	0.19	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.24
1983	Wet	(0.01)	0.00	(8.42)	4.24	4.26	(11.59)	(14.51)	(15.28)	(14.87)	(0.96)	0.00	0.00	(4.76)
1984	Wet	0.00	0.00	0.00	(14.67)	(14.14)	(3.85)	0.00	0.00	0.00	0.00	0.00	0.00	(2.72)
1985	Dry	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(11.96)	7.03	4.05	0.09	0.09	0.09	0.09	0.08	(0.04)
1987	Dry	0.08	0.06	0.05	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.01
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.05	0.05	0.05	0.02
1989	Dry	0.01	0.00	0.01	0.00	0.00	0.04	(0.12)	(0.07)	(0.02)	0.04	0.04	(0.01)	(0.01)
1990	Critical	(0.02)	(0.06)	(0.08)	0.00	0.01	0.02	0.02	0.04	0.04	0.06	0.05	0.05	0.01
1991	Critical	0.01	0.01	0.01	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.08)	(0.09)	(0.10)	(0.11)	(0.09)	(0.04)
1993	Above Normal	(0.03)	(0.02)	(0.01)	0.00	(0.12)	0.03	0.05	0.03	0.01	(0.01)	(0.01)	0.01	(0.01)
1994	Critical	0.01	0.02	0.03	0.00	0.00	(0.01)	(0.01)	(0.02)	0.00	(0.01)	0.00	(0.02)	0.00
1995	Wet	0.00	(0.05)	(0.02)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1996	Wet	0.00	(5.36)	2.57	0.02	0.00	0.00	(0.03)	(0.04)	(0.04)	(0.04)	(0.04)	(0.04)	(0.25)
1997	Wet	(0.04)	(0.03)	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1998	Wet	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	(0.08)	(0.09)	(0.08)	(0.08)	(0.08)	(0.03)
1999	Wet	(0.08)	0.00	(0.06)	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.01	(0.16)	(0.12)	(0.08)	(0.02)	0.04	0.04	(0.01)	(0.02)
2001	Dry	(0.01)	(0.05)	(0.08)	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	(0.01)
2002	Dry	0.01	0.00	0.03	0.00	0.00	0.00	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.02)	(0.01)
2003	Above Normal	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.06)	(0.12)	(0.13)	(0.31)	0.02	(0.04)	(0.36)	(0.27)	(0.26)	(0.07)	(0.06)	(0.09)	(0.15)
	Wet	(0.05)	(0.25)	(0.27)	(0.78)	(0.54)	(0.14)	(0.91)	(0.67)	(0.66)	(0.13)	(0.08)	(0.09)	(0.38)
	Above Normal	(0.14)	(0.14)	(0.10)	(0.43)	0.84	0.07	(0.33)	(0.32)	(0.27)	(0.21)	(0.19)	(0.25)	(0.12)
	Below Normal	0.07	0.03	(0.02)	0.01	(0.02)	(0.04)	(0.10)	(0.08)	(0.05)	(0.02)	(0.02)	(0.05)	(0.02)
	Dry	(0.15)	(0.13)	(0.12)	0.00	0.30	(0.02)	(0.07)	(0.03)	(0.06)	(0.04)	(0.03)	(0.03)	(0.03)
	Critical	0.00	(0.00)	(0.00)	0.00	0.02	0.03	0.03	0.04	0.06	0.08	0.07	(0.10)	0.02

Percent Difference in Energy Use (GWh) At Pumping Plant at South Bay: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	22%	3%	5%	7%	9%	11%	8%	-47%
1935	Below Normal	74%	40%	16%	33%	-1%	0%	-4%	-3%	-1%	1%	1%	-1%
1936	Below Normal	-3%	-5%	-5%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-12%	-3%	-5%	4%	1%	1%	1%	0%	1%
1939	Dry	1%	1%	1%	-1%	-6%	-5%	-10%	-15%	-13%	-16%	-16%	-16%
1940	Above Normal	-48%	-33%	-17%	-9%	1%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	-1%	-1%	0%	-1%
1944	Dry	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%
1947	Dry	-1%	-2%	-2%	0%	26%	-88%	-3%	0%	0%	0%	0%	0%
1948	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	1%	0%	-1%	-1%	0%	-1%	-1%	0%	0%	0%	0%
1950	Below Normal	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-14%	-14%	-14%	-15%
1953	Wet	-30%	-23%	-16%	13%	208%	23%	0%	6%	4%	2%	3%	4%
1954	Above Normal	20%	15%	8%	7%	44%	5%	-1%	-1%	-1%	-1%	0%	0%
1955	Dry	-3%	-1%	-1%	1%	3%	1%	1%	2%	2%	2%	2%	2%
1956	Wet	11%	6%	2%	-52%	14%	21%	0%	0%	0%	0%	0%	0%
1957	Above Normal	1%	0%	0%	0%	1%	-1%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-18%	1%	0%	1%
1962	Below Normal	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	1%	0%	0%	0%	0%	-3%	1%	1%	1%
1965	Wet	2%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	-1%	-7%	0%	0%	1%	0%	0%	0%	0%
1969	Wet	2%	1%	1%	0%	0%	-1%	-92%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	-2%	-2%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1971	Wet	-2%	-1%	-1%	0%	0%	1%	1%	1%	0%	0%	0%	0%
1972	Below Normal	0%	1%	1%	2%	-1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	-1%	0%	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	-	-13%	-3%	0%	0%	-5%	-6%	-6%	-2%	3%	3%	-1%
1979	Below Normal	-4%	-9%	-8%	-1%	-1%	-3%	-3%	-4%	-4%	-4%	-4%	-4%
1980	Above Normal	-10%	-7%	-4%	-36%	66%	11%	-19%	-15%	-15%	-15%	-14%	-15%
1981	Dry	-29%	-22%	-17%	0%	138%	21%	5%	11%	10%	9%	9%	10%
1982	Wet	39%	25%	13%	1%	2%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	-41%	25%	36%	-100%	-99%	-87%	-81%	-5%	0%	0%
1984	Wet	0%	0%	0%	-81%	-95%	-26%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-88%	50%	25%	0%	0%	0%	0%	0%
1987	Dry	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	0%	3%	0%	0%	1%	-1%	-1%	0%	0%	0%	0%
1990	Critical	0%	-1%	-1%	0%	1%	0%	0%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	2%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-2%	-1%
1993	Above Normal	-2%	-2%	-2%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-58%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%
1999	Wet	-2%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%
2001	Dry	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	1%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	-1%	-1%	4%	-1%	-2%	-1%	-2%	0%	0%	-1%
	Wet	1%	-2%	-1%	-4%	3%	-1%	-6%	-4%	-4%	-1%	0%	0%
	Above Normal	-3%	-3%	-2%	-4%	9%	1%	-2%	-2%	-1%	-1%	-1%	-1%
	Below Normal	5%	2%	0%	2%	-1%	0%	-1%	-1%	0%	0%	0%	0%
	Dry	-2%	-1%	-1%	0%	9%	-4%	0%	0%	-1%	0%	0%	0%
	Critical	0%	0%	0%	0%	2%	0%	0%	1%	1%	1%	1%	-4%

Energy Use (GWh) At Pumping Plant at SWP Banks: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	87.18	57.23	131.51	65.35	52.77	82.34	20.96	18.13	112.99	121.99	121.99	118.05	990.49
1923	Below Normal	66.93	45.13	78.24	67.67	69.92	51.72	19.78	12.78	42.16	121.99	121.99	118.05	816.36
1924	Critical	53.58	42.01	47.83	48.27	35.92	5.48	5.30	8.93	4.83	85.04	5.48	9.14	351.81
1925	Dry	43.77	52.81	70.14	58.77	38.45	74.06	21.18	17.42	30.26	121.99	52.29	118.05	699.19
1926	Dry	50.11	42.92	52.51	58.78	28.47	5.48	21.67	15.75	46.48	121.99	56.30	70.03	570.49
1927	Wet	27.82	118.05	68.27	43.32	65.01	67.44	17.71	12.78	50.86	121.99	121.99	117.43	832.67
1928	Above Normal	57.62	43.29	129.98	63.18	37.07	72.07	19.62	12.78	45.20	112.85	121.99	118.05	833.70
1929	Critical	64.41	28.06	89.19	60.18	54.14	52.69	29.87	5.48	5.30	5.48	12.82	10.23	417.85
1930	Dry	19.31	21.00	57.69	43.96	41.33	54.73	25.00	21.64	37.24	121.99	67.68	118.05	629.62
1931	Critical	29.61	27.65	26.19	59.63	38.17	17.59	5.30	5.48	5.30	45.90	5.48	7.00	273.30
1932	Dry	16.98	30.61	130.94	62.37	109.84	72.55	13.09	12.78	31.59	61.74	86.27	48.96	677.72
1933	Critical	36.20	30.07	61.05	107.67	91.79	31.23	15.54	12.78	5.30	49.67	20.57	9.11	470.98
1934	Critical	18.11	27.06	84.71	108.52	72.64	26.54	5.30	12.86	5.30	5.48	5.48	9.01	381.01
1935	Below Normal	41.55	53.90	73.58	74.15	81.72	63.59	18.22	12.78	42.12	121.99	121.99	118.05	823.64
1936	Below Normal	73.70	58.28	74.54	46.98	144.14	131.57	21.03	12.78	49.72	121.99	121.99	118.05	974.77
1937	Below Normal	82.47	47.08	122.33	82.32	133.66	111.60	27.88	20.01	86.81	121.99	121.99	58.57	1,016.71
1938	Wet	69.80	118.05	104.67	135.16	140.20	138.07	44.83	112.80	118.05	121.99	121.99	112.79	1,338.40
1939	Dry	57.49	5.30	129.89	62.25	48.16	32.24	17.10	19.63	5.30	121.99	70.98	76.16	646.49
1940	Above Normal	22.23	16.75	63.83	47.45	56.57	97.86	23.18	12.80	48.50	114.01	121.99	118.05	743.22
1941	Wet	52.83	24.50	76.54	72.49	140.20	138.07	28.25	24.65	70.72	121.99	121.99	107.02	979.25
1942	Wet	41.47	5.30	77.34	84.72	84.24	90.50	25.27	22.28	70.35	121.99	121.99	108.03	853.48
1943	Wet	51.12	5.30	73.65	94.33	98.64	138.07	25.13	14.52	51.08	121.70	121.99	112.56	908.09
1944	Dry	48.50	5.30	130.10	62.19	62.87	44.28	18.66	12.78	35.14	121.99	73.94	43.05	658.80
1945	Below Normal	37.49	118.05	69.63	62.65	64.31	122.22	18.39	12.78	36.52	121.99	121.99	118.05	904.07
1946	Below Normal	84.42	118.05	101.07	73.84	50.99	74.58	14.89	12.78	24.34	121.65	121.99	118.05	916.65
1947	Dry	66.82	70.90	85.48	55.27	58.04	24.35	15.91	12.78	29.82	121.99	66.94	118.05	726.35
1948	Below Normal	74.80	62.61	44.21	37.07	6.56	46.18	12.72	12.78	47.34	121.99	121.99	118.05	706.30
1949	Dry	52.04	46.42	78.18	58.85	54.74	35.25	12.37	12.78	30.63	121.99	53.42	118.05	674.72
1950	Below Normal	17.97	31.24	40.03	39.60	42.39	62.73	15.08	12.78	32.86	121.99	121.99	118.05	656.71
1951	Above Normal	90.37	118.05	140.22	130.18	110.66	121.60	17.00	12.78	47.61	106.44	121.99	115.85	1,132.75
1952	Wet	55.50	70.61	71.79	86.76	66.44	138.07	29.83	38.63	104.02	121.99	121.99	118.05	1,023.68
1953	Wet	50.96	5.30	130.01	57.99	63.18	67.48	18.21	15.32	34.25	121.99	121.99	118.05	804.73
1954	Above Normal	37.45	5.30	75.67	38.01	41.22	62.93	16.56	12.78	46.33	105.65	121.99	118.05	681.94
1955	Dry	48.53	56.76	128.60	65.51	50.60	42.85	16.70	12.78	5.30	121.99	60.27	54.47	664.36
1956	Wet	35.06	69.66	109.29	155.23	115.36	124.03	17.74	18.48	76.45	121.99	121.99	112.35	1,077.63
1957	Above Normal	48.49	5.30	128.81	60.30	30.88	53.32	18.33	14.94	32.88	120.54	121.99	118.05	753.83
1958	Wet	118.83	42.47	67.55	46.67	67.30	130.13	43.89	31.77	92.23	121.99	121.99	118.05	1,002.87
1959	Below Normal	68.14	5.30	129.52	40.05	49.83	64.28	21.53	16.66	29.40	121.99	121.99	118.05	786.74
1960	Dry	47.77	39.06	36.14	59.36	38.12	44.43	9.91	21.53	26.79	121.99	95.99	118.05	659.14
1961	Dry	24.61	71.77	127.92	60.61	33.13	60.25	15.50	15.03	1.08	113.24	36.98	43.14	603.26
1962	Below Normal	6.08	47.66	54.47	47.09	51.99	69.81	19.44	12.78	30.06	120.48	121.99	118.05	699.90
1963	Wet	121.99	118.05	65.01	44.24	47.89	65.31	16.38	12.78	35.67	121.99	121.99	118.05	889.35
1964	Dry	64.07	75.53	93.77	61.85	46.16	39.55	14.17	12.78	5.30	121.99	53.85	118.05	707.07
1965	Wet	48.76	55.94	73.20	95.94	72.38	83.18	22.41	12.78	50.46	121.63	121.99	115.44	874.11
1966	Below Normal	33.24	70.09	137.18	71.47	65.41	54.75	16.31	12.78	29.78	121.68	121.99	118.05	852.73
1967	Wet	51.13	66.87	71.54	68.43	59.77	77.12	37.36	32.64	118.05	121.99	121.99	118.05	944.94
1968	Below Normal	70.23	5.30	128.90	62.32	38.80	63.42	20.78	17.61	29.35	119.68	121.99	118.05	796.43
1969	Wet	48.27	72.78	128.95	77.24	119.88	81.55	86.46	105.07	118.05	121.99	121.99	110.58	1,192.81
1970	Wet	72.69	5.30	75.33	155.23	88.43	116.38	14.09	12.78	32.56	121.99	121.99	82.55	899.32
1971	Wet	48.50	98.34	72.53	60.72	55.53	71.05	18.68	15.04	46.80	121.99	121.99	117.04	848.21
1972	Below Normal	51.14	5.30	128.83	58.35	30.82	42.79	20.06	12.78	29.07	121.99	121.99	118.05	741.17
1973	Above Normal	67.04	118.05	69.47	53.24	71.82	74.65	17.22	12.78	50.43	121.99	121.99	111.94	890.62
1974	Wet	82.16	118.05	80.90	79.42	64.35	91.95	20.39	12.78	62.21	121.99	121.99	118.05	974.24
1975	Wet	77.55	5.30	130.54	61.70	51.99	102.01	18.11	12.78	68.04	121.99	121.99	118.05	890.05
1976	Critical	86.64	5.30	129.02	55.28	38.33	49.19	21.99	20.38	4.93	115.82	74.08	118.05	719.01
1977	Critical	39.64	26.07	21.29	30.89	13.24	5.64	5.30	10.93	1.05	5.48	5.48	24.80	189.81
1978	Above Normal	5.48	34.60	51.37	52.50	80.36	90.35	30.38	26.68	77.83	121.99	121.99	118.05	811.58
1979	Below Normal	54.66	30.11	124.96	71.49	86.11	87.83	17.86	20.49	48.86	121.99	121.99	118.05	904.40
1980	Above Normal	82.80	61.41	129.40	90.58	79.70	84.55	19.81	18.22	78.29	121.99	121.99	118.05	1,006.79
1981	Dry	66.11	6.00	129.42	62.48	56.26	44.38	23.31	18.48	29.16	121.99	91.35	93.86	742.80
1982	Wet	51.15	118.05	67.34	68.71	131.06	138.07	108.25	44.08	86.04	121.99	121.99	118.05	1,174.78
1983	Wet	121.99	118.05	140.22	69.61	61.29	70.59	77.32	79.55	90.99	93.10	121.99	107.94	1,152.64
1984	Wet	121.99	118.05	126.73	119.29	113.03	121.60	18.27	12.78	50.52	116.83	121.99	81.15	1,122.23
1985	Dry	74.50	118.05	128.71	62.37	58.06	53.24	20.88	16.27	29.62	121.99	62.39	118.05	864.13
1986	Wet	77.50	93.17	78.14	39.35	131.70	91.37	30.34	23.92	65.95	121.99	121.99	118.05	993.47
1987	Dry	63.45	5.30	129.51	60.33	55.25	42.86	10.89	32.35	28.81	16.69	10.45	37.30	493.19
1988	Critical	6.59	15.60	60.67	43.49	6.24	30.34	18.65	17.10	5.30	75.47	5.48	20.79	305.72
1989	Dry	5.48	58.87	51.50	58.05	13.48	22.07	21.75	16.90	41.69	113.55	70.15	118.05	591.54
1990	Critical	73.73	42.33	85.57	56.53	38.20	18.48	5.30	15.49	3.92	117.10	5.48	31.59	493.72
1991	Critical	5.48	14.05	18.03	11.70	23.16	23.66	19.03	14.96	36.49	86.57	5.48	10.74	269.35
1992	Critical	17.25	5.30	31.27	20.49	28.87	43.63	12.37	12.78	35.05	7.61	5.48	37.22	257.32
1993	Above Normal	5.48	9.12	66.11	59.08	67.90	71.61	12.37	12.78	66.02	121.99	121.99	118.05	732.50
1994	Critical	60.56	5.30	113.14	58.47	55.01	42.04	16.42	17.81	4.18	113.10	52.72	56.94	595.69
1995	Wet	11.38	37.94	66.14	54.99	59.88	138.07	32.00	112.80	105.99	121.99	121.99	118.05	981.22
1996	Wet	29.17	5.30	67.62	51.78	131.88	119.97	21.27	17.40	60.24	121.99	121.99	118.05	866.66
1997	Wet	26.70	9.74	140.22	155.23	140.20	131.52	15.27	14.31	28.81	110.87	121.99	118.05	1,012.91
1998	Wet	36.54	17.49	128.99	55.02	140.20	138.07	35.61	35.75	118.05	121.99	121.99	118.05	1,067.75
1999	Wet	121.99	118.05	73.62	74.81	109.68	89.84	15.89	12.78	50.77	121.67	121.99	51.38	962.47
2000	Above Normal	38.86	5.30	127.91	41.31	92.26	103.26	15.74	12.78	45.82	110.57	121.99	118.05	833.85
2001	Dry	45.89	5.30	128.21	63.18	50.02	52.87	18.14	13.06	28.56	66.17	5.48	53.09	529.97
2002	Dry	5.48	59.20	71.80	48.75	62.95	47.33	14.78	12.78	29.60	121.99	25.97	104.86	605.49
2003	Above Normal	5.48	31.73	70.45	42.04	55.44	61.06	12.37	12.78	42.22	120.12	121.99	118.05	693.73
	Average	51.91	47.32	90.08	66.01	67.25	72.21	21.93	20.69	45.11	108.53	92.54	94.96	778.53
	Wet	63.57	62.91	91.01	81.09	93.07	106.14	32.27	33.13	71.43	120.22	121.99	110.42	987.23
	Above Normal	45.71	42.18	98.73	61.94	64.72	81.30	18.63	15.02	57.84	116.68	121.99	117.36	842.08
	Below Normal	54.49	49.86	93.39	59.65	65.48	74.79	18.86	14.47	39.89	121.67	121.99	113.80	828.33
	Dry	44.50	42.84	97.81	59.16	50.33	44.04	17.28	16.53	26.24	108.74	57.82	87.18	652.46
	Critical	40.98	22.40	64.00	55.09	41.31	28.88	13.36	12.92	9.75	59.39	17.00	28.72	393.80

Energy Use (GWh) At Pumping Plant at SWP Banks: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	87.18	57.23	131.51	65.35	52.79	82.30	20.96	18.13	112.99	121.99	121.99	118.05	990.47
1923	Below Normal	66.92	45.12	78.24	66.77	69.74	51.72	19.78	12.78	42.43	121.99	121.99	118.05	815.53
1924	Critical	53.59	42.00	47.83	48.27	35.92	5.48	5.30	8.76	4.83	85.05	5.48	9.07	351.58
1925	Dry	43.69	52.77	70.13	58.77	38.45	74.09	21.18	17.42	30.21	121.99	52.34	118.05	699.09
1926	Dry	50.15	42.94	52.49	58.78	28.47	5.48	21.67	15.75	46.55	121.99	56.49	69.70	570.46
1927	Wet	27.81	118.05	68.27	43.32	65.01	67.44	17.71	12.78	50.86	121.99	121.99	117.42	832.65
1928	Above Normal	57.61	43.28	129.98	63.18	37.07	72.07	19.62	12.78	45.20	112.85	121.99	118.05	833.68
1929	Critical	64.40	28.05	89.18	60.18	54.14	52.69	29.87	5.48	5.30	5.48	12.82	10.22	417.81
1930	Dry	19.30	20.98	57.68	43.96	41.33	54.75	25.00	21.64	37.27	121.99	67.68	118.05	629.63
1931	Critical	29.61	27.64	26.18	59.63	38.16	17.58	5.30	5.48	5.30	45.76	5.48	6.98	273.10
1932	Dry	16.95	30.59	130.94	62.37	109.91	74.11	13.09	12.78	31.59	61.72	86.28	48.96	679.29
1933	Critical	36.20	30.07	59.50	107.68	91.80	31.23	15.54	12.78	5.30	49.40	20.53	9.04	469.07
1934	Critical	18.07	27.01	128.55	108.52	72.64	26.52	5.30	5.48	5.30	5.48	5.48	8.98	417.33
1935	Below Normal	41.90	53.93	73.51	71.05	81.72	63.59	18.22	12.78	42.12	121.99	121.99	118.05	820.85
1936	Below Normal	70.43	58.22	68.39	54.71	144.14	129.65	21.03	12.78	49.72	121.99	121.99	118.05	971.10
1937	Below Normal	82.44	47.05	122.37	82.48	133.41	111.60	22.94	18.17	87.77	121.99	121.99	58.57	1,010.78
1938	Wet	68.36	118.05	91.95	130.23	140.20	138.07	37.54	46.31	115.37	121.99	121.99	112.77	1,242.83
1939	Dry	58.34	5.30	129.89	62.25	48.18	32.24	28.96	19.61	5.30	121.99	71.83	66.74	650.63
1940	Above Normal	24.04	16.68	63.79	47.55	56.57	97.86	23.18	12.80	48.50	113.95	121.99	118.05	744.96
1941	Wet	52.85	24.49	76.54	72.49	137.96	138.07	28.25	24.65	70.72	121.99	121.99	107.00	977.00
1942	Wet	41.79	5.30	77.34	84.67	82.87	90.50	25.27	22.28	70.35	121.99	121.99	108.02	852.37
1943	Wet	51.10	5.30	73.65	87.89	99.07	138.07	25.13	14.52	43.45	121.70	121.99	111.85	893.72
1944	Dry	50.39	5.30	130.10	62.19	62.87	44.28	18.66	12.78	33.01	121.99	75.15	43.00	659.72
1945	Below Normal	37.46	118.05	69.63	62.65	59.86	113.03	18.39	12.78	36.52	121.99	121.99	118.05	890.40
1946	Below Normal	84.51	118.05	101.07	73.84	50.98	72.35	14.89	12.78	26.67	121.65	121.99	118.05	916.83
1947	Dry	65.83	70.91	85.54	55.25	58.04	24.35	15.91	12.78	29.82	121.99	66.35	118.05	724.82
1948	Below Normal	73.18	62.61	44.24	37.07	6.95	46.18	12.72	12.78	47.34	121.99	121.99	118.05	705.10
1949	Dry	52.10	46.15	77.76	58.85	54.74	35.25	12.37	12.78	30.63	121.99	53.31	118.05	673.98
1950	Below Normal	17.95	31.23	40.03	39.60	42.39	62.73	15.08	12.78	32.86	121.99	121.99	118.05	656.68
1951	Above Normal	90.37	118.05	128.61	141.67	110.61	121.61	17.00	12.78	47.61	106.44	121.99	116.49	1,133.23
1952	Wet	55.49	70.60	71.79	85.48	66.51	138.07	28.67	36.38	95.49	121.99	121.99	118.05	1,010.51
1953	Wet	51.25	5.30	130.01	49.75	63.18	67.48	18.21	15.32	34.25	121.99	121.99	118.05	796.78
1954	Above Normal	37.61	5.30	81.01	38.01	41.22	62.93	16.56	12.78	46.33	105.62	121.99	118.05	687.41
1955	Dry	47.71	56.76	128.60	65.51	50.44	42.84	16.70	12.78	5.30	121.99	60.98	59.23	668.84
1956	Wet	29.72	69.63	94.75	155.23	116.87	125.35	17.74	18.48	76.45	121.99	121.99	112.34	1,060.54
1957	Above Normal	48.48	5.30	128.81	60.30	30.88	53.32	18.33	14.94	32.88	120.54	121.99	118.05	753.82
1958	Wet	118.80	42.44	67.55	46.67	67.30	130.13	42.93	31.76	92.22	121.99	121.99	118.05	1,001.83
1959	Below Normal	68.42	5.30	129.52	40.05	49.83	64.25	21.53	16.66	29.40	121.99	121.99	118.05	786.99
1960	Dry	47.77	39.06	36.15	59.36	38.12	44.43	9.94	21.53	26.79	121.99	96.16	118.05	659.35
1961	Dry	24.57	71.78	127.92	60.61	33.13	60.25	15.50	15.03	1.09	113.03	37.10	43.16	603.17
1962	Below Normal	6.06	47.63	54.43	47.09	51.99	69.81	19.44	12.78	30.06	120.48	121.99	118.05	699.81
1963	Wet	121.99	118.05	65.01	44.24	47.89	65.31	16.38	12.78	35.83	121.99	121.99	118.05	889.51
1964	Dry	64.07	75.54	93.78	61.85	46.16	39.54	14.17	12.78	5.30	121.99	53.84	118.05	707.07
1965	Wet	48.68	55.94	73.20	95.83	72.38	83.18	22.41	12.78	50.46	121.63	121.99	115.47	873.95
1966	Below Normal	33.26	70.08	137.18	71.47	65.41	54.75	16.31	12.78	29.78	121.68	121.99	118.05	852.74
1967	Wet	51.14	66.87	71.54	68.43	59.77	77.12	36.00	31.07	116.01	121.99	121.99	118.05	939.98
1968	Below Normal	66.92	5.30	128.90	62.32	38.80	63.42	20.78	17.61	29.35	119.68	121.99	118.05	793.12
1969	Wet	48.46	72.75	128.95	69.63	128.46	81.52	42.99	112.80	118.05	121.99	121.99	111.94	1,159.53
1970	Wet	70.93	5.30	75.33	155.23	88.43	118.78	14.09	12.78	32.56	121.99	121.99	85.81	903.22
1971	Wet	48.44	98.35	72.53	60.72	55.53	71.05	18.68	15.04	46.80	121.99	121.99	117.05	848.17
1972	Below Normal	51.26	5.30	128.83	58.35	30.82	42.79	20.06	12.78	29.07	121.99	121.99	118.05	741.29
1973	Above Normal	67.03	118.05	69.47	53.24	71.82	74.65	17.22	12.78	50.43	121.99	121.99	111.95	890.62
1974	Wet	82.16	118.05	80.90	77.45	64.35	91.95	20.39	12.78	62.21	121.99	121.99	118.05	972.27
1975	Wet	77.55	5.30	130.54	61.70	51.99	101.71	18.11	12.78	68.04	121.99	121.99	118.05	889.75
1976	Critical	86.63	5.30	129.02	55.27	38.32	49.19	21.99	20.38	4.92	116.03	74.06	118.05	719.16
1977	Critical	39.42	26.05	21.29	30.85	13.24	5.64	5.30	10.88	1.05	5.48	5.48	24.82	189.50
1978	Above Normal	5.48	34.58	51.29	52.50	70.64	81.52	27.59	21.81	74.30	121.99	121.99	118.05	781.74
1979	Below Normal	54.56	30.04	104.03	71.57	85.03	86.23	17.85	20.49	49.01	121.99	121.99	118.05	880.84
1980	Above Normal	79.06	70.73	129.40	81.65	82.39	84.86	19.81	18.22	78.28	121.99	121.99	97.95	986.33
1981	Dry	65.68	6.32	129.42	62.48	56.26	44.38	23.31	18.48	29.16	121.99	95.79	94.41	747.68
1982	Wet	52.16	118.05	67.34	68.71	131.06	138.07	108.25	38.64	86.04	121.99	121.99	118.05	1,170.35
1983	Wet	121.99	118.05	140.22	71.19	62.88	66.27	71.91	68.50	82.04	92.74	121.99	103.57	1,121.35
1984	Wet	121.99	118.05	126.73	113.82	107.76	120.16	18.27	12.78	50.52	116.83	121.99	81.15	1,110.05
1985	Dry	74.49	118.05	128.71	62.37	58.06	53.24	20.88	16.27	29.62	121.99	62.38	118.05	864.11
1986	Wet	77.51	93.17	78.14	39.35	102.22	111.45	30.34	23.92	65.95	121.99	121.99	118.05	984.08
1987	Dry	63.44	5.30	129.51	60.33	55.25	42.86	10.91	32.35	29.74	16.72	10.68	37.25	494.34
1988	Critical	6.62	15.60	60.67	43.49	6.24	30.34	18.65	17.10	5.30	74.44	5.48	20.79	304.72
1989	Dry	5.48	58.78	51.52	58.05	13.47	22.07	21.75	16.90	41.69	113.57	68.80	118.05	590.13
1990	Critical	73.92	42.31	85.55	56.53	38.19	18.48	5.30	15.49	3.92	117.10	5.48	32.02	494.29
1991	Critical	5.48	14.12	17.91	11.40	23.16	23.66	19.03	14.96	36.45	86.72	5.48	10.72	269.09
1992	Critical	17.14	5.30	31.23	20.08	28.87	43.63	12.37	12.78	26.03	16.55	5.48	37.15	256.61
1993	Above Normal	5.48	9.10	66.10	59.08	67.90	71.57	12.37	12.78	66.02	121.99	121.99	118.05	732.43
1994	Critical	60.56	5.30	113.88	58.47	55.01	42.04	16.42	17.82	4.18	112.83	52.61	56.91	596.03
1995	Wet	11.26	37.91	66.17	54.99	59.88	138.07	28.75	46.44	104.18	121.99	121.99	118.05	909.68
1996	Wet	29.15	5.30	67.62	51.78	131.88	118.43	21.27	17.40	60.23	121.99	121.99	118.05	865.09
1997	Wet	26.69	9.43	140.22	155.23	140.20	130.60	15.27	14.31	27.83	111.48	121.99	118.05	1,011.30
1998	Wet	36.52	17.46	128.99	55.02	140.20	138.07	33.39	34.01	118.05	121.99	121.99	118.05	1,063.74
1999	Wet	121.99	118.05	73.62	74.81	109.68	89.84	15.89	12.78	50.77	121.67	121.99	51.37	962.46
2000	Above Normal	38.86	5.30	127.91	41.31	90.22	102.40	15.74	12.78	45.81	110.57	121.99	118.05	830.94
2001	Dry	45.87	5.30	125.84	63.18	50.02	52.87	18.14	13.06	28.56	67.78	5.48	53.08	529.18
2002	Dry	5.48	59.23	71.80	48.75	62.94	47.33	14.78	12.78	29.60	121.99	25.97	105.55	606.20
2003	Above Normal	5.48	31.72	70.45	42.04	55.44	61.06	12.37	12.78	42.22	120.11	121.99	118.05	693.71
	Average	51.72	47.42	89.83	65.66	66.75	72.12	21.18	18.72	44.59	108.64	92.61	94.67	773.90
	Wet	63.30	62.89	89.96	79.76	92.06	106.72	29.76	27.46	70.18	120.23	121.99	110.40	974.72
	Above Normal	45.56	42.94	98.19	62.16	63.96	80.51	18.40	14.61	57.55	116.67	121.99	115.74	838.28
	Below Normal	53.95	49.85	91.46	59.93	65.08	73.72	18.50	14.34	40.15	121.67	121.99	113.80	824.43
	Dry	44.52	42.84	97.65	59.16	50.32	44.13	17.94	16.53	26.18	108.82	58.15	86.97	653.21
	Critical	40.97	22.40	67.57	55.03	41.31	28.87	13.36	12.28	8.99	60.03	16.99	28.73	396.52

Difference in Energy Use (GWh) At Pumping Plant at SWP Banks: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.02	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	(0.01)	(0.01)	0.00	(0.90)	(0.18)	0.00	0.00	0.00	0.27	0.00	0.00	0.00	(0.07)
1924	Critical	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.17)	0.00	0.01	0.00	(0.07)	(0.02)
1925	Dry	(0.08)	(0.04)	(0.01)	0.00	0.00	0.03	0.00	0.00	(0.05)	0.00	0.05	0.00	(0.01)
1926	Dry	0.04	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.19	(0.33)	0.00
1927	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1928	Above Normal	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1930	Dry	(0.01)	(0.02)	(0.01)	0.00	0.00	0.02	0.00	0.00	0.03	0.00	0.00	0.00	0.00
1931	Critical	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	0.00	(0.14)	0.00	(0.02)	(0.02)
1932	Dry	(0.03)	(0.02)	0.00	0.00	0.07	1.56	0.00	0.00	0.00	(0.02)	0.01	0.00	0.13
1933	Critical	0.00	0.00	(1.55)	0.01	0.01	0.00	0.00	0.00	0.00	(0.27)	(0.04)	(0.07)	(0.16)
1934	Critical	(0.04)	(0.05)	43.84	0.00	0.00	(0.02)	0.00	(7.38)	0.00	0.00	0.00	(0.03)	3.03
1935	Below Normal	0.35	0.03	(0.07)	(3.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.23)
1936	Below Normal	(3.27)	(0.06)	(6.15)	7.73	0.00	(1.92)	0.00	0.00	0.00	0.00	0.00	0.00	(0.31)
1937	Below Normal	(0.03)	(0.03)	0.04	0.16	(0.25)	0.00	(4.94)	(1.84)	0.96	0.00	0.00	0.00	(0.49)
1938	Wet	(1.44)	0.00	(12.72)	(4.93)	0.00	0.00	(7.29)	(66.49)	(2.68)	0.00	0.00	(0.02)	(7.96)
1939	Dry	0.85	0.00	0.00	0.00	0.02	0.00	11.86	(0.02)	0.00	0.00	0.85	(9.42)	0.35
1940	Above Normal	1.81	(0.07)	(0.04)	0.10	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.14
1941	Wet	0.02	(0.01)	0.00	0.00	(2.24)	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.19)
1942	Wet	0.32	0.00	0.00	(0.05)	(1.37)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.09)
1943	Wet	(0.02)	0.00	0.00	(6.44)	0.43	0.00	0.00	0.00	(7.63)	0.00	0.00	(0.71)	(1.20)
1944	Dry	1.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.13)	0.00	1.21	(0.05)	0.08
1945	Below Normal	(0.03)	0.00	0.00	0.00	(4.45)	(9.19)	0.00	0.00	0.00	0.00	0.00	0.00	(1.14)
1946	Below Normal	0.09	0.00	0.00	0.00	(0.01)	(2.23)	0.00	0.00	2.33	0.00	0.00	0.00	0.01
1947	Dry	(0.99)	0.01	0.06	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.59)	0.00	(0.13)
1948	Below Normal	(1.62)	0.00	0.03	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)
1949	Dry	0.06	(0.27)	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	0.00	(0.06)
1950	Below Normal	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	(11.61)	11.49	(0.05)	0.01	0.00	0.00	0.00	0.00	0.00	0.64	0.04
1952	Wet	(0.01)	(0.01)	0.00	(1.28)	0.07	0.00	(1.16)	(2.25)	(8.53)	0.00	0.00	0.00	(1.10)
1953	Wet	0.29	0.00	0.00	(8.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.66)
1954	Above Normal	0.16	0.00	5.34	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.46
1955	Dry	(0.82)	0.00	0.00	0.00	(0.16)	(0.01)	0.00	0.00	0.00	0.00	0.71	4.76	0.37
1956	Wet	(5.34)	(0.03)	(14.54)	0.00	1.51	1.32	0.00	0.00	0.00	0.00	0.00	(0.01)	(1.42)
1957	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	(0.03)	(0.03)	0.00	0.00	0.00	0.00	(0.96)	(0.01)	(0.01)	0.00	0.00	0.00	(0.09)
1959	Below Normal	0.28	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1960	Dry	0.00	0.00	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.17	0.00	0.02
1961	Dry	(0.04)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.21)	0.12	0.02	(0.01)
1962	Below Normal	(0.02)	(0.03)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.01
1964	Dry	0.00	0.01	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1965	Wet	(0.08)	0.00	0.00	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.01)
1966	Below Normal	0.02	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.01	0.00	0.00	0.00	0.00	0.00	(1.36)	(1.57)	(2.04)	0.00	0.00	0.00	(0.41)
1968	Below Normal	(3.31)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.28)
1969	Wet	0.19	(0.03)	0.00	(7.61)	8.58	(0.03)	(43.47)	7.73	0.00	0.00	0.00	1.36	(2.77)
1970	Wet	(1.76)	0.00	0.00	0.00	0.00	2.40	0.00	0.00	0.00	0.00	0.00	3.26	0.33
1971	Wet	(0.06)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1972	Below Normal	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1973	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1974	Wet	0.00	0.00	0.00	(1.97)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)
1975	Wet	0.00	0.00	0.00	0.00	0.00	(0.30)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1976	Critical	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	0.21	(0.02)	0.00	0.01
1977	Critical	(0.22)	(0.02)	0.00	(0.04)	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	0.02	(0.03)
1978	Above Normal	0.00	(0.02)	(0.08)	0.00	(9.72)	(8.83)	(2.79)	(4.87)	(3.53)	0.00	0.00	0.00	(2.49)
1979	Below Normal	(0.10)	(0.07)	(20.93)	0.08	(1.08)	(1.60)	(0.01)	0.00	0.15	0.00	0.00	0.00	(1.96)
1980	Above Normal	(3.74)	9.32	0.00	(8.93)	2.69	0.31	0.00	0.00	(0.01)	0.00	0.00	(20.10)	(1.71)
1981	Dry	(0.43)	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.44	0.55	0.41
1982	Wet	1.01	0.00	0.00	0.00	0.00	0.00	0.00	(5.44)	0.00	0.00	0.00	0.00	(0.37)
1983	Wet	0.00	0.00	0.00	1.58	1.59	(4.32)	(5.41)	(11.05)	(8.95)	(0.36)	0.00	(4.37)	(2.61)
1984	Wet	0.00	0.00	0.00	(5.47)	(5.27)	(1.44)	0.00	0.00	0.00	0.00	0.00	0.00	(1.02)
1985	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1986	Wet	0.01	0.00	0.00	0.00	(29.48)	20.08	0.00	0.00	0.00	0.00	0.00	0.00	(0.78)
1987	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.93	0.03	0.23	(0.05)	0.10
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.03)	0.00	0.00	(0.08)
1989	Dry	0.00	(0.09)	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.02	(1.35)	0.00	(0.12)
1990	Critical	0.19	(0.02)	(0.02)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.43	0.05
1991	Critical	0.00	0.07	(0.12)	(0.30)	0.00	0.00	0.00	0.00	(0.04)	0.15	0.00	(0.02)	(0.02)
1992	Critical	(0.11)	0.00	(0.04)	(0.41)	0.00	0.00	0.00	0.00	(9.02)	8.94	0.00	(0.07)	(0.06)
1993	Above Normal	0.00	(0.02)	(0.01)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1994	Critical	0.00	0.00	0.74	0.00	0.00	0.00	0.00	0.01	0.00	(0.27)	(0.11)	(0.03)	0.03
1995	Wet	(0.12)	(0.03)	0.03	0.00	0.00	0.00	(3.25)	(66.36)	(1.81)	0.00	0.00	0.00	(5.96)
1996	Wet	(0.02)	0.00	0.00	0.00	0.00	(1.54)	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.13)
1997	Wet	(0.01)	(0.31)	0.00	0.00	0.00	(0.92)	0.00	0.00	(0.98)	0.61	0.00	0.00	(0.13)
1998	Wet	(0.02)	(0.03)	0.00	0.00	0.00	0.00	(2.22)	(1.74)	0.00	0.00	0.00	0.00	(0.33)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	(2.04)	(0.86)	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.24)
2001	Dry	(0.02)	0.00	(2.37)	0.00	0.00	0.00	0.00	0.00	0.00	1.61	0.00	(0.01)	(0.07)
2002	Dry	0.00	0.03	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.06
2003	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
	Average	(0.20)	0.10	(0.25)	(0.35)	(0.50)	(0.09)	(0.74)	(1.97)	(0.52)	0.11	0.07	(0.29)	(0.39)
	Wet	(0.27)	(0.02)	(1.05)	(1.33)	(1.01)	0.59	(2.50)	(5.66)	(1.25)	0.01	0.00	(0.02)	(1.04)
	Above Normal	(0.15)	0.77	(0.53)	0.22	(0.76)	(0.79)	(0.23)	(0.41)	(0.30)	(0.01)	0.00	(1.62)	(0.32)
	Below Normal	(0.54)	(0.01)	(1.94)	0.28	(0.40)	(1.07)	(0.35)	(0.13)	0.27	0.00	0.00	0.00	(0.33)
	Dry	0.02	(0.00)	(0.15)	(0.00)	(0.01)	0.09	0.66	(0.00)	(0.06)	0.08	0.33	(0.21)	0.06
	Critical	(0.01)	(0.00)	3.57	(0.06)	(0.00)	(0.00)	0.00	(0.63)	(0.76)	0.63	(0.01)	0.01	0.23

Percent Difference in Energy Use (GWh) At Pumping Plant at SWP Banks: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	1%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	-1%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	-3%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%
1934	Critical	0%	0%	52%	0%	0%	0%	0%	-57%	0%	0%	0%	0%
1935	Below Normal	1%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-4%	0%	-8%	16%	0%	-1%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	-18%	-9%	1%	0%	0%	0%
1938	Wet	-2%	0%	-12%	-4%	0%	0%	-16%	-59%	-2%	0%	0%	0%
1939	Dry	1%	0%	0%	0%	0%	0%	69%	0%	0%	0%	1%	-12%
1940	Above Normal	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-7%	0%	0%	0%	0%	-15%	0%	0%	-1%
1944	Dry	4%	0%	0%	0%	0%	0%	0%	0%	-6%	0%	2%	0%
1945	Below Normal	0%	0%	0%	0%	-7%	-8%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	-3%	0%	0%	10%	0%	0%	0%
1947	Dry	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1948	Below Normal	-2%	0%	0%	0%	6%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-8%	9%	0%	0%	0%	0%	0%	0%	0%	1%
1952	Wet	0%	0%	0%	-1%	0%	0%	-4%	-6%	-8%	0%	0%	0%
1953	Wet	1%	0%	0%	-14%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	9%
1956	Wet	-15%	0%	-13%	0%	1%	1%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	-4%	-5%	-2%	0%	0%	0%
1968	Below Normal	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	-10%	7%	0%	-50%	7%	0%	0%	0%	1%
1970	Wet	-2%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	4%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-12%	-10%	-9%	-18%	-5%	0%	0%	0%
1979	Below Normal	0%	0%	-17%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%
1980	Above Normal	-5%	15%	0%	-10%	3%	0%	0%	0%	0%	0%	0%	-17%
1981	Dry	-1%	5%	0%	0%	0%	0%	0%	0%	0%	0%	5%	1%
1982	Wet	2%	0%	0%	0%	0%	0%	0%	-12%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	2%	3%	-6%	-7%	-14%	-10%	0%	0%	-4%
1984	Wet	0%	0%	0%	-5%	-5%	-1%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-22%	22%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%	2%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1991	Critical	0%	0%	-1%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	-1%	0%	0%	-2%	0%	0%	0%	0%	-26%	117%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	-1%	0%	0%	0%	0%	0%	-10%	-59%	-2%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	-3%	0%	0%	0%	-1%	0%	0%	-3%	1%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	-6%	-5%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	-2%	-1%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	2%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	-1%	-3%	-1%	1%	0%	0%
	Wet	-1%	0%	-1%	-2%	-1%	1%	-4%	-6%	-2%	0%	0%	0%
	Above Normal	0%	1%	0%	0%	-1%	-1%	-1%	-2%	0%	0%	0%	-1%
	Below Normal	-1%	0%	-2%	1%	0%	-1%	-1%	-1%	1%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	4%	0%	0%	0%	0%	0%
	Critical	0%	0%	4%	0%	0%	0%	0%	-5%	-2%	10%	0%	0%

Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	39.31	50.83	28.41	7.41	23.39	28.39	30.34	35.89	41.67	42.77	42.18	29.83	400.42
1923	Below Normal	27.99	33.52	22.47	31.25	31.64	26.95	23.59	31.96	41.49	45.83	42.12	27.65	386.46
1924	Critical	28.39	17.72	15.80	6.09	6.79	8.28	12.77	16.66	22.32	25.21	19.67	12.92	192.62
1925	Dry	6.82	5.29	4.79	1.81	4.15	17.79	24.16	34.40	45.69	51.27	56.13	30.54	282.84
1926	Dry	22.08	19.18	16.20	3.04	5.12	10.98	17.11	28.47	37.56	42.07	41.38	25.25	268.44
1927	Wet	17.99	15.53	13.02	4.00	15.50	31.47	32.67	38.60	43.98	44.64	44.56	31.97	333.93
1928	Above Normal	26.32	34.23	25.16	15.64	19.59	14.91	36.78	42.93	48.63	49.39	49.37	35.72	398.67
1929	Critical	29.75	35.30	28.53	15.26	14.53	9.43	11.90	18.28	24.33	25.89	21.47	5.12	239.79
1930	Dry	8.56	9.69	8.73	2.87	4.92	7.64	19.32	25.03	33.64	36.55	34.64	20.73	212.32
1931	Critical	12.99	10.55	8.77	2.87	4.80	8.23	15.60	20.12	27.13	30.62	23.96	15.61	181.25
1932	Dry	8.59	6.45	5.83	3.06	6.52	26.01	17.93	26.14	34.71	41.63	34.98	22.92	234.77
1933	Critical	15.91	13.61	11.35	2.92	36.48	12.80	15.76	24.96	33.54	37.54	31.91	20.85	257.63
1934	Critical	13.31	10.83	9.02	2.96	4.43	8.64	17.84	23.11	31.35	35.19	21.42	3.46	181.56
1935	Below Normal	18.77	14.84	11.72	2.97	6.39	11.19	32.86	39.51	47.13	49.42	47.83	33.53	316.16
1936	Below Normal	31.17	24.45	23.94	11.26	13.74	46.29	33.05	42.36	48.16	48.90	48.85	35.17	407.34
1937	Below Normal	36.09	27.27	27.98	16.08	44.42	49.91	40.86	46.46	53.49	58.40	58.40	48.09	507.45
1938	Wet	35.48	33.23	34.13	19.09	33.23	46.49	40.72	49.07	57.05	61.89	61.84	44.14	516.36
1939	Dry	42.70	46.55	35.67	20.19	22.22	18.73	26.66	34.59	27.13	54.30	36.13	34.00	398.87
1940	Above Normal	9.45	7.18	28.75	2.91	4.24	13.81	26.05	34.68	40.08	51.76	48.46	32.14	299.51
1941	Wet	25.21	26.78	17.16	10.94	24.78	30.81	36.49	38.81	45.15	49.91	49.81	35.49	391.34
1942	Wet	38.77	31.75	28.03	31.26	32.41	34.21	26.53	33.02	41.13	44.19	41.67	28.09	411.06
1943	Wet	28.97	26.93	17.98	23.94	30.23	30.50	40.39	43.31	50.37	55.23	55.15	39.26	442.26
1944	Dry	38.15	15.77	40.51	11.37	11.02	10.99	19.78	25.73	34.25	37.60	36.78	21.68	303.63
1945	Below Normal	14.04	11.59	9.69	4.94	6.35	49.95	32.91	41.21	46.91	47.63	47.56	34.22	347.00
1946	Below Normal	39.52	26.44	27.13	31.95	32.92	37.71	27.68	34.03	39.84	41.04	40.34	28.15	406.75
1947	Dry	33.38	20.59	20.80	14.07	15.65	14.58	36.66	42.76	48.45	49.17	56.41	35.57	388.09
1948	Below Normal	29.61	27.69	28.39	14.21	13.60	9.20	15.47	18.47	19.42	49.70	45.74	31.77	303.27
1949	Dry	28.67	20.50	17.18	4.69	6.04	9.92	29.25	37.03	47.68	52.47	47.36	35.85	336.64
1950	Below Normal	26.19	13.76	17.55	3.75	4.32	8.45	24.02	31.04	14.06	52.99	48.07	32.01	276.21
1951	Above Normal	28.43	19.33	16.14	51.73	48.26	53.44	29.23	38.58	44.33	44.94	44.83	31.75	450.99
1952	Wet	29.07	32.08	24.42	31.29	34.25	39.41	31.37	44.93	52.25	57.16	57.08	40.58	473.89
1953	Wet	38.50	44.50	32.52	32.07	25.78	18.66	22.20	29.66	27.11	47.28	42.79	28.43	389.50
1954	Above Normal	22.83	22.74	14.83	4.67	16.91	15.04	25.15	33.22	42.88	49.25	45.59	29.84	322.95
1955	Dry	25.50	22.03	15.65	4.27	7.05	12.59	22.76	29.55	39.14	43.98	45.74	26.15	294.41
1956	Wet	18.61	16.08	13.52	22.34	50.39	54.27	34.52	43.46	50.02	50.71	50.60	35.82	440.34
1957	Above Normal	37.76	33.68	28.34	19.30	19.33	22.24	25.94	34.25	37.50	52.38	48.32	32.07	391.11
1958	Wet	23.24	26.12	17.07	3.77	27.77	31.30	45.35	53.29	57.01	61.92	61.91	44.22	452.97
1959	Below Normal	37.17	34.09	40.46	13.54	15.00	15.43	22.38	28.82	15.08	48.69	44.17	29.55	344.38
1960	Dry	27.36	18.42	15.46	2.90	3.62	9.59	29.55	37.51	41.82	54.52	49.17	36.10	326.02
1961	Dry	27.30	24.23	21.44	5.41	6.69	8.23	23.17	29.88	39.57	48.39	39.93	18.28	292.52
1962	Below Normal	2.68	21.20	24.16	3.03	3.85	12.74	24.55	32.14	20.74	52.58	48.00	32.54	278.21
1963	Wet	23.75	20.75	17.48	20.69	24.62	26.49	26.84	33.89	40.51	42.35	41.04	28.30	346.71
1964	Dry	22.18	28.91	19.94	14.60	33.91	25.84	29.92	35.79	42.43	44.20	49.41	29.99	377.12
1965	Wet	23.84	21.79	21.63	21.95	31.89	31.00	28.33	34.26	33.32	45.03	43.25	30.17	366.46
1966	Below Normal	35.56	23.60	21.07	28.36	30.34	24.86	24.35	32.19	41.60	45.68	42.15	27.76	377.52
1967	Wet	28.78	17.95	9.91	7.00	27.21	28.73	44.88	48.78	56.64	61.58	61.54	43.91	436.91
1968	Below Normal	37.71	51.12	35.44	14.77	18.87	16.53	22.77	29.45	18.14	48.53	44.09	29.85	367.27
1969	Wet	28.08	18.71	15.69	19.07	27.74	34.71	36.72	44.60	53.12	53.85	59.99	42.58	434.86
1970	Wet	36.29	50.04	32.03	32.95	32.97	49.23	31.60	37.94	43.59	44.19	44.06	31.19	466.08
1971	Wet	28.71	31.36	24.35	31.27	32.45	28.86	24.40	32.54	41.82	45.78	42.39	28.03	391.96
1972	Below Normal	25.99	19.06	16.59	11.73	25.97	25.10	25.47	32.68	42.86	47.53	43.44	28.52	344.94
1973	Above Normal	28.07	18.13	15.84	5.85	29.87	32.07	30.78	40.04	45.83	46.41	46.32	33.05	372.26
1974	Wet	27.21	25.30	26.04	32.06	33.62	40.10	41.25	41.19	47.45	48.06	47.95	33.92	444.15
1975	Wet	27.85	40.99	26.67	26.22	22.59	35.01	33.46	39.25	44.79	45.39	45.32	32.49	420.03
1976	Critical	26.74	36.03	25.60	16.12	17.32	16.12	25.51	33.20	40.32	51.58	37.77	32.62	358.93
1977	Critical	23.74	20.70	14.85	2.97	3.72	5.51	9.43	4.34	0.10	3.17	1.72	10.44	100.69
1978	Above Normal	2.31	15.75	23.21	2.81	7.24	27.89	24.72	24.59	39.47	46.60	45.49	32.00	292.08
1979	Below Normal	32.35	34.64	23.46	13.91	14.59	35.20	34.43	40.52	46.12	46.74	46.69	33.62	402.27
1980	Above Normal	36.80	25.92	26.61	22.56	34.76	36.64	36.34	47.63	59.37	58.66	61.36	43.74	490.39
1981	Dry	36.69	44.06	37.87	14.27	15.02	14.45	23.44	31.17	19.96	51.07	53.86	31.54	373.40
1982	Wet	22.92	19.98	16.81	17.78	25.51	31.36	43.60	51.85	60.17	61.03	60.96	43.37	455.34
1983	Wet	36.31	33.86	33.43	29.35	26.25	30.34	32.66	32.92	37.71	51.67	58.48	43.79	446.77
1984	Wet	52.56	51.89	56.16	52.20	49.72	53.41	28.89	38.50	44.20	44.90	44.78	31.72	548.93
1985	Dry	25.84	24.01	29.34	27.05	25.24	28.59	31.33	37.83	43.49	44.07	53.32	31.14	401.25
1986	Wet	25.45	23.64	24.33	15.46	20.12	39.50	42.46	52.89	60.03	61.24	61.16	43.89	470.17
1987	Dry	37.10	27.08	40.26	11.49	11.14	7.90	12.28	15.61	20.68	25.79	18.22	12.16	239.71
1988	Critical	6.42	5.05	4.58	1.66	5.53	5.60	9.66	12.61	16.49	17.63	14.57	9.80	109.60
1989	Dry	5.10	3.99	3.64	2.08	5.78	7.60	32.67	39.73	47.62	54.16	48.65	34.15	285.17
1990	Critical	27.14	24.76	24.05	10.62	10.73	9.33	13.86	17.77	23.78	25.33	20.96	13.86	222.19
1991	Critical	7.48	5.76	5.21	1.91	3.74	5.53	9.94	12.44	16.34	20.06	14.47	9.69	112.57
1992	Critical	5.07	3.93	3.59	1.47	3.13	5.54	12.80	16.29	21.66	26.89	18.80	12.79	131.96
1993	Above Normal	5.20	4.12	6.50	2.82	24.94	27.54	27.77	34.35	28.58	48.58	46.03	31.87	288.30
1994	Critical	30.10	27.64	20.75	10.07	11.38	15.40	25.65	33.20	36.04	54.67	31.39	23.76	320.05
1995	Wet	4.64	16.80	29.63	3.01	19.55	17.23	40.90	48.55	55.06	56.21	56.21	40.39	388.18
1996	Wet	41.20	28.61	29.51	14.70	14.54	27.39	31.97	37.36	42.62	43.26	43.18	30.87	385.21
1997	Wet	38.13	23.56	24.21	31.04	33.11	43.28	37.32	44.07	50.58	51.32	51.24	36.34	464.20
1998	Wet	31.98	39.79	28.82	19.18	32.52	38.68	34.81	40.32	46.05	46.83	46.78	33.42	439.18
1999	Wet	27.51	29.37	31.88	32.39	48.25	38.75	29.01	38.31	43.99	44.88	44.64	36.99	445.97
2000	Above Normal	29.86	23.95	24.67	17.57	30.15	25.34	28.85	35.92	44.05	47.14	44.85	30.68	383.03
2001	Dry	28.54	25.82	20.39	9.35	9.66	10.09	18.06	23.59	31.89	40.12	28.66	18.78	264.95
2002	Dry	10.87	8.44	7.18	3.40	7.27	12.51	35.13	40.97	46.38	47.22	44.04	36.80	300.21
2003	Above Normal	11.98	13.57	31.12	4.91	8.26	13.00	22.57	29.25	17.01	49.08	44.20	29.84	274.79
	Average	25.57	23.94	21.70	14.34	19.87	23.85	27.54	34.05	38.85	45.90	43.48	29.96	349.05
	Wet	29.27	28.75	24.86	22.50	29.88	35.05	34.59	41.21	47.14	50.79	50.71	36.13	430.88
	Above Normal	23.19	22.45	22.47	13.18	22.25	25.86	28.71	35.94	40.78	48.91	47.25	32.71	363.71
	Below Normal	28.20	25.95	23.58	14.41	18.71	26.39	27.46	34.35	35.36	48.83	46.25	32.32	361.80
	Dry	24.19	20.61	20.05	8.66	11.17	14.11	24.95	31.99	37.89	45.48	43.05	27.87	310.02
	Critical	18.92	17.66	14.34	6.24	10.22	9.20	15.06	19.42	24.45	29.48	21.51	14.24	200.74

Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	39.31	50.83	28.41	7.41	23.39	28.40	30.34	35.89	41.67	42.77	42.18	29.83	400.43
1923	Below Normal	27.99	33.48	22.46	31.24	31.62	26.76	23.56	31.95	41.52	45.88	42.14	27.65	386.25
1924	Critical	28.27	17.69	15.75	6.01	6.73	8.27	12.77	16.66	22.32	25.23	19.68	12.92	192.30
1925	Dry	6.82	5.29	4.79	1.81	4.15	17.65	24.17	34.42	45.72	51.30	56.18	30.56	282.86
1926	Dry	22.10	19.19	16.21	3.04	5.11	10.97	17.09	28.45	37.54	42.04	41.34	25.23	268.31
1927	Wet	17.98	15.52	13.01	4.00	15.49	31.47	32.67	38.60	43.98	44.64	44.56	31.97	333.89
1928	Above Normal	26.32	34.24	25.16	15.64	19.57	14.91	36.78	42.93	48.63	49.39	49.37	35.72	398.66
1929	Critical	29.76	35.29	28.53	15.26	14.53	9.42	11.89	18.28	24.32	25.89	21.46	5.12	239.75
1930	Dry	8.56	9.68	8.73	2.87	4.92	7.63	19.31	25.03	33.63	36.55	34.63	20.73	212.27
1931	Critical	12.98	10.55	8.77	2.87	4.80	8.23	15.60	20.11	27.12	30.61	23.95	15.60	181.19
1932	Dry	8.59	6.45	5.83	3.05	6.52	26.72	17.93	26.14	34.71	41.63	34.97	22.91	235.45
1933	Critical	15.91	13.61	11.35	2.92	35.77	12.80	15.76	24.97	33.54	37.53	31.91	20.85	256.92
1934	Critical	13.31	10.83	9.02	2.96	5.23	11.93	16.68	24.41	32.84	37.38	29.27	3.64	197.50
1935	Below Normal	18.70	16.04	13.11	2.98	6.36	11.09	31.99	39.01	47.36	50.23	48.09	33.33	318.29
1936	Below Normal	30.62	23.76	22.83	10.03	12.61	45.72	33.05	42.35	48.15	48.90	48.84	35.16	402.02
1937	Below Normal	36.07	27.26	27.97	16.08	44.42	49.91	40.86	46.46	53.49	58.40	58.40	48.08	507.40
1938	Wet	35.48	33.23	34.13	18.61	33.07	35.91	41.55	49.78	55.33	62.41	62.28	44.50	506.28
1939	Dry	43.44	47.24	36.39	21.54	21.25	15.87	22.70	29.29	7.70	52.96	37.71	30.01	366.10
1940	Above Normal	10.63	7.38	28.92	2.89	4.26	13.81	26.05	34.68	40.12	51.73	48.47	32.15	301.09
1941	Wet	25.24	27.09	17.16	10.93	24.78	30.70	36.38	38.68	44.99	49.75	49.66	35.38	390.74
1942	Wet	39.05	31.18	27.93	31.25	32.42	34.06	26.52	33.01	41.14	44.21	41.68	28.09	410.54
1943	Wet	28.96	26.82	17.96	23.90	29.96	30.25	40.19	43.07	50.09	54.95	54.87	39.06	440.08
1944	Dry	36.22	15.51	42.34	10.55	10.29	10.76	19.78	25.73	34.24	37.60	36.85	21.67	301.54
1945	Below Normal	14.04	11.59	9.69	4.95	6.35	43.14	32.96	41.26	46.96	47.68	47.61	34.27	340.50
1946	Below Normal	39.36	26.48	27.17	31.94	32.92	37.65	27.44	33.88	39.91	41.29	40.42	28.09	406.55
1947	Dry	33.23	20.40	20.48	13.68	15.69	14.20	36.76	42.88	48.59	49.30	56.60	35.67	387.48
1948	Below Normal	29.70	27.77	28.48	13.67	13.13	9.03	15.47	18.64	19.42	49.73	45.76	31.82	302.62
1949	Dry	28.69	20.52	17.12	4.67	6.02	9.90	29.09	36.92	47.69	52.58	47.14	35.87	336.21
1950	Below Normal	26.17	13.77	17.57	3.75	4.32	8.45	24.02	31.04	14.06	52.99	48.07	32.01	276.22
1951	Above Normal	28.43	19.33	16.14	51.67	48.26	53.44	29.25	38.61	44.36	44.97	44.86	31.77	451.09
1952	Wet	29.09	32.09	24.44	31.29	34.24	39.39	31.25	37.97	44.26	49.06	48.95	34.71	436.74
1953	Wet	33.13	39.67	27.41	32.76	32.29	29.72	23.22	31.52	41.68	46.53	42.28	27.50	407.71
1954	Above Normal	21.95	22.20	14.92	5.94	22.51	16.56	25.08	33.28	44.45	50.04	45.21	29.40	331.54
1955	Dry	25.32	21.57	15.36	4.16	7.24	12.89	23.28	30.24	40.09	45.04	46.67	26.78	298.64
1956	Wet	19.10	16.51	13.89	19.13	44.92	54.28	34.62	43.54	50.10	50.80	50.69	35.90	433.48
1957	Above Normal	37.84	33.76	28.42	19.31	19.33	21.80	25.94	34.23	37.17	52.38	48.37	32.12	390.67
1958	Wet	23.28	26.16	17.10	3.76	27.75	31.29	45.33	53.27	56.98	61.89	61.88	44.21	452.90
1959	Below Normal	37.15	32.93	40.43	13.56	15.00	15.44	22.38	28.82	15.07	48.69	44.17	29.55	343.19
1960	Dry	27.55	18.42	15.47	2.90	3.62	9.55	29.56	37.51	41.85	54.52	49.23	36.08	326.26
1961	Dry	27.29	24.21	21.43	5.42	6.70	8.23	23.17	29.89	39.58	48.49	39.81	18.29	292.51
1962	Below Normal	2.64	21.17	24.13	3.03	3.85	12.75	24.55	32.14	20.74	52.58	48.00	32.54	278.12
1963	Wet	23.75	20.75	17.47	20.69	24.62	26.49	26.84	33.89	40.51	42.35	41.04	28.30	346.70
1964	Dry	22.18	28.84	19.94	14.63	33.91	25.85	29.92	35.79	42.42	44.19	49.41	29.99	377.07
1965	Wet	23.84	21.79	21.63	21.96	31.89	31.00	28.32	34.26	33.28	45.03	43.24	30.15	366.39
1966	Below Normal	35.59	23.36	21.08	28.34	30.33	24.86	24.35	32.20	41.60	45.68	42.15	27.76	377.30
1967	Wet	28.77	17.95	9.92	7.01	27.21	28.74	44.88	48.78	56.64	61.58	61.54	43.91	436.93
1968	Below Normal	39.24	46.58	37.28	13.58	17.42	16.18	22.86	29.57	18.34	48.67	44.23	29.95	363.90
1969	Wet	28.16	18.80	15.76	18.99	27.68	34.72	36.07	45.33	48.63	54.66	60.80	43.36	432.96
1970	Wet	37.66	50.23	32.83	32.87	32.87	43.01	34.02	37.65	43.24	43.84	43.72	30.96	462.90
1971	Wet	28.52	31.17	24.16	31.27	32.47	29.20	24.51	32.60	41.74	45.58	42.30	28.03	391.55
1972	Below Normal	25.99	19.18	16.76	12.14	26.08	25.20	25.51	32.72	42.87	47.52	43.45	28.54	345.96
1973	Above Normal	28.10	18.16	15.89	5.91	29.87	32.07	30.78	40.04	45.83	46.41	46.32	33.05	372.43
1974	Wet	27.21	25.30	26.04	32.06	33.60	40.08	41.03	41.08	47.32	47.93	47.82	33.82	443.29
1975	Wet	27.77	40.52	26.59	26.39	22.65	34.97	33.42	39.21	44.74	45.34	45.27	32.45	419.32
1976	Critical	26.71	36.07	25.56	16.10	17.32	16.15	25.57	33.27	40.49	51.57	37.84	32.71	359.36
1977	Critical	23.80	20.75	14.51	2.97	3.72	5.51	9.43	4.30	0.10	3.16	1.72	10.45	100.42
1978	Above Normal	2.24	15.79	23.20	2.81	7.24	25.99	23.64	23.75	40.04	48.28	46.11	31.76	290.85
1979	Below Normal	31.67	32.87	21.50	11.48	12.41	33.04	33.04	38.84	44.17	44.77	44.71	32.21	380.71
1980	Above Normal	34.11	24.75	25.39	25.28	34.65	36.55	28.94	40.33	51.06	50.22	52.89	37.55	441.72
1981	Dry	31.14	43.30	29.88	18.95	26.75	22.67	25.71	34.53	42.41	51.72	54.39	31.06	412.51
1982	Wet	22.60	19.70	16.91	18.64	26.17	31.34	43.59	51.84	60.16	61.02	60.95	43.35	456.27
1983	Wet	36.30	33.85	32.42	29.35	26.25	30.34	32.66	30.43	36.12	51.83	55.78	44.29	439.62
1984	Wet	52.56	51.89	56.16	52.20	49.72	53.41	28.89	38.50	44.20	44.90	44.78	31.72	548.93
1985	Dry	25.84	24.01	29.34	27.05	25.25	28.59	31.33	37.83	43.49	44.07	53.32	31.14	401.26
1986	Wet	25.45	23.64	24.33	15.46	16.83	39.28	44.02	52.99	60.06	61.34	61.24	43.95	468.59
1987	Dry	37.23	24.31	40.27	11.48	11.14	7.90	12.27	15.60	20.67	25.72	18.22	12.15	236.96
1988	Critical	6.42	5.05	4.58	1.66	5.53	5.60	9.66	12.74	16.67	17.82	14.73	9.90	110.36
1989	Dry	5.16	4.03	3.68	2.06	5.76	7.56	32.52	39.64	47.67	54.32	47.28	34.50	284.18
1990	Critical	27.41	24.98	24.17	10.39	10.57	9.32	13.95	17.90	23.97	25.53	21.12	13.97	223.28
1991	Critical	7.54	5.80	5.24	1.93	3.74	5.53	9.94	12.44	16.34	20.05	14.47	9.69	112.71
1992	Critical	5.07	3.93	3.59	1.47	3.13	5.54	12.61	16.03	21.30	26.45	18.49	12.58	130.19
1993	Above Normal	5.40	4.11	6.15	2.67	24.97	27.62	27.83	34.38	28.84	48.44	45.92	31.83	288.16
1994	Critical	30.10	27.57	20.79	10.19	11.48	15.41	25.62	33.16	36.42	54.64	31.27	23.75	320.40
1995	Wet	4.59	16.79	29.64	3.01	19.54	17.23	40.90	48.55	55.06	53.28	53.93	41.67	384.19
1996	Wet	32.15	9.91	29.06	14.72	14.53	27.38	31.88	37.25	42.49	43.13	43.05	30.78	356.33
1997	Wet	37.41	23.49	24.13	31.04	33.11	42.99	37.31	44.06	50.57	51.31	51.23	36.34	462.99
1998	Wet	32.04	39.72	28.82	19.16	32.52	38.44	35.06	40.09	45.78	46.28	46.57	33.28	437.76
1999	Wet	27.40	29.03	31.89	32.38	48.25	38.75	29.01	38.31	43.99	44.88	44.64	37.00	445.53
2000	Above Normal	29.89	23.95	24.67	17.57	30.16	25.00	28.69	35.84	44.13	47.34	44.93	30.66	382.83
2001	Dry	28.43	25.70	20.17	9.06	9.42	10.02	18.08	23.62	31.92	40.16	28.71	18.81	264.10
2002	Dry	10.91	8.48	7.20	3.42	7.26	12.50	35.09	40.92	46.33	47.16	43.62	36.85	299.74
2003	Above Normal	12.58	13.57	31.12	4.91	8.26	13.00	22.57	29.25	17.01	49.10	44.20	29.84	275.41
	Average	25.31	23.49	21.54	14.35	19.97	23.73	27.43	33.84	38.80	45.71	43.31	29.77	347.25
	Wet	28.75	27.80	24.65	22.42	29.80	34.79	34.77	40.93	47.04	50.33	50.18	35.95	427.41
	Above Normal	23.07	22.34	22.37	13.50	22.71	25.76	27.99	35.27	40.28	48.42	46.57	32.14	360.41
	Below Normal	28.21	25.45	23.60	14.06	18.34	25.66	27.29	34.21	35.26	48.79	46.15	32.21	359.22
	Dry	23.82	20.40	19.70	8.91	11.72	14.41	24.88	31.91	38.13	45.52	43.12	27.68	310.19
	Critical	18.94	17.68	14.32	6.23	10.21	9.48	14.96	19.52	24.62	29.66	22.16	14.27	202.03

Difference in Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	(0.04)	(0.01)	(0.01)	(0.02)	(0.19)	(0.03)	(0.01)	0.03	0.05	0.02	0.00	(0.02)
1924	Critical	(0.12)	(0.03)	(0.05)	(0.08)	(0.06)	(0.01)	0.00	0.00	0.00	0.02	0.01	0.00	(0.03)
1925	Dry	0.00	0.00	0.00	0.00	0.00	(0.14)	0.01	0.02	0.03	0.03	0.05	0.02	0.00
1926	Dry	0.02	0.01	0.01	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.03)	(0.04)	(0.02)	(0.01)
1927	Wet	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.01	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.01	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1930	Dry	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1932	Dry	0.00	0.00	0.00	(0.01)	0.00	0.71	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.06
1933	Critical	0.00	0.00	0.00	0.00	(0.71)	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	(0.06)
1934	Critical	0.00	0.00	0.00	0.00	0.80	3.29	(1.16)	1.30	1.49	2.19	7.85	0.18	1.33
1935	Below Normal	(0.07)	1.20	1.39	0.01	(0.03)	(0.10)	(0.87)	(0.50)	0.23	0.81	0.26	(0.20)	0.18
1936	Below Normal	(0.55)	(0.69)	(1.11)	(1.23)	(1.13)	(0.57)	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	(0.44)
1937	Below Normal	(0.02)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1938	Wet	0.00	0.00	0.00	(0.48)	(0.16)	(10.58)	0.83	0.71	(1.72)	0.52	0.44	0.36	(0.84)
1939	Dry	0.74	0.69	0.72	1.35	(0.97)	(2.86)	(3.96)	(5.30)	(19.43)	(1.34)	1.58	(3.99)	(2.73)
1940	Above Normal	1.18	0.20	0.17	(0.02)	0.02	0.00	0.00	0.00	0.04	(0.03)	0.01	0.01	0.13
1941	Wet	0.03	0.31	0.00	(0.01)	0.00	(0.11)	(0.11)	(0.13)	(0.16)	(0.16)	(0.15)	(0.11)	(0.05)
1942	Wet	0.28	(0.57)	(0.10)	(0.01)	0.01	(0.15)	(0.01)	(0.01)	0.01	0.02	0.01	0.00	(0.04)
1943	Wet	(0.01)	(0.11)	(0.02)	(0.04)	(0.27)	(0.25)	(0.20)	(0.24)	(0.28)	(0.28)	(0.28)	(0.20)	(0.18)
1944	Dry	(1.93)	(0.26)	1.83	(0.82)	(0.73)	(0.23)	0.00	0.00	(0.01)	0.00	0.07	(0.01)	(0.17)
1945	Below Normal	0.00	0.00	0.00	0.01	0.00	(6.81)	0.05	0.05	0.05	0.05	0.05	0.05	(0.54)
1946	Below Normal	(0.16)	0.04	0.04	(0.01)	0.00	(0.06)	(0.24)	(0.15)	0.07	0.25	0.08	(0.06)	(0.02)
1947	Dry	(0.15)	(0.19)	(0.32)	(0.39)	0.04	(0.38)	0.10	0.12	0.14	0.13	0.19	0.10	(0.05)
1948	Below Normal	0.09	0.08	0.09	(0.54)	(0.47)	(0.17)	0.00	0.17	0.00	0.03	0.02	0.05	(0.05)
1949	Dry	0.02	0.02	(0.06)	(0.02)	(0.02)	(0.02)	(0.16)	(0.11)	0.01	0.11	(0.22)	0.02	(0.04)
1950	Below Normal	(0.02)	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.06)	0.00	0.00	0.02	0.03	0.03	0.03	0.03	0.02	0.01
1952	Wet	0.02	0.01	0.02	0.00	(0.01)	(0.02)	(0.12)	(6.96)	(7.99)	(8.10)	(8.13)	(5.87)	(3.10)
1953	Wet	(5.37)	(4.83)	(5.11)	0.69	6.51	11.06	1.02	1.86	14.57	(0.75)	(0.51)	(0.93)	1.52
1954	Above Normal	(0.88)	(0.54)	0.09	1.27	5.60	1.52	(0.07)	0.06	1.57	0.79	(0.38)	(0.44)	0.72
1955	Dry	(0.18)	(0.46)	(0.29)	(0.11)	0.19	0.30	0.52	0.69	0.95	1.06	0.93	0.63	0.35
1956	Wet	0.49	0.43	0.37	(3.21)	(5.47)	0.01	0.10	0.08	0.08	0.09	0.09	0.08	(0.57)
1957	Above Normal	0.08	0.08	0.08	0.01	0.00	(0.44)	0.00	(0.02)	(0.33)	0.00	0.05	0.05	(0.04)
1958	Wet	0.04	0.04	0.03	(0.01)	(0.02)	(0.01)	(0.02)	(0.02)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)
1959	Below Normal	(0.02)	(1.16)	(0.03)	0.02	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.10)
1960	Dry	0.19	0.00	0.01	0.00	0.00	(0.04)	0.01	0.00	0.03	0.00	0.06	(0.02)	0.02
1961	Dry	(0.01)	(0.02)	(0.01)	0.01	0.01	0.00	0.00	0.01	0.01	0.10	(0.12)	0.01	0.00
1962	Below Normal	(0.04)	(0.03)	(0.03)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1963	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	(0.07)	0.00	0.03	0.00	0.01	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	(0.04)	0.00	(0.01)	(0.02)	(0.01)
1966	Below Normal	0.03	(0.24)	0.01	(0.02)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.02)
1967	Wet	(0.01)	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	1.53	(4.54)	1.84	(1.19)	(1.45)	(0.35)	0.09	0.12	0.20	0.14	0.14	0.10	(0.28)
1969	Wet	0.08	0.09	0.07	(0.08)	(0.06)	0.01	(0.65)	0.73	(4.49)	0.81	0.81	0.78	(0.16)
1970	Wet	1.37	0.19	0.80	(0.08)	(0.10)	(6.22)	2.42	(0.29)	(0.35)	(0.35)	(0.34)	(0.23)	(0.27)
1971	Wet	(0.19)	(0.19)	(0.19)	0.00	0.02	0.34	0.11	0.06	(0.08)	(0.20)	(0.09)	0.00	(0.03)
1972	Below Normal	0.00	0.12	0.17	0.41	0.11	0.10	0.04	0.04	0.01	(0.01)	0.01	0.02	0.09
1973	Above Normal	0.03	0.03	0.05	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1974	Wet	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.22)	(0.11)	(0.13)	(0.13)	(0.13)	(0.10)	(0.07)
1975	Wet	(0.08)	(0.47)	(0.08)	0.17	0.06	(0.04)	(0.04)	(0.04)	(0.05)	(0.05)	(0.05)	(0.04)	(0.06)
1976	Critical	(0.03)	0.04	(0.04)	(0.02)	0.00	0.03	0.06	0.07	0.17	(0.01)	0.07	0.09	0.04
1977	Critical	0.06	0.05	(0.34)	0.00	0.00	0.00	0.00	(0.04)	0.00	(0.01)	0.00	0.01	(0.02)
1978	Above Normal	(0.07)	0.04	(0.01)	0.00	0.00	(1.90)	(1.08)	(0.84)	0.57	1.68	0.62	(0.24)	(0.10)
1979	Below Normal	(0.68)	(1.77)	(1.96)	(2.43)	(2.18)	(2.16)	(1.39)	(1.68)	(1.95)	(1.97)	(1.98)	(1.41)	(1.80)
1980	Above Normal	(2.69)	(1.17)	(1.22)	2.72	(0.11)	(0.09)	(7.40)	(7.30)	(8.31)	(8.44)	(8.47)	(6.19)	(4.06)
1981	Dry	(5.55)	(0.76)	(7.99)	4.68	11.73	8.22	2.27	3.36	22.45	0.65	0.53	(0.48)	3.26
1982	Wet	(0.32)	(0.28)	0.10	0.86	0.66	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	0.08
1983	Wet	(0.01)	(0.01)	(1.01)	0.00	0.00	0.00	0.00	(2.49)	(1.59)	0.16	(2.70)	0.50	(0.60)
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(3.29)	(0.22)	1.56	0.10	0.03	0.10	0.08	0.06	(0.13)
1987	Dry	0.13	(2.77)	0.01	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.07)	0.00	(0.01)	(0.23)
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.18	0.19	0.16	0.10	0.06
1989	Dry	0.06	0.04	0.04	(0.02)	(0.02)	(0.04)	(0.15)	(0.09)	0.05	0.16	(1.37)	0.35	(0.08)
1990	Critical	0.27	0.22	0.12	(0.23)	(0.16)	(0.01)	0.09	0.13	0.19	0.20	0.16	0.11	0.09
1991	Critical	0.06	0.04	0.03	0.02	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.26)	(0.36)	(0.44)	(0.31)	(0.21)	(0.15)
1993	Above Normal	0.20	(0.01)	(0.35)	(0.15)	0.03	0.08	0.06	0.03	0.26	(0.14)	(0.11)	(0.04)	(0.01)
1994	Critical	0.00	(0.07)	0.04	0.12	0.10	0.01	(0.03)	(0.04)	0.38	(0.03)	(0.12)	(0.01)	0.03
1995	Wet	(0.05)	(0.01)	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	(2.93)	(2.28)	1.28	(0.33)
1996	Wet	(9.05)	(18.70)	(0.45)	0.02	(0.01)	(0.01)	(0.09)	(0.11)	(0.13)	(0.13)	(0.13)	(0.09)	(2.41)
1997	Wet	(0.72)	(0.07)	(0.08)	0.00	0.00	(0.29)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.10)
1998	Wet	0.06	(0.07)	0.00	(0.02)	0.00	(0.24)	0.25	(0.23)	(0.27)	(0.55)	(0.21)	(0.14)	(0.12)
1999	Wet	(0.11)	(0.34)	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.04)
2000	Above Normal	0.03	0.00	0.00	0.00	0.01	(0.34)	(0.16)	(0.08)	0.08	0.20	0.08	(0.02)	(0.02)
2001	Dry	(0.11)	(0.12)	(0.22)	(0.29)	(0.24)	(0.07)	0.02	0.03	0.03	0.04	0.05	0.03	(0.07)
2002	Dry	0.04	0.04	0.02	0.02	(0.01)	(0.01)	(0.04)	(0.05)	(0.05)	(0.06)	(0.42)	0.05	(0.04)
2003	Above Normal	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.05
	Average	(0.26)	(0.45)	(0.16)	0.01	0.10	(0.12)	(0.11)	(0.21)	(0.05)	(0.19)	(0.17)	(0.20)	(0.15)
	Wet	(0.52)	(0.95)	(0.22)	(0.08)	(0.08)	(0.26)	0.18	(0.27)	(0.10)	(0.46)	(0.52)	(0.18)	(0.29)
	Above Normal	(0.13)	(0.11)	(0.10)	0.32	0.46	(0.10)	(0.72)	(0.68)	(0.51)	(0.49)	(0.68)	(0.57)	(0.28)
	Below Normal	0.01	(0.50)	0.03	(0.36)	(0.37)	(0.74)	(0.17)	(0.14)	(0.10)	(0.05)	(0.10)	(0.11)	(0.22)
	Dry	(0.37)	(0.21)	(0.35)	0.25	0.55	0.30	(0.08)	(0.07)	0.23	0.04	0.07	(0.19)	0.02
	Critical	0.02	0.02	(0.02)	(0.02)	(0.00)	0.28	(0.10)	0.11	0.17	0.17	0.65	0.02	0.11

Percent Difference in Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	38%	-7%	6%	5%	6%	37%	5%
1935	Below Normal	0%	8%	12%	0%	0%	-1%	-3%	-1%	0%	2%	1%	-1%
1936	Below Normal	-2%	-3%	-5%	-11%	-8%	-1%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-3%	0%	-23%	2%	1%	-3%	1%	1%	1%
1939	Dry	2%	1%	2%	7%	-4%	-15%	-15%	-15%	-72%	-2%	4%	-12%
1940	Above Normal	12%	3%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	-1%	-1%	-1%	-1%	-1%
1944	Dry	-5%	-2%	5%	-7%	-7%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-14%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	1%	0%	0%
1947	Dry	0%	-1%	-2%	-3%	0%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-4%	-3%	-2%	0%	1%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-15%	-14%	-14%	-14%
1953	Wet	-14%	-11%	-16%	2%	25%	59%	5%	6%	54%	-2%	-1%	-3%
1954	Above Normal	-4%	-2%	1%	27%	33%	10%	0%	0%	4%	2%	-1%	-1%
1955	Dry	-1%	-2%	-2%	-3%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-14%	-11%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-1%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	4%	-9%	5%	-8%	-8%	-2%	0%	0%	1%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	-2%	2%	-8%	2%	1%	2%
1970	Wet	4%	0%	2%	0%	0%	-13%	8%	-1%	-1%	-1%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	1%	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	-2%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1978	Above Normal	-3%	0%	0%	0%	0%	-7%	-4%	-3%	1%	4%	1%	-1%
1979	Below Normal	-2%	-5%	-8%	-17%	-15%	-6%	-4%	-4%	-4%	-4%	-4%	-4%
1980	Above Normal	-7%	-5%	-5%	12%	0%	0%	-20%	-15%	-14%	-14%	-14%	-14%
1981	Dry	-15%	-2%	-21%	33%	78%	57%	10%	11%	112%	1%	1%	-2%
1982	Wet	-1%	-1%	1%	5%	3%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	-3%	0%	0%	0%	0%	-8%	-4%	0%	-5%	1%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-16%	-1%	4%	0%	0%	0%	0%	0%
1987	Dry	0%	-10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-3%	1%
1990	Critical	1%	1%	0%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	4%	0%	-5%	-5%	0%	0%	0%	0%	1%	0%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	1%	0%	0%	0%
1995	Wet	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-5%	-4%	3%
1996	Wet	-22%	-65%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	1%	-1%	-1%	-1%	0%	0%
1999	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-1%	-3%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	-1%	0%
2003	Above Normal	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-1%	-1%	0%	0%	1%	1%	0%	0%	1%	0%	0%	0%
	Wet	-1%	-3%	-1%	0%	0%	1%	1%	-1%	1%	-1%	-1%	-1%
	Above Normal	1%	0%	-1%	3%	3%	0%	-2%	-2%	-1%	-1%	-1%	-1%
	Below Normal	0%	-1%	0%	-3%	-2%	-2%	0%	0%	0%	0%	0%	0%
	Dry	-1%	-1%	-1%	1%	4%	2%	0%	0%	2%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	3%	-1%	0%	1%	1%	3%	0%

Energy Use (GWh) At Pumping Plant at SWP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	58.18	45.80	0.00	14.46	0.00	0.00	14.97	21.37	22.23	33.84	210.85
1923	Below Normal	11.59	0.00	25.03	0.00	0.00	0.00	0.00	0.00	0.00	14.29	21.29	37.63	109.83
1924	Critical	8.86	2.64	11.23	34.36	21.62	0.00	0.00	0.00	0.00	26.04	0.00	0.00	104.75
1925	Dry	19.31	34.77	54.12	55.13	32.11	33.67	0.00	0.00	0.00	11.94	0.00	33.33	274.38
1926	Dry	0.90	0.41	14.12	49.63	16.95	0.00	0.00	0.00	0.00	21.12	0.00	9.84	112.97
1927	Wet	0.00	71.32	36.42	34.66	32.28	0.00	0.00	0.00	0.00	19.06	21.47	36.72	251.93
1928	Above Normal	0.00	0.00	66.39	29.05	0.00	38.53	0.00	0.00	0.00	4.72	6.31	22.52	167.52
1929	Critical	0.00	0.00	18.87	23.64	20.64	27.82	1.33	0.00	0.00	0.00	0.00	0.34	92.64
1930	Dry	0.22	0.06	33.25	34.05	29.18	34.92	0.00	0.00	0.00	36.84	3.51	59.94	231.97
1931	Critical	0.82	4.38	6.46	54.20	30.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	96.18
1932	Dry	0.00	11.07	104.92	57.05	110.45	11.07	0.00	0.00	0.00	0.00	8.59	0.00	303.15
1933	Critical	1.06	0.50	37.17	117.68	7.70	0.68	0.00	0.00	0.00	0.00	0.00	0.00	164.79
1934	Critical	0.00	3.14	61.69	106.65	71.62	9.95	0.00	0.00	0.00	0.00	0.00	0.39	253.44
1935	Below Normal	0.23	15.59	41.19	66.04	72.24	39.93	0.00	0.00	0.00	12.54	18.28	34.42	300.46
1936	Below Normal	13.66	3.35	19.79	23.25	129.21	28.97	0.00	0.00	0.00	14.01	17.02	32.43	281.69
1937	Below Normal	17.15	0.00	60.46	54.05	37.63	0.72	0.00	0.00	0.00	0.00	0.00	0.00	170.01
1938	Wet	0.00	38.32	26.04	99.30	74.41	36.27	0.00	0.00	0.00	0.00	0.00	10.21	284.55
1939	Dry	0.00	0.00	44.15	17.43	0.49	0.00	0.00	0.00	0.00	0.49	0.43	0.32	63.31
1940	Above Normal	0.18	0.05	0.01	27.02	40.05	58.97	0.00	0.00	0.00	0.47	6.02	24.03	156.80
1941	Wet	0.54	0.00	25.03	40.63	80.84	71.22	0.00	0.00	0.00	11.44	12.38	18.09	260.17
1942	Wet	0.00	0.00	11.49	11.82	10.15	10.18	0.00	0.00	0.00	15.85	20.05	25.41	104.95
1943	Wet	2.68	0.00	27.92	35.37	29.10	70.66	0.00	0.00	0.00	0.00	2.92	11.91	180.56
1944	Dry	0.00	0.00	23.76	31.32	34.08	15.09	0.00	0.00	0.00	23.63	4.17	0.00	132.05
1945	Below Normal	3.69	67.83	43.73	51.83	55.92	7.78	0.00	0.00	0.00	12.20	15.10	28.53	286.61
1946	Below Normal	20.52	54.08	40.22	0.53	0.00	0.00	0.00	0.00	0.00	21.16	22.73	40.99	200.23
1947	Dry	23.54	23.29	38.66	26.67	23.38	0.00	0.00	0.00	0.00	8.83	0.00	22.16	166.53
1948	Below Normal	5.13	0.27	0.00	5.01	0.00	19.02	0.00	0.00	0.42	8.12	14.80	26.87	79.64
1949	Dry	1.56	1.38	35.55	47.32	43.86	10.70	0.00	0.00	0.00	3.54	0.00	22.32	166.23
1950	Below Normal	0.00	0.06	0.00	26.02	28.02	36.47	0.00	0.00	0.00	4.31	12.29	27.38	134.55
1951	Above Normal	34.05	68.80	110.47	12.84	0.11	0.71	0.00	0.00	0.00	5.43	13.67	32.70	278.78
1952	Wet	0.00	14.73	15.10	14.94	0.00	51.08	0.00	0.00	0.00	0.00	0.83	19.04	115.72
1953	Wet	0.00	0.00	47.17	0.00	5.59	20.83	0.00	0.00	0.00	11.06	18.48	31.96	135.09
1954	Above Normal	0.00	0.00	36.93	24.63	2.24	24.65	0.00	0.00	0.00	0.52	12.85	27.10	128.92
1955	Dry	0.59	13.50	82.32	55.76	37.91	12.89	0.00	0.00	0.00	21.70	0.00	0.00	224.67
1956	Wet	0.00	25.73	71.42	105.70	0.09	0.71	0.00	0.00	0.00	9.96	11.02	21.57	246.20
1957	Above Normal	0.00	0.00	56.14	16.85	0.00	0.08	0.00	0.00	0.00	0.50	11.07	24.16	108.80
1958	Wet	44.35	4.20	26.31	36.95	3.43	61.39	0.00	0.00	0.00	0.00	0.00	9.08	185.71
1959	Below Normal	0.00	0.00	24.83	8.48	13.89	22.93	0.00	0.00	0.00	8.47	14.03	31.48	124.11
1960	Dry	1.84	0.00	1.14	46.82	28.28	19.17	0.00	0.00	0.00	0.97	0.00	21.15	119.37
1961	Dry	0.00	10.16	62.04	44.45	17.47	39.15	0.00	0.00	0.00	9.95	0.00	0.28	183.50
1962	Below Normal	0.18	0.05	0.00	27.91	37.11	34.61	0.00	0.00	0.00	6.21	11.72	24.37	142.16
1963	Wet	48.86	64.74	25.26	0.00	0.00	1.70	0.00	0.00	0.00	21.29	26.37	44.59	232.81
1964	Dry	13.30	29.30	49.07	32.56	0.00	0.00	0.00	0.00	0.00	15.06	0.00	29.01	168.30
1965	Wet	0.00	4.40	17.13	40.56	0.00	9.62	0.00	0.00	0.00	14.06	17.73	26.59	130.09
1966	Below Normal	0.00	15.08	79.73	6.00	0.00	0.00	0.00	0.00	0.00	12.15	16.99	36.44	166.39
1967	Wet	4.65	23.41	44.58	53.51	0.00	8.30	0.00	0.00	0.00	0.00	0.00	11.08	145.53
1968	Below Normal	0.00	0.00	32.25	25.44	0.00	20.45	0.00	0.00	0.00	7.28	14.11	31.02	130.55
1969	Wet	0.62	24.56	85.80	33.55	61.48	0.65	1.54	2.78	0.00	0.00	0.00	12.66	223.64
1970	Wet	0.00	0.00	2.22	85.35	15.67	2.60	0.00	0.00	0.00	21.37	19.43	7.79	154.43
1971	Wet	0.00	38.84	15.44	0.00	0.00	2.92	0.00	0.00	0.00	13.74	21.02	38.10	130.06
1972	Below Normal	4.68	0.00	82.64	31.95	0.00	0.00	0.00	0.00	0.00	9.76	17.65	36.41	183.09
1973	Above Normal	21.73	69.08	33.00	41.44	0.12	0.56	0.00	0.00	0.00	14.68	16.96	29.98	227.55
1974	Wet	18.62	56.23	21.89	6.31	0.00	0.00	0.00	0.00	0.00	11.74	13.04	25.47	153.30
1975	Wet	11.67	0.00	61.62	2.48	1.82	19.13	0.00	0.00	0.00	13.24	15.22	25.47	150.65
1976	Critical	19.32	0.00	61.63	18.84	0.07	10.36	0.00	0.00	0.00	6.25	0.00	25.81	142.28
1977	Critical	0.00	0.00	0.00	16.62	4.01	0.00	0.00	0.19	0.52	0.50	0.45	0.30	22.59
1978	Above Normal	0.19	0.05	0.01	32.49	57.09	23.06	0.00	0.00	0.00	18.01	20.81	36.78	188.49
1979	Below Normal	0.00	0.00	65.11	40.25	57.44	4.88	0.00	0.00	0.00	17.42	20.51	34.30	239.91
1980	Above Normal	19.53	3.07	69.03	41.75	0.13	0.65	0.00	0.00	0.00	0.00	0.00	10.78	144.94
1981	Dry	0.00	0.00	28.88	26.57	20.43	8.02	0.00	0.00	0.00	5.56	0.00	13.17	102.63
1982	Wet	0.39	48.54	25.67	24.88	74.67	73.35	8.13	0.00	0.00	0.00	0.00	15.41	271.04
1983	Wet	36.53	41.30	67.41	0.00	0.12	0.67	1.24	2.54	2.78	3.45	0.00	18.34	174.38
1984	Wet	1.41	0.35	0.04	0.00	0.10	0.84	0.00	0.00	0.00	12.13	20.50	6.76	42.13
1985	Dry	14.87	59.26	60.23	0.00	0.11	0.00	0.00	0.00	0.00	17.82	0.00	30.02	182.31
1986	Wet	16.50	35.68	21.97	5.52	90.82	0.81	0.00	0.00	0.00	0.00	0.00	12.93	184.23
1987	Dry	0.00	0.00	24.61	29.71	27.19	20.42	0.00	0.00	0.00	0.00	0.00	5.79	107.72
1988	Critical	0.00	2.81	38.24	34.93	2.38	14.07	0.00	0.00	0.00	24.55	0.00	0.00	116.98
1989	Dry	0.00	39.80	39.25	52.17	5.83	3.34	0.00	0.00	0.00	1.60	0.00	25.67	167.66
1990	Critical	7.42	0.00	20.24	28.12	12.72	0.00	0.00	0.00	0.00	37.12	0.00	0.00	105.62
1991	Critical	0.00	0.91	4.32	5.02	11.43	7.39	0.00	0.00	0.00	36.17	0.00	0.00	65.24
1992	Critical	3.35	0.00	16.21	14.37	18.85	26.48	0.00	0.00	0.00	0.00	0.00	3.93	83.19
1993	Above Normal	0.00	0.05	30.34	44.39	10.56	5.02	0.00	0.00	0.00	9.20	14.03	25.25	138.84
1994	Critical	3.83	0.00	57.22	33.28	28.88	4.19	0.00	0.00	0.00	1.52	0.00	0.32	129.24
1995	Wet	0.18	0.03	0.00	31.09	12.48	87.48	0.00	1.52	0.00	0.00	2.38	19.04	154.20
1996	Wet	0.00	0.00	0.01	11.68	84.97	52.13	0.00	0.00	0.00	15.91	17.84	27.69	210.23
1997	Wet	0.00	0.00	72.09	80.87	71.06	36.20	0.00	0.00	0.00	0.00	6.39	19.37	285.98
1998	Wet	0.00	0.00	37.75	10.09	58.27	46.10	0.00	0.00	11.09	15.06	20.33	34.30	232.99
1999	Wet	53.72	45.74	0.00	0.00	0.06	0.56	0.00	0.00	0.00	21.34	24.71	0.00	146.13
2000	Above Normal	0.00	0.00	62.17	2.53	23.39	44.47	0.00	0.00	0.00	6.33	14.56	28.88	182.33
2001	Dry	0.00	0.00	71.73	40.49	29.01	28.73	0.00	0.00	0.00	0.00	0.00	8.48	178.44
2002	Dry	0.00	28.20	49.26	38.86	49.40	17.02	0.00	0.00	0.00	10.26	0.00	12.76	205.76
2003	Above Normal	0.00	0.06	0.01	25.93	32.33	26.41	0.00	0.00	0.48	8.55	16.77	29.19	139.73
	Average	6.27	13.43	36.27	32.32	24.89	17.97	0.15	0.09	0.37	9.63	8.31	19.54	169.24
	Wet	9.26	20.70	30.22	29.43	27.21	25.59	0.42	0.26	0.53	8.87	11.24	20.37	184.10
	Above Normal	6.31	11.76	43.56	28.73	13.84	19.80	0.00	0.00	1.29	7.48	12.94	27.10	172.80
	Below Normal	5.49	11.17	36.78	26.20	30.82	15.41	0.00	0.00	0.03	10.57	15.47	30.16	182.09
	Dry	4.23	13.96	45.39	38.11	28.12	14.12	0.00	0.00	0.00	10.52	0.93	16.35	171.72
	Critical	3.72	1.20	27.77	40.64	19.19	8.41	0.11	0.02	0.04	11.01	0.04	2.59	114.75

Energy Use (GWh) At Pumping Plant at SWP San Luis: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	58.18	45.80	0.00	14.41	0.00	0.00	14.93	20.82	22.00	33.80	209.94
1923	Below Normal	11.59	0.00	25.04	0.00	0.00	0.00	0.00	0.00	0.00	14.16	21.21	37.52	109.52
1924	Critical	8.89	2.68	11.32	34.53	21.78	0.00	0.00	0.00	0.00	26.03	0.00	0.00	105.23
1925	Dry	19.27	34.74	54.11	55.13	32.12	34.07	0.00	0.00	0.00	11.88	0.00	33.27	274.59
1926	Dry	0.90	0.41	14.08	49.61	16.96	0.00	0.00	0.00	0.00	21.16	0.00	9.66	112.78
1927	Wet	0.00	71.34	36.44	34.66	32.31	0.00	0.00	0.00	0.00	19.06	21.47	36.71	251.99
1928	Above Normal	0.00	0.00	66.38	29.05	0.00	38.53	0.00	0.00	0.00	4.72	6.31	22.51	167.50
1929	Critical	0.00	0.00	18.85	23.64	20.64	27.82	1.34	0.00	0.00	0.00	0.00	0.34	92.63
1930	Dry	0.22	0.06	33.23	34.05	29.18	34.95	0.00	0.00	0.00	36.85	3.51	59.95	232.00
1931	Critical	0.82	4.37	6.45	54.20	30.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	96.15
1932	Dry	0.00	11.06	104.92	57.05	110.54	11.09	0.00	0.00	0.00	0.00	8.59	0.00	303.25
1933	Critical	1.05	0.50	35.48	117.50	9.58	0.68	0.00	0.00	0.00	0.00	0.00	0.00	164.79
1934	Critical	0.00	3.10	105.89	111.73	72.84	1.56	0.00	0.00	0.00	0.00	0.00	0.39	295.51
1935	Below Normal	0.23	13.09	37.98	62.32	71.58	39.76	0.00	0.00	0.00	10.92	17.67	34.61	288.16
1936	Below Normal	11.76	4.74	16.12	34.01	131.92	28.13	0.00	0.00	0.00	14.03	17.03	32.44	290.18
1937	Below Normal	17.14	0.00	60.52	54.25	37.33	0.72	0.00	0.00	0.00	0.00	0.00	0.00	169.96
1938	Wet	0.00	37.54	13.37	92.86	73.05	63.74	0.00	0.00	0.00	0.00	0.00	8.46	289.02
1939	Dry	0.00	0.00	35.06	13.10	2.36	0.00	0.00	0.00	0.00	2.54	0.00	0.32	53.38
1940	Above Normal	0.18	0.05	0.01	27.53	40.20	59.36	0.00	0.00	0.00	0.48	6.01	24.03	157.85
1941	Wet	0.54	0.00	25.34	40.76	78.77	71.33	0.00	0.00	0.00	10.92	12.05	17.70	257.41
1942	Wet	0.00	0.00	11.68	11.79	8.83	10.49	0.00	0.00	0.00	15.79	20.03	25.40	104.01
1943	Wet	2.68	0.00	27.96	29.51	29.87	70.45	0.00	0.00	0.00	0.00	3.26	11.73	175.46
1944	Dry	0.00	0.00	21.21	32.75	35.46	15.55	0.00	0.00	0.00	23.58	4.74	0.00	133.29
1945	Below Normal	3.67	67.52	43.68	51.75	50.37	14.24	0.00	0.00	0.00	12.02	14.97	28.42	286.64
1946	Below Normal	20.52	54.01	40.12	0.55	0.00	0.00	0.00	0.00	0.00	20.60	22.41	40.81	199.02
1947	Dry	22.96	23.68	39.44	27.62	22.06	0.00	0.00	0.00	0.00	8.63	0.00	22.03	166.42
1948	Below Normal	4.02	0.14	0.00	5.98	0.00	19.33	0.00	0.00	0.42	8.07	14.77	26.79	79.52
1949	Dry	1.56	1.10	35.25	47.29	43.85	10.74	0.00	0.00	0.00	3.40	0.00	22.31	165.50
1950	Below Normal	0.00	0.06	0.00	26.02	28.02	36.48	0.00	0.00	0.00	4.31	12.29	27.39	134.57
1951	Above Normal	34.04	68.80	97.53	26.65	0.11	0.71	0.00	0.00	0.00	5.37	13.62	33.15	279.98
1952	Wet	0.00	14.68	15.06	13.67	0.00	50.48	0.00	0.00	0.00	8.60	16.53	32.26	151.28
1953	Wet	0.00	0.00	61.91	0.00	0.00	0.00	0.00	0.00	0.00	12.10	19.55	35.04	128.60
1954	Above Normal	0.00	0.00	41.93	22.70	0.00	21.55	0.00	0.00	0.00	0.00	13.31	27.81	127.30
1955	Dry	0.61	14.26	83.29	56.35	37.50	12.17	0.00	0.00	0.00	19.66	0.00	0.00	223.84
1956	Wet	0.00	24.18	56.50	114.44	14.85	0.71	0.00	0.00	0.00	9.78	10.83	21.33	252.62
1957	Above Normal	0.00	0.00	55.91	16.79	0.00	1.04	0.00	0.00	0.00	0.50	11.02	24.09	109.35
1958	Wet	44.23	4.11	26.24	36.94	3.47	61.41	0.00	0.00	0.00	0.00	0.00	8.61	185.01
1959	Below Normal	0.00	0.00	24.91	8.46	13.93	22.96	0.00	0.00	0.00	8.48	14.03	31.48	124.25
1960	Dry	1.84	0.00	1.14	46.79	28.26	19.23	0.00	0.00	0.00	0.97	0.00	21.18	119.41
1961	Dry	0.00	10.18	62.03	44.43	17.45	39.14	0.00	0.00	0.00	9.83	0.00	0.28	183.34
1962	Below Normal	0.18	0.05	0.00	27.92	37.11	34.60	0.00	0.00	0.00	6.21	11.72	24.37	142.16
1963	Wet	48.87	64.74	25.26	0.00	0.00	1.70	0.00	0.00	0.00	21.26	26.36	44.59	232.78
1964	Dry	13.31	29.30	49.09	32.49	0.00	0.00	0.00	0.00	0.00	15.09	0.00	29.02	168.30
1965	Wet	0.00	4.40	17.12	40.39	0.00	9.50	0.00	0.00	0.00	13.88	17.67	26.65	129.61
1966	Below Normal	0.00	15.07	79.72	6.03	0.00	0.00	0.00	0.00	0.00	12.15	16.99	36.45	166.41
1967	Wet	4.66	23.40	44.58	53.50	0.00	8.26	0.00	0.00	0.00	0.00	0.00	9.79	144.19
1968	Below Normal	0.00	0.00	29.23	27.54	0.06	21.14	0.00	0.00	0.00	7.10	13.93	30.84	129.84
1969	Wet	0.62	24.27	85.54	25.56	71.00	0.65	0.00	9.99	6.63	2.48	0.00	12.24	238.98
1970	Wet	0.00	0.00	0.53	84.48	15.81	21.87	0.00	0.00	0.00	21.65	19.79	10.58	174.71
1971	Wet	0.00	39.26	15.87	0.00	0.00	2.14	0.00	0.00	0.00	14.06	21.27	38.48	131.08
1972	Below Normal	4.68	0.00	82.44	31.08	0.00	0.00	0.00	0.00	0.00	9.78	17.65	36.41	182.04
1973	Above Normal	21.70	69.01	32.88	41.44	0.12	0.56	0.00	0.00	0.00	14.62	15.64	29.92	225.89
1974	Wet	18.62	56.23	21.89	4.14	0.00	0.00	0.00	0.00	0.00	11.68	13.13	25.63	151.32
1975	Wet	11.86	0.00	61.82	2.09	1.69	18.95	0.00	0.00	0.00	13.32	15.29	25.54	150.56
1976	Critical	19.40	0.00	61.74	18.87	0.07	10.30	0.00	0.00	0.00	6.25	0.00	25.68	142.31
1977	Critical	0.00	0.00	0.00	16.59	4.01	0.00	0.00	0.22	0.52	0.50	0.45	0.30	22.59
1978	Above Normal	0.19	0.05	0.01	32.39	47.97	18.25	0.00	0.00	0.00	11.41	14.84	26.73	151.84
1979	Below Normal	0.00	0.00	49.19	43.93	59.39	8.35	0.00	0.00	0.00	21.26	24.52	37.75	244.39
1980	Above Normal	19.23	14.68	75.79	28.23	0.13	0.65	0.00	0.00	0.00	11.18	8.97	9.51	168.37
1981	Dry	0.00	0.00	53.98	19.86	0.00	0.00	0.00	0.00	0.00	4.54	0.00	14.45	92.83
1982	Wet	1.10	49.27	25.31	23.15	72.98	72.96	8.13	0.00	0.00	0.00	0.00	15.10	268.00
1983	Wet	35.35	39.44	69.80	0.00	0.12	0.67	1.24	2.54	2.78	3.45	0.00	11.82	167.21
1984	Wet	1.42	0.35	0.04	0.00	0.10	0.84	0.00	0.00	0.00	12.13	20.50	6.76	42.14
1985	Dry	14.86	59.26	60.24	0.00	0.11	0.00	0.00	0.00	0.00	17.82	0.00	30.02	182.31
1986	Wet	16.50	35.67	21.97	5.52	70.27	22.22	0.00	0.00	0.00	0.00	0.00	12.09	184.24
1987	Dry	0.00	0.00	24.21	29.62	27.09	20.33	0.00	0.00	0.00	0.00	0.00	5.77	107.02
1988	Critical	0.00	2.82	38.48	34.98	2.37	14.10	0.00	0.00	0.00	23.56	0.00	0.00	116.31
1989	Dry	0.00	39.39	39.14	52.12	5.85	3.42	0.00	0.00	0.00	1.39	0.00	25.26	166.57
1990	Critical	7.20	0.00	19.95	28.52	12.99	0.00	0.00	0.00	0.00	36.72	0.00	0.00	105.38
1991	Critical	0.00	0.89	4.15	4.72	11.23	7.35	0.00	0.00	0.00	35.90	0.00	0.00	64.24
1992	Critical	3.27	0.00	16.03	13.99	18.80	26.40	0.00	0.00	0.00	0.00	0.00	4.15	82.64
1993	Above Normal	0.00	0.05	30.82	44.71	10.53	4.80	0.00	0.00	0.00	9.37	14.16	25.33	139.77
1994	Critical	3.83	0.00	57.80	33.08	28.71	4.18	0.00	0.00	0.00	1.55	0.00	0.32	129.47
1995	Wet	0.18	0.03	0.00	31.06	12.45	86.51	0.00	0.00	0.00	0.00	4.38	12.20	146.81
1996	Wet	0.00	0.07	0.01	11.72	85.24	50.39	0.00	0.00	0.00	15.95	17.97	27.86	209.21
1997	Wet	0.00	0.00	72.20	80.76	71.03	35.83	0.00	0.00	0.00	0.00	6.38	19.36	285.56
1998	Wet	0.00	0.00	37.73	10.10	58.08	46.25	0.00	0.00	11.50	16.02	20.67	34.50	234.85
1999	Wet	53.85	46.37	0.00	0.00	0.06	0.56	0.00	0.00	0.00	21.35	24.72	0.00	146.91
2000	Above Normal	0.00	0.00	62.17	2.53	21.39	44.29	0.00	0.00	0.00	6.04	14.40	28.74	179.56
2001	Dry	0.00	0.00	70.61	41.02	29.49	28.85	0.00	0.00	0.00	0.00	0.00	8.42	178.39
2002	Dry	0.00	28.10	49.19	38.81	49.35	17.01	0.00	0.00	0.00	10.33	0.00	13.45	206.24
2003	Above Normal	0.00	0.06	0.01	25.93	32.33	26.41	0.00	0.00	0.48	8.55	16.77	29.19	139.73
	Average	6.21	13.52	36.48	32.21	24.43	18.33	0.13	0.16	0.45	9.80	8.60	19.48	169.81
	Wet	9.25	20.59	29.78	28.73	26.92	27.23	0.36	0.48	0.80	9.36	11.99	20.40	185.91
	Above Normal	6.28	12.73	43.47	28.65	12.73	19.21	0.00	0.00	1.28	7.76	13.09	26.23	171.42
	Below Normal	5.27	11.05	34.93	27.13	30.69	16.12	0.00	0.00	0.03	10.65	15.66	30.38	181.90
	Dry	4.20	13.97	46.12	37.67	27.09	13.70	0.00	0.00	0.00	10.43	0.94	16.41	170.53
	Critical	3.71	1.20	31.35	41.03	19.44	7.70	0.11	0.02	0.04	10.88	0.04	2.60	118.10

Difference in Energy Use (GWh) At Pumping Plant at SWP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.00	(0.04)	(0.55)	(0.23)	(0.04)	(0.08)
1923	Below Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.08)	(0.11)	(0.03)
1924	Critical	0.03	0.04	0.09	0.17	0.16	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.04
1925	Dry	(0.04)	(0.03)	(0.01)	0.00	0.01	0.40	0.00	0.00	0.00	(0.06)	0.00	(0.06)	0.02
1926	Dry	0.00	0.00	(0.04)	(0.02)	0.01	0.00	0.00	0.00	0.00	0.04	0.00	(0.18)	(0.02)
1927	Wet	0.00	0.02	0.02	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01
1928	Above Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1929	Critical	0.00	0.00	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	(0.02)	0.00	0.00	0.03	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1931	Critical	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	(0.01)	0.00	0.00	0.09	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1933	Critical	(0.01)	0.00	(1.69)	(0.18)	1.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	(0.04)	44.20	5.08	1.22	(8.39)	0.00	0.00	0.00	0.00	0.00	0.00	3.51
1935	Below Normal	0.00	(2.50)	(3.21)	(3.72)	(0.66)	(0.17)	0.00	0.00	0.00	(1.62)	(0.61)	0.19	(1.03)
1936	Below Normal	(1.90)	1.39	(3.67)	10.76	2.71	(0.84)	0.00	0.00	0.00	0.02	0.01	0.01	0.71
1937	Below Normal	(0.01)	0.00	0.06	0.20	(0.30)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	(0.78)	(12.67)	(6.44)	(1.36)	27.47	0.00	0.00	0.00	0.00	0.00	(1.75)	0.37
1939	Dry	0.00	0.00	(9.09)	(4.33)	1.87	0.00	0.00	0.00	0.00	2.05	(0.43)	0.00	(0.83)
1940	Above Normal	0.00	0.00	0.00	0.51	0.15	0.39	0.00	0.00	0.00	0.01	(0.01)	0.00	0.09
1941	Wet	0.00	0.00	0.31	0.13	(2.07)	0.11	0.00	0.00	0.00	(0.52)	(0.33)	(0.39)	(0.23)
1942	Wet	0.00	0.00	0.19	(0.03)	(1.32)	0.31	0.00	0.00	0.00	(0.06)	(0.02)	(0.01)	(0.08)
1943	Wet	0.00	0.00	0.04	(5.86)	0.77	(0.21)	0.00	0.00	0.00	0.00	0.34	(0.18)	(0.42)
1944	Dry	0.00	0.00	(2.55)	1.43	1.38	0.46	0.00	0.00	0.00	(0.05)	0.57	0.00	0.10
1945	Below Normal	(0.02)	(0.31)	(0.05)	(0.08)	(5.55)	6.46	0.00	0.00	0.00	(0.18)	(0.13)	(0.11)	0.00
1946	Below Normal	0.00	(0.07)	(0.10)	0.02	0.00	0.00	0.00	0.00	0.00	(0.56)	(0.32)	(0.18)	(0.10)
1947	Dry	(0.58)	0.39	0.78	0.95	(1.32)	0.00	0.00	0.00	0.00	(0.20)	0.00	(0.13)	(0.01)
1948	Below Normal	(1.11)	(0.13)	0.00	0.97	0.00	0.31	0.00	0.00	0.00	(0.05)	(0.03)	(0.08)	(0.01)
1949	Dry	0.00	(0.28)	(0.30)	(0.03)	(0.01)	0.04	0.00	0.00	0.00	(0.14)	0.00	(0.01)	(0.06)
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1951	Above Normal	(0.01)	0.00	(12.94)	13.81	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.05)	0.45	0.10
1952	Wet	0.00	(0.05)	(0.04)	(1.27)	0.00	(0.60)	0.00	0.00	0.00	8.60	15.70	13.22	2.96
1953	Wet	0.00	0.00	14.74	0.00	(5.59)	(20.83)	0.00	0.00	0.00	1.04	1.07	3.08	(0.54)
1954	Above Normal	0.00	0.00	5.00	(1.93)	(2.24)	(3.10)	0.00	0.00	0.00	(0.52)	0.46	0.71	(0.14)
1955	Dry	0.02	0.76	0.97	0.59	(0.41)	(0.72)	0.00	0.00	0.00	(2.04)	0.00	0.00	(0.07)
1956	Wet	0.00	(1.55)	(14.92)	8.74	14.76	0.00	0.00	0.00	0.00	(0.18)	(0.19)	(0.24)	0.53
1957	Above Normal	0.00	0.00	(0.23)	(0.06)	0.00	0.96	0.00	0.00	0.00	0.00	(0.05)	(0.07)	0.05
1958	Wet	(0.12)	(0.09)	(0.07)	(0.01)	0.04	0.02	0.00	0.00	0.00	0.00	0.00	(0.47)	(0.06)
1959	Below Normal	0.00	0.00	0.08	(0.02)	0.04	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.01
1960	Dry	0.00	0.00	0.00	(0.03)	(0.02)	0.06	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1961	Dry	0.00	0.02	(0.01)	(0.02)	(0.02)	(0.01)	0.00	0.00	0.00	(0.12)	0.00	0.00	(0.01)
1962	Below Normal	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.01)	0.00	0.00
1964	Dry	0.01	0.00	0.02	(0.07)	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.01	0.00
1965	Wet	0.00	0.00	(0.01)	(0.17)	0.00	(0.12)	0.00	0.00	0.00	(0.18)	(0.06)	0.06	(0.04)
1966	Below Normal	0.00	(0.01)	(0.01)	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1967	Wet	0.01	(0.01)	0.00	(0.01)	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	(1.29)	(0.11)
1968	Below Normal	0.00	0.00	(3.02)	2.10	0.06	0.69	0.00	0.00	0.00	(0.18)	(0.18)	(0.18)	(0.06)
1969	Wet	0.00	(0.29)	(0.26)	(7.99)	9.52	0.00	(1.54)	7.21	6.63	2.48	0.00	(0.42)	1.28
1970	Wet	0.00	0.00	(1.69)	(0.87)	0.14	19.27	0.00	0.00	0.00	0.28	0.36	2.79	1.69
1971	Wet	0.00	0.42	0.43	0.00	0.00	(0.78)	0.00	0.00	0.00	0.32	0.25	0.38	0.08
1972	Below Normal	0.00	0.00	(0.20)	(0.87)	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	(0.09)
1973	Above Normal	(0.03)	(0.07)	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(1.32)	(0.06)	(0.14)
1974	Wet	0.00	0.00	0.00	(2.17)	0.00	0.00	0.00	0.00	0.00	(0.06)	0.09	0.16	(0.17)
1975	Wet	0.19	0.00	0.20	(0.39)	(0.13)	(0.18)	0.00	0.00	0.00	0.08	0.07	0.07	(0.01)
1976	Critical	0.08	0.00	0.11	0.03	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	(0.13)	0.00
1977	Critical	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	(0.10)	(9.12)	(4.81)	0.00	0.00	0.00	(6.60)	(5.97)	(10.05)	(3.05)
1979	Below Normal	0.00	0.00	(15.92)	3.68	1.95	3.47	0.00	0.00	0.00	3.84	4.01	3.45	0.37
1980	Above Normal	(0.30)	11.61	6.76	(13.52)	0.00	0.00	0.00	0.00	0.00	11.18	8.97	(1.27)	1.95
1981	Dry	0.00	0.00	25.10	(6.71)	(20.43)	(8.02)	0.00	0.00	0.00	(1.02)	0.00	1.28	(0.82)
1982	Wet	0.71	0.73	(0.36)	(1.73)	(1.69)	(0.39)	0.00	0.00	0.00	0.00	0.00	(0.31)	(0.25)
1983	Wet	(1.18)	(1.86)	2.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(6.52)	(0.60)
1984	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	(0.01)	0.00	0.00	(20.55)	21.41	0.00	0.00	0.00	0.00	0.00	(0.84)	0.00
1987	Dry	0.00	0.00	(0.40)	(0.09)	(0.10)	(0.09)	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.06)
1988	Critical	0.00	0.01	0.24	0.05	(0.01)	0.03	0.00	0.00	0.00	(0.99)	0.00	0.00	(0.06)
1989	Dry	0.00	(0.41)	(0.11)	(0.05)	0.02	0.08	0.00	0.00	0.00	(0.21)	0.00	(0.41)	(0.09)
1990	Critical	(0.22)	0.00	(0.29)	0.40	0.27	0.00	0.00	0.00	0.00	(0.40)	0.00	0.00	(0.02)
1991	Critical	0.00	(0.02)	(0.17)	(0.30)	(0.20)	(0.04)	0.00	0.00	0.00	(0.27)	0.00	0.00	(0.08)
1992	Critical	(0.08)	0.00	(0.18)	(0.38)	(0.05)	(0.08)	0.00	0.00	0.00	0.00	0.00	0.22	(0.05)
1993	Above Normal	0.00	0.00	0.48	0.32	(0.03)	(0.22)	0.00	0.00	0.00	0.17	0.13	0.08	0.08
1994	Critical	0.00	0.00	0.58	(0.20)	(0.17)	(0.01)	0.00	0.00	0.00	0.03	0.00	0.00	0.02
1995	Wet	0.00	0.00	0.00	(0.03)	(0.03)	(0.97)	0.00	(1.52)	0.00	0.00	2.00	(6.84)	(0.62)
1996	Wet	0.00	0.07	0.00	0.04	0.27	(1.74)	0.00	0.00	0.00	0.04	0.13	0.17	(0.09)
1997	Wet	0.00	0.00	0.11	(0.11)	(0.03)	(0.37)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.04)
1998	Wet	0.00	0.00	(0.02)	0.01	(0.19)	0.15	0.00	0.00	0.41	0.96	0.34	0.20	0.16
1999	Wet	0.13	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.06
2000	Above Normal	0.00	0.00	0.00	0.00	(2.00)	(0.18)	0.00	0.00	0.00	(0.29)	(0.16)	(0.14)	(0.23)
2001	Dry	0.00	0.00	(1.12)	0.53	0.48	0.12	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00
2002	Dry	0.00	(0.10)	(0.07)	(0.05)	(0.05)	(0.01)	0.00	0.00	0.00	0.07	0.00	0.69	0.04
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.05)	0.09	0.21	(0.11)	(0.46)	0.36	(0.02)	0.07	0.09	0.17	0.30	(0.06)	0.05
	Wet	(0.01)	(0.11)	(0.45)	(0.70)	(0.29)	1.64	(0.06)	0.22	0.27	0.49	0.76	0.03	0.15
	Above Normal	(0.03)	0.96	(0.09)	(0.08)	(1.10)	(0.58)	0.00	0.00	(0.00)	0.27	0.15	(0.87)	(0.11)
	Below Normal	(0.22)	(0.12)	(1.86)	0.93	(0.13)	0.71	0.00	0.00	0.00	0.08	0.19	0.22	(0.02)
	Dry	(0.03)	0.02	0.73	(0.44)	(1.03)	(0.42)	0.00	0.00	0.00	(0.09)	0.01	0.06	(0.10)
	Critical	(0.02)	(0.00)	3.57	0.39	0.26	(0.71)	0.00	0.00	0.00	(0.14)	0.00	0.01	0.28

Percent Difference in Energy Use (GWh) At Pumping Plant at SWP San Luis: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	-1%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1924	Critical	0%	2%	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	-1%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	-1%	0%	-5%	0%	24%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	-1%	72%	5%	2%	-84%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	-16%	-8%	-6%	-1%	0%	0%	0%	0%	-13%	-3%	1%
1936	Below Normal	-14%	41%	-19%	46%	2%	-3%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	-2%	-49%	-6%	-2%	76%	0%	0%	0%	0%	0%	-17%
1939	Dry	0%	0%	-21%	-25%	382%	0%	0%	0%	0%	418%	-100%	0%
1940	Above Normal	0%	0%	0%	2%	0%	1%	0%	0%	0%	2%	0%	0%
1941	Wet	0%	0%	1%	0%	-3%	0%	0%	0%	0%	-5%	-3%	-2%
1942	Wet	0%	0%	2%	0%	-13%	3%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-17%	3%	0%	0%	0%	0%	0%	12%	-2%
1944	Dry	0%	0%	-11%	5%	4%	3%	0%	0%	0%	0%	14%	0%
1945	Below Normal	-1%	0%	0%	0%	-10%	83%	0%	0%	0%	-1%	-1%	0%
1946	Below Normal	0%	0%	0%	4%	0%	0%	0%	0%	0%	-3%	-1%	0%
1947	Dry	-2%	2%	2%	4%	-6%	0%	0%	0%	0%	-2%	0%	-1%
1948	Below Normal	-22%	-48%	0%	19%	0%	2%	0%	0%	0%	-1%	0%	0%
1949	Dry	0%	-20%	-1%	0%	0%	0%	0%	0%	0%	-4%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-12%	108%	0%	0%	0%	0%	0%	-1%	0%	1%
1952	Wet	0%	0%	0%	-9%	0%	-1%	0%	0%	0%	-	>1,000%	69%
1953	Wet	0%	0%	31%	0%	-100%	-100%	0%	0%	0%	9%	6%	10%
1954	Above Normal	0%	0%	14%	-8%	-100%	-13%	0%	0%	0%	-100%	4%	3%
1955	Dry	3%	6%	1%	1%	-1%	-6%	0%	0%	0%	-9%	0%	0%
1956	Wet	0%	-6%	-21%	8%	>1,000%	0%	0%	0%	0%	-2%	-2%	-1%
1957	Above Normal	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	-2%	0%	0%	1%	0%	0%	0%	0%	0%	0%	-5%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	-1%	0%	0%
1966	Below Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-12%
1968	Below Normal	0%	0%	-9%	8%	-	3%	0%	0%	0%	-2%	-1%	-1%
1969	Wet	0%	-1%	0%	-24%	15%	0%	-100%	259%	-	-	0%	-3%
1970	Wet	0%	0%	-76%	-1%	1%	741%	0%	0%	0%	1%	2%	36%
1971	Wet	0%	1%	3%	0%	0%	-27%	0%	0%	0%	2%	1%	1%
1972	Below Normal	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-8%	0%
1974	Wet	0%	0%	0%	-34%	0%	0%	0%	0%	0%	-1%	1%	1%
1975	Wet	2%	0%	0%	-16%	-7%	-1%	0%	0%	0%	1%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	-1%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	16%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-16%	-21%	0%	0%	0%	-37%	-29%	-27%
1979	Below Normal	0%	0%	-24%	9%	3%	71%	0%	0%	0%	22%	20%	10%
1980	Above Normal	-2%	378%	10%	-32%	0%	0%	0%	0%	0%	-	-	-12%
1981	Dry	0%	0%	87%	-25%	-100%	-100%	0%	0%	0%	-18%	0%	10%
1982	Wet	182%	2%	-1%	-7%	-2%	-1%	0%	0%	0%	0%	0%	-2%
1983	Wet	-3%	-5%	4%	0%	0%	0%	0%	0%	0%	0%	0%	-36%
1984	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-23%	>1,000%	0%	0%	0%	0%	0%	-6%
1987	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	-4%	0%	0%
1989	Dry	0%	-1%	0%	0%	0%	2%	0%	0%	0%	-13%	0%	-2%
1990	Critical	-3%	0%	-1%	1%	2%	0%	0%	0%	0%	-1%	0%	0%
1991	Critical	0%	-2%	-4%	-6%	-2%	-1%	0%	0%	0%	-1%	0%	0%
1992	Critical	-2%	0%	-1%	-3%	0%	0%	0%	0%	0%	0%	0%	6%
1993	Above Normal	0%	0%	2%	1%	0%	-4%	0%	0%	0%	2%	1%	0%
1994	Critical	0%	0%	1%	-1%	-1%	0%	0%	0%	0%	2%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	-1%	0%	-100%	0%	0%	84%	-36%
1996	Wet	0%	-	0%	0%	0%	-3%	0%	0%	0%	0%	1%	1%
1997	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	6%	2%	1%
1999	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	-9%	0%	0%	0%	0%	-5%	-1%	0%
2001	Dry	0%	0%	-2%	1%	2%	0%	0%	0%	0%	0%	0%	-1%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	5%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	2%	4%	0%	0%	1%	8%	-1%	2%	0%	3%	0%	0%
	Wet	7%	0%	-4%	-4%	-5%	26%	-4%	6%	0%	0%	4%	0%
	Above Normal	0%	32%	1%	6%	-10%	-3%	0%	0%	0%	-12%	-3%	-3%
	Below Normal	-3%	-2%	-4%	6%	0%	11%	0%	0%	0%	0%	1%	1%
	Dry	0%	-1%	3%	-2%	16%	-5%	0%	0%	0%	21%	-5%	1%
	Critical	0%	0%	5%	0%	2%	-7%	0%	1%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at System Total: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1,094.41	947.92	902.50	287.47	631.37	766.09	675.50	691.90	791.16	829.53	829.57	793.90	9,241.32
1923	Below Normal	643.23	573.98	604.79	898.56	892.07	716.01	578.36	660.09	693.54	831.85	849.84	779.49	8,721.81
1924	Critical	556.80	483.15	427.54	246.81	233.76	220.86	324.48	392.35	397.76	502.67	359.70	315.26	4,461.14
1925	Dry	221.18	210.07	229.82	152.66	168.06	493.53	592.60	758.09	785.55	941.44	890.34	870.32	6,313.66
1926	Dry	601.50	540.44	466.69	182.19	166.66	281.15	447.47	627.94	669.18	807.94	741.77	671.50	6,204.43
1927	Wet	472.39	588.20	423.44	170.77	474.07	813.41	720.34	735.28	758.53	870.22	870.78	842.30	7,739.73
1928	Above Normal	674.43	625.31	760.54	530.79	563.47	500.90	819.75	830.82	844.43	941.07	951.34	920.66	8,963.51
1929	Critical	771.61	695.58	759.19	525.54	488.11	341.40	328.71	426.44	436.59	434.65	403.51	70.62	5,681.95
1930	Dry	222.37	270.56	311.04	146.44	186.99	285.81	500.70	582.64	616.25	749.77	641.69	669.99	5,184.25
1931	Critical	345.45	293.10	237.89	182.70	182.07	228.35	394.38	470.48	483.22	523.85	437.77	379.88	4,159.14
1932	Dry	219.79	193.88	366.51	190.05	371.80	588.99	435.53	577.90	605.83	675.67	715.12	587.33	5,528.40
1933	Critical	429.22	378.25	374.98	296.10	735.57	267.46	392.97	570.25	578.03	641.64	592.67	504.73	5,761.87
1934	Critical	342.91	301.11	360.28	286.37	249.00	257.53	449.07	547.23	557.81	556.45	311.16	37.42	4,256.34
1935	Below Normal	522.01	458.11	412.21	211.22	305.20	383.26	753.63	793.08	819.49	943.53	955.13	900.86	7,457.73
1936	Below Normal	733.38	653.43	649.12	390.96	641.23	1,152.66	718.66	812.42	832.66	943.01	944.72	913.35	9,385.60
1937	Below Normal	796.02	688.90	815.78	600.38	1,036.29	950.69	894.13	979.79	1,027.62	1,095.64	1,095.31	987.32	10,967.87
1938	Wet	916.84	947.98	912.92	769.56	1,056.64	1,169.09	1,010.90	1,103.36	1,095.29	1,129.86	1,128.13	1,076.65	12,317.22
1939	Dry	939.08	832.80	981.25	655.38	662.68	525.41	663.11	764.55	201.80	1,010.44	422.39	888.99	8,547.88
1940	Above Normal	189.25	150.73	821.48	145.11	197.05	500.18	653.87	759.47	624.66	927.95	1,007.45	906.85	6,884.05
1941	Wet	643.31	562.06	529.20	382.29	834.15	933.91	805.78	817.39	848.18	939.30	937.80	885.17	9,118.54
1942	Wet	737.62	647.55	718.85	937.46	935.01	959.29	620.59	668.77	717.69	820.61	830.74	753.67	9,347.85
1943	Wet	566.36	472.15	510.77	759.16	899.26	932.88	883.87	889.90	909.89	1,011.72	1,012.97	965.88	9,814.81
1944	Dry	820.13	37.05	1,119.46	418.18	405.31	351.49	503.73	584.23	618.03	750.12	672.76	556.37	6,836.86
1945	Below Normal	383.75	475.75	343.63	234.03	270.31	1,125.42	711.90	788.85	797.46	918.38	919.46	887.79	7,856.73
1946	Below Normal	784.31	793.14	753.68	924.14	891.70	1,019.88	615.67	641.44	642.92	784.78	786.01	757.01	9,394.68
1947	Dry	617.51	569.15	581.39	472.85	515.05	376.71	813.36	827.10	825.45	949.50	892.49	916.69	8,357.25
1948	Below Normal	783.57	719.17	691.65	451.00	391.07	319.97	398.31	310.49	127.10	1,006.71	1,030.61	925.23	7,154.88
1949	Dry	658.16	591.64	554.10	220.28	241.43	296.48	702.23	788.95	817.96	960.68	564.99	993.18	7,390.08
1950	Below Normal	671.99	334.18	437.76	160.29	175.89	315.13	597.99	681.13	84.55	988.17	1,008.93	905.37	6,361.38
1951	Above Normal	710.57	710.89	674.28	1,040.89	974.17	1,112.56	613.50	718.60	741.03	824.82	846.31	820.35	9,787.97
1952	Wet	658.36	648.30	634.00	940.46	937.62	1,166.53	817.01	943.52	991.85	1,042.36	1,041.13	1,006.71	10,827.85
1953	Wet	850.29	756.00	907.04	919.67	775.72	577.74	552.15	644.13	292.85	896.92	915.26	824.81	8,912.58
1954	Above Normal	549.18	468.92	479.81	174.55	455.92	457.18	623.15	722.05	723.27	860.28	940.81	845.64	7,300.76
1955	Dry	586.67	554.27	595.63	221.99	252.90	369.57	568.15	647.47	649.02	833.60	772.43	667.39	6,719.09
1956	Wet	495.33	509.03	511.52	841.21	1,009.36	1,122.09	726.04	814.98	860.62	938.20	936.61	894.43	9,659.42
1957	Above Normal	742.99	647.79	813.53	627.68	565.86	619.83	645.63	750.46	531.71	955.60	1,010.14	906.19	8,817.41
1958	Wet	747.53	581.57	519.29	168.30	759.05	928.83	1,014.33	1,030.31	1,070.26	1,132.60	1,132.28	1,083.87	10,168.22
1959	Below Normal	948.64	293.30	1,096.45	425.96	461.01	483.41	564.36	634.45	83.32	927.60	943.04	850.72	7,712.26
1960	Dry	587.24	517.60	422.49	176.49	152.03	307.32	707.90	809.94	627.63	1,011.59	796.70	997.43	7,114.36
1961	Dry	711.43	707.47	719.99	250.58	222.53	312.83	577.85	657.88	647.98	829.79	615.85	411.63	6,665.81
1962	Below Normal	17.79	584.31	672.84	148.53	180.84	421.92	614.60	703.71	95.84	1,015.45	1,037.81	929.52	6,423.16
1963	Wet	774.53	729.00	532.03	564.58	653.57	686.13	609.27	651.73	667.55	802.53	809.60	772.34	8,252.86
1964	Dry	593.69	586.28	586.10	491.45	913.67	680.43	668.51	696.42	682.26	841.97	766.71	799.91	8,307.40
1965	Wet	609.84	575.21	577.83	726.59	894.50	844.08	644.49	669.64	457.64	861.09	867.55	810.21	8,538.67
1966	Below Normal	611.12	605.89	698.89	828.81	849.21	654.40	587.24	662.94	685.26	829.48	846.05	779.39	8,638.68
1967	Wet	554.55	532.99	484.86	302.30	880.87	898.51	994.51	1,017.17	1,086.95	1,124.20	1,123.13	1,077.56	10,077.60
1968	Below Normal	941.97	832.22	962.57	497.93	542.17	511.43	573.47	650.28	88.52	941.08	959.11	865.71	8,366.46
1969	Wet	598.54	586.99	608.60	590.16	1,026.30	1,056.00	959.33	1,035.30	1,050.09	1,081.14	1,085.68	1,035.71	10,713.84
1970	Wet	908.23	798.56	843.83	1,117.50	945.13	1,112.13	678.25	706.73	714.46	844.63	839.78	749.83	10,259.06
1971	Wet	639.94	688.65	624.47	898.61	897.27	800.74	589.90	668.23	705.51	835.11	852.07	784.05	8,984.55
1972	Below Normal	557.57	455.37	595.80	393.76	689.17	642.76	618.95	691.15	717.35	864.37	885.91	808.67	7,920.83
1973	Above Normal	602.10	643.83	479.69	241.60	825.70	828.15	654.50	756.53	781.50	886.58	886.87	849.24	8,436.29
1974	Wet	736.03	762.74	683.64	938.59	906.81	1,073.48	942.96	765.94	804.59	895.57	894.46	861.91	10,266.72
1975	Wet	734.74	617.15	781.31	783.44	663.48	976.11	736.44	746.66	788.07	874.85	875.32	842.76	9,420.33
1976	Critical	732.57	598.18	764.49	528.63	514.38	481.22	640.07	735.61	616.29	925.69	650.56	931.21	8,118.90
1977	Critical	642.44	570.33	380.98	119.75	105.22	149.82	243.19	60.16	1.67	49.88	45.18	67.61	2,436.23
1978	Above Normal	17.58	317.18	557.33	152.25	306.49	778.82	710.25	750.53	802.26	897.89	903.55	859.12	7,053.25
1979	Below Normal	673.15	603.97	725.25	503.50	539.20	946.08	761.19	783.91	797.42	908.39	910.12	880.10	9,032.28
1980	Above Normal	766.20	672.60	798.47	774.18	952.19	1,058.45	901.20	996.54	1,045.18	1,116.69	1,117.75	1,072.37	11,271.82
1981	Dry	933.13	688.30	1,028.93	490.98	481.23	426.96	591.57	688.45	95.96	988.37	972.84	868.04	8,254.76
1982	Wet	632.14	691.32	516.81	540.40	834.25	945.55	1,063.44	1,017.75	1,045.58	1,108.39	1,106.61	1,065.71	10,567.95
1983	Wet	1,014.22	955.17	1,002.71	945.72	900.41	1,035.57	927.02	979.45	993.10	1,034.77	1,066.21	1,022.87	11,877.22
1984	Wet	1,044.98	950.12	1,089.45	1,023.08	1,004.36	1,112.34	605.67	715.81	739.28	839.95	850.71	757.54	10,733.29
1985	Dry	685.89	729.80	874.68	780.48	683.85	702.90	684.44	709.49	712.43	841.08	770.01	807.35	8,982.40
1986	Wet	682.51	673.60	637.08	492.65	797.84	1,071.82	939.26	1,023.55	1,047.05	1,133.11	1,130.36	1,085.83	10,714.66
1987	Dry	946.44	273.59	1,095.45	417.96	394.20	280.18	318.79	389.94	393.82	382.00	340.50	328.55	5,561.42
1988	Critical	154.05	133.35	198.17	112.83	138.46	187.64	261.87	303.44	293.91	390.23	267.76	247.17	2,688.88
1989	Dry	119.79	186.16	166.96	152.67	154.67	215.96	760.55	806.73	827.84	941.04	860.22	911.46	6,104.05
1990	Critical	737.02	646.32	667.28	387.08	348.04	270.32	351.70	423.22	423.06	571.09	384.20	359.20	5,568.53
1991	Critical	179.30	147.76	136.33	58.44	122.43	173.28	268.68	299.28	323.72	413.56	266.59	237.14	2,626.51
1992	Critical	135.79	93.53	124.38	64.25	118.62	209.99	333.02	388.47	417.84	391.76	341.76	345.52	2,964.93
1993	Above Normal	114.80	96.27	255.77	170.10	692.50	726.47	639.53	694.97	321.85	929.33	943.87	872.83	6,458.29
1994	Critical	671.52	560.20	661.02	365.41	382.81	436.49	637.40	733.22	477.05	950.99	248.82	567.00	6,691.93
1995	Wet	48.49	444.69	855.63	159.11	553.32	676.67	923.92	1,029.61	1,003.65	1,047.34	1,049.68	1,014.13	8,806.24
1996	Wet	838.50	391.26	699.65	432.49	570.39	819.27	706.76	712.69	741.01	839.44	839.64	807.07	8,398.17
1997	Wet	629.72	557.44	752.44	1,067.06	1,052.72	1,156.73	802.49	825.75	825.23	930.64	946.32	911.55	10,458.09
1998	Wet	738.20	678.71	808.24	611.81	1,039.97	1,150.54	785.68	784.79	862.79	895.80	899.97	868.77	10,125.27
1999	Wet	818.66	861.34	739.44	930.58	970.47	857.92	606.61	711.77	735.91	851.72	853.53	724.10	9,662.05
2000	Above Normal	638.18	556.38	733.51	542.43	915.40	776.57	669.14	724.03	755.26	865.64	892.82	831.53	8,900.89
2001	Dry	617.96	528.86	670.27	368.10	343.95	347.76	465.74	553.63	586.89	632.22	523.18	510.16	6,148.72
2002	Dry	265.46	290.43	283.37	163.20	281.93	376.32	778.72	791.96	789.89	919.12	514.51	941.45	6,396.36
2003	Above Normal	183.34	261.30	790.50	182.59	283.94	411.59	559.83	641.16	94.91	940.18	959.87	861.33	6,170.54
	Average	603.53	543.75	629.02	471.68	581.94	652.46	649.12	709.20	652.74	855.79	806.62	776.79	7,932.64
	Wet	695.84	661.84	688.66	692.83	856.64	956.82	794.89	835.01	838.99	953.16	957.55	904.82	9,837.03
	Above Normal	523.59	508.26	672.28	405.80	613.67	711.40	680.49	753.09	671.44	914.63	940.86	878.33	8,273.84
	Below Normal	647.75	576.55	675.74	476.36	561.81	688.79	642.03	699.55	535.22	928.46	940.86	869.32	8,242.45
	Dry	574.86	461.58	614.12	330.66	366.61	401.10	598.94	681.30	619.65	837.02	693.03	744.32	6,923.18
	Critical	474.89	408.41	424.38	264.49	301.54	268.70	385.46	445.85	417.25	529.37	359.14	338.56	4,618.03

Energy Use (GWh) At Pumping Plant at System Total: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1,094.41	947.92	902.50	287.47	631.39	766.02	675.47	691.90	887.39	954.99	875.42	793.87	9,508.75
1923	Below Normal	643.20	573.90	604.73	897.63	891.52	711.67	578.21	660.45	870.74	848.80	850.60	779.81	8,911.26
1924	Critical	556.57	482.96	426.85	244.61	231.90	220.31	324.57	392.32	397.91	502.83	359.83	315.31	4,455.97
1925	Dry	221.14	210.04	229.83	152.68	167.98	491.82	592.96	758.52	785.95	941.86	890.91	870.69	6,314.38
1926	Dry	601.89	540.80	466.91	182.17	166.50	280.98	447.00	627.57	668.87	807.57	741.52	670.61	6,202.39
1927	Wet	472.07	587.93	423.22	170.78	473.83	813.42	720.35	735.29	874.34	946.51	870.79	842.29	7,930.82
1928	Above Normal	674.43	625.31	760.54	530.76	563.06	500.90	819.78	830.85	844.46	941.08	951.37	920.68	8,963.22
1929	Critical	771.63	695.60	759.18	525.54	488.10	341.35	328.62	426.31	436.45	434.51	403.39	71.11	5,681.79
1930	Dry	222.23	270.48	311.31	146.44	186.97	285.82	500.68	582.63	616.27	749.76	641.65	669.97	5,184.21
1931	Critical	345.41	293.02	237.82	182.71	182.02	228.35	394.27	470.34	483.07	523.55	437.63	379.74	4,157.93
1932	Dry	219.68	193.78	366.47	189.99	371.96	600.82	435.51	577.90	741.19	732.37	715.09	587.29	5,732.05
1933	Critical	429.15	378.17	371.68	295.92	726.24	267.46	392.98	570.26	578.05	641.38	592.63	504.66	5,748.58
1934	Critical	342.86	301.02	448.32	291.45	269.27	336.74	409.61	556.99	571.28	583.93	514.37	36.54	4,662.38
1935	Below Normal	505.93	486.48	443.18	205.01	303.83	380.92	742.65	793.54	823.67	949.87	964.85	903.00	7,502.93
1936	Below Normal	718.45	643.68	617.69	372.42	609.64	1,149.34	718.56	812.29	933.59	1,033.92	944.60	913.23	9,467.41
1937	Below Normal	795.88	688.79	815.81	600.74	1,036.30	950.64	889.19	977.95	1,047.75	1,113.41	1,109.69	1,000.80	11,026.95
1938	Wet	955.45	986.89	908.90	841.31	1,054.91	1,183.91	1,027.23	1,056.24	1,087.48	1,142.77	1,138.55	1,084.20	12,467.84
1939	Dry	978.71	873.20	993.33	806.57	645.17	457.51	579.67	648.66	245.17	938.00	469.94	760.05	8,395.98
1940	Above Normal	222.51	155.70	829.55	145.18	197.58	500.64	654.00	759.64	761.24	983.51	1,007.67	907.06	7,124.28
1941	Wet	643.52	562.52	529.64	382.12	829.82	931.52	803.40	814.84	941.88	1,043.91	999.15	882.27	9,364.59
1942	Wet	735.89	644.79	716.76	937.20	932.36	955.85	620.48	668.87	814.11	978.33	846.50	753.77	9,604.91
1943	Wet	566.24	471.92	510.46	745.84	893.66	926.90	879.77	885.57	964.00	1,073.50	1,073.06	1,021.49	10,012.41
1944	Dry	824.49	29.56	1,125.56	395.11	384.82	344.85	503.65	584.12	615.78	749.96	674.49	556.23	6,788.62
1945	Below Normal	383.63	475.38	343.54	234.01	260.29	1,055.13	712.78	789.96	910.51	1,033.62	962.47	888.76	8,050.08
1946	Below Normal	785.28	794.10	754.61	924.00	891.68	1,015.97	612.84	641.82	834.78	791.98	788.73	757.60	9,593.39
1947	Dry	613.43	566.69	576.28	461.90	516.95	363.98	814.88	829.34	827.68	951.59	894.24	918.75	8,335.71
1948	Below Normal	782.98	721.06	693.69	435.43	376.87	314.93	398.47	316.19	126.58	1,007.10	1,030.58	926.56	7,130.44
1949	Dry	658.96	591.66	551.45	219.83	240.99	296.03	700.15	788.61	818.21	961.40	559.56	995.34	7,382.19
1950	Below Normal	672.85	336.40	469.65	160.29	175.89	315.14	597.99	681.13	84.55	988.17	1,008.93	905.38	6,396.37
1951	Above Normal	710.57	710.90	649.74	1,075.53	977.33	1,112.61	614.17	719.20	891.41	867.65	846.86	822.03	9,998.00
1952	Wet	658.93	648.78	634.50	937.93	941.15	1,165.86	812.66	806.25	945.19	1,032.80	971.31	888.40	10,443.76
1953	Wet	721.43	634.52	800.58	918.74	905.23	833.50	571.44	663.81	690.42	838.03	857.30	780.25	9,215.25
1954	Above Normal	519.93	442.21	476.13	210.95	602.59	488.02	619.95	720.93	765.61	877.93	925.05	831.61	7,480.91
1955	Dry	574.08	543.82	587.22	219.37	256.85	376.17	580.62	662.63	664.80	848.37	790.36	687.16	6,791.45
1956	Wet	502.57	518.97	491.60	750.53	1,023.25	1,127.29	728.49	817.18	966.56	1,047.19	996.13	896.33	9,866.09
1957	Above Normal	745.08	649.83	815.30	628.10	565.79	610.81	645.53	750.15	521.94	955.96	1,011.83	907.74	8,808.06
1958	Wet	748.67	582.63	520.15	168.16	758.60	928.43	1,012.96	1,029.88	1,070.46	1,135.84	1,132.65	1,083.21	10,171.64
1959	Below Normal	974.54	492.43	1,095.88	453.80	461.07	483.59	564.37	634.45	83.32	927.60	943.05	850.73	7,964.83
1960	Dry	587.43	517.60	422.50	176.50	152.04	306.57	708.08	810.04	628.38	1,011.53	799.29	996.69	7,116.65
1961	Dry	710.80	706.98	719.62	250.80	222.75	312.92	577.90	657.95	647.65	829.72	615.62	411.89	6,664.60
1962	Below Normal	17.57	584.02	698.48	148.52	180.83	422.02	614.57	703.67	289.68	1,015.40	1,037.77	929.49	6,642.02
1963	Wet	774.50	728.98	532.01	564.59	653.58	686.14	609.28	651.72	850.27	890.23	809.58	772.34	8,523.22
1964	Dry	593.70	586.24	586.14	492.21	913.68	680.74	668.46	696.30	681.72	841.92	766.62	799.86	8,307.59
1965	Wet	609.77	575.21	577.90	726.61	894.52	844.00	644.38	669.65	650.50	936.78	866.95	809.53	8,805.80
1966	Below Normal	612.02	605.99	699.11	828.42	848.75	654.42	587.25	662.92	685.22	829.43	845.99	779.37	8,638.89
1967	Wet	554.57	533.00	484.92	302.50	880.93	898.70	993.16	1,015.61	1,093.16	1,132.54	1,128.76	1,080.69	10,098.54
1968	Below Normal	971.31	856.19	1,012.30	553.67	500.96	501.46	575.80	653.08	89.38	944.32	962.48	868.68	8,489.63
1969	Wet	601.39	589.18	610.48	572.67	1,044.39	1,057.14	882.24	1,070.45	1,072.90	1,107.11	1,122.11	1,070.83	10,800.89
1970	Wet	968.25	860.40	873.75	1,117.38	948.26	1,126.91	748.83	701.99	867.69	952.23	835.25	751.28	10,752.22
1971	Wet	635.40	684.94	620.75	898.15	897.37	806.70	590.59	667.02	703.72	832.92	849.32	782.99	8,969.87
1972	Below Normal	558.32	456.31	598.48	404.59	692.96	645.73	619.58	691.40	717.48	864.39	885.79	808.85	7,943.88
1973	Above Normal	602.67	644.38	480.62	243.10	825.70	828.20	654.50	756.54	911.38	948.75	885.55	849.20	8,630.59
1974	Wet	736.03	762.75	683.64	934.46	910.49	1,073.34	937.79	763.78	929.54	1,025.38	902.77	859.96	10,519.93
1975	Wet	732.87	614.83	779.59	787.41	664.68	974.51	735.46	745.63	921.84	931.21	874.35	841.83	9,604.21
1976	Critical	731.66	597.31	763.65	528.19	514.28	481.88	641.35	737.17	620.09	927.07	648.89	933.36	8,124.90
1977	Critical	643.89	571.87	370.39	119.69	105.21	149.82	243.20	58.99	1.67	49.64	45.18	67.87	2,427.42
1978	Above Normal	17.55	317.64	566.57	152.15	287.62	721.09	695.74	750.18	906.30	974.23	1,028.72	856.42	7,274.21
1979	Below Normal	658.75	586.24	651.69	434.01	474.35	892.20	731.54	752.11	900.45	1,015.39	881.55	852.53	8,830.81
1980	Above Normal	730.38	665.03	776.83	798.53	963.48	1,059.58	738.07	851.21	985.44	1,063.74	1,062.10	924.41	10,618.80
1981	Dry	793.87	695.35	850.39	621.36	776.44	619.79	643.96	751.55	675.32	944.09	936.79	836.89	9,145.80
1982	Wet	614.46	674.39	506.53	564.21	851.98	944.60	1,063.18	1,012.02	1,061.34	1,124.48	1,120.38	1,077.85	10,615.42
1983	Wet	1,051.61	993.96	1,079.72	955.56	903.94	1,021.26	974.85	926.37	1,016.70	1,033.55	1,094.61	1,034.64	12,086.77
1984	Wet	1,064.54	969.08	889.08	1,002.95	988.30	1,107.03	605.67	715.81	892.10	957.43	850.71	757.54	10,800.24
1985	Dry	685.87	729.80	874.56	780.48	683.85	702.88	684.45	709.49	712.44	841.08	770.00	807.36	8,982.26
1986	Wet	682.51	673.60	637.08	492.66	643.49	1,119.99	986.72	1,025.89	1,047.09	1,135.05	1,131.56	1,086.29	10,661.93
1987	Dry	971.13	406.86	1,095.16	455.44	393.83	279.99	318.70	389.80	394.59	381.81	340.59	328.36	5,756.26
1988	Critical	154.02	133.32	198.36	112.84	138.57	187.66	261.85	306.60	297.27	391.51	270.74	249.76	2,702.50
1989	Dry	121.17	186.78	167.80	152.30	154.37	214.97	758.70	807.06	828.86	942.57	817.77	922.92	6,075.27
1990	Critical	745.96	654.47	672.63	380.41	343.24	269.52	354.01	426.25	426.32	573.90	387.09	362.14	5,595.94
1991	Critical	180.94	148.87	136.94	58.32	122.23	173.32	268.68	299.28	323.68	413.45	266.59	237.12	2,629.42
1992	Critical	135.59	93.53	124.15	63.47	118.57	209.91	328.34	382.33	402.25	394.20	336.03	340.47	2,928.84
1993	Above Normal	121.60	96.45	245.75	166.02	693.30	728.09	640.11	694.71	466.08	1,058.57	943.68	871.36	6,725.72
1994	Critical	671.28	560.16	662.63	368.87	385.75	436.93	636.71	732.39	489.46	947.26	251.03	567.34	6,709.81
1995	Wet	47.08	444.74	868.64	159.09	553.26	675.68	920.66	961.72	1,045.76	957.16	1,092.40	1,063.19	8,789.38
1996	Wet	650.48	24.14	568.19	433.15	570.40	815.80	704.70	710.52	854.61	969.82	858.16	805.11	7,965.08
1997	Wet	626.99	555.18	750.60	1,066.73	1,052.73	1,155.18	802.26	825.64	922.40	1,031.71	1,015.68	911.44	10,716.54
1998	Wet	738.14	678.51	808.11	611.32	1,039.78	1,143.91	790.70	778.62	989.04	1,023.31	897.52	866.35	10,365.31
1999	Wet	816.30	859.24	740.85	930.19	970.47	857.91	606.59	711.76	864.14	968.04	877.65	724.09	9,927.23
2000	Above Normal	638.20	556.37	733.50	542.42	911.62	767.91	667.49	724.71	899.61	916.69	895.39	832.38	9,086.29
2001	Dry	616.49	527.17	662.87	359.84	337.20	345.77	466.13	553.92	587.11	634.32	524.04	510.86	6,125.72
2002	Dry	266.42	291.37	283.81	163.57	281.84	376.25	777.86	791.05	788.98	918.26	502.31	944.84	6,386.56
2003	Above Normal	200.07	263.72	811.37	182.59	283.93	411.58	559.83	641.16	94.91	940.18	959.87	861.32	6,210.53
	Average	600.47	544.10	623.64	475.44	584.99	656.16	646.90	703.42	712.53	884.19	814.49	773.32	8,019.65
	Wet	688.83	648.50	674.91	691.24	856.98	968.29	798.99	824.31	928.36	1,009.53	969.74	904.93	9,964.61
	Above Normal	523.12	506.29	670.70	413.57	625.28	707.95	665.39	740.93	744.65	956.94	949.46	864.84	8,369.11
	Below Normal	648.62	592.93	678.49	475.18	550.35	678.08	638.84	697.93	599.84	954.53	944.08	868.91	8,327.78
	Dry	570.08	470.45	603.96	345.92	380.79	407.66	597.74	679.29	662.72	834.79	691.71	737.54	6,982.65
	Critical	475.75	409.19	431.05	264.34	302.12	275.27	382.02	446.60	418.96	531.94	376.12	338.79	4,652.12

Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.02	(0.07)	(0.03)	0.00	96.23	125.46	45.85	(0.03)	22.29
1923	Below Normal	(0.03)	(0.08)	(0.06)	(0.93)	(0.55)	(4.34)	(0.15)	0.36	177.20	16.95	0.76	0.32	15.79
1924	Critical	(0.23)	(0.19)	(0.69)	(2.20)	(1.86)	(0.55)	0.09	(0.03)	0.15	0.16	0.13	0.05	(0.43)
1925	Dry	(0.04)	(0.03)	0.01	0.02	(0.08)	(1.71)	0.36	0.43	0.40	0.42	0.57	0.37	0.06
1926	Dry	0.39	0.36	0.22	(0.02)	(0.16)	(0.17)	(0.47)	(0.37)	(0.31)	(0.37)	(0.25)	(0.89)	(0.17)
1927	Wet	(0.32)	(0.27)	(0.22)	0.01	(0.24)	0.01	0.01	0.01	115.81	76.29	0.01	(0.01)	15.92
1928	Above Normal	0.00	0.00	0.00	(0.03)	(0.41)	0.00	0.03	0.03	0.03	0.01	0.03	0.02	(0.02)
1929	Critical	0.02	0.02	(0.01)	0.00	(0.01)	(0.05)	(0.09)	(0.13)	(0.14)	(0.14)	(0.12)	0.49	(0.01)
1930	Dry	(0.14)	(0.08)	0.27	0.00	(0.02)	0.01	(0.02)	(0.01)	0.02	(0.01)	(0.04)	(0.02)	0.00
1931	Critical	(0.04)	(0.08)	(0.07)	0.01	(0.05)	0.00	(0.11)	(0.14)	(0.15)	(0.30)	(0.14)	(0.14)	(0.10)
1932	Dry	(0.11)	(0.10)	(0.04)	(0.06)	0.16	11.83	(0.02)	0.00	135.36	56.70	(0.03)	(0.04)	16.97
1933	Critical	(0.07)	(0.08)	(3.30)	(0.18)	(9.33)	0.00	0.01	0.01	0.02	(0.26)	(0.04)	(0.07)	(1.11)
1934	Critical	(0.05)	(0.09)	88.04	5.08	20.27	79.21	(39.46)	9.76	13.47	27.48	203.21	(0.88)	33.84
1935	Below Normal	(16.08)	28.37	30.97	(6.21)	(1.37)	(2.34)	(10.98)	0.46	4.18	6.34	9.72	2.14	3.77
1936	Below Normal	(14.93)	(9.75)	(31.43)	(18.54)	(31.59)	(3.32)	(0.10)	(0.13)	100.93	90.91	(0.12)	(0.12)	6.82
1937	Below Normal	(0.14)	(0.11)	0.03	0.36	0.01	(0.05)	(4.94)	(1.84)	20.13	17.77	14.38	13.48	4.92
1938	Wet	38.61	38.91	(4.02)	71.75	(1.73)	14.82	16.33	(47.12)	(7.81)	12.91	10.42	7.55	12.55
1939	Dry	39.63	40.40	12.08	151.19	(17.51)	(67.90)	(83.44)	(115.89)	43.37	(72.44)	47.55	(128.94)	(12.66)
1940	Above Normal	33.26	4.97	8.07	0.07	0.53	0.46	0.13	0.17	136.58	55.56	0.22	0.21	20.02
1941	Wet	0.21	0.46	0.44	(0.17)	(4.33)	(2.39)	(2.38)	(2.55)	93.70	104.61	61.35	(2.90)	20.50
1942	Wet	(1.73)	(2.76)	(2.09)	(0.26)	(2.65)	(3.44)	(0.11)	0.10	96.42	157.72	15.76	0.10	21.42
1943	Wet	(0.12)	(0.23)	(0.31)	(13.32)	(5.60)	(5.98)	(4.10)	(4.33)	54.11	61.78	60.09	55.61	16.47
1944	Dry	4.36	(7.49)	6.10	(23.07)	(20.49)	(6.64)	(0.08)	(0.11)	(2.25)	(0.16)	1.73	(0.14)	(4.02)
1945	Below Normal	(0.12)	(0.37)	(0.09)	(0.02)	(10.02)	(70.29)	0.88	1.11	113.05	115.24	43.01	0.97	16.11
1946	Below Normal	0.97	0.96	0.93	(0.14)	(0.02)	(3.91)	(2.83)	0.38	191.86	7.20	2.72	0.59	16.56
1947	Dry	(4.08)	(2.46)	(5.11)	(10.95)	1.90	(12.73)	1.52	2.24	2.23	2.09	1.75	2.06	(1.80)
1948	Below Normal	(0.59)	1.89	2.04	(15.57)	(14.20)	(5.04)	0.16	5.70	(0.52)	0.39	(0.03)	1.33	(2.04)
1949	Dry	0.80	0.02	(2.65)	(0.45)	(0.44)	(0.45)	(2.08)	(0.34)	0.25	0.72	(5.43)	2.16	(0.66)
1950	Below Normal	0.86	2.22	31.89	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	2.92
1951	Above Normal	0.00	0.01	(24.54)	34.64	3.16	0.05	0.67	0.60	150.38	42.83	0.55	1.68	17.50
1952	Wet	0.57	0.48	0.50	(2.53)	3.53	(0.67)	(4.35)	(137.27)	(46.66)	(9.56)	(69.82)	(118.31)	(32.01)
1953	Wet	(128.86)	(121.48)	(106.46)	(0.93)	129.51	255.76	19.29	19.68	397.57	(58.89)	(57.96)	(44.56)	25.22
1954	Above Normal	(29.25)	(26.71)	(3.68)	36.40	146.67	30.84	(3.20)	(1.12)	42.34	17.65	(15.76)	(14.03)	15.01
1955	Dry	(12.59)	(10.45)	(8.41)	(2.62)	3.95	6.60	12.47	15.16	15.78	14.77	17.93	19.77	6.03
1956	Wet	7.24	9.94	(19.92)	(90.68)	13.89	5.20	2.45	2.20	105.94	108.99	59.52	1.90	17.22
1957	Above Normal	2.09	2.04	1.77	0.42	(0.07)	(9.02)	(0.10)	(0.31)	(9.77)	0.36	1.69	1.55	(0.78)
1958	Wet	1.14	1.06	0.86	(0.14)	(0.45)	(0.40)	(1.37)	(0.43)	0.20	3.24	0.37	(0.66)	0.29
1959	Below Normal	25.90	199.13	(0.57)	27.84	0.06	0.18	0.01	0.00	0.00	0.00	0.01	0.01	21.05
1960	Dry	0.19	0.00	0.01	0.01	0.01	(0.75)	0.18	0.10	0.75	(0.06)	2.59	(0.74)	0.19
1961	Dry	(0.63)	(0.49)	(0.37)	0.22	0.22	0.09	0.05	0.07	(0.33)	(0.07)	(0.23)	0.26	(0.10)
1962	Below Normal	(0.22)	(0.29)	25.64	(0.01)	(0.01)	0.10	(0.03)	(0.04)	193.84	(0.05)	(0.04)	(0.03)	18.24
1963	Wet	(0.03)	(0.02)	(0.02)	0.01	0.01	0.01	0.01	(0.01)	182.72	87.70	(0.02)	0.00	22.53
1964	Dry	0.01	(0.04)	0.04	0.76	0.01	0.31	(0.05)	(0.12)	(0.54)	(0.05)	(0.09)	(0.05)	0.02
1965	Wet	(0.07)	0.00	0.07	0.02	0.02	(0.08)	(0.11)	0.01	192.86	75.69	(0.60)	(0.68)	22.26
1966	Below Normal	0.90	0.10	0.22	(0.39)	(0.46)	0.02	0.01	(0.02)	(0.04)	(0.05)	(0.06)	(0.02)	0.02
1967	Wet	0.02	0.01	0.06	0.20	0.06	0.19	(1.35)	(1.56)	6.21	8.34	5.63	3.13	1.75
1968	Below Normal	29.34	23.97	49.73	55.74	(41.21)	(9.97)	2.33	2.80	0.86	3.24	3.37	2.97	10.26
1969	Wet	2.85	2.19	1.88	(17.49)	18.09	1.14	(77.09)	35.15	22.81	25.97	36.43	35.12	7.25
1970	Wet	60.02	61.84	29.92	(0.12)	3.13	14.78	70.58	(4.74)	153.23	107.60	(4.53)	1.45	41.10
1971	Wet	(4.54)	(3.71)	(3.72)	(0.46)	0.10	5.96	0.69	(1.21)	(1.79)	(2.19)	(2.75)	(1.06)	(1.22)
1972	Below Normal	0.75	0.94	2.68	10.83	3.79	2.97	0.63	0.25	0.13	0.02	(0.12)	0.18	1.92
1973	Above Normal	0.57	0.55	0.93	1.50	0.00	0.05	0.00	0.01	129.88	62.17	(1.32)	(0.04)	16.19
1974	Wet	0.00	0.01	0.00	(4.13)	3.68	(0.14)	(5.17)	(2.16)	124.95	129.81	8.31	(1.95)	21.10
1975	Wet	(1.87)	(2.32)	(1.72)	3.97	1.20	(1.60)	(0.98)	(1.03)	133.77	56.36	(0.97)	(0.93)	15.32
1976	Critical	(0.91)	(0.87)	(0.84)	(0.44)	(0.10)	0.66	1.28	1.56	3.80	1.38	(1.67)	2.15	0.50
1977	Critical	1.45	1.54	(10.59)	(0.06)	(0.01)	0.00	0.01	(1.17)	0.00	(0.24)	0.00	0.26	(0.73)
1978	Above Normal	(0.03)	0.46	9.24	(0.10)	(18.87)	(57.73)	(14.51)	(0.35)	104.04	76.34	125.17	(2.70)	18.41
1979	Below Normal	(14.40)	(17.73)	(73.56)	(69.49)	(64.85)	(53.88)	(29.65)	(31.80)	103.03	107.00	(28.57)	(27.57)	(16.79)
1980	Above Normal	(35.82)	(7.57)	(21.64)	24.35	11.29	1.13	(163.13)	(145.33)	(59.74)	(52.95)	(55.65)	(147.96)	(54.42)
1981	Dry	(139.26)	7.05	(178.54)	130.38	295.21	192.83	52.39	63.10	579.36	(44.28)	(36.05)	(31.15)	74.25
1982	Wet	(17.68)	(16.93)	(10.28)	23.81	17.73	(0.95)	(0.26)	(5.73)	15.76	16.09	13.77	12.14	3.96
1983	Wet	37.39	38.79	77.01	9.84	3.53	(14.31)	47.83	(53.08)	23.60	(1.22)	28.40	11.77	17.46
1984	Wet	19.56	18.96	(200.37)	(20.13)	(16.06)	(5.31)	0.00	0.00	152.82	117.48	0.00	0.00	5.58
1985	Dry	(0.02)	0.00	(0.12)	0.00	0.00	(0.02)	0.01	0.00	0.01	0.00	(0.01)	0.01	(0.01)
1986	Wet	0.00	0.00	0.00	0.01	(154.35)	48.17	47.46	2.34	0.04	1.94	1.20	0.46	(4.39)
1987	Dry	24.69	133.27	(0.29)	37.48	(0.37)	(0.19)	(0.09)	(0.14)	0.77	(0.19)	0.09	(0.19)	16.24
1988	Critical	(0.03)	(0.03)	0.19	0.01	0.11	0.02	(0.02)	3.16	3.36	1.28	2.98	2.59	1.14
1989	Dry	1.38	0.62	0.84	(0.37)	(0.30)	(0.99)	(1.85)	0.33	1.02	1.53	(42.45)	11.46	(2.40)
1990	Critical	8.94	8.15	5.35	(6.67)	(4.80)	(0.80)	2.31	3.03	3.26	2.81	2.89	2.94	2.28
1991	Critical	1.64	1.11	0.61	(0.12)	(0.20)	0.04	0.00	0.00	(0.04)	(0.11)	0.00	(0.02)	0.24
1992	Critical	(0.20)	0.00	(0.23)	(0.78)	(0.05)	(0.08)	(4.68)	(6.14)	(15.59)	2.44	(5.73)	(5.05)	(3.01)
1993	Above Normal	6.80	0.18	(10.02)	(4.08)	0.80	1.62	0.58	(0.26)	144.23	129.24	(0.19)	(1.47)	22.29
1994	Critical	(0.24)	(0.04)	1.61	3.46	2.94	0.44	(0.69)	(0.83)	12.41	(3.73)	2.21	0.34	1.49
1995	Wet	(1.41)	0.05	13.01	(0.02)	(0.06)	(0.99)	(3.26)	(67.89)	42.11	(90.18)	42.72	49.06	(1.40)
1996	Wet	(188.02)	(367.12)	(131.46)	0.66	0.01	(3.47)	(2.06)	(2.17)	113.60	130.38	18.52	(1.96)	(36.09)
1997	Wet	(2.73)	(2.26)	(1.84)	(0.33)	0.01	(1.55)	(0.23)	(0.11)	97.17	101.07	69.36	(0.11)	21.54
1998	Wet	(0.06)	(0.20)	(0.13)	(0.49)	(0.19)	(6.63)	5.02	(6.17)	126.25	127.51	(2.45)	(2.42)	20.00
1999	Wet	(2.36)	(2.10)	1.41	(0.39)	0.00	(0.01)	(0.02)	(0.01)	128.23	116.32	24.12	(0.01)	22.10
2000	Above Normal	0.02	(0.01)	(0.01)	(0.01)	(3.78)	(8.66)	(1.65)	0.68	144.35	51.05	2.57	0.85	15.45
2001	Dry	(1.47)	(1.69)	(7.40)	(8.26)	(6.75)	(1.99)	0.39	0.29	0.22	2.10	0.86	0.70	(1.92)
2002	Dry	0.96	0.94	0.44	0.37	(0.09)	(0.07)	(0.86)	(0.91)	(0.91)	(0.86)	(12.20)	3.39	(0.82)
2003	Above Normal	16.73	2.42	20.87	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	3.33
	Average	(3.06)	0.34	(5.38)	3.76	3.05	3.71	(2.22)	(5.78)	59.79	28.40	7.87	(3.47)	7.25
	Wet	(7.01)	(13.33)	(13.75)	(1.59)	0.34	11.47	4.11	(10.70)	89.37	56.38	12.19	0.11	10.63
	Above Normal	(0.47)	(1.97)	(1.58)	7.76	11.61	(3.45)	(15.10)	(12.16)	73.21	42.31	8.60	(13.49)	7.94
	Below Normal	0.87	16.38	2.74	(1.18)	(11.46)	(10.70)	(3.19)	(1.63)	64.62	26.07	3.22	(0.41)	7.11
	Dry	(4.77)	8.88	(10.16)	15.26	14.18	6.56	(1.20)	(2.01)	43.07	(2.23)	(1.32)	(6.78)	4.96
	Critical	0.86	0.79	6.67	(0.16)	0.58	6.57	(3.45)	0.76	1.71	2.56	16.98	0.22	2.84

Percent Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	12%	15%	6%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	26%	2%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	15%	9%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	22%	8%	0%	0%
1933	Critical	0%	0%	-1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	24%	2%	8%	31%	-9%	2%	2%	5%	65%	-2%
1935	Below Normal	-3%	6%	8%	-3%	0%	-1%	-1%	0%	1%	1%	1%	0%
1936	Below Normal	-2%	-1%	-5%	-5%	-5%	0%	0%	0%	12%	10%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	2%	2%	1%	1%
1938	Wet	4%	4%	0%	9%	0%	1%	2%	-4%	-1%	1%	1%	1%
1939	Dry	4%	5%	1%	23%	-3%	-13%	-13%	-15%	21%	-7%	11%	-15%
1940	Above Normal	18%	3%	1%	0%	0%	0%	0%	0%	22%	6%	0%	0%
1941	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	11%	11%	7%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	19%	2%	0%
1943	Wet	0%	0%	0%	-2%	-1%	-1%	0%	0%	6%	6%	6%	6%
1944	Dry	1%	-20%	1%	-6%	-5%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	-4%	-6%	0%	0%	14%	13%	5%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	30%	1%	0%	0%
1947	Dry	-1%	0%	-1%	-2%	0%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-3%	-4%	-2%	0%	2%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-4%	3%	0%	0%	0%	0%	20%	5%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	-1%	-15%	-5%	-1%	-7%	-12%
1953	Wet	-15%	-16%	-12%	0%	17%	44%	3%	3%	136%	-7%	-6%	-5%
1954	Above Normal	-5%	-6%	-1%	21%	32%	7%	-1%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-1%	-1%	2%	2%	2%	2%	2%	2%	2%	3%
1956	Wet	1%	2%	-4%	-11%	1%	0%	0%	0%	12%	12%	6%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	68%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	0%	4%	0%	0%	0%	0%	0%	202%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	27%	11%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	42%	9%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%
1968	Below Normal	3%	3%	5%	11%	-8%	-2%	0%	0%	1%	0%	0%	0%
1969	Wet	0%	0%	0%	-3%	2%	0%	-8%	3%	2%	2%	3%	3%
1970	Wet	7%	8%	4%	0%	0%	1%	10%	-1%	21%	13%	-1%	0%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	3%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	17%	7%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	16%	14%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	17%	6%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-2%	0%	0%	0%	0%
1978	Above Normal	0%	0%	2%	0%	-6%	-7%	-2%	0%	13%	9%	14%	0%
1979	Below Normal	-2%	-3%	-10%	-14%	-12%	-6%	-4%	-4%	13%	12%	-3%	-3%
1980	Above Normal	-5%	-1%	-3%	3%	1%	0%	-18%	-15%	-6%	-5%	-5%	-14%
1981	Dry	-15%	1%	-17%	27%	61%	45%	9%	9%	604%	-4%	-4%	-4%
1982	Wet	-3%	-2%	-2%	4%	2%	0%	0%	-1%	2%	1%	1%	1%
1983	Wet	4%	4%	8%	1%	0%	-1%	5%	-5%	2%	0%	3%	1%
1984	Wet	2%	2%	-18%	-2%	-2%	0%	0%	0%	21%	14%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-19%	4%	5%	0%	0%	0%	0%	0%
1987	Dry	3%	49%	0%	9%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	1%	1%
1989	Dry	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	-5%	1%
1990	Critical	1%	1%	1%	-2%	-1%	0%	1%	1%	1%	0%	1%	1%
1991	Critical	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	-1%	0%	0%	-1%	-2%	-4%	1%	-2%	-1%
1993	Above Normal	6%	0%	-4%	-2%	0%	0%	0%	0%	45%	14%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	3%	0%	1%	0%
1995	Wet	-3%	0%	2%	0%	0%	0%	0%	-7%	4%	-9%	4%	5%
1996	Wet	-22%	-94%	-19%	0%	0%	0%	0%	0%	15%	16%	2%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	12%	11%	7%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	1%	-1%	15%	14%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	14%	3%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	19%	6%	0%	0%
2001	Dry	0%	0%	-1%	-2%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	9%	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	1%	1%	1%	0%	-1%	18%	3%	1%	0%
	Wet	-1%	-4%	-2%	0%	0%	2%	1%	-1%	15%	6%	1%	0%
	Above Normal	2%	0%	0%	2%	2%	0%	-2%	-1%	12%	5%	1%	-1%
	Below Normal	0%	5%	1%	0%	-2%	-1%	0%	0%	21%	3%	0%	0%
	Dry	-1%	2%	-1%	3%	3%	2%	0%	0%	36%	0%	0%	-1%
	Critical	0%	0%	2%	0%	0%	3%	-1%	0%	0%	0%	6%	0%

Energy Use (GWh) At Pumping Plant at Teerink: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	73.20	62.94	50.71	12.38	41.20	47.32	47.04	48.48	47.71	49.46	49.16	45.96	575.56
1923	Below Normal	40.75	36.87	35.33	58.68	58.77	47.30	41.27	47.68	47.62	50.80	51.30	45.26	561.63
1924	Critical	35.81	31.58	26.07	11.85	12.63	15.14	23.18	28.32	28.78	28.79	25.98	22.07	290.20
1925	Dry	11.42	8.61	7.37	2.78	7.11	27.40	42.17	54.59	55.13	58.87	60.08	52.14	387.67
1926	Dry	40.42	35.82	28.34	5.40	8.74	19.70	30.97	45.14	45.47	48.49	49.50	42.92	400.91
1927	Wet	32.71	28.78	22.52	6.64	26.87	52.76	50.33	51.77	50.76	52.42	52.04	49.15	476.75
1928	Above Normal	44.68	40.69	39.73	31.40	37.76	28.04	57.23	58.50	57.20	59.06	58.79	55.64	568.72
1929	Critical	51.09	46.91	45.89	31.58	29.51	18.32	21.59	31.06	31.57	31.66	28.64	4.81	372.63
1930	Dry	14.82	17.70	15.43	5.07	8.40	13.77	34.75	41.39	42.34	43.38	41.38	35.53	313.96
1931	Critical	22.97	18.64	14.32	5.07	8.19	14.83	28.28	34.32	35.00	35.14	31.70	26.88	275.34
1932	Dry	14.67	10.69	9.12	5.17	10.97	36.11	31.15	41.68	41.92	44.58	45.01	39.03	330.10
1933	Critical	28.82	25.13	19.50	5.19	44.37	16.66	27.62	41.14	41.88	43.35	41.69	35.82	371.17
1934	Critical	23.72	19.39	14.95	5.24	7.57	15.57	32.29	39.43	40.45	40.51	23.17	1.67	263.96
1935	Below Normal	35.33	27.74	20.81	5.24	10.87	20.04	53.01	56.32	55.96	58.33	58.49	53.65	455.79
1936	Below Normal	46.57	42.23	39.15	22.98	26.39	70.02	49.76	57.26	56.13	57.98	57.63	54.46	580.56
1937	Below Normal	49.87	45.62	44.61	33.19	60.16	59.77	61.98	68.90	67.61	69.82	69.51	65.82	696.86
1938	Wet	61.10	56.23	55.18	38.28	60.36	70.28	69.64	71.25	70.40	72.47	72.00	68.12	765.31
1939	Dry	63.29	57.97	56.99	41.26	44.09	35.47	47.52	54.91	15.03	64.84	26.16	59.50	567.03
1940	Above Normal	13.39	10.18	55.19	5.17	7.26	24.72	46.37	55.03	42.72	59.44	63.79	55.46	438.72
1941	Wet	43.16	38.31	30.34	18.84	43.63	51.26	55.74	57.14	56.10	57.99	57.53	54.31	564.35
1942	Wet	49.74	45.36	44.43	59.56	60.32	61.09	43.38	47.23	47.07	49.67	49.81	44.80	602.46
1943	Wet	37.02	32.93	28.91	44.34	55.00	51.29	61.59	63.07	61.97	64.06	63.60	60.14	623.92
1944	Dry	55.45	1.11	69.21	23.30	22.08	20.62	35.48	42.14	42.60	44.29	43.01	37.09	436.38
1945	Below Normal	25.03	20.77	16.11	8.76	10.78	69.98	49.49	55.59	54.56	56.35	55.97	52.92	476.31
1946	Below Normal	48.35	44.14	43.15	60.12	60.35	67.23	43.44	45.34	44.58	46.36	46.06	42.87	591.99
1947	Dry	37.60	33.87	32.21	27.96	30.44	26.11	57.02	58.21	56.91	58.69	58.43	55.37	532.82
1948	Below Normal	50.83	46.63	45.62	29.31	27.51	17.89	28.03	23.37	5.96	64.01	64.93	56.61	460.70
1949	Dry	43.99	39.30	31.32	8.36	10.27	17.79	50.43	56.86	57.25	60.71	37.30	61.63	475.21
1950	Below Normal	47.89	22.64	29.32	6.92	7.62	15.20	42.85	49.28	1.78	63.60	64.10	55.56	406.76
1951	Above Normal	42.99	38.01	30.24	62.28	60.36	69.87	42.83	50.68	49.85	51.37	50.94	48.05	597.47
1952	Wet	43.54	39.50	38.58	59.36	62.51	69.63	56.90	65.19	64.07	66.26	65.78	62.16	693.48
1953	Wet	57.51	52.46	51.52	61.13	50.80	35.29	39.36	46.53	19.98	55.83	56.33	49.03	575.77
1954	Above Normal	37.54	33.14	26.06	8.13	29.40	26.59	44.66	52.36	49.65	55.15	58.52	50.86	472.06
1955	Dry	39.25	34.67	27.27	7.25	11.80	22.56	40.54	46.79	46.98	50.29	51.22	44.45	423.07
1956	Wet	33.88	29.84	23.39	40.30	62.54	70.31	50.85	57.16	56.35	58.07	57.58	54.38	594.65
1957	Above Normal	49.75	45.27	44.33	39.44	38.38	40.60	46.16	54.26	37.36	60.93	63.63	55.41	575.52
1958	Wet	42.90	38.15	30.18	5.94	48.98	52.16	69.55	71.52	70.45	72.66	72.28	68.33	643.10
1959	Below Normal	63.61	19.78	67.28	27.16	28.57	28.51	39.89	45.55	1.92	58.85	59.17	51.27	491.56
1960	Dry	39.38	34.67	27.43	5.15	6.21	17.23	51.03	57.76	44.36	64.61	50.93	62.07	460.83
1961	Dry	50.22	45.03	37.65	10.50	12.33	15.00	41.33	47.41	47.92	51.10	42.00	27.54	428.03
1962	Below Normal	0.62	40.24	45.74	5.39	6.61	22.82	43.74	50.93	4.49	64.96	65.75	57.19	408.48
1963	Wet	44.38	39.48	31.43	36.41	43.16	43.79	43.08	46.28	45.67	47.72	47.60	43.81	512.81
1964	Dry	37.68	33.78	31.25	28.29	61.93	45.70	47.16	49.36	48.79	50.89	50.75	46.83	532.41
1965	Wet	40.82	36.74	34.37	41.78	58.69	53.27	45.01	47.65	30.19	52.52	52.44	48.06	541.54
1966	Below Normal	41.29	37.11	34.05	52.98	55.92	42.63	42.05	47.84	47.88	50.79	51.31	45.31	549.16
1967	Wet	36.10	31.87	26.53	12.82	58.85	57.99	68.62	70.83	69.80	72.06	71.64	67.74	644.85
1968	Below Normal	62.93	57.59	56.58	29.46	36.18	30.79	40.63	46.65	2.17	60.15	60.39	52.41	535.93
1969	Wet	40.24	35.50	28.07	33.55	60.37	70.03	63.02	66.84	67.37	69.49	69.01	65.22	668.71
1970	Wet	60.39	55.21	54.26	62.28	60.35	69.87	47.87	49.83	49.02	50.53	50.06	47.17	656.84
1971	Wet	42.71	38.70	37.80	59.29	60.32	51.89	42.07	47.97	48.05	50.99	51.40	45.55	576.74
1972	Below Normal	36.50	32.32	27.18	21.44	46.91	42.56	44.02	50.03	50.35	53.54	54.22	47.50	506.57
1973	Above Normal	37.26	32.91	26.71	10.19	53.22	53.86	45.69	53.32	52.47	53.95	53.54	50.54	523.66
1974	Wet	46.03	41.85	40.93	60.35	60.39	69.88	66.34	54.07	53.36	54.89	54.43	51.38	653.90
1975	Wet	46.83	42.46	41.54	51.06	43.72	60.60	51.47	52.61	51.67	53.20	52.83	49.95	597.94
1976	Critical	45.40	41.38	40.43	32.57	34.11	30.29	45.46	52.72	45.11	58.49	42.58	57.05	525.59
1977	Critical	44.21	39.26	25.66	5.29	6.38	10.00	17.22	4.04	0.00	3.09	2.81	3.15	161.11
1978	Above Normal	0.69	22.58	37.62	4.97	12.13	47.07	49.60	53.12	52.49	54.60	54.56	50.44	439.87
1979	Below Normal	44.41	40.12	37.73	28.11	28.32	60.44	53.23	54.67	53.67	55.26	54.91	51.96	562.83
1980	Above Normal	47.39	43.23	42.27	45.84	62.53	70.11	63.65	70.46	69.46	71.73	71.26	67.40	725.33
1981	Dry	62.66	47.72	61.79	28.89	29.11	26.90	41.77	49.39	4.00	63.13	63.75	55.40	534.51
1982	Wet	42.79	37.96	30.16	31.28	44.77	51.97	68.00	69.84	68.90	70.99	70.50	66.62	653.78
1983	Wet	61.88	56.58	55.60	62.28	60.39	69.99	61.64	65.50	66.11	68.11	67.69	63.96	759.73
1984	Wet	64.84	57.57	67.38	62.28	62.50	69.85	42.18	50.49	49.52	51.24	50.77	47.89	676.51
1985	Dry	43.32	39.33	48.23	50.05	44.80	46.63	47.60	49.77	49.07	50.52	50.04	47.15	566.51
1986	Wet	42.73	38.77	37.83	32.01	40.62	70.29	65.14	71.56	70.36	72.65	72.13	68.18	682.27
1987	Dry	63.75	18.75	67.21	23.53	22.32	15.18	22.33	26.39	26.72	26.66	24.20	20.57	357.61
1988	Critical	10.63	8.08	6.92	2.44	9.43	10.17	17.62	21.17	21.15	21.41	19.25	16.32	164.59
1989	Dry	8.26	6.16	5.32	2.97	9.82	13.71	53.40	57.11	56.68	59.34	56.77	55.11	384.65
1990	Critical	47.65	43.14	39.65	21.67	21.24	17.70	25.15	30.10	30.68	30.75	27.76	23.60	359.09
1991	Critical	12.55	9.33	7.95	3.01	6.42	10.03	18.08	21.01	21.03	21.26	19.15	16.32	166.14
1992	Critical	8.32	6.21	5.37	2.07	5.12	10.08	23.27	27.73	28.02	28.05	24.69	21.93	190.86
1993	Above Normal	8.02	6.16	11.10	4.92	43.96	45.93	45.62	49.77	19.37	57.97	58.37	52.63	403.82
1994	Critical	43.97	39.42	34.74	19.65	21.41	28.11	45.67	52.75	35.65	60.68	14.08	38.20	434.33
1995	Wet	3.42	31.05	57.40	5.35	34.23	32.31	63.88	65.48	64.31	66.42	66.12	62.58	552.55
1996	Wet	57.91	27.40	45.71	25.90	25.25	45.76	49.12	49.86	48.87	50.47	50.10	47.26	523.61
1997	Wet	42.80	38.96	38.04	58.75	60.36	70.05	56.61	58.21	57.22	59.03	58.60	55.34	653.97
1998	Wet	50.70	46.19	45.25	39.17	60.31	68.74	53.76	53.69	52.64	54.56	54.22	51.17	630.40
1999	Wet	46.57	48.94	46.81	60.43	60.36	54.63	42.42	50.19	49.26	51.07	50.67	47.73	609.08
2000	Above Normal	43.22	39.22	38.29	35.74	57.12	44.81	47.44	51.66	51.31	54.20	54.48	49.26	566.75
2001	Dry	41.37	37.15	33.20	18.96	18.94	18.77	32.60	39.87	40.85	41.27	37.89	32.33	393.20
2002	Dry	18.85	14.35	11.30	5.36	12.16	22.42	54.62	55.71	54.39	56.42	35.03	58.79	399.40
2003	Above Normal	13.57	16.90	52.05	8.10	14.07	23.32	40.25	46.33	1.58	59.94	60.27	52.24	388.62
	Average	39.51	34.35	35.65	26.51	34.95	40.00	45.42	50.04	43.92	53.48	50.89	47.66	502.38
	Wet	45.10	41.03	40.16	41.13	52.53	58.65	54.91	57.76	55.36	59.44	59.12	55.39	620.58
	Above Normal	34.31	32.60	37.86	22.38	38.12	43.52	48.05	53.66	44.26	57.32	58.11	52.82	523.01
	Below Normal	42.43	36.70	38.76	27.84	33.21	42.51	45.24	49.96	35.33	57.91	58.12	52.34	520.37
	Dry	38.13	28.70	33.37	16.68	20.64	24.50	42.33	48.58	43.13	52.12	45.75	46.30	440.24
	Critical	31.26	27.37	23.45	12.14	17.20	16.41	27.12	31.98	29.94	33.60	25.13	22.32	297.92

Energy Use (GWh) At Pumping Plant at Teerink: Alternative3_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	73.20	62.94	50.71	12.38	41.20	47.33	47.04	48.48	55.10	59.10	52.79	45.96	596.23
1923	Below Normal	40.75	36.87	35.33	58.67	58.74	47.00	41.27	47.72	61.10	52.18	51.37	45.29	576.29
1924	Critical	35.80	31.57	26.02	11.68	12.49	15.10	23.18	28.33	28.79	28.80	25.99	22.08	289.83
1925	Dry	11.42	8.62	7.37	2.78	7.10	27.24	42.20	54.62	55.16	58.90	60.12	52.18	387.71
1926	Dry	40.45	35.85	28.36	5.40	8.73	19.69	30.94	45.11	45.44	48.46	49.47	42.89	400.79
1927	Wet	32.69	28.76	22.50	6.64	26.86	52.76	50.33	51.77	59.62	58.31	52.04	49.15	491.43
1928	Above Normal	44.68	40.70	39.74	31.39	37.74	28.04	57.23	58.50	57.20	59.07	58.79	55.65	568.73
1929	Critical	51.09	46.91	45.89	31.58	29.51	18.32	21.58	31.05	31.56	31.65	28.63	4.81	372.58
1930	Dry	14.81	17.68	15.45	5.07	8.40	13.77	34.75	41.39	42.34	43.38	41.38	35.52	313.94
1931	Critical	22.96	18.64	14.31	5.07	8.19	14.83	28.28	34.31	34.99	35.13	31.69	26.87	275.27
1932	Dry	14.66	10.69	9.11	5.17	10.97	36.87	31.15	41.68	52.26	49.00	45.01	39.02	345.59
1933	Critical	28.81	25.12	19.49	5.19	43.62	16.66	27.62	41.14	41.88	43.36	41.69	35.82	370.40
1934	Critical	23.72	19.39	14.95	5.24	8.92	22.21	29.29	40.69	41.40	42.36	37.28	1.67	287.12
1935	Below Normal	34.34	30.06	23.34	5.28	10.82	19.87	52.40	56.54	56.39	59.00	59.33	53.90	461.27
1936	Below Normal	45.94	41.50	37.65	20.34	23.95	70.02	49.75	57.25	63.87	64.97	57.61	54.45	587.30
1937	Below Normal	49.86	45.61	44.60	33.19	60.16	59.77	61.98	68.90	69.15	71.25	70.66	66.90	702.03
1938	Wet	64.31	59.42	56.90	44.79	60.35	70.19	71.32	72.66	70.48	73.41	72.77	68.81	785.41
1939	Dry	66.24	61.05	58.52	52.95	42.55	30.36	40.48	46.39	16.63	59.81	30.12	51.04	556.14
1940	Above Normal	16.02	10.62	55.87	5.14	7.29	24.72	46.38	55.04	53.14	63.78	63.81	55.48	457.29
1941	Wet	43.18	38.32	30.35	18.82	43.63	51.08	55.57	56.96	63.31	66.06	62.34	54.14	583.76
1942	Wet	49.56	45.20	44.27	59.54	60.32	60.83	43.38	47.24	54.48	61.70	51.08	44.81	622.41
1943	Wet	37.01	32.92	28.88	44.27	54.52	50.88	61.29	62.76	66.76	68.87	68.28	64.58	641.02
1944	Dry	55.83	0.38	69.91	21.55	20.51	20.12	35.48	42.13	42.60	44.28	43.00	37.08	432.87
1945	Below Normal	25.02	20.77	16.10	8.76	10.78	65.27	49.57	55.66	63.21	65.19	59.37	52.99	492.69
1946	Below Normal	48.42	44.22	43.22	60.11	60.35	67.11	43.29	45.42	59.04	46.99	46.31	42.95	607.43
1947	Dry	37.44	33.69	31.80	27.11	30.50	25.31	57.17	58.37	57.07	58.86	58.59	55.53	531.44
1948	Below Normal	50.98	46.78	45.76	28.16	26.49	17.51	28.04	23.70	5.91	64.04	64.93	56.71	459.01
1949	Dry	44.04	39.34	31.18	8.33	10.24	17.75	50.31	56.87	57.29	60.79	36.96	61.80	474.90
1950	Below Normal	47.96	22.80	29.52	6.92	7.62	15.20	42.85	49.28	1.78	63.60	64.10	55.56	407.19
1951	Above Normal	42.99	38.01	30.24	62.28	60.36	69.87	42.88	50.72	61.31	54.74	50.98	48.09	612.47
1952	Wet	43.58	39.54	38.62	59.36	62.51	69.62	56.67	55.55	61.82	65.52	60.02	52.77	665.58
1953	Wet	48.26	43.84	42.92	61.55	60.31	54.87	40.92	47.95	48.09	51.52	52.07	45.59	597.89
1954	Above Normal	35.44	31.16	25.01	10.83	39.97	28.94	44.46	52.33	52.64	56.43	57.39	49.82	484.42
1955	Dry	38.40	33.87	26.59	7.00	12.12	23.10	41.46	47.91	48.14	51.52	52.47	45.54	428.12
1956	Wet	34.79	30.67	24.08	33.65	62.53	70.32	51.02	57.32	64.45	66.43	62.22	54.53	612.01
1957	Above Normal	49.90	45.41	44.47	39.47	38.37	39.91	46.15	54.23	36.68	60.95	63.76	55.52	574.82
1958	Wet	42.99	38.24	30.25	5.93	48.95	52.13	69.52	71.49	70.47	72.92	72.32	68.31	643.52
1959	Below Normal	65.68	35.06	67.23	29.39	28.57	28.52	39.89	45.55	1.92	58.84	59.17	51.27	511.09
1960	Dry	39.38	34.67	27.43	5.16	6.21	17.17	51.04	57.77	44.41	64.61	51.10	62.01	460.96
1961	Dry	50.18	44.99	37.62	10.52	12.34	15.00	41.34	47.42	47.93	51.11	41.98	27.55	427.98
1962	Below Normal	0.62	40.19	45.56	5.39	6.61	22.82	43.74	50.93	19.24	64.96	65.75	57.19	423.00
1963	Wet	44.38	39.48	31.43	36.41	43.16	43.79	43.08	46.28	59.57	54.47	47.60	43.81	533.46
1964	Dry	37.68	33.78	31.25	28.35	61.94	45.72	47.16	49.35	48.78	50.87	50.73	46.82	532.43
1965	Wet	40.82	36.74	34.37	41.80	58.69	53.27	45.00	47.65	44.88	58.40	52.42	48.03	562.07
1966	Below Normal	41.37	37.15	34.08	52.95	55.88	42.63	42.05	47.83	47.88	50.78	51.31	45.31	549.22
1967	Wet	36.10	31.87	26.53	12.83	58.86	58.01	68.62	70.83	70.46	72.73	72.09	68.09	647.02
1968	Below Normal	65.43	60.27	60.51	33.78	33.21	30.02	40.80	46.86	2.49	60.31	60.58	52.59	546.85
1969	Wet	40.40	35.67	28.21	33.42	60.37	70.04	61.61	68.39	69.56	71.19	71.75	67.78	678.39
1970	Wet	65.13	60.04	56.61	62.28	60.34	69.80	53.00	49.49	60.72	58.78	49.71	46.84	692.74
1971	Wet	42.39	38.40	37.51	59.25	60.32	52.34	42.09	47.85	47.89	50.79	51.16	45.43	575.42
1972	Below Normal	36.54	32.37	27.38	22.28	47.18	42.77	44.06	50.04	50.35	53.54	54.20	47.50	508.21
1973	Above Normal	37.30	32.95	26.78	10.32	53.22	53.86	45.69	53.32	62.39	58.78	53.54	50.54	538.69
1974	Wet	46.03	41.85	40.93	60.35	60.39	69.87	65.94	53.92	62.92	64.83	55.11	51.23	673.37
1975	Wet	46.68	42.32	41.40	51.36	43.81	60.52	51.41	52.53	61.89	57.58	52.76	49.88	612.14
1976	Critical	45.33	41.31	40.37	32.54	34.11	30.34	45.55	52.84	45.38	58.58	42.46	57.22	526.03
1977	Critical	44.34	39.38	24.94	5.29	6.38	10.00	17.22	3.95	0.00	3.07	2.81	3.16	160.54
1978	Above Normal	0.69	22.58	37.51	4.97	12.12	44.02	48.99	53.80	60.92	61.13	64.71	51.16	462.60
1979	Below Normal	43.49	39.02	35.19	22.89	23.63	56.45	51.10	52.40	61.68	63.29	52.58	49.74	551.46
1980	Above Normal	45.21	41.21	40.26	48.68	62.53	70.06	51.99	60.11	65.66	67.61	67.16	58.53	679.01
1981	Dry	52.73	47.98	47.05	38.63	51.55	41.21	45.70	54.00	47.52	59.61	60.47	52.79	599.24
1982	Wet	41.22	36.54	29.34	33.10	46.15	51.93	67.98	69.82	70.17	72.29	71.61	67.62	657.77
1983	Wet	64.98	59.85	62.92	62.28	60.39	69.99	66.95	63.56	70.48	68.11	70.49	65.64	785.64
1984	Wet	66.31	59.00	52.90	62.28	62.50	69.85	42.18	50.49	61.18	60.24	50.77	47.89	685.59
1985	Dry	43.32	39.33	48.23	50.05	44.80	46.63	47.60	49.77	49.07	50.52	50.04	47.15	566.51
1986	Wet	42.73	38.77	37.83	32.01	33.59	70.21	68.45	71.72	70.36	72.79	72.21	68.27	678.94
1987	Dry	65.71	28.75	67.22	26.54	22.30	15.17	22.33	26.38	26.70	26.65	24.19	20.56	372.50
1988	Critical	10.62	8.07	6.92	2.44	9.44	10.17	17.62	21.40	21.39	21.66	19.47	16.51	165.71
1989	Dry	8.36	6.23	5.39	2.95	9.80	13.62	53.30	57.17	56.77	59.48	53.94	55.99	383.00
1990	Critical	48.32	43.75	40.08	21.17	20.88	17.65	25.32	30.32	30.92	30.98	27.98	23.78	361.15
1991	Critical	12.67	9.40	8.01	3.05	6.42	10.03	18.08	21.02	21.04	21.26	19.15	16.32	166.45
1992	Critical	8.32	6.21	5.37	2.07	5.12	10.08	22.93	27.28	27.54	27.58	24.27	21.56	188.33
1993	Above Normal	8.48	6.17	10.37	4.58	44.03	46.06	45.65	49.74	30.28	67.82	58.35	52.50	424.03
1994	Critical	43.93	39.41	34.76	19.91	21.64	28.14	45.62	52.69	36.50	60.41	14.07	38.20	435.28
1995	Wet	3.31	31.04	57.45	5.35	34.23	32.31	63.88	65.48	67.75	60.16	69.83	66.78	557.57
1996	Wet	45.74	0.38	33.93	25.94	25.23	45.75	48.97	49.71	57.57	60.45	51.60	47.11	492.38
1997	Wet	42.65	38.82	37.91	58.73	60.36	70.05	56.59	58.21	64.75	66.74	63.98	55.34	674.13
1998	Wet	50.70	46.19	45.24	39.13	60.31	68.22	54.29	53.38	62.28	64.32	54.02	50.99	649.07
1999	Wet	46.39	48.78	46.78	60.40	60.36	54.63	42.42	50.19	59.06	59.98	52.61	47.73	629.33
2000	Above Normal	43.22	39.22	38.29	35.74	57.14	44.28	47.36	51.75	62.34	58.22	54.69	49.35	581.60
2001	Dry	41.28	37.04	32.93	18.34	18.43	18.62	32.63	39.89	40.87	41.30	37.95	32.38	391.66
2002	Dry	18.92	14.43	11.34	5.39	12.16	22.42	54.56	55.64	54.32	56.35	34.18	58.92	398.63
2003	Above Normal	14.86	16.91	52.07	8.10	14.07	23.32	40.25	46.33	1.58	59.94	60.27	52.24	389.94
	Average	39.36	34.40	35.18	26.83	35.22	40.27	45.36	49.79	48.52	55.68	51.51	47.45	509.56
	Wet	44.71	40.10	39.23	41.21	52.66	59.36	55.48	57.43	62.35	63.79	60.11	55.43	631.85
	Above Normal	34.33	32.32	37.61	22.82	39.00	43.37	47.01	52.86	49.94	60.63	58.85	52.07	530.82
	Below Normal	42.60	38.05	38.96	27.72	32.43	41.78	45.06	49.86	40.29	59.92	58.38	52.31	527.36
	Dry	37.83	29.35	32.60	17.85	21.70	24.99	42.20	48.44	46.29	51.97	45.65	45.82	444.69
	Critical	31.33	27.43	23.43	12.10	17.23	16.96	26.86	32.09	30.12	33.74	26.29	22.33	299.89

Difference in Energy Use (GWh) At Pumping Plant at Teerink: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	7.39	9.64	3.63	0.00	1.72
1923	Below Normal	0.00	0.00	0.00	(0.01)	(0.03)	(0.30)	0.00	0.04	13.48	1.38	0.07	0.03	1.22
1924	Critical	(0.01)	(0.01)	(0.05)	(0.17)	(0.14)	(0.04)	0.00	0.01	0.01	0.01	0.01	0.01	(0.03)
1925	Dry	0.00	0.01	0.00	0.00	(0.01)	(0.16)	0.03	0.03	0.03	0.03	0.04	0.04	0.00
1926	Dry	0.03	0.03	0.02	0.00	(0.01)	(0.01)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	(0.01)
1927	Wet	(0.02)	(0.02)	(0.02)	0.00	(0.01)	0.00	0.00	0.00	8.86	5.89	0.00	0.00	1.22
1928	Above Normal	0.00	0.01	0.01	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1930	Dry	(0.01)	(0.02)	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1931	Critical	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1932	Dry	(0.01)	0.00	(0.01)	0.00	0.00	0.76	0.00	0.00	10.34	4.42	0.00	(0.01)	1.29
1933	Critical	(0.01)	(0.01)	(0.01)	0.00	(0.75)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	(0.06)
1934	Critical	0.00	0.00	0.00	0.00	1.35	6.64	(3.00)	1.26	0.95	1.85	14.11	0.00	1.93
1935	Below Normal	(0.99)	2.32	2.53	0.04	(0.05)	(0.17)	(0.61)	0.22	0.43	0.67	0.84	0.25	0.46
1936	Below Normal	(0.63)	(0.73)	(1.50)	(2.64)	(2.44)	0.00	(0.01)	(0.01)	7.74	6.99	(0.02)	(0.01)	0.56
1937	Below Normal	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	1.54	1.43	1.15	1.08	0.43
1938	Wet	3.21	3.19	1.72	6.51	(0.01)	(0.09)	1.68	1.41	0.08	0.94	0.77	0.69	1.68
1939	Dry	2.95	3.08	1.53	11.69	(1.54)	(5.11)	(7.04)	(8.52)	1.60	(5.03)	3.96	(8.46)	(0.91)
1940	Above Normal	2.63	0.44	0.68	(0.03)	0.03	0.00	0.01	0.01	10.42	4.34	0.02	0.02	1.55
1941	Wet	0.02	0.01	0.01	(0.02)	0.00	(0.18)	(0.17)	(0.18)	7.21	8.07	4.81	(0.17)	1.62
1942	Wet	(0.18)	(0.16)	(0.16)	(0.02)	0.00	(0.26)	0.00	0.01	7.41	12.03	1.27	0.01	1.66
1943	Wet	(0.01)	(0.01)	(0.03)	(0.07)	(0.48)	(0.41)	(0.30)	(0.31)	4.79	4.81	4.68	4.44	1.43
1944	Dry	0.38	(0.73)	0.70	(1.75)	(1.57)	(0.50)	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	(0.29)
1945	Below Normal	(0.01)	0.00	(0.01)	0.00	0.00	(4.71)	0.08	0.07	8.65	8.84	3.40	0.07	1.37
1946	Below Normal	0.07	0.08	0.07	(0.01)	0.00	(0.12)	(0.15)	0.08	14.46	0.63	0.25	0.08	1.29
1947	Dry	(0.16)	(0.18)	(0.41)	(0.85)	0.06	(0.80)	0.15	0.16	0.16	0.17	0.16	0.16	(0.12)
1948	Below Normal	0.15	0.15	0.14	(1.15)	(1.02)	(0.38)	0.01	0.33	(0.05)	0.03	0.00	0.10	(0.14)
1949	Dry	0.05	0.04	(0.14)	(0.03)	(0.03)	(0.04)	(0.12)	0.01	0.04	0.08	(0.34)	0.17	(0.03)
1950	Below Normal	0.07	0.16	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.04	11.46	3.37	0.04	0.04	1.25
1952	Wet	0.04	0.04	0.04	0.00	0.00	(0.01)	(0.23)	(9.64)	(2.25)	(0.74)	(5.76)	(9.39)	(2.33)
1953	Wet	(9.25)	(8.62)	(8.60)	0.42	9.51	19.58	1.56	1.42	28.11	(4.31)	(4.26)	(3.44)	1.84
1954	Above Normal	(2.10)	(1.98)	(1.05)	2.70	10.57	2.35	(0.20)	(0.03)	2.99	1.28	(1.13)	(1.04)	1.03
1955	Dry	(0.85)	(0.80)	(0.68)	(0.25)	0.32	0.54	0.92	1.12	1.16	1.23	1.25	1.09	0.42
1956	Wet	0.91	0.83	0.69	(6.65)	(0.01)	0.01	0.17	0.16	8.10	8.36	4.64	0.15	1.45
1957	Above Normal	0.15	0.14	0.14	0.03	(0.01)	(0.69)	(0.01)	(0.03)	(0.68)	0.02	0.13	0.11	(0.06)
1958	Wet	0.09	0.09	0.07	(0.01)	(0.03)	(0.03)	(0.03)	(0.03)	0.02	0.26	0.04	(0.02)	0.04
1959	Below Normal	2.07	15.28	(0.05)	2.23	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	1.63
1960	Dry	0.00	0.00	0.00	0.01	0.00	(0.06)	0.01	0.01	0.05	0.00	0.17	(0.06)	0.01
1961	Dry	(0.04)	(0.04)	(0.03)	0.02	0.01	0.00	0.01	0.01	0.01	0.01	(0.02)	0.01	0.00
1962	Below Normal	0.00	(0.05)	(0.18)	0.00	0.00	0.00	0.00	0.00	14.75	0.00	0.00	0.00	1.21
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.90	6.75	0.00	0.00	1.72
1964	Dry	0.00	0.00	0.00	0.06	0.01	0.02	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	0.00
1965	Wet	0.00	0.00	0.00	0.02	0.00	0.00	(0.01)	0.00	14.69	5.88	(0.02)	(0.03)	1.71
1966	Below Normal	0.08	0.04	0.03	(0.03)	(0.04)	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.01
1967	Wet	0.00	0.00	0.00	0.01	0.01	0.02	0.00	0.00	0.66	0.67	0.45	0.35	0.18
1968	Below Normal	2.50	2.68	3.93	4.32	(2.97)	(0.77)	0.17	0.21	0.32	0.16	0.19	0.18	0.91
1969	Wet	0.16	0.17	0.14	(0.13)	0.00	0.01	(1.41)	1.55	2.19	1.70	2.74	2.56	0.81
1970	Wet	4.74	4.83	2.35	0.00	(0.01)	(0.07)	5.13	(0.34)	11.70	8.25	(0.35)	(0.33)	2.99
1971	Wet	(0.32)	(0.30)	(0.29)	(0.04)	0.00	0.45	0.02	(0.12)	(0.16)	(0.20)	(0.24)	(0.12)	(0.11)
1972	Below Normal	0.04	0.05	0.20	0.84	0.27	0.21	0.04	0.01	0.00	0.00	(0.02)	0.00	0.14
1973	Above Normal	0.04	0.04	0.07	0.13	0.00	0.00	0.00	0.00	9.92	4.83	0.00	0.00	1.25
1974	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.40)	(0.15)	9.56	9.94	0.68	(0.15)	1.62
1975	Wet	(0.15)	(0.14)	(0.14)	0.30	0.09	(0.08)	(0.06)	(0.08)	10.22	4.38	(0.07)	(0.07)	1.18
1976	Critical	(0.07)	(0.07)	(0.06)	(0.03)	0.00	0.05	0.09	0.12	0.27	0.09	(0.12)	0.17	0.04
1977	Critical	0.13	0.12	(0.72)	0.00	0.00	0.00	0.00	(0.09)	0.00	(0.02)	0.00	0.01	(0.05)
1978	Above Normal	0.00	0.00	(0.11)	0.00	(0.01)	(3.05)	(0.61)	0.68	8.43	6.53	10.15	0.72	1.89
1979	Below Normal	(0.92)	(1.10)	(2.54)	(5.22)	(4.69)	(3.99)	(2.13)	(2.27)	8.01	8.03	(2.33)	(2.22)	(0.95)
1980	Above Normal	(2.18)	(2.02)	(2.01)	2.84	0.00	(0.05)	(11.66)	(10.35)	(3.80)	(4.12)	(4.10)	(8.87)	(3.86)
1981	Dry	(9.93)	0.26	(14.74)	9.74	22.44	14.31	3.93	4.61	43.52	(3.52)	(3.28)	(2.61)	5.39
1982	Wet	(1.57)	(1.42)	(0.82)	1.82	1.38	(0.04)	(0.02)	(0.02)	1.27	1.30	1.11	1.00	0.33
1983	Wet	3.10	3.27	7.32	0.00	0.00	0.00	5.31	(1.94)	4.37	0.00	2.80	1.68	2.16
1984	Wet	1.47	1.43	(14.48)	0.00	0.00	0.00	0.00	0.00	11.66	9.00	0.00	0.00	0.76
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(7.03)	(0.08)	3.31	0.16	0.00	0.14	0.08	0.09	(0.28)
1987	Dry	1.96	10.00	0.01	3.01	(0.02)	(0.01)	0.00	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	1.24
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.23	0.24	0.25	0.22	0.19	0.09
1989	Dry	0.10	0.07	0.07	(0.02)	(0.02)	(0.09)	(0.10)	0.06	0.09	0.14	(2.83)	0.88	(0.14)
1990	Critical	0.67	0.61	0.43	(0.50)	(0.36)	(0.05)	0.17	0.22	0.24	0.23	0.22	0.18	0.17
1991	Critical	0.12	0.07	0.06	0.04	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.03
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.34)	(0.45)	(0.48)	(0.47)	(0.42)	(0.37)	(0.21)
1993	Above Normal	0.46	0.01	(0.73)	(0.34)	0.07	0.13	0.03	(0.03)	10.91	9.85	(0.02)	(0.13)	1.68
1994	Critical	(0.04)	(0.01)	0.02	0.26	0.23	0.03	(0.05)	(0.06)	0.85	(0.27)	(0.01)	0.00	0.08
1995	Wet	(0.11)	(0.01)	0.05	0.00	0.00	0.00	0.00	0.00	3.44	(6.26)	3.71	4.20	0.42
1996	Wet	(12.17)	(27.02)	(11.78)	0.04	(0.02)	(0.01)	(0.15)	(0.15)	8.70	9.98	1.50	(0.15)	(2.60)
1997	Wet	(0.15)	(0.14)	(0.13)	(0.02)	0.00	0.00	(0.02)	0.00	7.53	7.71	5.38	0.00	1.68
1998	Wet	0.00	0.00	(0.01)	(0.04)	0.00	(0.52)	0.53	(0.31)	9.64	9.76	(0.20)	(0.18)	1.56
1999	Wet	(0.18)	(0.16)	(0.03)	(0.03)	0.00	0.00	0.00	0.00	9.80	8.91	1.94	0.00	1.69
2000	Above Normal	0.00	0.00	0.00	0.00	0.02	(0.53)	(0.08)	0.09	11.03	4.02	0.21	0.09	1.24
2001	Dry	(0.09)	(0.11)	(0.27)	(0.62)	(0.51)	(0.15)	0.03	0.02	0.02	0.03	0.06	0.05	(0.13)
2002	Dry	0.07	0.08	0.04	0.03	0.00	0.00	(0.06)	(0.07)	(0.07)	(0.07)	(0.85)	0.13	(0.06)
2003	Above Normal	1.29	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
	Average	(0.15)	0.05	(0.47)	0.32	0.27	0.26	(0.07)	(0.25)	4.61	2.20	0.61	(0.21)	0.60
	Wet	(0.40)	(0.93)	(0.93)	0.08	0.13	0.70	0.57	(0.33)	6.98	4.35	0.99	0.04	0.94
	Above Normal	0.02	(0.28)	(0.25)	0.44	0.89	(0.15)	(1.04)	(0.80)	5.67	3.31	0.74	(0.75)	0.65
	Below Normal	0.17	1.35	0.20	(0.12)	(0.78)	(0.73)	(0.19)	(0.10)	4.95	2.01	0.25	(0.03)	0.58
	Dry	(0.31)	0.65	(0.77)	1.17	1.06	0.48	(0.13)	(0.15)	3.16	(0.14)	(0.10)	(0.48)	0.37
	Critical	0.06	0.06	(0.03)	(0.03)	0.03	0.55	(0.26)	0.10	0.17	0.14	1.17	0.02	0.17

Percent Difference in Energy Use (GWh) At Pumping Plant at Teerink: Alternative3_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	15%	19%	7%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	28%	3%	0%	0%
1924	Critical	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	17%	11%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	25%	10%	0%	0%
1933	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	43%	-9%	3%	2%	5%	61%	0%
1935	Below Normal	-3%	8%	12%	1%	0%	-1%	-1%	0%	1%	1%	1%	0%
1936	Below Normal	-1%	-2%	-4%	-11%	-9%	0%	0%	0%	14%	12%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	2%
1938	Wet	5%	6%	3%	17%	0%	0%	2%	2%	0%	1%	1%	1%
1939	Dry	5%	5%	3%	28%	-3%	-14%	-15%	-16%	11%	-8%	15%	-14%
1940	Above Normal	20%	4%	1%	-1%	0%	0%	0%	0%	24%	7%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	14%	8%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	16%	24%	3%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	0%	8%	8%	7%	7%
1944	Dry	1%	-66%	1%	-8%	-7%	-2%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-7%	0%	0%	16%	16%	6%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	32%	1%	1%	0%
1947	Dry	0%	-1%	-1%	-3%	0%	-3%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	-4%	-4%	-2%	0%	1%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	23%	7%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-4%	-1%	-9%	-15%
1953	Wet	-16%	-16%	-17%	1%	19%	55%	4%	3%	141%	-8%	-8%	-7%
1954	Above Normal	-6%	-6%	-4%	33%	36%	9%	0%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-2%	-3%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-17%	0%	0%	0%	0%	14%	14%	8%	0%
1957	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	3%	77%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	329%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	30%	14%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	49%	11%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1968	Below Normal	4%	5%	7%	15%	-8%	-3%	0%	0%	15%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	-2%	2%	3%	2%	4%	4%
1970	Wet	8%	9%	4%	0%	0%	0%	11%	-1%	24%	16%	-1%	-1%
1971	Wet	-1%	-1%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	1%	4%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	19%	9%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	18%	18%	1%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	20%	8%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-2%	0%	-1%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-6%	-1%	1%	16%	12%	19%	1%
1979	Below Normal	-2%	-3%	-7%	-19%	-17%	-7%	-4%	-4%	15%	15%	-4%	-4%
1980	Above Normal	-5%	-5%	-5%	6%	0%	0%	-18%	-15%	-5%	-6%	-6%	-13%
1981	Dry	-16%	1%	-24%	34%	77%	53%	9%	9%	>1,000%	-6%	-5%	-5%
1982	Wet	-4%	-4%	-3%	6%	3%	0%	0%	0%	2%	2%	2%	2%
1983	Wet	5%	6%	13%	0%	0%	0%	9%	-3%	7%	0%	4%	3%
1984	Wet	2%	2%	-21%	0%	0%	0%	0%	0%	24%	18%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-17%	0%	5%	0%	0%	0%	0%	0%
1987	Dry	3%	53%	0%	13%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-2%	-2%
1993	Above Normal	6%	0%	-7%	-7%	0%	0%	0%	0%	56%	17%	0%	0%
1994	Critical	0%	0%	0%	1%	1%	0%	0%	0%	2%	0%	0%	0%
1995	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	5%	-9%	6%	7%
1996	Wet	-21%	-99%	-26%	0%	0%	0%	0%	0%	18%	20%	3%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	13%	9%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	1%	-1%	18%	18%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	20%	17%	4%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	21%	7%	0%	0%
2001	Dry	0%	0%	-1%	-3%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	-1%	1%	1%	1%	0%	0%	14%	4%	2%	0%
	Wet	-1%	-4%	-2%	0%	0%	2%	1%	0%	18%	8%	2%	0%
	Above Normal	2%	0%	-1%	3%	3%	0%	-2%	-1%	15%	6%	2%	-1%
	Below Normal	0%	6%	1%	0%	-3%	-1%	0%	0%	32%	4%	0%	0%
	Dry	0%	0%	-1%	3%	4%	2%	0%	0%	2%	0%	0%	-1%
	Critical	0%	0%	0%	0%	1%	4%	-1%	0%	0%	0%	5%	0%

Hydropower Modeling Attachment: Alternative Plan 4, CVP, Future Conditions

Upper San Joaquin River Basin Storage Investigation, California

Prepared by:

United States Department of the Interior
Bureau of Reclamation
Mid-Pacific Region

U.S. Department of the Interior
Bureau of Reclamation

August 2014

Mission Statements

The mission of the Department of the Interior is to protect and provide access to our Nation's natural and cultural heritage and honor our trust responsibilities to Indian Tribes and our commitments to island communities.

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public.

Energy generated (GWh) at CVP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.17	40.17	21.05	40.38	21.38	0.00	144.15
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	20.23	34.35	21.71	12.25	11.14	0.00	99.68
1924	Critical	0.00	0.00	0.00	0.00	0.00	6.49	7.67	18.11	30.49	21.01	16.89	0.00	100.66
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	20.59	46.48	29.30	17.38	15.88	0.00	129.63
1926	Dry	0.00	0.00	0.00	0.00	0.95	8.76	10.24	24.80	15.20	11.50	14.49	0.00	85.94
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.00	45.36	29.86	20.22	8.84	0.00	132.28
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.31	37.74	21.64	14.44	2.37	0.00	97.50
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	11.59	20.72	25.80	11.58	0.00	0.00	69.69
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	8.36	23.55	32.89	15.18	20.85	1.95	102.78
1931	Critical	0.00	0.00	0.00	0.00	0.00	1.78	11.00	20.76	34.10	27.07	17.42	0.00	112.13
1932	Dry	0.00	0.00	0.00	0.00	0.00	4.17	13.89	25.43	22.59	36.96	0.00	0.00	103.04
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	9.99	20.12	33.14	27.16	0.00	0.00	90.41
1934	Critical	0.00	0.00	0.00	0.00	0.00	10.71	11.41	21.54	35.59	25.84	0.00	0.00	105.09
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	9.36	33.92	16.58	14.06	17.59	0.00	91.51
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	12.20	32.51	29.67	17.36	21.71	0.00	113.45
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.19	36.93	24.01	23.20	0.00	93.33
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.68	46.69	40.34	0.00	105.71
1939	Dry	0.00	10.90	0.00	0.00	0.00	0.00	18.35	26.06	38.64	2.39	3.45	0.00	99.79
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	16.47	30.54	25.49	12.17	1.63	0.00	86.30
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	27.03	36.03	34.99	27.61	19.43	0.00	145.09
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.52	37.29	23.54	32.85	11.00	0.00	133.20
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	18.35	36.60	29.93	30.53	11.38	0.00	126.79
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	12.36	21.30	23.73	6.21	14.74	0.00	78.34
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	31.44	52.56	46.35	25.35	12.00	0.00	167.70
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	33.26	48.94	34.44	23.95	11.61	0.00	152.20
1947	Dry	0.00	0.00	0.00	0.00	0.00	7.78	25.01	39.19	30.83	9.76	17.62	0.00	130.19
1948	Below Normal	0.00	0.00	0.00	0.00	4.55	0.00	11.64	23.52	12.85	3.43	0.46	0.00	56.45
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.53	43.90	46.21	14.95	4.92	0.00	141.51
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	16.18	19.50	24.21	4.65	3.66	0.00	68.20
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	32.83	53.01	42.66	28.00	12.16	0.00	168.66
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	13.53	22.81	15.43	48.44	23.15	0.00	123.36
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.74	24.26	28.35	6.33	1.81	0.00	78.49
1954	Above Normal	1.85	0.00	0.00	0.00	0.00	0.00	20.68	28.36	24.00	12.04	0.24	0.00	87.17
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	21.91	38.33	47.27	4.16	20.34	0.00	132.01
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.90	57.40	33.53	29.01	15.57	0.00	167.41
1957	Above Normal	0.00	0.00	0.00	0.00	5.98	0.00	15.66	22.33	23.71	2.90	0.00	0.00	70.58
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	3.20	27.03	13.84	38.85	24.91	0.00	107.83
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	10.97	26.00	22.26	2.82	0.00	0.00	62.05
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.65	22.00	29.27	4.71	2.23	0.00	77.86
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	26.85	37.46	52.19	8.73	0.00	0.00	125.23
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	17.29	24.57	30.04	6.49	1.47	0.00	79.86
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	25.89	39.57	18.05	15.58	7.43	0.00	106.52
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.25	36.16	33.55	6.37	13.52	0.00	113.85
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.40	46.68	42.86	24.13	5.52	0.00	136.59
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	24.02	35.26	38.31	9.90	3.53	0.00	111.02
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	5.11	26.18	13.64	20.76	30.24	0.00	95.93
1968	Below Normal	0.00	0.00	0.00	0.00	3.51	0.00	12.76	27.12	24.99	3.37	0.17	0.00	71.92
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19.42	34.17	44.68	1.24	99.51
1970	Wet	0.00	13.20	0.00	0.00	0.00	0.00	35.42	52.04	48.93	32.33	10.39	0.00	192.31
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	16.69	26.87	21.49	5.29	0.00	0.00	70.34
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.36	31.62	34.32	6.61	1.54	0.00	96.45
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	29.53	47.96	30.08	16.08	6.41	0.00	130.06
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	32.66	53.16	26.80	37.25	7.29	0.00	157.16
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	27.84	35.63	22.41	15.83	1.04	0.00	102.75
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	7.90	24.32	30.42	19.81	20.44	7.33	110.22
1977	Critical	0.00	0.00	0.00	0.00	0.00	3.89	5.24	13.81	26.24	17.90	0.00	5.09	72.17
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	10.11	28.95	16.69	30.88	30.63	0.00	117.26
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.54	38.15	31.97	13.22	5.07	0.00	114.95
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	15.35	37.71	26.00	28.02	20.43	2.00	129.51
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	12.90	20.65	29.05	5.03	2.08	0.00	69.71
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.09	21.52	58.97	30.86	0.00	131.44
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.99	28.31	0.00	63.30
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.66	53.38	41.55	21.78	9.48	0.00	157.85
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.47	44.61	41.80	18.34	11.76	0.00	140.98
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.97	7.01	27.02	10.96	28.49	92.45
1987	Dry	2.24	5.91	0.00	0.00	0.00	0.00	15.93	24.70	21.55	7.66	16.93	0.00	94.92
1988	Critical	0.00	0.00	0.00	0.00	3.42	6.93	6.47	16.31	30.32	2.22	0.00	6.13	71.80
1989	Dry	0.00	0.00	0.00	0.00	0.00	2.44	14.79	30.00	24.31	8.72	9.29	0.00	89.55
1990	Critical	0.00	0.00	0.00	0.00	0.00	4.09	8.16	11.14	24.70	0.00	0.00	5.85	53.94
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.03	3.99	15.70	19.20	5.55	5.99	0.00	50.46
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	10.74	16.33	27.08	5.07	0.00	3.72	62.94
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	27.06	37.61	18.96	10.93	0.02	0.00	94.58
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	21.29	29.24	44.42	2.24	0.00	0.00	97.19
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	6.42	0.00	9.48	16.65	19.21	0.00	51.76
1996	Wet	5.21	0.00	0.00	0.00	0.00	0.00	27.70	26.62	32.45	19.86	1.45	0.00	113.29
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	39.25	57.29	24.43	33.29	8.69	0.00	162.95
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	5.66	20.79	11.90	19.47	21.77	0.00	79.59
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	30.47	47.56	33.91	16.24	6.92	0.00	135.10
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	27.58	40.27	19.61	31.88	5.30	0.00	124.64
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.74	36.60	35.96	2.18	21.26	0.00	115.74
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	23.71	33.08	34.02	6.07	0.42	0.00	97.30
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.83	25.29	28.26	10.47	3.93	0.00	90.78
	Average	0.11	0.37	0.00	0.00	0.22	0.70	17.55	30.26	27.76	17.95	10.60	0.75	106.27
	Wet	0.20	0.51	0.00	0.00	0.00	0.00	18.09	31.22	24.00	27.47	15.41	1.14	118.04
	Above Normal	0.15	0.00	0.00	0.00	0.50	0.00	21.72	35.83	24.85	19.85	8.71	0.17	111.77
	Below Normal	0.00	0.00	0.00	0.00	0.58	0.00	17.73	31.23	28.90	11.96	8.08	0.00	98.48
	Dry	0.12	0.93	0.00	0.00	0.05	1.29	19.14	31.91	32.69	10.35	10.54	0.11	107.13
	Critical	0.00	0.00	0.00	0.00	0.29	2.83	9.62	19.01	30.13	13.79	5.06	2.34	83.06

Energy generated (GWh) at CVP San Luis: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.35	40.03	23.40	39.59	17.90	0.00	142.27
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	19.98	33.91	21.47	11.85	10.97	0.00	98.18
1924	Critical	0.00	0.00	0.00	0.00	0.00	6.50	7.69	18.10	30.54	21.06	16.92	0.00	100.81
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	20.59	46.54	29.33	17.42	15.90	0.00	129.78
1926	Dry	0.00	0.00	0.00	0.00	0.97	8.76	10.22	24.75	15.19	11.45	14.56	0.00	85.90
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.01	45.38	29.89	20.24	8.86	0.00	132.38
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	21.31	37.73	21.62	14.44	2.36	0.00	97.46
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	11.59	20.71	25.79	11.58	0.00	0.00	69.67
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	8.35	23.54	32.90	15.19	20.84	1.95	102.77
1931	Critical	0.00	0.00	0.00	0.00	0.00	1.77	11.00	20.76	34.11	27.08	17.42	0.00	112.14
1932	Dry	0.00	0.00	0.00	0.00	0.00	5.83	13.86	25.37	22.52	36.81	0.00	0.00	104.39
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	9.99	20.11	33.13	27.15	0.00	0.00	90.38
1934	Critical	0.00	0.00	0.00	0.00	0.00	11.10	11.65	22.11	36.88	27.94	0.00	0.00	109.68
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	9.28	33.59	16.25	13.45	16.37	0.00	88.94
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	12.18	32.49	29.65	17.36	21.69	0.00	113.37
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.14	47.39	22.64	21.09	0.00	102.26
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.98	17.28	16.80	42.42	31.31	0.00	109.79
1939	Dry	0.00	9.78	0.00	0.00	0.00	0.00	13.60	24.59	27.61	0.11	1.09	0.00	76.78
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	17.12	31.74	26.66	13.19	1.91	0.00	90.62
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	26.78	48.01	32.70	36.20	14.08	0.00	157.77
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.28	36.88	23.19	32.44	10.85	0.00	131.64
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.97	35.68	24.33	29.30	10.65	0.00	117.93
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	12.48	21.46	22.77	7.03	14.69	0.00	78.43
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	30.97	51.82	45.28	24.52	11.48	0.00	164.07
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	33.19	48.78	35.41	23.81	11.52	0.00	152.71
1947	Dry	0.00	0.00	0.00	0.00	0.00	7.77	25.15	39.41	31.11	9.95	17.08	0.00	130.47
1948	Below Normal	0.00	0.00	0.00	0.00	4.58	0.00	11.64	23.50	12.82	3.43	0.44	0.00	56.41
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.47	43.81	46.13	14.86	4.88	0.00	141.15
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	16.19	19.53	24.23	4.66	3.67	0.00	68.28
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	32.83	53.01	42.65	27.96	12.15	0.00	168.60
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	24.60	23.71	14.96	47.59	25.21	0.00	136.07
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	19.02	29.33	30.66	6.57	1.38	0.00	86.96
1954	Above Normal	2.09	0.00	0.00	0.00	0.00	0.00	21.20	29.70	24.92	13.40	0.32	0.00	91.63
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	21.93	38.40	47.36	4.05	20.53	0.00	132.27
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.90	57.38	33.47	28.86	16.96	0.00	168.57
1957	Above Normal	0.00	0.00	0.00	0.00	5.96	0.00	15.63	22.23	23.66	2.90	0.00	0.00	70.38
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	17.15	39.39	18.01	45.10	18.91	0.00	138.56
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	11.35	26.52	23.06	3.20	0.00	0.00	64.13
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.59	21.89	29.14	4.61	2.09	0.00	77.32
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	26.84	37.45	52.17	8.70	0.00	0.00	125.16
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	17.30	24.59	30.06	6.50	1.47	0.00	79.92
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	25.75	39.34	17.88	15.34	7.26	0.00	105.57
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.29	36.22	33.66	6.43	13.56	0.00	114.16
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	16.67	44.74	41.05	21.90	3.16	0.00	127.52
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	23.99	35.22	38.26	9.86	3.51	0.00	110.84
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	15.22	26.72	12.91	28.73	26.86	0.00	110.44
1968	Below Normal	0.00	0.00	0.00	0.00	3.49	0.00	12.80	27.16	25.04	3.35	0.16	0.00	72.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19.09	33.54	43.94	0.00	96.57
1970	Wet	0.00	13.02	0.00	0.00	0.00	0.00	35.38	51.86	48.53	32.15	10.37	0.00	191.31
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	16.68	26.91	21.48	5.34	0.00	0.00	70.41
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.39	31.67	34.37	6.65	1.56	0.00	96.64
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	29.53	47.96	33.95	15.33	9.39	0.00	136.16
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.69	51.60	26.54	35.10	4.85	0.00	149.78
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	28.03	35.97	22.71	16.14	1.15	0.00	104.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	7.87	24.29	30.37	19.86	20.36	7.30	110.05
1977	Critical	0.00	0.00	0.00	0.00	0.00	3.89	5.24	13.81	26.24	17.91	0.00	5.01	72.10
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	11.92	29.47	26.93	41.25	20.06	0.00	129.63
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	23.32	33.66	26.91	10.99	2.51	0.00	97.39
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	15.48	41.88	34.14	35.34	18.88	0.00	145.72
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	14.91	27.52	32.66	4.94	1.92	0.00	81.95
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	25.12	36.98	55.55	27.33	0.00	144.98
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	34.99	28.31	0.00	63.30
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.66	53.38	41.55	21.78	9.48	0.00	157.85
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	24.48	44.62	41.80	18.34	11.77	0.00	141.01
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.88	12.38	26.00	10.24	27.74	95.24
1987	Dry	2.18	4.63	0.00	0.00	0.00	0.00	15.66	24.18	21.20	6.71	15.39	0.00	89.95
1988	Critical	0.00	0.00	0.00	0.00	3.36	6.96	6.51	16.41	30.39	2.27	0.00	6.11	72.01
1989	Dry	0.00	0.00	0.00	0.00	0.00	2.44	14.71	29.86	24.17	8.60	9.21	0.00	88.99
1990	Critical	0.00	0.00	0.00	0.00	0.00	4.08	8.12	16.52	24.49	0.00	5.36	0.00	58.57
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.03	3.86	15.53	18.86	5.41	5.60	0.00	49.29
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	10.57	16.04	21.58	9.31	0.00	3.80	61.30
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.86	37.36	18.65	10.67	0.00	0.00	93.54
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	21.40	29.45	44.66	2.33	0.00	0.00	97.84
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	7.33	6.76	14.68	11.61	15.94	0.00	56.32
1996	Wet	2.89	0.00	0.00	0.00	0.00	0.00	25.99	24.19	29.75	17.35	0.61	0.00	100.78
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	39.26	57.33	24.44	34.03	8.01	0.00	163.07
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	6.79	20.39	10.07	17.16	19.95	0.00	74.36
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	30.59	47.75	34.15	16.44	7.03	0.00	135.96
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	27.50	40.08	19.33	31.54	5.19	0.00	123.64
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	19.73	36.57	35.87	2.25	21.62	0.00	116.04
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	23.70	33.03	33.98	6.06	0.42	0.00	97.19
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.80	25.24	28.21	10.44	3.92	0.00	90.61
	Average	0.09	0.33	0.00	0.00	0.22	0.72	17.95	31.06	28.16	18.12	9.91	0.63	107.20
	Wet	0.11	0.50	0.00	0.00	0.00	0.00	19.49	33.23	24.55	27.38	13.95	1.07	120.27
	Above Normal	0.17	0.00	0.00	0.00	0.50	0.00	21.96	36.37	27.01	21.34	7.67	0.00	115.02
	Below Normal	0.00	0.00	0.00	0.00	0.58	0.00	17.47	30.97	29.30	11.59	7.60	0.00	97.51
	Dry	0.12	0.80	0.00	0.00	0.05	1.38	18.98	32.18	32.20	10.20	10.31	0.11	106.32
	Critical	0.00	0.00	0.00	0.00	0.28	2.86	9.62	19.49	29.75	14.33	5.47	1.85	83.65

Difference in Energy generated (GWh) at CVP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.18	(0.14)	2.35	(0.79)	(3.48)	0.00	(0.16)
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.25)	(0.44)	(0.24)	(0.40)	(0.17)	0.00	(0.13)
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.02	(0.01)	0.05	0.05	0.03	0.00	0.01
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.03	0.04	0.02	0.00	0.01
1926	Dry	0.00	0.00	0.00	0.00	0.02	0.00	(0.02)	(0.05)	(0.01)	(0.05)	0.07	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.02	0.02	0.00	0.01
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00	(0.01)	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.01	0.01	(0.01)	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	1.66	(0.03)	(0.06)	(0.07)	(0.15)	0.00	0.00	0.11
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.39	0.24	0.57	1.29	2.10	0.00	0.00	0.38
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.33)	(0.33)	(0.61)	(1.22)	0.00	(0.21)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.02)	0.00	(0.02)	0.00	(0.01)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.95	10.46	(1.37)	(2.11)	0.00	0.74
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.98	17.28	(1.88)	(4.27)	(9.03)	0.00	0.34
1939	Dry	0.00	(1.12)	0.00	0.00	0.00	0.00	(4.75)	(1.47)	(11.03)	(2.28)	(2.36)	0.00	(1.92)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1.20	1.17	1.02	0.28	0.00	0.36
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.25)	11.98	(2.29)	8.59	(5.35)	0.00	1.06
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.24)	(0.41)	(0.35)	(0.41)	(0.15)	0.00	(0.13)
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.38)	(0.92)	(5.60)	(1.23)	(0.73)	0.00	(0.74)
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.16	(0.96)	0.82	(0.05)	0.00	0.01
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.47)	(0.74)	(1.07)	(0.83)	(0.52)	0.00	(0.30)
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.16)	0.97	(0.14)	(0.09)	0.00	0.04
1947	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.14	0.22	0.28	0.19	(0.54)	0.00	0.02
1948	Below Normal	0.00	0.00	0.00	0.00	0.03	0.00	0.00	(0.02)	(0.03)	0.00	(0.02)	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.09)	(0.08)	(0.09)	(0.04)	0.00	(0.03)
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.02	0.01	0.01	0.00	0.01
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.04)	(0.01)	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	11.07	0.90	(0.47)	(0.85)	2.06	0.00	1.06
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.28	5.07	2.31	0.24	(0.43)	0.00	0.71
1954	Above Normal	0.24	0.00	0.00	0.00	0.00	0.00	0.52	1.34	0.92	1.36	0.08	0.00	0.37
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.07	0.09	(0.11)	0.19	0.00	0.02
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.06)	(0.15)	1.39	0.00	0.10
1957	Above Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	(0.03)	(0.10)	(0.05)	0.00	0.00	0.00	(0.02)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	13.95	12.36	4.17	6.25	(6.00)	0.00	2.56
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.52	0.80	0.38	0.00	0.00	0.17
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.11)	(0.13)	(0.10)	(0.14)	0.00	(0.04)
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.03)	0.00	0.00	(0.01)
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.02	0.01	0.00	0.00	0.01
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.23)	(0.17)	(0.24)	(0.17)	0.00	(0.08)
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.06	0.11	0.06	0.04	0.00	0.03
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.73)	(1.94)	(1.81)	(2.23)	(2.36)	0.00	(0.76)
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.04)	(0.05)	(0.04)	(0.02)	0.00	(0.02)
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	10.11	0.54	(0.73)	7.97	(3.38)	0.00	1.21
1968	Below Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	0.04	0.04	0.05	(0.02)	(0.01)	0.00	0.01
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.33)	(0.63)	(0.74)	(1.24)	(0.25)
1970	Wet	0.00	(0.18)	0.00	0.00	0.00	0.00	(0.04)	(0.18)	(0.40)	(0.18)	(0.02)	0.00	(0.08)
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.04	(0.01)	0.05	0.00	0.00	0.01
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.05	0.05	0.04	0.02	0.00	0.02
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.87	(0.75)	2.98	0.00	0.51
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.97)	(1.56)	(0.26)	(2.15)	(2.44)	0.00	(0.61)
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.34	0.30	0.31	0.11	0.00	0.10
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.03)	(0.05)	0.05	(0.08)	(0.03)	(0.01)
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.08)	(0.01)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.81	0.52	10.24	10.37	(10.57)	0.00	1.03
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(3.22)	(4.49)	(5.06)	(2.23)	(2.56)	0.00	(1.46)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.13	4.17	8.14	7.32	(1.55)	(2.00)	1.35
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.01	6.87	3.61	(0.09)	(0.16)	0.00	1.02
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.03	15.46	(3.42)	(3.53)	0.00	1.13
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.01	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	5.37	(1.02)	(0.72)	(0.75)	0.23
1987	Dry	(0.06)	(1.28)	0.00	0.00	0.00	0.00	(0.27)	(0.52)	(0.35)	(0.95)	(1.54)	0.00	(0.41)
1988	Critical	0.00	0.00	0.00	0.00	(0.06)	0.03	0.04	0.10	0.07	0.05	0.00	(0.02)	0.02
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.14)	(0.14)	(0.12)	(0.08)	0.00	(0.05)
1990	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.04)	5.38	(0.21)	0.00	5.36	(5.85)	0.39
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.17)	(0.34)	(0.14)	(0.39)	0.00	(0.10)
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.17)	(0.29)	(5.50)	4.24	0.00	0.08	(0.14)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.20)	(0.25)	(0.31)	(0.26)	(0.02)	0.00	(0.09)
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.21	0.24	0.09	0.00	0.00	0.05
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.91	6.76	5.20	(5.04)	(3.27)	0.00	0.38
1996	Wet	(2.32)	0.00	0.00	0.00	0.00	0.00	(1.71)	(2.43)	(2.70)	(2.51)	(0.84)	0.00	(1.04)
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.04	0.01	0.74	(0.68)	0.00	0.01
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.13	(0.40)	(1.83)	(2.31)	(1.82)	0.00	(0.44)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.19	0.24	0.20	0.11	0.00	0.07
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.19)	(0.28)	(0.34)	(0.11)	0.00	(0.08)
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	(0.09)	0.07	0.36	0.00	0.02
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.05)	(0.04)	(0.01)	0.00	0.00	(0.01)
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)	(0.05)	(0.03)	(0.01)	0.00	(0.01)
	Average	(0.03)	(0.03)	0.00	0.00	(0.00)	0.03	0.40	0.80	0.40	0.17	(0.69)	(0.12)	0.08
	Wet	(0.09)	(0.01)	0.00	0.00	0.00	0.00	1.40	2.01	0.55	(0.09)	(1.46)	(0.08)	0.19
	Above Normal	0.02	0.00	0.00	0.00	(0.00)	0.00	0.25	0.54	2.16	1.49	(1.04)	(0.17)	0.27
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)	(0.26)	0.40	(0.37)	(0.48)	0.00	(0.08)
	Dry	(0.00)	(0.13)	0.00	0.00	0.00	0.09	(0.17)	0.27	(0.49)	(0.16)	(0.24)	0.00	(0.07)
	Critical	0.00	0.00	0.00	0.00	(0.01)	0.03	0.00	0.48	(0.37)	0.54	0.41	(0.49)	0.05

Percent Difference in Energy generated (GWh) at CVP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	1%	0%	11%	-2%	-16%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-3%	-2%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	40%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	4%	2%	3%	4%	8%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-4%	-7%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	21%	28%	-6%	-9%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	-	-	-10%	-9%	-22%	0%
1939	Dry	0%	-10%	0%	0%	0%	0%	-26%	-6%	-29%	-95%	-68%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	4%	4%	5%	8%	17%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	-1%	33%	-7%	31%	-28%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	-2%	-3%	-19%	-4%	-6%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	1%	1%	-4%	13%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-3%	-4%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	3%	-1%	-1%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	1%	1%	1%	2%	-3%	0%
1948	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-4%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	82%	4%	-3%	-2%	9%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	7%	21%	8%	4%	-24%	0%
1954	Above Normal	13%	0%	0%	0%	0%	0%	3%	5%	4%	11%	33%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	1%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	9%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	436%	46%	30%	16%	-24%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	3%	2%	4%	13%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	-6%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-2%	-2%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	-4%	-4%	-4%	-9%	-43%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	198%	2%	-5%	38%	-11%	0%
1968	Below Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	-1%	-6%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-100%
1970	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	13%	-5%	46%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-3%	-3%	-1%	-6%	-33%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	1%	1%	1%	2%	11%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1978	Above Normal	0%	0%	0%	0%	0%	0%	18%	2%	61%	34%	-35%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-12%	-12%	-16%	-17%	-50%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	1%	11%	31%	26%	-8%	-100%
1981	Dry	0%	0%	0%	0%	0%	0%	16%	33%	12%	-2%	-8%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	25%	72%	-6%	-11%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	77%	-4%	-7%	-3%
1987	Dry	-3%	-22%	0%	0%	0%	0%	-2%	-2%	-2%	-12%	-9%	0%
1988	Critical	0%	0%	0%	0%	-2%	0%	1%	1%	0%	2%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	-1%	-1%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	48%	-1%	0%	-	-100%
1991	Critical	0%	0%	0%	0%	0%	0%	-3%	-1%	-2%	-3%	-7%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-20%	84%	0%	2%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-100%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	1%	1%	1%	4%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	14%	-	55%	-30%	-17%	0%
1996	Wet	-45%	0%	0%	0%	0%	0%	-6%	-9%	-8%	-13%	-58%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-8%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	20%	-2%	-15%	-12%	-8%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	2%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	2%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	1%	9%	3%	3%	1%	-6%	-4%
	Wet	-2%	0%	0%	0%	0%	0%	28%	4%	6%	0%	-11%	-4%
	Above Normal	1%	0%	0%	0%	0%	0%	2%	2%	10%	6%	-5%	-8%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	1%	1%	-1%	-6%	0%
	Dry	0%	-2%	0%	0%	0%	2%	-1%	1%	-1%	-5%	-5%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	4%	-2%	8%	-1%	-8%

Energy generated (GWh) at Folsom Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	24.88	34.92	31.01	26.88	68.96	54.63	70.25	149.23	147.70	47.64	67.59	82.34	806.03
1923	Below Normal	30.25	41.78	85.78	71.76	64.77	29.71	47.34	78.16	49.36	90.55	34.69	56.67	680.82
1924	Critical	48.58	29.92	30.85	25.37	19.97	11.98	11.75	12.18	8.36	8.69	8.53	7.56	223.74
1925	Dry	11.58	11.63	11.70	11.92	74.91	36.52	77.95	78.13	65.80	88.59	63.22	26.24	558.19
1926	Dry	24.59	29.87	31.27	26.13	21.00	13.69	55.99	27.62	55.14	42.60	28.06	12.68	368.64
1927	Wet	22.45	23.12	25.38	56.31	117.65	73.16	123.55	81.46	92.01	84.85	37.11	56.24	793.29
1928	Above Normal	33.19	71.19	31.65	27.91	26.18	132.56	76.87	32.45	50.03	84.95	38.41	32.91	638.30
1929	Critical	22.85	23.49	25.03	20.72	15.87	18.62	18.41	20.78	24.43	25.00	24.03	21.39	260.62
1930	Dry	14.28	14.06	15.62	16.03	15.10	42.63	29.72	31.49	51.96	63.93	30.18	23.55	348.55
1931	Critical	31.77	23.81	24.15	20.38	15.55	12.40	12.03	12.67	10.85	12.64	11.26	23.92	211.43
1932	Dry	22.00	9.69	10.03	12.08	34.82	33.89	29.88	61.16	85.43	60.98	57.47	65.27	482.70
1933	Critical	35.15	41.07	31.09	25.79	19.55	21.78	25.29	23.50	55.32	58.51	24.63	20.69	382.37
1934	Critical	11.10	19.24	11.21	11.89	11.37	9.14	41.32	48.32	57.90	11.24	19.62	7.53	259.88
1935	Below Normal	10.15	9.89	9.94	11.16	11.42	26.76	90.56	72.30	75.16	90.26	31.73	53.21	492.54
1936	Below Normal	45.45	30.40	31.82	81.28	122.38	68.82	86.56	69.79	83.38	90.51	31.95	62.25	804.59
1937	Below Normal	45.44	30.06	31.22	25.83	37.52	70.77	69.67	67.35	37.99	90.11	31.62	61.63	599.21
1938	Wet	25.25	32.20	106.58	45.18	119.88	135.30	127.11	149.15	147.86	59.41	73.94	80.77	1,102.63
1939	Dry	25.38	35.75	32.15	26.87	20.46	13.05	13.67	24.02	24.91	46.42	16.07	12.20	290.95
1940	Above Normal	20.32	19.33	19.52	42.88	123.35	133.80	98.90	53.93	32.80	90.10	43.78	78.57	757.28
1941	Wet	26.93	39.07	28.16	78.96	113.90	78.98	60.33	86.73	55.96	42.11	70.67	82.53	764.33
1942	Wet	25.87	46.74	67.33	132.80	119.14	39.72	96.45	115.68	125.07	57.18	73.46	80.99	980.43
1943	Wet	26.73	75.34	51.66	131.67	102.88	131.94	83.71	43.10	51.45	90.40	32.11	81.55	902.54
1944	Dry	34.88	40.45	29.19	25.24	19.70	22.05	23.02	24.83	45.90	47.55	37.11	24.78	374.70
1945	Below Normal	22.60	23.26	25.31	25.75	107.85	33.16	35.06	59.74	45.48	90.37	44.23	46.60	559.41
1946	Below Normal	43.08	44.76	133.09	81.58	37.44	49.55	56.62	62.34	33.20	90.25	47.34	31.58	710.83
1947	Dry	46.38	30.62	32.68	27.60	22.05	39.69	19.34	20.58	53.41	49.11	32.17	24.04	397.67
1948	Below Normal	22.66	22.24	22.68	19.58	15.99	26.71	28.29	58.32	86.92	62.96	46.98	65.30	478.63
1949	Dry	27.26	34.96	32.74	27.48	21.02	43.49	53.15	41.34	34.74	84.79	56.17	34.67	491.81
1950	Below Normal	24.35	29.24	30.22	27.43	79.24	51.51	75.49	69.94	69.67	90.38	31.84	58.48	637.79
1951	Above Normal	46.35	120.45	110.11	108.02	101.77	57.72	49.02	60.56	32.74	89.47	38.28	64.50	878.99
1952	Wet	24.25	39.18	67.08	133.06	124.17	99.11	138.00	148.47	147.29	77.01	81.71	72.85	1,152.18
1953	Wet	26.45	56.71	32.35	108.87	33.74	29.19	41.10	48.22	108.36	74.18	62.57	67.46	689.20
1954	Above Normal	34.35	47.26	32.27	27.54	42.14	72.67	69.48	32.46	31.89	85.87	29.60	24.92	530.45
1955	Dry	24.36	29.19	30.84	26.38	27.81	23.27	23.28	25.26	30.35	49.49	41.97	24.64	356.84
1956	Wet	24.08	28.86	121.76	122.27	87.04	30.29	46.94	119.39	101.02	53.81	73.99	78.23	887.68
1957	Above Normal	30.52	51.22	31.17	26.12	21.91	73.09	29.66	47.55	48.68	90.21	47.97	43.73	541.83
1958	Wet	25.20	30.67	32.53	41.60	119.30	106.75	137.26	148.98	132.93	52.74	75.17	69.77	972.90
1959	Below Normal	25.77	50.52	31.48	26.68	26.64	14.02	14.22	15.14	25.45	82.06	15.03	12.58	339.59
1960	Dry	22.53	22.19	22.76	19.03	17.05	48.84	33.67	26.92	26.09	36.07	40.97	26.24	342.36
1961	Dry	24.31	29.29	30.68	25.43	19.38	13.23	13.57	14.62	14.68	50.74	13.41	12.55	261.89
1962	Below Normal	13.94	13.78	14.71	11.78	34.25	32.80	62.07	33.85	32.53	89.43	50.96	31.13	421.23
1963	Wet	56.69	68.72	54.05	64.59	115.09	28.35	107.01	122.78	54.06	81.29	32.15	57.28	842.06
1964	Dry	38.30	67.38	32.80	39.84	27.00	27.99	27.59	29.47	30.03	57.35	39.01	24.83	441.59
1965	Wet	23.18	24.86	113.09	114.86	70.58	27.68	88.02	64.17	62.14	90.64	32.33	82.50	794.05
1966	Below Normal	43.42	32.46	31.88	27.97	25.47	13.80	24.25	15.48	21.57	82.98	18.31	13.23	350.82
1967	Wet	23.62	25.49	40.62	107.41	63.91	94.76	64.57	144.98	147.29	70.22	74.19	78.24	935.30
1968	Below Normal	25.64	51.54	33.24	27.68	99.17	33.18	20.48	21.70	20.87	81.04	18.85	18.10	451.49
1969	Wet	22.86	24.31	26.42	125.32	117.30	55.72	104.43	149.30	114.02	49.74	71.78	80.92	942.12
1970	Wet	25.42	42.64	80.27	122.30	83.47	39.38	29.13	31.30	31.11	84.94	31.96	57.93	659.85
1971	Wet	22.04	24.02	67.78	75.58	49.64	64.64	38.81	61.97	85.94	68.73	51.87	72.04	683.06
1972	Below Normal	25.56	50.04	32.32	31.13	46.27	67.43	29.64	31.80	31.54	85.13	31.42	24.49	486.77
1973	Above Normal	24.15	29.65	43.73	132.50	100.81	56.04	36.56	73.98	56.94	82.40	30.84	48.90	716.50
1974	Wet	24.99	100.31	115.10	128.82	60.85	131.73	104.00	83.42	71.83	58.07	74.59	71.94	1,025.65
1975	Wet	25.77	53.81	31.65	26.84	35.56	74.59	33.31	89.18	108.33	55.85	65.46	70.90	671.25
1976	Critical	25.88	69.95	32.02	26.72	20.95	12.59	12.51	13.20	13.69	16.66	13.06	12.37	269.60
1977	Critical	12.29	11.68	11.65	10.82	10.06	7.60	5.15	4.57	5.21	5.36	15.89	4.82	105.10
1978	Above Normal	5.63	6.31	6.44	27.42	66.41	90.25	68.81	65.49	72.41	86.74	32.21	61.52	589.64
1979	Below Normal	25.83	36.25	32.14	27.24	49.33	55.88	29.84	74.38	69.43	61.90	30.68	25.87	518.77
1980	Above Normal	34.35	35.93	36.87	124.96	112.80	58.06	47.25	50.59	54.88	51.55	73.27	82.10	762.61
1981	Dry	25.21	45.94	31.08	26.73	24.43	12.79	13.85	14.82	22.53	53.78	16.76	12.71	300.63
1982	Wet	22.94	69.81	122.72	115.18	103.03	115.27	133.62	149.24	104.67	54.39	73.33	75.57	1,139.77
1983	Wet	35.60	126.80	132.74	119.35	117.25	131.03	109.08	148.81	146.00	105.26	85.83	82.56	1,340.31
1984	Wet	27.39	126.69	115.26	90.67	74.14	47.12	29.77	44.57	48.90	89.54	31.53	46.41	771.99
1985	Dry	35.41	64.28	40.39	28.59	25.74	20.56	34.04	23.18	54.47	49.56	37.07	18.47	431.76
1986	Wet	23.11	24.56	26.75	49.44	105.01	125.92	45.03	46.84	63.35	88.64	31.10	76.06	705.81
1987	Dry	24.29	29.42	30.38	25.11	19.29	12.34	13.12	17.50	27.05	35.17	11.45	10.21	255.33
1988	Critical	11.28	11.85	11.64	11.70	16.42	14.59	9.03	12.15	18.57	17.07	11.50	10.41	156.21
1989	Dry	12.84	12.57	13.25	13.63	11.53	133.84	70.72	60.43	78.84	52.41	30.54	27.60	518.20
1990	Critical	23.16	24.92	26.15	21.86	16.88	17.31	17.73	18.54	28.38	31.58	24.55	16.93	267.99
1991	Critical	21.80	19.65	19.72	15.74	11.19	13.09	16.24	17.61	30.56	45.69	49.29	20.63	281.21
1992	Critical	11.16	10.80	10.98	10.93	10.71	6.69	21.03	24.31	25.31	67.83	6.28	4.42	210.45
1993	Above Normal	6.06	5.53	9.94	13.65	86.65	116.43	70.18	92.53	91.56	68.15	46.51	64.86	672.05
1994	Critical	30.26	49.23	31.51	26.19	19.92	16.16	16.24	17.25	25.30	28.14	17.38	16.03	293.61
1995	Wet	18.23	17.72	19.04	123.28	68.18	129.77	114.31	148.43	147.33	86.44	78.23	72.26	1,023.22
1996	Wet	44.42	42.86	36.44	87.86	118.66	101.60	77.09	142.50	55.75	67.77	43.89	79.27	898.11
1997	Wet	41.88	56.38	125.05	109.48	82.59	27.33	29.01	31.86	31.60	85.98	29.83	66.36	717.35
1998	Wet	20.64	20.01	20.56	74.90	118.26	99.78	92.49	109.43	147.06	73.40	76.09	73.83	926.45
1999	Wet	25.97	62.89	47.68	91.77	118.77	71.69	45.82	85.62	83.61	74.01	39.52	80.91	828.26
2000	Above Normal	29.30	49.16	30.84	33.20	123.00	67.87	44.31	37.27	35.51	88.45	30.71	37.73	607.35
2001	Dry	26.03	35.58	30.95	25.72	19.50	12.68	13.18	14.43	21.91	35.50	19.00	12.62	267.10
2002	Dry	18.02	12.13	19.44	55.70	49.31	52.11	34.72	32.46	32.35	84.12	43.14	26.27	459.77
2003	Above Normal	25.60	29.43	31.49	54.11	36.23	28.88	39.40	88.03	47.41	90.12	31.58	57.35	559.63
	Average	26.51	38.30	41.62	52.54	58.13	53.31	51.93	59.80	59.87	64.96	40.49	45.39	592.85
	Wet	27.38	49.38	65.69	95.32	93.85	80.42	80.77	99.83	94.81	72.18	57.86	72.90	890.38
	Above Normal	26.23	41.70	34.59	53.77	75.85	78.50	58.39	65.34	58.55	79.64	42.56	56.62	671.72
	Below Normal	28.87	33.30	38.99	35.49	54.12	41.01	47.86	52.16	48.75	84.14	33.26	40.08	538.04
	Dry	25.43	30.83	26.55	25.53	26.12	33.48	32.25	31.57	41.98	54.90	34.10	23.31	386.04
	Critical	23.77	27.97	22.17	19.01	15.70	13.50	17.23	18.76	25.32	27.37	18.84	13.89	243.52

Energy generated (GWh) at Folsom Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	24.88	34.92	31.01	26.88	68.96	54.63	70.25	149.23	147.70	47.64	67.59	82.34	806.03
1923	Below Normal	30.25	41.79	85.76	71.76	64.93	29.70	47.17	78.17	49.38	90.54	34.51	56.89	680.85
1924	Critical	48.39	29.93	30.87	25.38	19.98	11.99	11.76	12.19	8.41	8.74	8.57	7.61	223.82
1925	Dry	11.59	11.63	11.70	11.92	74.91	36.52	77.95	78.13	65.83	88.58	63.28	26.24	558.28
1926	Dry	24.59	29.87	31.26	26.12	20.92	13.68	55.99	27.61	55.27	42.58	28.02	12.67	368.58
1927	Wet	22.44	23.11	25.36	56.30	117.65	73.16	123.55	81.46	92.01	84.87	37.10	56.23	793.24
1928	Above Normal	33.19	71.22	31.65	27.90	26.18	132.55	76.87	32.45	50.04	84.95	38.41	32.92	638.33
1929	Critical	22.85	23.49	25.03	20.72	15.87	18.62	18.41	20.78	24.43	25.00	24.02	21.39	260.61
1930	Dry	14.28	14.06	15.61	16.02	15.10	42.65	29.72	31.49	51.93	63.99	30.17	23.55	348.57
1931	Critical	31.76	23.81	24.15	20.38	15.55	12.40	12.03	12.67	10.85	12.67	11.23	23.92	211.42
1932	Dry	22.00	9.69	10.03	12.08	34.83	33.89	29.88	61.16	85.43	60.93	57.52	65.27	482.71
1933	Critical	35.11	41.03	31.10	25.79	19.56	21.78	25.29	23.51	55.30	58.50	24.64	20.70	382.31
1934	Critical	12.18	19.29	11.16	11.86	11.34	9.05	41.22	48.23	57.68	11.19	18.75	7.53	259.48
1935	Below Normal	10.15	9.89	9.94	11.16	11.42	26.76	90.57	72.30	75.16	90.26	31.73	53.21	492.55
1936	Below Normal	45.45	30.40	31.82	81.28	122.38	68.82	86.56	69.79	83.38	90.51	31.95	62.25	804.59
1937	Below Normal	45.43	30.07	31.22	25.83	37.53	70.77	69.67	67.35	37.99	90.11	31.62	61.61	599.20
1938	Wet	25.25	32.22	106.58	45.18	119.88	135.30	127.11	149.15	147.86	59.41	73.94	80.81	1,102.69
1939	Dry	25.38	35.73	32.15	26.86	20.46	13.04	20.41	22.37	23.72	46.63	13.47	12.14	292.36
1940	Above Normal	19.58	18.66	18.88	43.28	123.35	133.80	98.90	53.93	32.80	90.10	43.68	78.58	755.54
1941	Wet	26.96	38.79	28.20	79.33	113.90	78.98	60.33	86.73	55.96	42.11	70.67	82.53	764.49
1942	Wet	26.13	47.56	66.15	132.80	119.14	39.72	96.45	115.68	125.07	57.18	73.46	81.00	980.34
1943	Wet	26.74	75.25	51.75	131.67	102.88	131.94	83.71	43.10	51.45	89.24	32.15	81.68	901.56
1944	Dry	31.77	44.16	29.64	24.86	19.74	22.08	23.05	24.86	47.77	46.73	36.76	24.55	375.97
1945	Below Normal	22.60	23.30	25.35	25.79	107.80	33.16	35.07	59.76	45.50	90.36	44.26	46.62	559.57
1946	Below Normal	42.78	45.11	133.09	81.59	37.44	49.55	56.62	62.34	33.20	90.25	47.35	34.65	713.97
1947	Dry	46.16	30.46	32.52	27.46	21.27	37.25	19.39	20.63	53.16	49.15	32.40	23.95	393.80
1948	Below Normal	22.66	22.23	22.66	19.57	15.97	26.71	28.29	58.34	86.92	62.94	47.00	65.30	478.59
1949	Dry	27.26	34.96	32.74	27.48	21.02	43.49	53.15	41.34	34.73	84.80	56.15	34.74	491.86
1950	Below Normal	24.35	29.23	30.22	27.35	79.24	51.51	75.49	69.94	69.67	90.38	31.84	58.48	637.70
1951	Above Normal	46.45	120.44	110.11	108.02	101.77	57.72	49.02	60.56	32.74	89.47	38.27	64.47	879.04
1952	Wet	24.25	39.20	67.10	133.06	124.17	99.11	138.00	148.47	147.29	77.01	81.71	72.81	1,152.18
1953	Wet	26.26	62.50	32.03	102.68	33.74	29.18	41.15	48.22	108.36	74.21	62.54	67.46	688.33
1954	Above Normal	34.12	47.07	32.29	27.56	42.61	72.67	69.48	32.46	31.89	85.87	29.60	24.92	530.54
1955	Dry	24.36	29.19	30.84	26.38	27.85	23.27	23.28	25.26	30.35	49.55	41.82	24.64	356.79
1956	Wet	24.09	28.87	121.76	122.27	87.04	30.29	46.94	119.39	101.02	53.81	73.99	78.24	887.71
1957	Above Normal	30.52	51.23	31.17	26.12	21.90	73.09	29.66	47.55	48.68	90.21	47.97	43.74	541.84
1958	Wet	25.20	30.67	32.53	41.59	119.30	106.75	137.26	148.98	132.93	52.74	75.17	69.64	972.76
1959	Below Normal	25.77	54.97	31.20	26.44	22.04	14.02	14.22	15.14	25.47	82.05	14.97	12.58	338.87
1960	Dry	22.45	22.25	22.73	19.01	17.03	48.81	33.74	26.93	26.09	36.10	40.92	26.63	342.69
1961	Dry	24.29	29.27	30.65	25.40	19.36	13.23	13.56	14.62	14.67	50.79	13.40	12.54	261.78
1962	Below Normal	13.73	13.58	14.52	11.62	34.55	32.80	62.07	33.84	32.53	89.43	50.96	31.13	420.76
1963	Wet	56.70	68.72	54.05	64.59	115.09	28.35	107.01	122.78	54.06	81.29	32.15	57.27	842.06
1964	Dry	38.30	67.36	32.80	39.86	27.00	27.99	27.59	29.47	30.03	57.35	39.01	24.84	441.60
1965	Wet	23.18	24.86	113.08	114.86	70.58	27.68	88.02	64.17	62.14	90.43	32.34	82.52	793.86
1966	Below Normal	43.40	32.27	31.90	27.99	25.49	13.81	24.73	15.48	21.59	83.17	18.24	13.23	351.30
1967	Wet	23.61	25.44	40.50	107.41	63.91	94.76	64.57	144.98	147.29	70.22	74.19	78.93	935.81
1968	Below Normal	25.62	56.77	32.11	27.43	93.48	33.18	20.48	21.70	20.87	81.04	18.85	18.10	449.63
1969	Wet	22.86	24.31	26.42	125.32	117.30	55.72	104.43	149.30	114.02	49.74	71.78	80.92	942.12
1970	Wet	25.42	42.66	80.25	122.30	83.47	39.37	29.13	31.30	31.11	84.94	31.95	58.09	659.99
1971	Wet	21.98	24.02	67.66	75.58	49.64	64.64	38.81	61.97	85.94	68.68	51.92	72.00	682.84
1972	Below Normal	25.56	50.07	32.32	31.13	46.27	67.43	29.64	31.80	31.54	85.13	31.42	24.49	486.80
1973	Above Normal	24.15	29.65	43.73	132.50	100.81	56.04	36.56	73.98	56.94	82.32	30.84	50.18	717.70
1974	Wet	24.94	99.00	115.10	128.82	60.85	131.73	104.00	83.42	71.83	58.07	74.59	71.94	1,024.29
1975	Wet	25.77	53.47	31.67	26.86	35.91	74.59	33.31	89.18	108.33	55.84	65.47	70.90	671.30
1976	Critical	25.88	70.03	32.01	26.72	20.95	12.59	12.51	13.20	13.68	16.63	13.06	12.37	269.63
1977	Critical	12.29	11.68	11.65	10.82	10.06	7.60	5.15	4.57	5.21	5.36	15.89	4.82	105.10
1978	Above Normal	5.63	6.31	6.44	27.42	66.41	90.28	68.81	65.49	72.41	86.72	32.21	61.68	589.81
1979	Below Normal	26.01	44.33	31.63	26.82	40.37	55.88	29.87	74.42	69.70	67.96	30.41	25.63	523.03
1980	Above Normal	33.61	30.75	36.37	124.96	112.80	58.06	47.25	50.59	54.88	51.55	73.27	82.48	756.57
1981	Dry	25.20	47.17	30.97	26.63	24.34	12.75	13.80	14.78	22.37	53.56	16.50	12.68	300.75
1982	Wet	22.89	69.03	122.72	115.20	103.03	115.27	133.62	149.24	104.67	54.39	73.33	75.57	1,138.96
1983	Wet	35.60	126.80	132.74	119.35	117.25	131.03	109.08	148.81	146.00	105.26	85.83	82.56	1,340.31
1984	Wet	27.39	126.69	115.26	90.67	74.14	47.12	29.77	44.57	48.90	89.54	31.53	46.41	771.99
1985	Dry	35.42	64.28	40.39	28.59	25.74	20.56	34.04	23.18	54.47	49.56	37.07	18.47	431.77
1986	Wet	23.11	24.56	26.75	49.44	105.01	125.92	45.03	46.84	63.35	88.64	31.10	76.07	705.82
1987	Dry	24.29	29.42	30.38	25.10	19.29	12.34	13.12	17.56	26.22	35.88	11.45	10.21	255.26
1988	Critical	11.29	11.85	11.64	11.70	16.76	14.65	9.02	12.13	18.56	17.03	11.50	10.40	156.53
1989	Dry	12.75	12.49	13.17	13.55	11.53	133.86	70.72	60.53	78.96	52.40	30.48	27.59	518.03
1990	Critical	23.15	24.91	26.14	21.85	16.88	17.31	17.73	18.54	28.37	31.54	23.71	16.96	267.09
1991	Critical	22.05	19.91	19.97	15.92	11.30	13.22	16.40	17.79	30.51	45.40	49.64	20.54	282.65
1992	Critical	11.11	10.75	10.93	10.88	10.67	6.68	21.00	24.06	25.78	67.45	3.93	4.42	207.66
1993	Above Normal	6.06	5.53	9.94	13.66	86.65	116.43	70.18	92.53	91.56	68.09	46.45	64.89	671.97
1994	Critical	30.35	49.16	31.52	26.19	19.93	16.17	16.25	17.26	25.41	28.32	17.28	16.04	293.88
1995	Wet	18.18	17.68	18.99	123.28	68.19	129.77	114.31	148.43	147.33	86.44	78.23	72.26	1,023.09
1996	Wet	44.42	49.41	32.01	85.03	118.66	101.60	77.09	142.50	55.75	67.80	43.86	79.30	897.43
1997	Wet	41.17	56.51	125.13	109.48	82.59	27.33	29.01	31.86	31.60	85.98	29.83	66.31	716.80
1998	Wet	20.69	20.00	20.58	74.89	118.26	99.78	92.49	109.43	147.06	73.40	76.09	73.83	926.50
1999	Wet	25.97	62.89	47.68	91.77	118.77	71.69	45.82	85.62	83.61	74.02	39.51	80.91	828.26
2000	Above Normal	29.35	49.18	30.83	33.12	123.00	67.87	44.31	37.27	35.51	88.45	30.71	37.73	607.33
2001	Dry	26.02	35.59	30.95	25.72	19.50	12.68	13.18	14.43	22.00	35.47	18.82	12.62	266.98
2002	Dry	18.15	12.13	19.43	55.70	49.31	52.11	34.72	32.46	32.35	84.14	43.13	26.64	460.27
2003	Above Normal	25.42	29.41	31.48	53.88	36.23	28.88	39.40	88.03	47.41	90.12	31.58	57.36	559.20
	Average	26.45	38.64	41.51	52.41	57.90	53.28	52.01	59.78	59.88	65.01	40.40	45.47	592.74
	Wet	27.35	49.78	65.46	94.99	93.86	80.41	80.77	99.83	94.81	72.13	57.86	72.93	890.18
	Above Normal	26.08	41.20	34.49	53.78	75.89	78.50	58.39	65.34	58.55	79.62	42.55	56.77	671.16
	Below Normal	28.84	34.57	38.84	35.41	52.78	41.01	47.89	52.17	48.78	84.58	33.22	40.30	538.39
	Dry	25.24	31.10	26.55	25.49	26.07	33.34	32.63	31.49	41.96	54.90	33.91	23.33	386.00
	Critical	23.87	27.99	22.18	19.02	15.74	13.51	17.23	18.74	25.35	27.32	18.52	13.89	243.35

Difference in Energy generated (GWh) at Folsom Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.01	(0.02)	0.00	0.16	(0.01)	(0.17)	0.01	0.02	(0.01)	(0.18)	0.22	0.00
1924	Critical	(0.19)	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.05	0.05	0.04	0.05	0.01
1925	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.01)	0.06	0.00	0.01
1926	Dry	0.00	0.00	(0.01)	(0.01)	(0.08)	(0.01)	0.00	(0.01)	0.13	(0.02)	(0.04)	(0.01)	0.00
1927	Wet	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	(0.01)	0.00
1928	Above Normal	0.00	0.03	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.01	0.00	0.00	0.01	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1930	Dry	0.00	0.00	(0.01)	(0.01)	0.00	0.02	0.00	0.00	(0.03)	0.06	(0.01)	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.03)	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.05)	0.05	0.00	0.00
1933	Critical	(0.04)	(0.04)	0.01	0.00	0.01	0.00	0.00	0.01	(0.02)	(0.01)	0.01	0.01	0.00
1934	Critical	1.08	0.05	(0.05)	(0.03)	(0.03)	(0.09)	(0.10)	(0.09)	(0.22)	(0.05)	(0.87)	0.00	(0.03)
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	(0.01)	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00
1938	Wet	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.01
1939	Dry	0.00	(0.02)	0.00	(0.01)	0.00	(0.01)	6.74	(1.65)	(1.19)	0.21	(2.60)	(0.06)	0.12
1940	Above Normal	(0.74)	(0.67)	(0.64)	0.40	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	0.01	(0.15)
1941	Wet	0.03	(0.28)	0.04	0.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1942	Wet	0.26	0.82	(1.18)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)
1943	Wet	0.01	(0.09)	0.09	0.00	0.00	0.00	0.00	0.00	0.00	(1.16)	0.04	0.13	(0.08)
1944	Dry	(3.11)	3.71	0.45	(0.38)	0.04	0.03	0.03	0.03	1.87	(0.82)	(0.35)	(0.23)	0.11
1945	Below Normal	0.00	0.04	0.04	0.04	(0.05)	0.00	0.01	0.02	0.02	(0.01)	0.03	0.02	0.01
1946	Below Normal	(0.30)	0.35	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	3.07	0.26
1947	Dry	(0.22)	(0.16)	(0.16)	(0.14)	(0.78)	(2.44)	0.05	0.05	(0.25)	0.04	0.23	(0.09)	(0.32)
1948	Below Normal	0.00	(0.01)	(0.02)	(0.01)	(0.02)	0.00	0.00	0.02	0.00	(0.02)	0.02	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	(0.02)	0.07	0.00
1950	Below Normal	0.00	(0.01)	0.00	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1951	Above Normal	0.10	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	0.00
1952	Wet	0.00	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00
1953	Wet	(0.19)	5.79	(0.32)	(6.19)	0.00	(0.01)	0.05	0.00	0.00	0.03	(0.03)	0.00	(0.07)
1954	Above Normal	(0.23)	(0.19)	0.02	0.02	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1955	Dry	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.06	(0.15)	0.00	0.00
1956	Wet	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1957	Above Normal	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1958	Wet	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.01)
1959	Below Normal	0.00	4.45	(0.28)	(0.24)	(4.60)	0.00	0.00	0.00	0.02	(0.01)	(0.06)	0.00	(0.06)
1960	Dry	(0.08)	0.06	(0.03)	(0.02)	(0.02)	(0.03)	0.07	0.01	0.00	0.03	(0.05)	0.39	0.03
1961	Dry	(0.02)	(0.02)	(0.03)	(0.03)	(0.02)	0.00	(0.01)	0.00	(0.01)	0.05	(0.01)	(0.01)	(0.01)
1962	Below Normal	(0.21)	(0.20)	(0.19)	(0.16)	0.30	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.04)
1963	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1964	Dry	0.00	(0.02)	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1965	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.21)	0.01	0.02	(0.02)
1966	Below Normal	(0.02)	(0.19)	0.02	0.02	0.02	0.01	0.48	0.00	0.02	0.19	(0.07)	0.00	0.04
1967	Wet	(0.01)	(0.05)	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.04
1968	Below Normal	(0.02)	5.23	(1.13)	(0.25)	(5.69)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.02	(0.02)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.16	0.01
1971	Wet	(0.06)	0.00	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.05	(0.04)	(0.02)
1972	Below Normal	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	0.00	1.28	0.10
1974	Wet	(0.05)	(1.31)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)
1975	Wet	0.00	(0.34)	0.02	0.02	0.35	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1976	Critical	0.00	0.08	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	(0.02)	0.00	0.16	0.01
1979	Below Normal	0.18	8.08	(0.51)	(0.42)	(8.96)	0.00	0.03	0.04	0.27	6.06	(0.27)	(0.24)	0.36
1980	Above Normal	(0.74)	(5.18)	(0.50)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	(0.50)
1981	Dry	(0.01)	1.23	(0.11)	(0.10)	(0.09)	(0.04)	(0.05)	(0.04)	(0.16)	(0.22)	(0.26)	(0.03)	0.01
1982	Wet	(0.05)	(0.78)	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1987	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.06	(0.83)	0.71	0.00	0.00	(0.01)
1988	Critical	0.01	0.00	0.00	0.00	0.34	0.06	(0.01)	(0.02)	(0.01)	(0.04)	0.00	(0.01)	0.03
1989	Dry	(0.09)	(0.08)	(0.08)	(0.08)	0.00	0.02	0.00	0.10	0.12	(0.01)	(0.06)	(0.01)	(0.01)
1990	Critical	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(0.04)	(0.84)	0.03	(0.07)
1991	Critical	0.25	0.26	0.25	0.18	0.11	0.13	0.16	0.18	(0.05)	(0.29)	0.35	(0.09)	0.12
1992	Critical	(0.05)	(0.05)	(0.05)	(0.05)	(0.04)	(0.01)	(0.03)	(0.25)	0.47	(0.38)	(2.35)	0.00	(0.23)
1993	Above Normal	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.06)	0.03	(0.01)
1994	Critical	0.09	(0.07)	0.01	0.00	0.01	0.01	0.01	0.01	0.11	0.18	(0.10)	0.01	0.02
1995	Wet	(0.05)	(0.04)	(0.05)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1996	Wet	0.00	6.55	(4.43)	(2.83)	0.00	0.00	0.00	0.00	0.00	0.03	(0.03)	0.03	(0.06)
1997	Wet	(0.71)	0.13	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.05)
1998	Wet	0.05	(0.01)	0.02	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.00
2000	Above Normal	0.05	0.02	(0.01)	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.09	(0.03)	(0.18)	0.00	(0.01)
2002	Dry	0.13	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	0.37	0.04
2003	Above Normal	(0.18)	(0.02)	(0.01)	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.04)
	Average	(0.06)	0.33	(0.11)	(0.13)	(0.23)	(0.03)	0.09	(0.02)	0.01	0.05	(0.10)	0.07	(0.01)
	Wet	(0.03)	0.40	(0.23)	(0.33)	0.01	(0.00)	0.00	0.00	0.00	(0.05)	0.00	0.03	(0.02)
	Above Normal	(0.15)	(0.50)	(0.10)	0.01	0.04	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.16	(0.05)
	Below Normal	(0.03)	1.27	(0.15)	(0.08)	(1.35)	(0.00)	0.03	0.01	0.03	0.44	(0.04)	0.22	0.03
	Dry	(0.19)	0.26	0.00	(0.04)	(0.05)	(0.14)	0.38	(0.08)	(0.01)	0.00	(0.19)	0.02	(0.00)
	Critical	0.09	0.02	0.01	0.01	0.03	0.01	0.00	(0.01)	0.03	(0.05)	(0.32)	(0.00)	(0.01)

Percent Difference in Energy generated (GWh) at Folsom Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	1%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	10%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	-4%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	49%	-7%	-5%	0%	-16%	0%
1940	Above Normal	-4%	-3%	-3%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	2%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1944	Dry	-9%	9%	2%	-2%	0%	0%	0%	0%	4%	-2%	-1%	-1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%
1947	Dry	0%	-1%	0%	-1%	-4%	-6%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-1%	10%	-1%	-6%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	9%	-1%	-1%	-17%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-2%	-1%	-1%	-1%	1%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1968	Below Normal	0%	10%	-3%	-1%	-6%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1974	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	1%	22%	-2%	-2%	-18%	0%	0%	0%	0%	10%	-1%	-1%
1980	Above Normal	-2%	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	3%	0%	0%	0%	0%	0%	0%	-1%	0%	-2%	0%
1982	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%	0%
1988	Critical	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1991	Critical	1%	1%	1%	1%	1%	1%	1%	1%	0%	-1%	1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	2%	-1%	-37%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	15%	-12%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	1%	0%	0%	0%	-1%	0%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	3%	-1%	0%	-3%	0%	0%	0%	0%	1%	0%	1%
	Dry	-1%	1%	0%	0%	0%	0%	3%	0%	0%	0%	-1%	0%
	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%

Energy generated (GWh) at Judge Francis Carr: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	111.95	16.42	8.48	8.48	7.66	3.39	8.21	0.00	4.71	50.89	50.89	65.66	336.74
1923	Below Normal	25.44	16.42	8.48	3.39	3.06	6.42	8.21	8.48	41.04	67.86	76.33	49.25	314.38
1924	Critical	25.44	16.42	4.96	53.34	3.17	10.91	18.21	6.13	8.21	50.89	50.89	32.83	281.40
1925	Dry	0.00	0.00	0.00	78.36	0.00	0.56	3.28	0.00	24.62	59.37	33.93	24.62	224.74
1926	Dry	8.48	3.28	3.39	3.39	3.06	6.48	3.28	8.48	24.62	59.37	42.41	46.35	212.59
1927	Wet	8.48	3.28	3.39	3.39	0.00	3.39	0.00	0.00	1.13	50.89	50.89	65.66	190.50
1928	Above Normal	42.41	16.42	8.48	8.48	3.17	0.00	3.28	0.00	3.48	22.63	67.85	65.66	241.86
1929	Critical	25.44	16.42	8.48	111.80	3.06	8.48	13.97	8.48	32.83	84.81	50.89	32.83	397.49
1930	Dry	8.48	3.28	4.18	3.39	3.06	3.39	4.38	8.48	32.83	42.41	60.77	32.83	207.48
1931	Critical	8.48	3.28	3.43	3.39	3.06	6.42	13.56	4.19	8.21	50.89	68.52	28.44	201.87
1932	Dry	1.06	16.60	0.00	27.60	0.00	0.00	0.00	0.00	13.32	50.89	39.44	8.21	157.12
1933	Critical	11.38	5.34	1.17	0.50	0.09	8.67	0.00	0.00	8.21	50.89	8.48	8.21	102.94
1934	Critical	40.92	0.00	0.00	0.00	0.00	0.00	13.38	6.02	8.21	50.89	111.89	108.34	339.65
1935	Below Normal	16.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.21	50.89	8.48	8.21	92.47
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	3.39	3.28	0.00	4.62	33.93	42.41	32.83	120.46
1937	Below Normal	8.48	0.00	0.00	0.00	0.00	0.00	0.00	3.39	8.21	59.37	33.93	24.62	138.00
1938	Wet	8.48	0.00	0.00	3.39	0.00	0.00	0.00	0.00	0.00	2.23	50.89	60.13	125.12
1939	Dry	66.17	8.33	17.43	3.39	3.06	0.00	70.90	30.91	58.79	111.54	111.54	79.19	561.25
1940	Above Normal	29.90	33.90	3.39	3.39	0.00	0.00	8.21	0.00	24.62	67.85	67.85	49.25	288.36
1941	Wet	25.44	16.42	0.00	0.00	0.00	0.00	0.00	68.25	15.22	111.54	66.12	89.13	392.12
1942	Wet	63.43	16.42	71.08	0.00	0.00	3.39	10.81	0.00	0.00	60.04	54.74	83.74	363.65
1943	Wet	60.13	16.42	33.26	24.48	12.61	39.56	9.22	0.00	8.03	50.89	50.89	65.66	371.15
1944	Dry	42.41	16.42	8.48	8.48	7.93	44.40	14.06	8.48	49.43	111.54	76.33	49.25	437.21
1945	Below Normal	8.48	3.28	3.39	8.48	0.00	3.39	8.12	0.00	24.62	50.89	59.37	49.25	219.27
1946	Below Normal	8.48	0.00	0.00	0.00	3.06	3.39	6.19	0.00	24.62	50.89	67.85	49.25	213.73
1947	Dry	25.44	16.42	8.48	4.64	3.06	3.39	11.49	8.48	24.62	59.37	76.33	34.61	276.33
1948	Below Normal	8.48	3.28	4.11	3.39	7.93	8.48	8.21	0.00	0.00	0.98	50.89	2.08	97.83
1949	Dry	0.00	0.00	3.48	4.17	3.06	0.00	3.28	0.00	24.62	50.89	67.85	49.25	206.60
1950	Below Normal	25.44	16.42	8.48	8.48	7.66	3.39	8.21	8.48	24.62	67.85	59.37	49.25	287.65
1951	Above Normal	25.44	0.00	0.00	0.00	0.00	6.34	41.57	0.00	1.88	50.89	67.85	65.66	259.63
1952	Wet	42.41	16.42	0.00	0.00	0.00	8.54	80.75	0.00	3.50	96.55	56.86	84.23	389.26
1953	Wet	60.06	0.00	19.96	0.00	13.35	15.30	29.82	0.00	0.00	38.08	59.42	89.37	325.36
1954	Above Normal	60.70	45.62	29.76	19.21	0.00	76.82	75.42	0.00	1.40	50.89	50.89	65.66	476.37
1955	Dry	42.41	16.42	8.48	45.27	3.06	6.32	4.98	8.48	24.62	67.85	67.85	49.25	344.99
1956	Wet	25.44	16.42	0.00	0.00	0.00	28.28	45.62	0.00	0.00	50.89	37.22	55.63	259.50
1957	Above Normal	63.40	3.03	8.48	8.48	7.66	31.75	3.77	0.00	1.37	50.89	50.89	65.66	295.38
1958	Wet	28.14	43.53	55.70	59.76	3.06	0.00	0.00	81.01	0.00	95.26	61.77	85.56	513.79
1959	Below Normal	61.17	0.02	8.48	64.59	2.26	17.93	46.50	0.00	49.25	67.85	89.12	82.08	489.25
1960	Dry	25.44	16.42	8.48	8.48	7.93	3.39	6.56	0.00	1.17	50.89	67.85	49.25	245.86
1961	Dry	25.44	16.42	0.00	3.39	0.00	0.00	4.55	0.00	3.05	50.89	67.85	65.66	237.25
1962	Below Normal	25.44	16.42	8.48	3.39	0.00	3.39	3.61	0.00	24.62	50.89	67.85	49.25	253.34
1963	Wet	0.00	0.00	0.00	3.39	0.00	0.00	0.00	0.00	1.12	50.89	50.89	95.95	202.24
1964	Dry	42.41	16.42	0.08	22.76	28.20	6.36	13.23	8.48	41.04	69.62	86.45	49.25	384.30
1965	Wet	25.44	16.42	0.00	0.00	3.06	4.56	0.00	0.00	4.84	50.89	50.89	49.25	205.35
1966	Below Normal	25.44	16.42	8.48	3.39	3.06	4.65	55.21	0.00	10.53	50.89	111.54	65.66	355.27
1967	Wet	42.41	16.42	2.01	32.08	17.89	29.41	0.00	0.00	0.00	64.34	58.84	86.91	350.31
1968	Below Normal	66.79	3.47	11.40	19.21	0.00	24.15	10.86	0.00	20.02	67.85	67.85	65.66	357.26
1969	Wet	25.44	16.42	8.48	0.00	0.00	0.00	0.00	24.34	0.00	50.89	50.89	54.13	230.59
1970	Wet	61.91	0.32	111.95	67.34	0.00	23.36	10.24	0.00	45.11	67.85	67.85	82.08	538.01
1971	Wet	33.93	16.42	0.00	0.00	3.06	1.09	18.40	0.00	0.00	0.00	50.89	80.14	203.93
1972	Below Normal	59.64	5.61	12.11	30.90	4.56	111.95	3.68	0.00	5.48	0.00	93.30	65.66	392.89
1973	Above Normal	25.44	0.00	0.00	0.00	0.00	11.02	13.71	0.00	0.28	50.89	93.30	65.66	260.30
1974	Wet	25.44	0.00	0.00	64.41	2.65	0.00	16.38	0.00	0.00	50.24	56.76	83.41	299.29
1975	Wet	59.27	0.00	8.48	3.39	3.06	0.00	8.21	0.00	0.00	81.42	56.17	84.39	304.39
1976	Critical	66.37	16.39	20.37	111.95	3.17	3.79	5.80	8.48	68.35	111.47	76.33	49.25	541.72
1977	Critical	8.48	13.80	31.24	12.05	13.30	8.05	16.58	3.39	8.21	50.89	111.95	8.21	286.15
1978	Above Normal	74.17	0.15	1.85	0.00	0.00	0.00	0.00	0.00	0.00	50.89	50.89	49.25	227.20
1979	Below Normal	25.44	0.00	0.08	0.00	0.00	3.39	5.57	3.39	24.62	50.89	59.37	49.25	222.00
1980	Above Normal	21.91	0.00	0.00	0.00	0.00	3.39	3.28	0.00	24.62	50.89	67.85	65.66	237.60
1981	Dry	25.44	8.21	8.48	8.48	3.06	3.39	6.59	3.39	24.62	73.26	100.36	49.25	314.53
1982	Wet	25.44	0.00	0.00	0.00	0.00	37.65	0.00	0.00	0.00	50.89	7.02	20.31	141.31
1983	Wet	77.54	19.91	0.00	0.00	0.00	1.67	0.00	78.11	105.16	111.54	84.81	95.45	574.19
1984	Wet	68.49	68.36	0.00	57.96	3.17	20.26	10.28	0.00	8.85	50.89	93.30	49.25	430.81
1985	Dry	42.41	0.00	0.00	42.04	3.06	5.56	12.90	13.20	62.73	111.54	111.54	49.25	454.23
1986	Wet	25.44	3.28	3.39	3.39	0.00	0.00	76.77	0.00	24.62	67.85	67.85	65.66	338.25
1987	Dry	25.44	16.42	8.48	8.48	7.66	3.39	13.24	8.48	41.04	111.54	111.54	70.57	426.28
1988	Critical	28.38	5.27	3.39	3.39	3.17	8.48	33.79	8.48	35.76	84.81	50.89	32.83	298.64
1989	Dry	8.48	3.28	3.39	62.00	3.06	3.39	3.99	0.00	24.62	59.37	42.41	32.83	246.82
1990	Critical	8.48	3.28	3.47	3.39	3.06	4.59	14.87	3.39	8.21	42.41	50.89	32.83	178.87
1991	Critical	8.48	3.28	3.47	3.49	3.28	0.00	9.10	3.39	8.21	50.89	50.89	8.21	152.69
1992	Critical	0.00	0.00	3.49	3.48	0.00	0.00	1.53	3.39	8.21	50.89	111.54	44.16	226.69
1993	Above Normal	0.00	40.94	0.00	0.00	0.00	3.39	3.28	0.00	0.00	0.00	50.89	32.83	131.33
1994	Critical	12.12	0.00	8.48	3.39	3.06	3.76	14.59	25.48	50.52	76.33	84.81	32.83	315.37
1995	Wet	8.48	3.28	3.39	0.00	0.00	0.00	0.00	0.00	0.00	32.59	57.39	82.52	187.65
1996	Wet	59.34	0.00	53.30	37.33	0.00	52.53	16.57	0.00	1.53	50.89	50.89	49.25	371.63
1997	Wet	25.44	16.42	0.00	0.00	3.06	3.39	45.20	0.00	41.04	67.85	84.81	49.25	336.46
1998	Wet	33.93	17.99	3.39	0.00	0.00	0.00	32.14	0.00	99.27	111.54	68.13	85.33	451.72
1999	Wet	60.62	35.67	38.23	19.17	0.00	38.92	5.57	0.00	0.00	50.89	50.89	62.22	362.18
2000	Above Normal	59.16	17.69	13.70	61.53	0.00	0.00	71.13	0.00	1.34	50.89	50.89	90.29	416.62
2001	Dry	25.44	16.42	8.48	8.48	3.06	3.39	3.28	15.22	49.25	111.54	111.54	49.25	405.35
2002	Dry	67.98	16.42	8.48	0.00	3.06	3.39	10.31	0.00	24.62	50.89	67.85	49.25	302.25
2003	Above Normal	25.44	16.42	0.00	0.00	3.06	3.39	0.00	0.00	1.95	65.54	93.30	90.29	299.39
	Average	31.86	11.05	9.21	15.70	2.95	9.81	14.16	5.83	18.27	59.28	64.88	55.19	298.20
	Wet	37.71	13.84	16.00	14.60	2.50	11.97	16.00	9.68	13.82	60.30	57.58	71.33	325.34
	Above Normal	44.99	15.88	6.18	9.13	1.80	11.62	19.32	0.00	5.47	46.93	63.61	64.29	289.23
	Below Normal	26.10	5.81	5.25	10.37	2.26	13.85	11.98	1.70	19.32	47.93	63.40	45.88	253.84
	Dry	26.83	10.60	5.54	19.04	4.74	5.38	10.57	6.78	30.53	72.38	74.66	46.56	313.62
	Critical	20.33	6.96	7.66	25.85	3.20	5.26	12.95	6.74	21.10	63.01	69.00	34.91	276.96

Energy generated (GWh) at Judge Francis Carr: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	111.95	16.42	8.48	8.48	7.66	3.39	8.21	0.00	4.71	50.89	50.89	65.66	336.74
1923	Below Normal	25.44	16.42	8.48	3.39	3.06	6.42	8.21	8.48	41.04	67.85	76.33	49.25	314.37
1924	Critical	25.44	16.42	4.96	53.21	3.17	10.91	18.21	6.13	8.21	50.89	50.89	32.83	281.27
1925	Dry	0.00	0.00	0.00	78.74	0.00	0.56	3.28	0.00	24.62	59.37	33.93	24.62	225.12
1926	Dry	8.48	3.28	3.39	3.39	3.06	6.48	3.28	8.48	24.62	59.37	42.41	46.32	212.56
1927	Wet	8.48	3.28	3.39	3.39	0.00	3.39	0.00	0.00	1.13	50.89	50.89	65.66	190.50
1928	Above Normal	42.41	16.42	8.48	8.48	3.17	0.00	3.28	0.00	3.48	22.56	67.85	65.66	241.79
1929	Critical	25.44	16.42	8.48	111.80	3.06	8.48	13.97	8.48	32.83	84.81	50.89	32.83	397.49
1930	Dry	8.48	3.28	4.06	3.39	3.06	3.39	4.38	8.48	32.83	42.41	60.94	32.83	207.53
1931	Critical	8.48	3.28	3.43	3.39	3.06	6.42	13.56	4.19	8.21	50.89	70.14	26.67	201.72
1932	Dry	3.05	16.60	0.00	26.18	0.00	0.00	0.00	0.00	12.75	50.89	40.46	8.21	158.14
1933	Critical	11.52	5.42	1.17	0.50	0.09	7.45	0.00	0.00	8.21	50.89	8.48	8.21	101.94
1934	Critical	40.92	0.00	0.72	0.00	0.00	0.00	13.38	6.02	8.21	50.89	111.89	108.34	340.37
1935	Below Normal	15.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.21	50.89	8.48	8.21	91.78
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	3.39	3.28	0.00	4.62	33.93	42.41	32.83	120.46
1937	Below Normal	8.48	0.00	0.00	0.00	0.00	0.00	0.00	3.39	8.21	59.37	33.93	24.62	138.00
1938	Wet	8.48	0.00	0.00	3.39	0.00	0.00	0.00	0.00	0.00	2.23	50.89	60.13	125.12
1939	Dry	66.17	8.33	17.43	3.39	3.06	0.00	20.27	41.14	76.86	111.54	111.54	86.20	545.93
1940	Above Normal	38.03	34.55	3.39	3.39	0.00	0.00	8.21	0.00	24.62	67.85	67.85	82.08	329.97
1941	Wet	25.44	16.42	0.00	0.00	0.00	0.00	0.00	68.25	15.22	111.54	66.12	89.13	392.12
1942	Wet	63.43	16.42	80.93	0.00	0.00	3.39	10.81	0.00	0.00	60.04	54.74	83.74	373.50
1943	Wet	60.13	16.42	33.26	23.81	12.61	39.56	9.22	0.00	8.03	50.89	50.89	65.66	370.48
1944	Dry	42.41	16.42	8.48	8.48	7.93	42.75	14.06	8.48	49.38	111.54	76.33	49.25	435.51
1945	Below Normal	8.48	3.28	3.39	8.48	0.00	3.39	8.12	0.00	24.62	50.89	59.37	49.25	219.27
1946	Below Normal	8.48	0.00	0.00	0.00	3.06	3.39	6.19	0.00	24.62	50.89	67.85	49.25	213.73
1947	Dry	25.44	16.42	8.48	4.64	3.06	3.39	11.49	8.48	24.62	59.37	76.33	35.37	277.09
1948	Below Normal	8.48	3.28	4.11	3.39	7.93	8.48	8.21	0.00	0.00	0.98	50.89	2.08	97.83
1949	Dry	0.00	0.00	3.48	4.17	3.06	0.00	3.28	0.00	24.62	50.89	67.85	49.25	206.60
1950	Below Normal	25.44	16.42	8.48	8.48	7.66	3.39	8.21	8.48	24.62	67.85	59.37	49.25	287.65
1951	Above Normal	25.44	0.00	0.00	0.00	0.00	6.98	41.42	0.00	1.88	50.89	67.85	65.66	260.12
1952	Wet	42.41	16.42	0.00	0.00	0.00	8.69	80.75	0.00	3.50	96.55	56.86	84.23	389.41
1953	Wet	60.06	0.00	19.96	0.00	13.35	15.30	29.76	0.00	0.00	38.14	59.42	89.37	325.36
1954	Above Normal	60.71	45.62	29.76	19.21	0.00	76.82	75.42	0.00	1.40	50.89	50.89	65.66	476.38
1955	Dry	42.41	16.42	8.48	47.11	3.06	6.32	4.98	8.48	24.62	67.85	67.85	49.25	346.83
1956	Wet	25.44	16.42	0.00	0.00	0.00	28.28	45.62	0.00	0.00	50.89	37.25	55.60	259.50
1957	Above Normal	63.40	3.03	8.48	8.48	7.66	31.75	3.77	0.00	1.37	50.89	50.89	65.66	295.38
1958	Wet	28.14	43.53	55.70	59.76	3.06	0.00	0.00	81.01	0.00	95.26	61.77	85.56	513.79
1959	Below Normal	61.17	0.02	8.48	64.59	2.26	17.93	46.59	0.00	49.25	67.85	89.36	82.08	489.58
1960	Dry	25.44	16.42	8.48	8.48	7.93	3.39	6.56	0.00	1.17	50.89	67.85	49.25	245.86
1961	Dry	25.44	16.42	0.00	3.39	0.00	0.00	4.55	0.00	3.05	50.89	67.85	65.66	237.25
1962	Below Normal	25.44	16.42	8.48	3.39	0.00	3.39	3.61	0.00	24.62	50.89	67.85	49.25	253.34
1963	Wet	0.00	0.00	0.00	3.39	0.00	0.00	0.00	0.00	1.12	50.89	50.89	95.97	202.26
1964	Dry	42.41	16.42	0.08	22.69	28.21	6.36	13.23	8.48	41.04	69.64	86.51	49.25	384.32
1965	Wet	25.44	16.42	0.00	0.00	3.06	4.56	0.00	0.00	4.84	50.89	50.89	49.25	205.35
1966	Below Normal	25.44	16.42	8.48	3.39	3.06	4.65	55.21	0.00	10.53	50.89	111.54	65.66	355.27
1967	Wet	42.41	16.42	2.01	32.08	17.89	29.41	0.00	0.00	0.00	64.34	58.84	86.91	350.31
1968	Below Normal	66.79	3.47	11.40	19.21	0.00	24.15	10.86	0.00	20.02	67.85	67.85	65.66	357.26
1969	Wet	25.44	16.42	8.48	0.00	0.00	0.00	0.00	24.34	0.00	50.89	50.89	54.13	230.59
1970	Wet	61.91	0.32	111.95	67.34	0.00	23.36	10.24	0.00	45.11	67.85	67.85	82.08	538.01
1971	Wet	34.76	16.42	0.00	0.00	3.06	0.26	18.39	0.00	0.00	0.00	50.89	80.15	203.93
1972	Below Normal	59.64	5.61	12.11	30.90	4.56	111.95	3.68	0.00	5.48	0.00	93.30	65.66	392.89
1973	Above Normal	25.44	0.00	0.00	0.00	0.00	11.02	13.71	0.00	0.28	50.89	93.30	65.66	260.30
1974	Wet	25.44	0.00	0.00	64.41	2.65	0.00	16.38	0.00	0.00	50.24	56.76	83.41	299.29
1975	Wet	59.27	0.00	8.48	3.39	3.06	0.00	8.21	0.00	0.00	81.42	56.17	84.39	304.39
1976	Critical	66.37	16.39	20.37	111.95	3.17	3.79	5.80	8.48	69.16	111.20	76.33	49.25	542.26
1977	Critical	8.48	13.81	31.18	11.98	12.89	8.05	16.58	3.39	8.21	50.89	111.95	8.21	285.62
1978	Above Normal	74.39	0.15	1.85	0.00	0.00	0.00	0.00	0.00	0.00	50.89	50.89	49.25	227.42
1979	Below Normal	25.44	0.00	3.39	3.39	3.06	0.00	5.57	8.48	24.62	50.89	59.37	49.25	233.46
1980	Above Normal	8.48	0.00	0.00	0.00	0.00	3.39	3.28	0.00	24.62	50.89	67.85	65.66	224.17
1981	Dry	25.44	16.42	8.48	8.48	3.06	3.39	6.59	3.39	24.62	71.22	102.77	49.25	323.11
1982	Wet	25.44	0.00	0.00	0.00	0.00	37.65	0.00	0.00	0.00	50.89	7.22	20.11	141.31
1983	Wet	77.54	19.91	0.00	0.00	0.00	1.67	0.00	78.11	105.16	111.54	84.81	95.45	574.19
1984	Wet	68.49	68.36	0.00	57.96	3.17	20.26	10.28	0.00	8.85	50.89	93.30	49.25	430.81
1985	Dry	42.41	0.00	0.00	42.04	3.06	5.56	12.90	13.21	62.76	111.54	111.54	49.25	454.27
1986	Wet	25.44	3.28	3.39	3.39	0.00	0.00	76.74	0.00	24.62	67.85	67.85	65.66	338.22
1987	Dry	25.44	16.42	8.48	8.48	7.66	3.39	13.24	8.48	41.04	111.54	111.54	71.69	427.40
1988	Critical	30.86	5.27	3.39	3.39	3.17	8.08	33.51	8.48	35.05	84.81	50.89	32.83	299.73
1989	Dry	8.48	3.28	3.39	63.09	3.06	3.39	3.99	0.00	24.62	59.37	42.41	32.83	247.91
1990	Critical	8.48	3.28	3.47	3.39	3.06	4.59	14.87	3.39	8.21	42.41	50.89	32.83	178.87
1991	Critical	8.48	3.28	3.47	3.49	3.28	0.00	9.10	3.39	8.21	50.89	50.89	8.21	152.69
1992	Critical	0.00	0.00	3.49	3.48	0.00	0.00	1.53	3.39	8.21	50.89	111.54	44.74	227.27
1993	Above Normal	0.00	49.79	0.00	0.00	0.00	0.00	3.28	0.00	0.00	0.00	50.89	32.83	136.79
1994	Critical	11.20	0.00	8.48	3.39	3.06	3.76	14.59	24.52	48.86	76.33	84.81	32.83	311.83
1995	Wet	8.48	3.28	3.39	0.00	0.00	0.00	0.00	0.00	0.00	27.66	57.39	82.52	182.72
1996	Wet	59.34	0.00	53.30	37.33	0.00	52.53	16.57	0.00	1.53	50.89	50.89	49.25	371.63
1997	Wet	25.44	16.42	0.00	0.00	3.06	3.39	45.22	0.00	41.04	67.85	84.81	49.25	336.48
1998	Wet	33.93	17.41	3.39	0.00	0.00	0.00	32.14	0.00	99.27	111.54	68.13	85.33	451.14
1999	Wet	60.62	35.67	38.23	19.17	0.00	38.92	5.57	0.00	0.00	50.89	50.89	62.22	362.18
2000	Above Normal	59.16	17.69	13.70	61.53	0.00	0.00	71.13	0.00	1.34	50.89	50.89	90.29	416.62
2001	Dry	25.44	16.42	8.48	8.48	3.06	3.39	3.28	15.30	49.25	111.54	111.54	49.25	405.43
2002	Dry	67.97	16.42	8.48	0.00	3.06	3.39	10.31	0.00	24.62	50.89	67.85	49.25	302.24
2003	Above Normal	25.44	16.42	0.00	0.00	3.06	3.39	0.00	0.00	1.95	65.46	93.30	90.29	299.31
	Average	31.85	11.26	9.38	15.75	2.98	9.69	13.54	6.01	18.47	59.19	64.95	55.68	298.74
	Wet	37.75	13.82	16.38	14.57	2.50	11.95	16.00	9.68	13.82	60.11	57.59	71.32	325.48
	Above Normal	44.57	16.67	6.18	9.13	1.80	11.40	19.31	0.00	5.47	46.92	63.61	67.03	292.08
	Below Normal	26.05	5.81	5.49	10.62	2.48	13.61	11.98	2.06	19.32	47.93	63.42	45.88	254.64
	Dry	26.94	11.05	5.54	19.15	4.74	5.29	7.76	7.36	31.51	72.26	74.86	47.05	313.51
	Critical	20.47	6.96	7.72	25.83	3.17	5.13	12.93	6.66	20.97	62.98	69.13	34.82	276.76

Difference in Energy generated (GWh) at Judge Francis Carr: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1925	Dry	0.00	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.00	(0.01)
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.62	(1.77)	(0.01)
1932	Dry	1.99	0.00	0.00	(1.42)	0.00	0.00	0.00	0.00	(0.57)	0.00	1.02	0.00	0.09
1933	Critical	0.14	0.08	0.00	0.00	0.00	(1.22)	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1934	Critical	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1935	Below Normal	(0.69)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(50.63)	10.23	18.07	0.00	0.00	7.01	(1.28)
1940	Above Normal	8.13	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	32.83	3.47
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	9.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.82
1943	Wet	0.00	0.00	0.00	(0.67)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)
1944	Dry	0.00	0.00	0.00	0.00	0.00	(1.65)	0.00	0.00	(0.05)	0.00	0.00	0.00	(0.14)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.76	0.06
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.64	(0.15)	0.00	0.00	0.00	0.00	0.00	0.04
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.06	0.00	0.00	0.00
1954	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	1.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.03)	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.24	0.00	0.03
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00
1964	Dry	0.00	0.00	0.00	(0.07)	0.01	0.00	0.00	0.00	0.00	0.02	0.06	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.83	0.00	0.00	0.00	0.00	(0.83)	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.81	(0.27)	0.00	0.00	0.05
1977	Critical	0.00	0.01	(0.06)	(0.07)	(0.41)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1978	Above Normal	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1979	Below Normal	0.00	0.00	3.31	3.39	3.06	(3.39)	0.00	5.09	0.00	0.00	0.00	0.00	0.96
1980	Above Normal	(13.43)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.12)
1981	Dry	0.00	8.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.04)	2.41	0.00	0.71
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	(0.20)	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.12	0.09
1988	Critical	2.48	0.00	0.00	0.00	0.00	(0.40)	(0.28)	0.00	(0.71)	0.00	0.00	0.00	0.09
1989	Dry	0.00	0.00	0.00	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.05
1993	Above Normal	0.00	8.85	0.00	0.00	0.00	(3.39)	0.00	0.00	0.00	0.00	0.00	0.00	0.46
1994	Critical	(0.92)	0.00	0.00	0.00	0.00	0.00	0.00	(0.96)	(1.66)	0.00	0.00	0.00	(0.30)
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(4.93)	0.00	0.00	(0.41)
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	(0.58)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.01
2002	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	0.00	0.00	(0.01)
	Average	(0.02)	0.21	0.17	0.05	0.03	(0.12)	(0.62)	0.18	0.19	(0.09)	0.07	0.49	0.05
	Wet	0.03	(0.02)	0.38	(0.03)	0.00	(0.03)	(0.00)	0.00	0.00	(0.19)	0.01	(0.01)	0.01
	Above Normal	(0.42)	0.79	0.00	0.00	0.00	(0.23)	(0.01)	0.00	0.00	(0.01)	0.00	2.74	0.24
	Below Normal	(0.05)	0.00	0.24	0.24	0.22	(0.24)	0.01	0.36	0.00	(0.00)	0.02	0.00	0.07
	Dry	0.11	0.46	(0.01)	0.10	0.00	(0.09)	(2.81)	0.57	0.97	(0.11)	0.20	0.49	(0.01)
	Critical	0.14	0.01	0.06	(0.02)	(0.03)	(0.14)	(0.02)	(0.08)	(0.13)	(0.02)	0.14	(0.10)	(0.02)

Percent Difference in Energy generated (GWh) at Judge Francis Carr: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-6%
1932	Dry	188%	0%	0%	-5%	0%	0%	0%	0%	-4%	0%	3%	0%
1933	Critical	1%	1%	0%	0%	0%	-14%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-71%	33%	31%	0%	0%	9%
1940	Above Normal	27%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	67%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	10%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	2%	0%	0%	0%	0%	-76%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	-1%	-3%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	>1,000%	-	-	-100%	0%	150%	0%	0%	0%	0%
1980	Above Normal	-61%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	100%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	-1%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1988	Critical	9%	0%	0%	0%	0%	-5%	-1%	0%	-2%	0%	0%	0%
1989	Dry	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1993	Above Normal	0%	22%	0%	0%	0%	-100%	0%	0%	0%	0%	0%	0%
1994	Critical	-8%	0%	0%	0%	0%	0%	0%	-4%	-3%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-15%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	2%	1%	0%	0%	0%	-3%	-1%	2%	0%	0%	0%	1%
	Wet	0%	0%	1%	0%	0%	-3%	0%	0%	0%	-1%	0%	0%
	Above Normal	-3%	2%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	6%
	Below Normal	0%	0%	0%	0%	0%	-7%	0%	11%	0%	0%	0%	0%
	Dry	10%	6%	0%	0%	0%	0%	-4%	2%	1%	0%	0%	1%
	Critical	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%

Energy generated (GWh) at Keswick Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	33.32	30.85	18.10	15.79	19.51	21.60	23.04	39.48	55.50	59.94	52.54	42.78	412.45
1923	Below Normal	27.68	33.67	19.29	17.60	14.26	15.79	15.28	46.65	49.91	57.88	47.78	22.59	368.38
1924	Critical	25.58	23.10	20.12	15.79	14.77	19.85	34.66	35.87	45.27	50.43	43.99	27.15	356.58
1925	Dry	18.80	15.28	15.79	14.93	13.49	16.60	17.40	28.88	43.82	57.09	47.13	26.77	315.98
1926	Dry	27.19	20.17	16.93	15.79	14.26	19.91	18.62	30.58	50.68	61.05	43.97	27.74	346.89
1927	Wet	22.43	16.33	21.04	21.60	66.14	20.45	44.75	41.76	48.68	59.00	49.92	70.85	482.95
1928	Above Normal	28.63	20.04	19.29	21.44	15.49	54.29	17.32	32.18	55.22	67.44	50.77	46.89	429.00
1929	Critical	28.29	25.90	16.01	15.79	14.26	15.79	27.50	33.97	43.43	57.00	55.92	23.76	357.62
1930	Dry	24.93	20.19	15.79	15.79	14.26	15.79	21.16	25.87	44.02	48.86	39.45	19.71	305.82
1931	Critical	20.74	17.14	15.79	15.79	14.26	15.79	41.17	34.17	39.92	53.63	44.72	18.20	331.32
1932	Dry	17.29	13.51	14.93	14.93	13.97	15.79	24.62	21.28	31.45	35.96	31.05	17.42	252.20
1933	Critical	18.97	14.99	13.96	14.93	14.26	15.79	24.12	26.21	33.49	38.40	54.90	27.64	297.66
1934	Critical	24.10	14.73	15.23	15.79	14.26	15.79	24.78	28.74	37.00	50.70	35.43	18.67	295.22
1935	Below Normal	10.63	12.19	15.79	15.79	14.26	15.79	15.28	20.50	43.54	50.14	42.47	21.88	278.26
1936	Below Normal	21.45	18.88	16.91	15.79	18.68	21.60	20.90	28.11	37.49	55.81	42.92	21.38	319.92
1937	Below Normal	24.73	20.70	15.79	15.79	14.26	15.79	15.28	24.84	39.16	52.24	42.22	22.69	303.49
1938	Wet	19.29	22.28	75.85	21.60	65.43	70.99	54.10	41.63	44.71	53.40	49.78	53.49	572.55
1939	Dry	30.77	31.53	15.79	15.79	17.16	15.79	38.21	38.25	53.15	67.44	52.23	28.09	404.20
1940	Above Normal	27.12	26.82	16.83	15.79	67.96	75.02	20.90	31.45	51.39	67.44	51.96	30.56	483.24
1941	Wet	27.77	25.07	28.73	73.57	67.11	61.05	60.13	60.64	45.56	58.70	59.91	65.26	633.50
1942	Wet	34.90	40.36	58.65	75.76	65.82	21.60	20.90	47.19	40.61	55.52	54.13	64.22	579.66
1943	Wet	34.12	43.76	19.29	41.73	35.05	57.18	23.33	35.98	46.28	65.96	49.48	61.33	513.49
1944	Dry	29.17	39.87	19.52	19.19	14.77	15.79	28.09	25.41	39.57	59.77	44.57	21.60	357.32
1945	Below Normal	23.48	19.75	17.66	15.79	19.51	21.60	22.90	27.21	43.21	58.21	46.91	25.77	342.00
1946	Below Normal	30.29	22.55	74.37	34.92	19.51	21.60	31.66	36.84	50.13	60.37	49.87	27.14	459.25
1947	Dry	28.95	21.53	15.79	18.04	14.26	15.79	26.44	42.36	44.55	64.31	47.57	30.10	369.69
1948	Below Normal	20.80	18.15	18.19	15.81	14.77	15.79	19.84	42.43	41.13	57.52	49.30	27.06	340.79
1949	Dry	31.27	21.28	19.29	17.56	18.29	37.15	24.21	31.67	49.65	57.94	48.96	29.84	387.11
1950	Below Normal	30.32	23.02	20.11	19.41	19.51	21.60	17.91	30.88	42.26	51.01	42.69	21.47	340.19
1951	Above Normal	32.43	39.76	67.65	34.80	63.57	19.51	33.64	26.98	51.16	67.44	49.84	34.25	521.03
1952	Wet	27.70	33.28	45.72	38.85	70.84	51.56	72.76	42.23	35.91	56.47	56.27	49.99	581.58
1953	Wet	39.10	36.04	25.83	72.56	19.51	21.60	24.84	41.18	43.27	59.15	48.81	64.67	496.56
1954	Above Normal	27.02	47.41	19.29	51.35	68.43	51.18	54.83	35.02	46.66	67.44	50.85	48.04	567.52
1955	Dry	29.31	27.30	21.59	20.22	16.69	15.97	25.98	25.41	43.30	61.73	42.49	20.33	350.32
1956	Wet	25.40	18.87	72.73	71.99	69.90	21.60	20.90	49.84	43.53	50.54	44.03	57.43	546.76
1957	Above Normal	34.79	48.20	20.18	19.67	19.31	38.98	25.92	42.35	47.26	67.44	47.41	37.20	448.71
1958	Wet	29.18	38.87	47.35	62.73	64.56	69.47	51.90	42.40	41.75	61.72	60.02	53.27	623.22
1959	Below Normal	38.88	43.38	21.06	32.18	55.59	15.79	36.84	38.18	58.88	67.03	54.96	20.66	483.43
1960	Dry	30.63	23.80	20.98	16.97	15.82	17.44	30.15	23.61	57.35	65.49	43.03	28.77	374.04
1961	Dry	26.84	20.78	24.43	15.79	41.49	28.80	28.76	34.31	49.24	67.44	53.59	31.13	422.60
1962	Below Normal	31.25	27.46	19.29	17.69	58.02	16.59	28.11	36.14	48.28	61.97	47.66	24.34	416.80
1963	Wet	35.58	24.54	41.22	21.60	35.50	29.01	69.82	25.84	44.37	66.23	47.30	65.11	506.12
1964	Dry	20.79	23.36	19.29	21.60	14.77	15.79	40.52	33.70	44.28	61.71	42.24	22.16	360.21
1965	Wet	21.37	18.67	75.65	74.89	19.51	21.60	29.77	32.79	45.71	57.42	42.59	54.97	494.94
1966	Below Normal	31.06	36.71	19.29	21.60	19.51	49.15	35.47	38.10	57.75	67.44	52.92	31.49	460.49
1967	Wet	33.50	19.92	46.43	45.50	34.42	70.83	44.60	63.76	42.19	57.01	55.57	57.77	571.50
1968	Below Normal	33.39	31.58	19.29	21.60	57.79	17.01	30.66	34.18	52.82	67.44	43.25	26.82	435.83
1969	Wet	24.26	18.67	17.47	74.20	67.53	27.21	52.04	54.70	45.64	55.17	49.69	53.10	539.68
1970	Wet	26.28	32.23	69.23	66.57	54.11	21.60	32.12	34.52	47.95	67.44	47.02	59.63	558.70
1971	Wet	32.90	25.32	26.47	65.76	19.51	76.02	27.73	40.76	43.09	56.91	44.51	54.89	513.87
1972	Below Normal	36.10	39.69	19.29	21.60	14.77	56.68	33.72	32.78	55.20	67.44	46.20	24.62	448.09
1973	Above Normal	25.60	21.52	32.52	65.53	68.28	34.17	20.90	30.82	51.90	67.44	46.17	35.05	499.90
1974	Wet	19.67	70.63	75.09	69.87	23.85	70.74	30.49	30.78	45.14	44.70	59.58	55.07	595.61
1975	Wet	37.60	48.89	16.03	15.79	19.51	73.20	20.90	43.51	48.66	53.52	50.48	57.59	485.68
1976	Critical	40.35	42.58	17.09	18.95	22.59	19.19	24.54	32.94	50.44	61.40	29.05	15.93	375.05
1977	Critical	33.69	25.51	24.94	20.48	28.00	20.56	44.17	27.49	58.39	61.37	36.38	11.96	392.94
1978	Above Normal	26.21	14.56	15.79	15.79	37.00	64.49	28.83	41.79	50.97	56.61	47.46	26.43	425.93
1979	Below Normal	32.53	27.01	20.14	21.60	16.07	15.79	15.28	25.99	49.80	59.33	37.64	21.52	342.70
1980	Above Normal	24.05	22.94	18.28	75.83	67.48	21.60	20.92	32.18	50.56	55.27	45.44	24.80	459.35
1981	Dry	25.02	36.37	19.52	19.47	14.26	15.79	16.70	38.38	65.26	66.74	47.04	22.60	387.15
1982	Wet	21.44	35.97	74.46	33.15	66.85	58.31	71.30	21.13	37.73	49.51	42.42	41.70	553.97
1983	Wet	43.96	30.83	58.58	75.51	63.84	69.26	60.38	55.00	64.64	66.42	64.49	55.23	708.14
1984	Wet	43.60	59.76	73.73	35.72	20.21	45.76	24.96	35.63	48.32	67.44	41.85	65.36	562.34
1985	Dry	21.52	21.74	26.82	21.60	14.26	15.79	27.16	42.67	54.50	61.03	50.54	25.45	383.08
1986	Wet	26.45	25.29	17.85	17.35	62.24	75.24	20.90	34.91	50.92	56.86	47.00	25.06	460.07
1987	Dry	21.02	32.10	19.10	15.79	14.26	15.79	32.86	42.51	64.78	67.92	42.57	27.12	395.82
1988	Critical	30.83	20.47	16.93	20.06	25.13	17.03	25.55	30.87	54.27	63.54	52.91	22.86	380.45
1989	Dry	26.94	15.28	16.82	15.79	14.26	15.79	15.28	42.30	43.54	62.09	40.14	15.28	323.51
1990	Critical	16.45	16.55	16.46	15.79	14.26	15.79	32.12	25.31	40.49	62.16	47.11	19.26	321.75
1991	Critical	21.56	17.24	15.79	15.79	14.26	15.79	15.28	29.14	37.14	49.78	33.58	17.36	282.71
1992	Critical	24.28	25.29	15.79	15.79	14.77	15.79	15.28	45.41	57.37	51.77	60.77	21.21	363.52
1993	Above Normal	32.14	23.31	15.79	15.79	14.26	15.79	20.90	33.01	44.82	59.27	42.52	44.32	361.92
1994	Critical	28.45	33.69	22.65	15.79	14.26	15.79	32.55	29.80	51.68	67.44	48.59	17.93	378.62
1995	Wet	24.66	18.99	15.79	64.45	31.05	68.02	34.86	55.95	41.18	53.32	58.49	50.26	517.02
1996	Wet	38.98	38.02	19.29	21.60	66.75	50.15	20.90	50.30	42.99	55.94	44.03	53.83	502.78
1997	Wet	36.33	40.75	73.66	71.01	19.51	21.60	34.05	42.90	49.60	64.05	41.55	57.87	552.88
1998	Wet	36.05	39.12	15.79	48.43	61.92	75.68	20.90	70.93	72.81	70.67	64.11	54.77	631.18
1999	Wet	43.86	48.55	51.79	35.73	67.01	59.32	20.90	43.20	45.09	60.86	45.59	55.09	576.99
2000	Above Normal	35.34	53.08	19.94	21.60	66.49	35.29	26.05	37.57	51.38	67.44	49.96	44.64	508.78
2001	Dry	31.56	41.29	20.56	15.79	14.26	15.79	24.82	43.20	63.87	66.40	42.09	23.61	403.24
2002	Dry	35.86	19.58	17.93	43.07	15.42	15.79	30.16	39.68	52.86	55.91	43.24	25.55	395.05
2003	Above Normal	32.51	24.35	46.42	66.71	19.51	16.66	40.43	60.87	46.10	72.17	43.83	41.58	511.14
	Average	28.65	28.55	28.56	31.26	32.23	31.79	30.19	37.02	47.85	59.63	47.43	35.84	439.00
	Wet	31.01	33.50	44.76	50.67	48.37	50.35	38.09	43.83	46.40	58.61	50.72	56.07	552.37
	Above Normal	29.93	31.07	25.84	35.01	43.94	37.38	27.81	36.98	50.24	64.61	48.23	38.05	469.08
	Below Normal	28.04	26.77	22.61	20.51	25.47	22.90	24.22	33.06	47.83	59.56	46.20	24.25	381.40
	Dry	26.55	24.72	18.94	18.78	16.44	18.08	26.17	33.89	49.77	60.49	44.55	24.63	363.01
	Critical	26.11	23.10	17.56	16.73	17.09	16.91	28.48	31.66	45.74	55.64	45.28	20.16	344.45

Energy generated (GWh) at Keswick Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	33.32	30.85	18.10	15.79	19.51	21.60	23.04	39.47	55.50	59.94	52.54	42.78	412.44
1923	Below Normal	27.68	33.69	19.29	17.60	14.26	15.79	15.28	46.63	49.90	57.86	47.77	22.59	368.34
1924	Critical	25.58	23.10	20.12	15.79	14.77	19.85	34.66	35.91	45.30	50.45	43.98	27.19	356.70
1925	Dry	18.84	15.28	15.79	14.93	13.49	16.60	17.40	28.89	43.83	57.10	47.14	26.79	316.08
1926	Dry	27.20	20.18	16.93	15.79	14.26	19.91	18.62	30.59	50.63	61.05	43.93	27.73	346.82
1927	Wet	22.44	16.33	21.04	21.60	66.14	20.45	44.75	41.76	48.69	59.01	49.93	70.86	483.00
1928	Above Normal	28.63	20.04	19.29	21.44	15.49	54.26	17.32	32.19	55.22	67.44	50.77	46.89	428.98
1929	Critical	28.30	25.89	16.00	15.79	14.26	15.79	27.50	33.98	43.44	57.01	55.93	23.77	357.66
1930	Dry	24.93	20.20	15.79	15.79	14.26	15.79	21.16	25.87	44.02	48.84	39.46	19.71	305.82
1931	Critical	20.75	17.15	15.79	15.79	14.26	15.79	41.18	34.21	39.94	53.65	44.75	18.22	331.48
1932	Dry	17.30	13.51	14.93	14.93	13.97	15.79	24.64	21.33	31.50	35.99	31.10	17.45	252.44
1933	Critical	18.99	15.02	13.96	14.93	14.26	15.79	24.14	26.27	33.54	38.43	54.94	27.69	297.96
1934	Critical	23.76	14.45	14.93	15.79	14.26	15.79	24.81	28.76	37.05	50.72	35.06	18.67	294.05
1935	Below Normal	11.07	12.19	15.79	15.79	14.26	15.79	15.28	20.52	43.56	50.16	42.49	21.90	278.80
1936	Below Normal	21.48	18.91	16.91	15.79	18.68	21.60	20.90	28.13	37.51	55.81	42.93	21.40	320.05
1937	Below Normal	24.75	20.72	15.79	15.79	14.26	15.79	15.28	24.85	39.18	52.21	42.23	22.71	303.56
1938	Wet	19.29	21.95	75.85	21.60	65.43	70.99	54.10	41.63	44.73	53.42	49.80	53.49	572.28
1939	Dry	30.72	31.56	16.17	15.79	17.14	15.79	35.94	38.46	53.36	67.44	52.17	27.40	401.94
1940	Above Normal	27.29	27.02	16.83	15.79	67.89	75.02	20.90	31.51	51.50	67.44	52.06	31.10	484.35
1941	Wet	27.81	26.14	31.14	73.57	67.11	61.05	60.13	60.64	45.57	58.69	59.91	65.26	637.02
1942	Wet	35.15	41.37	58.67	75.76	65.82	21.60	20.90	47.19	40.62	55.53	54.11	64.23	580.95
1943	Wet	34.12	43.66	19.29	41.73	35.05	57.18	23.33	35.98	46.25	65.19	49.46	61.80	513.04
1944	Dry	29.20	39.42	19.52	19.19	14.77	15.79	28.11	25.44	39.60	59.72	44.74	21.76	357.26
1945	Below Normal	23.50	19.75	17.66	15.79	19.51	21.60	22.91	27.20	43.19	58.16	46.89	25.77	341.93
1946	Below Normal	30.24	22.88	74.37	34.92	19.51	21.60	31.67	36.85	50.14	60.05	49.67	27.16	459.06
1947	Dry	29.16	21.55	15.79	18.05	14.26	15.79	26.46	42.38	44.63	64.32	47.94	30.05	370.38
1948	Below Normal	20.79	18.15	18.19	15.81	14.77	15.79	19.84	42.43	41.04	57.51	49.30	27.07	340.69
1949	Dry	31.27	21.29	19.29	17.56	18.29	37.15	24.22	31.67	49.66	57.93	48.95	29.91	387.19
1950	Below Normal	30.33	23.02	20.11	19.41	19.51	21.60	17.92	30.88	42.26	51.01	42.70	21.47	340.22
1951	Above Normal	32.41	39.69	67.65	34.80	63.57	19.51	33.64	26.99	51.16	67.44	49.84	34.26	520.96
1952	Wet	27.71	33.29	45.74	38.85	70.84	51.58	72.76	42.23	35.92	56.47	56.27	49.95	581.61
1953	Wet	39.11	42.52	19.29	72.57	19.51	21.60	24.80	41.20	43.27	59.18	48.79	64.67	496.51
1954	Above Normal	26.79	47.14	19.29	51.83	68.43	51.18	54.83	35.02	46.66	67.44	50.87	48.05	567.53
1955	Dry	29.42	27.41	21.59	20.22	16.81	15.97	25.97	25.40	43.30	61.72	42.35	20.32	350.48
1956	Wet	25.67	18.88	72.74	71.99	69.90	21.60	20.90	49.84	43.53	50.54	44.03	57.43	547.05
1957	Above Normal	34.79	48.21	20.18	19.67	19.31	38.96	25.92	42.35	47.26	67.44	47.41	37.20	448.70
1958	Wet	29.17	38.87	47.35	62.73	64.56	69.47	51.90	42.40	41.75	61.72	60.02	53.14	623.08
1959	Below Normal	39.01	48.33	21.06	27.04	55.59	15.79	36.88	38.22	58.90	67.03	55.00	20.67	483.52
1960	Dry	30.73	23.70	20.98	16.97	15.82	17.44	30.13	23.61	57.35	65.48	43.00	29.16	374.37
1961	Dry	26.80	20.78	24.02	15.79	41.49	28.80	28.76	34.31	49.24	67.44	53.52	31.12	422.07
1962	Below Normal	31.34	27.54	19.29	17.74	57.90	16.59	28.11	36.14	48.28	61.98	47.66	24.34	416.91
1963	Wet	35.56	24.54	41.22	21.60	35.50	29.01	69.82	25.84	44.38	66.23	47.30	65.12	506.12
1964	Dry	20.80	23.33	19.29	21.60	14.77	15.79	40.53	33.71	44.29	61.72	42.26	22.17	360.26
1965	Wet	21.37	18.67	75.66	74.89	19.51	21.60	29.77	32.73	45.63	57.41	42.54	54.94	494.72
1966	Below Normal	31.07	36.45	19.29	21.60	19.51	49.62	35.47	38.11	57.76	67.44	52.95	31.48	460.75
1967	Wet	33.50	19.92	46.40	45.50	34.42	70.83	44.60	63.76	42.19	57.01	55.56	58.52	572.21
1968	Below Normal	33.41	37.73	19.52	21.60	50.94	17.01	30.68	34.19	52.83	67.44	43.25	26.83	435.43
1969	Wet	24.26	18.67	17.47	74.21	67.53	27.21	52.04	54.70	45.65	55.17	49.69	53.10	539.70
1970	Wet	26.59	31.94	69.21	66.57	54.11	21.60	32.13	34.52	47.95	67.44	47.03	60.07	559.16
1971	Wet	32.92	25.19	26.23	65.76	19.51	75.92	27.73	40.76	43.09	56.87	44.51	54.90	513.39
1972	Below Normal	36.10	39.72	19.29	21.60	14.77	56.69	33.72	32.78	55.20	67.44	46.20	24.63	448.14
1973	Above Normal	25.60	21.51	32.52	65.53	68.28	34.17	20.90	30.82	51.90	67.44	46.17	36.26	501.10
1974	Wet	19.72	70.72	75.09	69.87	23.85	70.74	30.49	30.78	45.14	44.70	59.58	55.07	595.75
1975	Wet	37.59	48.51	16.03	15.79	19.51	73.18	20.90	43.51	48.66	53.52	50.48	57.59	485.27
1976	Critical	40.35	42.68	17.10	18.95	22.60	19.19	24.54	32.94	50.45	61.30	29.10	15.93	375.13
1977	Critical	33.76	25.52	24.94	20.48	27.99	20.56	44.17	27.52	58.42	61.39	36.22	11.97	392.94
1978	Above Normal	26.23	14.58	15.79	15.79	36.98	64.49	28.83	41.79	50.98	56.62	47.46	26.57	426.11
1979	Below Normal	32.69	36.44	20.57	21.60	16.07	15.79	15.28	25.61	49.33	56.44	37.09	21.51	348.42
1980	Above Normal	22.50	18.67	18.13	75.83	67.48	21.60	20.95	32.21	50.58	55.29	45.45	28.37	457.06
1981	Dry	25.25	35.54	19.52	19.47	14.26	15.79	16.70	38.33	65.26	67.03	46.75	23.03	386.93
1982	Wet	21.44	33.79	74.46	33.15	66.85	58.31	71.30	21.14	37.74	49.51	42.43	41.68	551.80
1983	Wet	43.96	30.83	58.58	75.51	63.84	69.26	60.38	55.00	64.64	66.42	64.49	55.23	708.14
1984	Wet	43.60	59.76	73.73	35.72	20.21	45.76	24.97	35.63	48.32	67.44	41.86	65.37	562.37
1985	Dry	21.53	21.71	26.82	21.60	14.26	15.79	27.16	42.68	54.50	61.04	50.54	25.45	383.08
1986	Wet	26.45	25.30	17.85	17.35	62.24	75.24	20.90	34.91	50.92	56.86	47.00	25.06	460.08
1987	Dry	21.03	32.62	19.10	15.79	14.26	15.79	32.86	42.48	64.78	67.92	43.20	27.11	396.94
1988	Critical	30.81	20.47	16.93	20.06	25.03	17.01	25.55	30.87	54.27	63.53	52.90	22.86	380.29
1989	Dry	26.97	15.28	16.82	15.79	14.26	15.79	15.28	42.27	43.49	62.07	40.13	15.28	323.43
1990	Critical	16.45	16.56	16.46	15.79	14.26	15.79	32.13	25.31	40.50	62.17	43.45	23.77	322.64
1991	Critical	21.85	17.11	15.79	15.79	14.26	15.79	15.28	29.16	37.15	49.85	33.62	17.36	283.01
1992	Critical	24.29	25.31	15.79	15.79	14.77	15.79	15.28	45.45	59.30	49.46	61.05	21.11	363.39
1993	Above Normal	32.11	23.33	15.79	15.79	14.26	15.79	20.90	32.57	44.82	59.23	42.49	44.30	361.38
1994	Critical	28.43	33.59	22.80	15.79	14.26	15.79	32.55	29.77	51.64	67.44	48.55	17.95	378.56
1995	Wet	24.73	19.02	15.79	64.09	31.05	68.02	34.86	55.95	41.18	52.70	58.49	50.26	516.14
1996	Wet	38.98	46.12	19.29	21.60	67.25	50.15	20.90	50.30	43.01	55.94	44.04	53.83	511.41
1997	Wet	35.72	40.74	73.62	71.01	19.51	21.60	34.06	42.91	49.61	63.86	41.55	57.89	552.08
1998	Wet	36.11	39.06	15.79	48.50	61.92	75.68	20.90	70.93	72.81	70.67	64.11	54.77	631.25
1999	Wet	43.86	48.55	51.79	35.73	67.01	59.32	20.90	43.20	45.09	60.86	45.60	55.08	576.99
2000	Above Normal	35.39	53.12	19.96	21.60	66.49	35.29	26.05	37.57	51.38	67.44	49.96	44.64	508.89
2001	Dry	31.54	41.30	20.67	15.79	14.26	15.79	24.83	43.21	63.85	66.39	42.05	23.61	403.29
2002	Dry	35.83	19.58	17.93	43.05	15.42	15.79	30.17	39.68	52.86	55.91	43.25	25.71	395.18
2003	Above Normal	32.57	24.35	46.18	66.71	19.51	16.66	40.43	60.87	46.11	72.18	43.84	41.56	510.97
	Average	28.66	28.90	28.51	31.20	32.15	31.79	30.17	37.02	47.87	59.55	47.39	35.99	439.19
	Wet	31.03	34.01	44.59	50.66	48.39	50.34	38.09	43.82	46.40	58.55	50.71	56.13	552.74
	Above Normal	29.80	30.71	25.81	35.05	43.93	37.38	27.81	36.95	50.26	64.61	48.24	38.50	469.04
	Below Normal	28.10	28.25	22.65	20.15	24.97	22.93	24.23	33.04	47.79	59.32	46.15	24.25	381.84
	Dry	26.58	24.68	18.94	18.78	16.45	18.08	26.05	33.91	49.79	60.51	44.58	24.65	363.00
	Critical	26.11	23.07	17.55	16.73	17.08	16.91	28.48	31.68	45.92	55.45	44.96	20.54	344.48

Difference in Energy generated (GWh) at Keswick Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	(0.02)	(0.01)	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.03	0.02	(0.01)	0.04	0.01
1925	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.01
1926	Dry	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	(0.05)	0.00	(0.04)	(0.01)	(0.01)
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.01	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.00
1930	Dry	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.01	0.00	0.00
1931	Critical	0.01	0.01	0.00	0.00	0.00	0.00	0.01	0.04	0.02	0.02	0.03	0.02	0.01
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.05	0.05	0.03	0.05	0.03	0.02
1933	Critical	0.02	0.03	0.00	0.00	0.00	0.00	0.02	0.06	0.05	0.03	0.04	0.05	0.02
1934	Critical	(0.34)	(0.28)	(0.30)	0.00	0.00	0.00	0.03	0.02	0.05	0.02	(0.37)	0.00	(0.10)
1935	Below Normal	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.02	0.02	0.05
1936	Below Normal	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.00	0.01	0.02	0.01
1937	Below Normal	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.02	(0.03)	0.01	0.02	0.01
1938	Wet	0.00	(0.33)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.00	(0.02)
1939	Dry	(0.05)	0.03	0.38	0.00	(0.02)	0.00	(2.27)	0.21	0.21	0.00	(0.06)	(0.69)	(0.19)
1940	Above Normal	0.17	0.20	0.00	0.00	(0.07)	0.00	0.00	0.06	0.11	0.00	0.10	0.54	0.09
1941	Wet	0.04	1.07	2.41	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.00	0.29
1942	Wet	0.25	1.01	0.02	0.00	0.00	0.00	0.00	0.00	0.01	0.01	(0.02)	0.01	0.11
1943	Wet	0.00	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.77)	(0.02)	0.47	(0.04)
1944	Dry	0.03	(0.45)	0.00	0.00	0.00	0.00	0.02	0.03	0.03	(0.05)	0.17	0.16	0.00
1945	Below Normal	0.02	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.02)	(0.05)	(0.02)	0.00	(0.01)
1946	Below Normal	(0.05)	0.33	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.32)	(0.20)	0.02	(0.02)
1947	Dry	0.21	0.02	0.00	0.01	0.00	0.00	0.02	0.02	0.08	0.01	0.37	(0.05)	0.06
1948	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.01)	0.00	0.01	(0.01)
1949	Dry	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	(0.01)	(0.01)	0.07	0.01
1950	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00
1951	Above Normal	(0.02)	(0.07)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	(0.01)
1952	Wet	0.01	0.01	0.02	0.00	0.00	0.02	0.00	0.00	0.01	0.00	0.00	(0.04)	0.00
1953	Wet	0.01	6.48	(6.54)	0.01	0.00	0.00	(0.04)	0.02	0.00	0.03	(0.02)	0.00	0.00
1954	Above Normal	(0.23)	(0.27)	0.00	0.48	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00
1955	Dry	0.11	0.11	0.00	0.00	0.12	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.14)	(0.01)	0.01
1956	Wet	0.27	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1957	Above Normal	0.00	0.01	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.01)
1959	Below Normal	0.13	4.95	0.00	(5.14)	0.00	0.00	0.04	0.04	0.02	0.00	0.04	0.01	0.01
1960	Dry	0.10	(0.10)	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	(0.01)	(0.03)	0.39	0.03
1961	Dry	(0.04)	0.00	(0.41)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.01)	(0.04)
1962	Below Normal	0.09	0.08	0.00	0.05	(0.12)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01
1963	Wet	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00
1964	Dry	0.01	(0.03)	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.02	0.01	0.00
1965	Wet	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.06)	(0.08)	(0.01)	(0.05)	(0.03)	(0.02)
1966	Below Normal	0.01	(0.26)	0.00	0.00	0.00	0.47	0.00	0.01	0.01	0.00	0.03	(0.01)	0.02
1967	Wet	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.75	0.06
1968	Below Normal	0.02	6.15	0.23	0.00	(6.85)	0.00	0.02	0.01	0.01	0.00	0.00	0.01	(0.03)
1969	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1970	Wet	0.31	(0.29)	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.44	0.04
1971	Wet	0.02	(0.13)	(0.24)	0.00	0.00	(0.10)	0.00	0.00	0.00	(0.04)	0.00	0.01	(0.04)
1972	Below Normal	0.00	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1973	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.10
1974	Wet	0.05	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1975	Wet	(0.01)	(0.38)	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1976	Critical	0.00	0.10	0.01	0.00	0.01	0.00	0.00	0.00	0.01	(0.10)	0.05	0.00	0.01
1977	Critical	0.07	0.01	0.00	0.00	(0.01)	0.00	0.00	0.03	0.03	0.02	(0.16)	0.01	0.00
1978	Above Normal	0.02	0.02	0.00	0.00	(0.02)	0.00	0.00	0.00	0.01	0.01	0.00	0.14	0.01
1979	Below Normal	0.16	9.43	0.43	0.00	0.00	0.00	0.00	(0.38)	(0.47)	(2.89)	(0.55)	(0.01)	0.48
1980	Above Normal	(1.55)	(4.27)	(0.15)	0.00	0.00	0.00	0.03	0.03	0.02	0.02	0.01	3.57	(0.19)
1981	Dry	0.23	(0.83)	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.29	(0.29)	0.43	(0.02)
1982	Wet	0.00	(2.18)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	(0.02)	(0.18)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.01	0.00
1985	Dry	0.01	(0.03)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1986	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.01	0.52	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.63	(0.01)	0.09
1988	Critical	(0.02)	0.00	0.00	0.00	(0.10)	(0.02)	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)
1989	Dry	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)	(0.02)	(0.01)	0.00	(0.01)
1990	Critical	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	(3.66)	4.51	0.07
1991	Critical	0.29	(0.13)	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.07	0.04	0.00	0.03
1992	Critical	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.04	1.93	(2.31)	0.28	(0.10)	(0.01)
1993	Above Normal	(0.03)	0.02	0.00	0.00	0.00	0.00	0.00	(0.44)	0.00	(0.04)	(0.03)	(0.02)	(0.05)
1994	Critical	(0.02)	(0.10)	0.15	0.00	0.00	0.00	0.00	(0.03)	(0.04)	0.00	(0.04)	0.02	0.00
1995	Wet	0.07	0.03	0.00	(0.36)	0.00	0.00	0.00	0.00	0.00	(0.62)	0.00	0.00	(0.07)
1996	Wet	0.00	8.10	0.00	0.00	0.50	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.72
1997	Wet	(0.61)	(0.01)	(0.04)	0.00	0.00	0.00	0.01	0.01	0.01	(0.19)	0.00	0.02	(0.07)
1998	Wet	0.06	(0.06)	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00
2000	Above Normal	0.05	0.04	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
2001	Dry	(0.02)	0.01	0.11	0.00	0.00	0.00	0.01	0.01	(0.02)	(0.01)	(0.04)	0.00	0.00
2002	Dry	(0.03)	0.00	0.00	(0.02)	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.16	0.01
2003	Above Normal	0.06	0.00	(0.24)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.02)	(0.01)
	Average	0.01	0.35	(0.05)	(0.06)	(0.08)	0.00	(0.02)	(0.00)	0.03	(0.08)	(0.05)	0.15	0.02
	Wet	0.02	0.51	(0.17)	(0.01)	0.02	(0.00)	(0.00)	(0.00)	0.00	(0.06)	(0.00)	0.06	0.03
	Above Normal	(0.13)	(0.36)	(0.03)	0.04	(0.01)	(0.00)	0.00	(0.03)	0.01	(0.00)	0.01	0.45	(0.00)
	Below Normal	0.06	1.48	0.05	(0.36)	(0.50)	0.03	0.01	(0.02)	(0.03)	(0.24)	(0.05)	0.01	0.04
	Dry	0.04	(0.04)	0.00	(0.00)	0.01	0.00	(0.12)	0.01	0.02	0.01	0.03	0.03	(0.00)
	Critical	0.00	(0.03)	(0.01)	0.00	(0.01)	(0.00)	0.01	0.02	0.18	(0.19)	(0.32)	0.38	0.00

Percent Difference in Energy generated (GWh) at Keswick Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	-1%	-2%	-2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1935	Below Normal	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	2%	0%	0%	0%	-6%	1%	0%	0%	0%	-2%
1940	Above Normal	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1941	Wet	0%	4%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	1%
1944	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1947	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	18%	-25%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	-1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	11%	0%	-16%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1968	Below Normal	0%	19%	1%	0%	-12%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1971	Wet	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1979	Below Normal	0%	35%	2%	0%	0%	0%	0%	-1%	-1%	-5%	-1%	0%
1980	Above Normal	-6%	-19%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	14%
1981	Dry	1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	2%
1982	Wet	0%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-8%	23%
1991	Critical	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	3%	-4%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1994	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	-1%	0%	0%	0%	0%	0%	-1%	0%	0%
1996	Wet	0%	21%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
	Below Normal	0%	5%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	2%

Energy generated (GWh) at Lewiston Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Energy generated (GWh) at Lewiston Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Difference in Energy generated (GWh) at Lewiston Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy generated (GWh) at Lewiston Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy generated (GWh) at New Melones Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	34.77	12.25	10.06	10.65	0.56	47.65	72.09	86.47	79.83	66.62	61.05	39.30	521.30
1923	Below Normal	35.83	11.15	5.22	33.91	30.52	67.49	68.66	91.15	79.40	65.57	60.02	33.50	582.42
1924	Critical	31.04	13.87	10.63	11.21	13.46	31.37	53.12	50.75	36.06	35.45	33.66	21.81	342.43
1925	Dry	20.33	9.10	8.85	9.64	2.08	14.97	61.98	70.25	56.52	58.85	55.05	34.65	402.27
1926	Dry	35.19	14.05	10.77	11.13	7.06	25.74	47.81	66.88	45.46	46.65	45.09	27.75	383.58
1927	Wet	27.88	7.50	9.05	8.85	2.25	16.04	65.77	88.08	76.88	58.10	54.26	32.59	447.25
1928	Above Normal	22.62	10.29	10.32	11.11	9.16	10.84	80.14	87.77	55.19	55.16	52.07	30.48	435.15
1929	Critical	32.22	9.88	10.11	10.60	9.32	19.36	49.38	61.28	35.09	41.65	40.23	24.46	343.58
1930	Dry	27.60	14.22	11.59	8.37	8.19	13.80	55.12	57.39	42.23	43.16	40.46	24.73	346.86
1931	Critical	21.98	7.59	10.27	7.80	7.77	20.33	53.03	50.22	32.18	34.17	31.65	20.26	297.25
1932	Dry	23.21	7.45	4.80	6.52	3.29	16.65	45.49	51.83	40.73	43.57	42.36	26.12	312.02
1933	Critical	25.71	12.93	10.90	8.04	8.08	17.00	45.52	46.40	36.73	38.82	37.20	23.16	310.49
1934	Critical	19.45	11.39	6.23	6.48	5.51	15.98	50.27	51.66	28.84	32.41	29.61	17.08	274.91
1935	Below Normal	18.63	6.47	6.43	4.77	6.44	6.20	17.76	44.09	38.93	41.57	39.98	25.52	256.79
1936	Below Normal	15.69	8.90	7.98	6.00	0.00	11.81	41.81	51.77	47.85	46.19	45.13	28.13	311.26
1937	Below Normal	24.20	14.86	8.92	8.50	0.49	3.69	59.05	75.80	48.27	48.20	46.71	30.48	369.17
1938	Wet	31.36	9.99	7.71	9.14	0.00	41.62	77.62	96.58	85.93	71.75	70.27	82.03	584.00
1939	Dry	32.62	19.46	14.43	15.79	14.21	17.01	95.58	88.11	56.47	56.42	52.92	24.42	487.44
1940	Above Normal	33.63	17.08	10.92	7.10	6.01	44.98	67.98	91.83	78.69	64.12	58.66	37.78	518.78
1941	Wet	35.96	17.18	9.54	9.67	6.79	46.37	57.72	87.54	79.37	65.69	60.15	38.76	514.74
1942	Wet	34.33	15.63	10.05	5.41	7.67	57.62	67.73	87.68	85.94	72.79	65.92	47.54	558.31
1943	Wet	39.97	13.60	23.08	77.24	57.08	99.42	81.49	101.27	85.80	70.64	64.12	42.32	756.03
1944	Dry	38.49	18.57	14.42	15.44	13.30	19.71	82.03	90.16	56.82	57.47	53.76	29.19	489.36
1945	Below Normal	24.98	9.85	10.28	11.18	4.53	46.65	78.72	89.21	75.95	63.08	57.78	35.70	507.91
1946	Below Normal	23.77	10.73	7.24	10.29	10.62	52.70	82.40	86.40	77.16	62.55	57.49	36.87	518.22
1947	Dry	32.08	13.08	10.31	11.28	13.18	35.63	60.03	62.24	39.60	42.77	41.47	25.83	387.50
1948	Below Normal	17.90	9.18	9.30	9.88	22.97	15.43	48.52	57.52	44.78	48.03	46.54	29.79	359.84
1949	Dry	22.46	14.60	9.00	9.49	10.80	15.70	59.63	59.13	42.37	44.61	43.14	28.19	359.12
1950	Below Normal	29.27	14.41	8.95	6.65	5.75	15.76	56.10	66.16	44.42	47.17	45.70	22.71	363.05
1951	Above Normal	18.37	3.33	1.70	13.25	51.77	56.76	81.35	98.58	78.01	63.57	58.56	37.90	563.15
1952	Wet	32.57	10.96	7.52	1.11	8.63	54.38	80.21	104.31	91.55	124.43	106.42	77.64	699.73
1953	Wet	42.08	14.29	13.38	26.38	28.56	66.41	89.61	91.55	72.72	61.95	56.21	34.57	597.71
1954	Above Normal	34.37	14.75	10.86	11.04	16.67	22.32	90.73	86.59	52.69	54.11	50.59	31.08	475.80
1955	Dry	37.05	10.64	9.47	7.93	15.12	21.99	43.94	61.00	49.51	48.20	46.21	28.74	379.80
1956	Wet	30.06	9.11	2.46	0.00	7.91	64.22	77.72	86.29	79.21	64.94	59.60	36.09	517.61
1957	Above Normal	34.93	17.93	11.32	11.81	10.37	63.10	90.11	82.69	74.29	61.41	56.18	31.94	546.08
1958	Wet	24.83	16.13	10.72	9.66	3.90	41.67	39.83	81.24	80.51	68.42	62.44	63.80	503.15
1959	Below Normal	40.93	17.83	11.59	12.11	32.44	24.16	96.03	91.56	56.11	56.88	52.95	18.54	511.13
1960	Dry	31.64	16.10	10.63	10.90	8.48	28.50	55.20	60.39	40.43	42.28	40.89	24.69	370.13
1961	Dry	24.82	8.13	8.05	8.65	8.25	19.16	49.55	49.47	35.64	37.71	35.21	22.85	307.49
1962	Below Normal	27.71	8.37	8.49	8.93	2.40	13.45	47.51	59.51	41.74	44.20	42.72	26.08	331.11
1963	Wet	23.25	11.69	8.44	8.07	11.95	17.21	32.39	68.77	44.46	47.53	46.16	27.55	347.47
1964	Dry	17.34	8.21	8.91	8.02	11.55	29.40	59.00	59.74	39.67	43.51	42.28	26.47	354.10
1965	Wet	18.85	8.23	11.12	2.46	8.75	57.71	68.83	93.22	76.12	62.47	51.94	36.34	496.04
1966	Below Normal	36.57	10.23	9.60	10.20	9.51	22.45	77.37	82.25	48.05	47.29	45.93	26.45	425.90
1967	Wet	34.14	9.14	7.02	4.68	29.86	48.79	50.24	85.31	74.49	67.04	61.58	39.60	511.89
1968	Below Normal	38.50	11.30	11.32	11.51	11.43	13.73	89.24	93.37	57.38	57.59	51.98	29.93	477.28
1969	Wet	29.71	10.82	9.58	0.00	2.74	59.46	84.06	117.18	157.84	113.34	101.95	70.20	756.88
1970	Wet	34.39	14.33	34.37	135.12	66.73	57.01	86.05	102.15	77.44	63.48	58.24	33.86	763.17
1971	Wet	34.25	10.10	6.25	9.81	10.93	60.24	81.53	94.22	76.12	62.10	57.08	33.87	536.50
1972	Below Normal	32.62	11.74	9.03	10.96	15.25	37.30	80.59	77.52	46.35	46.16	44.17	27.46	439.15
1973	Above Normal	28.06	9.43	9.29	3.74	2.11	7.34	70.10	87.01	66.98	58.54	54.70	34.71	432.01
1974	Wet	21.97	9.08	7.64	7.92	10.50	48.87	66.73	92.32	78.79	61.12	61.27	39.39	505.60
1975	Wet	29.50	13.73	11.44	11.85	9.13	45.98	75.90	104.02	80.40	66.33	55.68	37.07	541.03
1976	Critical	26.59	14.84	11.16	11.76	14.90	41.81	78.12	76.41	44.53	44.26	37.55	25.19	427.12
1977	Critical	24.82	9.25	9.00	9.67	16.72	32.19	45.49	39.80	27.40	29.08	28.62	17.38	289.42
1978	Above Normal	25.70	8.99	8.46	3.71	4.97	10.46	49.69	75.89	51.41	52.08	49.80	27.28	368.44
1979	Below Normal	35.64	9.72	9.87	8.49	4.51	11.14	72.91	90.05	80.97	56.81	54.10	34.49	468.70
1980	Above Normal	27.91	10.61	11.22	4.79	3.37	57.59	89.08	99.57	84.62	65.21	63.54	41.91	559.42
1981	Dry	41.46	20.99	14.37	14.01	14.54	12.74	83.69	91.61	56.36	56.27	52.71	29.02	487.77
1982	Wet	26.48	9.73	8.50	2.13	67.58	94.48	81.67	102.23	86.83	108.28	107.86	92.84	788.61
1983	Wet	53.82	72.74	83.35	113.10	123.44	161.68	70.49	92.33	201.29	197.32	127.20	93.29	1,390.05
1984	Wet	41.05	94.36	137.80	72.52	62.34	62.27	86.76	98.87	76.39	61.94	57.08	34.85	886.23
1985	Dry	24.09	10.26	10.77	11.78	9.84	17.47	80.02	89.44	55.25	57.66	53.02	33.17	452.77
1986	Wet	29.73	10.16	10.44	10.31	0.00	146.82	83.05	99.69	85.49	70.35	63.70	40.04	649.78
1987	Dry	34.00	19.82	14.13	15.46	14.00	12.18	79.55	80.16	48.24	47.57	45.18	29.05	439.34
1988	Critical	25.78	9.58	9.02	9.39	12.28	24.13	43.54	49.57	34.15	35.90	35.01	22.68	311.03
1989	Dry	28.21	8.59	8.59	9.03	11.65	16.47	55.78	57.91	40.15	42.07	40.18	18.60	337.23
1990	Critical	18.40	9.06	7.71	7.96	8.50	24.58	46.05	37.31	33.90	34.84	33.56	21.47	283.34
1991	Critical	15.63	11.31	7.50	7.83	11.91	6.71	35.47	43.59	31.61	33.35	30.46	19.01	254.38
1992	Critical	15.03	9.58	6.14	6.23	3.88	7.19	30.74	37.84	25.76	15.10	10.19	9.47	177.15
1993	Above Normal	5.23	3.77	9.73	2.98	3.98	6.11	31.13	45.18	37.51	42.21	40.79	25.27	253.89
1994	Critical	20.41	7.72	7.89	8.23	7.31	26.86	38.86	36.91	35.04	36.51	33.41	21.15	280.30
1995	Wet	19.87	7.15	7.15	0.00	12.81	0.00	55.19	64.89	52.49	59.27	56.21	35.77	370.80
1996	Wet	38.34	17.43	10.73	7.80	5.56	53.44	75.75	77.22	81.19	68.12	62.00	39.81	537.39
1997	Wet	28.82	10.92	96.24	220.99	160.91	68.66	90.70	92.92	75.87	61.84	56.53	36.86	1,001.26
1998	Wet	38.24	11.12	11.06	5.66	14.30	58.19	79.24	69.60	84.21	140.10	123.73	94.23	729.68
1999	Wet	41.30	17.92	26.37	47.12	86.93	57.24	80.52	97.73	93.35	64.40	59.25	37.12	709.25
2000	Above Normal	39.99	16.68	11.50	8.97	1.83	55.06	72.32	78.77	71.82	65.27	59.07	37.97	519.25
2001	Dry	22.39	12.71	11.37	8.87	1.92	9.44	70.32	83.02	53.03	53.54	50.34	31.50	408.45
2002	Dry	33.51	9.67	9.99	10.49	18.42	18.75	55.19	66.78	50.15	45.84	44.18	27.27	390.24
2003	Above Normal	29.09	8.85	7.81	8.04	20.15	18.31	48.12	63.68	49.96	46.57	44.00	29.39	373.97
	Average	29.06	13.47	13.60	16.53	17.08	35.87	65.31	76.16	61.69	57.80	53.08	34.44	474.10
	Wet	32.41	17.42	22.35	31.04	31.05	60.99	72.57	91.43	86.18	78.22	69.49	49.16	642.31
	Above Normal	27.89	11.16	9.43	8.10	10.91	33.38	70.24	82.00	65.08	57.91	54.08	33.75	463.94
	Below Normal	28.73	11.05	8.87	10.96	11.20	24.43	65.48	75.45	56.24	52.24	49.37	28.98	423.00
	Dry	29.25	13.09	10.58	10.71	10.33	19.18	63.33	69.20	47.15	48.23	45.80	27.35	394.19
	Critical	23.09	10.58	8.88	8.77	9.97	22.29	47.47	48.48	33.44	34.30	31.76	20.26	299.28

Energy generated (GWh) at New Melones Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	34.77	12.25	10.06	10.65	0.56	47.65	72.09	86.47	79.83	66.62	61.05	39.30	521.30
1923	Below Normal	35.83	11.15	5.22	33.91	30.52	67.49	68.66	91.15	79.40	65.57	60.02	33.50	582.42
1924	Critical	31.03	13.87	10.63	11.21	13.46	31.37	53.12	50.75	36.06	35.45	33.66	21.81	342.42
1925	Dry	20.33	9.10	8.85	9.64	2.08	14.97	61.98	70.25	56.52	58.85	55.05	34.65	402.27
1926	Dry	35.19	14.05	10.77	11.13	7.06	25.74	47.81	66.88	45.46	46.65	45.09	27.75	383.58
1927	Wet	27.88	7.50	9.05	8.85	2.25	16.04	65.77	88.08	76.88	58.10	54.26	32.59	447.25
1928	Above Normal	22.62	10.29	10.32	11.11	9.16	10.84	80.14	87.77	55.19	55.16	52.07	30.48	435.15
1929	Critical	32.22	9.88	10.11	10.60	9.32	19.36	49.38	61.28	35.09	41.65	40.23	24.46	343.58
1930	Dry	27.60	14.22	11.59	8.37	8.19	13.80	55.12	57.39	42.23	43.16	40.46	24.73	346.86
1931	Critical	21.98	7.59	10.27	7.80	7.77	20.33	53.03	50.22	32.18	34.17	31.65	20.26	297.25
1932	Dry	23.21	7.45	4.80	6.52	3.29	16.65	45.49	51.83	40.73	43.57	42.36	26.12	312.02
1933	Critical	25.71	12.93	10.90	8.04	8.08	17.00	45.52	46.40	36.73	38.82	37.20	23.16	310.49
1934	Critical	19.45	11.39	6.23	6.48	5.51	15.98	50.27	51.66	28.84	32.41	29.61	17.08	274.91
1935	Below Normal	18.63	6.47	6.43	4.77	6.44	6.20	17.76	44.09	38.93	41.57	39.98	25.52	256.79
1936	Below Normal	15.69	8.90	7.98	6.00	0.00	11.81	41.81	51.77	47.85	46.19	45.13	28.13	311.26
1937	Below Normal	24.20	14.86	8.92	8.50	0.49	3.69	59.05	75.80	48.27	48.20	46.71	30.48	369.17
1938	Wet	31.36	9.99	7.71	9.14	0.00	41.62	77.62	96.58	85.93	71.75	70.27	82.03	584.00
1939	Dry	32.62	19.46	14.43	15.79	14.21	17.01	95.59	88.09	56.47	56.42	52.92	24.42	487.43
1940	Above Normal	33.63	17.08	10.92	7.10	6.01	44.98	67.98	91.83	78.69	64.12	58.66	37.78	518.78
1941	Wet	35.96	17.18	9.54	9.67	6.79	46.37	57.72	87.54	79.37	65.69	60.15	38.76	514.74
1942	Wet	34.33	15.63	10.05	5.41	7.67	57.62	67.73	87.68	85.94	72.79	65.92	47.54	558.31
1943	Wet	39.97	13.60	23.08	77.24	57.08	99.42	81.49	101.27	85.80	70.64	64.12	42.32	756.03
1944	Dry	38.49	18.57	14.42	15.44	13.30	19.71	82.02	90.16	56.82	57.47	53.76	29.19	489.35
1945	Below Normal	24.98	9.85	10.28	11.18	4.53	46.65	78.72	89.21	75.95	63.08	57.78	35.70	507.91
1946	Below Normal	23.77	10.73	7.24	10.29	10.62	52.70	82.40	86.40	77.16	62.55	57.49	36.87	518.22
1947	Dry	32.08	13.08	10.31	11.28	13.18	35.63	60.03	62.23	39.60	42.77	41.47	25.84	387.50
1948	Below Normal	17.90	9.18	9.30	9.88	22.97	15.43	48.52	57.52	44.78	48.03	46.54	29.79	359.84
1949	Dry	22.46	14.60	9.00	9.49	10.80	15.70	59.63	59.13	42.37	44.61	43.14	28.19	359.12
1950	Below Normal	29.27	14.41	8.95	6.65	5.75	15.76	56.10	66.16	44.42	47.17	45.70	22.71	363.05
1951	Above Normal	18.37	3.33	1.70	13.25	51.77	56.76	81.35	98.58	78.01	63.57	58.56	37.90	563.15
1952	Wet	32.57	10.96	7.52	1.11	8.63	54.38	80.21	101.31	94.69	124.43	106.42	77.64	699.87
1953	Wet	42.08	14.29	13.38	26.38	28.56	66.41	89.61	91.55	72.72	61.95	56.21	34.57	597.71
1954	Above Normal	34.37	14.75	10.86	11.04	16.67	22.32	90.73	86.59	52.69	54.11	50.59	31.08	475.80
1955	Dry	37.05	10.64	9.47	7.93	15.12	21.99	43.94	61.00	49.51	48.20	46.21	28.74	379.80
1956	Wet	30.06	9.11	2.46	0.00	7.91	64.22	77.72	86.29	79.21	64.94	59.60	36.09	517.61
1957	Above Normal	34.93	17.93	11.32	11.81	10.37	63.10	90.11	82.69	74.29	61.41	56.18	31.94	546.08
1958	Wet	24.83	16.13	10.72	9.66	3.90	41.67	39.83	79.67	80.54	68.44	62.46	65.40	503.25
1959	Below Normal	40.93	17.83	11.59	12.11	32.44	24.16	96.03	91.56	56.11	56.88	52.95	18.54	511.13
1960	Dry	31.64	16.10	10.63	10.90	8.48	28.50	55.20	60.39	40.43	42.28	40.89	24.69	370.13
1961	Dry	24.82	8.13	8.05	8.65	8.25	19.16	49.55	49.47	35.64	37.71	35.21	22.85	307.49
1962	Below Normal	27.71	8.37	8.49	8.93	2.40	13.45	47.51	59.51	41.74	44.20	42.72	26.08	331.11
1963	Wet	23.25	11.69	8.44	8.07	11.95	17.21	32.39	68.77	44.46	47.53	46.16	27.55	347.47
1964	Dry	17.34	8.21	8.91	8.02	11.55	29.40	59.00	59.74	39.67	43.51	42.28	26.47	354.10
1965	Wet	18.85	8.23	11.12	2.46	8.75	57.71	68.83	93.22	76.12	62.47	51.94	36.34	496.04
1966	Below Normal	36.57	10.23	9.60	10.20	9.51	22.45	77.37	82.25	48.05	47.29	45.93	26.45	425.90
1967	Wet	34.14	9.14	7.02	4.68	29.86	48.79	50.24	83.82	74.52	67.06	61.60	39.62	510.49
1968	Below Normal	38.52	11.31	11.32	11.51	11.44	13.73	89.29	93.45	57.45	57.67	52.05	29.96	477.70
1969	Wet	29.73	10.82	9.59	0.00	4.01	59.46	84.06	117.18	157.84	113.34	101.95	70.20	758.18
1970	Wet	34.39	14.33	34.37	135.12	66.73	57.01	86.05	102.15	77.44	63.48	58.24	33.86	763.17
1971	Wet	34.25	10.10	6.25	9.81	10.93	60.24	81.53	94.22	76.12	62.10	57.08	33.87	536.50
1972	Below Normal	32.62	11.74	9.03	10.96	15.25	37.30	80.59	77.52	46.35	46.16	44.17	27.46	439.15
1973	Above Normal	28.06	9.43	9.29	3.74	2.11	7.34	70.10	87.01	66.98	58.54	54.70	34.71	432.01
1974	Wet	21.97	9.08	7.64	7.92	10.50	48.87	66.73	92.32	78.79	61.12	61.27	39.39	505.60
1975	Wet	29.50	13.73	11.44	11.85	9.13	45.98	75.90	104.02	80.40	66.33	55.68	37.07	541.03
1976	Critical	26.59	14.84	11.16	11.76	14.90	41.81	78.12	76.41	44.53	44.26	37.55	25.19	427.12
1977	Critical	24.82	9.25	9.00	9.67	16.72	32.19	45.49	39.80	27.40	29.08	28.62	17.38	289.42
1978	Above Normal	25.70	8.99	8.46	3.71	4.97	10.46	49.69	75.89	51.41	52.08	49.80	27.28	368.44
1979	Below Normal	35.64	9.72	9.87	8.49	4.51	11.14	72.91	90.05	80.97	56.81	54.10	34.49	468.70
1980	Above Normal	27.91	10.61	11.22	4.79	3.37	57.59	89.08	99.57	84.62	65.21	63.54	41.91	559.42
1981	Dry	41.46	20.99	14.37	14.01	14.54	12.74	83.69	91.61	56.36	56.27	52.71	29.02	487.77
1982	Wet	26.48	9.73	8.50	2.13	67.58	94.48	81.67	102.23	86.83	108.28	107.86	92.84	788.61
1983	Wet	53.82	72.74	83.35	113.10	123.44	161.68	70.49	92.33	201.29	197.32	127.20	93.29	1,390.05
1984	Wet	41.05	94.36	137.80	72.52	62.34	62.27	86.76	98.87	76.39	61.94	57.08	34.85	886.23
1985	Dry	24.09	10.26	10.77	11.78	9.84	17.47	80.02	89.44	55.25	57.66	53.02	33.17	452.77
1986	Wet	29.73	10.16	10.44	10.31	0.00	146.82	83.05	99.69	85.49	70.35	63.70	40.04	649.78
1987	Dry	34.00	19.82	14.13	15.46	14.00	12.18	79.55	80.16	48.24	47.57	45.18	29.05	439.34
1988	Critical	25.78	9.58	9.02	9.39	12.28	24.13	43.54	49.57	34.15	35.90	35.01	22.68	311.03
1989	Dry	28.21	8.59	8.59	9.03	11.65	16.47	55.78	57.91	40.15	42.07	40.18	18.60	337.23
1990	Critical	18.40	9.06	7.71	7.96	8.50	24.58	46.05	37.31	33.90	34.84	33.56	21.47	283.34
1991	Critical	15.63	11.31	7.50	7.83	11.91	6.71	35.47	43.59	31.61	33.35	30.46	19.01	254.38
1992	Critical	15.03	9.58	6.14	6.23	3.88	7.19	30.74	37.84	25.76	15.10	10.19	9.47	177.15
1993	Above Normal	5.23	3.77	9.73	2.98	3.98	6.11	31.13	45.18	37.51	42.21	40.79	25.27	253.89
1994	Critical	20.41	7.72	7.89	8.23	7.31	26.86	38.86	36.91	35.04	36.52	33.41	21.15	280.31
1995	Wet	19.87	7.15	7.15	0.00	12.81	0.00	55.19	64.89	52.49	59.27	56.21	35.77	370.80
1996	Wet	38.34	17.43	10.73	7.80	5.56	53.44	75.75	77.22	81.19	68.12	62.00	39.81	537.39
1997	Wet	28.82	10.92	96.23	220.99	160.91	68.66	90.70	92.92	75.87	61.84	56.53	36.86	1,001.25
1998	Wet	38.24	11.12	11.06	5.66	14.30	58.19	79.24	69.60	84.21	140.10	123.73	94.23	729.68
1999	Wet	41.30	17.92	26.37	47.12	86.93	57.24	80.52	97.73	93.35	64.40	59.25	37.12	709.25
2000	Above Normal	39.99	16.68	11.50	8.97	1.83	55.06	72.32	78.77	71.82	65.27	59.07	37.97	519.25
2001	Dry	22.39	12.71	11.37	8.87	1.92	9.44	70.32	83.02	53.03	53.54	50.34	31.50	408.45
2002	Dry	33.51	9.67	9.99	10.49	18.42	18.75	55.19	66.78	50.15	45.84	44.18	27.27	390.24
2003	Above Normal	29.09	8.85	7.81	8.04	20.15	18.31	48.12	63.68	49.96	46.57	44.00	29.39	373.97
	Average	29.06	13.47	13.60	16.53	17.10	35.87	65.32	76.08	61.73	57.80	53.08	34.46	474.11
	Wet	32.41	17.42	22.35	31.04	31.10	60.99	72.57	91.20	86.30	78.22	69.50	49.22	642.32
	Above Normal	27.89	11.16	9.43	8.10	10.91	33.38	70.24	82.00	65.08	57.91	54.08	33.75	463.94
	Below Normal	28.73	11.05	8.87	10.96	11.21	24.43	65.48	75.46	56.25	52.24	49.38	28.98	423.03
	Dry	29.25	13.09	10.58	10.71	10.33	19.18	63.33	69.19	47.15	48.23	45.80	27.35	394.19
	Critical	23.09	10.58	8.88	8.77	9.97	22.29	47.47	48.48	33.44	34.30	31.76	20.26	299.28

Difference in Energy generated (GWh) at New Melones Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(3.00)	3.14	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.57)	0.03	0.02	0.02	1.60	0.01
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.49)	0.03	0.02	0.02	0.02	(0.12)
1968	Below Normal	0.02	0.01	0.00	0.00	0.01	0.00	0.05	0.08	0.07	0.08	0.07	0.03	0.04
1969	Wet	0.02	0.00	0.01	0.00	1.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.02	0.00	0.00	(0.07)	0.04	0.00	0.00	0.02	0.00
	Wet	0.00	0.00	0.00	0.00	0.05	0.00	0.00	(0.23)	0.12	0.00	0.00	0.06	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00
	Critical	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy generated (GWh) at New Melones Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-3%	3%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	3%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	46%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy generated (GWh) at Nimbus Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.19	4.73	4.26	3.62	9.38	7.04	8.65	11.58	11.21	5.31	7.84	10.24	87.05
1923	Below Normal	3.89	5.55	11.58	9.47	8.67	3.94	5.95	9.15	5.55	10.58	4.06	6.96	85.35
1924	Critical	6.25	3.96	4.26	3.62	2.88	1.71	1.65	1.71	1.13	1.16	1.16	1.12	30.61
1925	Dry	1.68	1.64	1.71	1.71	10.44	4.67	9.67	9.16	7.52	10.58	7.98	3.34	70.10
1926	Dry	3.19	3.96	4.26	3.62	2.86	1.71	6.90	3.24	6.78	5.51	3.80	1.70	47.53
1927	Wet	3.19	3.20	3.35	7.42	9.68	9.47	11.40	9.52	10.49	9.86	4.34	6.90	88.82
1928	Above Normal	4.18	9.44	4.26	3.73	3.49	11.06	9.55	3.73	5.77	10.58	5.03	4.45	75.27
1929	Critical	3.19	3.44	3.66	3.11	2.39	2.67	2.61	2.82	3.26	3.37	3.37	3.11	37.00
1930	Dry	2.20	2.11	2.20	2.21	2.00	5.51	3.61	3.73	6.31	8.25	4.02	3.16	45.31
1931	Critical	4.48	3.47	3.70	3.11	2.39	1.78	1.74	1.80	1.49	1.73	1.57	3.72	30.98
1932	Dry	3.57	1.65	1.69	1.69	4.89	4.31	3.61	7.14	9.77	6.96	6.72	8.00	60.00
1933	Critical	4.46	5.41	4.26	3.62	2.78	3.08	3.46	3.08	7.30	8.21	3.70	3.11	52.47
1934	Critical	1.68	2.92	1.71	1.71	1.54	1.13	5.21	6.36	8.45	1.67	3.44	1.29	37.11
1935	Below Normal	1.82	1.59	1.68	1.69	1.66	3.73	11.52	8.46	8.55	10.58	3.73	6.54	61.55
1936	Below Normal	5.81	3.96	4.26	10.96	10.01	8.89	10.72	8.15	9.52	10.58	3.73	7.64	94.23
1937	Below Normal	5.83	3.96	4.26	3.62	5.27	9.30	8.58	7.86	4.24	10.58	3.73	7.67	74.90
1938	Wet	3.19	4.14	11.87	5.91	10.37	11.25	11.38	11.54	11.27	6.68	8.60	9.99	106.19
1939	Dry	3.19	4.61	4.26	3.62	2.78	1.71	1.65	2.92	3.05	6.11	2.15	1.65	37.70
1940	Above Normal	2.91	2.82	2.91	6.01	10.61	11.33	11.52	6.23	3.61	10.58	5.27	10.24	84.04
1941	Wet	3.65	5.54	3.89	10.48	10.60	10.20	7.42	10.15	6.29	4.66	8.21	10.24	91.33
1942	Wet	3.28	6.17	8.99	11.57	10.33	5.10	11.52	11.89	11.45	6.42	8.54	10.02	105.28
1943	Wet	3.38	10.05	6.88	11.29	10.67	11.04	10.40	4.95	5.77	10.55	3.73	10.24	98.95
1944	Dry	4.57	5.55	4.22	3.59	2.88	3.08	2.98	3.08	5.74	6.17	4.98	3.38	50.22
1945	Below Normal	3.19	3.29	3.47	3.47	10.62	4.28	4.25	6.94	5.09	10.58	5.30	5.78	66.26
1946	Below Normal	5.54	5.83	11.62	10.76	4.89	6.36	6.93	7.24	3.65	10.58	5.72	3.85	82.97
1947	Dry	5.94	3.96	4.26	3.62	2.87	5.06	2.31	2.38	6.50	6.28	4.29	3.30	50.77
1948	Below Normal	3.19	3.15	3.27	2.78	2.22	3.73	3.61	6.79	9.90	7.16	5.44	7.96	59.20
1949	Dry	3.38	4.46	4.26	3.62	2.78	5.72	6.47	4.74	3.85	10.06	7.04	4.44	60.82
1950	Below Normal	3.19	3.96	4.26	3.74	10.49	6.61	9.31	8.17	7.92	10.58	3.73	7.19	79.15
1951	Above Normal	5.91	9.76	9.86	11.41	10.59	7.94	6.03	7.04	3.61	10.58	4.63	8.31	95.67
1952	Wet	3.19	5.28	9.04	11.61	10.78	11.90	11.29	11.22	11.02	8.73	9.53	8.91	112.50
1953	Wet	3.27	7.35	4.26	11.85	4.38	3.73	5.01	5.56	11.52	8.45	7.29	8.23	80.90
1954	Above Normal	4.32	6.14	4.26	3.62	5.52	9.36	8.53	3.73	3.61	10.58	3.73	3.16	66.56
1955	Dry	3.19	3.96	4.26	3.62	3.71	3.08	2.98	3.08	3.61	6.09	5.34	3.16	46.08
1956	Wet	3.19	3.95	9.95	10.15	11.13	3.99	5.75	11.87	11.52	6.03	8.61	9.66	95.80
1957	Above Normal	3.86	6.76	4.26	3.62	2.94	9.49	3.61	5.56	5.45	10.58	5.81	5.47	67.41
1958	Wet	3.19	3.96	4.26	5.45	10.32	11.87	11.03	11.47	11.41	5.90	8.74	8.53	96.13
1959	Below Normal	3.19	6.58	4.26	3.62	3.56	1.73	1.65	1.71	2.95	10.58	1.95	1.65	43.43
1960	Dry	3.19	3.27	3.43	2.92	2.34	6.36	4.11	3.17	3.03	4.33	5.15	3.34	44.64
1961	Dry	3.19	3.96	4.26	3.62	2.78	1.82	1.76	1.82	1.77	6.78	1.82	1.76	35.34
1962	Below Normal	2.11	2.02	2.11	1.79	4.70	4.20	7.57	3.87	3.61	10.58	6.31	3.92	52.79
1963	Wet	7.18	8.71	7.05	8.50	10.08	3.73	11.49	11.85	6.07	9.44	3.73	7.00	94.83
1964	Dry	4.83	8.77	4.26	5.22	3.49	3.62	3.50	3.62	3.61	7.23	5.12	3.30	56.57
1965	Wet	3.19	3.47	8.88	10.81	10.16	3.73	11.12	7.46	7.01	10.55	3.73	10.24	90.35
1966	Below Normal	5.66	4.29	4.26	3.73	3.36	1.71	2.88	1.71	2.41	10.42	2.31	1.66	44.40
1967	Wet	3.19	3.50	5.46	11.86	8.46	11.90	8.10	11.71	11.02	7.94	8.63	9.63	101.40
1968	Below Normal	3.19	6.67	4.36	3.62	11.10	4.28	2.46	2.55	2.42	10.58	2.50	2.42	56.15
1969	Wet	3.19	3.42	3.66	10.37	10.43	7.31	11.51	11.60	11.51	5.55	8.34	10.01	96.90
1970	Wet	3.19	5.52	10.63	8.83	10.75	5.33	3.61	3.73	3.61	10.58	4.07	7.91	77.76
1971	Wet	3.17	3.25	9.17	9.95	6.49	8.34	4.70	7.20	9.79	7.84	6.02	8.85	84.77
1972	Below Normal	3.19	6.52	4.26	4.03	6.04	8.67	3.61	3.73	3.63	10.58	4.03	3.16	61.45
1973	Above Normal	3.19	3.96	5.78	11.55	10.68	7.29	4.43	8.62	6.48	9.88	3.73	6.19	81.78
1974	Wet	3.19	11.50	11.82	11.12	8.30	11.60	11.51	9.75	8.14	6.53	8.68	8.81	110.95
1975	Wet	3.19	7.02	4.26	3.62	4.81	9.69	4.04	10.44	11.52	6.29	7.61	8.69	81.18
1976	Critical	3.19	9.03	4.26	3.62	2.88	1.71	1.65	1.71	1.75	2.16	1.71	1.65	35.32
1977	Critical	1.71	1.65	1.71	1.69	1.52	1.14	0.74	0.64	0.73	0.76	2.86	0.80	15.95
1978	Above Normal	0.99	0.99	1.09	3.90	8.78	11.71	8.52	7.62	8.21	10.08	3.73	7.55	73.17
1979	Below Normal	3.22	4.68	4.26	3.62	6.56	7.25	3.61	8.70	8.05	7.46	3.73	3.16	64.30
1980	Above Normal	4.35	4.62	4.80	9.59	10.07	7.79	5.79	5.84	6.17	5.76	8.52	10.19	83.49
1981	Dry	3.19	6.09	4.26	3.73	3.36	1.71	1.65	1.71	2.66	6.94	2.17	1.65	39.12
1982	Wet	3.19	9.63	10.61	11.75	9.15	11.77	10.13	11.58	11.52	6.09	8.52	9.29	113.23
1983	Wet	4.38	11.35	11.58	11.78	9.89	10.06	11.48	11.39	10.19	11.90	10.02	10.13	124.15
1984	Wet	3.34	9.96	10.10	11.90	10.58	6.27	3.61	5.13	5.50	10.58	3.73	5.71	86.41
1985	Dry	4.47	8.38	5.26	3.73	3.36	2.64	4.09	2.64	6.52	6.24	4.90	2.44	54.67
1986	Wet	3.19	3.47	3.73	6.69	5.27	11.06	5.56	5.40	7.22	10.58	3.73	9.81	75.71
1987	Dry	3.19	3.96	4.26	3.62	2.78	1.71	1.65	2.19	3.52	4.93	1.69	1.59	35.09
1988	Critical	1.58	1.59	1.69	1.71	2.26	1.97	1.20	1.54	2.40	2.25	1.55	1.44	21.18
1989	Dry	1.86	1.80	1.86	1.86	1.54	11.60	8.71	7.19	9.70	6.82	4.11	3.81	60.86
1990	Critical	3.19	3.47	3.73	3.17	2.43	2.37	2.30	2.37	3.62	4.16	3.34	2.34	36.49
1991	Critical	3.16	3.04	3.11	2.65	2.03	2.25	2.20	2.29	3.90	5.99	6.96	3.13	40.71
1992	Critical	1.68	1.62	1.68	1.68	1.58	0.91	2.67	3.07	3.32	10.49	1.19	0.72	30.61
1993	Above Normal	1.16	1.07	1.64	2.05	10.75	11.82	8.64	10.86	10.45	7.78	5.40	7.96	79.58
1994	Critical	3.80	6.46	4.26	3.62	2.78	2.20	2.13	2.20	3.23	3.66	2.30	2.20	38.84
1995	Wet	2.72	2.61	2.72	11.37	9.10	9.90	11.46	11.19	11.04	9.84	9.11	8.84	99.90
1996	Wet	5.61	5.59	4.81	11.62	9.95	11.89	9.61	11.73	6.26	7.74	5.07	9.79	99.67
1997	Wet	5.41	7.56	10.85	6.02	10.73	3.73	3.61	3.73	3.61	10.58	3.73	9.04	78.60
1998	Wet	2.93	2.84	2.94	10.32	9.89	11.90	11.50	11.90	10.90	8.31	8.85	9.03	101.31
1999	Wet	3.19	8.06	6.21	11.90	10.18	9.25	5.57	10.01	9.51	8.51	4.56	10.01	96.96
2000	Above Normal	3.72	6.55	4.26	4.51	10.49	8.75	5.39	4.27	3.94	10.58	3.73	4.73	70.92
2001	Dry	3.34	4.73	4.26	3.62	2.78	1.71	1.65	1.71	2.64	4.53	2.49	1.65	35.11
2002	Dry	2.48	1.65	2.65	7.33	6.46	6.71	4.17	3.73	3.61	10.10	5.40	3.31	57.60
2003	Above Normal	3.35	3.96	4.26	7.11	4.75	3.73	4.89	10.32	5.29	10.58	3.73	7.16	69.13
	Average	3.49	4.88	5.00	5.95	6.36	6.14	5.99	6.23	6.31	7.80	4.94	5.74	68.84
	Wet	3.58	6.04	7.19	9.77	9.33	8.69	8.61	9.38	9.04	8.31	6.76	9.06	95.77
	Above Normal	3.43	5.07	4.30	5.89	8.17	8.94	7.13	7.12	6.15	9.41	5.10	7.14	77.84
	Below Normal	3.79	4.43	4.85	4.78	6.37	5.33	5.90	6.07	5.54	10.10	4.02	4.97	66.15
	Dry	3.37	4.14	3.65	3.50	3.56	4.04	3.97	3.74	5.01	6.88	4.40	3.05	49.31
	Critical	3.20	3.84	3.17	2.78	2.29	1.91	2.30	2.47	3.38	3.80	2.76	2.05	33.94

Energy generated (GWh) at Nimbus Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.19	4.73	4.26	3.62	9.38	7.04	8.65	11.58	11.21	5.31	7.84	10.24	87.05
1923	Below Normal	3.89	5.55	11.58	9.47	8.69	3.94	5.93	9.15	5.56	10.58	4.04	6.99	85.37
1924	Critical	6.22	3.96	4.26	3.62	2.88	1.71	1.65	1.71	1.13	1.17	1.17	1.12	30.60
1925	Dry	1.68	1.64	1.71	1.71	10.44	4.67	9.67	9.16	7.52	10.58	7.99	3.34	70.11
1926	Dry	3.19	3.96	4.26	3.62	2.85	1.71	6.90	3.23	6.79	5.51	3.79	1.70	47.51
1927	Wet	3.19	3.20	3.35	7.41	9.68	9.47	11.40	9.52	10.49	9.86	4.34	6.89	88.80
1928	Above Normal	4.17	9.45	4.26	3.73	3.49	11.06	9.55	3.73	5.78	10.58	5.03	4.45	75.28
1929	Critical	3.19	3.44	3.66	3.11	2.39	2.67	2.61	2.82	3.26	3.37	3.37	3.11	37.00
1930	Dry	2.19	2.10	2.19	2.21	2.00	5.51	3.61	3.73	6.30	8.26	4.02	3.16	45.28
1931	Critical	4.48	3.47	3.70	3.11	2.39	1.78	1.74	1.80	1.49	1.74	1.57	3.72	30.99
1932	Dry	3.57	1.65	1.69	1.69	4.89	4.31	3.61	7.14	9.77	6.95	6.73	8.00	60.00
1933	Critical	4.45	5.41	4.26	3.62	2.78	3.08	3.46	3.08	7.29	8.20	3.70	3.11	52.44
1934	Critical	1.85	2.94	1.71	1.71	1.54	1.12	5.20	6.36	8.44	1.67	3.30	1.29	37.13
1935	Below Normal	1.82	1.59	1.68	1.69	1.66	3.73	11.52	8.46	8.55	10.58	3.73	6.54	61.55
1936	Below Normal	5.81	3.96	4.26	10.96	10.01	8.89	10.72	8.15	9.52	10.58	3.73	7.64	94.23
1937	Below Normal	5.83	3.96	4.26	3.62	5.28	9.30	8.58	7.86	4.24	10.58	3.73	7.66	74.90
1938	Wet	3.19	4.14	11.87	5.91	10.37	11.25	11.38	11.54	11.27	6.68	8.60	10.00	106.20
1939	Dry	3.19	4.61	4.26	3.62	2.78	1.71	2.53	2.74	2.92	6.19	1.79	1.65	37.99
1940	Above Normal	2.81	2.72	2.81	6.06	10.61	11.33	11.52	6.23	3.61	10.58	5.26	10.24	83.78
1941	Wet	3.66	5.50	3.90	10.53	10.60	10.20	7.42	10.15	6.29	4.66	8.21	10.24	91.36
1942	Wet	3.31	6.28	8.84	11.57	10.33	5.10	11.52	11.89	11.45	6.42	8.54	10.02	105.27
1943	Wet	3.38	10.04	6.89	11.29	10.67	11.04	10.40	4.95	5.77	10.40	3.73	10.24	98.80
1944	Dry	4.13	6.04	4.25	3.61	2.88	3.08	2.98	3.08	5.99	6.06	4.94	3.35	50.39
1945	Below Normal	3.19	3.29	3.48	3.48	10.62	4.28	4.25	6.95	5.10	10.58	5.30	5.78	66.30
1946	Below Normal	5.50	5.87	11.62	10.76	4.89	6.36	6.93	7.24	3.65	10.58	5.72	4.25	83.37
1947	Dry	5.94	3.96	4.26	3.62	2.78	4.75	2.31	2.39	6.47	6.28	4.32	3.28	50.36
1948	Below Normal	3.19	3.15	3.27	2.78	2.21	3.73	3.61	6.79	9.90	7.16	5.44	7.96	59.19
1949	Dry	3.38	4.46	4.26	3.62	2.78	5.72	6.47	4.74	3.85	10.07	7.03	4.45	60.83
1950	Below Normal	3.19	3.96	4.26	3.74	10.49	6.61	9.31	8.17	7.92	10.58	3.73	7.19	79.15
1951	Above Normal	5.93	9.77	9.86	11.41	10.59	7.94	6.03	7.04	3.61	10.58	4.63	8.30	95.69
1952	Wet	3.19	5.28	9.04	11.61	10.78	11.90	11.29	11.22	11.02	8.73	9.53	8.91	112.50
1953	Wet	3.24	8.15	4.26	11.88	4.38	3.73	5.01	5.56	11.52	8.46	7.28	8.23	81.70
1954	Above Normal	4.28	6.11	4.26	3.62	5.58	9.36	8.53	3.73	3.61	10.58	3.73	3.16	66.55
1955	Dry	3.19	3.96	4.26	3.62	3.72	3.08	2.98	3.08	3.61	6.10	5.32	3.16	46.08
1956	Wet	3.19	3.95	9.95	10.15	11.13	3.99	5.75	11.87	11.52	6.03	8.61	9.66	95.80
1957	Above Normal	3.86	6.76	4.26	3.62	2.93	9.49	3.61	5.56	5.45	10.58	5.81	5.47	67.40
1958	Wet	3.19	3.96	4.26	5.45	10.32	11.87	11.03	11.47	11.41	5.90	8.74	8.51	96.11
1959	Below Normal	3.19	7.20	4.26	3.62	2.95	1.73	1.65	1.71	2.95	10.58	1.94	1.65	43.43
1960	Dry	3.18	3.26	3.43	2.91	2.34	6.35	4.12	3.17	3.03	4.33	5.14	3.39	44.65
1961	Dry	3.19	3.96	4.26	3.62	2.78	1.82	1.76	1.82	1.77	6.80	1.82	1.76	35.36
1962	Below Normal	2.08	1.99	2.08	1.77	4.73	4.20	7.57	3.87	3.61	10.58	6.31	3.92	52.71
1963	Wet	7.18	8.71	7.05	8.50	10.08	3.73	11.49	11.85	6.07	9.44	3.73	7.00	94.83
1964	Dry	4.83	8.76	4.26	5.23	3.49	3.62	3.50	3.62	3.61	7.23	5.12	3.30	56.57
1965	Wet	3.19	3.47	8.88	10.81	10.16	3.73	11.12	7.46	7.01	10.52	3.73	10.24	90.32
1966	Below Normal	5.66	4.26	4.26	3.73	3.36	1.71	2.94	1.71	2.42	10.45	2.30	1.66	44.46
1967	Wet	3.19	3.49	5.44	11.86	8.46	11.90	8.10	11.71	11.02	7.94	8.63	9.72	101.46
1968	Below Normal	3.19	7.40	4.26	3.62	11.13	4.28	2.46	2.55	2.42	10.58	2.50	2.42	56.81
1969	Wet	3.19	3.42	3.66	10.37	10.43	7.31	11.51	11.60	11.51	5.55	8.34	10.01	96.90
1970	Wet	3.19	5.53	10.63	8.83	10.75	5.32	3.61	3.73	3.61	10.58	4.07	7.94	77.79
1971	Wet	3.17	3.24	9.15	9.95	6.49	8.34	4.70	7.20	9.79	7.83	6.03	8.85	84.74
1972	Below Normal	3.19	6.53	4.26	4.03	6.04	8.67	3.61	3.73	3.63	10.58	4.03	3.16	61.46
1973	Above Normal	3.19	3.96	5.78	11.55	10.68	7.29	4.43	8.62	6.48	9.87	3.73	6.37	81.95
1974	Wet	3.19	11.51	11.82	11.12	8.30	11.60	11.51	9.75	8.14	6.53	8.68	8.81	110.96
1975	Wet	3.19	6.98	4.26	3.62	4.85	9.69	4.04	10.44	11.52	6.28	7.61	8.69	81.17
1976	Critical	3.19	9.05	4.26	3.62	2.88	1.71	1.65	1.71	1.75	2.16	1.71	1.65	35.34
1977	Critical	1.71	1.65	1.71	1.69	1.52	1.14	0.74	0.64	0.73	0.76	2.86	0.80	15.95
1978	Above Normal	0.99	0.99	1.09	3.90	8.78	11.72	8.52	7.62	8.21	10.08	3.73	7.57	73.20
1979	Below Normal	3.24	5.79	4.26	3.62	5.41	7.25	3.62	8.70	8.08	8.25	3.73	3.16	65.11
1980	Above Normal	4.29	3.96	4.74	9.59	10.07	7.79	5.79	5.84	6.17	5.76	8.52	10.24	82.76
1981	Dry	3.19	6.27	4.26	3.73	3.36	1.71	1.65	1.71	2.64	6.92	2.14	1.65	39.23
1982	Wet	3.19	9.53	10.61	11.75	9.15	11.77	10.13	11.58	11.52	6.09	8.52	9.29	113.13
1983	Wet	4.38	11.35	11.58	11.78	9.89	10.06	11.48	11.39	10.19	11.90	10.02	10.13	124.15
1984	Wet	3.34	9.96	10.10	11.90	10.58	6.27	3.61	5.13	5.50	10.58	3.73	5.71	86.41
1985	Dry	4.47	8.38	5.26	3.73	3.36	2.64	4.09	2.64	6.52	6.24	4.90	2.44	54.67
1986	Wet	3.19	3.47	3.73	6.69	5.27	11.06	5.56	5.40	7.22	10.58	3.73	9.81	75.71
1987	Dry	3.19	3.96	4.26	3.62	2.78	1.71	1.65	2.20	3.41	5.02	1.69	1.59	35.08
1988	Critical	1.58	1.59	1.69	1.71	2.30	1.98	1.20	1.54	2.40	2.24	1.55	1.44	21.22
1989	Dry	1.85	1.79	1.85	1.85	1.54	11.60	8.71	7.20	9.72	6.82	4.10	3.81	60.84
1990	Critical	3.19	3.47	3.73	3.17	2.43	2.38	2.30	2.38	3.62	4.15	3.22	2.34	36.38
1991	Critical	3.19	3.07	3.15	2.68	2.06	2.28	2.22	2.32	3.90	5.96	7.03	3.13	40.99
1992	Critical	1.68	1.62	1.68	1.68	1.58	0.91	2.67	3.04	3.39	10.49	0.76	0.72	30.22
1993	Above Normal	1.16	1.07	1.64	2.05	10.75	11.82	8.64	10.86	10.45	7.78	5.39	7.96	79.57
1994	Critical	3.81	6.45	4.26	3.62	2.78	2.20	2.13	2.20	3.25	3.69	2.28	2.20	38.87
1995	Wet	2.71	2.60	2.71	11.37	9.10	9.90	11.46	11.19	11.04	9.84	9.11	8.84	99.87
1996	Wet	5.61	6.50	4.26	11.27	9.95	11.89	9.61	11.73	6.26	7.75	5.07	9.79	99.69
1997	Wet	5.31	7.57	10.84	6.02	10.73	3.73	3.61	3.73	3.61	10.58	3.73	9.03	78.49
1998	Wet	2.94	2.84	2.94	10.32	9.89	11.90	11.50	11.90	10.90	8.31	8.85	9.03	101.32
1999	Wet	3.19	8.06	6.21	11.90	10.18	9.25	5.57	10.01	9.51	8.51	4.56	10.01	96.96
2000	Above Normal	3.73	6.55	4.26	4.50	10.49	8.75	5.39	4.27	3.94	10.58	3.73	4.73	70.92
2001	Dry	3.33	4.73	4.26	3.62	2.78	1.71	1.65	1.71	2.65	4.53	2.46	1.65	35.08
2002	Dry	2.50	1.65	2.65	7.33	6.46	6.71	4.17	3.73	3.61	10.10	5.40	3.36	57.67
2003	Above Normal	3.33	3.96	4.26	7.07	4.75	3.73	4.89	10.32	5.29	10.58	3.73	7.16	69.07
	Average	3.48	4.93	4.99	5.95	6.34	6.14	6.00	6.23	6.31	7.81	4.93	5.75	68.86
	Wet	3.57	6.11	7.16	9.76	9.33	8.69	8.61	9.38	9.04	8.31	6.76	9.06	95.79
	Above Normal	3.41	5.00	4.29	5.89	8.18	8.94	7.13	7.12	6.15	9.41	5.09	7.16	77.77
	Below Normal	3.78	4.61	4.84	4.78	6.25	5.33	5.91	6.07	5.54	10.16	4.02	5.00	66.29
	Dry	3.34	4.17	3.65	3.50	3.56	4.02	4.02	3.73	5.01	6.89	4.37	3.06	49.32
	Critical	3.21	3.84	3.17	2.78	2.29	1.91	2.30	2.47	3.39	3.80	2.71	2.05	33.93

Difference in Energy generated (GWh) at Nimbus Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.02	0.00	(0.02)	0.00	0.01	0.00	(0.02)	0.03	0.00
1924	Critical	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.01	0.00	(0.01)	0.00	0.00
1927	Wet	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1928	Above Normal	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1933	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1934	Critical	0.17	0.02	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.14)	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.88	(0.18)	(0.13)	0.08	(0.36)	0.00	0.02
1940	Above Normal	(0.10)	(0.10)	(0.10)	0.05	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.02)
1941	Wet	0.01	(0.04)	0.01	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.03	0.11	(0.15)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)	0.00	0.00	(0.01)
1944	Dry	(0.44)	0.49	0.03	0.02	0.00	0.00	0.00	0.00	0.25	(0.11)	(0.04)	(0.03)	0.01
1945	Below Normal	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1946	Below Normal	(0.04)	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.03
1947	Dry	0.00	0.00	0.00	0.00	(0.09)	(0.31)	0.00	0.01	(0.03)	0.00	0.03	(0.02)	(0.03)
1948	Below Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.01	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	(0.03)	0.80	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.07
1954	Above Normal	(0.04)	(0.03)	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00
1959	Below Normal	0.00	0.62	0.00	0.00	(0.61)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1960	Dry	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.01	0.00	0.00	0.00	(0.01)	0.05	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
1962	Below Normal	(0.03)	(0.03)	(0.03)	(0.02)	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00
1966	Below Normal	0.00	(0.03)	0.00	0.00	0.00	0.00	0.06	0.00	0.01	0.03	(0.01)	0.00	0.00
1967	Wet	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.01
1968	Below Normal	0.00	0.73	(0.10)	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1971	Wet	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00
1972	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.18	0.01
1974	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	(0.04)	0.00	0.00	0.04	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1976	Critical	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.00
1979	Below Normal	0.02	1.11	0.00	0.00	(1.15)	0.00	0.01	0.00	0.03	0.79	0.00	0.00	0.07
1980	Above Normal	(0.06)	(0.66)	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.06)
1981	Dry	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.03)	0.00	0.01
1982	Wet	0.00	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.11)	0.09	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.04	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1989	Dry	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.01	0.02	0.00	(0.01)	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	(0.01)	(0.12)	0.00	(0.01)
1991	Critical	0.03	0.03	0.04	0.03	0.03	0.03	0.02	0.03	0.00	(0.03)	0.07	0.00	0.02
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.07	0.00	(0.43)	0.00	(0.03)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1994	Critical	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.03	(0.02)	0.00	0.00
1995	Wet	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.91	(0.55)	(0.35)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1997	Wet	(0.10)	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1998	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.03)	0.00	0.00
2002	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01
2003	Above Normal	(0.02)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
	Average	(0.01)	0.05	(0.01)	(0.00)	(0.02)	(0.00)	0.01	(0.00)	0.00	0.01	(0.01)	0.01	0.00
	Wet	(0.00)	0.06	(0.03)	(0.01)	0.00	(0.00)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
	Above Normal	(0.02)	(0.06)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.02	(0.01)
	Below Normal	(0.00)	0.18	(0.01)	(0.00)	(0.12)	0.00	0.00	0.00	0.00	0.06	(0.00)	0.03	0.01
	Dry	(0.03)	0.04	0.00	0.00	(0.00)	(0.02)	0.05	(0.01)	(0.00)	0.00	(0.03)	0.00	0.00
	Critical	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.00	0.01	(0.00)	(0.05)	0.00	(0.00)

Percent Difference in Energy generated (GWh) at Nimbus Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	10%	1%	0%	0%	0%	-1%	0%	0%	0%	0%	-4%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	53%	-6%	-4%	1%	-17%	0%
1940	Above Normal	-3%	-4%	-3%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	2%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1944	Dry	-10%	9%	1%	1%	0%	0%	0%	0%	4%	-2%	-1%	-1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	10%
1947	Dry	0%	0%	0%	0%	-3%	-6%	0%	0%	0%	0%	1%	-1%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-1%	11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	9%	0%	0%	-17%	0%	0%	0%	0%	0%	-1%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	-1%	-1%	-1%	1%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1968	Below Normal	0%	11%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	1%	24%	0%	0%	-18%	0%	0%	0%	0%	11%	0%	0%
1980	Above Normal	-1%	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	3%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1982	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%	0%
1988	Critical	0%	0%	0%	0%	2%	1%	0%	0%	0%	0%	0%	0%
1989	Dry	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%
1991	Critical	1%	1%	1%	1%	1%	1%	1%	1%	0%	-1%	1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	2%	0%	-36%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	16%	-11%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
2003	Above Normal	-1%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	1%	0%	0%	0%	-1%	0%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	3%	0%	0%	-2%	0%	0%	0%	0%	1%	0%	1%
	Dry	-1%	1%	0%	0%	0%	0%	3%	0%	0%	0%	-1%	0%
	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%

Energy generated (GWh) at O'Neill: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.04	2.68	0.00	0.00	0.00	0.00	2.72
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.40	3.74	0.09	0.00	0.00	0.00	5.23
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.52	0.64	2.03	4.40	3.50	2.34	0.00	13.43
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.17	3.56	0.12	0.00	0.00	0.00	4.85
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.64	0.83	3.21	2.06	0.09	1.56	0.00	8.39
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.76	3.90	1.31	0.00	0.00	0.00	6.97
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.37	3.67	1.68	0.00	0.00	0.00	6.72
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.50	2.88	4.59	1.83	0.00	0.00	10.80
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.38	4.09	1.05	3.31	0.00	11.27
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.95	2.08	4.14	3.97	2.37	0.00	13.51
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.03	2.21	1.43	3.74	0.00	0.00	8.41
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.89	1.99	3.75	3.39	0.00	0.00	10.02
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.92	0.95	2.09	4.14	3.98	0.00	0.00	12.08
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.02	3.35	0.49	0.24	2.47	0.00	7.57
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.12	2.21	1.08	0.00	1.32	0.00	4.73
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.28	0.27	1.83	0.00	4.38
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.62	0.00	0.00	0.00	0.00	1.74	3.43	5.79	0.00	1.93	0.00	13.51
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.99	3.75	1.40	0.00	0.00	0.00	6.14
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.83	1.28	0.00	0.00	0.00	0.00	2.11
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.31	2.74	0.00	0.00	0.00	0.00	4.05
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.56	0.00	0.00	0.00	0.00	1.56
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.24	3.29	2.90	0.00	1.95	0.00	9.38
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.78	4.06	3.19	0.00	0.00	0.00	9.03
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.19	4.04	1.80	0.00	0.00	0.00	8.03
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.06	1.80	3.64	3.47	0.00	1.74	0.00	10.71
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.89	3.44	1.16	0.00	0.00	0.00	6.49
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.23	3.96	3.75	0.00	0.00	0.00	9.94
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.75	3.43	2.84	0.00	0.00	0.00	8.02
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.94	4.05	1.87	0.81	0.00	0.00	8.67
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.55	3.59	2.98	0.00	0.00	0.00	8.12
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.74	3.67	1.55	1.11	0.00	0.00	8.07
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.61	3.50	5.55	0.00	1.40	0.00	12.06
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.10	3.95	0.00	0.00	0.00	0.00	5.05
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.42	3.46	2.93	0.00	0.00	0.00	7.81
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.04	3.28	3.36	0.00	0.00	0.00	7.68
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.88	2.65	3.59	0.00	1.63	0.00	9.75
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.11	3.72	6.25	0.00	0.00	0.00	12.08
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.41	3.69	3.50	0.00	0.00	0.00	8.60
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.85	3.80	0.01	0.00	0.00	0.00	5.66
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.94	3.55	5.44	0.00	1.26	0.00	12.19
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.04	4.35	1.91	0.00	0.00	0.00	7.30
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.83	3.76	3.61	0.00	0.00	0.00	9.20
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.16	3.21	3.42	0.00	0.00	0.00	7.79
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.62	0.00	0.00	0.00	0.00	2.28	4.04	3.63	0.00	0.00	0.00	10.57
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.38	3.46	1.31	0.00	0.00	0.00	6.15
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.86	3.65	3.56	0.00	0.00	0.00	9.07
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.83	3.92	0.59	0.00	0.00	0.00	6.34
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.25	3.77	0.00	0.00	0.00	0.00	5.02
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.87	4.05	0.00	0.00	0.00	0.00	5.92
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.67	3.02	5.63	3.07	4.62	1.92	18.93
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.51	0.92	2.04	4.73	3.90	0.00	1.21	13.31
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.65	2.82	1.42	0.00	0.00	0.00	5.89
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.10	0.00	0.00	0.00	0.00	1.10
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.91	3.19	3.55	0.00	0.00	0.00	7.65
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.79	4.06	1.54	0.00	0.00	0.00	7.39
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.35	3.67	3.77	0.00	0.00	0.00	8.79
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.13	4.13
1987	Dry	0.00	0.54	0.00	0.00	0.00	0.00	1.77	3.28	3.14	0.00	3.00	0.00	11.73
1988	Critical	0.00	0.00	0.00	0.00	0.00	1.07	0.97	2.88	5.34	0.00	0.00	0.98	11.24
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.19	0.98	3.45	1.84	0.00	1.01	0.00	7.47
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.61	1.50	2.78	5.57	0.00	0.00	1.62	12.08
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.14	2.84	0.00	0.02	0.00	5.44
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.10	2.31	3.28	0.00	0.00	2.50	9.19
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.34	4.03	0.00	0.00	0.00	0.00	6.37
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.59	5.07	0.00	0.00	0.00	8.93
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.61	1.55	0.60	0.00	0.00	0.00	3.76
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	2.33	4.34	0.00	0.00	0.00	0.00	6.67
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.97	3.90	1.31	0.00	0.00	0.00	7.18
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.97	3.86	0.56	2.00	0.00	0.00	8.39
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.44	3.50	3.44	0.00	1.74	0.00	10.12
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.91	3.59	3.42	0.00	0.00	0.00	8.92
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.13	3.81	2.21	0.00	0.00	0.00	8.15
	Average	0.00	0.02	0.00	0.00	0.00	0.06	1.18	2.75	2.15	0.40	0.43	0.15	7.15
	Wet	0.00	0.02	0.00	0.00	0.00	0.00	0.92	2.09	0.56	0.00	0.00	0.16	3.75
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.31	3.17	1.07	0.33	0.00	0.00	5.87
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.36	3.19	2.27	0.04	0.40	0.00	7.27
	Dry	0.00	0.06	0.00	0.00	0.00	0.05	1.47	3.32	3.53	0.27	1.14	0.00	9.85
	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.98	2.40	4.46	1.97	0.78	0.69	11.58

Energy generated (GWh) at O'Neill: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.53	0.00	0.00	0.00	0.00	2.53
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.30	3.58	0.00	0.00	0.00	0.00	4.88
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.52	0.64	2.02	4.40	3.50	2.34	0.00	13.42
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.15	3.52	0.00	0.00	0.00	0.00	4.67
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.64	0.83	3.21	2.07	0.09	1.58	0.00	8.42
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.67	3.75	0.85	0.00	0.00	0.00	6.27
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.32	3.58	1.41	0.00	0.00	0.00	6.31
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.50	2.88	4.59	1.83	0.00	0.00	10.80
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.38	4.10	1.05	3.31	0.00	11.28
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.95	2.08	4.14	3.97	2.37	0.00	13.51
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.05	0.94	2.06	0.96	3.22	0.00	0.00	7.23
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.89	1.99	3.75	3.39	0.00	0.00	10.02
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.94	0.95	2.09	4.14	3.98	0.00	0.00	12.10
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.93	3.21	0.05	0.00	2.08	0.00	6.27
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.03	2.06	0.61	0.00	0.90	0.00	3.60
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.53	0.00	1.41	0.00	4.94
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.41	0.00	0.00	0.00	0.00	1.72	3.20	5.23	0.00	0.67	0.00	11.23
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.93	3.64	1.00	0.00	0.00	0.00	5.57
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.73	3.00	0.00	0.00	0.00	0.00	3.73
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.21	2.73	0.00	0.00	0.00	0.00	3.94
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.40	0.00	0.00	0.00	0.00	1.40
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.18	3.20	2.36	0.00	1.67	0.00	8.41
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.67	3.89	2.70	0.00	0.00	0.00	8.26
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.10	3.89	1.62	0.00	0.00	0.00	7.61
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.04	1.77	3.61	3.34	0.00	1.45	0.00	10.21
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.89	3.44	1.15	0.00	0.00	0.00	6.48
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.22	3.95	3.75	0.00	0.00	0.00	9.92
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.74	3.41	2.80	0.00	0.00	0.00	7.95
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.85	3.90	1.41	0.29	0.00	0.00	7.45
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.44	3.41	2.50	0.00	0.00	0.00	7.35
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.75	3.68	1.57	1.14	0.00	0.00	8.14
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.60	3.50	5.55	0.00	1.48	0.00	12.13
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.10	3.80	0.00	0.00	0.00	0.00	4.90
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.33	3.32	2.50	0.00	0.00	0.00	7.15
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.00	0.00	0.00	0.00	1.21
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.03	3.25	3.25	0.00	0.00	0.00	7.53
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.88	2.64	3.59	0.00	1.96	0.00	10.07
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	2.10	3.72	6.25	0.00	0.00	0.00	12.07
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.32	3.55	3.05	0.00	0.00	0.00	7.92
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.75	3.64	0.00	0.00	0.00	0.00	5.39
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.94	3.56	5.44	0.00	1.26	0.00	12.20
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.93	4.17	1.41	0.00	0.00	0.00	6.51
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.77	3.65	3.26	0.00	0.00	0.00	8.68
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.09	3.08	3.02	0.00	0.00	0.00	7.19
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.41	0.00	0.00	0.00	0.00	2.19	3.89	3.16	0.00	0.00	0.00	9.65
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.32	3.37	1.01	0.00	0.00	0.00	5.70
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.86	3.65	3.56	0.00	0.00	0.00	9.07
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.74	3.77	0.92	0.00	0.00	0.00	6.43
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.13	3.59	0.00	0.00	0.00	0.00	4.72
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.78	3.91	0.00	0.00	0.00	0.00	5.69
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.67	3.02	5.62	3.10	4.61	1.92	18.94
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.51	0.92	2.04	4.73	3.90	0.00	1.21	13.31
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.18
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.46	2.52	0.79	0.00	0.00	0.00	4.77
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.37	0.00	0.00	0.00	0.00	1.37
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.83	3.06	3.12	0.00	0.00	0.00	7.01
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.70	3.91	1.07	0.00	0.00	0.00	6.68
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.30	3.58	3.48	0.00	0.00	0.00	8.36
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.87	3.87
1987	Dry	0.00	0.05	0.00	0.00	0.00	0.00	1.76	3.28	3.24	0.00	2.60	0.00	10.93
1988	Critical	0.00	0.00	0.00	0.00	0.00	1.07	0.97	2.88	5.34	0.00	0.00	0.98	11.24
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.19	0.98	3.45	1.83	0.00	0.98	0.00	7.43
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.61	1.50	2.78	5.57	0.00	1.09	0.00	11.55
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.44	2.14	2.84	0.00	0.00	0.00	5.42
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.10	2.31	2.21	0.00	0.00	2.52	8.14
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.24	3.87	0.00	0.00	0.00	0.00	6.11
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.59	5.07	0.00	0.00	0.00	8.93
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.47	1.33	0.05	0.00	0.00	0.00	2.85
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	2.24	4.19	0.00	0.00	0.00	0.00	6.43
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	1.89	3.75	0.85	0.00	0.00	0.00	6.49
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.88	3.72	0.12	1.50	0.00	0.00	7.22
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.44	3.50	3.44	0.00	1.82	0.00	10.20
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.91	3.59	3.42	0.00	0.00	0.00	8.92
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	2.10	3.76	2.06	0.00	0.00	0.00	7.92
	Average	0.00	0.01	0.00	0.00	0.00	0.06	1.14	2.72	2.01	0.38	0.41	0.13	6.86
	Wet	0.00	0.02	0.00	0.00	0.00	0.00	0.87	2.12	0.42	0.00	0.00	0.15	3.57
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.26	3.11	0.92	0.24	0.00	0.00	5.53
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	1.30	3.08	2.10	0.00	0.31	0.00	6.80
	Dry	0.00	0.03	0.00	0.00	0.00	0.05	1.44	3.28	3.40	0.24	1.04	0.00	9.48
	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.98	2.40	4.37	1.97	0.87	0.55	11.45

Difference in Energy generated (GWh) at O'Neill: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.15)	0.00	0.00	0.00	0.00	(0.02)
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.16)	(0.09)	0.00	0.00	0.00	(0.03)
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.04)	(0.12)	0.00	0.00	0.00	(0.02)
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.02	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.46)	0.00	0.00	0.00	(0.06)
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.09)	(0.27)	0.00	0.00	0.00	(0.03)
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.05	(0.09)	(0.15)	(0.47)	(0.52)	0.00	0.00	(0.10)
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.44)	(0.24)	(0.39)	0.00	(0.11)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.47)	0.00	(0.42)	0.00	(0.09)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.25	(0.27)	(0.42)	0.00	0.05
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	(0.21)	0.00	0.00	0.00	0.00	(0.02)	(0.23)	(0.56)	0.00	(1.26)	0.00	(0.19)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.11)	(0.40)	0.00	0.00	0.00	(0.05)
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	1.72	0.00	0.00	0.00	0.00	0.14
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.01)	0.00	0.00	0.00	0.00	(0.01)
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)	0.00	0.00	0.00	0.00	(0.01)
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.09)	(0.54)	0.00	(0.28)	0.00	(0.08)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	(0.17)	(0.49)	0.00	0.00	0.00	(0.06)
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.18)	0.00	0.00	0.00	(0.04)
1947	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.03)	(0.03)	(0.13)	0.00	(0.29)	0.00	(0.04)
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.04)	0.00	0.00	0.00	(0.01)
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.46)	(0.52)	0.00	0.00	(0.10)
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	(0.18)	(0.48)	0.00	0.00	0.00	(0.06)
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.00	0.00	0.01
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.08	0.00	0.01
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)	0.00	0.00	0.00	0.00	(0.01)
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.43)	0.00	0.00	0.00	(0.06)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.21	0.00	0.00	0.00	0.00	0.10
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	(0.11)	0.00	0.00	0.00	(0.01)
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.33	0.00	0.03
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.45)	0.00	0.00	0.00	(0.06)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.16)	(0.01)	0.00	0.00	0.00	(0.02)
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	(0.18)	(0.50)	0.00	0.00	0.00	(0.07)
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.11)	(0.35)	0.00	0.00	0.00	(0.04)
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.13)	(0.40)	0.00	0.00	0.00	(0.05)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	(0.21)	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.47)	0.00	0.00	0.00	(0.08)
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.09)	(0.30)	0.00	0.00	0.00	(0.04)
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	0.33	0.00	0.00	0.00	0.01
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.18)	0.00	0.00	0.00	0.00	(0.03)
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	0.00	0.00	0.00	0.00	(0.02)
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.03	(0.01)	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.02
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.30)	(0.63)	0.00	0.00	0.00	(0.09)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.00	0.00	0.00	0.00	0.02
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.13)	(0.43)	0.00	0.00	0.00	(0.05)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	(0.47)	0.00	0.00	0.00	(0.06)
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.09)	(0.29)	0.00	0.00	0.00	(0.04)
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)	(0.02)
1987	Dry	0.00	(0.49)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.10	0.00	(0.40)	0.00	(0.07)
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.03)	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.09	(1.62)	(0.04)
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.07)	0.00	0.00	0.02	(0.09)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.16)	0.00	0.00	0.00	0.00	(0.02)
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.22)	(0.55)	0.00	0.00	0.00	(0.08)
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.15)	0.00	0.00	0.00	0.00	(0.02)
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.15)	(0.46)	0.00	0.00	0.00	(0.06)
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.14)	(0.44)	(0.50)	0.00	0.00	(0.10)
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.01
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)	(0.15)	0.00	0.00	0.00	(0.02)
	Average	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.04)	(0.03)	(0.14)	(0.02)	(0.02)	(0.02)	(0.02)
	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.05)	0.03	(0.14)	0.00	0.00	(0.01)	(0.02)
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.06)	(0.15)	(0.08)	0.00	0.00	(0.03)
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.11)	(0.17)	(0.04)	(0.09)	0.00	(0.04)
	Dry	0.00	(0.04)	0.00	0.00	0.00	0.00	(0.02)	(0.04)	(0.14)	(0.03)	(0.10)	0.00	(0.03)
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.09)	0.00	0.09	(0.13)	(0.01)

Percent Difference in Energy generated (GWh) at O'Neill: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	-100%	-6%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	-7%	-4%	-100%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	-2%	-1%	-100%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	-5%	-4%	-35%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	-4%	-2%	-16%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-	-9%	-7%	-33%	-14%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	-9%	-4%	-90%	-100%	-16%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	-75%	-7%	-44%	0%	-32%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	55%	-100%	-23%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	-34%	0%	0%	0%	0%	-1%	-7%	-10%	0%	-65%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	-6%	-3%	-29%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	-12%	134%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	-8%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-10%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	-5%	-3%	-19%	0%	-14%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-15%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-4%	-4%	-10%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	-33%	-2%	-1%	-4%	0%	-17%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	-5%	-4%	-25%	-64%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-7%	-5%	-16%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	1%	0%	1%	3%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	6%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-15%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-3%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-13%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	-5%	-4%	-100%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	-11%	-4%	-26%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	-3%	-3%	-10%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	-6%	-4%	-12%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	-34%	0%	0%	0%	0%	-4%	-4%	-13%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	-4%	-3%	-23%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	-5%	-4%	56%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	-10%	-5%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	-5%	-3%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	-	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-12%	-11%	-44%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	25%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	-9%	-4%	-12%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	-5%	-4%	-31%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	-4%	-2%	-8%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-6%
1987	Dry	0%	-91%	0%	0%	0%	0%	-1%	0%	3%	0%	-13%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-3%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-	-100%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-100%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-33%	0%	0%	1%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-4%	-4%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	-9%	-14%	-92%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	-4%	-3%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	-4%	-4%	-35%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	-5%	-4%	-79%	-25%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	5%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-7%	0%	0%	0%
	Average	0%	-2%	0%	0%	0%	0%	-5%	0%	-12%	-4%	-3%	-1%
	Wet	0%	-1%	0%	0%	0%	0%	-4%	2%	-14%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	-11%	-1%	-9%	-7%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-9%	-3%	-21%	-14%	-5%	0%
	Dry	0%	-7%	0%	0%	0%	-2%	-2%	-1%	-10%	-1%	-4%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	-8%	-8%

Energy generated (GWh) at Shasta Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	88.57	143.47	77.86	63.84	86.19	111.72	101.46	215.58	332.37	312.03	257.47	183.56	1,974.12
1923	Below Normal	122.10	160.77	80.36	76.79	67.86	82.65	69.90	260.87	251.51	268.26	196.46	78.49	1,716.02
1924	Critical	105.67	101.05	97.32	42.63	65.39	99.50	175.60	176.30	211.49	196.57	154.41	85.37	1,511.30
1925	Dry	63.60	50.74	54.95	2.38	33.04	73.39	73.29	141.90	230.45	276.77	227.95	118.97	1,347.43
1926	Dry	125.61	94.60	79.99	73.70	38.24	96.87	93.84	166.80	267.71	287.35	193.19	102.42	1,620.32
1927	Wet	95.01	62.09	84.27	97.30	421.37	82.84	248.33	238.93	289.79	306.95	242.52	340.13	2,509.53
1928	Above Normal	110.19	73.90	88.67	92.36	54.82	274.33	85.15	189.08	327.44	371.36	225.90	197.76	2,090.96
1929	Critical	118.59	113.65	70.05	0.00	67.87	78.91	143.62	173.90	205.75	232.71	234.41	84.29	1,523.75
1930	Dry	97.86	80.65	50.94	66.15	53.62	68.65	109.94	132.50	213.32	223.14	153.70	71.08	1,321.55
1931	Critical	86.54	74.46	71.87	67.17	62.29	68.94	199.76	157.75	173.53	195.34	130.99	48.39	1,337.03
1932	Dry	51.41	42.79	54.60	36.00	57.61	60.64	106.16	92.19	125.21	147.08	121.43	74.82	969.94
1933	Critical	75.32	60.42	57.67	60.05	52.63	63.07	101.62	110.81	142.54	139.52	221.75	94.92	1,180.32
1934	Critical	59.12	47.45	53.28	53.04	51.89	63.75	105.50	122.87	150.18	169.52	81.83	35.79	994.22
1935	Below Normal	39.81	55.19	52.04	55.13	51.35	63.45	53.93	97.64	223.75	220.67	198.65	93.67	1,205.28
1936	Below Normal	90.53	80.07	72.42	45.69	63.22	102.66	110.85	154.71	207.19	281.99	193.48	83.08	1,485.89
1937	Below Normal	110.26	96.70	73.76	73.52	66.64	77.02	68.12	123.47	215.25	249.24	202.51	98.79	1,455.28
1938	Wet	87.47	91.34	417.64	108.79	428.21	466.35	269.61	206.23	260.44	314.74	246.86	254.14	3,151.82
1939	Dry	111.28	159.60	68.50	82.51	90.19	82.02	170.86	195.43	256.33	285.36	189.54	82.81	1,774.43
1940	Above Normal	105.50	102.43	74.18	51.64	417.22	461.13	100.49	178.51	281.90	331.93	229.20	120.61	2,454.74
1941	Wet	116.63	110.22	109.28	456.91	417.63	292.02	309.94	301.07	258.72	261.69	299.16	303.43	3,236.70
1942	Wet	135.55	199.58	246.19	428.62	420.80	114.40	96.57	275.62	240.82	283.23	272.22	301.18	3,014.78
1943	Wet	133.82	217.50	73.39	195.75	175.57	298.70	133.61	213.02	275.15	350.36	239.65	287.54	2,594.06
1944	Dry	115.07	189.73	92.14	89.22	62.01	48.54	149.43	132.94	179.92	242.31	175.78	72.26	1,549.35
1945	Below Normal	104.37	88.83	81.90	72.75	83.08	113.36	128.53	155.16	237.41	298.16	215.81	100.56	1,679.92
1946	Below Normal	147.68	109.66	454.38	174.43	100.67	117.79	182.03	214.06	279.97	307.31	223.17	106.14	2,417.29
1947	Dry	127.35	94.84	74.67	91.93	68.28	76.73	146.99	237.69	228.52	310.31	192.95	124.83	1,775.09
1948	Below Normal	88.73	82.84	86.84	66.10	70.68	77.18	92.49	243.64	242.65	341.11	243.12	145.84	1,781.22
1949	Dry	163.96	109.94	100.12	90.92	91.60	165.14	133.68	184.01	276.99	294.59	219.21	121.01	1,951.17
1950	Below Normal	134.20	103.10	97.23	89.56	89.21	112.61	96.41	172.49	225.84	236.27	187.91	75.81	1,620.64
1951	Above Normal	140.07	203.66	358.80	177.24	340.73	99.61	168.31	150.27	302.53	351.03	222.25	131.84	2,646.34
1952	Wet	106.60	152.51	221.74	197.94	409.67	271.56	443.73	243.76	209.27	259.62	283.20	217.24	3,016.84
1953	Wet	163.19	188.62	110.02	458.89	85.46	96.92	117.87	240.82	255.78	321.79	234.19	298.84	2,572.39
1954	Above Normal	93.40	214.60	76.24	249.59	393.61	217.93	257.70	205.84	277.19	356.77	245.12	211.13	2,799.12
1955	Dry	116.46	123.57	99.35	71.19	84.69	85.13	143.27	134.09	230.86	298.58	179.18	69.14	1,635.51
1956	Wet	108.37	80.66	443.07	451.32	426.19	85.05	84.24	297.11	258.59	257.88	222.87	281.37	2,996.72
1957	Above Normal	134.43	252.27	97.67	93.21	76.52	179.93	148.32	238.49	278.38	356.21	225.50	150.68	2,231.61
1958	Wet	122.39	168.17	205.80	284.83	449.75	492.86	263.32	178.92	248.63	294.42	302.73	235.50	3,247.32
1959	Below Normal	161.19	229.63	103.33	107.18	298.39	67.90	183.71	221.46	310.95	327.55	229.56	45.86	2,286.71
1960	Dry	133.94	105.65	100.09	77.79	59.80	83.10	173.63	133.82	339.87	337.62	183.64	114.69	1,843.64
1961	Dry	115.80	91.07	116.46	78.75	214.78	150.73	166.16	200.44	289.79	351.28	243.54	114.46	2,133.26
1962	Below Normal	137.53	123.92	87.87	89.14	297.85	73.36	161.89	211.33	268.67	318.12	210.83	91.11	2,071.62
1963	Wet	180.09	125.38	218.09	111.67	178.74	160.22	493.08	142.87	262.29	350.04	226.37	288.44	2,737.28
1964	Dry	70.42	99.35	100.14	89.34	54.11	85.74	225.57	184.84	220.26	289.62	159.27	76.53	1,655.19
1965	Wet	84.71	79.97	429.78	458.56	98.45	118.48	159.96	192.86	270.75	296.85	200.80	266.55	2,657.72
1966	Below Normal	139.42	161.62	88.78	96.73	88.15	268.89	165.89	225.17	341.54	348.49	206.51	116.58	2,247.77
1967	Wet	137.70	80.65	231.43	212.22	163.85	380.52	241.79	377.00	251.65	290.61	278.27	258.96	2,904.65
1968	Below Normal	125.15	162.40	90.53	95.78	305.75	72.14	176.48	196.87	289.89	323.59	176.92	91.62	2,107.12
1969	Wet	102.04	80.58	76.19	458.09	420.87	134.76	296.70	302.18	270.71	282.47	242.59	252.11	2,919.29
1970	Wet	89.25	168.81	284.84	452.63	280.64	91.22	182.46	195.89	242.88	326.71	198.79	250.67	2,764.79
1971	Wet	131.83	99.93	117.84	341.20	93.59	432.15	140.47	234.69	251.31	332.35	213.32	247.31	2,635.99
1972	Below Normal	143.95	203.40	90.02	86.55	71.85	236.39	196.72	192.10	326.66	384.44	180.41	77.24	2,189.73
1973	Above Normal	107.46	97.97	168.25	340.21	396.25	157.55	107.08	176.29	308.17	350.69	183.00	137.24	2,530.16
1974	Wet	76.63	435.41	455.53	450.57	107.10	470.55	133.80	171.33	265.52	219.66	301.76	246.32	3,334.18
1975	Wet	152.53	259.96	73.52	77.53	83.33	488.94	100.77	252.11	287.56	250.14	246.24	260.31	2,532.94
1976	Critical	162.99	211.02	74.15	17.88	116.56	102.72	134.10	180.54	230.93	251.23	92.86	43.40	1,618.38
1977	Critical	160.18	115.24	104.53	93.92	131.19	98.53	213.49	124.95	254.65	212.14	85.76	56.59	1,651.17
1978	Above Normal	58.15	50.87	55.35	1.67	169.19	337.67	153.13	246.64	303.57	292.09	228.19	102.72	1,999.24
1979	Below Normal	151.23	138.59	103.45	110.57	77.56	72.35	84.70	146.06	276.05	300.37	159.94	76.70	1,697.57
1980	Above Normal	104.46	114.35	93.70	444.27	432.31	98.60	116.53	185.17	277.34	274.27	196.45	79.88	2,417.33
1981	Dry	108.22	181.25	90.50	79.53	59.52	69.23	94.41	222.90	363.69	317.63	174.93	77.31	1,839.12
1982	Wet	82.41	168.46	454.80	163.02	428.87	285.09	485.60	115.59	221.61	250.22	236.78	215.24	3,107.69
1983	Wet	177.28	142.77	304.24	438.92	410.42	463.84	312.23	237.84	303.56	307.94	310.30	238.23	3,647.57
1984	Wet	181.28	262.10	454.42	135.49	99.71	248.56	143.67	209.92	286.48	356.55	162.97	324.20	2,865.35
1985	Dry	75.47	95.22	136.27	82.91	72.90	85.42	151.70	236.18	261.39	250.57	183.62	91.57	1,723.22
1986	Wet	107.56	117.17	81.56	74.26	399.52	464.69	60.36	197.74	278.30	265.86	202.36	81.75	2,331.13
1987	Dry	85.21	151.04	91.66	74.41	63.54	71.80	185.52	238.39	334.67	281.48	135.98	82.93	1,796.63
1988	Critical	123.71	89.59	65.18	86.38	125.47	86.40	117.24	155.34	262.07	265.04	215.56	78.74	1,670.72
1989	Dry	104.93	55.37	71.76	31.94	64.05	46.78	81.97	238.05	228.26	291.03	173.97	51.03	1,439.14
1990	Critical	65.66	76.36	80.40	70.75	70.16	80.91	170.02	124.57	208.76	298.36	198.92	68.32	1,513.19
1991	Critical	89.63	74.03	71.23	71.17	64.44	67.19	73.75	144.52	179.38	207.24	120.86	70.59	1,234.03
1992	Critical	100.31	104.20	63.89	64.09	39.98	53.00	74.36	228.60	271.79	201.18	189.47	55.47	1,446.34
1993	Above Normal	109.84	56.66	49.95	46.82	41.04	55.02	110.98	185.50	256.83	349.62	199.85	221.36	1,683.47
1994	Critical	136.95	175.16	108.74	75.71	66.28	83.45	177.18	146.22	245.14	296.53	177.41	60.04	1,748.81
1995	Wet	100.91	79.70	67.89	240.90	147.78	471.66	183.51	325.99	240.20	288.06	291.40	213.35	2,651.35
1996	Wet	161.13	199.28	53.56	78.68	443.33	229.50	109.56	299.48	255.29	289.89	212.07	263.84	2,595.61
1997	Wet	170.86	199.32	442.22	450.36	93.36	118.33	167.43	244.47	254.94	304.15	157.01	262.13	2,864.58
1998	Wet	146.79	165.86	67.59	217.93	408.83	428.22	69.14	410.54	434.91	332.10	318.23	242.76	3,242.90
1999	Wet	189.28	227.52	250.02	176.36	430.83	286.36	103.39	254.12	268.05	318.47	219.18	261.60	2,985.18
2000	Above Normal	141.60	266.90	93.05	54.78	432.38	166.95	75.91	214.59	301.22	356.92	234.56	171.70	2,510.56
2001	Dry	144.05	203.96	100.99	71.73	51.42	59.95	138.15	235.07	329.23	282.42	139.14	83.34	1,839.45
2002	Dry	128.35	77.75	65.88	209.83	71.24	83.74	175.93	233.08	294.69	278.79	185.17	97.89	1,902.34
2003	Above Normal	146.44	110.09	214.13	346.36	97.57	83.59	222.05	355.00	273.85	376.40	174.11	159.82	2,559.41
	Average	117.09	132.89	139.67	152.73	175.59	167.02	158.25	203.69	260.59	289.13	206.65	149.41	2,152.73
	Wet	128.51	160.14	229.80	277.64	289.38	287.45	205.81	244.62	267.05	296.64	244.69	257.43	2,889.17
	Above Normal	111.68	140.60	120.65	163.50	244.82	187.00	137.26	211.75	293.40	339.94	218.47	155.69	2,324.76
	Below Normal	121.15	128.34	111.64	88.57	123.73	109.84	126.55	186.79	264.10	300.40	201.81	91.54	1,854.43
	Dry	107.72	111.51	86.06	77.79	71.70	82.98	140.03	185.57	259.51	280.33	179.57	90.39	1,673.15
	Critical	107.06	103.55	76.53	58.57	76.18	78.86	140.52	153.86	211.35	222.12	158.69	65.16	1,452.44

Energy generated (GWh) at Shasta Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	88.57	143.49	77.86	63.84	86.19	111.72	101.46	215.56	332.38	312.03	257.47	183.56	1,974.13
1923	Below Normal	122.10	160.87	80.36	76.79	67.86	82.65	69.90	260.78	251.41	268.18	196.38	78.50	1,715.78
1924	Critical	105.67	101.06	97.33	42.72	65.39	99.51	175.62	176.51	211.61	196.61	154.34	85.53	1,511.90
1925	Dry	63.71	50.71	54.93	2.16	33.04	73.38	73.28	141.96	230.49	276.76	227.97	119.01	1,347.40
1926	Dry	125.65	94.64	79.97	73.69	38.23	96.86	93.83	166.81	267.39	287.33	192.96	102.36	1,619.72
1927	Wet	95.04	62.08	84.26	97.29	421.34	82.84	248.33	238.93	289.84	306.96	242.57	340.17	2,509.65
1928	Above Normal	110.23	73.89	88.66	92.35	54.82	274.12	85.15	189.13	327.45	371.41	225.92	197.76	2,090.89
1929	Critical	118.62	113.63	70.03	0.00	67.87	78.91	143.66	173.92	205.77	232.72	234.40	84.31	1,523.84
1930	Dry	97.88	80.70	51.00	66.14	53.61	68.65	109.96	132.52	213.31	222.99	153.58	71.11	1,321.45
1931	Critical	86.56	74.51	71.86	67.15	62.28	68.93	199.75	157.91	173.55	195.33	130.24	48.39	1,336.46
1932	Dry	51.41	42.79	54.60	36.71	57.57	60.61	106.20	92.37	124.00	147.08	122.81	74.73	970.88
1933	Critical	75.41	60.42	57.58	59.95	52.55	63.00	102.36	110.98	142.56	139.43	221.35	94.74	1,180.33
1934	Critical	57.73	46.35	53.80	53.06	51.83	63.69	105.53	122.87	150.20	169.28	79.99	35.79	990.12
1935	Below Normal	39.81	55.19	52.04	55.13	51.35	63.45	53.93	97.79	223.88	220.75	198.75	93.77	1,205.84
1936	Below Normal	90.62	80.16	72.39	45.67	63.21	102.64	110.83	154.79	207.26	281.93	193.52	83.16	1,486.18
1937	Below Normal	110.32	96.77	73.72	73.48	66.61	76.99	68.10	123.52	215.27	249.02	202.50	98.84	1,455.14
1938	Wet	87.43	89.54	417.64	108.79	428.21	466.35	269.61	206.23	260.54	314.83	246.94	254.13	3,150.24
1939	Dry	111.00	159.77	70.52	82.47	90.06	81.99	196.00	187.97	243.46	284.79	188.78	74.60	1,771.41
1940	Above Normal	101.12	103.20	74.32	51.72	417.63	461.13	100.49	178.92	282.51	331.86	229.65	100.83	2,433.38
1941	Wet	117.50	116.24	122.43	456.91	417.63	292.02	309.94	301.07	258.76	261.65	299.16	303.43	3,256.74
1942	Wet	136.92	204.98	238.97	428.62	420.80	114.40	96.57	275.62	240.87	283.28	272.12	301.21	3,014.36
1943	Wet	133.84	216.98	73.40	196.26	175.57	298.70	133.61	213.02	275.00	345.71	239.74	290.54	2,592.37
1944	Dry	115.26	187.53	92.26	89.33	62.08	49.79	149.63	133.16	180.23	242.19	176.83	73.07	1,551.36
1945	Below Normal	104.47	88.86	81.92	72.77	83.10	113.39	128.57	155.13	237.36	297.94	215.77	100.56	1,679.84
1946	Below Normal	147.45	111.49	454.38	174.43	100.67	117.79	182.10	214.12	280.03	305.40	222.17	106.31	2,416.34
1947	Dry	128.53	94.99	74.70	91.98	68.30	76.76	147.11	237.86	229.04	310.43	194.94	123.98	1,778.62
1948	Below Normal	88.66	82.83	86.83	66.09	70.67	77.17	92.51	243.64	242.05	341.02	243.15	145.90	1,780.52
1949	Dry	163.95	109.98	100.12	90.92	91.60	165.10	133.70	184.04	277.01	294.58	219.14	121.41	1,951.55
1950	Below Normal	134.23	103.10	97.23	89.55	89.20	112.60	96.42	172.50	225.84	236.26	187.91	75.82	1,620.66
1951	Above Normal	139.92	203.22	358.80	177.24	340.73	99.11	168.47	150.31	302.58	351.05	222.30	131.91	2,645.64
1952	Wet	106.63	152.54	221.84	197.94	409.67	271.56	443.73	243.76	209.29	259.61	283.20	217.00	3,016.77
1953	Wet	163.29	223.87	74.23	458.81	85.46	96.92	117.71	240.98	255.78	321.91	234.06	298.83	2,571.85
1954	Above Normal	92.14	213.16	76.29	252.52	393.61	217.93	257.70	205.84	277.16	356.77	245.22	211.19	2,799.53
1955	Dry	117.02	124.16	99.32	69.81	85.34	85.11	143.22	134.03	230.84	298.45	178.37	69.09	1,634.76
1956	Wet	109.81	80.70	442.98	451.32	426.19	85.05	84.24	297.11	258.59	257.89	222.86	281.39	2,998.13
1957	Above Normal	134.44	252.30	97.70	93.21	76.52	179.83	148.34	238.48	278.39	356.21	225.51	150.69	2,231.62
1958	Wet	122.36	168.17	205.80	284.83	449.75	492.86	263.32	178.92	248.63	294.42	302.73	234.73	3,246.52
1959	Below Normal	161.98	256.70	102.60	78.17	298.39	67.90	183.88	221.68	311.05	327.52	229.57	45.90	2,285.34
1960	Dry	134.45	105.14	100.04	77.78	59.79	83.09	173.51	133.79	339.83	337.54	183.49	116.80	1,845.25
1961	Dry	115.53	91.02	114.19	78.75	214.78	150.73	166.16	200.42	289.77	351.28	243.12	114.41	2,130.16
1962	Below Normal	138.04	124.33	87.86	89.43	297.12	73.36	161.91	211.35	268.68	318.18	210.84	91.12	2,072.22
1963	Wet	179.96	125.38	218.09	111.67	178.74	160.22	493.08	142.87	262.30	350.05	226.38	288.43	2,737.17
1964	Dry	70.43	99.19	100.14	89.39	54.10	85.74	225.61	184.87	220.29	289.64	159.29	76.56	1,655.25
1965	Wet	84.71	79.97	429.68	458.56	98.45	118.48	159.96	192.47	270.29	296.85	200.53	266.48	2,656.43
1966	Below Normal	139.48	160.25	88.84	96.78	88.20	271.88	165.89	225.24	341.58	348.48	206.66	116.50	2,249.78
1967	Wet	137.68	80.65	231.25	212.22	163.85	380.52	241.79	377.00	251.65	290.62	278.26	263.30	2,908.79
1968	Below Normal	125.12	195.70	90.93	94.93	263.87	72.14	176.61	196.92	289.91	323.58	176.93	91.62	2,098.26
1969	Wet	102.04	80.58	76.18	458.07	420.87	134.76	296.70	302.18	270.72	282.48	242.60	252.07	2,919.25
1970	Wet	90.94	167.19	284.75	452.63	280.64	91.22	182.47	195.91	242.89	326.70	198.80	252.94	2,767.08
1971	Wet	131.24	99.23	116.52	341.20	93.59	432.15	140.45	234.71	251.29	332.15	213.30	247.35	2,633.18
1972	Below Normal	143.96	203.58	90.02	86.55	71.85	236.40	196.72	192.10	326.67	384.44	180.42	77.29	2,190.00
1973	Above Normal	107.47	97.89	168.25	340.21	396.25	157.55	107.08	176.29	308.18	350.69	183.00	143.86	2,536.72
1974	Wet	76.75	434.92	455.53	450.57	107.10	470.55	133.80	171.33	265.53	219.65	301.76	246.33	3,333.82
1975	Wet	152.52	257.88	73.56	77.57	83.36	489.07	100.77	252.11	287.57	250.15	246.23	260.31	2,531.10
1976	Critical	162.99	211.56	74.16	17.87	116.56	102.71	134.07	180.51	230.34	250.89	93.15	43.40	1,618.21
1977	Critical	160.53	115.25	104.56	93.99	131.40	98.52	213.45	125.08	254.69	212.05	84.95	56.61	1,651.08
1978	Above Normal	58.12	50.93	55.35	1.67	169.09	337.67	153.13	246.64	303.62	292.14	228.24	103.50	2,000.10
1979	Below Normal	152.08	189.46	102.01	106.74	74.44	74.23	83.94	138.54	271.04	281.01	156.00	76.28	1,705.77
1980	Above Normal	105.32	90.91	92.87	444.27	432.31	98.60	116.70	185.32	277.45	274.36	196.52	99.16	2,413.79
1981	Dry	108.93	170.22	90.25	79.32	59.39	69.09	94.22	222.15	363.00	319.99	171.06	79.32	1,826.94
1982	Wet	82.13	156.31	454.80	163.02	428.87	285.09	485.60	115.63	221.65	250.25	236.66	215.24	3,095.25
1983	Wet	177.28	142.77	304.24	438.92	410.42	463.84	312.23	237.84	303.56	307.94	310.30	238.23	3,647.57
1984	Wet	181.28	262.10	454.42	135.49	99.71	248.56	143.70	209.95	286.50	356.55	162.99	324.21	2,865.46
1985	Dry	75.49	95.08	136.27	82.91	72.90	85.42	151.72	236.19	261.38	250.58	183.63	91.59	1,723.16
1986	Wet	107.58	117.22	81.56	74.26	399.51	464.69	60.38	197.76	278.32	265.88	202.37	81.74	2,331.27
1987	Dry	85.22	153.76	91.59	74.36	63.50	71.76	185.40	238.10	334.46	281.27	139.03	82.01	1,800.46
1988	Critical	121.83	89.48	65.11	86.30	124.83	86.52	117.38	155.25	262.34	264.71	215.22	78.63	1,667.60
1989	Dry	104.87	55.27	71.64	31.21	63.98	46.74	81.92	237.73	227.89	290.73	173.81	51.00	1,436.79
1990	Critical	65.61	76.35	80.34	70.71	70.12	80.86	169.93	124.52	208.66	298.20	180.53	90.19	1,516.02
1991	Critical	90.80	73.26	71.05	70.99	64.29	67.04	73.60	144.33	179.04	207.06	120.65	70.36	1,232.47
1992	Critical	100.02	103.89	63.63	63.84	39.85	52.87	74.20	228.35	280.42	189.34	189.91	54.50	1,440.82
1993	Above Normal	109.14	52.39	49.95	46.82	41.04	57.46	110.93	182.73	256.83	349.37	199.67	221.25	1,677.58
1994	Critical	137.51	174.62	109.55	75.70	66.28	83.45	177.18	146.74	246.06	296.38	177.11	60.10	1,750.68
1995	Wet	101.13	79.74	67.83	238.87	147.78	471.66	183.51	325.99	240.20	288.06	291.40	213.35	2,649.52
1996	Wet	161.13	243.47	52.99	77.93	440.33	229.50	109.56	299.48	255.37	289.93	212.12	263.83	2,635.64
1997	Wet	167.50	199.45	442.46	450.36	93.36	118.33	167.46	244.51	254.98	303.09	157.04	262.33	2,860.87
1998	Wet	147.11	166.00	67.60	218.33	408.83	428.22	69.14	410.54	434.91	332.10	318.23	242.76	3,243.77
1999	Wet	189.28	227.52	250.02	176.36	430.83	286.36	103.39	254.12	268.09	318.48	219.21	261.53	2,985.19
2000	Above Normal	141.88	267.09	93.18	54.77	432.34	166.95	75.91	214.59	301.25	356.92	234.58	171.71	2,511.17
2001	Dry	143.97	204.00	101.55	71.71	51.41	59.94	138.17	235.02	329.09	282.31	138.93	83.36	1,839.46
2002	Dry	128.19	77.75	65.88	209.75	71.24	83.74	175.96	233.11	294.72	278.77	185.19	98.77	1,903.07
2003	Above Normal	146.74	110.07	212.76	346.36	97.57	83.59	222.05	355.00	273.87	376.52	174.13	159.73	2,558.39
	Average	117.09	134.64	139.25	152.30	175.00	167.11	158.56	203.49	260.47	288.65	206.33	149.81	2,152.68
	Wet	128.58	162.90	228.58	277.57	289.26	287.46	205.81	244.62	267.04	296.43	244.68	257.76	2,890.69
	Above Normal	111.26	138.21	120.50	163.75	244.84	187.14	137.28	211.57	293.47	339.94	218.52	156.26	2,322.75
	Below Normal	121.31	136.38	111.51	86.18	120.47	110.19	126.52	186.29	263.72	298.84	201.47	91.54	1,854.41
	Dry	107.86	110.93	86.05	77.69	71.72	83.03	141.42	185.12	258.68	280.37	179.61	90.18	1,672.65
	Critical	106.94	103.37	76.58	58.52	76.10	78.83	140.56	153.91	212.10	221.00	156.82	66.88	1,451.63

Difference in Energy generated (GWh) at Shasta Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.00	(0.02)	0.01	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.10	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.10)	(0.08)	(0.08)	0.01	(0.02)
1924	Critical	0.00	0.01	0.01	0.09	0.00	0.01	0.02	0.21	0.12	0.04	(0.07)	0.16	0.05
1925	Dry	0.11	(0.03)	(0.02)	(0.22)	0.00	(0.01)	(0.01)	0.06	0.04	(0.01)	0.02	0.04	0.00
1926	Dry	0.04	0.04	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	0.01	(0.32)	(0.02)	(0.23)	(0.06)	(0.05)
1927	Wet	0.03	(0.01)	(0.01)	(0.01)	(0.03)	0.00	0.00	0.00	0.05	0.01	0.05	0.04	0.01
1928	Above Normal	0.04	(0.01)	(0.01)	(0.01)	0.00	(0.21)	0.00	0.05	0.01	0.05	0.02	0.00	(0.01)
1929	Critical	0.03	(0.02)	(0.02)	0.00	0.00	0.00	0.04	0.02	0.02	0.01	(0.01)	0.02	0.01
1930	Dry	0.02	0.05	0.06	(0.01)	(0.01)	0.00	0.02	0.02	(0.01)	(0.15)	(0.12)	0.03	(0.01)
1931	Critical	0.02	0.05	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	0.16	0.02	(0.01)	(0.75)	0.00	(0.05)
1932	Dry	0.00	0.00	0.00	0.71	(0.04)	(0.03)	0.04	0.18	(1.21)	0.00	1.38	(0.09)	0.08
1933	Critical	0.09	0.00	(0.09)	(0.10)	(0.08)	(0.07)	0.74	0.17	0.02	(0.09)	(0.40)	(0.18)	0.00
1934	Critical	(1.39)	(1.10)	0.52	0.02	(0.06)	(0.06)	0.03	0.00	0.02	(0.24)	(1.84)	0.00	(0.34)
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.13	0.08	0.10	0.10	0.05
1936	Below Normal	0.09	0.09	(0.03)	(0.02)	(0.01)	(0.02)	(0.02)	0.08	0.07	(0.06)	0.04	0.08	0.02
1937	Below Normal	0.06	0.07	(0.04)	(0.04)	(0.03)	(0.03)	(0.02)	0.05	0.02	(0.22)	(0.01)	0.05	(0.01)
1938	Wet	(0.04)	(1.80)	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.09	0.08	(0.01)	(0.13)
1939	Dry	(0.28)	0.17	2.02	(0.04)	(0.13)	(0.03)	25.14	(7.46)	(12.87)	(0.57)	(0.76)	(8.21)	(0.25)
1940	Above Normal	(4.38)	0.77	0.14	0.08	0.41	0.00	0.00	0.41	0.61	(0.07)	0.45	(19.78)	(1.78)
1941	Wet	0.87	6.02	13.15	0.00	0.00	0.00	0.00	0.00	0.04	(0.04)	0.00	0.00	1.67
1942	Wet	1.37	5.40	(7.22)	0.00	0.00	0.00	0.00	0.00	0.05	0.05	(0.10)	0.03	(0.04)
1943	Wet	0.02	(0.52)	0.01	0.51	0.00	0.00	0.00	0.00	(0.15)	(4.65)	0.09	3.00	(0.14)
1944	Dry	0.19	(2.20)	0.12	0.11	0.07	1.25	0.20	0.22	0.31	(0.12)	1.05	0.81	0.17
1945	Below Normal	0.10	0.03	0.02	0.02	0.02	0.03	0.04	(0.03)	(0.05)	(0.22)	(0.04)	0.00	(0.01)
1946	Below Normal	(0.23)	1.83	0.00	0.00	0.00	0.00	0.07	0.06	0.06	(1.91)	(1.00)	0.17	(0.08)
1947	Dry	1.18	0.15	0.03	0.05	0.02	0.03	0.12	0.17	0.52	0.12	1.99	(0.85)	0.29
1948	Below Normal	(0.07)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.02	0.00	(0.60)	(0.09)	0.03	0.06	(0.06)
1949	Dry	(0.01)	0.04	0.00	0.00	0.00	(0.04)	0.02	0.03	0.02	(0.01)	(0.07)	0.40	0.03
1950	Below Normal	0.03	0.00	0.00	(0.01)	(0.01)	(0.01)	0.01	0.01	0.00	(0.01)	0.00	0.01	0.00
1951	Above Normal	(0.15)	(0.44)	0.00	0.00	0.00	(0.50)	0.16	0.04	0.05	0.02	0.05	0.07	(0.06)
1952	Wet	0.03	0.03	0.10	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	0.00	(0.24)	(0.01)
1953	Wet	0.10	35.25	(35.79)	(0.08)	0.00	0.00	(0.16)	0.16	0.00	0.12	(0.13)	(0.01)	(0.04)
1954	Above Normal	(1.26)	(1.44)	0.05	2.93	0.00	0.00	0.00	0.00	(0.03)	0.00	0.10	0.06	0.03
1955	Dry	0.56	0.59	(0.03)	(1.38)	0.65	(0.02)	(0.05)	(0.06)	(0.02)	(0.13)	(0.81)	(0.05)	(0.06)
1956	Wet	1.44	0.04	(0.09)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.02	0.12
1957	Above Normal	0.01	0.03	0.03	0.00	0.00	(0.10)	0.02	(0.01)	0.01	0.00	0.01	0.01	0.00
1958	Wet	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.77)	(0.07)
1959	Below Normal	0.79	27.07	(0.73)	(29.01)	0.00	0.00	0.17	0.22	0.10	(0.03)	0.01	0.04	(0.11)
1960	Dry	0.51	(0.51)	(0.05)	(0.01)	(0.01)	(0.01)	(0.12)	(0.03)	(0.04)	(0.08)	(0.15)	2.11	0.13
1961	Dry	(0.27)	(0.05)	(2.27)	0.00	0.00	0.00	0.00	(0.02)	(0.02)	0.00	(0.42)	(0.05)	(0.26)
1962	Below Normal	0.51	0.41	(0.01)	0.29	(0.73)	0.00	0.02	0.02	0.01	0.06	0.01	0.01	0.05
1963	Wet	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.01)	(0.01)
1964	Dry	0.01	(0.16)	0.00	0.05	(0.01)	0.00	0.04	0.03	0.03	0.02	0.02	0.03	0.00
1965	Wet	0.00	0.00	(0.10)	0.00	0.00	0.00	0.00	(0.39)	(0.46)	0.00	(0.27)	(0.07)	(0.11)
1966	Below Normal	0.06	(1.37)	0.06	0.05	0.05	2.99	0.00	0.07	0.04	(0.01)	0.15	(0.08)	0.17
1967	Wet	(0.02)	0.00	(0.18)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	4.34	0.35
1968	Below Normal	(0.03)	33.30	0.40	(0.85)	(41.88)	0.00	0.13	0.05	0.02	(0.01)	0.01	0.00	(0.74)
1969	Wet	0.00	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.04)	0.00
1970	Wet	1.69	(1.62)	(0.09)	0.00	0.00	0.00	0.01	0.02	0.01	(0.01)	0.01	2.27	0.19
1971	Wet	(0.59)	(0.70)	(1.32)	0.00	0.00	0.00	(0.02)	0.02	(0.02)	(0.20)	(0.02)	0.04	(0.23)
1972	Below Normal	0.01	0.18	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.05	0.02
1973	Above Normal	0.01	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	6.62	0.55
1974	Wet	0.12	(0.49)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.01	(0.03)
1975	Wet	(0.01)	(2.08)	0.04	0.04	0.03	0.13	0.00	0.00	0.01	0.01	(0.01)	0.00	(0.15)
1976	Critical	0.00	0.54	0.01	(0.01)	0.00	(0.01)	(0.03)	(0.03)	(0.59)	(0.34)	0.29	0.00	(0.01)
1977	Critical	0.35	0.01	0.03	0.07	0.21	(0.01)	(0.04)	0.13	0.04	(0.09)	(0.81)	0.02	(0.01)
1978	Above Normal	(0.03)	0.06	0.00	0.00	(0.10)	0.00	0.00	0.00	0.05	0.05	0.05	0.78	0.07
1979	Below Normal	0.85	50.87	(1.44)	(3.83)	(3.12)	1.88	(0.76)	(7.52)	(5.01)	(19.36)	(3.94)	(0.42)	0.68
1980	Above Normal	0.86	(23.44)	(0.83)	0.00	0.00	0.00	0.17	0.15	0.11	0.09	0.07	19.28	(0.29)
1981	Dry	0.71	(11.03)	(0.25)	(0.21)	(0.13)	(0.14)	(0.19)	(0.75)	(0.69)	2.36	(3.87)	2.01	(1.02)
1982	Wet	(0.28)	(12.15)	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.03	(0.12)	0.00	(1.04)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.02	0.00	0.02	0.01	0.01
1985	Dry	0.02	(0.14)	0.00	0.00	0.00	0.00	0.02	0.01	(0.01)	0.01	0.01	0.02	0.00
1986	Wet	0.02	0.05	0.00	0.00	(0.01)	0.00	0.02	0.02	0.02	0.02	0.01	(0.01)	0.01
1987	Dry	0.01	2.72	(0.07)	(0.05)	(0.04)	(0.04)	(0.12)	(0.29)	(0.21)	(0.21)	3.05	(0.92)	0.32
1988	Critical	(1.88)	(0.11)	(0.07)	(0.08)	(0.64)	0.12	0.14	(0.09)	0.27	(0.33)	(0.34)	(0.11)	(0.26)
1989	Dry	(0.06)	(0.10)	(0.12)	(0.73)	(0.07)	(0.04)	(0.05)	(0.32)	(0.37)	(0.30)	(0.16)	(0.03)	(0.20)
1990	Critical	(0.05)	(0.01)	(0.06)	(0.04)	(0.04)	(0.05)	(0.09)	(0.05)	(0.10)	(0.16)	(18.39)	21.87	0.24
1991	Critical	1.17	(0.77)	(0.18)	(0.18)	(0.15)	(0.15)	(0.15)	(0.19)	(0.34)	(0.18)	(0.21)	(0.23)	(0.13)
1992	Critical	(0.29)	(0.31)	(0.26)	(0.25)	(0.13)	(0.13)	(0.16)	(0.25)	8.63	(11.84)	0.44	(0.97)	(0.46)
1993	Above Normal	(0.70)	(4.27)	0.00	0.00	0.00	2.44	(0.05)	(2.77)	0.00	(0.25)	(0.18)	(0.11)	(0.49)
1994	Critical	0.56	(0.54)	0.81	(0.01)	0.00	0.00	0.00	0.52	0.92	(0.15)	(0.30)	0.06	0.16
1995	Wet	0.22	0.04	(0.06)	(2.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)
1996	Wet	0.00	44.19	(0.57)	(0.75)	(3.00)	0.00	0.00	0.00	0.08	0.04	0.05	(0.01)	3.34
1997	Wet	(3.36)	0.13	0.24	0.00	0.00	0.00	0.03	0.04	0.04	(1.06)	0.03	0.20	(0.31)
1998	Wet	0.32	0.14	0.01	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.01	0.03	(0.07)	0.00
2000	Above Normal	0.28	0.19	0.13	(0.01)	(0.04)	0.00	0.00	0.00	0.03	0.00	0.02	0.01	0.05
2001	Dry	(0.08)	0.04	0.56	(0.02)	(0.01)	(0.01)	0.02	(0.05)	(0.14)	(0.11)	(0.21)	0.02	0.00
2002	Dry	(0.16)	0.00	0.00	(0.08)	0.00	0.00	0.03	0.03	0.03	(0.02)	0.02	0.88	0.06
2003	Above Normal	0.30	(0.02)	(1.37)	0.00	0.00	0.00	0.00	0.00	0.02	0.12	0.02	(0.09)	(0.09)
	Average	0.00	1.75	(0.43)	(0.42)	(0.60)	0.09	0.31	(0.20)	(0.13)	(0.49)	(0.32)	0.39	(0.00)
	Wet	0.07	2.77	(1.23)	(0.07)	(0.12)	0.00	(0.00)	(0.00)	(0.00)	(0.21)	(0.01)	0.34	0.13
	Above Normal	(0.42)	(2.39)	(0.16)	0.25	0.02	0.14	0.03	(0.18)	0.07	0.00	0.05	0.57	(0.17)
	Below Normal	0.15	8.04	(0.13)	(2.39)	(3.27)	0.35	(0.02)	(0.50)	(0.38)	(1.56)	(0.34)	0.01	(0.00)
	Dry	0.14	(0.58)	(0.00)	(0.10)	0.02	0.05	1.39	(0.46)	(0.83)	0.04	0.04	(0.22)	(0.04)
	Critical	(0.12)	(0.19)	0.06	(0.04)	(0.07)	(0.03)	0.04	0.05	0.75	(1.12)	(1.87)	1.72	(0.07)

Percent Difference in Energy generated (GWh) at Shasta Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	-9%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1932	Dry	0%	0%	0%	2%	0%	0%	0%	0%	-1%	0%	1%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1934	Critical	-2%	-2%	1%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	3%	0%	0%	0%	15%	-4%	-5%	0%	0%	-10%
1940	Above Normal	-4%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-16%
1941	Wet	1%	5%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	3%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	1%
1944	Dry	0%	-1%	0%	0%	0%	3%	0%	0%	0%	0%	1%	1%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1947	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	19%	-33%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	-1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	-2%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	12%	-1%	-27%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1961	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1968	Below Normal	0%	21%	0%	-1%	-14%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	2%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1971	Wet	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	5%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1979	Below Normal	1%	37%	-1%	-3%	-4%	3%	-1%	-5%	-2%	-6%	-2%	-1%
1980	Above Normal	1%	-20%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	24%
1981	Dry	1%	-6%	0%	0%	0%	0%	0%	0%	0%	1%	-2%	3%
1982	Wet	0%	-7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-1%
1988	Critical	-2%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-9%	32%
1991	Critical	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	3%	-6%	0%	-2%
1993	Above Normal	-1%	-8%	0%	0%	0%	4%	0%	-1%	0%	0%	0%	0%
1994	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	22%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	1%
	Wet	0%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
	Below Normal	0%	5%	0%	-2%	-1%	0%	0%	0%	0%	-1%	0%	0%
	Dry	0%	0%	0%	-1%	0%	0%	1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	2%

Energy generated (GWh) at Spring Creek: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	107.31	15.54	14.54	18.59	17.92	4.93	32.01	19.85	0.00	44.35	44.49	58.86	378.39
1923	Below Normal	27.07	17.65	21.60	16.62	7.59	0.67	14.90	5.94	34.61	60.01	67.94	43.87	318.47
1924	Critical	27.09	15.48	0.00	43.13	9.27	0.00	0.00	0.00	5.38	44.42	44.57	31.85	221.19
1925	Dry	10.34	11.21	10.36	90.81	47.81	12.81	23.03	22.90	22.06	52.33	28.93	21.40	353.99
1926	Dry	13.25	5.57	3.22	4.37	41.81	11.22	8.66	3.94	18.43	52.17	36.77	41.35	240.76
1927	Wet	13.16	19.97	26.42	18.91	61.46	33.44	17.89	11.52	0.00	44.44	44.63	59.04	350.88
1928	Above Normal	42.41	32.45	10.62	21.90	31.56	43.05	14.11	0.00	0.00	18.40	60.17	58.98	333.65
1929	Critical	27.07	15.54	7.89	97.58	3.69	1.21	0.00	5.46	26.41	75.65	44.50	28.86	333.86
1930	Dry	13.14	5.27	24.54	7.80	18.19	12.52	0.00	4.45	26.21	36.63	53.63	28.95	231.33
1931	Critical	13.23	5.53	0.00	6.86	4.97	7.13	0.00	0.00	5.44	44.26	60.67	26.71	174.80
1932	Dry	24.71	12.21	0.00	31.38	0.00	4.32	0.00	1.80	32.65	48.96	38.68	3.07	197.78
1933	Critical	10.44	4.03	0.39	0.00	0.01	0.00	5.50	9.43	12.52	44.32	5.39	6.27	98.30
1934	Critical	42.48	2.36	1.44	6.21	5.80	2.37	1.79	0.00	5.39	44.39	138.26	99.71	350.20
1935	Below Normal	12.47	0.00	0.00	0.00	4.96	2.70	23.07	7.49	4.75	44.44	5.44	6.24	111.56
1936	Below Normal	5.56	2.38	0.00	34.69	37.38	13.82	2.57	0.00	0.00	28.73	36.66	28.82	190.61
1937	Below Normal	13.13	2.34	0.00	0.00	0.00	0.04	14.20	16.02	6.81	52.18	28.87	21.30	154.89
1938	Wet	11.62	28.70	40.18	7.81	22.03	57.27	47.14	43.54	7.28	0.00	44.58	53.88	364.03
1939	Dry	64.07	8.46	15.47	0.02	1.05	3.50	53.60	22.48	48.58	100.61	100.74	71.35	489.93
1940	Above Normal	31.10	31.10	4.19	32.26	63.64	37.10	16.65	1.23	18.09	60.06	60.15	43.92	399.49
1941	Wet	27.29	16.13	47.07	69.81	62.72	67.18	55.04	76.64	15.58	102.97	59.06	80.61	680.10
1942	Wet	61.80	16.36	88.29	37.90	56.37	3.30	24.00	7.51	0.81	54.35	48.17	75.59	474.45
1943	Wet	58.47	17.25	30.54	37.24	23.33	39.53	0.00	0.00	0.00	44.45	44.57	58.92	354.30
1944	Dry	42.47	15.86	3.07	5.03	13.44	39.17	0.00	2.33	41.67	100.66	67.94	43.81	375.45
1945	Below Normal	12.20	8.59	6.38	8.29	24.22	6.46	0.00	0.00	16.42	44.44	52.36	43.85	223.21
1946	Below Normal	13.99	9.60	40.33	18.51	6.53	2.48	0.00	0.00	14.44	44.39	60.16	43.89	254.32
1947	Dry	27.09	17.65	6.11	0.00	6.04	8.53	0.00	0.85	22.62	52.27	68.00	30.37	239.53
1948	Below Normal	14.33	5.02	0.00	14.56	5.31	5.63	19.46	8.43	2.80	0.00	44.61	0.64	120.79
1949	Dry	4.20	1.42	0.00	0.00	4.94	48.94	4.65	0.00	17.12	44.49	60.23	43.85	229.84
1950	Below Normal	27.06	15.64	3.00	9.34	14.19	3.29	1.97	2.81	17.60	59.95	52.25	43.86	250.96
1951	Above Normal	37.88	12.24	21.51	14.88	31.19	9.89	30.37	6.64	0.00	46.04	60.97	59.58	331.19
1952	Wet	44.10	23.01	27.07	17.52	40.63	28.64	86.35	6.70	3.43	89.26	51.37	76.93	495.01
1953	Wet	59.36	2.75	30.67	50.33	22.46	25.50	27.34	4.04	3.15	35.71	54.21	81.72	397.24
1954	Above Normal	60.39	49.99	28.33	40.55	36.38	88.03	79.51	1.32	0.00	46.20	46.10	60.38	537.18
1955	Dry	43.94	20.82	14.55	41.55	4.28	0.00	0.00	9.37	19.83	61.35	60.53	44.38	320.60
1956	Wet	27.91	18.93	47.69	65.48	31.48	37.29	38.93	2.76	0.00	44.93	32.96	50.56	398.92
1957	Above Normal	63.29	5.25	4.40	7.17	29.34	46.39	0.00	14.66	3.02	47.06	45.83	61.42	327.83
1958	Wet	39.48	49.77	62.75	80.21	115.11	66.69	40.15	81.38	0.37	88.00	55.68	78.34	757.93
1959	Below Normal	60.45	2.50	4.82	77.93	23.68	21.66	34.91	0.00	37.66	60.69	80.17	74.85	479.32
1960	Dry	27.79	16.43	4.26	7.71	26.51	14.34	0.00	1.85	0.00	45.94	60.99	44.77	250.59
1961	Dry	28.15	18.65	13.91	5.42	22.62	14.24	0.00	0.00	0.00	45.78	60.92	59.84	269.53
1962	Below Normal	28.06	18.57	11.88	2.09	33.05	20.25	0.00	0.00	16.65	45.47	61.08	44.62	281.72
1963	Wet	10.95	5.06	6.37	3.74	22.86	4.75	34.75	6.47	1.31	47.44	46.01	87.74	277.45
1964	Dry	44.42	26.47	0.25	30.22	29.39	0.77	5.92	3.31	32.26	61.70	77.32	43.96	355.99
1965	Wet	26.99	15.54	28.06	31.49	7.54	0.00	12.04	0.00	0.00	44.55	44.48	44.02	254.71
1966	Below Normal	26.98	37.02	12.07	20.61	21.35	19.59	47.44	0.00	0.00	44.48	100.70	58.98	389.22
1967	Wet	42.42	24.66	22.99	45.92	33.20	43.04	22.80	13.05	0.08	57.22	51.65	81.43	438.46
1968	Below Normal	65.85	5.89	11.11	21.17	23.99	24.36	0.00	0.11	19.20	70.15	66.65	58.94	367.42
1969	Wet	27.07	17.13	16.42	39.19	39.54	17.88	12.36	31.47	1.21	49.11	48.09	52.77	352.24
1970	Wet	60.79	2.40	119.71	126.05	23.83	30.91	0.00	0.00	36.49	64.19	63.81	76.11	604.29
1971	Wet	36.64	30.31	22.77	33.90	14.43	16.93	19.73	7.47	6.53	5.52	47.37	74.30	315.90
1972	Below Normal	61.23	9.52	10.94	32.46	8.63	108.90	0.00	0.00	0.00	1.76	86.24	63.73	383.41
1973	Above Normal	31.69	17.15	7.14	34.55	45.75	40.22	13.57	4.72	0.00	48.42	86.75	61.65	391.61
1974	Wet	31.16	53.59	42.03	126.05	25.19	58.71	43.27	9.01	3.78	49.06	53.49	78.02	573.36
1975	Wet	62.00	2.87	9.36	4.36	25.20	56.93	18.54	6.80	3.90	76.28	52.00	78.87	397.11
1976	Critical	68.06	20.93	16.21	96.64	4.78	0.00	0.00	1.31	59.68	102.35	71.03	46.60	487.59
1977	Critical	14.94	14.93	23.58	7.56	8.35	0.00	0.00	0.14	8.46	49.67	138.83	3.03	269.49
1978	Above Normal	77.33	0.32	0.00	95.30	36.71	41.15	14.49	2.98	0.00	43.62	44.89	47.75	404.54
1979	Below Normal	28.05	3.78	0.15	1.22	7.66	14.74	0.00	3.31	18.81	46.74	54.19	44.81	223.46
1980	Above Normal	26.76	7.43	2.54	17.11	47.57	21.36	0.81	0.00	19.68	46.83	62.76	62.22	315.07
1981	Dry	27.12	10.06	9.67	24.90	18.26	19.61	0.00	1.56	21.50	66.67	91.64	45.71	336.70
1982	Wet	30.30	23.80	33.66	20.12	29.57	57.29	21.22	5.20	0.50	46.89	5.16	19.85	293.56
1983	Wet	76.57	26.06	23.05	47.22	67.54	121.72	46.09	103.69	104.96	107.14	79.71	89.51	893.26
1984	Wet	69.13	82.64	56.08	70.23	12.95	19.60	0.00	0.00	0.00	44.97	83.52	43.77	482.89
1985	Dry	42.49	21.07	7.53	37.79	3.61	0.00	0.00	5.70	52.29	100.55	100.84	43.98	415.85
1986	Wet	28.04	6.30	4.87	14.98	70.02	29.49	63.63	0.00	14.20	61.09	60.17	59.10	411.89
1987	Dry	27.00	16.86	4.17	5.29	11.22	14.74	0.00	1.22	32.27	100.72	100.75	63.49	377.73
1988	Critical	29.61	5.66	18.79	16.51	4.20	0.36	19.89	8.15	31.83	75.55	44.49	29.54	284.58
1989	Dry	14.23	12.82	0.78	52.72	0.06	39.29	0.00	0.00	14.58	56.02	37.18	29.65	257.33
1990	Critical	18.31	5.79	0.00	9.18	1.99	0.00	0.00	9.81	9.75	37.60	44.42	28.78	165.63
1991	Critical	13.20	5.80	0.00	0.00	0.00	8.50	0.00	0.33	5.43	44.33	44.58	6.11	128.28
1992	Critical	5.34	2.32	0.00	0.00	34.17	27.69	0.00	1.13	8.64	45.27	100.61	39.18	264.35
1993	Above Normal	8.44	41.31	8.01	23.59	31.00	30.70	6.54	8.74	13.05	2.59	48.73	29.77	252.47
1994	Critical	17.42	2.88	9.08	6.00	9.30	0.00	0.00	16.72	42.41	69.85	77.48	28.81	279.95
1995	Wet	12.81	4.42	0.77	116.98	25.76	70.70	14.50	10.36	5.91	33.63	57.85	83.73	437.42
1996	Wet	61.37	3.39	55.83	43.56	34.71	64.93	9.96	2.50	0.00	45.91	44.61	44.97	411.74
1997	Wet	27.53	19.48	49.20	49.36	13.08	0.72	30.28	0.00	29.29	60.01	75.72	43.80	398.47
1998	Wet	34.73	26.72	7.31	43.99	113.86	46.57	54.31	25.38	105.89	110.94	67.39	80.64	717.73
1999	Wet	61.10	45.32	41.03	22.57	22.82	63.84	17.23	4.19	0.16	47.49	46.14	55.74	427.63
2000	Above Normal	57.50	19.87	8.73	69.75	65.60	33.06	83.38	9.43	6.10	45.40	53.06	87.75	539.63
2001	Dry	27.03	15.55	2.92	9.58	26.84	29.07	0.94	14.02	41.67	100.97	101.34	44.56	414.49
2002	Dry	66.96	23.02	30.88	33.10	14.75	5.13	0.00	0.00	16.36	44.72	60.14	43.83	338.89
2003	Above Normal	27.02	15.81	39.98	34.07	9.50	9.59	18.65	17.99	0.00	57.77	83.51	81.49	395.38
	Average	34.71	16.22	17.58	31.34	25.12	24.86	16.47	9.02	15.56	53.85	59.49	50.32	354.53
	Wet	40.11	22.41	36.16	47.11	39.14	40.88	29.14	17.68	13.26	55.98	52.40	65.77	460.04
	Above Normal	47.59	20.71	12.50	34.14	37.18	33.79	25.84	7.30	5.00	42.23	58.12	59.48	383.87
	Below Normal	28.32	9.89	8.73	18.39	15.61	17.47	11.32	3.15	13.55	43.10	56.95	41.31	267.81
	Dry	30.47	14.41	8.43	21.54	16.16	15.46	5.38	5.32	25.56	65.14	67.03	41.57	316.46
	Critical	23.93	8.44	6.45	24.14	7.21	3.94	2.27	4.37	18.45	56.47	67.90	31.29	254.85

Energy generated (GWh) at Spring Creek: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	107.31	15.54	14.54	18.59	17.92	4.93	32.01	19.85	0.00	44.35	44.49	58.86	378.39
1923	Below Normal	27.07	17.65	21.60	16.62	7.59	0.67	14.90	5.94	34.61	60.00	67.94	43.87	318.46
1924	Critical	27.09	15.48	0.00	43.02	9.27	0.00	0.00	0.00	5.38	44.42	44.57	31.85	221.08
1925	Dry	10.34	11.21	10.36	91.15	47.81	12.81	23.03	22.90	22.06	52.33	28.93	21.40	354.33
1926	Dry	13.25	5.57	3.22	4.37	41.81	11.22	8.66	3.94	18.43	52.17	36.77	41.32	240.73
1927	Wet	13.16	19.97	26.42	18.91	61.46	33.44	17.89	11.52	0.00	44.44	44.63	59.04	350.88
1928	Above Normal	42.41	32.45	10.62	21.90	31.56	43.05	14.11	0.00	0.00	18.34	60.17	58.98	333.59
1929	Critical	27.07	15.54	7.89	97.58	3.69	1.21	0.00	5.46	26.41	75.65	44.50	28.86	333.86
1930	Dry	13.14	5.27	24.42	7.80	18.19	12.52	0.00	4.45	26.21	36.63	53.79	28.95	231.37
1931	Critical	13.23	5.53	0.00	6.86	4.97	7.13	0.00	0.00	5.44	44.26	62.16	26.77	176.35
1932	Dry	24.75	12.21	0.00	30.14	0.00	4.32	0.00	1.80	34.69	48.82	36.59	3.32	196.64
1933	Critical	10.32	4.09	0.39	0.00	0.01	0.00	4.39	9.43	12.52	44.32	5.39	6.27	97.13
1934	Critical	42.48	3.13	1.53	6.03	5.80	2.37	1.79	0.00	5.39	44.39	138.26	99.72	350.89
1935	Below Normal	16.68	0.00	0.00	0.00	4.96	2.70	23.07	7.49	4.75	44.44	5.44	6.24	115.77
1936	Below Normal	5.56	2.38	0.00	34.69	37.38	13.82	2.57	0.00	0.00	28.73	36.66	28.82	190.61
1937	Below Normal	13.13	2.34	0.00	0.00	0.00	0.04	14.20	16.02	6.81	52.18	28.87	21.30	154.89
1938	Wet	11.62	28.70	40.18	7.81	22.03	57.27	47.14	43.54	7.28	0.00	44.58	53.88	364.03
1939	Dry	64.07	8.46	15.47	0.02	1.05	3.50	7.54	31.90	65.22	100.61	100.74	77.79	476.37
1940	Above Normal	38.47	31.67	4.19	32.26	63.64	37.10	16.65	1.23	18.09	60.06	60.15	74.07	437.58
1941	Wet	27.29	16.13	47.07	69.81	62.72	67.18	55.04	76.64	15.58	102.97	59.06	80.61	680.10
1942	Wet	61.80	16.36	97.01	37.90	56.37	3.30	24.00	7.51	0.81	54.35	48.17	75.59	483.17
1943	Wet	58.47	17.25	30.54	36.65	23.33	39.53	0.00	0.00	0.00	44.45	44.57	58.92	353.71
1944	Dry	42.47	15.86	3.07	5.03	13.44	37.70	0.00	2.33	41.63	100.66	67.94	43.81	373.94
1945	Below Normal	12.20	8.59	6.38	8.29	24.22	6.46	0.00	0.00	16.42	44.44	52.36	43.85	223.21
1946	Below Normal	13.99	9.60	40.33	18.51	6.53	2.48	0.00	0.00	14.44	44.39	60.16	43.89	254.32
1947	Dry	27.09	17.65	6.11	0.00	6.04	8.53	0.00	0.85	22.62	52.27	68.00	31.07	240.23
1948	Below Normal	14.33	5.02	0.00	14.56	5.31	5.63	19.46	8.43	2.80	0.00	44.61	0.64	120.79
1949	Dry	4.20	1.42	0.00	0.00	4.94	48.94	4.65	0.00	17.12	44.49	60.23	43.85	229.84
1950	Below Normal	27.06	15.64	3.00	9.34	14.19	3.29	1.97	2.81	17.60	59.95	52.25	43.86	250.96
1951	Above Normal	37.88	12.24	21.51	14.88	31.19	10.45	30.23	6.64	0.00	46.04	60.97	59.58	331.61
1952	Wet	44.10	23.01	27.07	17.52	40.63	28.77	86.35	6.70	3.43	89.26	51.37	76.93	495.14
1953	Wet	59.36	2.75	30.67	50.33	22.46	25.50	27.28	4.04	3.15	35.78	54.21	81.72	397.25
1954	Above Normal	60.39	49.99	28.33	40.55	36.38	88.03	79.51	1.32	0.00	46.20	46.10	60.38	537.18
1955	Dry	43.94	20.82	14.55	43.19	4.28	0.00	0.00	9.37	19.83	61.35	60.53	44.38	322.24
1956	Wet	27.91	18.93	47.69	65.48	31.48	37.29	38.93	2.76	0.00	44.93	32.98	50.53	398.91
1957	Above Normal	63.29	5.25	4.40	7.17	29.34	46.39	0.00	14.66	3.02	47.06	45.83	61.42	327.83
1958	Wet	39.48	49.77	62.75	80.21	115.11	66.69	40.15	81.38	0.37	88.00	55.68	78.34	757.93
1959	Below Normal	60.45	2.50	4.82	77.93	23.68	21.66	34.99	0.00	37.66	60.69	80.39	74.85	479.62
1960	Dry	27.79	16.43	4.26	7.71	26.51	14.34	0.00	1.85	0.00	45.94	60.99	44.77	250.59
1961	Dry	28.15	18.65	13.91	5.42	22.62	14.24	0.00	0.00	0.00	45.78	60.92	59.84	269.53
1962	Below Normal	28.06	18.57	11.88	2.09	33.05	20.25	0.00	0.00	16.65	45.47	61.08	44.62	281.72
1963	Wet	10.95	5.06	6.37	3.74	22.86	4.75	34.75	6.47	1.31	47.44	46.01	87.77	277.48
1964	Dry	44.42	26.47	0.25	30.16	29.39	0.77	5.92	3.31	32.26	61.71	77.38	43.96	356.00
1965	Wet	26.99	15.54	28.06	31.49	7.54	0.00	12.04	0.00	0.00	44.55	44.48	44.02	254.71
1966	Below Normal	26.98	37.02	12.07	20.61	21.35	19.59	47.44	0.00	0.00	44.48	100.70	58.98	389.22
1967	Wet	42.42	24.66	22.99	45.92	33.20	43.04	22.80	13.05	0.08	57.22	51.65	81.43	438.46
1968	Below Normal	65.85	5.89	11.11	21.17	23.99	24.36	0.00	0.11	19.20	70.15	66.65	58.94	367.42
1969	Wet	27.07	17.13	16.42	39.19	39.54	17.88	12.36	31.47	1.21	49.11	48.09	52.77	352.24
1970	Wet	60.79	2.40	119.71	126.05	23.83	30.91	0.00	0.00	36.49	64.19	63.81	76.11	604.29
1971	Wet	37.40	30.31	22.77	33.90	14.43	16.19	19.73	7.47	6.53	5.52	47.37	74.31	315.93
1972	Below Normal	61.23	9.52	10.94	32.46	8.63	108.90	0.00	0.00	0.00	1.76	86.24	63.73	383.41
1973	Above Normal	31.69	17.15	7.14	34.55	45.75	40.22	13.57	4.72	0.00	48.42	86.75	61.65	391.61
1974	Wet	31.16	53.59	42.03	126.05	25.19	58.71	43.27	9.01	3.78	49.06	53.49	78.02	573.36
1975	Wet	62.00	2.87	9.36	4.36	25.20	56.93	18.54	6.80	3.90	76.28	52.00	78.87	397.11
1976	Critical	68.06	20.93	16.21	96.64	4.78	0.00	0.00	1.31	60.42	102.11	71.03	46.60	488.09
1977	Critical	14.94	14.94	23.53	7.51	7.99	0.00	0.00	0.14	8.46	49.67	138.83	3.03	269.04
1978	Above Normal	77.53	0.32	0.00	95.30	36.71	41.15	14.49	2.98	0.00	43.62	44.89	47.75	404.74
1979	Below Normal	28.05	3.78	3.08	4.22	10.37	11.72	0.00	8.00	18.81	46.74	54.19	44.81	233.77
1980	Above Normal	14.58	7.43	2.54	17.11	47.57	21.36	0.81	0.00	19.68	46.83	62.76	62.22	302.89
1981	Dry	27.12	17.38	9.67	24.90	18.26	19.61	0.00	1.56	21.50	64.79	93.87	45.71	344.37
1982	Wet	30.30	23.80	33.66	20.12	29.57	57.29	21.22	5.20	0.50	46.89	5.34	19.67	293.56
1983	Wet	76.57	26.06	23.05	47.22	67.54	121.72	46.09	103.69	104.96	107.14	79.71	89.51	893.26
1984	Wet	69.13	82.64	56.08	70.23	12.95	19.60	0.00	0.00	0.00	44.97	83.52	43.77	482.89
1985	Dry	42.49	21.07	7.53	37.79	3.61	0.00	0.00	5.71	52.31	100.55	100.84	43.98	415.88
1986	Wet	28.04	6.30	4.87	14.98	70.02	29.49	63.60	0.00	14.20	61.09	60.17	59.10	411.86
1987	Dry	27.00	16.86	4.17	5.29	11.22	14.74	0.00	1.22	32.27	100.72	100.75	64.51	378.75
1988	Critical	31.86	5.66	18.79	16.51	4.20	0.00	19.63	8.15	31.17	75.55	44.49	29.54	285.55
1989	Dry	14.23	12.82	0.78	53.69	0.06	39.29	0.00	0.00	14.58	56.02	37.18	29.65	258.30
1990	Critical	18.31	5.79	0.00	9.18	1.99	0.00	0.00	9.81	9.75	37.60	44.42	28.78	165.63
1991	Critical	13.20	5.80	0.00	0.00	0.00	8.50	0.00	0.33	5.43	44.33	44.58	6.11	128.28
1992	Critical	5.34	2.32	0.00	0.00	34.17	27.69	0.00	1.13	8.64	45.27	100.61	39.71	264.88
1993	Above Normal	8.44	49.20	8.01	23.59	31.00	27.67	6.54	8.74	13.05	2.59	48.73	29.77	257.33
1994	Critical	16.58	2.88	9.08	6.00	9.30	0.00	0.00	15.84	40.88	69.85	77.48	28.81	276.70
1995	Wet	12.81	4.42	0.77	116.98	25.76	70.70	14.50	10.36	5.91	29.10	57.85	83.73	432.89
1996	Wet	61.37	3.39	55.83	43.56	34.71	64.93	9.96	2.50	0.00	45.91	44.61	44.97	411.74
1997	Wet	27.53	19.48	49.20	49.36	13.08	0.72	30.30	0.00	29.29	60.01	75.72	43.80	398.49
1998	Wet	34.73	26.21	7.31	43.99	113.86	46.57	54.31	25.38	105.89	110.94	67.39	80.64	717.22
1999	Wet	61.10	45.32	41.03	22.57	22.82	63.84	17.23	4.19	0.16	47.49	46.14	55.74	427.63
2000	Above Normal	57.50	19.87	8.73	69.75	65.60	33.06	83.38	9.43	6.10	45.40	53.06	87.75	539.63
2001	Dry	27.03	15.55	2.92	9.58	26.84	29.07	0.94	14.10	41.67	100.97	101.34	44.56	414.57
2002	Dry	66.95	23.02	30.88	33.10	14.75	5.13	0.00	0.00	16.36	44.72	60.14	43.83	338.88
2003	Above Normal	27.02	15.81	39.98	34.07	9.50	9.59	18.65	17.99	0.00	57.70	83.51	81.49	395.31
	Average	34.73	16.42	17.72	31.38	25.15	24.76	15.89	9.18	15.77	53.77	59.52	50.79	355.07
	Wet	40.14	22.39	36.50	47.09	39.14	40.86	29.13	17.68	13.26	55.81	52.41	65.76	460.16
	Above Normal	47.21	21.41	12.50	34.14	37.18	33.58	25.83	7.30	5.00	42.22	58.12	61.99	386.47
	Below Normal	28.62	9.89	8.94	18.61	15.80	17.26	11.33	3.49	13.55	43.10	56.97	41.31	268.87
	Dry	30.47	14.82	8.42	21.63	16.16	15.37	2.82	5.85	26.60	65.03	67.05	42.04	316.25
	Critical	24.04	8.51	6.45	24.11	7.18	3.91	2.15	4.30	18.32	56.45	68.03	31.34	254.79

Difference in Energy generated (GWh) at Spring Creek: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1925	Dry	0.00	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.49	0.06	0.13
1932	Dry	0.04	0.00	0.00	(1.24)	0.00	0.00	0.00	0.00	2.04	(0.14)	(2.09)	0.25	(0.09)
1933	Critical	(0.12)	0.06	0.00	0.00	0.00	0.00	(1.11)	0.00	0.00	0.00	0.00	0.00	(0.10)
1934	Critical	0.00	0.77	0.09	(0.18)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06
1935	Below Normal	4.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(46.06)	9.42	16.64	0.00	0.00	6.44	(1.13)
1940	Above Normal	7.37	0.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	30.15	3.17
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	8.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.73
1943	Wet	0.00	0.00	0.00	(0.59)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1944	Dry	0.00	0.00	0.00	0.00	0.00	(1.47)	0.00	0.00	(0.04)	0.00	0.00	0.00	(0.13)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70	0.06
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.56	(0.14)	0.00	0.00	0.00	0.00	0.00	0.03
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.00	0.07	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.03)	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.22	0.00	0.03
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1964	Dry	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.01	0.06	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.76	0.00	0.00	0.00	0.00	(0.74)	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74	(0.24)	0.00	0.00	0.04
1977	Critical	0.00	0.01	(0.05)	(0.05)	(0.36)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1978	Above Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1979	Below Normal	0.00	0.00	2.93	3.00	2.71	(3.02)	0.00	4.69	0.00	0.00	0.00	0.00	0.86
1980	Above Normal	(12.18)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.02)
1981	Dry	0.00	7.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.88)	2.23	0.00	0.64
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	(0.18)	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.02	0.09
1988	Critical	2.25	0.00	0.00	0.00	0.00	(0.36)	(0.26)	0.00	(0.66)	0.00	0.00	0.00	0.08
1989	Dry	0.00	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.53	0.04
1993	Above Normal	0.00	7.89	0.00	0.00	0.00	(3.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.41
1994	Critical	(0.84)	0.00	0.00	0.00	0.00	0.00	0.00	(0.88)	(1.53)	0.00	0.00	0.00	(0.27)
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(4.53)	0.00	0.00	(0.38)
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	(0.51)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.01
2002	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.00	(0.01)
	Average	0.02	0.20	0.14	0.05	0.03	(0.10)	(0.58)	0.16	0.21	(0.08)	0.03	0.48	0.05
	Wet	0.03	(0.02)	0.34	(0.02)	0.00	(0.02)	(0.00)	0.00	0.00	(0.17)	0.01	(0.01)	0.01
	Above Normal	(0.38)	0.71	0.00	0.00	0.00	(0.21)	(0.01)	0.00	0.00	(0.01)	0.00	2.51	0.22
	Below Normal	0.30	0.00	0.21	0.21	0.19	(0.22)	0.01	0.34	0.00	(0.00)	0.02	0.00	0.09
	Dry	0.00	0.41	(0.01)	0.09	0.00	(0.08)	(2.56)	0.53	1.04	(0.11)	0.02	0.47	(0.02)
	Critical	0.11	0.07	0.00	(0.03)	(0.03)	(0.03)	(0.11)	(0.07)	(0.12)	(0.02)	0.12	0.05	(0.01)

Percent Difference in Energy generated (GWh) at Spring Creek: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%
1932	Dry	0%	0%	0%	-4%	0%	0%	0%	0%	6%	0%	-5%	8%
1933	Critical	-1%	1%	0%	0%	0%	0%	-20%	0%	0%	0%	0%	0%
1934	Critical	0%	33%	6%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	34%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-86%	42%	34%	0%	0%	9%
1940	Above Normal	24%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	69%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	6%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	2%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	-1%	-4%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	>1,000%	246%	35%	-20%	0%	142%	0%	0%	0%	0%
1980	Above Normal	-46%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	73%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	-1%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1988	Critical	8%	0%	0%	0%	0%	-100%	-1%	0%	-2%	0%	0%	0%
1989	Dry	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1993	Above Normal	0%	19%	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%
1994	Critical	-5%	0%	0%	0%	0%	0%	0%	-5%	-4%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-13%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	2%	0%	3%	0%	-2%	-1%	2%	0%	0%	0%	1%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
	Above Normal	-2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	6%
	Below Normal	2%	0%	0%	18%	3%	-1%	0%	10%	0%	0%	0%	0%
	Dry	0%	4%	0%	0%	0%	0%	-5%	2%	2%	0%	0%	1%
	Critical	0%	3%	1%	0%	0%	-8%	-2%	0%	0%	0%	0%	0%

Energy generated (GWh) at Syst. Tot.: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	486.17	275.40	176.46	160.00	221.16	259.78	354.06	632.65	673.32	672.86	607.80	535.18	5,054.84
1923	Below Normal	296.42	303.44	243.92	237.98	204.40	217.12	268.47	609.14	576.46	685.49	553.85	328.35	4,525.04
1924	Critical	291.00	218.27	176.38	229.08	135.53	193.59	323.42	332.62	367.82	443.82	385.86	227.31	3,324.70
1925	Dry	131.34	103.51	107.64	246.95	185.51	164.68	297.99	489.89	541.60	673.98	505.75	275.90	3,724.74
1926	Dry	247.97	177.94	156.45	144.82	135.28	193.84	257.84	398.54	514.68	607.12	439.32	290.17	3,563.97
1927	Wet	202.65	141.71	179.81	221.25	683.63	247.10	551.10	619.89	607.82	694.53	536.48	683.20	5,369.17
1928	Above Normal	317.98	249.85	184.81	198.46	151.75	532.47	322.22	485.80	570.74	685.42	556.95	487.75	4,744.20
1929	Critical	280.91	224.11	152.37	330.36	123.31	155.56	287.89	364.56	435.45	589.27	487.97	242.44	3,674.20
1930	Dry	198.69	146.04	131.68	126.59	120.64	169.48	245.13	351.56	486.43	513.70	445.29	228.99	3,164.22
1931	Critical	197.11	141.33	135.43	130.68	115.91	142.30	349.17	309.97	325.79	453.54	403.51	185.60	2,890.34
1932	Dry	148.06	112.88	89.42	142.46	117.61	143.23	231.66	304.46	379.03	462.00	357.45	210.82	2,699.08
1933	Critical	189.31	149.00	122.98	116.25	100.28	135.55	222.97	281.75	347.18	437.54	365.72	193.07	2,661.60
1934	Critical	218.76	101.56	92.65	98.77	93.88	123.99	269.90	314.54	351.49	420.06	469.59	325.06	2,880.25
1935	Below Normal	114.06	87.71	88.62	91.50	92.96	122.15	229.36	331.40	435.09	551.52	360.28	224.38	2,729.03
1936	Below Normal	189.40	148.37	137.27	198.37	255.69	237.30	298.72	421.70	458.73	600.36	446.31	285.20	3,677.42
1937	Below Normal	241.05	172.73	138.16	131.44	127.95	180.82	242.98	380.96	417.48	627.03	440.53	287.22	3,388.35
1938	Wet	197.16	193.44	665.09	209.58	651.22	788.83	595.96	650.67	675.40	583.59	632.68	646.81	6,490.43
1939	Dry	387.07	291.39	186.44	157.03	157.10	139.78	526.65	487.07	601.74	756.88	605.80	351.41	4,648.36
1940	Above Normal	272.73	255.62	138.66	166.00	693.77	769.31	357.51	497.40	591.28	773.68	571.08	409.93	5,496.97
1941	Wet	286.27	244.98	232.49	705.37	684.39	648.39	642.23	831.52	612.08	778.13	701.50	742.91	7,110.26
1942	Wet	410.90	358.76	646.90	752.73	730.26	254.40	375.93	688.24	589.40	694.33	638.77	732.46	6,873.08
1943	Wet	406.12	411.42	267.06	545.45	431.87	711.83	377.93	538.55	557.60	775.29	540.75	660.39	6,224.26
1944	Dry	342.13	342.89	182.68	177.79	144.86	226.89	334.36	349.46	493.58	709.85	530.17	279.48	4,114.14
1945	Below Normal	210.58	163.79	155.63	155.98	254.83	236.92	325.47	483.53	555.56	693.44	536.02	342.07	4,113.82
1946	Below Normal	283.91	208.24	726.37	336.25	190.03	262.07	414.67	557.56	590.38	707.01	574.67	336.82	5,187.98
1947	Dry	315.28	213.04	162.91	165.58	136.70	200.52	311.15	483.52	484.47	638.38	533.80	299.60	3,944.95
1948	Below Normal	187.18	150.78	151.95	139.28	154.38	163.64	248.14	530.81	484.97	545.05	527.72	288.73	3,572.63
1949	Dry	260.04	192.47	176.99	161.77	159.73	322.03	331.13	465.07	562.74	660.24	560.06	350.23	4,202.50
1950	Below Normal	296.40	221.09	183.02	175.30	235.78	222.67	299.19	450.32	491.36	619.73	471.90	315.62	3,982.38
1951	Above Normal	327.96	394.77	575.48	366.04	605.38	269.07	485.19	508.84	574.51	768.97	570.26	454.06	5,900.53
1952	Wet	315.35	296.84	384.31	406.57	670.70	538.36	995.03	682.64	581.99	859.87	720.63	657.32	7,109.61
1953	Wet	442.95	312.33	256.55	827.00	222.65	276.19	386.67	561.39	586.22	660.83	578.47	717.94	5,829.19
1954	Above Normal	366.23	462.77	227.64	422.51	611.61	598.72	723.19	499.55	500.10	747.85	523.07	498.76	6,182.00
1955	Dry	332.97	248.93	200.68	252.51	163.30	166.53	282.89	380.18	488.35	651.89	517.77	278.52	3,964.52
1956	Wet	266.97	192.05	703.29	757.52	653.84	297.33	395.48	731.58	627.13	622.18	532.27	618.14	6,397.78
1957	Above Normal	416.93	393.26	189.92	182.51	185.13	471.64	332.42	559.12	536.29	749.61	525.51	450.38	4,992.72
1958	Wet	299.40	386.71	463.05	591.05	856.58	890.66	586.79	755.60	629.78	803.53	707.12	665.23	7,635.50
1959	Below Normal	441.78	357.04	197.47	374.26	450.17	182.56	470.25	498.62	649.63	746.25	590.88	315.47	5,274.38
1960	Dry	297.63	219.06	181.32	154.43	147.86	209.93	339.15	366.08	546.15	643.23	496.90	329.07	3,930.81
1961	Dry	270.10	202.90	203.38	148.72	314.43	234.12	306.31	435.87	500.98	677.72	529.30	357.47	4,181.30
1962	Below Normal	288.62	225.86	163.64	142.68	435.56	172.20	341.53	467.51	531.65	683.86	540.19	308.45	4,301.75
1963	Wet	321.03	249.97	341.26	230.19	379.81	250.17	794.04	524.74	493.26	732.00	506.45	704.15	5,527.07
1964	Dry	274.54	266.87	172.39	238.83	193.67	180.67	422.31	434.86	493.83	651.46	528.82	284.04	4,142.29
1965	Wet	225.44	181.92	671.90	732.29	226.24	243.83	398.47	543.61	573.88	699.23	477.36	586.45	5,560.62
1966	Below Normal	333.38	315.66	186.51	193.07	178.53	390.09	485.19	504.41	582.13	725.02	629.51	367.32	4,890.82
1967	Wet	352.42	196.43	363.73	487.90	369.88	706.64	447.72	824.32	601.42	710.27	672.50	683.94	6,417.17
1968	Below Normal	412.51	281.71	195.64	220.19	584.76	212.57	363.12	480.09	553.35	752.63	482.11	343.73	4,882.41
1969	Wet	257.66	187.06	169.36	713.23	664.09	308.80	570.23	793.66	720.36	704.99	665.35	622.60	6,377.39
1970	Wet	351.94	286.87	793.60	1,076.98	544.29	291.96	399.12	524.57	625.50	787.70	535.39	627.52	6,845.44
1971	Wet	322.19	224.61	256.25	542.28	205.58	666.81	373.06	578.97	555.98	565.97	518.81	638.02	5,448.53
1972	Below Normal	411.46	336.83	192.83	245.09	176.78	718.38	386.06	474.98	560.09	628.44	561.89	339.52	5,032.35
1973	Above Normal	270.14	185.92	273.14	615.67	647.48	328.22	317.97	535.96	582.28	747.93	580.56	443.39	5,528.66
1974	Wet	228.04	774.51	801.12	956.88	246.31	872.05	461.46	556.58	599.99	591.14	675.45	651.92	7,415.45
1975	Wet	418.76	392.86	167.15	152.41	188.72	793.23	307.74	648.19	624.02	693.67	586.33	667.44	5,640.52
1976	Critical	447.15	402.24	195.63	367.53	193.91	190.73	280.56	413.12	566.63	691.24	400.45	239.54	4,388.73
1977	Critical	267.63	204.78	228.48	167.65	220.60	181.65	349.84	243.28	410.13	461.16	471.48	117.27	3,323.95
1978	Above Normal	296.02	85.10	92.89	151.76	327.52	561.00	341.75	563.08	593.49	676.75	526.95	359.13	4,575.44
1979	Below Normal	323.19	225.43	175.69	178.29	166.74	188.13	253.93	456.29	592.53	637.30	448.84	292.06	3,938.42
1980	Above Normal	262.81	201.22	173.07	682.23	679.14	277.26	311.45	512.57	617.70	636.99	592.26	419.02	5,365.72
1981	Dry	278.77	319.69	188.93	188.00	144.88	143.84	246.71	467.11	622.57	703.56	558.80	275.66	4,138.52
1982	Wet	233.80	322.73	710.60	351.96	770.17	692.99	825.32	527.82	583.35	687.96	527.55	499.13	6,733.38
1983	Wet	530.42	450.30	671.41	871.98	859.86	1,059.50	631.77	830.36	1,036.19	1,045.68	862.91	741.75	9,592.13
1984	Wet	489.42	756.05	945.17	520.10	291.57	470.80	350.33	553.35	582.95	765.55	556.93	611.31	6,893.53
1985	Dry	280.84	226.96	233.56	262.59	140.70	157.73	356.09	537.79	651.61	736.82	629.47	300.50	4,514.66
1986	Wet	264.34	197.30	155.84	183.71	646.82	859.44	419.78	503.77	604.51	717.86	539.64	439.09	5,532.10
1987	Dry	244.89	291.34	182.93	158.88	142.46	139.85	363.22	488.45	619.04	735.23	541.84	330.28	4,238.41
1988	Critical	271.89	151.47	133.33	156.27	199.22	171.44	287.52	347.85	509.95	602.21	446.79	229.58	3,507.52
1989	Dry	207.82	116.06	123.10	221.85	111.92	276.33	263.54	522.95	519.25	630.60	408.09	201.86	3,603.37
1990	Critical	163.62	145.67	144.40	138.56	123.30	157.61	309.68	288.83	380.99	540.70	435.08	219.36	3,047.80
1991	Critical	182.86	140.11	126.73	122.52	112.41	117.91	169.54	283.97	334.17	472.93	370.55	154.17	2,587.87
1992	Critical	162.71	157.58	107.15	107.38	108.78	115.65	166.74	416.42	448.50	481.25	539.32	205.43	3,016.91
1993	Above Normal	167.91	191.92	98.79	108.71	191.35	245.38	290.94	507.44	524.10	563.95	475.56	454.96	3,821.01
1994	Critical	264.00	280.89	203.47	146.82	130.14	156.50	325.07	353.40	548.91	633.68	495.70	203.39	3,741.97
1995	Wet	198.22	140.34	123.37	561.78	299.75	755.92	429.67	719.38	607.13	630.93	680.40	615.06	5,761.95
1996	Wet	463.34	313.14	276.24	320.21	771.65	607.54	371.05	714.02	536.62	668.30	509.39	583.51	6,135.01
1997	Wet	361.16	367.77	894.08	1,005.33	391.43	252.99	484.19	577.45	593.05	754.68	518.32	562.15	6,762.60
1998	Wet	339.20	298.81	135.99	406.61	732.33	791.01	398.07	821.62	1,067.32	969.70	808.52	710.88	7,480.06
1999	Wet	475.14	476.28	493.63	424.20	748.53	620.62	325.88	649.08	596.03	705.53	519.43	616.53	6,650.88
2000	Above Normal	415.46	448.31	197.93	302.34	763.05	412.48	469.51	528.68	553.05	782.93	534.20	546.99	5,954.93
2001	Dry	305.29	347.56	191.74	155.98	127.76	140.82	287.87	526.82	652.88	742.28	569.60	285.20	4,333.80
2002	Dry	400.02	175.09	165.89	365.26	186.26	194.27	353.60	509.90	575.44	634.17	501.83	312.11	4,373.84
2003	Above Normal	311.87	224.10	349.78	522.28	198.76	173.18	408.85	727.72	517.78	805.74	555.98	539.81	5,335.85
	Average	298.33	258.95	271.24	327.25	331.64	348.17	382.16	513.51	555.42	668.00	537.39	420.04	4,912.10
	Wet	333.09	321.35	452.66	559.79	535.47	572.98	495.96	651.98	633.42	727.06	605.75	641.76	6,531.27
	Above Normal	326.02	280.69	223.21	323.21	439.68	408.21	392.92	546.57	569.55	717.72	551.68	466.61	5,246.07
	Below Normal	287.85	228.48	209.77	201.41	250.61	250.47	330.51	474.81	534.24	657.37	511.76	312.50	4,249.77
	Dry	273.53	221.92	168.79	192.78	157.26	189.14	319.87	444.42	540.80	657.17	514.45	291.18	3,971.30
	Critical	244.75	193.08	151.58	175.99	138.11	153.54	278.53	329.19	418.92	518.95	439.34	211.85	3,253.82

Energy generated (GWh) at Syst. Tot.: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	486.17	275.42	176.46	160.00	221.16	259.78	354.20	632.33	675.68	672.07	604.32	535.18	5,052.77
1923	Below Normal	296.42	303.57	243.90	237.97	204.58	217.11	267.93	608.45	576.04	684.98	553.38	328.60	4,522.93
1924	Critical	290.79	218.29	176.40	228.87	135.55	193.62	323.47	332.87	368.09	443.99	385.86	227.57	3,325.37
1925	Dry	131.48	103.48	107.61	247.60	185.50	164.67	297.96	489.97	541.59	674.01	505.87	275.94	3,725.68
1926	Dry	248.01	177.98	156.42	144.80	135.21	193.82	257.80	398.50	514.45	607.03	439.10	290.01	3,563.13
1927	Wet	202.69	141.69	179.78	221.24	683.61	247.10	551.02	619.76	607.44	694.58	536.53	683.23	5,368.67
1928	Above Normal	318.02	249.87	184.80	198.45	151.75	532.22	322.16	485.75	570.48	685.28	556.96	487.76	4,743.50
1929	Critical	280.95	224.08	152.34	330.35	123.30	155.55	287.92	364.58	435.46	589.29	487.97	242.47	3,674.26
1930	Dry	198.71	146.09	131.44	126.57	120.63	169.49	245.15	351.58	486.41	513.61	445.57	229.01	3,164.26
1931	Critical	197.13	141.39	135.42	130.67	115.90	142.27	349.16	310.17	325.84	453.60	406.47	183.22	2,891.24
1932	Dry	150.80	112.84	89.41	140.00	117.57	144.90	231.59	304.45	378.57	461.17	358.24	211.00	2,700.54
1933	Critical	189.43	149.13	122.88	116.14	100.19	133.84	222.62	281.99	347.20	437.46	365.37	192.94	2,659.19
1934	Critical	218.29	101.01	93.90	98.57	93.78	124.24	270.09	315.03	352.61	421.88	466.33	324.99	2,880.72
1935	Below Normal	117.85	87.71	88.62	91.50	92.96	122.15	229.22	331.09	434.48	550.75	358.78	224.51	2,729.62
1936	Below Normal	189.52	148.48	137.25	198.35	255.67	237.28	298.59	421.64	458.34	600.32	445.92	285.30	3,676.66
1937	Below Normal	241.11	172.83	138.12	131.40	127.93	180.79	242.95	382.98	429.23	625.16	438.00	287.27	3,397.77
1938	Wet	197.12	191.33	665.09	209.58	651.22	788.83	597.94	667.95	673.63	579.43	623.75	646.85	6,492.72
1939	Dry	386.73	290.23	188.84	156.99	156.95	139.73	421.12	503.99	623.80	755.20	599.36	360.47	4,583.41
1940	Above Normal	287.66	257.49	138.10	166.56	694.13	769.33	358.14	499.09	592.95	774.81	571.95	473.36	5,583.57
1941	Wet	286.87	251.51	248.01	705.71	684.32	629.29	641.90	845.22	609.84	786.68	696.14	742.91	7,128.40
1942	Wet	412.81	366.11	656.93	752.73	730.26	254.40	375.59	687.83	589.11	693.98	638.50	732.50	6,890.75
1943	Wet	406.15	410.71	267.16	544.69	431.87	711.83	377.54	537.46	551.83	767.34	540.13	663.99	6,210.70
1944	Dry	338.80	344.45	183.27	177.54	144.96	224.03	334.69	349.83	494.43	709.66	530.73	280.22	4,112.61
1945	Below Normal	210.72	163.86	155.71	156.05	254.81	236.95	324.97	482.67	554.00	692.38	535.51	342.13	4,109.76
1946	Below Normal	283.28	210.81	726.37	336.26	190.05	262.08	414.59	557.37	591.30	704.67	573.44	340.52	5,190.74
1947	Dry	316.46	213.07	162.78	165.49	135.87	197.77	311.46	483.99	484.97	638.80	535.64	300.48	3,946.78
1948	Below Normal	187.11	150.76	151.93	139.26	154.39	163.64	248.17	530.85	484.26	544.93	527.77	288.81	3,571.88
1949	Dry	260.03	192.53	176.99	161.77	159.74	321.98	331.09	465.04	562.69	660.18	559.95	350.80	4,202.79
1950	Below Normal	296.44	221.09	183.02	175.22	235.77	222.66	299.21	450.37	491.35	619.76	471.93	315.64	3,982.46
1951	Above Normal	327.91	394.25	575.49	366.04	605.45	270.23	484.86	508.73	574.08	768.42	570.30	454.12	5,899.88
1952	Wet	315.39	296.90	384.45	406.57	670.70	538.76	1,006.10	680.55	584.67	859.01	722.69	656.99	7,122.78
1953	Wet	442.86	360.66	213.89	820.77	222.65	276.18	387.52	566.46	588.05	661.44	577.85	717.93	5,836.26
1954	Above Normal	364.71	460.83	227.72	425.96	612.14	598.72	723.72	500.90	500.99	749.25	523.25	498.83	6,187.02
1955	Dry	333.63	249.63	200.64	255.81	164.10	166.51	282.83	380.12	488.38	651.67	516.86	278.42	3,968.60
1956	Wet	268.64	192.10	703.21	756.32	653.84	297.33	395.47	731.41	627.09	622.03	533.72	618.10	6,399.26
1957	Above Normal	416.94	393.30	189.95	182.51	185.09	471.52	332.33	558.87	535.82	749.61	525.52	450.39	4,991.85
1958	Wet	299.37	386.72	463.05	591.05	856.58	890.66	600.74	767.60	633.98	809.81	701.14	665.78	7,666.48
1959	Below Normal	442.70	394.13	196.46	339.86	444.96	182.56	471.05	499.37	650.44	746.58	591.45	315.51	5,275.07
1960	Dry	298.16	218.51	181.23	154.39	147.83	209.89	339.02	365.94	545.97	643.07	496.85	332.02	3,932.88
1961	Dry	269.77	202.82	200.67	148.70	314.40	234.11	306.29	435.81	500.91	677.74	528.79	357.39	4,177.40
1962	Below Normal	288.98	226.13	163.41	142.85	435.04	172.20	341.48	467.39	531.23	683.92	540.20	308.46	4,301.29
1963	Wet	320.88	249.97	341.26	230.19	379.81	250.17	793.58	524.35	493.10	731.77	506.30	704.20	5,525.58
1964	Dry	274.56	266.66	172.39	238.73	193.68	180.67	422.39	434.97	493.99	651.57	529.06	284.08	4,142.75
1965	Wet	225.45	181.92	671.79	732.27	226.24	243.83	397.64	541.04	571.03	696.75	474.68	586.37	5,549.01
1966	Below Normal	333.42	313.81	186.60	193.15	178.60	393.57	485.63	504.34	581.81	725.19	629.60	367.23	4,892.95
1967	Wet	352.38	196.36	363.38	487.90	369.88	706.64	457.83	823.36	600.71	718.28	669.13	689.82	6,435.67
1968	Below Normal	412.49	327.14	195.05	219.09	530.36	212.58	363.29	480.13	553.08	752.69	482.19	343.76	4,871.85
1969	Wet	257.68	187.06	169.36	713.22	665.36	308.80	570.23	793.66	720.04	704.38	664.61	621.31	6,375.71
1970	Wet	353.93	284.59	793.47	1,076.98	544.29	291.95	399.02	524.26	624.65	787.51	535.36	630.40	6,846.41
1971	Wet	323.63	223.76	254.55	542.28	205.57	664.56	372.95	578.93	555.65	565.73	518.84	638.06	5,444.51
1972	Below Normal	411.48	337.08	192.83	245.09	176.78	718.40	386.09	475.04	560.15	628.47	561.91	339.57	5,032.89
1973	Above Normal	270.15	185.82	273.14	615.67	647.48	328.22	317.88	535.81	586.48	747.09	583.54	452.68	5,543.96
1974	Wet	228.16	772.81	801.12	956.88	246.31	872.05	460.38	554.84	599.73	588.98	673.01	651.93	7,406.20
1975	Wet	418.75	390.03	167.21	152.47	189.16	793.33	307.84	648.39	624.33	693.98	586.42	667.44	5,639.35
1976	Critical	447.15	402.98	195.65	367.52	193.90	190.72	280.51	413.05	568.03	690.14	400.70	239.49	4,389.84
1977	Critical	268.05	204.81	228.35	167.57	219.80	181.64	349.80	243.44	410.21	461.11	470.51	117.21	3,322.50
1978	Above Normal	296.49	85.17	92.88	151.75	327.40	561.03	343.55	563.78	603.78	687.16	516.43	360.23	4,589.65
1979	Below Normal	324.39	294.92	182.24	182.28	160.96	181.59	249.74	456.28	581.49	619.41	441.21	291.13	3,965.64
1980	Above Normal	228.27	167.69	171.53	682.23	679.15	277.27	311.78	517.23	626.03	644.47	590.83	440.34	5,336.82
1981	Dry	279.71	329.64	188.54	187.66	144.63	143.64	248.36	472.82	624.80	700.51	560.11	277.93	4,158.35
1982	Wet	233.38	307.49	710.58	351.96	765.63	692.99	825.32	532.90	598.85	684.58	524.43	498.60	6,726.71
1983	Wet	530.42	450.30	671.41	871.98	859.86	1,059.50	631.77	830.36	1,036.19	1,045.68	862.91	741.75	9,592.13
1984	Wet	489.42	756.05	945.17	520.10	291.57	470.80	350.28	553.24	582.51	765.54	556.96	611.33	6,892.97
1985	Dry	280.86	226.80	233.56	262.59	140.70	157.73	356.06	537.75	651.41	736.83	629.48	300.52	4,514.29
1986	Wet	264.36	197.35	155.84	183.70	646.81	859.44	419.73	503.69	609.90	716.85	538.94	438.08	5,534.69
1987	Dry	244.83	292.81	182.86	158.82	142.41	139.81	362.82	487.69	617.65	734.87	543.57	332.07	4,240.21
1988	Critical	275.93	151.34	133.24	156.17	198.79	170.62	286.93	347.74	508.46	601.78	446.38	229.40	3,506.78
1989	Dry	207.68	115.86	122.88	223.52	111.83	276.28	263.38	522.42	518.72	630.03	407.66	201.74	3,602.00
1990	Critical	163.53	145.64	144.31	138.48	123.23	157.53	309.52	294.02	380.63	540.44	418.42	238.23	3,053.98
1991	Critical	184.58	139.47	126.82	122.53	112.37	117.90	169.40	283.75	333.41	472.26	370.26	153.80	2,586.55
1992	Critical	162.35	157.22	106.82	107.05	108.59	115.49	166.35	415.53	453.00	470.89	537.08	205.71	3,006.08
1993	Above Normal	167.15	207.48	98.70	108.65	191.29	239.68	290.53	503.47	523.56	563.23	475.08	454.72	3,823.54
1994	Critical	262.26	280.14	204.38	146.78	130.11	156.48	325.11	351.51	545.81	633.67	495.04	203.37	3,734.66
1995	Wet	198.40	140.31	123.23	559.36	299.74	755.90	430.57	726.07	612.26	612.14	677.13	615.06	5,750.17
1996	Wet	461.03	372.91	270.68	316.29	769.16	607.54	369.21	711.38	533.46	665.87	508.58	583.54	6,169.65
1997	Wet	356.39	368.04	894.35	1,005.33	391.43	252.99	484.19	577.39	593.11	754.17	517.66	562.31	6,757.36
1998	Wet	339.63	297.49	136.02	407.08	732.33	791.40	399.20	821.22	1,065.48	967.40	806.71	710.88	7,474.84
1999	Wet	475.14	476.28	493.63	424.20	748.53	620.62	325.91	649.13	595.85	705.75	519.57	616.44	6,651.05
2000	Above Normal	415.84	448.56	198.09	302.25	763.01	412.48	469.35	528.36	552.37	782.09	534.11	547.01	5,953.52
2001	Dry	305.18	347.63	192.42	155.97	127.75	140.81	287.89	526.97	652.72	742.18	569.57	285.23	4,334.32
2002	Dry	399.95	175.08	165.89	365.17	186.26	194.27	353.61	509.88	575.43	634.16	501.85	313.58	4,375.13
2003	Above Normal	312.02	224.07	348.16	522.01	198.76	173.18	408.79	727.62	517.61	805.64	555.99	539.73	5,333.58
	Average	298.22	261.88	270.97	326.76	330.76	347.73	381.27	514.44	556.16	667.40	536.34	421.80	4,913.73
	Wet	333.11	325.02	451.72	559.26	535.26	572.19	497.29	653.79	633.94	726.14	604.30	642.15	6,534.16
	Above Normal	324.28	279.16	222.92	323.51	439.73	407.81	393.11	546.83	571.65	719.09	550.69	474.53	5,253.31
	Below Normal	288.28	239.45	210.11	199.17	245.92	250.25	330.21	474.86	534.09	655.66	510.81	312.75	4,251.54
	Dry	273.63	222.56	168.77	192.90	157.22	188.90	314.08	445.65	542.05	656.79	514.35	292.27	3,969.17
	Critical	245.04	192.96	151.71	175.89	137.96	153.33	278.41	329.47	419.06	518.04	437.53	213.20	3,252.60

Difference in Energy generated (GWh) at Syst. Tot.: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.14	(0.32)	2.36	(0.79)	(3.48)	0.00	(0.17)
1923	Below Normal	0.00	0.13	(0.02)	(0.01)	0.18	(0.01)	(0.54)	(0.69)	(0.42)	(0.51)	(0.47)	0.25	(0.18)
1924	Critical	(0.21)	0.02	0.02	(0.21)	0.02	0.03	0.05	0.25	0.27	0.17	0.00	0.26	0.06
1925	Dry	0.14	(0.03)	(0.03)	0.65	(0.01)	(0.01)	(0.03)	0.08	(0.01)	0.03	0.12	0.04	0.08
1926	Dry	0.04	0.04	(0.03)	(0.02)	(0.07)	(0.02)	(0.04)	(0.04)	(0.23)	(0.09)	(0.22)	(0.16)	(0.07)
1927	Wet	0.04	(0.02)	(0.03)	(0.01)	(0.02)	0.00	(0.08)	(0.13)	(0.38)	0.05	0.05	0.03	(0.04)
1928	Above Normal	0.04	0.02	(0.01)	(0.01)	0.00	(0.25)	(0.06)	(0.05)	(0.26)	(0.14)	0.01	0.01	(0.06)
1929	Critical	0.04	(0.03)	(0.03)	(0.01)	(0.01)	(0.01)	0.03	0.02	0.01	0.02	0.00	0.03	0.00
1930	Dry	0.02	0.05	(0.24)	(0.02)	(0.01)	0.01	0.02	0.02	(0.02)	(0.09)	0.28	0.02	0.00
1931	Critical	0.02	0.06	(0.01)	(0.01)	(0.01)	(0.03)	(0.01)	0.20	0.05	0.06	2.96	(2.38)	0.07
1932	Dry	2.74	(0.04)	(0.01)	(2.46)	(0.04)	1.67	(0.07)	(0.01)	(0.46)	(0.83)	0.79	0.18	0.12
1933	Critical	0.12	0.13	(0.10)	(0.11)	(0.09)	(1.71)	(0.35)	0.24	0.02	(0.08)	(0.35)	(0.13)	(0.20)
1934	Critical	(0.47)	(0.55)	1.25	(0.20)	(0.10)	0.25	0.19	0.49	1.12	1.82	(3.26)	(0.07)	0.04
1935	Below Normal	3.79	0.00	0.00	0.00	0.00	0.00	(0.14)	(0.31)	(0.61)	(0.77)	(1.50)	0.13	0.05
1936	Below Normal	0.12	0.11	(0.02)	(0.02)	(0.02)	(0.02)	(0.13)	(0.06)	(0.39)	(0.04)	(0.39)	0.10	(0.06)
1937	Below Normal	0.06	0.10	(0.04)	(0.04)	(0.02)	(0.03)	(0.03)	2.02	11.75	(1.87)	(2.53)	0.05	0.79
1938	Wet	(0.04)	(2.11)	0.00	0.00	0.00	0.00	1.98	17.28	(1.77)	(4.16)	(8.93)	0.04	0.19
1939	Dry	(0.34)	(1.16)	2.40	(0.04)	(0.15)	(0.05)	(105.53)	16.92	22.06	(1.68)	(6.44)	9.06	(5.41)
1940	Above Normal	14.93	1.87	(0.56)	0.56	0.36	0.02	0.63	1.69	1.67	1.13	0.87	63.43	7.22
1941	Wet	0.60	6.53	15.52	0.34	(0.07)	(19.10)	(0.33)	13.70	(2.24)	8.55	(5.36)	0.00	1.51
1942	Wet	1.91	7.35	10.03	0.00	0.00	0.00	(0.34)	(0.41)	(0.29)	(0.35)	(0.27)	0.04	1.47
1943	Wet	0.03	(0.71)	0.10	(0.76)	0.00	0.00	(0.39)	(1.09)	(5.77)	(7.95)	(0.62)	3.60	(1.13)
1944	Dry	(3.33)	1.56	0.59	(0.25)	0.10	(2.86)	0.33	0.37	0.85	(0.19)	0.56	0.74	(0.13)
1945	Below Normal	0.14	0.07	0.08	0.07	(0.02)	0.03	(0.50)	(0.86)	(1.56)	(1.06)	(0.51)	0.06	(0.34)
1946	Below Normal	(0.63)	2.57	0.00	0.01	0.02	0.01	(0.08)	(0.19)	0.92	(2.34)	(1.23)	3.70	0.23
1947	Dry	1.18	0.03	(0.13)	(0.09)	(0.83)	(2.75)	0.31	0.47	0.50	0.42	1.84	0.88	0.15
1948	Below Normal	(0.07)	(0.02)	(0.02)	(0.02)	0.01	0.00	0.03	0.04	(0.71)	(0.12)	0.05	0.08	(0.06)
1949	Dry	(0.01)	0.06	0.00	0.00	0.01	(0.05)	(0.04)	(0.03)	(0.05)	(0.06)	(0.11)	0.57	0.02
1950	Below Normal	0.04	0.00	0.00	(0.08)	(0.01)	(0.01)	0.02	0.05	(0.01)	0.03	0.03	0.02	0.01
1951	Above Normal	(0.05)	(0.52)	0.01	0.00	0.07	1.16	(0.33)	(0.11)	(0.43)	(0.55)	0.04	0.06	(0.05)
1952	Wet	0.04	0.06	0.14	0.00	0.00	0.40	11.07	(2.09)	2.68	(0.86)	2.06	(0.33)	1.10
1953	Wet	(0.09)	48.33	(42.66)	(6.23)	0.00	(0.01)	0.85	5.07	1.83	0.61	(0.62)	(0.01)	0.59
1954	Above Normal	(1.52)	(1.94)	0.08	3.45	0.53	0.00	0.53	1.35	0.89	1.40	0.18	0.07	0.42
1955	Dry	0.66	0.70	(0.04)	3.30	0.80	(0.02)	(0.06)	(0.06)	0.03	(0.22)	(0.91)	(0.10)	0.34
1956	Wet	1.67	0.05	(0.08)	(1.20)	0.00	0.00	(0.01)	(0.17)	(0.04)	(0.15)	1.45	(0.04)	0.12
1957	Above Normal	0.01	0.04	0.03	0.00	(0.04)	(0.12)	(0.09)	(0.25)	(0.47)	0.00	0.01	0.01	(0.07)
1958	Wet	(0.03)	0.01	0.00	0.00	0.00	0.00	13.95	12.00	4.20	6.28	(5.98)	0.55	2.58
1959	Below Normal	0.92	37.09	(1.01)	(34.40)	(5.21)	0.00	0.80	0.75	0.81	0.33	0.57	0.04	0.06
1960	Dry	0.53	(0.55)	(0.09)	(0.04)	(0.03)	(0.04)	(0.13)	(0.14)	(0.18)	(0.16)	(0.05)	2.95	0.17
1961	Dry	(0.33)	(0.08)	(2.71)	(0.02)	(0.03)	(0.01)	(0.02)	(0.06)	(0.07)	0.02	(0.51)	(0.08)	(0.33)
1962	Below Normal	0.36	0.27	(0.23)	0.17	(0.52)	0.00	(0.05)	(0.12)	(0.42)	0.06	0.01	0.01	(0.04)
1963	Wet	(0.15)	0.00	0.00	0.00	0.00	0.00	(0.46)	(0.39)	(0.16)	(0.23)	(0.15)	0.05	(0.12)
1964	Dry	0.02	(0.21)	0.00	(0.10)	0.01	0.00	0.08	0.11	0.16	0.11	0.24	0.04	0.04
1965	Wet	0.01	0.00	(0.11)	(0.02)	0.00	0.00	(0.83)	(2.57)	(2.85)	(2.48)	(2.68)	(0.08)	(0.97)
1966	Below Normal	0.04	(1.85)	0.09	0.08	0.07	3.48	0.44	(0.07)	(0.32)	0.17	0.09	(0.09)	0.18
1967	Wet	(0.04)	(0.07)	(0.35)	0.00	0.00	0.00	10.11	(0.96)	(0.71)	8.01	(3.37)	5.88	1.54
1968	Below Normal	(0.02)	45.43	(0.59)	(1.10)	(54.40)	0.01	0.17	0.04	(0.27)	0.06	0.08	0.03	(0.88)
1969	Wet	0.02	0.00	0.00	(0.01)	1.27	0.00	0.00	0.00	(0.32)	(0.61)	(0.74)	(1.29)	(0.14)
1970	Wet	1.99	(2.28)	(0.13)	0.00	0.00	(0.01)	(0.10)	(0.31)	(0.85)	(0.19)	(0.03)	2.88	0.08
1971	Wet	1.44	(0.85)	(1.70)	0.00	(0.01)	(2.25)	(0.11)	(0.04)	(0.33)	(0.24)	0.03	0.04	(0.34)
1972	Below Normal	0.02	0.25	0.00	0.00	0.00	0.02	0.03	0.06	0.06	0.03	0.02	0.05	0.04
1973	Above Normal	0.01	(0.10)	0.00	0.00	0.00	0.00	(0.09)	(0.15)	4.20	(0.84)	2.98	9.29	1.28
1974	Wet	0.12	(1.70)	0.00	0.00	0.00	0.00	(1.08)	(1.74)	(0.26)	(2.16)	(2.44)	0.01	(0.77)
1975	Wet	(0.01)	(2.83)	0.06	0.06	0.44	0.10	0.10	0.20	0.31	0.31	0.09	0.00	(0.10)
1976	Critical	0.00	0.74	0.02	(0.01)	(0.01)	(0.01)	(0.05)	(0.07)	1.40	(1.10)	0.25	(0.05)	0.09
1977	Critical	0.42	0.03	(0.13)	(0.08)	(0.80)	(0.01)	(0.04)	0.16	0.08	(0.05)	(0.97)	(0.06)	(0.12)
1978	Above Normal	0.47	0.07	(0.01)	(0.01)	(0.12)	0.03	1.80	0.70	10.29	10.41	(10.52)	1.10	1.18
1979	Below Normal	1.20	69.49	6.55	3.99	(5.78)	(6.54)	(4.19)	(0.01)	(11.04)	(17.89)	(7.63)	(0.93)	2.27
1980	Above Normal	(34.54)	(33.53)	(1.54)	0.00	0.01	0.01	0.33	4.66	8.33	7.48	(1.43)	21.32	(2.41)
1981	Dry	0.94	9.95	(0.39)	(0.34)	(0.25)	(0.20)	1.65	5.71	2.23	(3.05)	1.31	2.27	1.65
1982	Wet	(0.42)	(15.24)	(0.02)	0.00	(4.54)	0.00	0.00	5.08	15.50	(3.38)	(3.12)	(0.53)	(0.56)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.11)	(0.44)	(0.01)	0.03	0.02	(0.05)
1985	Dry	0.02	(0.16)	0.00	0.00	0.00	0.00	(0.03)	(0.04)	(0.20)	0.01	0.01	0.02	(0.03)
1986	Wet	0.02	0.05	0.00	(0.01)	(0.01)	0.00	(0.05)	(0.08)	5.39	(1.01)	(0.70)	(1.01)	0.22
1987	Dry	(0.06)	1.47	(0.07)	(0.06)	(0.05)	(0.04)	(0.40)	(0.76)	(1.39)	(0.36)	1.73	1.79	0.15
1988	Critical	4.04	(0.13)	(0.09)	(0.10)	(0.43)	(0.82)	(0.59)	(0.11)	(1.49)	(0.43)	(0.41)	(0.18)	(0.06)
1989	Dry	(0.14)	(0.20)	(0.22)	1.67	(0.09)	(0.05)	(0.16)	(0.53)	(0.53)	(0.57)	(0.43)	(0.12)	(0.11)
1990	Critical	(0.09)	(0.03)	(0.09)	(0.08)	(0.07)	(0.08)	(0.16)	5.19	(0.36)	(0.26)	(16.66)	18.87	0.51
1991	Critical	1.72	(0.64)	0.09	0.01	(0.04)	(0.01)	(0.14)	(0.22)	(0.76)	(0.67)	(0.29)	(0.37)	(0.11)
1992	Critical	(0.36)	(0.36)	(0.33)	(0.33)	(0.19)	(0.16)	(0.39)	(0.89)	4.50	(10.36)	(2.24)	0.28	(0.90)
1993	Above Normal	(0.76)	15.56	(0.09)	(0.06)	(0.06)	(5.70)	(0.41)	(3.97)	(0.54)	(0.72)	(0.48)	(0.24)	0.21
1994	Critical	(1.74)	(0.75)	0.91	(0.04)	(0.03)	(0.02)	0.04	(1.89)	(3.10)	(0.01)	(0.66)	(0.02)	(0.61)
1995	Wet	0.18	(0.03)	(0.14)	(2.42)	(0.01)	(0.02)	0.90	6.69	5.13	(18.79)	(3.27)	0.00	(0.98)
1996	Wet	(2.31)	59.77	(5.56)	(3.92)	(2.49)	0.00	(1.84)	(2.64)	(3.16)	(2.43)	(0.81)	0.03	2.89
1997	Wet	(4.77)	0.27	0.27	0.00	0.00	0.00	0.00	(0.06)	0.06	(0.51)	(0.66)	0.16	(0.44)
1998	Wet	0.43	(1.32)	0.03	0.47	0.00	0.39	1.13	(0.40)	(1.84)	(2.30)	(1.81)	0.00	(0.43)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.05	(0.18)	0.22	0.14	(0.09)	0.01
2000	Above Normal	0.38	0.25	0.16	(0.09)	(0.04)	0.00	(0.16)	(0.32)	(0.68)	(0.84)	(0.09)	0.02	(0.12)
2001	Dry	(0.11)	0.07	0.68	(0.01)	(0.01)	(0.01)	0.02	0.15	(0.16)	(0.10)	(0.03)	0.03	0.04
2002	Dry	(0.07)	(0.01)	0.00	(0.09)	0.00	0.00	0.01	(0.02)	(0.01)	(0.01)	0.02	1.47	0.11
2003	Above Normal	0.15	(0.03)	(1.62)	(0.27)	0.00	0.00	(0.06)	(0.10)	(0.17)	(0.10)	0.01	(0.08)	(0.19)
	Average	(0.11)	2.93	(0.27)	(0.49)	(0.89)	(0.43)	(0.89)	0.93	0.74	(0.60)	(1.05)	1.76	0.14
	Wet	0.02	3.66	(0.95)	(0.53)	(0.21)	(0.79)	1.33	1.80	0.52	(0.91)	(1.45)	0.38	0.24
	Above Normal	(1.74)	(1.52)	(0.30)	0.30	0.06	(0.40)	0.19	0.26	2.10	1.37	(0.99)	7.92	0.60
	Below Normal	0.43	10.97	0.34	(2.24)	(4.69)	(0.22)	(0.30)	0.05	(0.16)	(1.71)	(0.96)	0.25	0.15
	Dry	0.11	0.64	(0.02)	0.12	(0.04)	(0.25)	(5.78)	1.23	1.25	(0.38)	(0.10)	1.09	(0.18)
	Critical	0.29	(0.13)	0.13	(0.10)	(0.15)	(0.22)	(0.12)	0.28	0.14	(0.91)	(1.80)	1.35	(0.10)

Percent Difference in Energy generated (GWh) at Syst. Tot.: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%
1932	Dry	2%	0%	0%	-2%	0%	1%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	-1%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1935	Below Normal	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	1%	3%	0%	-1%	0%
1938	Wet	0%	-1%	0%	0%	0%	0%	0%	3%	0%	-1%	-1%	0%
1939	Dry	0%	0%	1%	0%	0%	0%	-20%	3%	4%	0%	-1%	3%
1940	Above Normal	5%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	15%
1941	Wet	0%	3%	7%	0%	0%	-3%	0%	2%	0%	1%	-1%	0%
1942	Wet	0%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	1%
1944	Dry	-1%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1947	Dry	0%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1953	Wet	0%	15%	-17%	-1%	0%	0%	0%	1%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	2%	2%	1%	1%	-1%	0%
1959	Below Normal	0%	10%	-1%	-9%	-1%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	2%	0%	0%	1%	-1%	1%
1968	Below Normal	0%	16%	0%	0%	-9%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	1%	2%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	1%	0%	2%	2%	-2%	0%
1979	Below Normal	0%	31%	4%	2%	-3%	-3%	-2%	0%	-2%	-3%	-2%	0%
1980	Above Normal	-13%	-17%	-1%	0%	0%	0%	0%	1%	1%	1%	0%	5%
1981	Dry	0%	3%	0%	0%	0%	0%	1%	1%	0%	0%	0%	1%
1982	Wet	0%	-5%	0%	0%	-1%	0%	0%	1%	3%	0%	-1%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1987	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1988	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	2%	0%	0%	-4%	9%
1991	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	-2%	0%	0%
1993	Above Normal	0%	8%	0%	0%	0%	-2%	0%	-1%	0%	0%	0%	0%
1994	Critical	-1%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	1%	1%	-3%	0%	0%
1996	Wet	0%	19%	-2%	-1%	0%	0%	0%	0%	-1%	0%	0%	0%
1997	Wet	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
	Below Normal	0%	4%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%

Energy generated (GWh) at Tot. Loss: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.66	11.96	7.59	6.83	9.93	10.02	12.67	23.94	26.77	26.53	24.47	22.71	204.08
1923	Below Normal	12.08	13.26	10.79	9.52	8.13	7.41	8.92	22.89	22.40	28.12	22.43	13.60	179.55
1924	Critical	12.01	9.34	7.57	9.92	5.63	7.37	12.40	12.49	14.07	17.87	15.51	9.47	133.65
1925	Dry	5.20	4.34	4.53	10.78	8.27	6.89	10.48	17.83	21.36	27.66	20.28	11.20	148.82
1926	Dry	9.93	7.52	6.66	6.13	5.81	7.49	9.54	14.61	20.97	25.28	17.63	12.09	143.66
1927	Wet	8.14	6.11	7.77	9.65	30.68	10.56	21.46	23.09	23.57	28.51	21.93	29.60	221.07
1928	Above Normal	13.52	10.88	7.96	8.54	6.51	23.58	10.90	17.34	22.94	28.41	23.16	20.88	194.62
1929	Critical	11.51	9.74	6.50	14.50	5.22	6.32	10.77	13.43	17.30	24.59	20.55	10.05	150.48
1930	Dry	7.98	6.07	5.52	5.40	5.14	7.14	8.79	12.90	19.12	21.04	17.78	9.37	126.25
1931	Critical	8.10	6.09	5.73	5.61	4.94	5.63	13.44	11.39	12.20	18.13	16.36	7.64	115.26
1932	Dry	5.85	4.82	3.86	6.18	5.18	5.72	8.31	10.92	14.79	17.84	14.60	8.57	106.64
1933	Critical	7.62	6.25	5.15	4.95	4.23	5.50	8.06	10.28	13.05	17.26	15.16	7.88	105.39
1934	Critical	9.16	4.17	3.95	4.22	4.03	4.61	9.95	11.52	13.42	16.72	20.10	14.03	115.88
1935	Below Normal	4.48	3.72	3.76	3.95	3.96	5.28	9.34	12.07	17.62	22.86	14.11	9.20	110.35
1936	Below Normal	7.97	6.37	5.90	8.72	11.51	10.27	11.55	15.95	17.89	24.79	17.70	11.85	150.47
1937	Below Normal	10.00	7.25	5.90	5.62	5.74	8.01	8.87	14.17	15.72	25.68	17.31	11.86	136.13
1938	Wet	7.77	8.36	29.66	9.11	29.30	34.04	24.10	25.90	26.73	22.12	24.60	26.24	267.93
1939	Dry	16.28	12.03	7.88	6.51	6.57	5.69	19.65	17.80	23.55	32.00	25.22	14.96	188.14
1940	Above Normal	11.10	10.90	5.86	7.22	31.01	33.04	13.10	17.97	22.91	32.15	23.59	17.12	225.97
1941	Wet	11.62	10.42	10.13	31.40	30.56	27.55	25.91	33.05	23.54	31.75	28.78	32.07	296.78
1942	Wet	17.29	15.60	28.76	33.68	32.59	9.43	13.50	26.50	22.69	27.55	26.05	31.30	284.94
1943	Wet	16.88	18.04	11.21	21.84	17.44	28.55	13.51	19.35	21.04	31.35	21.69	28.24	249.14
1944	Dry	14.05	14.78	7.72	7.46	6.05	9.52	11.70	11.71	19.29	29.71	21.39	11.55	164.93
1945	Below Normal	8.60	7.03	6.64	6.63	11.31	9.03	10.73	16.65	20.61	28.11	21.68	14.14	161.16
1946	Below Normal	11.94	9.00	32.43	14.77	8.18	9.95	14.54	20.21	22.60	28.79	23.44	13.87	209.72
1947	Dry	13.06	9.13	6.97	7.06	5.69	7.50	10.96	18.08	19.21	26.89	21.89	12.58	159.02
1948	Below Normal	7.80	6.46	6.51	5.92	5.98	6.82	8.99	20.93	19.77	22.73	22.10	11.95	145.96
1949	Dry	10.92	8.15	7.65	6.95	6.81	13.94	11.63	17.18	22.09	27.63	23.52	14.77	171.24
1950	Below Normal	12.31	9.44	7.92	7.66	10.41	9.47	10.87	17.15	19.61	26.07	19.51	13.41	163.83
1951	Above Normal	14.12	17.65	25.84	16.01	25.43	10.12	17.77	17.45	21.56	31.37	23.19	19.11	239.62
1952	Wet	13.05	12.97	17.03	18.26	29.88	22.32	41.50	26.27	22.45	32.64	27.89	26.86	291.12
1953	Wet	18.46	13.55	11.08	36.29	9.02	10.10	13.59	21.08	22.74	27.35	24.00	31.10	238.36
1954	Above Normal	15.21	20.31	9.86	18.63	26.94	26.16	28.58	18.33	19.77	31.30	21.76	21.36	258.21
1955	Dry	13.69	10.83	8.70	11.09	6.82	6.72	10.37	13.51	18.39	27.50	20.92	11.53	160.07
1956	Wet	10.96	8.32	31.56	34.09	29.15	11.13	13.92	27.75	24.27	24.71	21.32	26.55	263.73
1957	Above Normal	17.54	17.07	8.15	7.80	7.76	19.02	11.21	21.36	20.60	31.48	21.68	19.15	202.82
1958	Wet	12.60	16.84	20.46	26.26	38.41	38.62	24.90	30.21	25.04	32.40	28.76	27.70	322.20
1959	Below Normal	18.45	15.44	8.48	16.42	19.12	7.37	17.38	18.21	26.37	31.49	24.74	13.55	217.02
1960	Dry	12.29	9.29	7.79	6.57	6.36	8.45	12.58	13.50	22.01	27.30	20.79	13.94	160.87
1961	Dry	11.29	8.85	8.87	6.39	13.86	9.86	11.04	16.44	19.25	28.87	22.59	15.29	172.60
1962	Below Normal	12.02	9.87	7.07	6.11	19.52	7.28	13.05	17.97	21.29	29.00	22.76	12.97	178.91
1963	Wet	13.63	10.84	15.06	10.08	16.67	10.66	33.63	19.69	20.01	30.73	20.91	30.72	232.63
1964	Dry	11.75	11.72	7.45	10.47	8.31	7.10	16.02	16.09	19.47	27.57	21.80	11.86	169.61
1965	Wet	9.49	7.90	29.85	32.87	9.87	8.95	14.88	19.41	21.59	28.43	19.47	25.12	227.83
1966	Below Normal	13.72	13.85	8.06	8.33	7.70	16.77	18.22	18.45	23.05	30.62	26.60	15.60	200.97
1967	Wet	14.66	8.52	16.12	21.79	15.60	30.09	18.21	33.19	23.98	28.89	27.05	29.39	267.49
1968	Below Normal	17.22	12.28	8.41	9.51	25.79	9.09	12.73	17.27	21.90	31.73	19.87	14.42	200.22
1969	Wet	10.55	8.04	7.29	32.10	29.79	11.81	22.72	31.61	26.21	26.56	24.81	25.52	257.01
1970	Wet	14.63	11.92	34.51	43.73	22.16	11.14	13.63	18.07	23.60	32.09	21.69	27.05	274.22
1971	Wet	13.30	9.75	11.31	24.06	8.87	27.90	13.30	21.69	21.56	23.11	21.35	27.53	223.73
1972	Below Normal	17.37	14.75	8.36	10.65	7.42	31.02	13.70	17.43	22.26	26.43	23.68	14.32	207.39
1973	Above Normal	11.17	8.04	11.97	27.57	29.06	14.51	10.76	19.26	22.78	31.04	23.99	18.74	228.89
1974	Wet	9.49	34.54	35.78	42.78	10.72	37.53	17.24	19.82	23.30	23.16	28.00	27.96	310.32
1975	Wet	17.81	17.20	7.12	6.44	8.17	34.09	10.15	24.14	24.48	28.34	24.40	28.74	231.08
1976	Critical	19.19	17.58	8.41	16.13	8.20	7.12	9.59	14.96	22.68	28.76	15.83	9.57	178.02
1977	Critical	11.17	8.89	9.97	7.21	9.34	6.89	13.93	9.00	16.41	18.97	20.22	4.45	136.45
1978	Above Normal	12.42	3.51	3.88	6.70	14.56	24.88	13.29	21.67	24.32	27.55	20.90	15.21	188.89
1979	Below Normal	13.30	9.80	7.56	7.73	7.35	8.08	7.89	15.95	22.66	26.23	18.13	11.94	156.62
1980	Above Normal	10.85	8.68	7.40	30.53	30.44	10.46	10.36	18.22	23.92	25.40	23.71	17.32	217.29
1981	Dry	11.09	13.65	8.00	7.97	6.01	6.03	7.69	16.98	24.90	29.51	23.23	11.39	166.45
1982	Wet	9.59	14.18	31.68	15.76	32.29	27.88	34.28	19.47	22.46	25.10	18.88	19.21	270.78
1983	Wet	21.99	17.72	27.30	35.28	34.37	42.02	25.96	34.13	39.58	38.92	33.39	30.11	380.77
1984	Wet	20.59	30.72	37.71	20.87	10.94	19.01	11.56	19.43	22.05	31.52	22.73	26.29	273.42
1985	Dry	11.79	9.85	10.13	11.40	5.99	6.49	12.32	19.38	25.79	30.50	26.06	12.36	182.06
1986	Wet	10.85	8.52	6.65	7.91	29.11	33.54	15.98	18.52	23.97	28.90	21.67	17.22	222.84
1987	Dry	9.75	12.19	7.74	6.61	5.92	5.87	12.94	18.20	25.30	31.15	22.10	13.85	171.62
1988	Critical	11.33	6.48	5.68	6.70	8.42	6.59	11.15	13.25	20.50	25.77	18.88	9.29	144.04
1989	Dry	8.36	4.92	5.24	9.67	4.63	11.77	9.35	20.34	21.05	26.60	16.60	8.43	146.96
1990	Critical	6.72	6.24	6.23	5.96	5.25	6.07	11.99	11.20	14.90	23.11	18.40	8.86	124.93
1991	Critical	7.68	5.91	5.44	5.24	4.64	5.07	6.23	10.63	13.16	19.92	15.40	6.27	105.59
1992	Critical	6.80	6.76	4.61	4.61	4.76	4.95	6.01	16.76	18.22	20.95	23.91	8.70	127.04
1993	Above Normal	7.37	8.50	4.10	4.79	8.47	10.83	10.97	19.80	21.61	23.52	19.97	19.59	159.52
1994	Critical	11.17	12.37	8.88	6.32	5.60	6.10	12.48	13.50	21.74	27.16	21.14	8.41	154.87
1995	Wet	8.22	6.06	5.30	25.28	13.04	34.02	17.18	30.10	25.15	25.73	27.98	26.43	244.49
1996	Wet	19.33	13.48	12.06	14.14	34.53	25.47	13.02	28.44	20.15	26.99	20.70	24.86	253.17
1997	Wet	15.24	16.17	36.87	37.51	11.98	8.98	17.16	20.58	23.18	30.63	21.04	24.01	263.35
1998	Wet	13.93	13.06	5.73	18.10	32.45	33.56	14.94	33.81	44.67	38.05	31.29	28.69	308.28
1999	Wet	19.94	20.81	21.29	17.44	30.64	25.92	10.71	23.99	22.32	28.93	21.06	26.44	269.49
2000	Above Normal	17.30	19.59	8.50	13.29	34.27	16.63	17.56	19.49	21.67	31.76	21.79	23.29	245.14
2001	Dry	12.95	15.20	8.23	6.71	5.68	6.01	9.75	19.40	26.14	31.45	23.07	11.73	176.32
2002	Dry	16.83	7.54	7.12	16.07	7.74	8.09	13.08	19.32	22.83	26.72	21.02	13.09	179.45
2003	Above Normal	13.02	9.77	15.47	23.22	8.24	7.15	15.84	29.50	20.49	34.26	23.34	23.26	223.56
	Average	12.40	11.17	11.73	14.15	14.32	14.39	14.26	19.29	21.79	27.39	21.94	17.67	200.48
	Wet	13.85	13.83	19.59	24.10	23.01	23.65	19.11	24.97	24.63	29.02	24.29	27.11	267.16
	Above Normal	13.69	12.24	9.72	14.26	19.39	17.20	14.42	20.36	22.45	29.56	22.63	19.81	215.72
	Below Normal	11.95	9.89	9.13	8.68	10.87	10.42	11.91	17.52	20.98	27.33	21.00	13.05	172.74
	Dry	11.28	9.49	7.23	8.30	6.71	7.79	11.46	16.34	21.42	27.51	21.14	12.14	160.82
	Critical	10.21	8.32	6.51	7.61	5.86	6.02	10.50	12.37	16.47	21.60	18.46	8.72	132.63

Energy generated (GWh) at Tot. Loss: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.66	11.97	7.59	6.83	9.93	10.02	12.67	23.94	26.79	26.53	24.43	22.71	204.07
1923	Below Normal	12.08	13.27	10.79	9.52	8.14	7.41	8.91	22.88	22.39	28.11	22.42	13.61	179.53
1924	Critical	12.00	9.34	7.57	9.91	5.63	7.37	12.41	12.50	14.08	17.88	15.51	9.48	133.68
1925	Dry	5.21	4.34	4.53	10.80	8.27	6.89	10.48	17.84	21.37	27.66	20.28	11.20	148.87
1926	Dry	9.93	7.52	6.66	6.13	5.80	7.49	9.54	14.61	20.96	25.28	17.62	12.08	143.62
1927	Wet	8.15	6.11	7.77	9.65	30.68	10.56	21.46	23.09	23.57	28.51	21.93	29.60	221.08
1928	Above Normal	13.52	10.88	7.96	8.54	6.51	23.57	10.90	17.34	22.93	28.40	23.16	20.88	194.59
1929	Critical	11.52	9.74	6.50	14.49	5.22	6.32	10.77	13.44	17.30	24.59	20.55	10.05	150.49
1930	Dry	7.98	6.08	5.51	5.40	5.14	7.14	8.79	12.91	19.12	21.03	17.79	9.37	126.26
1931	Critical	8.10	6.10	5.73	5.61	4.94	5.63	13.44	11.40	12.20	18.13	16.49	7.54	115.31
1932	Dry	5.97	4.82	3.86	6.07	5.18	5.73	8.31	10.93	14.79	17.83	14.64	8.58	106.71
1933	Critical	7.62	6.26	5.15	4.95	4.23	5.43	8.04	10.29	13.05	17.26	15.14	7.87	105.29
1934	Critical	9.14	4.15	4.01	4.21	4.03	4.61	9.95	11.52	13.42	16.73	19.95	14.03	115.75
1935	Below Normal	4.65	3.72	3.76	3.95	3.96	5.28	9.34	12.07	17.62	22.86	14.10	9.21	110.52
1936	Below Normal	7.98	6.37	5.90	8.72	11.51	10.26	11.55	15.95	17.89	24.79	17.70	11.85	150.47
1937	Below Normal	10.00	7.26	5.90	5.62	5.74	8.01	8.87	14.19	15.84	25.65	17.29	11.86	136.23
1938	Wet	7.77	8.26	29.66	9.11	29.30	34.04	24.12	26.07	26.72	22.08	24.51	26.24	267.88
1939	Dry	16.26	12.02	7.99	6.51	6.57	5.69	15.07	18.62	24.94	32.01	25.06	15.37	186.11
1940	Above Normal	11.77	10.99	5.83	7.25	31.03	33.05	13.11	18.01	22.96	32.16	23.62	19.98	229.76
1941	Wet	11.65	10.72	10.83	31.42	30.56	26.70	25.90	33.19	23.52	31.83	28.73	32.07	297.12
1942	Wet	17.37	15.93	29.21	33.68	32.59	9.43	13.50	26.50	22.69	27.55	26.05	31.30	285.80
1943	Wet	16.88	18.01	11.21	21.81	17.44	28.55	13.51	19.34	20.98	31.03	21.69	28.40	248.85
1944	Dry	13.90	14.85	7.74	7.45	6.06	9.39	11.71	11.72	19.38	29.68	21.43	11.59	164.90
1945	Below Normal	8.61	7.03	6.65	6.63	11.31	9.03	10.73	16.65	20.59	28.09	21.67	14.15	161.14
1946	Below Normal	11.92	9.11	32.43	14.77	8.18	9.95	14.54	20.21	22.61	28.69	23.39	14.03	209.83
1947	Dry	13.12	9.13	6.96	7.05	5.65	7.38	10.97	18.10	19.23	26.90	22.00	12.62	159.11
1948	Below Normal	7.79	6.46	6.51	5.92	5.98	6.82	9.00	20.93	19.74	22.72	22.11	11.95	145.93
1949	Dry	10.92	8.15	7.65	6.95	6.81	13.94	11.63	17.19	22.09	27.63	23.52	14.80	171.28
1950	Below Normal	12.32	9.44	7.92	7.65	10.41	9.47	10.87	17.15	19.61	26.08	19.51	13.41	163.84
1951	Above Normal	14.11	17.62	25.84	16.01	25.43	10.17	17.76	17.45	21.56	31.37	23.19	19.11	239.62
1952	Wet	13.05	12.98	17.04	18.26	29.88	22.34	41.61	26.25	22.47	32.63	27.91	26.85	291.27
1953	Wet	18.46	15.73	9.16	36.01	9.02	10.10	13.59	21.14	22.76	27.37	23.99	31.10	238.43
1954	Above Normal	15.14	20.22	9.87	18.78	26.96	26.16	28.59	18.34	19.77	31.31	21.76	21.36	258.26
1955	Dry	13.72	10.86	8.70	11.23	6.86	6.72	10.37	13.50	18.39	27.50	20.87	11.52	160.24
1956	Wet	11.04	8.33	31.56	34.03	29.15	11.13	13.92	27.75	24.27	24.71	21.34	26.55	263.78
1957	Above Normal	17.54	17.07	8.15	7.80	7.76	19.01	11.21	21.36	20.60	31.48	21.68	19.15	202.81
1958	Wet	12.60	16.84	20.46	26.26	38.41	38.62	25.04	30.33	25.08	32.47	28.70	27.67	322.48
1959	Below Normal	18.49	17.11	8.44	14.87	18.89	7.37	17.40	18.22	26.39	31.49	24.76	13.55	216.98
1960	Dry	12.31	9.27	7.78	6.57	6.36	8.45	12.57	13.50	22.01	27.30	20.79	14.08	160.99
1961	Dry	11.27	8.84	8.75	6.39	13.86	9.86	11.04	16.44	19.25	28.87	22.56	15.28	172.41
1962	Below Normal	12.03	9.88	7.06	6.12	19.49	7.28	13.05	17.96	21.29	29.00	22.76	12.97	178.89
1963	Wet	13.63	10.84	15.06	10.08	16.67	10.66	33.61	19.68	20.01	30.73	20.91	30.72	232.60
1964	Dry	11.75	11.71	7.45	10.46	8.31	7.10	16.02	16.09	19.47	27.57	21.81	11.86	169.60
1965	Wet	9.49	7.90	29.84	32.87	9.87	8.95	14.87	19.37	21.55	28.40	19.43	25.11	227.65
1966	Below Normal	13.72	13.76	8.06	8.33	7.70	16.92	18.24	18.46	23.05	30.63	26.60	15.60	201.07
1967	Wet	14.66	8.52	16.11	21.79	15.60	30.09	18.31	33.18	23.97	28.97	27.01	29.66	267.87
1968	Below Normal	17.21	14.33	8.38	9.46	23.34	9.09	12.74	17.28	21.90	31.74	19.87	14.42	199.76
1969	Wet	10.56	8.04	7.29	32.09	29.80	11.81	22.72	31.61	26.21	26.56	24.80	25.50	256.99
1970	Wet	14.72	11.83	34.50	43.73	22.16	11.14	13.63	18.07	23.59	32.09	21.69	27.18	274.33
1971	Wet	13.36	9.72	11.24	24.06	8.87	27.80	13.30	21.69	21.55	23.10	21.35	27.53	223.57
1972	Below Normal	17.37	14.76	8.36	10.65	7.42	31.02	13.70	17.43	22.26	26.43	23.69	14.32	207.41
1973	Above Normal	11.17	8.03	11.97	27.57	29.06	14.51	10.76	19.26	22.83	31.03	24.02	19.16	229.37
1974	Wet	9.50	34.46	35.78	42.78	10.72	37.53	17.23	19.80	23.30	23.14	27.97	27.96	310.17
1975	Wet	17.81	17.07	7.12	6.45	8.19	34.09	10.15	24.14	24.49	28.34	24.40	28.74	230.99
1976	Critical	19.19	17.61	8.41	16.13	8.20	7.12	9.59	14.96	22.74	28.70	15.84	9.57	178.06
1977	Critical	11.19	8.89	9.96	7.20	9.31	6.89	13.93	9.01	16.42	18.97	20.17	4.45	136.39
1978	Above Normal	12.44	3.52	3.88	6.70	14.56	24.88	13.30	21.68	24.43	27.66	20.79	15.26	189.10
1979	Below Normal	13.35	12.93	7.86	7.91	7.09	7.78	7.82	16.11	22.36	25.50	17.87	11.89	158.47
1980	Above Normal	9.30	7.17	7.33	30.53	30.44	10.46	10.37	18.28	24.01	25.48	23.70	18.35	215.42
1981	Dry	11.14	14.10	7.98	7.95	6.00	6.02	7.70	17.00	24.89	29.38	23.29	11.49	166.94
1982	Wet	9.58	13.50	31.68	15.76	32.09	27.88	34.28	19.52	22.62	25.07	18.87	19.19	270.04
1983	Wet	21.99	17.72	27.30	35.28	34.37	42.02	25.96	34.13	39.58	38.92	33.39	30.11	380.77
1984	Wet	20.59	30.72	37.71	20.87	10.94	19.01	11.56	19.43	22.05	31.52	22.73	26.29	273.42
1985	Dry	11.80	9.85	10.13	11.40	5.99	6.49	12.32	19.38	25.79	30.50	26.06	12.36	182.07
1986	Wet	10.86	8.53	6.65	7.91	29.11	33.54	15.98	18.52	24.02	28.89	21.66	17.21	222.88
1987	Dry	9.75	12.32	7.73	6.61	5.92	5.86	12.93	18.18	25.25	31.17	22.25	13.93	171.90
1988	Critical	11.51	6.47	5.68	6.70	8.40	6.55	11.13	13.24	20.43	25.74	18.86	9.28	143.99
1989	Dry	8.36	4.91	5.23	9.74	4.62	11.76	9.35	20.32	21.03	26.58	16.58	8.43	146.91
1990	Critical	6.72	6.24	6.22	5.95	5.25	6.06	11.98	11.25	14.89	23.10	17.43	9.97	125.06
1991	Critical	7.76	5.88	5.44	5.24	4.64	5.07	6.23	10.62	13.14	19.90	15.40	6.26	105.58
1992	Critical	6.78	6.74	4.59	4.60	4.75	4.95	6.00	16.73	18.65	20.34	23.81	8.70	126.64
1993	Above Normal	7.34	9.20	4.10	4.78	8.47	10.57	10.97	19.63	21.59	23.49	19.95	19.58	159.67
1994	Critical	11.09	12.34	8.92	6.32	5.60	6.10	12.48	13.40	21.59	27.16	21.11	8.41	154.52
1995	Wet	8.23	6.06	5.30	25.17	13.04	34.02	17.19	30.17	25.20	25.07	27.95	26.43	243.83
1996	Wet	19.30	16.17	11.80	13.96	34.42	25.47	13.00	28.42	20.12	26.97	20.69	24.87	255.19
1997	Wet	15.03	16.18	36.88	37.51	11.98	8.98	17.16	20.58	23.18	30.58	21.04	24.01	263.11
1998	Wet	13.94	13.00	5.73	18.12	32.45	33.58	14.95	33.81	44.65	38.03	31.27	28.69	308.22
1999	Wet	19.94	20.81	21.29	17.44	30.64	25.92	10.71	23.99	22.32	28.93	21.06	26.44	269.49
2000	Above Normal	17.31	19.60	8.51	13.29	34.27	16.63	17.56	19.49	21.66	31.75	21.79	23.29	245.15
2001	Dry	12.95	15.20	8.26	6.71	5.68	6.01	9.75	19.41	26.14	31.45	23.05	11.73	176.34
2002	Dry	16.83	7.54	7.12	16.07	7.74	8.09	13.09	19.33	22.83	26.72	21.02	13.16	179.54
2003	Above Normal	13.02	9.77	15.39	23.21	8.24	7.15	15.84	29.50	20.48	34.26	23.34	23.26	223.46
	Average	12.40	11.30	11.72	14.13	14.28	14.37	14.20	19.30	21.81	27.36	21.92	17.75	200.53
	Wet	13.85	14.00	19.55	24.08	23.00	23.61	19.13	24.99	24.63	28.98	24.27	27.13	267.22
	Above Normal	13.61	12.17	9.70	14.27	19.39	17.18	14.42	20.36	22.47	29.58	22.62	20.17	215.94
	Below Normal	11.97	10.39	9.14	8.58	10.65	10.41	11.91	17.54	20.97	27.27	20.98	13.06	172.86
	Dry	11.29	9.53	7.22	8.31	6.71	7.78	11.20	16.39	21.50	27.50	21.15	12.19	160.77
	Critical	10.22	8.31	6.52	7.61	5.85	6.01	10.50	12.36	16.49	21.54	18.36	8.80	132.56

Difference in Energy generated (GWh) at Tot. Loss: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	(0.04)	0.00	0.00
1923	Below Normal	0.00	0.01	0.00	0.00	0.01	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.01	0.00
1924	Critical	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.01	0.00
1925	Dry	0.01	0.00	0.00	0.02	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1929	Critical	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	0.01	0.00	0.00
1931	Critical	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.13	(0.10)	0.00
1932	Dry	0.12	0.00	0.00	(0.11)	0.00	0.01	0.00	0.01	0.00	(0.01)	0.04	0.01	0.01
1933	Critical	0.00	0.01	0.00	0.00	0.00	(0.07)	(0.02)	0.01	0.00	0.00	(0.02)	(0.01)	(0.01)
1934	Critical	(0.02)	(0.02)	0.06	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	(0.15)	0.00	(0.01)
1935	Below Normal	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.01
1936	Below Normal	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.12	(0.03)	(0.02)	0.00	0.01
1938	Wet	0.00	(0.10)	0.00	0.00	0.00	0.00	0.02	0.17	(0.01)	(0.04)	(0.09)	0.00	0.00
1939	Dry	(0.02)	(0.01)	0.11	0.00	0.00	0.00	(4.58)	0.82	1.39	0.01	(0.16)	0.41	(0.17)
1940	Above Normal	0.67	0.09	(0.03)	0.03	0.02	0.01	0.01	0.04	0.05	0.01	0.03	2.86	0.32
1941	Wet	0.03	0.30	0.70	0.02	0.00	(0.85)	(0.01)	0.14	(0.02)	0.08	(0.05)	0.00	0.03
1942	Wet	0.08	0.33	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1943	Wet	0.00	(0.03)	0.00	(0.03)	0.00	0.00	0.00	(0.01)	(0.06)	(0.32)	0.00	0.16	(0.02)
1944	Dry	(0.15)	0.07	0.02	(0.01)	0.01	(0.13)	0.01	0.01	0.09	(0.03)	0.04	0.04	0.00
1945	Below Normal	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.01)	0.01	0.00
1946	Below Normal	(0.02)	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.10)	(0.05)	0.16	0.01
1947	Dry	0.06	0.00	(0.01)	(0.01)	(0.04)	(0.12)	0.01	0.02	0.02	0.01	0.11	0.04	0.01
1948	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.03)	(0.01)	0.01	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.03	0.00
1950	Below Normal	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1951	Above Normal	(0.01)	(0.03)	0.00	0.00	0.00	0.05	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.01	0.01	0.00	0.00	0.02	0.11	(0.02)	0.02	(0.01)	0.02	(0.01)	0.01
1953	Wet	0.00	2.18	(1.92)	(0.28)	0.00	0.00	0.00	0.06	0.02	0.02	(0.01)	0.00	0.01
1954	Above Normal	(0.07)	(0.09)	0.01	0.15	0.02	0.00	0.01	0.01	0.00	0.01	0.00	0.00	0.00
1955	Dry	0.03	0.03	0.00	0.14	0.04	0.00	0.00	(0.01)	0.00	0.00	(0.05)	(0.01)	0.01
1956	Wet	0.08	0.01	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.12	0.04	0.07	(0.06)	(0.03)	0.02
1959	Below Normal	0.04	1.67	(0.04)	(1.55)	(0.23)	0.00	0.02	0.01	0.02	0.00	0.02	0.00	0.00
1960	Dry	0.02	(0.02)	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.14	0.01
1961	Dry	(0.02)	(0.01)	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.01)	(0.02)
1962	Below Normal	0.01	0.01	(0.01)	0.01	(0.03)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1965	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.04)	(0.04)	(0.03)	(0.04)	(0.01)	(0.02)
1966	Below Normal	0.00	(0.09)	0.00	0.00	0.00	0.15	0.02	0.01	0.00	0.01	0.00	0.00	0.01
1967	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.10	(0.01)	(0.01)	0.08	(0.04)	0.27	0.03
1968	Below Normal	(0.01)	2.05	(0.03)	(0.05)	(2.45)	0.00	0.01	0.01	0.00	0.01	0.00	0.00	(0.04)
1969	Wet	0.01	0.00	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00
1970	Wet	0.09	(0.09)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.13	0.01
1971	Wet	0.06	(0.03)	(0.07)	0.00	0.00	(0.10)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)
1972	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1973	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.01)	0.03	0.42	0.04
1974	Wet	0.01	(0.08)	0.00	0.00	0.00	0.00	(0.01)	(0.02)	0.00	(0.02)	(0.03)	0.00	(0.01)
1975	Wet	0.00	(0.13)	0.00	0.01	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)
1976	Critical	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.06	(0.06)	0.01	0.00	0.00
1977	Critical	0.02	0.00	(0.01)	(0.01)	(0.03)	0.00	0.00	0.01	0.01	0.00	(0.05)	0.00	0.00
1978	Above Normal	0.02	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.11	0.11	(0.11)	0.05	0.02
1979	Below Normal	0.05	3.13	0.30	0.18	(0.26)	(0.30)	(0.07)	0.16	(0.30)	(0.73)	(0.26)	(0.05)	0.15
1980	Above Normal	(1.55)	(1.51)	(0.07)	0.00	0.00	0.00	0.01	0.06	0.09	0.08	(0.01)	1.03	(0.16)
1981	Dry	0.05	0.45	(0.02)	(0.02)	(0.01)	(0.01)	0.01	0.02	(0.01)	(0.13)	0.06	0.10	0.04
1982	Wet	(0.01)	(0.68)	0.00	0.00	(0.20)	0.00	0.00	0.05	0.16	(0.03)	(0.01)	(0.02)	(0.06)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.05	(0.01)	(0.01)	(0.01)	0.00
1987	Dry	0.00	0.13	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.05)	0.02	0.15	0.08	0.02
1988	Critical	0.18	(0.01)	0.00	0.00	(0.02)	(0.04)	(0.02)	(0.01)	(0.07)	(0.03)	(0.02)	(0.01)	0.00
1989	Dry	0.00	(0.01)	(0.01)	0.07	(0.01)	(0.01)	0.00	(0.02)	(0.02)	(0.02)	(0.02)	0.00	0.00
1990	Critical	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.05	(0.01)	(0.01)	(0.97)	1.11	0.01
1991	Critical	0.08	(0.03)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	0.00	(0.01)	0.00
1992	Critical	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	0.00	(0.01)	(0.03)	0.43	(0.61)	(0.10)	0.00	(0.03)
1993	Above Normal	(0.03)	0.70	0.00	(0.01)	0.00	(0.26)	0.00	(0.17)	(0.02)	(0.03)	(0.02)	(0.01)	0.01
1994	Critical	(0.08)	(0.03)	0.04	0.00	0.00	0.00	0.00	(0.10)	(0.15)	0.00	(0.03)	0.00	(0.03)
1995	Wet	0.01	0.00	0.00	(0.11)	0.00	0.00	0.01	0.07	0.05	(0.66)	(0.03)	0.00	(0.05)
1996	Wet	(0.03)	2.69	(0.26)	(0.18)	(0.11)	0.00	(0.02)	(0.02)	(0.03)	(0.02)	(0.01)	0.01	0.17
1997	Wet	(0.21)	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.00	(0.02)
1998	Wet	0.01	(0.06)	0.00	0.02	0.00	0.02	0.01	0.00	(0.02)	(0.02)	(0.02)	0.00	(0.01)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.01	0.00	0.00	(0.02)	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.07	0.01
2003	Above Normal	0.00	0.00	(0.08)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)
	Average	(0.00)	0.13	(0.01)	(0.02)	(0.04)	(0.02)	(0.05)	0.02	0.02	(0.03)	(0.02)	0.08	0.00
	Wet	0.01	0.17	(0.04)	(0.02)	(0.01)	(0.04)	0.01	0.02	0.01	(0.04)	(0.01)	0.02	0.01
	Above Normal	(0.08)	(0.07)	(0.01)	0.01	0.00	(0.02)	0.00	(0.00)	0.02	0.01	(0.01)	0.36	0.02
	Below Normal	0.02	0.49	0.02	(0.10)	(0.21)	(0.01)	(0.00)	0.01	(0.02)	(0.06)	(0.02)	0.01	0.01
	Dry	0.01	0.04	(0.00)	0.00	(0.00)	(0.01)	(0.25)	0.05	0.08	(0.01)	0.01	0.05	(0.00)
	Critical	0.01	(0.00)	0.00	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	0.02	(0.06)	(0.10)	0.08	(0.01)

Percent Difference in Energy generated (GWh) at Tot. Loss: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	-1%
1932	Dry	2%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1935	Below Normal	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1938	Wet	0%	-1%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1939	Dry	0%	0%	1%	0%	0%	0%	-23%	5%	6%	0%	-1%	3%
1940	Above Normal	6%	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	17%
1941	Wet	0%	3%	7%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	1%
1944	Dry	-1%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1947	Dry	0%	0%	0%	0%	-1%	-2%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	16%	-17%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1959	Below Normal	0%	11%	0%	-9%	-1%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1961	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	1%
1968	Below Normal	0%	17%	0%	-1%	-9%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1979	Below Normal	0%	32%	4%	2%	-4%	-4%	-1%	1%	-1%	-3%	-1%	0%
1980	Above Normal	-14%	-17%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	6%
1981	Dry	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1982	Wet	0%	-5%	0%	0%	-1%	0%	0%	0%	1%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%
1988	Critical	2%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%	13%
1991	Critical	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	2%	-3%	0%	0%
1993	Above Normal	0%	8%	0%	0%	0%	-2%	0%	-1%	0%	0%	0%	0%
1994	Critical	-1%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	0%
1996	Wet	0%	20%	-2%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
	Below Normal	0%	4%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	1%

Energy generated (GWh) at Trinity Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	82.18	17.23	12.16	12.17	10.97	8.83	17.16	67.62	20.95	45.70	44.55	52.43	391.95
1923	Below Normal	24.16	16.45	11.60	8.43	7.67	10.44	16.61	70.65	43.27	52.54	55.43	37.01	354.26
1924	Critical	21.35	14.47	8.25	33.97	6.62	11.26	20.12	29.56	17.04	31.69	29.42	19.62	243.37
1925	Dry	5.00	3.91	4.27	37.20	3.75	5.17	9.64	88.62	61.39	53.03	25.69	19.90	317.57
1926	Dry	10.45	6.43	6.63	6.69	6.04	8.81	11.66	63.01	28.59	40.84	30.00	30.18	249.33
1927	Wet	10.04	6.21	6.91	7.47	5.10	8.30	9.65	99.36	57.66	60.21	43.96	51.79	366.66
1928	Above Normal	34.35	16.11	11.53	11.55	7.88	6.34	13.12	99.19	50.29	40.46	54.39	50.62	395.83
1929	Critical	23.26	15.79	11.15	70.76	6.83	10.52	19.31	34.28	33.85	55.67	34.64	23.73	339.79
1930	Dry	10.21	6.25	6.83	6.84	6.22	7.19	12.40	61.73	32.57	31.09	38.91	23.03	243.27
1931	Critical	9.89	6.05	6.22	6.18	5.61	7.73	15.92	26.32	15.93	29.85	34.33	15.96	179.99
1932	Dry	4.80	8.98	3.36	12.26	3.03	3.46	6.98	41.43	16.46	26.91	20.31	7.92	155.90
1933	Critical	7.88	4.80	3.54	3.31	2.87	6.16	6.59	40.22	14.17	28.33	9.68	9.07	136.62
1934	Critical	19.92	3.47	3.56	3.65	3.50	4.19	15.30	26.95	15.80	29.42	49.52	36.63	211.91
1935	Below Normal	3.88	2.37	2.76	2.95	2.88	3.52	6.86	43.65	15.14	28.67	9.74	9.12	131.54
1936	Below Normal	4.90	3.77	3.89	3.96	4.02	6.31	9.70	74.45	37.94	35.29	27.01	21.06	232.30
1937	Below Normal	8.97	4.11	4.21	4.18	3.76	4.21	8.08	53.03	18.35	40.85	25.91	20.04	195.70
1938	Wet	10.49	4.80	5.26	7.75	5.29	6.05	9.00	102.00	99.22	28.70	47.42	52.38	378.36
1939	Dry	53.58	12.12	18.42	9.04	8.18	6.69	62.10	55.45	56.04	80.60	75.23	51.69	489.14
1940	Above Normal	22.25	22.13	6.72	6.92	4.99	5.93	15.41	99.93	73.30	69.43	52.57	39.01	418.59
1941	Wet	22.60	15.36	5.81	5.98	5.63	92.58	63.80	103.18	100.40	103.17	58.78	72.95	650.24
1942	Wet	51.72	17.52	96.32	60.66	50.13	9.27	18.11	102.65	61.15	71.95	50.59	69.18	659.25
1943	Wet	49.49	17.52	28.95	26.06	14.68	34.46	17.82	102.05	55.20	61.51	44.81	52.82	505.37
1944	Dry	35.07	16.45	11.63	11.59	10.81	34.16	21.14	37.63	47.88	78.18	53.01	35.20	392.75
1945	Below Normal	11.27	6.92	7.23	10.27	5.01	8.00	14.68	88.65	57.83	52.36	42.25	34.56	339.03
1946	Below Normal	11.07	5.11	5.33	5.75	7.31	8.19	13.40	97.70	70.96	56.71	51.46	38.11	371.10
1947	Dry	22.03	14.95	10.61	8.46	6.96	7.85	17.74	66.10	30.35	44.21	51.65	26.51	307.42
1948	Below Normal	11.09	6.92	7.57	7.16	9.96	10.70	14.21	86.72	42.78	23.86	40.39	10.06	271.42
1949	Dry	7.50	5.82	8.10	8.52	7.24	5.89	12.29	96.32	63.42	57.94	52.55	38.98	364.57
1950	Below Normal	22.56	15.30	10.76	10.70	9.72	7.90	15.86	68.47	31.97	51.88	44.75	36.85	326.72
1951	Above Normal	21.52	5.56	5.84	6.43	5.76	11.30	40.13	101.71	60.05	61.15	55.73	52.03	427.21
1952	Wet	34.52	16.20	6.15	6.48	5.98	12.67	68.40	103.15	64.57	99.36	52.12	69.52	539.12
1953	Wet	49.44	6.57	20.08	98.12	15.18	17.55	31.79	102.17	60.09	55.19	53.96	73.08	583.22
1954	Above Normal	49.83	37.00	26.64	19.61	48.86	60.42	64.57	102.57	61.11	62.85	45.95	54.39	633.80
1955	Dry	36.25	17.03	12.14	36.35	7.93	10.76	14.94	71.66	33.44	54.44	52.44	38.88	386.26
1956	Wet	22.49	15.26	5.64	36.31	20.19	26.60	42.36	102.98	99.74	64.15	37.43	49.17	522.32
1957	Above Normal	51.70	8.59	12.45	12.43	11.09	28.91	13.96	102.04	51.21	62.92	45.92	54.28	455.50
1958	Wet	27.00	35.60	43.94	46.82	90.59	101.35	40.10	103.18	100.34	98.22	55.65	70.45	813.24
1959	Below Normal	50.19	6.58	12.45	49.95	7.61	19.38	44.36	101.29	82.75	70.80	67.13	59.24	571.73
1960	Dry	22.47	15.23	10.70	10.62	9.93	7.97	14.30	91.68	45.34	55.91	50.53	37.33	372.01
1961	Dry	21.53	14.59	5.59	7.67	5.13	6.13	13.00	94.03	48.37	58.37	52.97	49.22	376.60
1962	Below Normal	22.59	15.33	10.81	7.88	5.29	8.15	12.08	94.55	62.02	56.72	51.31	38.02	384.75
1963	Wet	7.29	5.86	6.04	8.62	5.58	6.90	17.75	102.79	61.52	63.56	46.42	75.07	407.40
1964	Dry	36.05	16.93	6.67	21.82	25.17	11.01	20.78	71.98	43.71	54.33	62.35	37.53	408.33
1965	Wet	21.71	14.77	5.31	39.22	8.18	10.07	10.30	102.08	62.54	61.72	45.07	42.58	423.55
1966	Below Normal	24.81	16.91	12.16	8.84	8.11	9.85	50.83	102.69	58.36	63.13	87.77	53.27	496.73
1967	Wet	35.44	16.66	7.75	28.25	18.28	27.38	10.52	102.32	61.05	75.14	53.54	71.39	507.72
1968	Below Normal	53.99	8.88	14.39	19.62	72.02	23.72	19.01	100.97	62.32	71.03	53.94	50.23	550.12
1969	Wet	23.10	15.71	11.14	6.06	5.68	6.45	9.13	102.88	100.01	64.55	47.33	48.12	440.16
1970	Wet	50.69	6.78	82.58	98.12	24.76	23.16	17.82	100.91	88.37	70.17	53.25	59.32	675.93
1971	Wet	27.43	15.27	5.96	6.08	7.92	7.40	23.61	102.33	60.41	27.24	47.75	66.62	398.02
1972	Below Normal	49.16	10.31	14.87	27.46	9.41	91.07	13.89	101.78	53.35	26.33	74.58	53.15	525.36
1973	Above Normal	24.54	6.24	6.43	27.59	23.60	14.57	20.26	102.63	60.86	63.59	75.67	53.99	479.97
1974	Wet	24.98	93.99	93.91	98.12	7.88	79.85	21.40	103.04	99.97	64.50	52.04	68.95	808.63
1975	Wet	48.90	6.58	12.42	9.03	8.12	43.89	16.35	102.45	61.23	88.02	51.62	69.63	518.24
1976	Critical	53.71	17.50	20.38	80.01	8.06	8.92	15.28	71.19	61.22	78.83	53.81	35.90	504.81
1977	Critical	11.52	12.72	21.82	11.46	11.45	9.18	18.07	26.45	16.14	30.11	51.19	8.17	228.28
1978	Above Normal	27.83	2.90	3.90	3.97	4.45	5.27	8.17	93.71	90.24	53.76	39.16	36.64	370.00
1979	Below Normal	21.25	5.41	5.62	5.55	5.04	7.60	13.83	63.43	31.42	40.58	44.13	36.28	280.14
1980	Above Normal	19.02	5.34	5.65	5.67	5.54	8.86	12.43	100.41	73.84	59.19	53.99	50.25	400.19
1981	Dry	23.09	10.79	11.06	11.15	7.44	8.58	16.01	68.89	33.34	57.24	71.11	37.43	356.13
1982	Wet	21.60	5.32	5.85	6.62	65.12	33.13	21.78	102.76	98.98	62.74	15.60	24.34	463.84
1983	Wet	61.27	19.85	57.87	66.10	67.49	100.25	22.01	103.18	100.40	103.17	72.22	77.36	851.17
1984	Wet	55.14	52.17	97.78	45.61	8.47	20.96	17.82	101.80	65.42	61.86	73.48	41.77	642.28
1985	Dry	34.97	6.02	6.52	34.15	7.92	10.29	20.36	76.49	58.91	81.33	76.17	36.17	449.30
1986	Wet	20.81	7.05	7.26	7.28	4.76	6.22	64.47	100.21	73.40	69.61	52.76	48.99	462.82
1987	Dry	22.49	15.28	10.75	10.72	9.70	7.90	19.58	70.02	42.78	78.25	72.74	45.33	405.54
1988	Critical	20.73	7.47	6.67	7.13	6.87	10.47	29.85	62.57	35.25	55.82	34.89	23.97	301.69
1989	Dry	10.34	6.35	6.63	34.88	5.77	6.53	11.30	83.62	53.42	52.06	29.26	23.05	323.21
1990	Critical	9.98	6.24	6.48	6.45	6.01	7.35	16.93	53.61	17.61	29.61	32.28	21.96	214.51
1991	Critical	9.40	5.75	5.91	5.85	5.30	4.36	13.08	25.26	15.91	30.11	27.91	9.12	157.96
1992	Critical	4.90	3.77	5.19	5.18	3.68	4.37	9.28	54.03	17.76	33.66	59.27	24.60	225.69
1993	Above Normal	5.03	19.34	3.72	3.84	3.67	6.12	9.88	89.99	50.94	23.40	40.85	28.60	285.38
1994	Critical	14.60	5.75	10.85	7.90	7.22	8.29	20.96	46.99	46.10	52.98	54.31	24.40	300.35
1995	Wet	10.53	6.46	6.63	4.80	5.06	5.86	9.42	102.56	99.50	51.14	52.50	68.33	422.79
1996	Wet	48.95	6.58	42.27	31.77	92.69	43.50	22.31	102.13	60.56	62.19	45.38	42.76	601.09
1997	Wet	24.90	16.95	96.86	98.12	8.18	9.23	42.34	99.95	82.67	66.93	60.45	36.85	643.43
1998	Wet	25.89	15.15	7.35	5.39	5.27	70.66	32.69	103.04	100.36	103.17	60.22	70.29	599.48
1999	Wet	49.82	30.36	32.29	19.59	11.99	34.01	14.42	102.77	61.04	64.67	47.38	53.84	522.18
2000	Above Normal	48.83	18.37	15.93	48.01	63.27	45.50	61.48	102.65	61.57	64.10	46.93	72.19	648.83
2001	Dry	25.45	17.34	12.23	12.19	7.97	8.79	14.35	80.05	51.89	85.18	80.66	38.68	434.78
2002	Dry	46.86	14.87	10.64	5.76	7.59	8.65	17.50	97.51	63.37	57.73	52.28	38.75	421.51
2003	Above Normal	22.42	15.19	5.69	5.88	7.98	9.03	10.36	102.73	62.74	76.13	77.99	72.74	468.88
	Average	26.84	13.20	15.99	21.21	13.96	18.62	21.13	82.74	55.36	57.20	49.39	42.81	418.44
	Wet	32.16	18.10	30.71	33.63	21.85	32.22	25.97	102.23	78.30	69.34	50.84	58.75	554.10
	Above Normal	34.13	14.50	9.72	13.67	16.51	17.59	23.91	97.10	59.76	56.89	52.81	51.43	448.01
	Below Normal	22.85	8.88	8.83	12.34	11.27	15.65	18.10	82.00	47.75	47.91	48.27	35.50	359.35
	Dry	23.79	11.63	9.04	15.88	8.15	9.21	17.56	73.12	45.07	58.20	52.66	34.21	358.53
	Critical	17.26	8.65	9.17	20.15	6.17	7.73	16.72	41.45	25.57	40.51	39.27	21.09	253.75

Energy generated (GWh) at Trinity Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	82.18	17.23	12.16	12.17	10.97	8.83	17.16	67.62	20.95	45.70	44.55	52.43	391.95
1923	Below Normal	24.16	16.45	11.60	8.43	7.67	10.44	16.61	70.65	43.27	52.53	55.43	37.01	354.25
1924	Critical	21.35	14.47	8.25	33.91	6.62	11.27	20.12	29.56	17.04	31.69	29.42	19.63	243.33
1925	Dry	5.00	3.91	4.27	37.35	3.75	5.17	9.63	88.61	61.38	53.02	25.68	19.89	317.66
1926	Dry	10.45	6.43	6.63	6.68	6.04	8.81	11.65	63.00	28.59	40.84	29.99	30.16	249.27
1927	Wet	10.04	6.21	6.91	7.47	5.09	8.30	9.65	99.35	57.66	60.20	43.96	51.79	366.63
1928	Above Normal	34.34	16.11	11.53	11.55	7.88	6.34	13.12	99.18	50.29	40.41	54.38	50.61	395.74
1929	Critical	23.26	15.79	11.15	70.75	6.83	10.51	19.31	34.27	33.85	55.67	34.63	23.73	339.75
1930	Dry	10.20	6.25	6.77	6.84	6.22	7.19	12.40	61.73	32.57	31.09	39.00	23.03	243.29
1931	Critical	9.89	6.05	6.22	6.18	5.61	7.72	15.92	26.32	15.93	29.84	34.95	15.28	179.91
1932	Dry	5.49	8.94	3.35	11.76	3.02	3.46	6.97	41.40	16.21	26.91	20.67	7.90	156.08
1933	Critical	7.91	4.81	3.53	3.30	2.86	5.74	6.59	40.22	14.17	28.33	9.68	9.07	136.21
1934	Critical	19.92	3.47	3.81	3.64	3.50	4.19	15.29	26.93	15.79	29.40	49.46	36.56	211.96
1935	Below Normal	3.71	2.37	2.76	2.95	2.88	3.52	6.86	43.65	15.14	28.67	9.74	9.12	131.37
1936	Below Normal	4.90	3.77	3.89	3.96	4.02	6.31	9.70	74.45	37.94	35.29	27.01	21.06	232.30
1937	Below Normal	8.97	4.11	4.21	4.18	3.76	4.21	8.08	53.03	18.35	40.85	25.91	20.04	195.70
1938	Wet	10.49	4.80	5.26	7.75	5.29	6.05	9.00	102.00	99.22	28.70	47.42	52.38	378.36
1939	Dry	53.58	12.12	18.42	9.04	8.18	6.69	27.51	63.54	68.95	81.47	76.19	56.27	481.96
1940	Above Normal	26.73	22.58	6.76	6.95	5.01	5.95	15.44	100.05	73.47	69.61	52.73	58.68	443.96
1941	Wet	22.25	15.11	5.72	5.90	5.57	73.49	63.80	103.18	100.40	103.17	58.78	72.95	630.32
1942	Wet	51.72	17.52	96.32	60.66	50.13	9.27	18.11	102.65	61.15	71.95	50.59	69.18	659.25
1943	Wet	49.49	17.52	28.95	26.06	14.68	34.46	17.82	102.05	55.20	61.51	44.81	52.82	505.37
1944	Dry	35.07	16.45	11.63	11.59	10.81	33.13	21.16	37.66	47.89	78.25	53.07	35.24	391.95
1945	Below Normal	11.28	6.93	7.24	10.28	5.02	8.01	14.69	88.72	57.89	52.41	42.30	34.60	339.37
1946	Below Normal	11.08	5.12	5.34	5.75	7.32	8.20	13.41	97.74	71.01	56.76	51.50	38.15	371.38
1947	Dry	22.05	14.97	10.62	8.47	6.97	7.85	17.75	66.15	30.38	44.25	51.71	26.94	308.11
1948	Below Normal	11.10	6.93	7.57	7.17	9.96	10.71	14.21	86.76	42.80	23.87	40.40	10.07	271.55
1949	Dry	7.51	5.82	8.10	8.52	7.24	5.90	12.30	96.35	63.44	57.96	52.57	39.00	364.71
1950	Below Normal	22.57	15.30	10.77	10.71	9.72	7.90	15.86	68.49	31.98	51.90	44.77	36.86	326.83
1951	Above Normal	21.53	5.57	5.84	6.43	5.83	11.75	40.02	101.71	60.05	61.15	55.73	52.03	427.64
1952	Wet	34.52	16.20	6.15	6.48	5.99	12.77	68.40	103.15	64.57	99.36	52.12	69.52	539.23
1953	Wet	49.44	6.57	20.08	98.12	15.18	17.55	31.74	102.17	60.09	55.24	53.96	73.08	583.22
1954	Above Normal	49.83	37.00	26.64	19.61	48.86	60.42	64.57	102.57	61.11	62.85	45.95	54.39	633.80
1955	Dry	36.25	17.03	12.14	37.55	7.92	10.76	14.93	71.60	33.42	54.40	52.39	38.84	387.23
1956	Wet	22.47	15.24	5.63	35.11	20.19	26.60	42.36	102.98	99.74	64.15	37.45	49.15	521.07
1957	Above Normal	51.70	8.59	12.45	12.43	11.09	28.91	13.96	102.04	51.21	62.92	45.92	54.28	455.50
1958	Wet	27.00	35.60	43.94	46.82	90.59	101.35	40.10	103.18	100.34	98.22	55.65	70.45	813.24
1959	Below Normal	50.19	6.58	12.45	49.95	7.61	19.38	44.42	101.29	82.75	70.79	67.27	59.23	571.91
1960	Dry	22.47	15.22	10.69	10.62	9.93	7.96	14.30	91.66	45.33	55.90	50.52	37.32	371.92
1961	Dry	21.53	14.59	5.59	7.67	5.12	6.13	13.00	94.02	48.37	58.36	52.96	49.22	376.56
1962	Below Normal	22.58	15.32	10.81	7.88	5.29	8.14	12.07	94.54	62.01	56.71	51.31	38.01	384.67
1963	Wet	7.28	5.86	6.04	8.62	5.58	6.90	17.54	102.79	61.52	63.56	46.42	75.08	407.19
1964	Dry	36.05	16.93	6.67	21.77	25.17	11.01	20.78	71.98	43.71	54.34	62.39	37.53	408.33
1965	Wet	21.71	14.77	5.31	39.20	8.18	10.07	10.30	102.08	62.54	61.72	45.07	42.58	423.53
1966	Below Normal	24.81	16.91	12.16	8.84	8.11	9.85	50.83	102.69	58.36	63.13	87.77	53.27	496.73
1967	Wet	35.44	16.66	7.75	28.25	18.28	27.38	10.52	102.32	61.05	75.14	53.54	71.39	507.72
1968	Below Normal	53.99	8.88	14.39	19.62	72.02	23.72	19.01	100.97	62.32	71.03	53.94	50.23	550.12
1969	Wet	23.10	15.71	11.14	6.06	5.68	6.45	9.13	102.88	100.01	64.55	47.33	48.12	440.16
1970	Wet	50.69	6.78	82.58	98.12	24.76	23.16	17.82	100.91	88.37	70.17	53.25	59.32	675.93
1971	Wet	27.91	15.26	5.96	6.08	7.92	6.82	23.61	102.33	60.41	27.24	47.75	66.63	397.92
1972	Below Normal	49.16	10.31	14.87	27.46	9.41	91.07	13.89	101.78	53.35	26.33	74.58	53.15	525.36
1973	Above Normal	24.54	6.24	6.43	27.59	23.60	14.57	20.26	102.63	60.86	63.59	75.67	53.99	479.97
1974	Wet	24.98	93.99	93.91	98.12	7.88	79.85	21.40	103.04	99.97	64.50	52.04	68.95	808.63
1975	Wet	48.90	6.58	12.42	9.03	8.12	43.89	16.35	102.45	61.23	88.02	51.62	69.63	518.24
1976	Critical	53.71	17.50	20.38	80.01	8.06	8.92	15.28	71.19	61.73	78.63	53.79	35.89	505.09
1977	Critical	11.51	12.72	21.78	11.42	11.24	9.18	18.07	26.45	16.14	30.11	51.19	8.17	227.98
1978	Above Normal	27.90	2.90	3.90	3.97	4.44	5.27	8.17	93.71	90.23	53.75	39.15	36.63	370.02
1979	Below Normal	21.24	5.41	7.43	7.39	6.72	5.60	13.78	66.29	31.24	40.33	43.83	36.01	285.27
1980	Above Normal	11.57	5.35	5.66	5.67	5.55	8.87	12.44	100.44	73.89	59.24	54.04	50.30	393.02
1981	Dry	23.11	15.68	11.02	11.12	7.42	8.56	15.96	68.71	33.25	55.78	72.39	37.28	360.28
1982	Wet	21.51	5.30	5.83	6.60	60.59	33.13	21.78	102.76	98.98	62.74	15.73	24.20	459.15
1983	Wet	61.27	19.85	57.87	66.10	67.49	100.25	22.01	103.18	100.40	103.17	72.22	77.36	851.17
1984	Wet	55.14	52.17	97.78	45.61	8.47	20.96	17.82	101.80	65.42	61.86	73.48	41.77	642.28
1985	Dry	34.97	6.02	6.52	34.15	7.92	10.29	20.36	76.50	58.93	81.33	76.17	36.17	449.33
1986	Wet	20.81	7.05	7.26	7.28	4.76	6.22	64.45	100.21	73.40	69.60	52.76	48.99	462.79
1987	Dry	22.49	15.28	10.75	10.72	9.70	7.90	19.58	70.02	42.78	78.25	72.74	45.90	406.11
1988	Critical	21.94	7.44	6.65	7.11	6.86	10.22	29.63	62.45	34.78	55.73	34.83	23.93	301.57
1989	Dry	10.32	6.34	6.62	35.32	5.75	6.51	11.28	83.46	53.31	51.93	29.18	22.98	323.00
1990	Critical	9.95	6.22	6.46	6.43	5.99	7.33	16.89	53.47	17.56	29.54	32.18	21.89	213.91
1991	Critical	9.37	5.73	5.89	5.83	5.28	4.34	13.04	25.18	15.86	30.01	27.80	9.08	157.41
1992	Critical	4.88	3.75	5.17	5.15	3.67	4.35	9.26	53.91	17.71	33.58	59.09	24.73	225.25
1993	Above Normal	5.00	22.41	3.64	3.76	3.61	4.40	9.82	89.63	50.70	23.30	40.67	28.46	285.40
1994	Critical	13.98	5.73	10.80	7.86	7.19	8.25	20.87	46.22	44.95	52.81	54.11	24.30	297.07
1995	Wet	10.49	6.43	6.59	4.78	5.05	5.85	9.41	102.49	99.43	47.48	52.50	68.33	418.83
1996	Wet	48.95	6.58	42.27	31.77	92.69	43.50	22.31	102.13	60.56	62.19	45.38	42.76	601.09
1997	Wet	24.90	16.95	96.86	98.12	8.18	9.23	42.35	99.95	82.67	66.93	60.45	36.85	643.44
1998	Wet	25.89	14.84	7.35	5.40	5.27	71.05	32.69	103.04	100.36	103.17	60.22	70.29	599.57
1999	Wet	49.82	30.36	32.29	19.59	11.99	34.01	14.42	102.77	61.04	64.67	47.38	53.84	522.18
2000	Above Normal	48.83	18.37	15.93	48.01	63.27	45.50	61.48	102.65	61.57	64.10	46.93	72.19	648.83
2001	Dry	25.45	17.34	12.23	12.19	7.97	8.79	14.35	80.11	51.89	85.18	80.66	38.68	434.84
2002	Dry	46.86	14.87	10.64	5.76	7.59	8.65	17.50	97.51	63.36	57.73	52.28	38.75	421.50
2003	Above Normal	22.42	15.19	5.69	5.88	7.98	9.03	10.36	102.73	62.74	76.08	77.99	72.74	468.83
	Average	26.82	13.29	16.01	21.22	13.92	18.32	20.69	82.85	55.49	57.13	49.43	43.10	418.29
	Wet	32.16	18.07	30.70	33.58	21.68	31.48	25.96	102.22	78.30	69.20	50.84	58.75	552.94
	Above Normal	33.88	14.80	9.72	13.67	16.51	17.49	23.90	97.08	59.76	56.89	52.81	53.06	449.56
	Below Normal	22.84	8.89	8.96	12.47	11.39	15.50	18.10	82.22	47.74	47.90	48.27	35.49	359.77
	Dry	23.83	11.90	9.04	15.95	8.15	9.15	15.63	73.56	45.76	58.17	52.81	34.51	358.45
	Critical	17.31	8.64	9.17	20.13	6.14	7.67	16.69	41.35	25.46	40.45	39.26	21.02	253.29

Difference in Energy generated (GWh) at Trinity Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	(0.06)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1925	Dry	0.00	0.00	0.00	0.15	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.01
1926	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.02)	0.00
1927	Wet	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1928	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.05)	(0.01)	(0.01)	(0.01)
1929	Critical	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00
1930	Dry	(0.01)	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.62	(0.68)	(0.01)
1932	Dry	0.69	(0.04)	(0.01)	(0.50)	(0.01)	0.00	(0.01)	(0.03)	(0.25)	0.00	0.36	(0.02)	0.02
1933	Critical	0.03	0.01	(0.01)	(0.01)	(0.01)	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1934	Critical	0.00	0.00	0.25	(0.01)	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.02)	(0.06)	(0.07)	0.00
1935	Below Normal	(0.17)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(34.59)	8.09	12.91	0.87	0.96	4.58	(0.60)
1940	Above Normal	4.48	0.45	0.04	0.03	0.02	0.02	0.03	0.12	0.17	0.18	0.16	19.67	2.11
1941	Wet	(0.35)	(0.25)	(0.09)	(0.08)	(0.06)	(19.09)	0.00	0.00	0.00	0.00	0.00	0.00	(1.66)
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	(1.03)	0.02	0.03	0.01	0.07	0.06	0.04	(0.07)
1945	Below Normal	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.07	0.06	0.05	0.05	0.04	0.03
1946	Below Normal	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.04	0.05	0.05	0.04	0.04	0.02
1947	Dry	0.02	0.02	0.01	0.01	0.01	0.00	0.01	0.05	0.03	0.04	0.06	0.43	0.06
1948	Below Normal	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.04	0.02	0.01	0.01	0.01	0.01
1949	Dry	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.02	0.02	0.02	0.02	0.01
1950	Below Normal	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.02	0.01	0.02	0.02	0.01	0.01
1951	Above Normal	0.01	0.01	0.00	0.00	0.07	0.45	(0.11)	0.00	0.00	0.00	0.00	0.00	0.04
1952	Wet	0.00	0.00	0.00	0.00	0.01	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.00	0.05	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	1.20	(0.01)	0.00	(0.01)	(0.06)	(0.02)	(0.04)	(0.05)	(0.04)	0.08
1956	Wet	(0.02)	(0.02)	(0.01)	(1.20)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.02)	(0.10)
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	(0.01)	0.14	(0.01)	0.02
1960	Dry	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	0.00	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1961	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00
1962	Below Normal	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.01)	(0.01)
1963	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.21)	0.00	0.00	0.00	0.00	0.01	(0.02)
1964	Dry	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	0.00	0.00	0.01	0.04	0.00	0.00
1965	Wet	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.48	(0.01)	0.00	0.00	0.00	(0.58)	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	(0.20)	(0.02)	(0.01)	0.02
1977	Critical	(0.01)	0.00	(0.04)	(0.04)	(0.21)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.07	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1979	Below Normal	(0.01)	0.00	1.81	1.84	1.68	(2.00)	(0.05)	2.86	(0.18)	(0.25)	(0.30)	(0.27)	0.43
1980	Above Normal	(7.45)	0.01	0.01	0.00	0.01	0.01	0.01	0.03	0.05	0.05	0.05	0.05	(0.60)
1981	Dry	0.02	4.89	(0.04)	(0.03)	(0.02)	(0.02)	(0.05)	(0.18)	(0.09)	(1.46)	1.28	(0.15)	0.35
1982	Wet	(0.09)	(0.02)	(0.02)	(0.02)	(4.53)	0.00	0.00	0.00	0.00	0.00	0.13	(0.14)	(0.39)
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	(0.01)	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.05
1988	Critical	1.21	(0.03)	(0.02)	(0.02)	(0.01)	(0.25)	(0.22)	(0.12)	(0.47)	(0.09)	(0.06)	(0.04)	(0.01)
1989	Dry	(0.02)	(0.01)	(0.01)	0.44	(0.02)	(0.02)	(0.02)	(0.16)	(0.11)	(0.13)	(0.08)	(0.07)	(0.02)
1990	Critical	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.04)	(0.14)	(0.05)	(0.07)	(0.10)	(0.07)	(0.05)
1991	Critical	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.04)	(0.08)	(0.05)	(0.10)	(0.11)	(0.04)	(0.05)
1992	Critical	(0.02)	(0.02)	(0.02)	(0.03)	(0.01)	(0.02)	(0.02)	(0.12)	(0.05)	(0.08)	(0.18)	0.13	(0.04)
1993	Above Normal	(0.03)	3.07	(0.08)	(0.08)	(0.06)	(1.72)	(0.06)	(0.36)	(0.24)	(0.10)	(0.18)	(0.14)	0.00
1994	Critical	(0.62)	(0.02)	(0.05)	(0.04)	(0.03)	(0.04)	(0.09)	(0.77)	(1.15)	(0.17)	(0.20)	(0.10)	(0.27)
1995	Wet	(0.04)	(0.03)	(0.04)	(0.02)	(0.01)	(0.01)	(0.01)	(0.07)	(0.07)	(3.66)	0.00	0.00	(0.33)
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	(0.31)	0.00	0.01	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.01
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00
	Average	(0.02)	0.09	0.02	0.02	(0.04)	(0.30)	(0.43)	0.11	0.14	(0.06)	0.03	0.29	(0.01)
	Wet	(0.00)	(0.02)	(0.01)	(0.05)	(0.18)	(0.74)	(0.01)	(0.00)	(0.00)	(0.14)	0.01	(0.01)	(0.10)
	Above Normal	(0.24)	0.30	(0.00)	(0.00)	0.00	(0.10)	(0.01)	(0.02)	(0.00)	0.00	0.00	1.63	0.13
	Below Normal	(0.01)	0.00	0.13	0.13	0.12	(0.14)	0.00	0.22	(0.00)	(0.01)	(0.00)	(0.01)	0.04
	Dry	0.04	0.27	(0.01)	0.07	(0.00)	(0.06)	(1.93)	0.43	0.69	(0.04)	0.15	0.30	(0.01)
	Critical	0.04	(0.01)	0.01	(0.02)	(0.03)	(0.07)	(0.04)	(0.11)	(0.11)	(0.06)	(0.01)	(0.07)	(0.04)

Percent Difference in Energy generated (GWh) at Trinity Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-4%
1932	Dry	14%	0%	0%	-4%	0%	0%	0%	0%	-2%	0%	2%	0%
1933	Critical	0%	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	-56%	15%	23%	1%	1%	9%
1940	Above Normal	20%	2%	1%	0%	0%	0%	0%	0%	0%	0%	0%	50%
1941	Wet	-2%	-2%	-2%	-1%	-1%	-21%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	1%	4%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	2%	0%	0%	0%	0%	-8%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	32%	33%	33%	-26%	0%	5%	-1%	-1%	-1%	-1%
1980	Above Normal	-39%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	45%	0%	0%	0%	0%	0%	0%	0%	-3%	2%	0%
1982	Wet	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	1%	-1%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1988	Critical	6%	0%	0%	0%	0%	-2%	-1%	0%	-1%	0%	0%	0%
1989	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	-1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	1%
1993	Above Normal	-1%	16%	-2%	-2%	-2%	-28%	-1%	0%	0%	0%	0%	0%
1994	Critical	-4%	0%	0%	-1%	0%	0%	0%	-2%	-2%	0%	0%	0%
1995	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	-7%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	-2%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	1%
	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
	Above Normal	-2%	2%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	4%
	Below Normal	0%	0%	2%	2%	2%	-2%	0%	0%	0%	0%	0%	0%
	Dry	1%	2%	0%	0%	0%	0%	-3%	1%	1%	0%	0%	1%
	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Alt. Misc.: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.19	11.86	1.35	1.00	1.00	10.62	2.87	15.60	12.16	20.03	19.60	10.69	117.97
1923	Below Normal	12.99	12.43	2.61	1.25	4.87	4.41	4.44	12.43	10.64	24.78	17.81	13.60	122.26
1924	Critical	17.82	8.53	3.25	4.99	1.00	1.00	3.51	10.36	1.00	3.79	3.76	7.19	66.20
1925	Dry	9.49	2.18	6.04	7.16	6.80	5.98	5.87	15.89	9.71	23.79	28.24	7.41	128.56
1926	Dry	9.59	8.40	2.88	2.38	1.00	1.00	6.85	12.01	7.30	17.47	14.02	10.15	93.05
1927	Wet	10.00	9.70	5.55	4.07	12.27	8.78	2.43	11.55	5.57	22.49	21.05	11.73	125.19
1928	Above Normal	7.32	4.93	4.07	3.11	1.00	11.77	4.98	11.56	6.57	22.50	23.07	8.63	109.51
1929	Critical	6.29	5.66	4.11	3.34	5.47	6.33	3.71	10.73	2.50	13.11	33.14	7.52	101.91
1930	Dry	9.10	5.73	4.85	5.38	7.85	4.32	8.20	18.33	2.52	15.01	9.73	4.57	95.59
1931	Critical	9.80	6.61	4.10	6.11	9.12	1.00	2.38	10.28	1.00	2.51	3.61	7.03	63.55
1932	Dry	8.60	4.34	6.39	7.75	4.67	1.00	3.53	11.56	6.65	7.96	18.96	17.94	99.35
1933	Critical	12.10	7.09	4.89	1.00	1.00	1.98	3.17	10.63	1.00	4.89	37.89	15.28	100.92
1934	Critical	9.49	5.40	1.00	1.00	1.00	1.00	3.56	10.74	1.00	3.93	22.81	7.00	67.93
1935	Below Normal	2.75	6.11	6.60	5.75	1.00	2.58	6.85	13.69	11.21	18.09	9.56	13.54	97.73
1936	Below Normal	16.74	8.72	5.95	1.29	1.00	1.92	5.56	13.51	9.13	22.17	12.06	14.59	112.64
1937	Below Normal	16.13	7.72	5.48	3.51	1.00	1.00	9.82	17.78	1.00	17.53	11.13	18.10	110.20
1938	Wet	9.55	9.48	5.62	1.00	1.00	1.00	14.66	69.92	11.87	19.38	16.76	9.67	169.91
1939	Dry	11.33	1.45	1.86	1.00	1.26	1.28	2.32	11.88	1.00	26.33	16.73	10.58	87.02
1940	Above Normal	8.06	6.29	1.43	2.26	7.56	12.47	5.37	12.93	5.55	18.46	21.95	9.42	111.75
1941	Wet	7.66	5.57	4.02	5.41	10.98	11.01	7.09	18.95	8.43	19.24	18.74	10.48	127.58
1942	Wet	11.72	10.29	3.07	3.19	7.22	8.83	6.00	18.07	9.08	18.82	20.19	9.90	126.38
1943	Wet	11.17	11.82	2.02	2.37	5.76	12.66	5.28	11.80	6.66	20.73	19.98	10.72	120.97
1944	Dry	8.60	8.11	1.75	1.00	3.26	4.47	5.39	12.39	5.07	21.37	14.28	6.31	92.00
1945	Below Normal	8.72	8.79	5.19	6.33	13.07	12.16	3.95	13.37	2.04	23.26	21.29	12.10	130.27
1946	Below Normal	19.24	8.62	4.12	5.05	8.83	5.98	1.64	12.53	4.47	22.94	20.55	9.78	123.75
1947	Dry	18.34	8.64	3.96	4.10	5.07	1.00	2.89	11.63	2.69	25.56	17.75	10.02	111.65
1948	Below Normal	9.84	7.91	3.18	1.00	1.00	6.45	4.40	11.92	7.75	23.13	21.12	12.70	110.40
1949	Dry	16.16	9.28	5.61	4.86	7.74	2.04	1.63	11.87	1.00	23.97	30.36	11.56	126.08
1950	Below Normal	10.77	7.03	2.81	1.00	1.22	9.54	4.26	12.70	5.78	26.75	20.69	14.03	116.58
1951	Above Normal	17.76	9.68	6.31	5.89	1.00	1.00	2.01	12.84	3.60	13.58	20.55	11.64	105.86
1952	Wet	9.88	10.65	3.35	4.65	8.19	11.88	7.33	29.72	13.22	17.80	17.20	9.75	143.62
1953	Wet	7.66	9.38	1.45	1.00	1.41	8.74	4.29	10.93	2.15	23.54	22.22	11.90	104.67
1954	Above Normal	4.70	9.55	4.51	1.00	2.62	8.03	4.23	9.93	5.01	11.32	21.61	11.33	93.84
1955	Dry	8.12	8.95	4.47	4.71	7.69	3.56	3.17	11.60	1.00	27.18	17.73	9.26	107.44
1956	Wet	7.14	8.50	5.43	8.32	13.49	1.00	1.86	15.77	10.67	20.05	20.83	10.99	124.05
1957	Above Normal	12.43	11.46	2.59	1.00	1.00	6.07	4.72	11.36	3.46	21.83	23.63	10.39	109.94
1958	Wet	13.73	10.86	4.49	2.68	10.48	9.30	13.00	25.26	12.86	17.26	17.43	9.43	146.78
1959	Below Normal	7.11	9.81	1.00	1.00	1.00	8.48	4.95	12.71	2.24	25.36	22.84	8.27	104.77
1960	Dry	11.24	5.54	3.71	3.85	2.51	5.34	3.14	18.80	3.11	23.98	17.01	11.31	109.54
1961	Dry	9.06	7.43	4.68	4.65	1.89	8.11	2.75	11.53	1.00	29.17	20.75	13.11	114.13
1962	Below Normal	5.68	6.35	1.31	2.99	4.38	10.00	4.88	11.31	1.79	24.08	22.08	11.13	105.98
1963	Wet	13.82	9.49	3.95	1.51	4.52	8.30	4.33	12.58	8.14	22.57	20.59	12.41	122.21
1964	Dry	5.86	11.77	4.83	3.86	3.99	4.17	1.62	11.41	1.00	26.68	18.66	6.66	100.51
1965	Wet	5.98	4.97	4.11	7.01	11.70	11.82	6.53	13.95	3.79	21.94	23.77	10.93	126.50
1966	Below Normal	11.45	10.91	2.65	2.17	4.59	5.02	1.86	10.80	1.00	23.16	20.88	10.86	105.35
1967	Wet	14.24	7.12	4.02	4.91	7.53	6.85	11.13	26.80	13.68	21.63	17.66	9.17	144.74
1968	Below Normal	8.68	6.35	1.00	1.00	1.00	8.58	4.90	13.26	2.17	24.95	22.45	7.67	102.01
1969	Wet	13.39	8.11	4.82	7.75	14.11	1.00	17.12	63.98	12.43	20.99	16.71	5.40	185.81
1970	Wet	10.45	2.86	1.89	1.68	5.84	6.74	1.58	11.04	1.00	17.01	20.69	11.58	92.36
1971	Wet	8.49	3.88	3.35	2.01	3.93	10.85	3.41	11.04	6.97	24.93	23.41	12.67	114.94
1972	Below Normal	11.64	4.91	5.14	4.55	1.19	1.55	2.87	11.98	2.42	26.09	22.88	10.81	106.03
1973	Above Normal	12.40	9.06	4.46	3.25	11.01	11.03	2.52	11.85	4.78	22.11	20.10	5.84	118.41
1974	Wet	6.77	8.88	4.53	6.19	7.56	9.74	3.46	11.41	6.10	19.80	21.87	10.16	116.47
1975	Wet	11.09	13.12	2.22	1.00	1.00	10.84	3.87	10.78	9.65	21.82	23.09	11.26	119.74
1976	Critical	13.21	9.97	3.44	2.36	7.84	9.27	5.91	10.93	1.00	9.54	2.60	2.41	78.48
1977	Critical	5.10	7.01	3.53	4.45	10.74	1.00	2.80	11.01	1.00	3.08	28.37	1.68	79.77
1978	Above Normal	3.62	1.50	3.20	5.34	15.16	13.38	8.71	21.82	11.30	19.55	17.50	10.19	131.27
1979	Below Normal	11.11	6.78	1.72	1.00	4.08	14.83	4.10	17.28	6.49	24.63	22.05	7.61	121.68
1980	Above Normal	18.76	6.60	4.66	6.98	6.69	1.00	4.33	15.84	13.05	21.62	20.28	5.74	125.55
1981	Dry	5.60	9.64	1.72	1.00	1.62	3.40	5.81	14.10	1.00	23.83	22.80	7.50	98.02
1982	Wet	12.34	7.82	3.89	5.00	11.21	8.17	21.65	34.97	12.40	17.41	16.50	10.76	162.12
1983	Wet	15.68	8.94	2.65	2.28	1.00	1.00	17.56	62.78	24.64	37.84	17.32	16.26	207.95
1984	Wet	17.98	3.43	1.00	1.00	1.00	1.00	2.15	10.62	4.59	21.45	20.36	12.30	96.88
1985	Dry	9.65	8.68	4.07	2.59	4.98	4.79	4.05	11.82	1.00	22.69	28.09	11.09	113.50
1986	Wet	12.39	8.94	4.29	1.00	10.98	13.25	9.41	20.28	12.57	22.87	21.41	1.00	138.39
1987	Dry	3.18	2.01	2.76	1.46	3.45	6.32	2.94	11.23	3.73	26.19	6.29	6.23	75.79
1988	Critical	12.42	6.69	3.60	2.98	1.00	1.00	5.79	11.40	1.00	18.53	33.56	3.56	101.53
1989	Dry	5.28	7.16	4.34	7.69	2.47	1.67	5.45	13.88	7.19	27.10	12.91	8.03	103.17
1990	Critical	5.80	5.05	2.78	3.97	3.19	1.23	4.16	12.53	1.00	20.37	20.62	3.21	83.91
1991	Critical	8.14	5.58	3.32	2.35	3.78	1.03	4.79	11.55	2.50	18.95	10.65	3.95	76.59
1992	Critical	7.69	4.90	2.21	1.42	2.94	5.91	3.55	11.83	1.00	22.75	29.41	1.87	95.48
1993	Above Normal	5.03	6.12	3.61	5.30	11.71	10.06	1.77	12.24	10.30	22.32	23.95	11.37	123.78
1994	Critical	12.96	9.19	4.08	1.32	3.57	1.01	1.44	13.58	1.00	26.65	19.58	4.76	99.14
1995	Wet	4.12	14.51	14.30	9.67	12.04	18.75	1.00	6.07	1.00	1.00	1.00	10.29	93.75
1996	Wet	7.62	9.07	13.72	5.18	11.01	20.62	1.00	1.00	1.00	1.00	4.47	10.67	86.36
1997	Wet	13.97	23.42	20.92	18.95	16.20	12.22	1.00	1.00	1.00	1.00	1.00	10.40	121.08
1998	Wet	6.42	12.31	16.98	7.88	14.00	18.28	1.00	1.00	1.00	1.00	1.00	9.73	90.60
1999	Wet	14.27	19.48	18.30	13.90	14.21	19.71	1.00	1.00	1.00	1.00	1.07	9.95	114.89
2000	Above Normal	7.19	20.58	17.91	6.12	16.52	18.82	1.00	1.00	1.00	1.00	1.00	11.46	103.60
2001	Dry	10.88	22.74	19.38	13.92	7.82	9.82	1.00	1.00	1.00	6.92	1.00	6.57	102.05
2002	Dry	12.95	13.42	19.81	11.59	8.21	6.93	1.00	1.00	1.00	1.00	7.02	10.66	94.59
2003	Above Normal	12.82	17.59	17.16	8.65	11.32	10.75	1.00	1.00	1.00	1.00	1.91	8.38	92.58
	Average	10.31	8.63	5.16	4.17	5.93	6.91	4.75	14.43	5.11	18.31	17.77	9.56	111.04
	Wet	10.67	9.72	6.15	4.99	8.41	9.71	6.51	19.70	7.75	17.48	16.40	10.37	127.84
	Above Normal	10.11	9.60	5.94	4.16	7.22	9.58	3.63	11.50	6.48	16.28	17.93	9.59	112.01
	Below Normal	10.92	8.03	3.48	2.71	3.45	6.61	4.61	13.23	4.87	23.35	19.10	11.77	112.12
	Dry	9.61	8.08	5.73	4.94	4.57	4.18	3.76	11.77	3.17	20.90	16.80	9.39	102.89
	Critical	10.07	6.81	3.36	2.94	4.22	2.65	3.73	11.30	1.25	12.34	20.50	5.46	84.62

Energy Use (GWh) At Pumping Plant at Alt. Misc.: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.19	11.86	1.35	1.00	1.00	10.45	2.79	15.66	11.69	20.15	20.46	10.69	118.29
1923	Below Normal	12.98	12.43	2.51	1.05	4.47	4.29	4.37	12.49	10.52	24.93	17.83	13.61	121.48
1924	Critical	17.78	8.52	3.17	4.85	1.00	1.00	3.51	10.38	1.00	3.80	3.76	7.21	65.98
1925	Dry	9.51	2.17	6.04	7.16	6.80	5.93	5.85	15.91	9.63	23.79	28.27	7.41	128.47
1926	Dry	9.59	8.39	2.85	2.32	1.00	1.00	6.86	12.01	7.29	17.48	13.95	10.15	92.89
1927	Wet	10.00	9.70	5.56	4.08	12.28	8.60	2.33	11.61	5.24	22.55	21.08	11.72	124.75
1928	Above Normal	7.31	4.90	3.96	2.91	1.00	11.67	4.92	11.60	6.38	22.54	23.09	8.63	108.91
1929	Critical	6.29	5.64	4.04	3.22	5.36	6.33	3.71	10.73	2.50	13.11	33.14	7.53	101.60
1930	Dry	9.10	5.73	4.85	5.38	7.85	4.31	8.20	18.32	2.52	15.00	9.73	4.57	95.56
1931	Critical	9.80	6.61	4.10	6.12	9.12	1.00	2.38	10.28	1.00	2.51	3.61	7.04	63.57
1932	Dry	8.61	4.33	6.39	7.75	4.63	1.00	3.43	11.63	6.33	7.64	19.10	17.93	98.77
1933	Critical	12.08	7.06	4.94	1.00	1.00	1.98	3.17	10.63	1.00	4.89	37.90	15.31	100.96
1934	Critical	9.52	5.41	1.00	1.00	1.00	1.00	3.52	10.66	1.00	3.88	19.96	7.05	65.00
1935	Below Normal	2.70	6.07	6.58	6.35	1.00	2.41	6.76	13.77	10.91	18.00	9.37	13.53	97.45
1936	Below Normal	16.70	8.67	5.91	1.00	1.00	1.94	5.46	13.57	8.81	22.23	11.82	14.58	111.69
1937	Below Normal	16.12	7.70	5.37	3.49	1.00	2.47	9.81	16.30	1.00	17.40	10.95	18.05	109.66
1938	Wet	9.50	9.37	5.93	1.00	1.00	4.27	11.90	37.25	12.13	19.69	17.40	9.80	139.24
1939	Dry	11.56	1.56	1.43	1.00	1.06	1.52	2.32	12.16	1.00	27.59	14.01	10.22	85.43
1940	Above Normal	8.83	6.43	1.52	2.58	7.97	12.19	5.18	12.97	4.99	18.16	21.78	9.85	112.45
1941	Wet	7.60	6.07	3.84	5.26	10.73	10.11	7.01	19.03	8.49	19.44	19.95	10.45	127.98
1942	Wet	12.20	11.07	2.97	3.24	6.70	8.69	5.92	18.07	9.10	18.94	20.25	9.92	127.07
1943	Wet	11.17	11.73	1.94	2.41	4.88	12.03	5.29	11.92	9.43	20.92	20.11	10.77	122.60
1944	Dry	7.30	8.43	1.66	1.00	3.12	4.32	5.31	12.45	5.40	20.72	14.19	6.31	90.21
1945	Below Normal	8.69	8.74	5.08	6.15	10.19	13.57	3.89	13.41	1.83	23.46	21.41	12.16	128.58
1946	Below Normal	19.16	8.63	3.98	4.65	8.70	6.48	1.54	12.60	3.49	23.01	20.59	10.46	123.29
1947	Dry	18.29	8.59	3.83	3.89	4.85	1.00	2.84	11.64	2.55	25.53	18.17	9.97	111.15
1948	Below Normal	9.81	7.86	2.98	1.00	1.00	6.45	4.40	11.92	7.76	23.10	21.14	12.70	110.12
1949	Dry	16.15	9.28	5.62	4.86	7.74	2.04	1.64	11.87	1.00	23.97	30.34	11.57	126.08
1950	Below Normal	10.77	7.04	2.81	1.00	1.23	9.52	4.25	12.71	5.74	26.76	20.69	14.03	116.55
1951	Above Normal	17.76	9.68	6.29	5.84	1.00	1.00	1.91	12.90	3.26	13.25	20.58	11.64	105.11
1952	Wet	9.86	10.63	3.24	4.45	8.07	8.12	6.00	28.06	13.30	18.01	17.28	9.91	136.93
1953	Wet	7.65	14.78	1.64	1.00	1.51	9.16	4.20	10.72	2.01	23.78	22.36	12.13	110.94
1954	Above Normal	4.46	9.88	4.59	1.00	2.72	8.02	4.20	9.89	4.93	11.18	21.59	11.32	93.78
1955	Dry	8.10	8.95	4.46	4.68	7.75	3.58	3.18	11.59	1.00	27.20	17.50	9.25	107.24
1956	Wet	7.16	8.40	5.08	7.73	14.85	1.00	1.86	15.83	10.62	20.12	19.11	10.98	122.74
1957	Above Normal	12.40	11.40	2.47	1.00	1.00	5.90	4.62	11.42	3.16	21.89	23.66	10.39	109.31
1958	Wet	13.71	10.83	4.38	2.50	10.29	9.12	11.42	23.90	12.65	18.17	18.15	9.75	144.87
1959	Below Normal	7.39	12.75	1.06	1.00	1.00	8.39	4.87	12.73	2.01	25.23	22.58	8.54	107.55
1960	Dry	11.28	5.44	3.61	3.69	2.33	5.35	3.15	18.80	3.13	24.00	17.42	11.30	109.50
1961	Dry	9.01	7.43	4.68	4.65	1.90	8.12	2.75	11.53	1.00	29.30	20.61	13.10	114.08
1962	Below Normal	5.71	6.36	1.31	2.99	4.39	9.83	4.78	11.37	1.47	24.16	22.10	11.12	105.59
1963	Wet	13.80	9.46	3.84	1.32	4.10	8.16	4.24	12.63	8.07	22.67	20.65	12.42	121.36
1964	Dry	5.86	11.74	4.74	3.70	3.83	4.16	1.62	11.41	1.00	26.66	18.67	6.66	100.05
1965	Wet	5.98	4.97	4.10	6.74	10.39	11.73	6.50	14.09	3.69	22.26	24.71	11.03	126.19
1966	Below Normal	11.50	10.73	2.62	2.01	4.50	4.90	1.77	10.83	1.00	23.20	20.89	10.82	104.77
1967	Wet	14.22	7.10	3.94	4.76	7.01	6.73	9.78	25.62	13.74	19.94	18.04	9.41	140.29
1968	Below Normal	9.31	10.99	1.00	1.00	1.00	8.58	4.81	13.31	1.88	25.01	22.48	7.67	107.04
1969	Wet	13.36	8.06	4.71	6.50	16.09	4.16	14.92	68.25	12.48	21.22	16.91	6.70	193.36
1970	Wet	10.61	2.70	1.89	1.64	5.78	5.73	1.47	11.12	1.00	17.10	20.72	11.57	91.33
1971	Wet	8.56	3.76	3.24	1.81	3.73	10.76	3.35	11.07	6.78	24.94	23.46	12.69	114.15
1972	Below Normal	11.60	4.92	5.08	4.44	1.08	1.55	2.87	11.98	2.42	26.08	22.88	10.82	105.72
1973	Above Normal	12.40	9.06	4.46	3.24	11.01	10.86	2.42	11.91	4.45	22.20	20.15	7.97	120.13
1974	Wet	6.74	8.85	4.41	5.47	7.15	9.53	3.44	11.46	6.06	20.13	22.51	10.27	116.02
1975	Wet	11.17	12.85	2.23	1.00	1.00	10.64	3.75	10.85	9.55	21.84	23.09	11.24	119.21
1976	Critical	13.18	10.00	3.30	2.12	7.58	9.28	5.92	10.93	1.00	9.33	2.72	2.41	77.77
1977	Critical	5.18	7.00	3.53	4.46	10.74	1.00	2.80	11.01	1.00	3.08	27.41	1.68	78.89
1978	Above Normal	3.77	1.51	3.18	5.34	14.06	13.16	7.68	18.31	8.83	18.88	18.94	10.17	123.83
1979	Below Normal	11.13	13.33	1.73	1.00	3.97	14.22	4.42	17.44	7.28	24.83	22.87	8.10	130.32
1980	Above Normal	18.43	8.62	5.21	7.19	1.00	1.00	4.31	15.78	12.29	21.35	19.96	9.48	124.62
1981	Dry	5.88	10.32	2.30	1.00	1.53	3.34	5.59	13.94	1.00	23.96	22.67	7.47	99.00
1982	Wet	12.34	7.83	3.79	4.83	10.28	7.87	26.84	30.58	11.23	17.71	16.79	10.85	160.94
1983	Wet	12.70	8.73	2.48	8.86	4.39	7.59	33.49	71.71	24.87	38.07	17.46	16.37	246.72
1984	Wet	17.98	4.13	1.00	1.00	1.00	1.00	2.04	10.68	4.26	21.52	20.39	12.29	97.29
1985	Dry	9.63	8.66	3.96	2.39	4.78	4.69	3.99	11.86	1.00	22.73	28.11	11.09	112.89
1986	Wet	12.38	8.92	4.22	1.00	9.80	14.87	9.42	20.30	12.01	22.98	21.48	1.00	138.38
1987	Dry	3.18	2.11	2.61	1.25	3.24	6.31	2.97	11.24	3.53	26.70	7.34	6.23	76.71
1988	Critical	12.44	6.70	3.63	3.01	1.00	1.00	5.79	11.39	1.00	18.49	33.53	3.56	101.54
1989	Dry	5.30	7.13	4.34	7.69	2.46	1.68	5.47	13.88	7.22	27.11	12.97	7.66	102.91
1990	Critical	5.80	5.05	2.78	3.98	3.21	1.23	4.16	12.53	1.00	20.36	12.77	6.25	79.12
1991	Critical	7.91	5.56	3.33	2.33	3.74	1.03	4.79	11.55	2.50	18.95	10.86	3.95	76.50
1992	Critical	7.66	4.97	2.20	1.35	2.94	5.91	3.55	11.82	3.11	18.46	28.97	1.85	92.79
1993	Above Normal	5.02	6.14	3.62	5.33	11.73	9.58	1.71	12.31	10.36	22.51	23.92	11.42	123.65
1994	Critical	12.97	9.16	4.04	1.17	3.42	1.00	1.44	13.59	1.00	26.78	19.47	4.77	98.81
1995	Wet	4.12	14.50	14.30	9.61	10.82	16.54	1.00	1.00	1.00	1.00	1.00	10.31	85.20
1996	Wet	7.89	20.65	13.97	5.62	11.51	16.50	1.00	1.00	1.00	1.00	4.53	10.83	95.50
1997	Wet	13.15	23.43	20.48	19.31	16.66	12.22	1.00	1.00	1.00	1.00	1.08	10.39	120.72
1998	Wet	6.48	12.27	16.95	7.77	12.35	18.02	1.00	1.00	1.00	1.00	1.00	9.96	88.80
1999	Wet	14.44	19.64	18.53	14.28	14.57	19.69	1.00	1.00	1.00	1.00	1.00	9.91	116.06
2000	Above Normal	7.24	20.64	17.89	5.98	16.30	18.67	1.00	1.00	1.00	1.00	1.00	11.45	103.17
2001	Dry	10.85	22.69	19.62	13.82	7.66	9.82	1.00	1.00	1.00	6.90	1.00	6.58	101.94
2002	Dry	12.95	13.42	19.81	11.58	8.20	6.93	1.00	1.00	1.00	1.00	7.02	10.59	94.50
2003	Above Normal	12.82	17.58	17.15	8.65	11.32	10.71	1.00	1.00	1.00	1.00	1.83	8.36	92.42
	Average	10.28	9.05	5.14	4.18	5.76	6.92	4.85	13.98	5.05	18.29	17.69	9.72	110.90
	Wet	10.57	10.40	6.10	5.12	8.34	9.72	6.93	18.45	7.76	17.58	16.56	10.49	128.02
	Above Normal	10.14	9.81	5.97	4.17	6.68	9.43	3.48	11.23	6.03	16.18	18.08	10.11	111.31
	Below Normal	10.97	9.02	3.43	2.65	3.18	6.76	4.57	13.17	4.72	23.39	19.11	11.87	112.84
	Dry	9.56	8.13	5.71	4.88	4.49	4.17	3.73	11.79	3.14	20.96	16.73	9.34	102.63
	Critical	10.05	6.81	3.34	2.88	4.18	2.65	3.73	11.29	1.43	11.97	19.51	5.72	83.54

Difference in Energy Use (GWh) At Pumping Plant at Alt. Misc.: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.17)	(0.08)	0.06	(0.47)	0.12	0.86	0.00	0.03
1923	Below Normal	(0.01)	0.00	(0.10)	(0.20)	(0.40)	(0.12)	(0.07)	0.06	(0.12)	0.15	0.02	0.01	(0.07)
1924	Critical	(0.04)	(0.01)	(0.08)	(0.14)	0.00	0.00	0.00	0.02	0.00	0.01	0.00	0.02	(0.02)
1925	Dry	0.02	(0.01)	0.00	0.00	0.00	(0.05)	(0.02)	0.02	(0.08)	0.00	0.03	0.00	(0.01)
1926	Dry	0.00	(0.01)	(0.03)	(0.06)	0.00	0.00	0.01	0.00	(0.01)	0.01	(0.07)	0.00	(0.01)
1927	Wet	0.00	0.00	0.01	0.01	0.01	(0.18)	(0.10)	0.06	(0.33)	0.06	0.03	(0.01)	(0.04)
1928	Above Normal	(0.01)	(0.03)	(0.11)	(0.20)	0.00	(0.10)	(0.06)	0.04	(0.19)	0.04	0.02	0.00	(0.05)
1929	Critical	0.00	(0.02)	(0.07)	(0.12)	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.03)
1930	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1932	Dry	0.01	(0.01)	0.00	0.00	(0.04)	0.00	(0.10)	0.07	(0.32)	(0.32)	0.14	(0.01)	(0.05)
1933	Critical	(0.02)	(0.03)	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.00
1934	Critical	0.03	0.01	0.00	0.00	0.00	0.00	(0.04)	(0.08)	0.00	(0.05)	(2.85)	0.05	(0.24)
1935	Below Normal	(0.05)	(0.04)	(0.02)	0.60	0.00	(0.17)	(0.09)	0.08	(0.30)	(0.09)	(0.19)	(0.01)	(0.02)
1936	Below Normal	(0.04)	(0.05)	(0.04)	(0.29)	0.00	0.02	(0.10)	0.06	(0.32)	0.06	(0.24)	(0.01)	(0.08)
1937	Below Normal	(0.01)	(0.02)	(0.11)	(0.02)	0.00	1.47	(0.01)	(1.48)	0.00	(0.13)	(0.18)	(0.05)	(0.05)
1938	Wet	(0.05)	(0.11)	0.31	0.00	0.00	3.27	(2.76)	(32.67)	0.26	0.31	0.64	0.13	(2.56)
1939	Dry	0.23	0.11	(0.43)	0.00	(0.20)	0.24	0.00	0.28	0.00	1.26	(2.72)	(0.36)	(0.13)
1940	Above Normal	0.77	0.14	0.09	0.32	0.41	(0.28)	(0.19)	0.04	(0.56)	(0.30)	(0.17)	0.43	0.06
1941	Wet	(0.06)	0.50	(0.18)	(0.15)	(0.25)	(0.90)	(0.08)	0.08	0.06	0.20	1.21	(0.03)	0.03
1942	Wet	0.48	0.78	(0.10)	0.05	(0.52)	(0.14)	(0.08)	0.00	0.02	0.12	0.06	0.02	0.06
1943	Wet	0.00	(0.09)	(0.08)	0.04	(0.88)	(0.63)	0.01	0.12	2.77	0.19	0.13	0.05	0.14
1944	Dry	(1.30)	0.32	(0.09)	0.00	(0.14)	(0.15)	(0.08)	0.06	0.33	(0.65)	(0.09)	0.00	(0.15)
1945	Below Normal	(0.03)	(0.05)	(0.11)	(0.18)	(2.88)	1.41	(0.06)	0.04	(0.21)	0.20	0.12	0.06	(0.14)
1946	Below Normal	(0.08)	0.01	(0.14)	(0.40)	(0.13)	0.50	(0.10)	0.07	(0.98)	0.07	0.04	0.68	(0.04)
1947	Dry	(0.05)	(0.05)	(0.13)	(0.21)	(0.22)	0.00	(0.05)	0.01	(0.14)	(0.03)	0.42	(0.05)	(0.04)
1948	Below Normal	(0.03)	(0.05)	(0.20)	0.00	0.00	0.00	0.00	0.00	0.01	(0.03)	0.02	0.00	(0.02)
1949	Dry	(0.01)	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.02)	0.01	0.00
1950	Below Normal	0.00	0.01	0.00	0.00	0.01	(0.02)	(0.01)	0.01	(0.04)	0.01	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	(0.02)	(0.05)	0.00	0.00	(0.10)	0.06	(0.34)	(0.33)	0.03	0.00	(0.06)
1952	Wet	(0.02)	(0.02)	(0.11)	(0.20)	(0.12)	(3.76)	(1.33)	(1.66)	0.08	0.21	0.08	0.16	(0.56)
1953	Wet	(0.01)	5.40	0.19	0.00	0.10	0.42	(0.09)	(0.21)	(0.14)	0.24	0.14	0.23	0.52
1954	Above Normal	(0.24)	0.33	0.08	0.00	0.10	(0.01)	(0.03)	(0.04)	(0.08)	(0.14)	(0.02)	(0.01)	0.00
1955	Dry	(0.02)	0.00	(0.01)	(0.03)	0.06	0.02	0.01	(0.01)	0.00	0.02	(0.23)	(0.01)	(0.02)
1956	Wet	0.02	(0.10)	(0.35)	(0.59)	1.36	0.00	0.00	0.06	(0.05)	0.07	(1.72)	(0.01)	(0.11)
1957	Above Normal	(0.03)	(0.06)	(0.12)	0.00	0.00	(0.17)	(0.10)	0.06	(0.30)	0.06	0.03	0.00	(0.05)
1958	Wet	(0.02)	(0.03)	(0.11)	(0.18)	(0.19)	(0.18)	(1.58)	(1.36)	(0.21)	0.91	0.72	0.32	(0.16)
1959	Below Normal	0.28	2.94	0.06	0.00	0.00	(0.09)	(0.08)	0.02	(0.23)	(0.13)	(0.26)	0.27	0.23
1960	Dry	0.04	(0.10)	(0.10)	(0.16)	(0.18)	0.01	0.01	0.00	0.02	0.02	0.41	(0.01)	0.00
1961	Dry	(0.05)	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.13	(0.14)	(0.01)	0.00
1962	Below Normal	0.03	0.01	0.00	0.00	0.01	(0.17)	(0.10)	0.06	(0.32)	0.08	0.02	(0.01)	(0.03)
1963	Wet	(0.02)	(0.03)	(0.11)	(0.19)	(0.42)	(0.14)	(0.09)	0.05	(0.07)	0.10	0.06	0.01	(0.07)
1964	Dry	0.00	(0.03)	(0.09)	(0.16)	(0.16)	(0.01)	0.00	0.00	0.00	(0.02)	0.01	0.00	(0.04)
1965	Wet	0.00	0.00	(0.01)	(0.27)	(1.31)	(0.09)	(0.03)	0.14	(0.10)	0.32	0.94	0.10	(0.03)
1966	Below Normal	0.05	(0.18)	(0.03)	(0.16)	(0.09)	(0.12)	(0.09)	0.03	0.00	0.04	0.01	(0.04)	(0.05)
1967	Wet	(0.02)	(0.02)	(0.08)	(0.15)	(0.52)	(0.12)	(1.35)	(1.18)	0.06	(1.69)	0.38	0.24	(0.37)
1968	Below Normal	0.63	4.64	0.00	0.00	0.00	0.00	(0.09)	0.05	(0.29)	0.06	0.03	0.00	0.42
1969	Wet	(0.03)	(0.05)	(0.11)	(1.25)	1.98	3.16	(2.20)	4.27	0.05	0.23	0.20	1.30	0.63
1970	Wet	0.16	(0.16)	0.00	(0.04)	(0.06)	(1.01)	(0.11)	0.08	0.00	0.09	0.03	(0.01)	(0.09)
1971	Wet	0.07	(0.12)	(0.11)	(0.20)	(0.20)	(0.09)	(0.06)	0.03	(0.19)	0.01	0.05	0.02	(0.07)
1972	Below Normal	(0.04)	0.01	(0.06)	(0.11)	(0.11)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	(0.03)
1973	Above Normal	0.00	0.00	0.00	(0.01)	0.00	(0.17)	(0.10)	0.06	(0.33)	0.09	0.05	2.13	0.14
1974	Wet	(0.03)	(0.03)	(0.12)	(0.72)	(0.41)	(0.21)	(0.02)	0.05	(0.04)	0.33	0.64	0.11	(0.04)
1975	Wet	0.08	(0.27)	0.01	0.00	0.00	(0.20)	(0.12)	0.07	(0.10)	0.02	0.00	(0.02)	(0.04)
1976	Critical	(0.03)	0.03	(0.14)	(0.24)	(0.26)	0.01	0.01	0.00	0.00	(0.21)	0.12	0.00	(0.06)
1977	Critical	0.08	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.96)	0.00	(0.07)
1978	Above Normal	0.15	0.01	(0.02)	0.00	(1.10)	(0.22)	(1.03)	(3.51)	(2.47)	(0.67)	1.44	(0.02)	(0.62)
1979	Below Normal	0.02	6.55	0.01	0.00	(0.11)	(0.61)	0.32	0.16	0.79	0.20	0.82	0.49	0.72
1980	Above Normal	(0.33)	2.02	0.55	0.21	(5.69)	0.00	(0.02)	(0.06)	(0.76)	(0.27)	(0.32)	3.74	(0.08)
1981	Dry	0.28	0.68	0.58	0.00	(0.09)	(0.06)	(0.22)	(0.16)	0.00	0.13	(0.13)	(0.03)	0.08
1982	Wet	0.00	0.01	(0.10)	(0.17)	(0.93)	(0.30)	5.19	(4.39)	(1.17)	0.30	0.29	0.09	(0.10)
1983	Wet	(2.98)	(0.21)	(0.17)	6.58	3.39	6.59	15.93	8.93	0.23	0.23	0.14	0.11	3.23
1984	Wet	0.00	0.70	0.00	0.00	0.00	0.00	(0.11)	0.06	(0.33)	0.07	0.03	(0.01)	0.03
1985	Dry	(0.02)	(0.02)	(0.11)	(0.20)	(0.20)	(0.10)	(0.06)	0.04	0.00	0.04	0.02	0.00	(0.05)
1986	Wet	(0.01)	(0.02)	(0.07)	0.00	(1.18)	1.62	0.01	0.02	(0.56)	0.11	0.07	0.00	0.00
1987	Dry	0.00	0.10	(0.15)	(0.21)	(0.21)	(0.01)	0.03	0.01	(0.20)	0.51	1.05	0.00	0.08
1988	Critical	0.02	0.01	0.03	0.03	0.00	0.00	0.00	(0.01)	0.00	(0.04)	(0.03)	0.00	0.00
1989	Dry	0.02	(0.03)	0.00	0.00	(0.01)	0.01	0.02	0.00	0.03	0.01	0.06	(0.37)	(0.02)
1990	Critical	0.00	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00	(0.01)	(7.85)	3.04	(0.40)
1991	Critical	(0.23)	(0.02)	0.01	(0.02)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.21	0.00	(0.01)
1992	Critical	(0.03)	0.07	(0.01)	(0.07)	0.00	0.00	0.00	(0.01)	2.11	(4.29)	(0.44)	(0.02)	(0.22)
1993	Above Normal	(0.01)	0.02	0.01	0.03	0.02	(0.48)	(0.06)	0.07	0.06	0.19	(0.03)	0.05	(0.01)
1994	Critical	0.01	(0.03)	(0.04)	(0.15)	(0.15)	(0.01)	0.00	0.01	0.00	0.13	(0.11)	0.01	(0.03)
1995	Wet	0.00	(0.01)	0.00	(0.06)	(1.22)	(2.21)	0.00	(5.07)	0.00	0.00	0.00	0.02	(0.71)
1996	Wet	0.27	11.58	0.25	0.44	0.50	(4.12)	0.00	0.00	0.00	0.00	0.06	0.16	0.76
1997	Wet	(0.82)	0.01	(0.44)	0.36	0.46	0.00	0.00	0.00	0.00	0.00	0.08	(0.01)	(0.03)
1998	Wet	0.06	(0.04)	(0.03)	(0.11)	(1.65)	(0.26)	0.00	0.00	0.00	0.00	0.00	0.23	(0.15)
1999	Wet	0.17	0.16	0.23	0.38	0.36	(0.02)	0.00	0.00	0.00	0.00	(0.07)	(0.04)	0.10
2000	Above Normal	0.05	0.06	(0.02)	(0.14)	(0.22)	(0.15)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.04)
2001	Dry	(0.03)	(0.05)	0.24	(0.10)	(0.16)	0.00	0.00	0.00	0.00	(0.02)	0.00	0.01	(0.01)
2002	Dry	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.01)
2003	Above Normal	0.00	(0.01)	(0.01)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	(0.08)	(0.02)	(0.01)
	Average	(0.03)	0.43	(0.03)	0.01	(0.17)	0.01	0.10	(0.44)	(0.07)	(0.02)	(0.08)	0.16	(0.01)
	Wet	(0.11)	0.69	(0.05)	0.14	(0.07)	0.02	0.42	(1.25)	0.01	0.09	0.16	0.12	0.01
	Above Normal	0.03	0.21	0.04	0.01	(0.54)	(0.15)	(0.15)	(0.27)	(0.45)	(0.10)	0.15	0.52	(0.06)
	Below Normal	0.05	0.98	(0.05)	(0.05)	(0.26)	0.15	(0.03)	(0.06)	(0.14)	0.03	0.02	0.10	0.06
	Dry	(0.05)	0.05	(0.02)	(0.06)	(0.09)	(0.01)	(0.02)	0.02	(0.02)	0.06	(0.07)	(0.05)	(0.02)
	Critical	(0.02)	(0.00)	(0.02)	(0.06)	(0.04)	(0.00)	(0.00)	(0.01)	0.18	(0.37)	(0.99)	0.26	(0.09)

Percent Difference in Energy Use (GWh) At Pumping Plant at Alt. Misc.: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	-2%	-3%	0%	-4%	1%	4%	0%
1923	Below Normal	0%	0%	-4%	-16%	-8%	-3%	-2%	0%	-1%	1%	0%	0%
1924	Critical	0%	0%	-2%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	-1%	0%	0%	0%
1926	Dry	0%	0%	-1%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	-2%	-4%	1%	-6%	0%	0%	0%
1928	Above Normal	0%	-1%	-3%	-6%	0%	-1%	-1%	0%	-3%	0%	0%	0%
1929	Critical	0%	0%	-2%	-4%	-2%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	-1%	0%	-3%	1%	-5%	-4%	1%	0%
1933	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	-1%	-12%	1%
1935	Below Normal	-2%	-1%	0%	10%	0%	-7%	-1%	1%	-3%	0%	-2%	0%
1936	Below Normal	0%	-1%	-1%	-22%	0%	1%	-2%	0%	-4%	0%	-2%	0%
1937	Below Normal	0%	0%	-2%	-1%	0%	147%	0%	-8%	0%	-1%	-2%	0%
1938	Wet	-1%	-1%	6%	0%	0%	327%	-19%	-47%	2%	2%	4%	1%
1939	Dry	2%	8%	-23%	0%	-16%	19%	0%	2%	0%	5%	-16%	-3%
1940	Above Normal	10%	2%	6%	14%	5%	-2%	-4%	0%	-10%	-2%	-1%	5%
1941	Wet	-1%	9%	-4%	-3%	-2%	-8%	-1%	0%	1%	1%	6%	0%
1942	Wet	4%	8%	-3%	2%	-7%	-2%	-1%	0%	0%	1%	0%	0%
1943	Wet	0%	-1%	-4%	2%	-15%	-5%	0%	1%	42%	1%	1%	0%
1944	Dry	-15%	4%	-5%	0%	-4%	-3%	-1%	0%	7%	-3%	-1%	0%
1945	Below Normal	0%	-1%	-2%	-3%	-22%	12%	-2%	0%	-10%	1%	1%	0%
1946	Below Normal	0%	0%	-3%	-8%	-1%	8%	-6%	1%	-22%	0%	0%	7%
1947	Dry	0%	-1%	-3%	-5%	-4%	0%	-2%	0%	-5%	0%	2%	0%
1948	Below Normal	0%	-1%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	-1%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-1%	0%	0%	-5%	0%	-9%	-2%	0%	0%
1952	Wet	0%	0%	-3%	-4%	-1%	-32%	-18%	-6%	1%	1%	0%	2%
1953	Wet	0%	58%	13%	0%	7%	5%	-2%	-2%	-7%	1%	1%	2%
1954	Above Normal	-5%	3%	2%	0%	4%	0%	-1%	0%	-2%	-1%	0%	0%
1955	Dry	0%	0%	0%	-1%	1%	1%	0%	0%	0%	0%	-1%	0%
1956	Wet	0%	-1%	-6%	-7%	10%	0%	0%	0%	0%	0%	-8%	0%
1957	Above Normal	0%	-1%	-5%	0%	0%	-3%	-2%	1%	-9%	0%	0%	0%
1958	Wet	0%	0%	-2%	-7%	-2%	-2%	-12%	-5%	-2%	5%	4%	3%
1959	Below Normal	4%	30%	6%	0%	0%	-1%	-2%	0%	-10%	-1%	-1%	3%
1960	Dry	0%	-2%	-3%	-4%	-7%	0%	0%	0%	1%	0%	2%	0%
1961	Dry	-1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-1%	0%
1962	Below Normal	1%	0%	0%	0%	0%	-2%	-2%	1%	-18%	0%	0%	0%
1963	Wet	0%	0%	-3%	-13%	-9%	-2%	-2%	0%	-1%	0%	0%	0%
1964	Dry	0%	0%	-2%	-4%	-4%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-4%	-11%	-1%	0%	1%	-3%	1%	4%	1%
1966	Below Normal	0%	-2%	-1%	-7%	-2%	-2%	-5%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	-2%	-3%	-7%	-2%	-12%	-4%	0%	-8%	2%	3%
1968	Below Normal	7%	73%	0%	0%	0%	0%	-2%	0%	-13%	0%	0%	0%
1969	Wet	0%	-1%	-2%	-16%	14%	316%	-13%	7%	0%	1%	1%	24%
1970	Wet	2%	-6%	0%	-2%	-1%	-15%	-7%	1%	0%	1%	0%	0%
1971	Wet	1%	-3%	-3%	-10%	-5%	-1%	-2%	0%	-3%	0%	0%	0%
1972	Below Normal	0%	0%	-1%	-2%	-9%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	-2%	-4%	1%	-7%	0%	0%	36%
1974	Wet	0%	0%	-3%	-12%	-5%	-2%	-1%	0%	-1%	2%	3%	1%
1975	Wet	1%	-2%	0%	0%	0%	-2%	-3%	1%	-1%	0%	0%	0%
1976	Critical	0%	0%	-4%	-10%	-3%	0%	0%	0%	0%	-2%	5%	0%
1977	Critical	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1978	Above Normal	4%	1%	-1%	0%	-7%	-2%	-12%	-16%	-22%	-3%	8%	0%
1979	Below Normal	0%	97%	1%	0%	-3%	-4%	8%	1%	12%	1%	4%	6%
1980	Above Normal	-2%	31%	12%	3%	-85%	0%	0%	0%	-6%	-1%	-2%	65%
1981	Dry	5%	7%	34%	0%	-6%	-2%	-4%	-1%	0%	1%	-1%	0%
1982	Wet	0%	0%	-3%	-3%	-8%	-4%	24%	-13%	-9%	2%	2%	1%
1983	Wet	-19%	-2%	-6%	289%	339%	659%	91%	14%	1%	1%	1%	1%
1984	Wet	0%	20%	0%	0%	0%	0%	-5%	1%	-7%	0%	0%	0%
1985	Dry	0%	0%	-3%	-8%	-4%	-2%	-1%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	-2%	0%	-11%	12%	0%	0%	-4%	0%	0%	0%
1987	Dry	0%	5%	-5%	-14%	-6%	0%	1%	0%	-5%	2%	17%	0%
1988	Critical	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-5%
1990	Critical	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	-38%	95%
1991	Critical	-3%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	2%	0%
1992	Critical	0%	1%	0%	-5%	0%	0%	0%	0%	211%	-19%	-1%	-1%
1993	Above Normal	0%	0%	0%	1%	0%	-5%	-3%	1%	1%	1%	0%	0%
1994	Critical	0%	0%	-1%	-11%	-4%	-1%	0%	0%	0%	0%	-1%	0%
1995	Wet	0%	0%	0%	-1%	-10%	-12%	0%	-84%	0%	0%	0%	0%
1996	Wet	4%	128%	2%	8%	5%	-20%	0%	0%	0%	0%	1%	1%
1997	Wet	-6%	0%	-2%	2%	3%	0%	0%	0%	0%	0%	8%	0%
1998	Wet	1%	0%	0%	-1%	-12%	-1%	0%	0%	0%	0%	0%	2%
1999	Wet	1%	1%	1%	3%	3%	0%	0%	0%	0%	0%	-7%	0%
2000	Above Normal	1%	0%	0%	-2%	-1%	-1%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%
	Average	0%	6%	-1%	1%	1%	16%	-1%	-2%	1%	0%	0%	3%
	Wet	-1%	8%	-1%	8%	10%	46%	0%	-5%	0%	0%	1%	2%
	Above Normal	1%	3%	1%	1%	-7%	-1%	-3%	-1%	-6%	-1%	1%	9%
	Below Normal	1%	14%	-1%	-4%	-3%	11%	-1%	0%	-5%	0%	0%	1%
	Dry	0%	1%	-1%	-2%	-3%	1%	0%	0%	0%	0%	0%	-1%
	Critical	0%	0%	-1%	-3%	-1%	0%	0%	0%	18%	-2%	-4%	8%

Energy Use (GWh) At Pumping Plant at Contra Costa: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.61	3.55	0.37	0.26	0.72	0.00	3.60	4.10	2.90	5.33	5.44	4.88	35.76
1923	Below Normal	3.43	1.74	1.50	1.30	1.12	0.00	2.66	3.06	2.91	3.77	3.58	2.47	27.54
1924	Critical	1.67	1.34	0.72	0.31	0.92	0.00	2.28	2.88	1.47	2.29	1.30	1.42	16.60
1925	Dry	1.00	0.61	0.53	0.91	1.85	1.48	4.07	4.67	3.00	5.49	2.82	1.65	28.08
1926	Dry	1.04	1.11	0.88	1.76	1.54	1.48	2.11	2.64	3.00	4.97	2.29	2.95	25.77
1927	Wet	2.60	2.03	1.84	3.81	1.58	1.15	3.45	4.11	2.68	5.29	5.42	1.73	35.69
1928	Above Normal	4.53	3.59	3.23	0.94	1.24	0.00	3.60	2.07	2.90	5.33	5.44	3.63	36.50
1929	Critical	3.21	1.75	1.63	0.50	0.84	0.00	2.28	2.88	3.20	5.48	3.22	1.70	26.69
1930	Dry	0.90	0.56	0.47	1.82	1.89	0.00	4.07	4.67	3.00	5.49	2.95	1.88	27.70
1931	Critical	0.88	0.71	0.52	0.32	0.75	0.00	2.28	2.88	2.34	2.22	1.39	2.96	17.25
1932	Dry	2.58	2.06	1.95	1.89	1.89	1.38	2.11	2.64	3.00	5.49	5.39	1.99	32.37
1933	Critical	0.68	1.51	1.83	1.74	1.58	1.83	2.28	2.88	3.20	5.48	3.70	1.60	28.31
1934	Critical	2.18	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	5.48	4.14	1.34	31.12
1935	Below Normal	2.00	2.06	1.93	1.86	1.89	1.28	3.77	4.31	2.91	5.38	4.65	2.02	34.06
1936	Below Normal	1.15	1.85	1.69	1.43	1.24	1.15	3.77	4.31	2.91	5.38	4.66	2.47	32.01
1937	Below Normal	1.05	0.88	0.49	0.17	0.33	0.75	3.77	4.31	2.91	5.38	5.41	2.84	28.29
1938	Wet	1.33	0.69	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	4.98	2.99	33.96
1939	Dry	2.57	1.66	1.20	0.55	0.71	0.00	1.02	2.36	3.00	4.23	1.80	1.28	20.38
1940	Above Normal	1.17	1.06	0.74	0.36	1.09	0.00	3.60	4.10	2.90	5.33	5.44	3.55	29.34
1941	Wet	4.61	3.73	3.43	1.07	0.23	0.00	3.12	2.24	2.68	3.68	3.59	2.96	31.34
1942	Wet	2.61	1.63	1.04	0.77	1.10	0.00	2.72	2.24	2.68	3.68	3.59	3.00	25.06
1943	Wet	2.58	1.60	1.17	0.87	1.18	0.00	2.75	2.26	2.68	3.68	3.59	2.84	25.20
1944	Dry	2.75	1.65	1.19	0.62	1.18	0.00	4.07	2.90	3.00	3.88	2.69	1.40	25.33
1945	Below Normal	0.94	1.03	0.38	0.43	1.23	0.00	3.77	4.31	2.91	5.38	4.43	2.36	27.17
1946	Below Normal	1.35	1.04	0.69	3.48	1.24	0.00	3.77	4.31	2.91	5.38	3.67	1.50	29.34
1947	Dry	1.22	1.12	0.40	0.24	0.85	0.00	2.11	2.64	3.00	5.32	1.55	1.12	19.57
1948	Below Normal	0.75	0.78	0.35	0.24	0.37	1.28	2.79	2.28	2.91	5.38	4.44	2.88	24.45
1949	Dry	2.57	1.85	1.69	1.45	1.24	0.00	0.80	2.07	3.00	5.49	1.89	2.82	24.87
1950	Below Normal	2.60	2.03	1.84	1.78	1.58	1.28	3.77	2.28	2.91	5.38	4.30	2.88	32.63
1951	Above Normal	2.57	1.85	3.72	3.48	1.24	0.00	3.60	4.10	2.90	5.33	5.44	3.39	37.62
1952	Wet	4.61	3.73	1.97	1.16	0.32	0.00	3.45	2.36	2.68	3.68	3.59	3.00	30.55
1953	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	1.55	24.18
1954	Above Normal	4.04	1.63	1.22	1.05	1.18	0.00	2.99	2.07	2.90	3.88	3.61	3.07	27.64
1955	Dry	2.68	1.76	1.61	1.27	1.12	0.00	2.11	2.64	3.00	5.38	1.74	1.31	24.62
1956	Wet	0.99	0.95	0.45	0.88	1.65	0.00	3.45	4.11	2.68	5.29	5.42	3.19	29.06
1957	Above Normal	4.53	1.96	1.22	0.59	1.04	0.00	3.57	2.19	2.90	3.72	3.61	3.06	28.39
1958	Wet	2.64	1.13	2.30	1.23	0.79	0.00	2.02	2.24	2.68	3.68	3.59	2.99	25.29
1959	Below Normal	2.59	1.67	1.20	0.48	1.18	0.00	1.81	2.28	2.91	5.38	4.13	1.67	25.30
1960	Dry	1.18	0.85	0.61	0.27	0.62	0.00	2.11	4.67	3.00	4.79	1.46	0.95	20.51
1961	Dry	0.70	0.74	0.20	0.26	1.58	0.00	4.07	2.71	3.00	4.84	1.38	1.15	20.63
1962	Below Normal	2.01	2.03	1.84	1.78	1.39	1.28	3.77	2.28	2.91	5.38	3.84	2.88	31.39
1963	Wet	2.57	3.81	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	5.42	2.37	38.14
1964	Dry	4.53	3.18	1.22	0.68	1.24	0.00	2.11	2.64	3.00	4.96	1.49	1.15	26.20
1965	Wet	0.77	0.51	0.52	3.81	1.58	0.00	3.45	4.11	2.68	5.29	5.42	3.11	31.25
1966	Below Normal	3.97	1.58	1.13	1.12	1.18	0.00	3.30	2.28	2.91	3.93	3.58	1.30	26.28
1967	Wet	0.74	0.50	0.28	1.45	1.24	0.00	3.45	4.11	2.68	5.29	5.06	3.00	27.80
1968	Below Normal	2.59	1.63	1.20	0.59	1.24	0.00	1.81	2.28	2.91	5.38	3.94	1.89	25.46
1969	Wet	1.03	0.89	0.36	0.66	0.86	0.00	3.45	4.11	2.68	5.29	4.89	2.99	27.21
1970	Wet	2.57	1.65	1.13	0.90	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.22	24.68
1971	Wet	3.36	1.54	1.06	1.13	1.18	0.00	2.83	2.23	2.68	3.68	3.59	1.80	25.08
1972	Below Normal	3.79	1.65	1.14	1.13	1.21	0.00	1.81	2.28	2.91	5.38	3.60	1.34	26.24
1973	Above Normal	1.02	0.57	0.97	1.45	1.24	0.00	3.60	4.10	2.90	5.33	4.04	3.06	28.28
1974	Wet	2.63	1.68	1.57	1.30	1.12	0.00	2.77	2.26	2.68	3.66	3.59	3.00	26.26
1975	Wet	2.57	1.66	1.17	0.59	1.18	0.00	3.19	2.26	2.68	3.68	3.58	2.97	25.53
1976	Critical	2.57	1.66	1.22	0.72	0.53	0.00	2.28	2.88	1.86	1.62	0.88	1.03	17.25
1977	Critical	0.68	0.83	0.49	0.33	0.46	1.83	2.28	2.88	3.20	3.45	3.35	2.96	22.74
1978	Above Normal	2.58	2.06	1.95	1.89	1.89	1.16	3.60	4.10	2.90	5.33	5.44	4.00	36.90
1979	Below Normal	4.61	3.73	3.70	0.44	1.12	0.00	3.77	4.31	2.91	5.38	3.59	1.84	35.40
1980	Above Normal	1.29	0.91	0.35	0.75	1.31	0.00	3.60	4.10	2.90	5.33	5.44	3.26	29.24
1981	Dry	2.68	1.81	1.65	0.47	1.12	0.00	2.11	2.64	3.00	5.11	2.06	1.41	24.06
1982	Wet	1.25	0.95	3.87	1.78	1.58	0.00	3.45	4.11	2.68	5.25	3.59	2.96	31.47
1983	Wet	2.50	1.58	1.04	0.73	0.83	0.00	2.11	2.25	2.68	3.68	3.59	2.98	23.97
1984	Wet	2.59	1.54	1.10	1.15	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.98	25.57
1985	Dry	2.57	1.55	1.19	1.13	1.18	0.00	2.11	2.64	3.00	4.93	2.04	1.48	23.82
1986	Wet	1.37	1.16	0.45	0.49	0.86	0.00	3.45	4.11	2.68	5.29	5.42	4.81	30.09
1987	Dry	3.73	1.67	1.20	0.59	1.18	0.00	2.11	2.64	3.00	5.17	2.29	2.07	25.65
1988	Critical	1.33	0.82	0.57	1.67	1.58	0.00	2.28	2.88	3.20	5.38	1.72	1.37	22.80
1989	Dry	0.96	0.70	0.51	0.36	0.77	0.59	2.11	4.67	3.00	4.05	1.25	2.95	21.92
1990	Critical	2.60	2.03	1.84	1.78	1.58	1.83	2.28	2.88	3.20	3.45	3.35	2.96	29.78
1991	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	3.45	3.35	2.96	30.32
1992	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	3.01	3.20	5.48	2.87	2.92	31.96
1993	Above Normal	2.58	2.06	1.95	1.74	1.89	1.16	1.64	2.07	2.90	5.33	5.44	4.11	32.87
1994	Critical	4.61	3.73	3.70	0.33	0.86	0.00	2.28	2.88	3.20	2.16	0.83	1.10	25.68
1995	Wet	1.11	2.04	1.93	1.37	1.89	1.15	3.45	4.11	2.68	5.29	5.42	4.81	35.25
1996	Wet	4.53	3.59	3.23	0.35	0.00	0.00	3.45	4.11	2.68	5.29	4.43	2.38	34.04
1997	Wet	3.19	1.59	0.99	0.96	1.18	0.00	2.87	2.25	2.68	3.68	3.58	2.53	25.50
1998	Wet	3.04	1.57	1.18	0.57	0.43	0.00	3.30	2.19	2.68	3.68	3.59	2.99	25.22
1999	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	2.51	25.14
2000	Above Normal	3.07	1.63	1.24	0.57	0.91	0.00	3.60	2.33	2.90	3.72	3.61	3.07	26.65
2001	Dry	2.58	1.86	1.69	0.52	1.12	0.00	2.11	2.64	3.00	5.48	2.37	2.50	25.87
2002	Dry	1.55	1.13	0.63	1.78	1.58	0.00	2.11	2.09	3.00	3.49	1.62	1.78	20.76
2003	Above Normal	1.04	0.68	1.08	3.81	1.84	0.00	3.60	2.07	2.90	5.33	5.44	3.39	31.18
	Average	2.34	1.67	1.41	1.21	1.19	0.34	2.88	3.06	2.85	4.63	3.59	2.48	27.65
	Wet	2.42	1.73	1.60	1.39	1.08	0.09	3.09	3.04	2.68	4.36	4.20	2.87	28.56
	Above Normal	2.75	1.80	1.50	1.41	1.30	0.19	3.38	3.12	2.90	4.94	4.87	3.54	31.70
	Below Normal	2.35	1.69	1.36	1.16	1.17	0.50	3.17	3.21	2.91	5.16	4.13	2.17	28.97
	Dry	2.10	1.44	1.05	0.92	1.26	0.27	2.41	3.03	3.00	4.92	2.17	1.77	24.34
	Critical	2.13	1.71	1.53	1.11	1.23	0.92	2.28	2.89	2.87	3.83	2.51	2.03	25.04

Energy Use (GWh) At Pumping Plant at Contra Costa: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.61	3.55	0.37	0.26	0.72	0.00	3.60	4.10	2.90	5.33	5.44	4.88	35.76
1923	Below Normal	3.43	1.74	1.50	1.30	1.12	0.00	2.66	3.06	2.91	3.77	3.58	2.47	27.54
1924	Critical	1.67	1.34	0.72	0.31	0.92	0.00	2.28	2.88	1.47	2.29	1.30	1.42	16.60
1925	Dry	1.00	0.61	0.53	0.91	1.85	1.48	4.07	4.67	3.00	5.49	2.82	1.65	28.08
1926	Dry	1.04	1.11	0.88	1.76	1.54	1.48	2.11	2.64	3.00	4.97	2.29	2.95	25.77
1927	Wet	2.60	2.03	1.84	3.81	1.58	1.15	3.45	4.11	2.68	5.29	5.42	1.73	35.69
1928	Above Normal	4.53	3.59	3.23	0.94	1.24	0.00	3.60	2.07	2.90	5.33	5.44	3.63	36.50
1929	Critical	3.21	1.75	1.63	0.50	0.84	0.00	2.28	2.88	3.20	5.48	3.22	1.70	26.69
1930	Dry	0.90	0.56	0.47	1.82	1.89	0.00	4.07	4.67	3.00	5.49	2.95	1.88	27.70
1931	Critical	0.88	0.71	0.52	0.32	0.75	0.00	2.28	2.88	2.34	2.22	1.39	2.96	17.25
1932	Dry	2.58	2.06	1.95	1.89	1.89	1.38	2.11	2.64	3.00	5.49	5.39	1.99	32.37
1933	Critical	0.68	1.51	1.83	1.74	1.58	1.83	2.28	2.88	3.20	5.48	3.70	1.60	28.31
1934	Critical	2.18	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	5.48	4.14	1.34	31.12
1935	Below Normal	2.00	2.06	1.93	1.86	1.89	1.28	3.77	4.31	2.91	5.38	4.65	2.02	34.06
1936	Below Normal	1.15	1.85	1.69	1.43	1.24	1.15	3.77	4.31	2.91	5.38	4.66	2.47	32.01
1937	Below Normal	1.05	0.88	0.49	0.17	0.33	0.75	3.77	4.31	2.91	5.38	5.41	2.84	28.29
1938	Wet	1.33	0.69	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	4.98	2.99	33.96
1939	Dry	2.57	1.66	1.20	0.55	0.71	0.00	1.02	2.36	3.00	4.23	1.80	1.28	20.38
1940	Above Normal	1.17	1.06	0.74	0.36	1.09	0.00	3.60	4.10	2.90	5.33	5.44	3.55	29.34
1941	Wet	4.61	3.73	3.43	1.07	0.23	0.00	3.12	2.24	2.68	3.68	3.59	2.96	31.34
1942	Wet	2.61	1.63	1.04	0.77	1.10	0.00	2.72	2.24	2.68	3.68	3.59	3.00	25.06
1943	Wet	2.58	1.60	1.17	0.87	1.18	0.00	2.75	2.26	2.68	3.68	3.59	2.84	25.20
1944	Dry	2.75	1.65	1.19	0.62	1.18	0.00	4.07	2.90	3.00	3.88	2.69	1.40	25.33
1945	Below Normal	0.94	1.03	0.38	0.43	1.23	0.00	3.77	4.31	2.91	5.38	4.43	2.36	27.17
1946	Below Normal	1.35	1.04	0.69	3.48	1.24	0.00	3.77	4.31	2.91	5.38	3.67	1.50	29.34
1947	Dry	1.22	1.12	0.40	0.24	0.85	0.00	2.11	2.64	3.00	5.32	1.55	1.12	19.57
1948	Below Normal	0.75	0.78	0.35	0.24	0.37	1.28	2.79	2.28	2.91	5.38	4.44	2.88	24.45
1949	Dry	2.57	1.85	1.69	1.45	1.24	0.00	0.80	2.07	3.00	5.49	1.89	2.82	24.87
1950	Below Normal	2.60	2.03	1.84	1.78	1.58	1.28	3.77	2.28	2.91	5.38	4.30	2.88	32.63
1951	Above Normal	2.57	1.85	3.72	3.48	1.24	0.00	3.60	4.10	2.90	5.33	5.44	3.39	37.62
1952	Wet	4.61	3.73	1.97	1.16	0.32	0.00	3.45	2.36	2.68	3.68	3.59	3.00	30.55
1953	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	1.55	24.18
1954	Above Normal	4.04	1.63	1.22	1.05	1.18	0.00	2.99	2.07	2.90	3.88	3.61	3.07	27.64
1955	Dry	2.68	1.76	1.61	1.27	1.12	0.00	2.11	2.64	3.00	5.38	1.74	1.31	24.62
1956	Wet	0.99	0.95	0.45	0.88	1.65	0.00	3.45	4.11	2.68	5.29	5.42	3.19	29.06
1957	Above Normal	4.53	1.96	1.22	0.59	1.04	0.00	3.57	2.19	2.90	3.72	3.61	3.06	28.39
1958	Wet	2.64	1.13	2.30	1.23	0.79	0.00	2.02	2.24	2.68	3.68	3.59	2.99	25.29
1959	Below Normal	2.59	1.67	1.20	0.48	1.18	0.00	1.81	2.28	2.91	5.38	4.13	1.67	25.30
1960	Dry	1.18	0.85	0.61	0.27	0.62	0.00	2.11	4.67	3.00	4.79	1.46	0.95	20.51
1961	Dry	0.70	0.74	0.20	0.26	1.58	0.00	4.07	2.71	3.00	4.84	1.38	1.15	20.63
1962	Below Normal	2.01	2.03	1.84	1.78	1.39	1.28	3.77	2.28	2.91	5.38	3.84	2.88	31.39
1963	Wet	2.57	3.81	3.72	3.48	1.24	0.00	3.45	4.11	2.68	5.29	5.42	2.37	38.14
1964	Dry	4.53	3.18	1.22	0.68	1.24	0.00	2.11	2.64	3.00	4.96	1.49	1.15	26.20
1965	Wet	0.77	0.51	0.52	3.81	1.58	0.00	3.45	4.11	2.68	5.29	5.42	3.11	31.25
1966	Below Normal	3.97	1.58	1.13	1.12	1.18	0.00	3.30	2.28	2.91	3.93	3.58	1.30	26.28
1967	Wet	0.74	0.50	0.28	1.45	1.24	0.00	3.45	4.11	2.68	5.29	5.06	3.00	27.80
1968	Below Normal	2.59	1.63	1.20	0.59	1.24	0.00	1.81	2.28	2.91	5.38	3.94	1.89	25.46
1969	Wet	1.03	0.89	0.36	0.66	0.86	0.00	3.45	4.11	2.68	5.29	4.89	2.99	27.21
1970	Wet	2.57	1.65	1.13	0.90	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.22	24.68
1971	Wet	3.36	1.54	1.06	1.13	1.18	0.00	2.83	2.23	2.68	3.68	3.59	1.80	25.08
1972	Below Normal	3.79	1.65	1.14	1.13	1.21	0.00	1.81	2.28	2.91	5.38	3.60	1.34	26.24
1973	Above Normal	1.02	0.57	0.97	1.45	1.24	0.00	3.60	4.10	2.90	5.33	4.04	3.06	28.28
1974	Wet	2.63	1.68	1.57	1.30	1.12	0.00	2.77	2.26	2.68	3.66	3.59	3.00	26.26
1975	Wet	2.57	1.66	1.17	0.59	1.18	0.00	3.19	2.26	2.68	3.68	3.58	2.97	25.53
1976	Critical	2.57	1.66	1.22	0.72	0.53	0.00	2.28	2.88	1.86	1.62	0.88	1.03	17.25
1977	Critical	0.68	0.83	0.49	0.33	0.46	1.83	2.28	2.88	3.20	3.45	3.35	2.96	22.74
1978	Above Normal	2.58	2.06	1.95	1.89	1.89	1.16	3.60	4.10	2.90	5.33	5.44	4.00	36.90
1979	Below Normal	4.61	3.73	3.70	0.41	0.00	0.00	3.77	4.31	2.91	5.38	3.59	1.84	34.25
1980	Above Normal	1.29	0.91	0.35	0.75	1.31	0.00	3.60	4.10	2.90	5.33	5.44	4.35	30.33
1981	Dry	2.68	1.81	1.65	0.46	1.12	0.00	2.11	2.64	3.00	5.11	2.05	1.40	24.03
1982	Wet	1.25	0.94	3.87	1.78	1.58	0.00	3.45	4.11	2.68	5.28	3.59	2.96	31.49
1983	Wet	2.50	1.58	1.04	0.73	0.83	0.00	2.11	2.25	2.68	3.68	3.59	2.98	23.97
1984	Wet	2.59	1.54	1.10	1.15	1.18	0.00	2.82	2.26	2.68	3.68	3.59	2.98	25.57
1985	Dry	2.57	1.55	1.19	1.13	1.18	0.00	2.11	2.64	3.00	4.93	2.04	1.48	23.82
1986	Wet	1.36	1.15	0.45	0.49	0.86	0.00	3.45	4.11	2.68	5.29	5.42	4.81	30.07
1987	Dry	3.75	1.67	1.20	0.59	1.18	0.00	2.11	2.64	3.00	5.17	2.29	2.07	25.67
1988	Critical	1.32	0.81	0.57	1.67	1.58	0.00	2.28	2.88	3.20	5.38	1.71	1.37	22.77
1989	Dry	0.96	0.70	0.51	0.36	0.77	0.61	2.11	4.67	3.00	4.05	1.25	2.95	21.94
1990	Critical	2.60	2.03	1.84	1.78	1.58	1.83	2.28	2.88	3.20	3.45	3.35	2.96	29.78
1991	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	2.88	3.20	3.45	3.35	2.96	30.32
1992	Critical	2.58	2.06	1.95	1.89	1.89	1.83	2.28	3.01	3.20	5.48	2.87	2.92	31.96
1993	Above Normal	2.58	2.06	1.95	1.74	1.89	1.16	1.64	2.07	2.90	5.33	5.44	4.11	32.87
1994	Critical	4.61	3.73	3.70	0.33	0.85	0.00	2.28	2.88	3.20	2.16	0.83	1.10	25.67
1995	Wet	1.12	2.04	1.93	1.37	1.89	1.15	3.45	4.11	2.68	5.29	5.42	4.81	35.26
1996	Wet	4.53	3.59	3.23	0.35	0.00	0.00	3.45	4.11	2.68	5.29	4.43	2.38	34.04
1997	Wet	3.19	1.59	0.99	0.96	1.18	0.00	2.87	2.25	2.68	3.68	3.58	2.53	25.50
1998	Wet	3.04	1.57	1.18	0.57	0.43	0.00	3.30	2.19	2.68	3.68	3.59	2.99	25.22
1999	Wet	2.60	1.62	1.09	1.12	1.18	0.00	2.83	2.25	2.68	3.67	3.59	2.51	25.14
2000	Above Normal	3.07	1.63	1.24	0.57	0.91	0.00	3.60	2.33	2.90	3.72	3.61	3.07	26.65
2001	Dry	2.58	1.86	1.69	0.52	1.12	0.00	2.11	2.64	3.00	5.48	2.37	2.50	25.87
2002	Dry	1.55	1.13	0.63	1.78	1.58	0.00	2.11	2.09	3.00	3.49	1.62	1.78	20.76
2003	Above Normal	1.04	0.68	1.08	3.81	1.84	0.00	3.60	2.07	2.90	5.33	5.44	3.39	31.18
	Average	2.34	1.67	1.41	1.21	1.17	0.34	2.88	3.06	2.85	4.63	3.59	2.50	27.65
	Wet	2.42	1.73	1.60	1.39	1.08	0.09	3.09	3.04	2.68	4.36	4.20	2.87	28.56
	Above Normal	2.75	1.80	1.50	1.41	1.30	0.19	3.38	3.12	2.90	4.94	4.87	3.63	31.79
	Below Normal	2.35	1.69	1.36	1.16	1.09	0.50	3.17	3.21	2.91	5.16	4.13	2.17	28.89
	Dry	2.10	1.44	1.05	0.92	1.26	0.28	2.41	3.03	3.00	4.92	2.17	1.77	24.34
	Critical	2.13	1.71	1.53	1.11	1.23	0.92	2.28	2.89	2.87	3.83	2.51	2.03	25.04

Difference in Energy Use (GWh) At Pumping Plant at Contra Costa: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	(0.03)	(1.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.09	0.09
1981	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1982	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	(0.00)	0.00	(0.00)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.01	(0.00)
	Wet	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.01
	Below Normal	0.00	0.00	0.00	(0.00)	(0.08)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
	Dry	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.00
	Critical	(0.00)	(0.00)	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Contra Costa: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	-7%	-100%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	33%
1981	Dry	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	-1%
1982	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1989	Dry	0%	0%	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
	Below Normal	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Corning: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.18	0.00	0.00	0.00	0.00	0.04	1.02	1.11	1.25	1.33	0.96	0.54	6.43
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.13	0.38	0.76	0.63	0.86	0.65	0.11	3.52
1924	Critical	0.09	0.01	0.00	0.00	0.00	0.02	0.09	0.09	0.10	0.10	0.07	0.04	0.61
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.60	0.72	0.97	0.71	0.30	3.47
1926	Dry	0.11	0.00	0.00	0.00	0.00	0.02	0.05	0.19	0.25	0.27	0.19	0.11	1.19
1927	Wet	0.03	0.00	0.00	0.00	0.00	0.04	0.75	1.13	1.22	1.43	1.07	0.57	6.24
1928	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.26	0.65	0.67	0.73	0.54	0.29	3.18
1929	Critical	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.18	0.24	0.26	0.19	0.09	1.06
1931	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.09	0.10	0.12	0.09	0.04	0.58
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.02	0.14	0.14	0.20	0.21	0.16	0.08	0.96
1933	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.05	0.06	0.04	0.02	0.30
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.11	0.12	0.13	0.10	0.05	0.59
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.38	0.40	0.30	0.15	1.52
1936	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	0.47	0.42	0.60	0.45	0.21	2.35
1937	Below Normal	0.09	0.02	0.00	0.00	0.00	0.00	0.16	0.45	0.39	0.51	0.38	0.20	2.20
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.43	1.25	1.41	1.50	1.12	0.47	6.18
1939	Dry	0.04	0.00	0.00	0.00	0.02	0.10	0.31	0.27	0.36	0.38	0.28	0.09	1.85
1940	Above Normal	0.03	0.01	0.00	0.00	0.00	0.00	0.56	0.94	1.29	1.41	1.06	0.53	5.83
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.89	1.51	1.63	1.22	0.66	6.17
1942	Wet	0.07	0.00	0.00	0.00	0.00	0.00	0.24	0.93	1.45	1.61	1.21	0.63	6.14
1943	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.27	0.95	1.08	1.16	0.88	0.48	5.01
1944	Dry	0.14	0.00	0.00	0.00	0.00	0.01	0.14	0.24	0.27	0.31	0.24	0.13	1.48
1945	Below Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.43	0.61	0.82	0.98	0.73	0.39	4.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.80	0.99	1.05	1.09	0.84	0.45	5.25
1947	Dry	0.16	0.00	0.00	0.00	0.00	0.00	0.26	0.48	0.51	0.61	0.46	0.25	2.73
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.73	1.16	1.54	1.16	0.50	5.13
1949	Dry	0.16	0.02	0.00	0.00	0.00	0.00	0.46	0.73	0.92	0.97	0.73	0.39	4.38
1950	Below Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.26	0.35	0.37	0.41	0.30	0.15	1.99
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.07	0.91	0.88	1.21	1.30	0.97	0.51	5.85
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.53	1.24	1.12	1.44	1.11	0.60	6.08
1953	Wet	0.22	0.00	0.00	0.00	0.00	0.11	0.48	1.05	1.21	1.49	1.05	0.60	6.21
1954	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.40	1.28	1.25	1.54	0.87	0.60	6.09
1955	Dry	0.18	0.00	0.00	0.00	0.00	0.06	0.26	0.40	0.40	0.44	0.33	0.14	2.21
1956	Wet	0.06	0.00	0.00	0.00	0.00	0.15	0.92	0.66	1.23	1.46	1.10	0.53	6.11
1957	Above Normal	0.17	0.04	0.00	0.00	0.00	0.00	0.54	0.74	1.05	1.12	0.84	0.11	4.61
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.88	1.33	1.55	1.26	0.66	6.00
1959	Below Normal	0.22	0.03	0.00	0.00	0.00	0.04	0.65	0.76	0.81	0.87	0.64	0.20	4.22
1960	Dry	0.14	0.03	0.00	0.00	0.00	0.00	0.14	0.35	0.43	0.46	0.34	0.18	2.07
1961	Dry	0.05	0.00	0.00	0.00	0.00	0.00	0.32	0.62	0.68	0.77	0.58	0.21	3.23
1962	Below Normal	0.11	0.00	0.00	0.00	0.00	0.00	0.52	0.93	0.96	1.16	0.85	0.43	4.96
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.18	1.00	1.51	1.65	1.24	0.66	6.24
1964	Dry	0.02	0.00	0.00	0.00	0.00	0.04	0.42	0.42	0.40	0.49	0.34	0.14	2.27
1965	Wet	0.03	0.00	0.00	0.00	0.00	0.02	0.15	1.01	1.12	1.19	0.64	0.48	4.64
1966	Below Normal	0.19	0.00	0.00	0.00	0.00	0.03	0.79	1.01	1.05	1.11	0.82	0.45	5.45
1967	Wet	0.18	0.00	0.00	0.00	0.00	0.02	0.43	1.23	1.13	1.50	1.12	0.60	6.21
1968	Below Normal	0.22	0.00	0.00	0.00	0.00	0.01	0.59	0.81	0.83	0.95	0.47	0.38	4.26
1969	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.67	1.27	1.23	1.37	1.04	0.56	6.20
1970	Wet	0.08	0.02	0.00	0.00	0.00	0.00	0.51	0.85	0.70	0.94	0.71	0.38	4.19
1971	Wet	0.07	0.00	0.00	0.00	0.00	0.03	0.88	0.91	1.02	1.21	0.91	0.44	5.47
1972	Below Normal	0.17	0.00	0.00	0.00	0.00	0.17	0.54	0.53	0.63	0.69	0.51	0.18	3.42
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.18	1.27	1.37	1.02	0.53	6.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.48	1.31	1.39	1.26	1.14	0.61	6.19
1975	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.50	1.32	1.38	1.38	1.04	0.61	6.27
1976	Critical	0.00	0.00	0.00	0.00	0.02	0.03	0.06	0.09	0.09	0.10	0.06	0.03	0.48
1977	Critical	0.02	0.00	0.00	0.00	0.00	0.03	0.08	0.04	0.09	0.10	0.07	0.03	0.46
1978	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	1.16	1.44	1.55	1.16	0.51	6.02
1979	Below Normal	0.25	0.00	0.00	0.00	0.00	0.00	0.25	0.64	0.74	0.78	0.51	0.26	3.43
1980	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.50	0.88	0.89	1.23	0.93	0.48	4.92
1981	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.31	0.70	1.05	1.13	0.85	0.34	4.54
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1.42	1.18	1.57	1.21	0.35	6.24
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.25	1.14	1.42	1.66	1.10	0.48	6.05
1984	Wet	0.19	0.00	0.00	0.00	0.00	0.02	0.78	1.13	1.14	1.25	0.83	0.49	5.83
1985	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.58	0.92	0.96	0.99	0.75	0.25	4.49
1986	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.29	0.62	0.93	1.00	0.75	0.13	3.78
1987	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.14	0.26	0.28	0.30	0.22	0.12	1.48
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.41	0.44	0.52	0.39	0.01	1.94
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.16	0.19	0.21	0.16	0.08	0.88
1992	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.11	0.28	0.24	0.33	0.24	0.13	1.36
1993	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.53	0.76	1.10	1.60	1.15	0.65	5.80
1994	Critical	0.09	0.00	0.00	0.00	0.00	0.04	0.53	0.52	0.82	0.88	0.66	0.35	3.89
1995	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.41	0.86	1.30	1.57	1.18	0.63	6.06
1996	Wet	0.25	0.05	0.00	0.00	0.00	0.00	0.62	0.81	1.46	1.60	1.20	0.51	6.50
1997	Wet	0.05	0.00	0.00	0.00	0.00	0.03	0.83	0.90	0.84	1.10	0.72	0.38	4.85
1998	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.41	0.10	1.29	1.83	1.36	0.72	5.79
1999	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.53	1.28	1.19	1.44	1.02	0.58	6.19
2000	Above Normal	0.21	0.00	0.00	0.00	0.00	0.00	0.39	1.08	1.40	1.55	1.24	0.60	6.47
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.43	0.42	0.50	0.37	0.17	2.04
2002	Dry	0.04	0.00	0.00	0.00	0.00	0.03	0.77	0.78	0.96	1.02	0.76	0.41	4.77
2003	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.25	0.89	1.60	1.70	1.12	0.69	6.41
	Average	0.08	0.00	0.00	0.00	0.00	0.02	0.37	0.69	0.83	0.95	0.70	0.34	3.97
	Wet	0.08	0.00	0.00	0.00	0.00	0.02	0.49	1.01	1.22	1.42	1.05	0.53	5.80
	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.52	0.96	1.20	1.37	0.99	0.50	5.63
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.03	0.40	0.67	0.73	0.85	0.62	0.29	3.69
	Dry	0.08	0.01	0.00	0.00	0.00	0.02	0.27	0.45	0.53	0.59	0.44	0.19	2.56
	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.12	0.15	0.17	0.12	0.06	0.77

Energy Use (GWh) At Pumping Plant at Corning: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.18	0.00	0.00	0.00	0.00	0.04	1.02	1.11	1.25	1.33	0.96	0.54	6.43
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.13	0.38	0.75	0.63	0.86	0.64	0.11	3.50
1924	Critical	0.09	0.01	0.00	0.00	0.00	0.02	0.09	0.09	0.10	0.10	0.07	0.04	0.61
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.60	0.72	0.97	0.71	0.30	3.47
1926	Dry	0.11	0.00	0.00	0.00	0.00	0.02	0.05	0.19	0.25	0.27	0.19	0.11	1.19
1927	Wet	0.03	0.00	0.00	0.00	0.00	0.04	0.75	1.13	1.22	1.43	1.07	0.57	6.24
1928	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.26	0.65	0.67	0.73	0.54	0.29	3.18
1929	Critical	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.18	0.24	0.26	0.19	0.09	1.06
1931	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.09	0.10	0.12	0.09	0.04	0.58
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.02	0.14	0.14	0.20	0.21	0.16	0.08	0.96
1933	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.05	0.06	0.04	0.02	0.30
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.11	0.12	0.13	0.10	0.05	0.59
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.38	0.40	0.30	0.15	1.52
1936	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	0.47	0.42	0.60	0.45	0.21	2.35
1937	Below Normal	0.09	0.02	0.00	0.00	0.00	0.00	0.16	0.45	0.39	0.50	0.38	0.20	2.19
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.43	1.25	1.41	1.50	1.12	0.47	6.18
1939	Dry	0.04	0.00	0.00	0.00	0.02	0.09	0.26	0.22	0.29	0.31	0.23	0.07	1.53
1940	Above Normal	0.03	0.00	0.00	0.00	0.00	0.00	0.57	0.95	1.31	1.44	1.08	0.54	5.92
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.89	1.51	1.63	1.22	0.66	6.17
1942	Wet	0.07	0.00	0.00	0.00	0.00	0.00	0.24	0.93	1.45	1.61	1.21	0.63	6.14
1943	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.27	0.94	1.07	1.15	0.88	0.47	4.97
1944	Dry	0.14	0.00	0.00	0.00	0.00	0.01	0.14	0.25	0.27	0.32	0.24	0.13	1.50
1945	Below Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.43	0.60	0.82	0.97	0.73	0.39	3.98
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.80	1.00	1.05	1.09	0.84	0.45	5.26
1947	Dry	0.16	0.00	0.00	0.00	0.00	0.00	0.26	0.49	0.51	0.62	0.46	0.25	2.75
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.73	1.15	1.54	1.16	0.50	5.12
1949	Dry	0.16	0.02	0.00	0.00	0.00	0.00	0.46	0.73	0.92	0.97	0.73	0.39	4.38
1950	Below Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.26	0.35	0.37	0.41	0.30	0.15	1.99
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.07	0.91	0.88	1.21	1.30	0.97	0.51	5.85
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.53	1.24	1.12	1.44	1.11	0.60	6.08
1953	Wet	0.22	0.00	0.00	0.00	0.00	0.11	0.47	1.05	1.21	1.49	1.05	0.60	6.20
1954	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.40	1.28	1.25	1.54	0.87	0.60	6.09
1955	Dry	0.18	0.00	0.00	0.00	0.00	0.06	0.25	0.40	0.40	0.44	0.33	0.14	2.20
1956	Wet	0.06	0.00	0.00	0.00	0.00	0.15	0.92	0.66	1.23	1.46	1.10	0.53	6.11
1957	Above Normal	0.17	0.04	0.00	0.00	0.00	0.00	0.54	0.74	1.05	1.12	0.84	0.11	4.61
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.88	1.33	1.55	1.26	0.66	6.00
1959	Below Normal	0.22	0.03	0.00	0.00	0.00	0.04	0.65	0.77	0.81	0.88	0.64	0.20	4.24
1960	Dry	0.14	0.03	0.00	0.00	0.00	0.00	0.13	0.35	0.43	0.46	0.34	0.18	2.06
1961	Dry	0.05	0.00	0.00	0.00	0.00	0.00	0.32	0.62	0.68	0.77	0.57	0.21	3.22
1962	Below Normal	0.11	0.00	0.00	0.00	0.00	0.00	0.52	0.93	0.96	1.16	0.85	0.43	4.96
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.18	1.00	1.51	1.65	1.24	0.66	6.24
1964	Dry	0.02	0.00	0.00	0.00	0.00	0.04	0.42	0.42	0.40	0.49	0.34	0.14	2.27
1965	Wet	0.03	0.00	0.00	0.00	0.00	0.02	0.14	0.99	1.10	1.17	0.63	0.47	4.55
1966	Below Normal	0.18	0.00	0.00	0.00	0.00	0.03	0.80	1.01	1.05	1.12	0.82	0.45	5.46
1967	Wet	0.18	0.00	0.00	0.00	0.00	0.02	0.43	1.23	1.13	1.50	1.12	0.60	6.21
1968	Below Normal	0.22	0.00	0.00	0.00	0.00	0.01	0.59	0.81	0.83	0.95	0.47	0.38	4.26
1969	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.67	1.27	1.23	1.37	1.04	0.56	6.20
1970	Wet	0.08	0.02	0.00	0.00	0.00	0.00	0.51	0.85	0.70	0.94	0.71	0.38	4.19
1971	Wet	0.07	0.00	0.00	0.00	0.00	0.03	0.88	0.91	1.02	1.21	0.91	0.44	5.47
1972	Below Normal	0.17	0.00	0.00	0.00	0.00	0.17	0.54	0.53	0.63	0.69	0.51	0.18	3.42
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.63	1.18	1.27	1.37	1.02	0.53	6.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.48	1.31	1.39	1.26	1.14	0.61	6.19
1975	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.50	1.32	1.38	1.38	1.04	0.61	6.27
1976	Critical	0.00	0.00	0.00	0.00	0.02	0.03	0.06	0.09	0.09	0.10	0.06	0.03	0.48
1977	Critical	0.02	0.00	0.00	0.00	0.00	0.03	0.08	0.04	0.09	0.10	0.07	0.03	0.46
1978	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.19	1.16	1.44	1.55	1.16	0.51	6.02
1979	Below Normal	0.25	0.00	0.00	0.00	0.00	0.00	0.21	0.54	0.62	0.66	0.43	0.22	2.93
1980	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.50	0.88	0.89	1.23	0.93	0.48	4.92
1981	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.30	0.68	1.03	1.11	0.83	0.33	4.44
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1.42	1.18	1.57	1.21	0.35	6.24
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.25	1.14	1.42	1.66	1.10	0.48	6.05
1984	Wet	0.19	0.00	0.00	0.00	0.00	0.02	0.78	1.13	1.14	1.25	0.83	0.49	5.83
1985	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.58	0.92	0.96	0.99	0.75	0.25	4.49
1986	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.29	0.62	0.93	1.00	0.75	0.13	3.78
1987	Dry	0.14	0.02	0.00	0.00	0.00	0.00	0.14	0.25	0.28	0.29	0.22	0.12	1.46
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.41	0.44	0.52	0.39	0.01	1.94
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.16	0.19	0.21	0.16	0.08	0.88
1992	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.11	0.28	0.24	0.32	0.24	0.13	1.35
1993	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.52	0.75	1.08	1.57	1.13	0.63	5.69
1994	Critical	0.09	0.00	0.00	0.00	0.00	0.04	0.53	0.52	0.81	0.88	0.66	0.35	3.88
1995	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.41	0.86	1.30	1.57	1.18	0.63	6.06
1996	Wet	0.25	0.05	0.00	0.00	0.00	0.00	0.62	0.81	1.46	1.60	1.20	0.51	6.50
1997	Wet	0.05	0.00	0.00	0.00	0.00	0.03	0.83	0.90	0.84	1.10	0.72	0.38	4.85
1998	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.41	0.10	1.29	1.83	1.36	0.72	5.79
1999	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.53	1.28	1.19	1.44	1.02	0.58	6.19
2000	Above Normal	0.21	0.00	0.00	0.00	0.00	0.00	0.39	1.08	1.40	1.55	1.24	0.60	6.47
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.43	0.42	0.50	0.37	0.17	2.04
2002	Dry	0.04	0.00	0.00	0.00	0.00	0.03	0.77	0.78	0.96	1.02	0.76	0.41	4.77
2003	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.25	0.89	1.60	1.70	1.12	0.69	6.41
	Average	0.08	0.00	0.00	0.00	0.00	0.02	0.37	0.69	0.82	0.95	0.69	0.34	3.96
	Wet	0.08	0.00	0.00	0.00	0.00	0.02	0.49	1.00	1.22	1.41	1.05	0.53	5.80
	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.52	0.96	1.20	1.37	0.99	0.50	5.63
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.03	0.40	0.66	0.72	0.85	0.61	0.29	3.66
	Dry	0.08	0.01	0.00	0.00	0.00	0.02	0.27	0.45	0.52	0.58	0.43	0.19	2.54
	Critical	0.03	0.00	0.00	0.00	0.00	0.01	0.10	0.12	0.15	0.17	0.12	0.06	0.77

Difference in Energy Use (GWh) At Pumping Plant at Corning: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.05)	(0.05)	(0.07)	(0.07)	(0.05)	(0.02)	(0.03)
1940	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03	0.02	0.01	0.01
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)
1966	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.10)	(0.12)	(0.12)	(0.08)	(0.04)	(0.04)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.01)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.03)	(0.02)	(0.02)	(0.01)
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.00)	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Above Normal	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Dry	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Corning: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	-2%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-10%	-16%	-19%	-19%	-18%	-18%	-22%
1940	Above Normal	0%	-100%	0%	0%	0%	0%	2%	1%	2%	2%	2%	2%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	-2%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	4%	0%	3%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	-2%	0%	-1%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	2%	0%	2%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	1%	0%	1%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	-7%	-2%	-2%	-2%	-2%	-2%
1966	Below Normal	-5%	0%	0%	0%	0%	0%	1%	0%	0%	1%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-16%	-16%	-16%	-15%	-16%	-15%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	-3%	-3%	-2%	-2%	-2%	-3%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	-4%	0%	-3%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-2%	-1%	-2%	-2%	-2%	-3%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	0%	0%	0%	0%	-1%	0%	-1%	0%	0%	-1%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	-8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%
	Dry	0%	0%	0%	0%	0%	-1%	-2%	-1%	-1%	-1%	-1%	-1%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at CVP Banks: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	38.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1923	Below Normal	8.54	33.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	41.59
1924	Critical	17.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.07	0.00	0.00	20.66
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.65	0.00	20.65
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.77	0.00	6.77
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	20.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.92
1929	Critical	0.00	16.07	0.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	16.92
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.68	0.00	6.68
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.51	0.00	0.00	3.51
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.00	0.00	0.00	6.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	1.69
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.70	0.00	0.00	3.70
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	9.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.61
1937	Below Normal	14.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.73	27.56
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	12.23	25.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.34	0.00	49.35
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	3.93	13.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.77
1942	Wet	20.29	20.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	40.66
1943	Wet	16.44	34.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.67
1944	Dry	11.85	18.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.38	0.00	38.52
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	24.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.05
1947	Dry	23.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.63	0.00	39.31
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	11.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21.98	0.00	33.48
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	11.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.25
1952	Wet	6.72	17.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.91
1953	Wet	10.05	27.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1954	Above Normal	5.31	10.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.23
1955	Dry	8.70	7.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.67	0.00	28.79
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	17.76	28.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.67
1958	Wet	0.00	12.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.64
1959	Below Normal	0.00	37.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	37.42
1960	Dry	13.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.85	0.00	24.95
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.74	9.48	5.39	23.61
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	18.75	0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.80	0.00	33.33
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.36
1966	Below Normal	25.38	25.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	51.02
1967	Wet	17.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.98
1968	Below Normal	1.92	36.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.01
1969	Wet	14.03	0.00	0.00	0.00	2.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.17
1970	Wet	1.63	36.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1971	Wet	6.98	16.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.62
1972	Below Normal	11.31	1.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.95
1973	Above Normal	15.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.71
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	38.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.95
1976	Critical	0.00	23.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.81	0.09	0.00	26.82
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65	0.00	0.00	2.65
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	14.25	23.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.01
1980	Above Normal	19.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	19.37
1981	Dry	0.00	30.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.74	0.00	46.56
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.07	28.89	0.00	10.11	66.07
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.07
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.21	0.00	20.21
1986	Wet	0.00	2.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65
1987	Dry	0.00	23.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.27	0.00	0.00	31.90
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.22
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.44	3.30	0.00	11.74
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.55	0.00	0.00	5.55
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.21	0.00	0.00	8.21
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	11.72	11.80	5.21	0.00	0.00	0.00	0.00	0.00	0.00	6.79	14.68	0.00	50.20
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	15.92	19.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	35.37
1997	Wet	27.61	21.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	49.01
1998	Wet	4.23	25.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	29.74
1999	Wet	0.00	0.00	0.00	0.00	8.85	0.00	0.00	0.00	0.00	0.31	0.00	11.66	20.82
2000	Above Normal	8.79	5.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.64
2001	Dry	10.42	15.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.86	0.00	0.00	43.73
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.47	0.00	14.47
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.03	0.00	0.00	1.03
	Average	5.54	9.04	0.08	0.00	0.13	0.00	0.00	0.00	0.33	1.44	2.54	0.49	19.59
	Wet	5.61	11.05	0.00	0.00	0.42	0.00	0.00	0.00	1.04	1.14	0.00	0.84	20.10
	Above Normal	6.52	8.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	15.32
	Below Normal	7.85	11.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	20.02
	Dry	5.08	7.79	0.04	0.00	0.00	0.00	0.00	0.00	0.00	2.74	10.72	0.30	26.67
	Critical	2.44	4.32	0.48	0.00	0.00	0.00	0.00	0.00	0.00	3.17	1.28	0.00	11.68

Energy Use (GWh) At Pumping Plant at CVP Banks: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	38.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1923	Below Normal	8.54	33.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	41.68
1924	Critical	17.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.09	0.00	0.00	20.45
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.68	0.00	20.68
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.74	0.00	6.74
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	20.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.94
1929	Critical	0.00	16.07	0.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	16.91
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.67	0.00	6.67
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.50	0.00	0.00	3.50
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.99	0.00	0.00	5.99
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69	0.00	0.00	1.69
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.66	0.00	0.00	3.66
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	9.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.61
1937	Below Normal	14.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.71	27.53
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	12.23	25.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.29	0.00	47.30
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	3.97	14.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	18.43
1942	Wet	21.01	25.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.50
1943	Wet	16.45	33.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	50.19
1944	Dry	8.07	21.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.53	0.00	38.44
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	23.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.63
1947	Dry	23.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.74	0.00	39.42
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	11.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21.94	0.00	33.42
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	11.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.26
1952	Wet	6.73	17.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.91
1953	Wet	9.73	49.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	59.17
1954	Above Normal	4.59	10.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.36
1955	Dry	9.11	7.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.61	0.00	28.92
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	17.76	28.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.67
1958	Wet	0.00	12.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.64
1959	Below Normal	0.00	49.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	49.54
1960	Dry	13.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.82	0.00	25.31
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.95	9.26	5.36	23.57
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	18.61	0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.83	0.00	33.22
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.36
1966	Below Normal	25.37	24.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	49.66
1967	Wet	17.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.95
1968	Below Normal	5.19	32.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.01
1969	Wet	14.03	0.00	0.00	0.00	9.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.82
1970	Wet	2.87	35.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.02
1971	Wet	7.00	16.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.62
1972	Below Normal	11.17	1.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.90
1973	Above Normal	15.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.73
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	36.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	36.92
1976	Critical	0.00	24.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.58	0.29	0.00	26.96
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.65	0.00	0.00	2.65
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	14.73	43.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	58.23
1980	Above Normal	16.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.25
1981	Dry	0.00	30.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	15.75	0.00	46.63
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	38.00	0.00	0.00	0.00	0.00	27.36	29.25	0.00	10.11	104.72
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.07
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.21	0.00	20.21
1986	Wet	0.00	2.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.66
1987	Dry	0.00	23.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.14	0.00	0.00	31.76
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.22
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.42	3.25	0.00	11.67
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.53	0.00	0.00	5.53
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.10	0.00	0.00	8.10
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	11.72	11.61	5.61	0.00	0.00	0.00	0.00	0.00	0.00	7.04	14.51	0.00	50.49
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	15.90	17.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.19
1997	Wet	26.24	21.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	47.30
1998	Wet	4.36	25.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	29.75
1999	Wet	0.00	0.00	0.00	0.00	8.84	0.00	0.00	0.00	0.00	0.31	0.00	11.63	20.78
2000	Above Normal	8.93	6.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.94
2001	Dry	10.39	15.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.74	0.00	0.00	43.56
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.47	0.00	14.47
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.06	0.00	0.00	1.06
	Average	5.50	9.67	0.08	0.46	0.23	0.00	0.00	0.00	0.33	1.44	2.51	0.49	20.72
	Wet	5.62	11.85	0.00	1.46	0.72	0.00	0.00	0.00	1.05	1.15	0.00	0.84	22.69
	Above Normal	6.21	8.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	15.02
	Below Normal	8.08	13.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	22.20
	Dry	4.91	7.96	0.04	0.00	0.00	0.00	0.00	0.00	0.00	2.74	10.60	0.30	26.55
	Critical	2.42	4.31	0.51	0.00	0.00	0.00	0.00	0.00	0.00	3.15	1.28	0.00	11.68

Difference in Energy Use (GWh) At Pumping Plant at CVP Banks: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1924	Critical	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	(0.02)
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.05)	0.00	(0.17)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.04	0.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1942	Wet	0.72	5.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49
1943	Wet	0.01	(0.49)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1944	Dry	(3.78)	3.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	(0.01)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.01
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	(0.32)	21.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.76
1954	Above Normal	(0.72)	(0.15)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)
1955	Dry	0.41	(0.22)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00	0.01
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	12.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.01
1960	Dry	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.03
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	(0.22)	(0.03)	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	(0.14)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	(0.01)
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	(0.01)	(1.35)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)
1967	Wet	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	3.27	(3.27)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	7.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64
1970	Wet	1.24	(1.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	(0.14)	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	(2.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.17)
1976	Critical	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.23)	0.20	0.00	0.01
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.48	19.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.69
1980	Above Normal	(3.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)
1981	Dry	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	38.00	0.00	0.00	0.00	0.00	0.29	0.36	0.00	0.00	3.22
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	0.00	0.00	(0.01)
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.05)	0.00	(0.01)
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	0.00	0.00	(0.01)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	(0.19)	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.25	(0.17)	0.00	0.02
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	(0.02)	(2.16)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.18)
1997	Wet	(1.37)	(0.34)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)
1998	Wet	0.13	(0.12)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00
2000	Above Normal	0.14	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
2001	Dry	(0.03)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	0.00	0.00	(0.01)
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00
	Average	(0.04)	0.63	0.00	0.46	0.09	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.00)	0.09
	Wet	0.02	0.80	0.00	1.46	0.29	0.00	0.00	0.00	0.01	0.01	0.00	(0.00)	0.22
	Above Normal	(0.31)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
	Below Normal	0.23	1.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.18
	Dry	(0.17)	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.12)	(0.00)	(0.01)
	Critical	(0.02)	(0.00)	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at CVP Banks: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	-1%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-18%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	1%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	4%	25%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	-32%	19%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	-3%	77%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-14%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	5%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	32%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-2%	-1%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	170%	-9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	357%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	76%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	-1%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	1%	0%	0%	0%	0%	0%	0%	0%	-8%	222%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	3%	83%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	-16%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	-	0%	0%	0%	0%	1%	1%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	-2%	8%	0%	0%	0%	0%	0%	0%	4%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-11%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-5%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%	0%
	Average	2%	3%	0%	0%	4%	0%	0%	0%	0%	0%	2%	0%
	Wet	3%	3%	0%	0%	14%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	12%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	18%	0%

Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.17	22.14	7.37	12.47	13.35	8.71	11.20	15.92	27.95	33.80	23.56	5.99	187.63
1923	Below Normal	8.53	15.28	6.45	10.87	11.65	4.99	6.01	8.98	15.63	18.86	13.27	3.51	124.03
1924	Critical	10.81	2.25	3.60	5.97	6.46	1.36	1.66	2.44	4.01	6.21	3.58	1.18	49.53
1925	Dry	0.85	0.65	0.92	1.36	1.56	4.23	5.40	10.36	18.08	21.84	24.90	4.00	94.15
1926	Dry	3.02	2.58	4.16	6.95	7.49	2.35	2.79	4.12	6.98	8.38	9.20	1.79	59.81
1927	Wet	1.32	1.07	1.61	2.54	2.82	5.57	7.08	10.49	18.30	22.10	15.50	4.04	92.44
1928	Above Normal	3.06	12.33	4.21	7.04	7.59	3.59	5.56	8.30	14.42	17.40	12.26	3.27	99.03
1929	Critical	2.46	9.55	3.32	5.50	5.95	0.54	0.72	1.05	1.54	1.78	1.51	0.67	34.59
1930	Dry	0.46	0.31	0.34	0.37	0.52	1.62	2.76	4.08	6.91	8.30	9.10	1.77	36.54
1931	Critical	1.31	1.06	1.60	2.51	2.79	1.48	1.79	2.64	4.36	6.83	3.87	1.25	31.49
1932	Dry	0.91	0.70	1.00	1.50	1.71	2.15	2.55	3.77	6.37	10.43	5.55	1.66	38.30
1933	Critical	1.23	0.98	1.47	2.30	2.56	0.96	1.24	1.81	2.90	4.22	2.65	0.95	23.27
1934	Critical	0.68	0.50	0.66	0.92	1.10	1.53	1.85	2.73	4.51	7.11	4.00	1.28	26.87
1935	Below Normal	0.93	0.72	1.04	1.56	1.78	0.54	0.72	5.41	9.27	11.15	7.97	2.26	43.35
1936	Below Normal	6.15	1.38	2.14	3.45	3.78	4.50	5.22	7.75	13.43	16.20	11.44	3.07	78.51
1937	Below Normal	9.20	1.95	3.09	5.10	5.53	1.66	4.48	6.81	11.76	14.17	10.05	8.66	82.46
1938	Wet	2.06	1.72	2.71	4.44	4.83	10.67	12.22	18.19	31.98	38.68	26.91	6.79	161.20
1939	Dry	10.85	16.46	7.37	12.47	13.35	2.72	4.17	6.18	10.65	12.83	10.33	2.53	109.91
1940	Above Normal	1.89	1.57	2.46	4.00	4.36	4.11	5.95	9.06	15.77	19.04	13.39	3.53	85.13
1941	Wet	4.49	8.69	3.63	6.03	6.52	7.56	10.01	14.49	25.41	30.71	21.43	5.49	144.46
1942	Wet	13.60	8.00	5.86	9.86	10.58	8.65	11.18	16.09	28.26	34.17	18.02	6.05	170.32
1943	Wet	12.24	11.84	6.52	10.99	11.78	8.58	9.86	14.66	25.70	31.07	21.68	5.55	170.47
1944	Dry	9.72	12.13	5.93	9.98	10.70	2.78	3.28	4.85	8.28	9.96	11.04	2.06	90.71
1945	Below Normal	1.53	1.25	1.91	3.06	3.36	4.62	8.02	11.91	20.82	25.15	17.60	4.56	103.79
1946	Below Normal	14.63	2.97	4.80	8.04	8.65	6.55	8.02	11.74	20.52	24.79	17.35	4.50	132.56
1947	Dry	14.41	2.92	4.73	7.92	8.52	3.39	5.46	8.10	14.07	16.97	19.22	3.20	108.91
1948	Below Normal	2.41	2.03	3.24	5.35	5.80	1.28	4.39	6.26	10.78	12.99	9.23	2.55	66.31
1949	Dry	7.26	1.59	2.49	4.05	4.42	3.30	7.53	10.97	19.15	23.13	26.41	4.22	114.52
1950	Below Normal	3.19	2.73	4.41	7.37	7.94	2.82	4.15	6.14	10.58	12.74	9.06	2.51	73.64
1951	Above Normal	7.11	1.56	2.44	3.97	4.33	6.93	8.02	11.84	20.71	25.02	17.51	4.54	113.98
1952	Wet	6.56	10.93	4.77	7.99	8.60	9.72	12.22	18.19	31.98	38.68	26.91	6.79	183.34
1953	Wet	9.84	17.48	7.37	12.47	13.35	4.31	5.66	8.37	14.55	17.55	12.37	3.29	126.61
1954	Above Normal	4.95	7.17	3.35	5.55	6.00	4.46	5.69	8.32	14.46	17.45	11.06	3.28	91.74
1955	Dry	6.51	5.53	3.33	5.51	5.97	3.92	4.57	6.78	11.71	14.11	15.89	2.74	86.57
1956	Wet	2.05	1.72	2.70	4.42	4.81	9.70	10.79	15.11	26.51	32.06	18.07	5.71	133.65
1957	Above Normal	12.59	9.97	6.12	10.30	11.04	3.77	4.59	6.76	11.68	14.08	9.98	2.73	103.61
1958	Wet	2.05	7.58	2.70	4.41	4.80	8.70	11.24	17.92	31.51	38.11	26.51	6.69	162.22
1959	Below Normal	5.10	21.80	7.26	12.28	13.15	3.52	4.62	6.97	12.05	14.53	10.29	2.80	114.37
1960	Dry	8.19	1.76	2.78	4.55	4.95	2.32	4.33	6.41	11.06	13.32	9.02	2.61	71.30
1961	Dry	1.96	1.63	2.55	4.16	4.53	3.56	6.40	9.27	16.14	23.54	6.65	3.61	84.00
1962	Below Normal	2.72	2.32	3.71	6.18	6.67	4.32	5.75	8.56	14.88	17.95	12.64	3.36	89.06
1963	Wet	2.53	2.14	3.42	5.68	6.14	5.06	6.46	9.50	16.55	19.98	14.04	3.69	95.19
1964	Dry	2.78	11.08	3.81	6.34	6.85	4.22	4.91	7.28	12.61	15.20	17.16	2.91	95.15
1965	Wet	2.19	1.84	2.91	4.77	5.19	4.76	5.52	14.60	25.59	31.10	13.67	5.53	117.67
1966	Below Normal	15.99	5.60	5.91	9.93	10.66	5.17	6.26	9.16	15.94	19.24	13.53	3.57	120.96
1967	Wet	11.04	2.29	3.67	6.10	6.59	10.18	12.22	18.19	31.98	38.68	26.91	6.79	174.64
1968	Below Normal	6.06	21.25	7.37	12.47	13.35	3.78	4.92	7.39	12.79	15.42	10.91	2.95	118.66
1969	Wet	8.73	1.86	2.95	4.85	5.26	10.67	12.22	18.19	31.98	38.68	26.91	6.79	169.09
1970	Wet	5.92	21.39	7.37	12.47	13.35	6.44	8.02	11.71	20.47	24.73	16.16	4.49	152.52
1971	Wet	6.64	10.64	4.72	7.90	8.50	3.34	4.66	6.90	11.93	14.38	10.19	2.78	92.58
1972	Below Normal	7.34	2.51	2.75	4.51	4.90	4.94	5.60	8.14	14.13	17.05	12.02	3.21	87.10
1973	Above Normal	9.72	2.04	3.26	5.38	5.83	5.47	7.19	10.61	18.52	22.36	15.68	4.09	110.15
1974	Wet	3.09	2.64	4.26	7.12	7.67	8.58	11.13	15.76	27.66	33.45	12.16	5.94	139.46
1975	Wet	4.52	19.04	6.38	10.76	11.53	6.43	8.56	11.85	20.72	25.03	9.13	4.54	138.49
1976	Critical	3.44	14.06	4.78	8.00	8.60	1.31	1.61	2.36	3.87	5.91	3.50	1.15	58.59
1977	Critical	0.83	0.63	0.89	1.30	1.50	1.25	1.53	2.25	3.67	5.60	3.29	1.11	23.85
1978	Above Normal	0.80	0.60	0.84	1.22	1.42	7.30	12.22	18.19	31.98	38.68	26.91	6.79	146.95
1979	Below Normal	11.79	15.52	7.37	12.47	13.35	3.79	6.58	9.78	17.05	20.59	14.45	3.79	136.53
1980	Above Normal	11.86	2.44	3.92	6.54	7.06	8.73	10.06	14.97	26.25	31.74	22.14	5.66	151.37
1981	Dry	4.31	18.03	6.06	10.20	10.93	4.23	5.34	8.15	14.15	17.07	15.31	3.22	117.00
1982	Wet	2.42	2.05	3.26	5.39	5.84	10.06	12.22	18.19	31.98	38.68	26.91	6.79	163.79
1983	Wet	5.17	4.49	7.37	12.47	13.35	10.67	12.22	18.19	31.98	52.10	26.91	11.02	205.94
1984	Wet	5.17	4.49	7.37	12.47	13.35	6.94	8.02	11.91	20.82	25.16	17.61	4.59	137.90
1985	Dry	3.46	2.97	4.80	8.04	8.65	5.67	6.77	10.16	17.73	21.40	24.40	3.93	117.98
1986	Wet	2.97	2.53	4.08	6.81	7.34	5.35	7.88	11.71	20.48	24.74	17.32	4.49	115.70
1987	Dry	3.40	13.89	4.72	7.90	8.50	0.54	3.24	4.80	8.19	13.68	7.07	2.04	77.97
1988	Critical	1.52	1.23	1.89	3.02	3.32	0.54	0.72	1.05	1.54	1.78	1.51	0.67	18.79
1989	Dry	0.46	0.31	0.34	0.37	0.52	0.54	4.29	6.36	10.97	17.13	10.92	2.59	54.80
1990	Critical	1.94	1.62	2.53	4.12	4.49	0.54	0.72	1.05	1.54	1.78	1.51	0.67	22.51
1991	Critical	0.46	0.31	0.34	0.37	0.52	1.97	2.42	3.56	6.00	9.77	5.24	1.59	32.55
1992	Critical	1.17	0.93	1.38	2.15	2.40	2.26	3.23	4.78	8.15	13.61	7.04	2.03	49.13
1993	Above Normal	1.51	1.23	1.88	3.00	3.31	5.16	8.58	11.67	20.40	24.64	7.94	4.47	93.79
1994	Critical	8.84	8.39	4.70	7.87	8.47	6.41	7.29	10.74	18.74	23.89	9.23	4.14	118.71
1995	Wet	3.13	2.68	4.32	7.21	7.77	8.68	11.56	17.00	29.88	36.13	25.16	6.37	159.89
1996	Wet	12.24	13.24	6.89	11.64	12.46	6.85	9.60	13.52	23.68	28.63	8.62	5.15	152.52
1997	Wet	16.73	3.36	5.47	9.18	9.85	8.48	9.74	14.48	25.39	30.69	16.67	5.49	155.53
1998	Wet	6.14	15.44	5.86	9.85	10.57	9.54	12.22	18.19	31.98	38.68	26.91	6.79	192.17
1999	Wet	5.17	4.49	7.37	12.47	13.35	5.14	7.10	10.41	18.17	22.09	15.39	9.43	130.58
2000	Above Normal	7.12	2.60	4.18	6.99	7.53	4.92	6.86	10.04	17.52	21.15	14.84	3.88	107.63
2001	Dry	7.78	6.93	4.03	6.72	7.25	3.69	4.58	6.79	11.73	20.03	10.02	2.74	92.29
2002	Dry	2.06	1.72	2.71	4.42	4.81	4.51	5.26	7.59	13.15	15.85	17.92	3.02	83.02
2003	Above Normal	2.27	1.91	3.03	4.99	5.41	5.34	6.63	9.64	16.80	20.76	14.25	3.74	94.77
	Average	5.42	5.97	3.89	6.48	6.99	4.85	6.41	9.59	16.71	20.79	14.08	3.92	105.10
	Wet	6.08	7.06	4.83	8.09	8.70	7.72	9.60	14.38	25.21	31.00	19.16	5.81	147.63
	Above Normal	5.67	5.46	3.59	5.95	6.44	5.71	7.71	11.28	19.71	23.84	15.79	4.33	115.48
	Below Normal	6.83	6.95	4.39	7.33	7.90	3.75	5.34	8.21	14.26	17.20	12.13	3.66	97.95
	Dry	4.91	5.62	3.45	5.71	6.18	3.10	4.65	7.00	12.11	15.73	13.90	2.81	85.16
	Critical	2.89	3.46	2.26	3.67	4.01	1.68	2.07	3.04	5.07	7.37	3.91	1.39	40.82

Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.17	22.14	7.37	12.47	13.35	9.04	11.53	16.45	28.85	34.91	21.56	6.15	188.99
1923	Below Normal	8.69	15.35	6.66	10.94	12.02	5.26	6.27	9.43	16.39	19.81	13.89	3.64	128.35
1924	Critical	10.84	2.33	3.78	6.29	6.77	1.36	1.66	2.45	4.02	6.23	3.59	1.18	50.50
1925	Dry	0.85	0.65	0.92	1.36	1.57	4.31	5.48	10.52	18.35	22.16	25.14	4.05	95.36
1926	Dry	3.07	2.62	4.22	7.06	7.60	2.34	2.78	4.10	6.96	8.35	9.17	1.78	60.05
1927	Wet	1.32	1.06	1.61	2.53	2.81	5.91	7.42	11.05	19.27	23.30	16.29	4.22	96.79
1928	Above Normal	3.23	12.45	4.44	7.43	7.98	3.78	5.76	8.63	14.97	18.08	12.72	3.37	102.84
1929	Critical	2.56	9.61	3.45	5.72	6.18	0.54	0.72	1.05	1.54	1.78	1.51	0.67	35.33
1930	Dry	0.46	0.31	0.34	0.37	0.52	1.62	2.76	4.07	6.90	8.29	9.09	1.77	36.50
1931	Critical	1.31	1.06	1.59	2.51	2.78	1.48	1.79	2.64	4.36	6.83	3.87	1.25	31.47
1932	Dry	0.91	0.70	1.00	1.50	1.71	2.48	2.89	4.33	7.31	11.59	6.33	1.83	42.58
1933	Critical	1.39	1.09	1.69	2.68	2.95	0.96	1.24	1.81	2.90	4.22	2.65	0.95	24.53
1934	Critical	0.68	0.50	0.66	0.92	1.09	1.52	1.84	2.71	4.48	7.05	3.97	1.27	26.69
1935	Below Normal	0.93	0.72	1.03	1.54	1.76	0.85	1.04	5.93	10.16	12.26	8.71	2.41	47.34
1936	Below Normal	6.30	1.49	2.35	3.82	4.15	4.83	5.55	8.30	14.38	17.37	12.22	3.24	84.00
1937	Below Normal	9.36	2.06	3.32	5.10	5.53	1.98	4.47	6.94	12.69	15.33	10.82	8.81	86.41
1938	Wet	2.23	1.83	2.71	4.43	4.82	10.67	12.22	18.19	31.98	38.68	26.91	6.79	161.46
1939	Dry	10.85	16.46	7.37	12.47	13.35	2.54	3.87	5.78	9.90	11.94	8.08	2.36	104.97
1940	Above Normal	1.80	1.45	2.29	3.71	4.04	4.60	6.46	9.89	17.20	20.79	14.57	3.80	90.60
1941	Wet	4.75	9.16	3.96	6.24	6.80	7.96	10.29	14.97	26.21	31.71	18.42	5.63	146.10
1942	Wet	14.08	7.67	6.06	9.80	10.91	8.93	11.45	16.00	29.05	35.16	18.72	6.19	174.02
1943	Wet	12.39	11.83	6.70	10.93	12.11	8.86	10.13	15.12	26.48	32.04	22.32	5.69	174.60
1944	Dry	8.11	13.87	6.12	10.30	11.02	3.04	3.55	5.29	9.03	10.88	11.73	2.19	95.13
1945	Below Normal	1.66	1.34	2.09	3.36	3.67	4.89	8.23	12.28	21.44	25.92	18.11	4.66	107.65
1946	Below Normal	14.55	3.03	4.95	8.30	8.90	6.82	8.35	12.29	21.45	25.94	18.12	4.66	137.36
1947	Dry	14.57	3.03	4.95	8.30	8.90	3.48	5.59	8.32	14.43	17.42	19.58	3.27	111.84
1948	Below Normal	2.47	2.08	3.33	5.50	5.95	1.28	4.38	6.25	10.76	12.96	9.22	2.55	66.73
1949	Dry	7.24	1.59	2.48	4.04	4.41	3.30	7.52	10.95	19.12	23.10	26.37	4.21	114.33
1950	Below Normal	3.19	2.73	4.40	7.36	7.93	2.85	4.18	6.20	10.68	12.87	9.15	2.53	74.07
1951	Above Normal	7.13	1.57	2.44	3.97	4.37	7.27	8.36	12.41	21.66	26.20	18.30	4.71	118.39
1952	Wet	6.74	11.04	5.00	8.39	8.72	10.05	12.22	18.14	31.91	38.59	26.85	6.77	184.42
1953	Wet	9.68	17.57	7.35	12.44	13.32	4.08	5.71	8.49	14.72	17.78	12.50	3.31	126.95
1954	Above Normal	4.66	7.11	3.40	5.63	6.07	4.51	5.75	8.41	14.61	17.63	11.05	3.31	92.14
1955	Dry	6.72	5.45	3.36	5.57	6.03	3.91	4.55	6.75	11.66	14.05	15.82	2.73	86.60
1956	Wet	2.05	1.71	2.69	4.40	4.79	9.70	10.79	15.68	27.47	33.24	23.15	5.88	141.55
1957	Above Normal	12.76	10.08	6.34	10.69	11.44	4.08	4.90	7.28	12.56	15.16	10.70	2.89	108.88
1958	Wet	2.20	7.68	2.90	4.77	5.16	9.04	11.58	17.11	30.07	36.36	25.31	6.41	158.59
1959	Below Normal	4.88	20.76	6.93	11.71	12.54	3.63	4.84	7.32	12.65	15.26	10.79	2.92	114.23
1960	Dry	8.47	1.84	2.92	4.80	5.20	2.31	4.32	6.40	11.03	13.29	7.41	2.60	70.59
1961	Dry	1.95	1.62	2.55	4.15	4.52	3.56	6.40	9.26	16.13	23.62	6.55	3.60	83.91
1962	Below Normal	2.72	2.31	3.71	6.17	6.67	4.65	6.08	9.11	15.81	19.10	13.41	3.52	93.26
1963	Wet	2.70	2.25	3.64	6.06	6.53	5.37	6.76	10.00	17.40	21.03	14.73	3.83	100.30
1964	Dry	2.94	11.11	4.01	6.69	7.20	4.23	4.92	7.30	12.64	15.24	17.20	2.92	96.40
1965	Wet	2.19	1.84	2.91	4.79	5.20	4.94	5.68	14.91	26.11	31.75	11.57	5.61	117.50
1966	Below Normal	16.09	5.40	6.03	10.15	10.86	5.42	6.50	9.57	16.64	20.10	14.10	3.69	124.55
1967	Wet	11.15	2.37	3.83	6.39	6.88	10.46	12.22	18.19	31.98	38.68	26.91	6.79	175.85
1968	Below Normal	7.58	19.73	7.37	12.47	13.35	3.78	5.21	7.88	13.63	16.46	11.60	3.10	122.16
1969	Wet	8.88	1.96	3.15	4.85	5.26	10.67	12.22	18.19	31.98	38.68	26.91	6.79	169.54
1970	Wet	6.50	20.81	7.37	12.47	13.35	6.50	8.36	12.27	21.43	25.91	16.97	4.66	156.60
1971	Wet	6.82	10.75	4.94	8.29	8.89	3.54	4.86	7.23	12.49	15.08	10.65	2.88	96.42
1972	Below Normal	7.37	2.61	2.88	4.74	5.13	4.94	5.61	8.15	14.14	17.06	12.03	3.21	87.87
1973	Above Normal	9.72	2.05	3.26	5.38	5.83	5.80	7.52	11.16	19.45	23.52	16.45	4.25	114.39
1974	Wet	3.26	2.75	4.48	7.51	8.06	8.72	11.21	15.95	27.95	33.82	10.94	5.97	140.62
1975	Wet	4.59	18.67	6.45	10.89	11.64	6.81	8.94	12.48	21.80	26.36	9.99	4.73	143.35
1976	Critical	3.63	14.27	5.03	8.44	9.05	1.30	1.60	2.35	3.85	5.78	3.57	1.14	60.01
1977	Critical	0.83	0.63	0.88	1.29	1.49	1.25	1.53	2.25	3.67	5.60	3.29	1.11	23.82
1978	Above Normal	0.80	0.60	0.84	1.22	1.42	7.11	12.22	17.80	31.30	37.86	24.10	6.65	141.92
1979	Below Normal	11.90	14.82	7.21	12.20	13.06	3.55	5.98	8.95	15.52	18.76	13.17	3.47	128.59
1980	Above Normal	10.20	2.21	3.58	5.55	6.01	8.75	10.08	15.55	27.25	32.97	22.96	5.84	150.95
1981	Dry	4.48	18.17	6.29	10.61	11.35	4.46	5.65	8.67	15.04	18.17	15.63	3.37	121.89
1982	Wet	2.58	2.15	3.47	5.75	6.20	10.27	12.22	18.19	31.98	38.68	26.91	6.79	165.19
1983	Wet	5.17	4.49	7.37	12.47	13.35	10.67	12.22	18.19	31.98	52.27	26.91	10.85	205.94
1984	Wet	5.17	4.49	7.37	12.47	13.35	6.94	8.36	12.47	21.78	26.34	18.39	4.76	141.89
1985	Dry	3.63	3.08	5.03	8.43	9.04	5.88	6.98	10.50	18.31	22.12	24.88	4.03	121.91
1986	Wet	3.07	2.60	4.22	7.05	7.58	5.24	7.88	11.71	21.43	25.92	18.10	4.66	119.46
1987	Dry	3.57	14.00	4.95	8.30	8.89	0.54	3.20	4.74	8.08	13.50	6.98	2.01	78.76
1988	Critical	1.50	1.22	1.87	2.98	3.28	0.54	0.72	1.05	1.54	1.78	1.51	0.67	18.66
1989	Dry	0.46	0.31	0.34	0.37	0.52	0.54	4.27	6.33	10.91	17.05	10.85	2.58	54.53
1990	Critical	1.93	1.61	2.52	4.10	4.47	0.54	0.72	1.05	1.54	1.78	1.51	0.67	22.44
1991	Critical	0.46	0.31	0.34	0.37	0.52	1.97	2.41	3.56	5.99	9.74	5.23	1.58	32.48
1992	Critical	1.17	0.93	1.38	2.14	2.40	2.25	3.19	4.72	8.05	13.44	6.96	2.01	48.64
1993	Above Normal	1.49	1.22	1.86	2.96	3.27	5.46	8.86	12.14	21.20	25.64	8.74	4.61	97.45
1994	Critical	8.98	8.39	4.89	8.20	8.80	6.43	7.32	10.77	18.81	24.16	9.15	4.15	120.05
1995	Wet	3.14	2.68	4.33	7.24	7.80	8.85	11.02	16.03	29.09	35.21	24.50	6.20	156.09
1996	Wet	12.14	12.11	6.71	11.34	12.12	7.31	9.51	13.47	23.55	28.49	8.71	5.09	150.55
1997	Wet	16.09	3.34	5.44	8.74	9.39	8.81	10.08	15.05	26.35	31.88	16.69	5.66	157.52
1998	Wet	6.37	15.50	6.09	10.25	10.97	9.69	11.99	17.74	31.19	37.72	26.25	6.63	190.39
1999	Wet	5.05	4.38	7.19	12.16	13.02	5.17	7.47	11.03	19.22	23.38	16.25	9.60	133.92
2000	Above Normal	7.37	2.72	4.43	7.41	7.96	5.23	7.17	10.56	18.40	22.24	15.57	4.04	113.10
2001	Dry	7.92	7.04	4.24	7.09	7.62	3.69	4.58	6.79	11.73	20.04	10.03	2.74	93.51
2002	Dry	2.06	1.72	2.71	4.43	4.82	4.51	5.26	7.59	13.15	15.85	17.92	3.02	83.04
2003	Above Normal	2.27	1.91	3.03	4.99	5.41	5.45	6.74	9.82	17.11	21.15	14.49	3.79	96.16
	Average	5.47	5.95	3.97	6.57	7.09	4.97	6.51	9.76	17.04	21.20	14.19	3.97	106.71
	Wet	6.17	7.03	4.92	8.18	8.81	7.89	9.72	14.53	25.57	31.46	19.30	5.86	149.45
	Above Normal	5.55	5.46	3.61	5.95	6.43	5.92	7.95	11.68	20.38	24.68	15.93	4.45	117.98
	Below Normal	6.98	6.75	4.45	7.38	7.97	3.91	5.48	8.47	14.74	17.80	12.52	3.74	100.18
	Dry	4.90	5.75	3.54	5.88	6.35	3.15	4.70	7.09	12.26	15.93	13.82	2.84	86.22
	Critical	2.94	3.50	2.34	3.80	4.15	1.68	2.06	3.03	5.06	7.37	3.90	1.39	41.22

Difference in Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.33	0.33	0.53	0.90	1.11	(2.00)	0.16	0.11
1923	Below Normal	0.16	0.07	0.21	0.07	0.37	0.27	0.26	0.45	0.76	0.95	0.62	0.13	0.36
1924	Critical	0.03	0.08	0.18	0.32	0.31	0.00	0.00	0.01	0.01	0.02	0.01	0.00	0.08
1925	Dry	0.00	0.00	0.00	0.00	0.01	0.08	0.08	0.16	0.27	0.32	0.24	0.05	0.10
1926	Dry	0.05	0.04	0.06	0.11	0.11	(0.01)	(0.01)	(0.02)	(0.02)	(0.03)	(0.03)	(0.01)	0.02
1927	Wet	0.00	(0.01)	0.00	(0.01)	(0.01)	0.34	0.34	0.56	0.97	1.20	0.79	0.18	0.36
1928	Above Normal	0.17	0.12	0.23	0.39	0.39	0.19	0.20	0.33	0.55	0.68	0.46	0.10	0.32
1929	Critical	0.10	0.06	0.13	0.22	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1931	Critical	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.33	0.34	0.56	0.94	1.16	0.78	0.17	0.36
1933	Critical	0.16	0.11	0.22	0.38	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
1934	Critical	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.03)	(0.06)	(0.03)	(0.01)	(0.02)
1935	Below Normal	0.00	0.00	(0.01)	(0.02)	(0.02)	0.31	0.32	0.52	0.89	1.11	0.74	0.15	0.33
1936	Below Normal	0.15	0.11	0.21	0.37	0.37	0.33	0.33	0.55	0.95	1.17	0.78	0.17	0.46
1937	Below Normal	0.16	0.11	0.23	0.00	0.00	0.32	(0.01)	0.13	0.93	1.16	0.77	0.15	0.33
1938	Wet	0.17	0.11	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.18)	(0.30)	(0.40)	(0.75)	(0.89)	(2.25)	(0.17)	(0.41)
1940	Above Normal	(0.09)	(0.12)	(0.17)	(0.29)	(0.32)	0.49	0.51	0.83	1.43	1.75	1.18	0.27	0.46
1941	Wet	0.26	0.47	0.33	0.21	0.28	0.40	0.28	0.48	0.80	1.00	(3.01)	0.14	0.14
1942	Wet	0.48	(0.33)	0.20	(0.06)	0.33	0.28	0.27	(0.09)	0.79	0.99	0.70	0.14	0.31
1943	Wet	0.15	(0.01)	0.18	(0.06)	0.33	0.28	0.27	0.46	0.78	0.97	0.64	0.14	0.34
1944	Dry	(1.61)	1.74	0.19	0.32	0.32	0.26	0.27	0.44	0.75	0.92	0.69	0.13	0.37
1945	Below Normal	0.13	0.09	0.18	0.30	0.31	0.27	0.21	0.37	0.62	0.77	0.51	0.10	0.32
1946	Below Normal	(0.08)	0.06	0.15	0.26	0.25	0.27	0.33	0.55	0.93	1.15	0.77	0.16	0.40
1947	Dry	0.16	0.11	0.22	0.38	0.38	0.09	0.13	0.22	0.36	0.45	0.36	0.07	0.24
1948	Below Normal	0.06	0.05	0.09	0.15	0.15	0.00	(0.01)	(0.01)	(0.02)	(0.03)	(0.01)	0.00	0.04
1949	Dry	(0.02)	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	(0.02)	(0.03)	(0.03)	(0.04)	(0.01)	(0.02)
1950	Below Normal	0.00	0.00	(0.01)	(0.01)	(0.01)	0.03	0.03	0.06	0.10	0.13	0.09	0.02	0.04
1951	Above Normal	0.02	0.01	0.00	0.00	0.04	0.34	0.34	0.57	0.95	1.18	0.79	0.17	0.37
1952	Wet	0.18	0.11	0.23	0.40	0.12	0.33	0.00	(0.05)	(0.07)	(0.09)	(0.06)	(0.02)	0.09
1953	Wet	(0.16)	0.09	(0.02)	(0.03)	(0.03)	(0.23)	0.05	0.12	0.17	0.23	0.13	0.02	0.03
1954	Above Normal	(0.29)	(0.06)	0.05	0.08	0.07	0.05	0.06	0.09	0.15	0.18	(0.01)	0.03	0.03
1955	Dry	0.21	(0.08)	0.03	0.06	0.06	(0.01)	(0.02)	(0.03)	(0.05)	(0.06)	(0.07)	(0.01)	0.00
1956	Wet	0.00	(0.01)	(0.01)	(0.02)	(0.02)	0.00	0.00	0.57	0.96	1.18	5.08	0.17	0.66
1957	Above Normal	0.17	0.11	0.22	0.39	0.40	0.31	0.31	0.52	0.88	1.08	0.72	0.16	0.44
1958	Wet	0.15	0.10	0.20	0.36	0.36	0.34	0.34	(0.81)	(1.44)	(1.75)	(1.20)	(0.28)	(0.30)
1959	Below Normal	(0.22)	(1.04)	(0.33)	(0.57)	(0.61)	0.11	0.22	0.35	0.60	0.73	0.50	0.12	(0.01)
1960	Dry	0.28	0.08	0.14	0.25	0.25	(0.01)	(0.01)	(0.01)	(0.03)	(0.03)	(1.61)	(0.01)	(0.06)
1961	Dry	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.01)	0.08	(0.10)	(0.01)	(0.01)
1962	Below Normal	0.00	(0.01)	0.00	(0.01)	0.00	0.33	0.33	0.55	0.93	1.15	0.77	0.16	0.35
1963	Wet	0.17	0.11	0.22	0.38	0.39	0.31	0.30	0.50	0.85	1.05	0.69	0.14	0.43
1964	Dry	0.16	0.03	0.20	0.35	0.35	0.01	0.01	0.02	0.03	0.04	0.04	0.01	0.10
1965	Wet	0.00	0.00	0.00	0.02	0.01	0.18	0.16	0.31	0.52	0.65	(2.10)	0.08	(0.01)
1966	Below Normal	0.10	(0.20)	0.12	0.22	0.20	0.25	0.24	0.41	0.70	0.86	0.57	0.12	0.30
1967	Wet	0.11	0.08	0.16	0.29	0.29	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1968	Below Normal	1.52	(1.52)	0.00	0.00	0.00	0.00	0.29	0.49	0.84	1.04	0.69	0.15	0.29
1969	Wet	0.15	0.10	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1970	Wet	0.58	(0.58)	0.00	0.00	0.00	0.06	0.34	0.56	0.96	1.18	0.81	0.17	0.34
1971	Wet	0.18	0.11	0.22	0.39	0.39	0.20	0.20	0.33	0.56	0.70	0.46	0.10	0.32
1972	Below Normal	0.03	0.10	0.13	0.23	0.23	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.06
1973	Above Normal	0.00	0.01	0.00	0.00	0.00	0.33	0.33	0.55	0.93	1.16	0.77	0.16	0.35
1974	Wet	0.17	0.11	0.22	0.39	0.39	0.14	0.08	0.19	0.29	0.37	(1.22)	0.03	0.10
1975	Wet	0.07	(0.37)	0.07	0.13	0.11	0.38	0.38	0.63	1.08	1.33	0.86	0.19	0.41
1976	Critical	0.19	0.21	0.25	0.44	0.45	(0.01)	(0.01)	(0.01)	(0.02)	(0.13)	0.07	(0.01)	0.12
1977	Critical	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.19)	0.00	(0.39)	(0.68)	(0.82)	(2.81)	(0.14)	(0.42)
1979	Below Normal	0.11	(0.70)	(0.16)	(0.27)	(0.29)	(0.24)	(0.60)	(0.83)	(1.53)	(1.83)	(1.28)	(0.32)	(0.66)
1980	Above Normal	(1.66)	(0.23)	(0.34)	(0.99)	(1.05)	0.02	0.02	0.58	1.00	1.23	0.82	0.18	(0.04)
1981	Dry	0.17	0.14	0.23	0.41	0.42	0.23	0.31	0.52	0.89	1.10	0.32	0.15	0.41
1982	Wet	0.16	0.10	0.21	0.36	0.36	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.12
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	(0.17)	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.56	0.96	1.18	0.78	0.17	0.33
1985	Dry	0.17	0.11	0.23	0.39	0.39	0.21	0.21	0.34	0.58	0.72	0.48	0.10	0.33
1986	Wet	0.10	0.07	0.14	0.24	0.24	(0.11)	0.00	0.00	0.95	1.18	0.78	0.17	0.31
1987	Dry	0.17	0.11	0.23	0.40	0.39	0.00	(0.04)	(0.06)	(0.11)	(0.18)	(0.09)	(0.03)	0.07
1988	Critical	(0.02)	(0.01)	(0.02)	(0.04)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.03)	(0.06)	(0.08)	(0.07)	(0.01)	(0.02)
1990	Critical	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.03)	(0.01)	(0.01)	(0.01)
1992	Critical	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.04)	(0.06)	(0.10)	(0.17)	(0.08)	(0.02)	(0.04)
1993	Above Normal	(0.02)	(0.01)	(0.02)	(0.04)	(0.04)	0.30	0.28	0.47	0.80	1.00	0.80	0.14	0.31
1994	Critical	0.14	0.00	0.19	0.33	0.33	0.02	0.03	0.03	0.07	0.27	(0.08)	0.01	0.11
1995	Wet	0.01	0.00	0.01	0.03	0.03	0.17	(0.54)	(0.97)	(0.79)	(0.92)	(0.66)	(0.17)	(0.32)
1996	Wet	(0.10)	(1.13)	(0.18)	(0.30)	(0.34)	0.46	(0.09)	(0.05)	(0.13)	(0.14)	0.09	(0.06)	(0.16)
1997	Wet	(0.64)	(0.02)	(0.03)	(0.44)	(0.46)	0.33	0.34	0.57	0.96	1.19	0.02	0.17	0.17
1998	Wet	0.23	0.06	0.23	0.40	0.40	0.15	(0.23)	(0.45)	(0.79)	(0.96)	(0.66)	(0.16)	(0.15)
1999	Wet	(0.12)	(0.11)	(0.18)	(0.31)	(0.33)	0.03	0.37	0.62	1.05	1.29	0.86	0.17	0.28
2000	Above Normal	0.25	0.12	0.25	0.42	0.43	0.31	0.31	0.52	0.88	1.09	0.73	0.16	0.46
2001	Dry	0.14	0.11	0.21	0.37	0.37	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.10
2002	Dry	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.18	0.31	0.39	0.24	0.05	0.12
	Average	0.04	(0.01)	0.07	0.09	0.10	0.13	0.11	0.17	0.33	0.41	0.12	0.05	0.13
	Wet	0.09	(0.04)	0.09	0.09	0.11	0.17	0.12	0.16	0.36	0.46	0.15	0.05	0.15
	Above Normal	(0.12)	(0.00)	0.02	(0.00)	(0.01)	0.22	0.23	0.40	0.68	0.84	0.14	0.12	0.21
	Below Normal	0.15	(0.21)	0.06	0.05	0.07	0.16	0.14	0.26	0.48	0.60	0.40	0.08	0.19
	Dry	(0.01)	0.13	0.10	0.17	0.17	0.06	0.05	0.09	0.15	0.19	(0.07)	0.02	0.09
	Critical	0.05	0.04	0.08	0.13	0.14	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	0.03

Percent Difference in Energy Use (GWh) At Pumping Plant at CVP Dos Amigos: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	4%	3%	3%	3%	3%	-8%	3%
1923	Below Normal	2%	0%	3%	1%	3%	5%	4%	5%	5%	5%	5%	4%
1924	Critical	0%	4%	5%	5%	5%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	1%	2%	1%	2%	1%	1%	1%	1%
1926	Dry	2%	2%	1%	2%	1%	0%	0%	0%	0%	0%	0%	-1%
1927	Wet	0%	-1%	0%	0%	0%	6%	5%	5%	5%	5%	5%	4%
1928	Above Normal	6%	1%	5%	6%	5%	5%	4%	4%	4%	4%	4%	3%
1929	Critical	4%	1%	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	15%	13%	15%	15%	11%	14%	10%
1933	Critical	13%	11%	15%	17%	15%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%	-1%	-1%
1935	Below Normal	0%	0%	-1%	-1%	-1%	57%	44%	10%	10%	10%	9%	7%
1936	Below Normal	2%	8%	10%	11%	10%	7%	6%	7%	7%	7%	7%	6%
1937	Below Normal	2%	6%	7%	0%	0%	19%	0%	2%	8%	8%	8%	2%
1938	Wet	8%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-7%	-7%	-6%	-7%	-7%	-22%	-7%
1940	Above Normal	-5%	-8%	-7%	-7%	-7%	12%	9%	9%	9%	9%	9%	8%
1941	Wet	6%	5%	9%	3%	4%	5%	3%	3%	3%	3%	-14%	3%
1942	Wet	4%	-4%	3%	-1%	3%	3%	2%	-1%	3%	3%	4%	2%
1943	Wet	1%	0%	3%	-1%	3%	3%	3%	3%	3%	3%	3%	3%
1944	Dry	-17%	14%	3%	3%	3%	9%	8%	9%	9%	9%	6%	6%
1945	Below Normal	8%	7%	9%	10%	9%	6%	3%	3%	3%	3%	3%	2%
1946	Below Normal	-1%	2%	3%	3%	3%	4%	4%	5%	5%	5%	4%	4%
1947	Dry	1%	4%	5%	5%	4%	3%	2%	3%	3%	3%	2%	2%
1948	Below Normal	2%	2%	3%	3%	3%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%	1%	1%
1951	Above Normal	0%	1%	0%	0%	1%	5%	4%	5%	5%	5%	5%	4%
1952	Wet	3%	1%	5%	5%	1%	3%	0%	0%	0%	0%	0%	0%
1953	Wet	-2%	1%	0%	0%	0%	-5%	1%	1%	1%	1%	1%	1%
1954	Above Normal	-6%	-1%	1%	1%	1%	1%	1%	1%	1%	1%	0%	1%
1955	Dry	3%	-1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	-1%	0%	0%	0%	0%	0%	4%	4%	4%	28%	3%
1957	Above Normal	1%	1%	4%	4%	4%	8%	7%	8%	8%	8%	7%	6%
1958	Wet	7%	1%	7%	8%	8%	4%	3%	-5%	-5%	-5%	-5%	-4%
1959	Below Normal	-4%	-5%	-5%	-5%	-5%	3%	5%	5%	5%	5%	5%	4%
1960	Dry	3%	5%	5%	5%	5%	0%	0%	0%	0%	0%	-18%	0%
1961	Dry	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1962	Below Normal	0%	0%	0%	0%	0%	8%	6%	6%	6%	6%	6%	5%
1963	Wet	7%	5%	6%	7%	6%	6%	5%	5%	5%	5%	5%	4%
1964	Dry	6%	0%	5%	6%	5%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	4%	3%	2%	2%	2%	-15%	1%
1966	Below Normal	1%	-4%	2%	2%	2%	5%	4%	4%	4%	4%	4%	3%
1967	Wet	1%	3%	4%	5%	4%	3%	0%	0%	0%	0%	0%	0%
1968	Below Normal	25%	-7%	0%	0%	0%	0%	6%	7%	7%	7%	6%	5%
1969	Wet	2%	5%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	10%	-3%	0%	0%	0%	1%	4%	5%	5%	5%	5%	4%
1971	Wet	3%	1%	5%	5%	5%	6%	4%	5%	5%	5%	5%	4%
1972	Below Normal	0%	4%	5%	5%	5%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	6%	5%	5%	5%	5%	5%	4%
1974	Wet	6%	4%	5%	5%	5%	2%	1%	1%	1%	1%	-10%	1%
1975	Wet	2%	-2%	1%	1%	1%	6%	4%	5%	5%	5%	9%	4%
1976	Critical	6%	1%	5%	5%	5%	-1%	-1%	0%	-1%	-2%	2%	-1%
1977	Critical	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-3%	0%	-2%	-2%	-2%	-10%	-2%
1979	Below Normal	1%	-5%	-2%	-2%	-2%	-6%	-9%	-8%	-9%	-9%	-9%	-8%
1980	Above Normal	-14%	-9%	-9%	-15%	-15%	0%	0%	4%	4%	4%	4%	3%
1981	Dry	4%	1%	4%	4%	4%	5%	6%	6%	6%	6%	2%	5%
1982	Wet	7%	5%	6%	7%	6%	2%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1984	Wet	0%	0%	0%	0%	0%	0%	4%	5%	5%	5%	4%	4%
1985	Dry	5%	4%	5%	5%	5%	4%	3%	3%	3%	3%	2%	3%
1986	Wet	3%	3%	3%	4%	3%	-2%	0%	0%	5%	5%	5%	4%
1987	Dry	5%	1%	5%	5%	5%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1988	Critical	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1990	Critical	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1993	Above Normal	-1%	-1%	-1%	-1%	-1%	6%	3%	4%	4%	4%	10%	3%
1994	Critical	2%	0%	4%	4%	4%	0%	0%	0%	0%	1%	-1%	0%
1995	Wet	0%	0%	0%	0%	0%	2%	-5%	-6%	-3%	-3%	-3%	-3%
1996	Wet	-1%	-9%	-3%	-3%	-3%	7%	-1%	0%	-1%	0%	1%	-1%
1997	Wet	-4%	-1%	-1%	-5%	-5%	4%	3%	4%	4%	4%	0%	3%
1998	Wet	4%	0%	4%	4%	4%	2%	-2%	-2%	-2%	-2%	-2%	-2%
1999	Wet	-2%	-2%	-2%	-2%	-2%	1%	5%	6%	6%	6%	6%	2%
2000	Above Normal	4%	5%	6%	6%	6%	6%	5%	5%	5%	5%	5%	4%
2001	Dry	2%	2%	5%	6%	5%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	2%	2%	2%	2%	2%	2%	1%
	Average	2%	1%	2%	2%	2%	3%	2%	2%	2%	2%	1%	1%
	Wet	2%	1%	2%	2%	2%	2%	2%	2%	2%	2%	1%	1%
	Above Normal	-1%	-1%	0%	-1%	-1%	4%	3%	4%	4%	4%	3%	3%
	Below Normal	3%	1%	2%	2%	2%	8%	5%	3%	4%	4%	4%	2%
	Dry	1%	2%	2%	2%	2%	2%	1%	2%	2%	1%	-1%	1%
	Critical	2%	1%	2%	3%	2%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at CVP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.13	37.34	50.02	27.96	8.26	48.45	0.00	0.00	0.00	0.00	0.00	10.58	202.74
1923	Below Normal	19.00	53.07	49.54	39.02	30.53	17.02	0.00	0.00	0.00	0.00	0.00	17.25	225.43
1924	Critical	31.47	43.47	43.39	50.00	9.48	0.00	0.00	0.00	0.00	0.00	0.00	8.08	185.89
1925	Dry	16.74	10.07	55.15	50.96	28.82	19.56	0.00	0.00	0.00	0.00	0.00	3.76	185.06
1926	Dry	17.88	42.19	41.44	34.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.44	146.47
1927	Wet	14.35	51.10	52.21	31.54	52.11	33.42	0.00	0.00	0.00	0.00	0.00	16.74	251.47
1928	Above Normal	7.91	9.52	59.39	40.54	7.54	42.28	0.00	0.00	0.00	0.00	0.00	6.08	173.26
1929	Critical	6.88	14.89	52.92	36.10	26.62	17.71	0.00	0.00	0.00	0.00	17.64	4.82	177.58
1930	Dry	13.36	23.62	40.86	33.45	28.98	10.11	0.00	0.00	0.00	0.00	0.00	0.00	150.38
1931	Critical	18.63	32.95	43.36	48.43	41.06	0.00	0.00	0.00	0.00	0.00	0.00	6.98	191.41
1932	Dry	14.05	18.29	66.20	55.22	20.46	0.00	0.00	0.00	0.00	0.00	1.83	39.18	215.23
1933	Critical	29.04	37.48	50.84	2.26	1.29	3.44	0.00	0.00	0.00	0.00	32.14	31.38	187.87
1934	Critical	19.90	27.64	12.20	1.48	0.87	0.00	0.00	0.00	0.00	0.00	9.25	7.64	78.98
1935	Below Normal	1.70	28.23	59.49	42.06	0.96	2.81	0.00	0.00	0.00	0.00	0.00	18.96	154.21
1936	Below Normal	31.83	42.90	59.81	18.54	1.53	4.62	0.00	0.00	0.00	0.00	0.00	23.46	182.69
1937	Below Normal	27.30	41.07	63.31	42.81	1.93	3.85	4.73	0.00	0.00	0.00	0.00	23.82	208.82
1938	Wet	15.93	52.01	58.78	2.78	1.73	5.84	2.68	11.55	0.00	0.00	0.00	9.93	161.23
1939	Dry	14.19	0.00	46.31	25.45	19.18	1.50	0.00	0.00	0.00	0.00	0.00	10.10	116.73
1940	Above Normal	9.39	23.96	18.44	21.05	30.03	46.00	0.00	0.00	0.00	0.00	0.00	8.15	157.02
1941	Wet	5.80	14.03	41.14	49.13	56.40	48.85	0.00	0.00	0.00	0.00	0.00	12.22	227.57
1942	Wet	7.57	46.46	48.41	52.46	43.99	37.01	0.00	0.00	0.00	0.00	0.00	8.89	244.79
1943	Wet	9.31	47.97	41.61	51.12	39.08	62.66	0.00	0.00	0.00	0.00	0.00	9.31	261.06
1944	Dry	4.71	23.06	35.82	27.16	22.09	12.34	0.00	0.00	0.00	0.00	0.00	2.35	127.53
1945	Below Normal	11.17	43.59	51.24	49.48	60.82	47.26	0.00	0.00	0.00	0.00	0.00	15.31	278.87
1946	Below Normal	29.77	50.76	66.39	56.87	49.93	23.27	0.00	0.00	0.00	0.00	0.00	11.48	288.47
1947	Dry	30.31	50.97	64.28	51.32	30.12	0.00	0.00	0.00	0.00	0.00	0.00	10.20	237.20
1948	Below Normal	13.73	37.56	39.42	15.33	0.00	16.32	0.00	0.00	0.00	0.00	0.00	16.86	139.22
1949	Dry	27.65	44.05	56.80	42.21	35.48	3.31	0.00	0.00	0.00	0.00	0.00	11.87	221.37
1950	Below Normal	16.10	31.35	41.24	13.20	10.00	28.66	0.00	0.00	0.00	0.00	0.00	17.56	158.11
1951	Above Normal	33.41	53.62	78.61	55.63	1.77	5.36	0.00	0.00	0.00	0.00	0.00	16.08	244.48
1952	Wet	11.05	42.00	47.50	57.92	44.98	61.11	0.00	0.00	0.00	0.00	0.00	9.64	274.20
1953	Wet	4.82	26.90	48.30	19.86	16.43	29.75	0.00	0.00	0.00	0.00	0.00	15.57	161.63
1954	Above Normal	0.00	38.04	55.71	16.72	14.37	26.35	0.00	0.00	0.00	0.00	0.00	14.23	165.42
1955	Dry	6.67	36.52	59.40	46.22	37.50	12.37	0.00	0.00	0.00	0.00	0.00	8.03	206.71
1956	Wet	8.32	38.43	66.54	76.64	66.98	6.04	0.00	0.00	0.00	0.00	0.00	11.98	274.93
1957	Above Normal	10.94	53.10	47.75	27.60	0.00	18.62	0.00	0.00	0.00	0.00	1.22	8.48	167.71
1958	Wet	25.93	50.15	47.53	29.20	46.27	41.38	0.00	0.00	0.00	0.00	0.00	7.32	247.78
1959	Below Normal	7.90	21.56	37.74	3.79	4.62	26.44	0.00	0.00	0.00	0.00	0.71	5.87	108.63
1960	Dry	12.76	26.13	43.14	37.60	14.36	14.54	0.00	0.00	0.00	0.00	0.00	10.52	159.05
1961	Dry	11.88	27.66	53.91	40.81	10.94	27.79	0.00	0.00	0.00	0.00	0.37	15.97	189.33
1962	Below Normal	5.11	24.51	21.53	30.39	21.13	31.79	0.00	0.00	0.00	0.00	0.00	11.15	145.61
1963	Wet	26.49	51.28	47.21	25.21	24.25	30.21	0.00	0.00	0.00	0.00	0.00	20.43	225.08
1964	Dry	3.92	51.86	67.45	44.97	22.90	14.79	0.00	0.00	0.00	0.00	0.00	2.53	208.42
1965	Wet	4.62	19.47	40.84	61.15	54.81	47.42	0.00	0.00	0.00	0.00	0.00	9.91	238.22
1966	Below Normal	4.18	50.70	54.28	41.66	28.24	17.88	0.00	0.00	0.00	0.00	0.00	12.83	209.77
1967	Wet	19.57	36.43	49.60	48.43	37.86	29.58	0.00	0.00	0.00	0.00	0.00	6.98	228.45
1968	Below Normal	12.00	10.72	38.42	22.55	0.00	26.36	0.00	0.00	0.00	0.00	0.00	5.54	115.59
1969	Wet	16.60	38.35	62.41	66.69	73.65	6.00	7.09	8.19	0.00	0.00	0.00	0.00	278.98
1970	Wet	20.32	0.00	47.70	56.62	48.18	27.50	0.00	0.00	0.00	0.00	0.00	15.59	215.91
1971	Wet	8.47	9.43	46.73	33.13	21.91	37.08	0.00	0.00	0.00	0.00	1.00	16.94	174.69
1972	Below Normal	15.02	21.56	62.08	41.96	8.30	6.22	0.00	0.00	0.00	0.00	0.00	10.25	165.39
1973	Above Normal	12.53	50.99	51.88	36.38	52.75	43.17	0.00	0.00	0.00	0.00	0.00	1.26	248.96
1974	Wet	7.30	51.25	62.36	66.22	40.12	45.07	0.00	0.00	0.00	0.00	0.00	9.98	282.30
1975	Wet	18.53	49.48	52.65	28.17	11.42	43.26	0.00	0.00	0.00	0.00	0.00	12.41	215.92
1976	Critical	24.71	32.09	55.43	37.46	43.40	32.53	0.00	0.00	0.00	0.00	0.00	0.00	225.62
1977	Critical	3.26	25.41	26.81	27.42	40.42	0.00	0.00	0.00	0.00	0.00	13.85	0.00	137.17
1978	Above Normal	1.95	6.54	24.64	31.39	63.39	60.68	0.00	0.00	0.00	0.00	0.00	9.65	198.24
1979	Below Normal	11.92	19.31	50.99	36.35	33.71	62.00	0.00	0.00	0.00	0.00	0.00	3.74	218.02
1980	Above Normal	32.42	33.80	65.96	75.82	40.19	5.96	0.00	0.00	0.00	0.00	0.00	0.00	254.15
1981	Dry	4.49	23.85	40.22	27.36	15.76	8.77	0.00	0.00	0.00	0.00	0.00	4.71	125.16
1982	Wet	20.77	37.72	44.12	46.24	57.12	40.39	12.06	0.00	0.00	0.00	0.00	10.63	269.05
1983	Wet	41.50	59.92	68.86	60.90	3.73	6.02	6.82	7.97	8.65	0.00	0.00	31.24	295.61
1984	Wet	61.89	29.07	6.06	6.01	3.71	5.48	0.00	0.00	0.00	0.00	0.00	17.55	129.77
1985	Dry	15.77	50.64	65.81	41.46	29.42	17.07	0.00	0.00	0.00	0.00	0.00	14.56	234.73
1986	Wet	27.01	51.95	56.95	16.99	61.08	61.86	1.30	0.00	0.00	0.00	0.00	0.00	277.14
1987	Dry	0.00	0.00	35.43	30.21	20.52	16.70	0.00	0.00	0.00	0.00	0.00	2.22	105.08
1988	Critical	21.30	25.93	35.44	26.47	0.00	0.00	0.00	0.00	0.00	0.00	20.50	0.00	129.64
1989	Dry	4.13	31.49	37.42	49.82	8.72	0.00	0.00	0.00	0.00	0.00	0.00	3.65	135.23
1990	Critical	3.42	18.83	28.37	34.38	15.06	0.00	0.00	0.00	0.00	0.58	3.56	0.00	104.20
1991	Critical	9.26	19.15	23.63	14.02	12.76	0.00	0.00	0.00	0.00	0.00	0.00	0.28	79.10
1992	Critical	11.16	20.00	22.30	15.38	12.48	17.07	0.00	0.00	0.00	0.00	11.75	0.00	110.14
1993	Above Normal	1.73	19.13	31.79	39.45	46.00	34.34	0.00	0.00	0.00	0.00	0.00	11.94	184.38
1994	Critical	14.45	34.03	58.50	30.83	22.31	6.45	0.00	0.00	0.00	0.00	0.38	2.83	169.78
1995	Wet	1.82	24.21	27.25	21.37	31.86	52.81	0.00	16.35	0.00	0.00	0.00	10.77	186.44
1996	Wet	0.00	2.13	26.49	11.99	31.01	60.10	0.00	0.00	0.00	0.00	0.00	11.03	142.75
1997	Wet	2.58	46.19	56.43	58.24	54.42	38.25	0.00	0.00	0.00	0.00	0.00	9.83	265.94
1998	Wet	0.88	5.83	36.29	19.76	42.03	53.88	0.00	0.00	0.00	0.00	0.00	10.39	169.06
1999	Wet	25.74	49.46	51.90	41.91	44.68	54.80	0.00	0.00	0.00	0.00	0.00	3.91	272.40
2000	Above Normal	0.65	45.18	44.67	16.91	46.90	49.30	0.00	0.00	0.00	0.00	0.00	14.37	217.98
2001	Dry	5.92	43.25	48.20	38.97	21.41	20.84	0.00	0.00	0.00	0.00	0.00	1.72	180.31
2002	Dry	17.62	25.12	49.32	30.34	20.77	12.60	0.00	0.00	0.00	0.00	0.00	10.29	166.06
2003	Above Normal	17.10	33.34	36.12	20.10	27.50	21.58	0.00	0.00	0.00	0.00	0.00	6.69	162.43
	Average	14.36	32.60	47.03	35.80	26.99	23.80	0.42	0.54	0.11	0.01	1.39	10.06	193.11
	Wet	15.66	35.82	47.53	39.99	38.84	37.15	1.15	1.69	0.33	0.00	0.04	11.51	229.71
	Above Normal	12.35	33.71	47.08	34.13	28.23	33.51	0.00	0.00	0.00	0.00	0.10	8.96	198.06
	Below Normal	14.77	34.06	49.68	32.43	17.98	22.46	0.34	0.00	0.00	0.00	0.05	13.86	185.63
	Dry	12.34	29.38	50.40	39.34	21.52	10.68	0.00	0.00	0.00	0.00	0.12	9.01	172.78
	Critical	16.12	27.66	37.77	27.02	18.81	6.43	0.00	0.00	0.00	0.05	9.09	5.17	148.12

Energy Use (GWh) At Pumping Plant at CVP San Luis: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.13	37.34	50.02	27.96	7.82	48.42	0.00	0.00	0.00	0.00	0.00	10.60	202.29
1923	Below Normal	19.03	53.23	49.57	37.89	29.23	17.13	0.00	0.00	0.00	0.00	0.00	17.30	223.38
1924	Critical	31.54	43.50	43.46	50.17	9.69	0.00	0.00	0.00	0.00	0.00	0.00	8.12	186.48
1925	Dry	16.79	10.01	55.12	50.95	28.81	19.53	0.00	0.00	0.00	0.00	0.00	3.76	184.97
1926	Dry	17.88	42.19	41.39	34.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.43	146.37
1927	Wet	14.37	51.11	52.23	31.57	52.15	33.42	0.00	0.00	0.00	0.00	0.00	16.73	251.58
1928	Above Normal	7.92	9.50	59.38	40.53	7.53	42.28	0.00	0.00	0.00	0.00	0.00	6.08	173.22
1929	Critical	6.88	14.86	52.88	36.10	26.62	17.70	0.00	0.00	0.00	0.00	17.63	4.83	177.50
1930	Dry	13.37	23.64	40.85	33.44	28.98	10.10	0.00	0.00	0.00	0.00	0.00	0.00	150.38
1931	Critical	18.64	32.98	43.35	48.44	41.09	0.00	0.00	0.00	0.00	0.00	0.00	6.99	191.49
1932	Dry	14.07	18.25	66.20	55.22	20.31	0.00	0.00	0.00	0.00	0.00	1.98	39.14	215.17
1933	Critical	29.02	37.44	52.19	2.25	1.29	3.44	0.00	0.00	0.00	0.00	32.14	31.45	189.22
1934	Critical	19.99	27.71	12.16	1.55	0.91	0.00	0.00	0.00	0.00	0.00	6.36	7.67	76.35
1935	Below Normal	1.55	27.61	59.06	45.50	0.94	2.78	0.00	0.00	0.00	0.00	0.00	18.88	156.32
1936	Below Normal	31.60	42.54	66.88	10.24	1.53	4.62	0.00	0.00	0.00	0.00	0.00	23.48	180.89
1937	Below Normal	27.35	41.12	63.27	42.62	1.93	3.85	4.71	0.00	0.00	0.00	0.00	23.46	208.31
1938	Wet	15.66	50.97	69.45	6.74	2.67	25.10	0.00	0.00	0.00	0.00	0.00	8.94	179.53
1939	Dry	13.52	0.00	39.33	22.86	17.10	1.77	0.00	0.00	0.00	0.00	0.00	9.44	104.02
1940	Above Normal	11.13	24.37	18.58	22.40	31.70	45.86	0.00	0.00	0.00	0.00	0.00	9.04	163.08
1941	Wet	5.69	15.93	41.47	48.83	55.74	44.35	0.00	0.00	0.00	0.00	0.00	11.90	223.91
1942	Wet	8.32	50.37	48.51	52.64	41.76	37.07	0.00	0.00	0.00	0.00	0.00	8.96	247.63
1943	Wet	9.36	47.81	41.69	51.10	34.31	59.38	0.00	0.00	0.00	0.00	0.00	9.35	253.00
1944	Dry	3.71	22.42	35.73	27.26	22.25	12.25	0.00	0.00	0.00	0.00	0.00	2.36	125.98
1945	Below Normal	11.13	43.36	51.12	49.29	45.35	57.90	0.00	0.00	0.00	0.00	0.00	15.48	273.63
1946	Below Normal	29.92	50.88	65.32	53.92	49.93	25.95	0.00	0.00	0.00	0.00	0.00	13.14	289.06
1947	Dry	30.29	50.94	64.27	51.37	30.11	0.00	0.00	0.00	0.00	0.00	0.00	10.11	237.09
1948	Below Normal	13.65	37.23	36.86	15.23	0.00	16.32	0.00	0.00	0.00	0.00	0.00	16.86	136.15
1949	Dry	27.63	44.04	56.38	42.17	35.45	3.30	0.00	0.00	0.00	0.00	0.00	11.89	220.86
1950	Below Normal	16.12	31.36	41.26	13.22	10.03	28.66	0.00	0.00	0.00	0.00	0.00	17.57	158.22
1951	Above Normal	33.41	53.63	78.13	55.17	1.77	5.36	0.00	0.00	0.00	0.00	0.00	16.08	243.55
1952	Wet	11.06	42.05	47.51	57.89	44.57	37.90	0.00	0.00	0.00	0.00	0.00	10.51	251.49
1953	Wet	5.27	62.33	52.51	13.29	17.55	32.14	0.00	0.00	0.00	0.00	0.00	16.84	199.93
1954	Above Normal	0.00	40.73	57.07	17.76	15.37	26.53	0.00	0.00	0.00	0.00	0.00	14.25	171.71
1955	Dry	6.45	37.53	59.62	46.36	37.96	12.49	0.00	0.00	0.00	0.00	0.00	7.97	208.38
1956	Wet	8.31	37.25	61.40	69.98	76.84	6.04	0.00	0.00	0.00	0.00	0.00	11.93	271.75
1957	Above Normal	10.87	52.73	47.69	27.55	0.00	18.60	0.00	0.00	0.00	0.00	1.22	8.48	167.14
1958	Wet	25.91	50.13	47.50	29.19	46.24	41.36	0.00	0.00	0.00	0.00	0.00	7.53	247.86
1959	Below Normal	8.02	36.99	38.31	4.94	5.97	26.26	0.00	0.00	0.00	0.00	0.28	6.41	127.18
1960	Dry	12.69	25.77	42.95	37.33	14.03	14.56	0.00	0.00	0.00	0.00	0.00	10.49	157.82
1961	Dry	11.77	27.66	53.90	40.83	10.97	27.80	0.00	0.00	0.00	0.00	0.38	15.96	189.27
1962	Below Normal	5.16	24.54	21.52	30.41	21.15	31.79	0.00	0.00	0.00	0.00	0.00	11.15	145.72
1963	Wet	26.49	51.28	47.21	25.20	22.80	30.27	0.00	0.00	0.00	0.00	0.00	20.50	223.75
1964	Dry	3.97	51.91	67.53	45.10	23.05	14.77	0.00	0.00	0.00	0.00	0.00	2.54	208.87
1965	Wet	4.61	19.46	40.84	58.44	46.21	47.27	0.00	0.00	0.00	0.00	0.00	10.11	226.94
1966	Below Normal	4.32	50.31	54.51	40.97	28.33	17.90	0.00	0.00	0.00	0.00	0.00	12.80	209.14
1967	Wet	19.58	36.44	49.61	48.45	35.34	29.68	0.00	0.00	0.00	0.00	0.00	7.33	226.43
1968	Below Normal	10.48	30.77	37.94	22.48	0.00	26.37	0.00	0.00	0.00	0.00	0.00	5.53	133.57
1969	Wet	16.56	38.15	62.34	58.20	81.83	25.70	3.95	10.86	0.00	0.00	0.00	2.72	300.31
1970	Wet	19.61	0.00	47.22	56.03	47.68	23.04	0.00	0.00	0.00	0.00	0.00	15.59	209.17
1971	Wet	9.00	9.00	46.79	33.19	21.94	37.17	0.00	0.00	0.00	0.00	1.07	17.07	175.23
1972	Below Normal	15.06	21.68	62.19	42.04	8.35	6.21	0.00	0.00	0.00	0.00	0.00	10.27	165.80
1973	Above Normal	12.53	50.99	51.88	36.37	52.73	43.17	0.00	0.00	0.00	0.00	0.00	6.71	254.38
1974	Wet	7.31	51.26	62.36	58.77	38.66	44.13	0.00	0.00	0.00	0.00	0.00	10.32	272.81
1975	Wet	18.85	48.70	53.00	28.80	12.15	43.22	0.00	0.00	0.00	0.00	0.00	12.35	217.07
1976	Critical	24.69	32.35	55.40	37.36	43.27	32.56	0.00	0.00	0.00	0.00	0.00	0.00	225.63
1977	Critical	3.43	25.38	26.78	27.45	40.40	0.00	0.00	0.00	0.00	0.00	12.96	0.00	136.40
1978	Above Normal	2.30	6.55	24.53	31.27	53.83	57.28	0.00	0.00	0.00	0.00	0.00	7.68	183.44
1979	Below Normal	9.60	52.25	50.41	34.46	32.85	56.97	0.00	0.00	0.00	0.00	0.00	5.44	241.98
1980	Above Normal	34.33	44.87	71.07	68.56	2.09	5.96	0.00	0.00	0.00	0.00	0.00	7.93	234.81
1981	Dry	6.59	33.27	53.17	30.24	17.23	9.63	0.00	0.00	0.00	0.00	0.00	4.59	154.72
1982	Wet	20.83	38.13	44.23	46.32	52.09	39.15	19.19	0.00	0.00	0.00	0.00	10.40	270.34
1983	Wet	25.46	57.20	65.66	107.39	32.37	37.73	20.24	13.10	9.01	0.00	0.00	31.66	399.82
1984	Wet	61.93	32.45	37.78	12.70	3.71	5.51	0.00	0.00	0.00	0.00	0.00	17.55	171.63
1985	Dry	15.78	50.64	65.81	41.46	29.42	17.07	0.00	0.00	0.00	0.00	0.00	14.55	234.73
1986	Wet	27.02	51.95	56.95	16.99	53.91	68.10	1.30	0.00	0.00	0.00	0.00	0.00	276.22
1987	Dry	0.00	0.00	34.85	30.10	20.43	16.62	0.00	0.00	0.00	0.00	0.00	2.21	104.21
1988	Critical	21.35	26.04	35.71	26.59	0.00	0.00	0.00	0.00	0.00	0.00	20.43	0.00	130.12
1989	Dry	4.17	31.21	37.38	49.74	8.69	0.00	0.00	0.00	0.00	0.00	0.00	2.94	134.13
1990	Critical	3.43	18.80	28.17	34.38	15.09	0.00	0.00	0.00	0.00	0.57	0.00	1.24	101.68
1991	Critical	8.73	18.99	23.53	13.79	12.54	0.00	0.00	0.00	0.00	0.00	0.00	0.27	77.85
1992	Critical	11.06	20.18	22.07	14.97	12.46	17.03	0.00	0.00	0.00	0.00	11.81	0.00	109.58
1993	Above Normal	1.72	19.17	31.85	39.55	46.01	32.32	0.00	0.00	0.00	0.00	0.00	12.02	182.64
1994	Critical	14.53	33.92	58.95	31.01	22.51	6.40	0.00	0.00	0.00	0.00	0.38	2.84	170.54
1995	Wet	1.83	24.19	27.24	21.15	26.42	42.96	0.00	0.00	0.00	0.00	0.00	8.44	152.23
1996	Wet	0.00	26.69	27.10	13.19	32.75	42.01	0.00	0.00	0.00	0.00	0.00	11.55	153.29
1997	Wet	1.68	46.22	54.23	59.13	55.66	38.33	0.00	0.00	0.00	0.00	0.00	9.84	265.09
1998	Wet	0.95	5.77	36.30	19.77	35.33	52.89	0.00	0.00	0.00	0.00	0.00	10.87	161.88
1999	Wet	26.03	49.66	52.31	42.72	45.69	54.77	0.00	0.00	0.00	0.00	0.00	3.82	275.00
2000	Above Normal	0.69	45.26	44.69	16.83	46.75	49.19	0.00	0.00	0.00	0.00	0.00	14.29	217.70
2001	Dry	5.84	42.93	48.85	38.92	21.40	20.81	0.00	0.00	0.00	0.00	0.00	1.72	180.47
2002	Dry	17.60	25.08	49.30	30.32	20.73	12.59	0.00	0.00	0.00	0.00	0.00	10.17	165.79
2003	Above Normal	17.11	33.33	36.09	20.10	27.49	21.59	0.00	0.00	0.00	0.00	0.00	6.66	162.37
	Average	14.17	34.47	47.68	35.94	26.32	24.00	0.60	0.29	0.11	0.01	1.30	10.29	195.19
	Wet	15.07	38.25	48.98	41.06	39.09	37.64	1.72	0.92	0.35	0.00	0.04	11.65	234.77
	Above Normal	12.68	34.87	47.58	33.67	24.42	33.05	0.00	0.00	0.00	0.00	0.10	9.99	196.36
	Below Normal	14.50	38.85	49.87	31.66	16.83	23.05	0.34	0.00	0.00	0.00	0.02	14.13	189.24
	Dry	12.34	29.86	50.70	39.34	21.50	10.74	0.00	0.00	0.00	0.00	0.13	8.90	173.51
	Critical	16.11	27.68	37.89	27.01	18.82	6.43	0.00	0.00	0.00	0.05	8.48	5.28	147.74

Difference in Energy Use (GWh) At Pumping Plant at CVP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.44)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.02	(0.04)
1923	Below Normal	0.03	0.16	0.03	(1.13)	(1.30)	0.11	0.00	0.00	0.00	0.00	0.00	0.05	(0.17)
1924	Critical	0.07	0.03	0.07	0.17	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05
1925	Dry	0.05	(0.06)	(0.03)	(0.01)	(0.01)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1926	Dry	0.00	0.00	(0.05)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1927	Wet	0.02	0.01	0.02	0.03	0.04	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01
1928	Above Normal	0.01	(0.02)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	(0.03)	(0.04)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.01	(0.01)
1930	Dry	0.01	0.02	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.01	0.03	(0.01)	0.01	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1932	Dry	0.02	(0.04)	0.00	0.00	(0.15)	0.00	0.00	0.00	0.00	0.00	0.15	(0.04)	(0.01)
1933	Critical	(0.02)	(0.04)	1.35	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.11
1934	Critical	0.09	0.07	(0.04)	0.07	0.04	0.00	0.00	0.00	0.00	0.00	(2.89)	0.03	(0.22)
1935	Below Normal	(0.15)	(0.62)	(0.43)	3.44	(0.02)	(0.03)	0.00	0.00	0.00	0.00	0.00	(0.08)	0.18
1936	Below Normal	(0.23)	(0.36)	7.07	(8.30)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.15)
1937	Below Normal	0.05	0.05	(0.04)	(0.19)	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.36)	(0.04)
1938	Wet	(0.27)	(1.04)	10.67	3.96	0.94	19.26	(2.68)	(11.55)	0.00	0.00	0.00	(0.99)	1.53
1939	Dry	(0.67)	0.00	(6.98)	(2.59)	(2.08)	0.27	0.00	0.00	0.00	0.00	0.00	(0.66)	(1.06)
1940	Above Normal	1.74	0.41	0.14	1.35	1.67	(0.14)	0.00	0.00	0.00	0.00	0.00	0.89	0.50
1941	Wet	(0.11)	1.90	0.33	(0.30)	(0.66)	(4.50)	0.00	0.00	0.00	0.00	0.00	(0.32)	(0.31)
1942	Wet	0.75	3.91	0.10	0.18	(2.23)	0.06	0.00	0.00	0.00	0.00	0.00	0.07	0.24
1943	Wet	0.05	(0.16)	0.08	(0.02)	(4.77)	(3.28)	0.00	0.00	0.00	0.00	0.00	0.04	(0.67)
1944	Dry	(1.00)	(0.64)	(0.09)	0.10	0.16	(0.09)	0.00	0.00	0.00	0.00	0.00	0.01	(0.13)
1945	Below Normal	(0.04)	(0.23)	(0.12)	(0.19)	(15.47)	10.64	0.00	0.00	0.00	0.00	0.00	0.17	(0.44)
1946	Below Normal	0.15	0.12	(1.07)	(2.95)	0.00	2.68	0.00	0.00	0.00	0.00	0.00	1.66	0.05
1947	Dry	(0.02)	(0.03)	(0.01)	0.05	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.01)
1948	Below Normal	(0.08)	(0.33)	(2.56)	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)
1949	Dry	(0.02)	(0.01)	(0.42)	(0.04)	(0.03)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	(0.04)
1950	Below Normal	0.02	0.01	0.02	0.02	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1951	Above Normal	0.00	0.01	(0.48)	(0.46)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1952	Wet	0.01	0.05	0.01	(0.03)	(0.41)	(23.21)	0.00	0.00	0.00	0.00	0.00	0.87	(1.89)
1953	Wet	0.45	35.43	4.21	(6.57)	1.12	2.39	0.00	0.00	0.00	0.00	0.00	1.27	3.19
1954	Above Normal	0.00	2.69	1.36	1.04	1.00	0.18	0.00	0.00	0.00	0.00	0.00	0.02	0.52
1955	Dry	(0.22)	1.01	0.22	0.14	0.46	0.12	0.00	0.00	0.00	0.00	0.00	(0.06)	0.14
1956	Wet	(0.01)	(1.18)	(5.14)	(6.66)	9.86	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.27)
1957	Above Normal	(0.07)	(0.37)	(0.06)	(0.05)	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)
1958	Wet	(0.02)	(0.02)	(0.03)	(0.01)	(0.03)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.21	0.01
1959	Below Normal	0.12	15.43	0.57	1.15	1.35	(0.18)	0.00	0.00	0.00	0.00	(0.43)	0.54	1.55
1960	Dry	(0.07)	(0.36)	(0.19)	(0.27)	(0.33)	0.02	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.10)
1961	Dry	(0.11)	0.00	(0.01)	0.02	0.03	0.01	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.01)
1962	Below Normal	0.05	0.03	(0.01)	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1963	Wet	0.00	0.00	0.00	(0.01)	(1.45)	0.06	0.00	0.00	0.00	0.00	0.00	0.07	(0.11)
1964	Dry	0.05	0.05	0.08	0.13	0.15	(0.02)	0.00	0.00	0.00	0.00	0.00	0.01	0.04
1965	Wet	(0.01)	(0.01)	0.00	(2.71)	(8.60)	(0.15)	0.00	0.00	0.00	0.00	0.00	0.20	(0.94)
1966	Below Normal	0.14	(0.39)	0.23	(0.69)	0.09	0.02	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.05)
1967	Wet	0.01	0.01	0.01	0.02	(2.52)	0.10	0.00	0.00	0.00	0.00	0.00	0.35	(0.17)
1968	Below Normal	(1.52)	20.05	(0.48)	(0.07)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	1.50
1969	Wet	(0.04)	(0.20)	(0.07)	(8.49)	8.18	19.70	(3.14)	2.67	0.00	0.00	0.00	2.72	1.78
1970	Wet	(0.71)	0.00	(0.48)	(0.59)	(0.50)	(4.46)	0.00	0.00	0.00	0.00	0.00	0.00	(0.56)
1971	Wet	0.53	(0.43)	0.06	0.06	0.03	0.09	0.00	0.00	0.00	0.00	0.07	0.13	0.05
1972	Below Normal	0.04	0.12	0.11	0.08	0.05	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	0.03
1973	Above Normal	0.00	0.00	0.00	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	5.45	0.45
1974	Wet	0.01	0.01	0.00	(7.45)	(1.46)	(0.94)	0.00	0.00	0.00	0.00	0.00	0.34	(0.79)
1975	Wet	0.32	(0.78)	0.35	0.63	0.73	(0.04)	0.00	0.00	0.00	0.00	0.00	(0.06)	0.10
1976	Critical	(0.02)	0.26	(0.03)	(0.10)	(0.13)	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.17	(0.03)	(0.03)	0.03	(0.02)	0.00	0.00	0.00	0.00	0.00	(0.89)	0.00	(0.06)
1978	Above Normal	0.35	0.01	(0.11)	(0.12)	(9.56)	(3.40)	0.00	0.00	0.00	0.00	0.00	(1.97)	(1.23)
1979	Below Normal	(2.32)	32.94	(0.58)	(1.89)	(0.86)	(5.03)	0.00	0.00	0.00	0.00	0.00	1.70	2.00
1980	Above Normal	1.91	11.07	5.11	(7.26)	(38.10)	0.00	0.00	0.00	0.00	0.00	0.00	7.93	(1.61)
1981	Dry	2.10	9.42	12.95	2.88	1.47	0.86	0.00	0.00	0.00	0.00	0.00	(0.12)	2.46
1982	Wet	0.06	0.41	0.11	0.08	(5.03)	(1.24)	7.13	0.00	0.00	0.00	0.00	(0.23)	0.11
1983	Wet	(16.04)	(2.72)	(3.20)	46.49	28.64	31.71	13.42	5.13	0.36	0.00	0.00	0.42	8.68
1984	Wet	0.04	3.38	31.72	6.69	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	3.49
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1986	Wet	0.01	0.00	0.00	0.00	(7.17)	6.24	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1987	Dry	0.00	0.00	(0.58)	(0.11)	(0.09)	(0.08)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.07)
1988	Critical	0.05	0.11	0.27	0.12	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.04
1989	Dry	0.04	(0.28)	(0.04)	(0.08)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.71)	(0.09)
1990	Critical	0.01	(0.03)	(0.20)	0.00	0.03	0.00	0.00	0.00	0.00	(0.01)	(3.56)	1.24	(0.21)
1991	Critical	(0.53)	(0.16)	(0.10)	(0.23)	(0.22)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.10)
1992	Critical	(0.10)	0.18	(0.23)	(0.41)	(0.02)	(0.04)	0.00	0.00	0.00	0.00	0.06	0.00	(0.05)
1993	Above Normal	(0.01)	0.04	0.06	0.10	0.01	(2.02)	0.00	0.00	0.00	0.00	0.00	0.08	(0.15)
1994	Critical	0.08	(0.11)	0.45	0.18	0.20	(0.05)	0.00	0.00	0.00	0.00	0.00	0.01	0.06
1995	Wet	0.01	(0.02)	(0.01)	(0.22)	(5.44)	(9.85)	0.00	(16.35)	0.00	0.00	0.00	(2.33)	(2.85)
1996	Wet	0.00	24.56	0.61	1.20	1.74	(18.09)	0.00	0.00	0.00	0.00	0.00	0.52	0.88
1997	Wet	(0.90)	0.03	(2.20)	0.89	1.24	0.08	0.00	0.00	0.00	0.00	0.00	0.01	(0.07)
1998	Wet	0.07	(0.06)	0.01	0.01	(6.70)	(0.99)	0.00	0.00	0.00	0.00	0.00	0.48	(0.60)
1999	Wet	0.29	0.20	0.41	0.81	1.01	(0.03)	0.00	0.00	0.00	0.00	0.00	(0.09)	0.22
2000	Above Normal	0.04	0.08	0.02	(0.08)	(0.15)	(0.11)	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.02)
2001	Dry	(0.08)	(0.32)	0.65	(0.05)	(0.01)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.01
2002	Dry	(0.02)	(0.04)	(0.02)	(0.02)	(0.04)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.02)
2003	Above Normal	0.01	(0.01)	(0.03)	0.00	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.01)
	Average	(0.19)	1.87	0.65	0.14	(0.68)	0.20	0.18	(0.25)	0.00	(0.00)	(0.09)	0.23	0.17
	Wet	(0.60)	2.43	1.45	1.08	0.25	0.50	0.57	(0.77)	0.01	0.00	0.00	0.14	0.42
	Above Normal	0.33	1.16	0.50	(0.46)	(3.80)	(0.46)	0.00	0.00	0.00	0.00	0.00	1.03	(0.14)
	Below Normal	(0.27)	4.78	0.20	(0.77)	(1.15)	0.59	(0.00)	0.00	0.00	0.00	(0.03)	0.26	0.30
	Dry	0.00	0.48	0.30	0.01	(0.03)	0.06	0.00	0.00	0.00	0.00	0.01	(0.10)	0.06
	Critical	(0.02)	0.02	0.12	(0.01)	0.01	(0.01)	0.00	0.00	0.00	(0.00)	(0.61)	0.12	(0.03)

Percent Difference in Energy Use (GWh) At Pumping Plant at CVP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-5%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	-3%	-4%	1%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	8%	0%
1933	Critical	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	5%	5%	0%	0%	0%	0%	0%	-31%	0%
1935	Below Normal	-9%	-2%	-1%	8%	-2%	-1%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-1%	-1%	12%	-45%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1938	Wet	-2%	-2%	18%	142%	54%	330%	-100%	-100%	0%	0%	0%	-10%
1939	Dry	-5%	0%	-15%	-10%	-11%	18%	0%	0%	0%	0%	0%	-7%
1940	Above Normal	19%	2%	1%	6%	6%	0%	0%	0%	0%	0%	0%	11%
1941	Wet	-2%	14%	1%	-1%	-1%	-9%	0%	0%	0%	0%	0%	-3%
1942	Wet	10%	8%	0%	0%	-5%	0%	0%	0%	0%	0%	0%	1%
1943	Wet	1%	0%	0%	0%	-12%	-5%	0%	0%	0%	0%	0%	0%
1944	Dry	-21%	-3%	0%	0%	1%	-1%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	-1%	0%	0%	-25%	23%	0%	0%	0%	0%	0%	1%
1946	Below Normal	1%	0%	-2%	-5%	0%	12%	0%	0%	0%	0%	0%	14%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
1948	Below Normal	-1%	-1%	-6%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	-1%	-38%	0%	0%	0%	0%	0%	9%
1953	Wet	9%	132%	9%	-33%	7%	8%	0%	0%	0%	0%	0%	8%
1954	Above Normal	0%	7%	2%	6%	7%	1%	0%	0%	0%	0%	0%	0%
1955	Dry	-3%	3%	0%	0%	1%	1%	0%	0%	0%	0%	0%	-1%
1956	Wet	0%	-3%	-8%	-9%	15%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1959	Below Normal	2%	72%	2%	30%	29%	-1%	0%	0%	0%	0%	-61%	9%
1960	Dry	-1%	-1%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%
1962	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	-6%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-4%	-16%	0%	0%	0%	0%	0%	0%	2%
1966	Below Normal	3%	-1%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	-7%	0%	0%	0%	0%	0%	0%	5%
1968	Below Normal	-13%	187%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	-1%	0%	-13%	11%	328%	-44%	33%	0%	0%	0%	-
1970	Wet	-3%	0%	-1%	-1%	-1%	-16%	0%	0%	0%	0%	0%	0%
1971	Wet	6%	-5%	0%	0%	0%	0%	0%	0%	0%	0%	7%	1%
1972	Below Normal	0%	1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	433%
1974	Wet	0%	0%	0%	-11%	-4%	-2%	0%	0%	0%	0%	0%	3%
1975	Wet	2%	-2%	1%	2%	6%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-6%	0%
1978	Above Normal	18%	0%	0%	0%	-15%	-6%	0%	0%	0%	0%	0%	-20%
1979	Below Normal	-19%	171%	-1%	-5%	-3%	-8%	0%	0%	0%	0%	0%	45%
1980	Above Normal	6%	33%	8%	-10%	-95%	0%	0%	0%	0%	0%	0%	-
1981	Dry	47%	39%	32%	11%	9%	10%	0%	0%	0%	0%	0%	-3%
1982	Wet	0%	1%	0%	0%	-9%	-3%	59%	0%	0%	0%	0%	-2%
1983	Wet	-39%	-5%	-5%	76%	768%	527%	197%	64%	4%	0%	0%	1%
1984	Wet	0%	12%	523%	111%	0%	1%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-12%	10%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-19%
1990	Critical	0%	0%	-1%	0%	0%	0%	0%	0%	0%	-2%	-100%	-
1991	Critical	-6%	-1%	0%	-2%	-2%	0%	0%	0%	0%	0%	0%	-4%
1992	Critical	-1%	1%	-1%	-3%	0%	0%	0%	0%	0%	0%	1%	0%
1993	Above Normal	-1%	0%	0%	0%	0%	-6%	0%	0%	0%	0%	0%	1%
1994	Critical	1%	0%	1%	1%	1%	-1%	0%	0%	0%	0%	0%	0%
1995	Wet	1%	0%	0%	-1%	-17%	-19%	0%	-100%	0%	0%	0%	-22%
1996	Wet	0%	>1,000%	2%	10%	6%	-30%	0%	0%	0%	0%	0%	5%
1997	Wet	-35%	0%	-4%	2%	2%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	8%	-1%	0%	0%	-16%	-2%	0%	0%	0%	0%	0%	5%
1999	Wet	1%	0%	1%	2%	2%	0%	0%	0%	0%	0%	0%	-2%
2000	Above Normal	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2001	Dry	-1%	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	8%	7%	3%	8%	14%	1%	-1%	0%	0%	-2%	6%
	Wet	-2%	6%	21%	11%	29%	42%	4%	-4%	0%	0%	0%	0%
	Above Normal	4%	3%	1%	0%	-9%	-1%	0%	0%	0%	0%	0%	35%
	Below Normal	-3%	30%	0%	-2%	0%	2%	0%	0%	0%	0%	-4%	5%
	Dry	1%	2%	1%	0%	0%	1%	0%	0%	0%	0%	1%	-2%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%

Energy Use (GWh) At Pumping Plant at DMC Intertie: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.55	0.85	0.97	0.00	0.00	0.55	0.00	0.00	0.15	0.01	0.13	0.31	3.52
1923	Below Normal	0.00	0.86	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.51	1.73
1924	Critical	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.20
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.28	0.00	1.44
1928	Above Normal	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	1.32
1929	Critical	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.92
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.81	1.82
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.82	0.00	0.82
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.81
1937	Below Normal	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.72
1938	Wet	0.00	0.94	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.00	1.10
1939	Dry	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.00	0.31	0.00	1.21
1941	Wet	0.00	0.00	0.00	0.00	0.86	0.81	0.00	0.00	0.00	0.06	0.17	0.27	2.17
1942	Wet	0.00	0.88	0.03	0.97	0.83	0.78	0.00	0.00	0.00	0.01	0.13	0.30	3.93
1943	Wet	0.00	0.86	0.00	0.97	0.82	0.79	0.00	0.00	0.00	0.06	0.17	0.32	3.99
1944	Dry	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47
1945	Below Normal	0.00	0.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.24	0.36	1.70
1946	Below Normal	0.72	0.90	0.99	0.00	0.84	0.00	0.00	0.00	0.00	0.15	0.24	0.00	3.84
1947	Dry	0.73	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	2.90
1948	Below Normal	0.00	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.66	1.29
1949	Dry	0.87	0.00	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.40	1.62
1950	Below Normal	0.00	0.91	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.47
1951	Above Normal	0.88	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.36	3.42
1952	Wet	0.00	0.00	0.00	0.98	0.00	0.76	0.00	0.00	0.09	0.00	0.07	0.28	2.18
1953	Wet	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.33	0.54	2.11
1954	Above Normal	0.00	0.86	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.55	2.53
1955	Dry	0.00	0.49	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	1.81
1956	Wet	0.00	0.00	1.00	0.99	0.00	0.00	0.00	0.00	0.00	0.04	0.16	0.32	2.51
1957	Above Normal	0.00	0.87	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	1.42
1958	Wet	0.86	0.94	0.00	0.00	0.00	0.78	0.00	0.00	0.10	0.00	0.08	0.28	3.04
1959	Below Normal	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.37	0.00	1.44
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1.49
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.33
1963	Wet	0.81	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.48	2.44
1964	Dry	0.00	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	0.00	2.23
1965	Wet	0.00	0.00	0.00	0.99	0.37	0.77	0.00	0.00	0.00	0.06	0.17	0.32	2.68
1966	Below Normal	0.00	0.88	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.31	0.00	2.41
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.00	0.16
1968	Below Normal	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.36	0.00	1.63
1969	Wet	0.00	0.00	1.00	0.03	0.87	0.00	0.00	0.00	0.09	0.00	0.07	0.00	2.06
1970	Wet	0.00	0.00	0.00	0.96	0.81	0.00	0.00	0.00	0.00	0.00	0.24	0.36	2.37
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.37	0.00	0.57
1972	Below Normal	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.34	0.00	1.57
1973	Above Normal	0.00	0.93	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.15	0.27	0.00	1.64
1974	Wet	0.00	0.91	0.55	0.33	0.00	0.79	0.00	0.00	0.00	0.02	0.14	0.31	3.05
1975	Wet	0.00	0.87	0.98	0.00	0.00	0.84	0.00	0.00	0.00	0.15	0.24	0.36	3.44
1976	Critical	0.72	0.00	0.99	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.23
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.89	0.82	0.00	0.00	0.00	0.00	0.07	0.17	1.95
1979	Below Normal	0.00	0.00	0.91	0.00	0.81	0.91	0.00	0.00	0.00	0.22	0.29	0.00	3.14
1980	Above Normal	0.78	0.00	0.99	0.98	0.00	0.00	0.00	0.00	0.00	0.04	0.16	0.00	2.95
1981	Dry	0.00	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	1.26
1982	Wet	0.82	0.93	0.00	0.00	0.86	0.75	0.00	0.00	0.09	0.00	0.07	0.28	3.80
1983	Wet	0.55	0.85	0.97	0.60	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.28	3.41
1984	Wet	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.24	0.35	1.29
1985	Dry	0.00	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.44	2.54
1986	Wet	0.53	0.91	0.16	0.00	0.85	0.00	0.00	0.00	0.00	0.16	0.24	0.00	2.85
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.47
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.00	0.40
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.24	0.36	0.76
1994	Critical	0.00	0.47	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.46
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.78	0.00	0.00	0.12	0.00	0.11	0.29	1.30
1996	Wet	0.00	0.00	0.00	0.00	0.85	0.83	0.00	0.00	0.00	0.09	0.20	0.34	2.31
1997	Wet	0.00	0.88	0.98	0.97	0.84	0.00	0.00	0.00	0.00	0.00	0.17	0.33	4.17
1998	Wet	0.00	0.00	0.98	0.00	0.83	0.76	0.00	0.00	0.09	0.00	0.07	0.28	3.01
1999	Wet	0.55	0.85	0.00	0.00	0.81	0.88	0.00	0.00	0.00	0.20	0.28	0.00	3.57
2000	Above Normal	0.00	0.91	0.00	0.00	0.89	0.88	0.00	0.00	0.00	0.00	0.29	0.45	3.42
2001	Dry	0.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	1.23
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.35	0.00	0.65
2003	Above Normal	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.30	0.00	1.46
	Average	0.14	0.34	0.37	0.11	0.17	0.18	0.00	0.00	0.01	0.08	0.16	0.17	1.72
	Wet	0.18	0.45	0.29	0.30	0.37	0.40	0.00	0.00	0.03	0.07	0.16	0.24	2.50
	Above Normal	0.18	0.52	0.41	0.08	0.17	0.26	0.00	0.00	0.01	0.05	0.25	0.18	2.13
	Below Normal	0.07	0.37	0.50	0.00	0.12	0.07	0.00	0.00	0.00	0.11	0.18	0.24	1.65
	Dry	0.09	0.23	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.02	0.12	1.02
	Critical	0.17	0.04	0.25	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.26	0.00	0.75

Energy Use (GWh) At Pumping Plant at DMC Intertie: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.55	0.85	0.97	0.00	0.00	0.54	0.00	0.00	0.15	0.01	0.14	0.31	3.52
1923	Below Normal	0.00	0.87	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.51	1.74
1924	Critical	0.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.74
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.20
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.27	0.00	1.43
1928	Above Normal	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	1.32
1929	Critical	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.92
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	1.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.81	1.82
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.82	0.00	0.82
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.23	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	1.56
1937	Below Normal	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.72
1938	Wet	0.00	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.00	2.10
1939	Dry	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.47
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.00	0.30	0.00	1.20
1941	Wet	0.00	0.00	0.00	0.00	0.86	0.81	0.00	0.00	0.00	0.06	0.17	0.26	2.16
1942	Wet	0.00	0.88	0.03	0.97	0.83	0.79	0.00	0.00	0.00	0.01	0.13	0.31	3.95
1943	Wet	0.00	0.86	0.00	0.97	0.83	0.79	0.00	0.00	0.00	0.06	0.17	0.32	4.00
1944	Dry	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47
1945	Below Normal	0.00	0.95	0.00	0.00	0.00	0.89	0.00	0.00	0.00	0.16	0.24	0.36	2.60
1946	Below Normal	0.73	0.90	0.99	0.00	0.85	0.00	0.00	0.00	0.00	0.15	0.24	0.00	3.86
1947	Dry	0.73	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	2.90
1948	Below Normal	0.00	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	1.30
1949	Dry	0.87	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.40	1.56
1950	Below Normal	0.00	0.91	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.67	2.47
1951	Above Normal	0.88	0.94	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.36	3.42
1952	Wet	0.00	0.00	0.00	0.98	0.00	0.76	0.00	0.00	0.09	0.00	0.08	0.28	2.19
1953	Wet	0.00	0.85	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.34	0.57	3.01
1954	Above Normal	0.00	0.70	0.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.54	2.36
1955	Dry	0.00	0.58	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.00	1.91
1956	Wet	0.00	0.00	1.00	0.99	0.85	0.00	0.00	0.00	0.00	0.04	0.16	0.32	3.36
1957	Above Normal	0.00	0.87	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	1.42
1958	Wet	0.86	0.94	0.00	0.00	0.00	0.78	0.00	0.00	0.12	0.00	0.10	0.29	3.09
1959	Below Normal	0.00	0.86	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.36	0.00	2.27
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1.49
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.33	0.00	0.33
1963	Wet	0.81	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.00	0.48	2.44
1964	Dry	0.00	0.92	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.00	0.00	2.23
1965	Wet	0.00	0.00	0.00	0.99	0.37	0.77	0.00	0.00	0.00	0.07	0.18	0.33	2.71
1966	Below Normal	0.00	0.88	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.31	0.00	2.41
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.28	0.44
1968	Below Normal	0.00	0.00	0.97	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.36	0.00	1.63
1969	Wet	0.00	0.00	1.00	0.00	0.87	0.00	0.00	0.00	0.09	0.00	0.07	0.00	2.03
1970	Wet	0.00	0.00	0.00	0.96	0.81	0.00	0.00	0.00	0.00	0.00	0.24	0.36	2.37
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.37	0.00	0.54
1972	Below Normal	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.34	0.00	1.57
1973	Above Normal	0.00	0.93	0.00	0.00	0.29	0.00	0.00	0.00	0.00	0.15	0.27	0.00	1.64
1974	Wet	0.00	0.91	0.55	0.05	0.00	0.79	0.00	0.00	0.00	0.03	0.15	0.31	2.79
1975	Wet	0.00	0.87	0.98	0.00	0.00	0.84	0.00	0.00	0.00	0.15	0.24	0.36	3.44
1976	Critical	0.72	0.00	0.99	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.23
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.15	0.47	0.00	0.00	0.00	0.00	0.08	0.28	0.98
1979	Below Normal	0.00	0.85	0.97	0.00	0.82	0.92	0.00	0.00	0.00	0.00	0.33	0.00	3.89
1980	Above Normal	0.82	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.16	0.00	2.02
1981	Dry	0.00	0.00	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	1.26
1982	Wet	0.82	0.93	0.00	0.00	0.86	0.75	0.00	0.00	0.09	0.00	0.07	0.28	3.80
1983	Wet	0.55	0.85	0.97	0.96	0.00	0.00	0.00	0.00	0.09	0.00	0.07	0.28	3.77
1984	Wet	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.24	0.35	1.29
1985	Dry	0.00	0.90	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.44	2.54
1986	Wet	0.53	0.91	0.16	0.00	0.85	0.00	0.00	0.00	0.00	0.16	0.24	0.00	2.85
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	1.47
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.00	0.39
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.25	0.36	0.77
1994	Critical	0.00	0.43	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.42
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.79	0.00	0.00	0.14	0.01	0.13	0.30	1.37
1996	Wet	0.00	0.23	0.00	0.00	0.86	0.83	0.00	0.00	0.00	0.11	0.21	0.35	2.59
1997	Wet	0.00	0.89	0.99	0.98	0.84	0.00	0.00	0.00	0.00	0.00	0.17	0.33	4.20
1998	Wet	0.00	0.00	0.98	0.00	0.83	0.77	0.00	0.00	0.10	0.00	0.09	0.28	3.05
1999	Wet	0.57	0.85	0.00	0.00	0.82	0.88	0.00	0.00	0.00	0.20	0.28	0.00	3.60
2000	Above Normal	0.00	0.91	0.00	0.00	0.89	0.88	0.00	0.00	0.00	0.00	0.29	0.45	3.42
2001	Dry	0.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.00	0.00	1.23
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.35	0.00	0.65
2003	Above Normal	0.00	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.23	0.30	0.00	1.46
	Average	0.14	0.37	0.39	0.10	0.17	0.18	0.00	0.00	0.01	0.08	0.16	0.18	1.78
	Wet	0.18	0.49	0.33	0.30	0.40	0.40	0.00	0.00	0.03	0.07	0.17	0.26	2.64
	Above Normal	0.19	0.51	0.41	0.00	0.11	0.23	0.00	0.00	0.01	0.05	0.26	0.19	1.96
	Below Normal	0.07	0.49	0.56	0.00	0.12	0.13	0.00	0.00	0.00	0.10	0.18	0.24	1.88
	Dry	0.09	0.23	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.02	0.12	1.04
	Critical	0.17	0.04	0.25	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.75

Difference in Energy Use (GWh) At Pumping Plant at DMC Intertie: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1923	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1939	Dry	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.03
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.89	0.00	0.00	0.00	0.01	0.00	0.00	0.08
1946	Below Normal	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1949	Dry	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1953	Wet	0.00	0.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.08
1954	Above Normal	0.00	(0.16)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1955	Dry	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01
1956	Wet	0.00	0.00	0.00	0.00	0.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.02	0.01	0.00
1959	Below Normal	0.00	0.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.00	0.07
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.02
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	(0.28)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	(0.02)
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	(0.74)	(0.35)	0.00	0.00	0.00	0.00	0.01	0.11	(0.08)
1979	Below Normal	0.00	0.85	0.06	0.00	0.01	0.01	0.00	0.00	0.00	(0.22)	0.04	0.00	0.06
1980	Above Normal	0.04	0.00	0.01	(0.98)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
1994	Critical	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.01	0.02	0.01	0.01
1996	Wet	0.00	0.23	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.02
1997	Wet	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.02	0.00	0.00
1999	Wet	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.03	0.02	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01
	Wet	0.00	0.04	0.04	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
	Above Normal	0.00	(0.01)	0.00	(0.08)	(0.06)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)
	Below Normal	0.00	0.12	0.06	0.00	0.00	0.06	0.00	0.00	0.00	(0.02)	0.00	0.00	0.02
	Dry	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
	Critical	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at DMC Intertie: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	8%	0%
1923	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	267%	0%	0%	0%	0%	0%	0%	-	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%
1942	Wet	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	3%
1943	Wet	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-	0%	0%	0%	7%	0%	0%
1946	Below Normal	1%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1949	Dry	0%	0%	-35%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%	0%
1953	Wet	0%	-	0%	0%	0%	0%	0%	0%	0%	4%	3%	6%
1954	Above Normal	0%	-19%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1955	Dry	0%	18%	0%	0%	0%	0%	0%	0%	0%	3%	0%	0%
1956	Wet	0%	0%	0%	0%	-	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	20%	0%	25%	4%
1959	Below Normal	0%	-	0%	0%	0%	0%	0%	0%	0%	-20%	-3%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	17%	6%	3%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	-100%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-15%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	-85%	0%	0%	0%	0%	0%	50%	7%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-83%	-43%	0%	0%	0%	0%	14%	65%
1979	Below Normal	0%	-	7%	0%	1%	1%	0%	0%	0%	-100%	14%	0%
1980	Above Normal	5%	0%	1%	-100%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	60%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	4%	0%
1994	Critical	0%	-9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	1%	0%	0%	17%	-	18%	3%
1996	Wet	0%	-	0%	0%	1%	0%	0%	0%	0%	22%	5%	3%
1997	Wet	0%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	1%	0%	0%	11%	0%	29%	0%
1999	Wet	4%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	3%	-3%	-1%	0%	0%	0%	1%	0%	2%	1%
	Wet	0%	0%	0%	-5%	0%	0%	0%	0%	2%	3%	4%	1%
	Above Normal	0%	-2%	0%	-8%	-7%	-4%	0%	0%	0%	0%	2%	5%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-8%	1%	0%
	Dry	0%	1%	13%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at DMC Other: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.07	0.03	0.01	0.01	0.02	0.02	0.02	0.05	0.08	0.10	0.10	0.08	0.59
1923	Below Normal	0.07	0.03	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1924	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1925	Dry	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.60
1926	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1927	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1928	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1929	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1930	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1931	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1932	Dry	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1933	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1934	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1935	Below Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.59
1936	Below Normal	0.06	0.03	0.01	0.01	0.00	0.04	0.03	0.05	0.09	0.09	0.09	0.07	0.57
1937	Below Normal	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.05	0.09	0.09	0.07	0.44
1938	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.05	0.10	0.08	0.39
1939	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1940	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1941	Wet	0.06	0.03	0.01	0.00	0.00	0.04	0.05	0.04	0.09	0.10	0.10	0.08	0.60
1942	Wet	0.07	0.03	0.01	0.00	0.01	0.04	0.05	0.06	0.06	0.10	0.10	0.08	0.61
1943	Wet	0.07	0.03	0.01	0.00	0.01	0.01	0.03	0.03	0.08	0.10	0.10	0.08	0.55
1944	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1945	Below Normal	0.06	0.03	0.01	0.01	0.00	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.62
1946	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.65
1947	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1948	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1949	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1950	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1951	Above Normal	0.06	0.03	0.01	0.00	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.62
1952	Wet	0.07	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.08	0.10	0.08	0.45
1953	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1954	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1955	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1956	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.03	0.07	0.09	0.10	0.10	0.08	0.58
1957	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1958	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.02	0.02	0.03	0.10	0.10	0.08	0.52
1959	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1960	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1961	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1962	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1963	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1964	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1965	Wet	0.06	0.03	0.01	0.01	0.00	0.04	0.05	0.07	0.09	0.10	0.10	0.08	0.64
1966	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1967	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.01	0.02	0.02	0.02	0.10	0.08	0.42
1968	Below Normal	0.07	0.02	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1969	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.36
1970	Wet	0.07	0.03	0.01	0.00	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.63
1971	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1972	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1973	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1974	Wet	0.07	0.03	0.01	0.00	0.02	0.04	0.04	0.06	0.06	0.10	0.10	0.08	0.61
1975	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.65
1976	Critical	0.07	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.63
1977	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1978	Above Normal	0.05	0.02	0.01	0.01	0.00	0.01	0.01	0.02	0.03	0.06	0.10	0.08	0.40
1979	Below Normal	0.07	0.03	0.01	0.01	0.02	0.03	0.05	0.06	0.09	0.09	0.09	0.07	0.62
1980	Above Normal	0.07	0.03	0.01	0.00	0.00	0.01	0.01	0.03	0.07	0.08	0.10	0.08	0.49
1981	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1982	Wet	0.06	0.03	0.01	0.01	0.01	0.04	0.01	0.02	0.03	0.09	0.10	0.08	0.49
1983	Wet	0.04	0.01	0.01	0.00	0.01	0.01	0.01	0.02	0.02	0.02	0.06	0.05	0.26
1984	Wet	0.03	0.01	0.01	0.00	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.58
1985	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1986	Wet	0.07	0.03	0.01	0.01	0.00	0.01	0.01	0.02	0.03	0.09	0.09	0.08	0.45
1987	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1988	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1989	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1990	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1991	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1992	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1993	Above Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.08	0.61
1994	Critical	0.07	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.07	0.06	0.55
1995	Wet	0.05	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.36
1996	Wet	0.07	0.03	0.01	0.01	0.02	0.01	0.05	0.04	0.09	0.10	0.09	0.08	0.60
1997	Wet	0.07	0.03	0.01	0.00	0.01	0.02	0.05	0.07	0.09	0.10	0.10	0.08	0.63
1998	Wet	0.07	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.10	0.08	0.39
1999	Wet	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2000	Above Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2001	Dry	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
2002	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2003	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
	Average	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.08	0.09	0.07	0.58
	Wet	0.06	0.03	0.01	0.01	0.01	0.03	0.03	0.05	0.06	0.08	0.09	0.08	0.54
	Above Normal	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.09	0.09	0.07	0.60
	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.06	0.09	0.09	0.09	0.07	0.61
	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.62
	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.08	0.06	0.54

Energy Use (GWh) At Pumping Plant at DMC Other: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.07	0.03	0.01	0.01	0.02	0.02	0.02	0.05	0.09	0.09	0.09	0.07	0.57
1923	Below Normal	0.06	0.03	0.01	0.00	0.02	0.04	0.05	0.07	0.08	0.08	0.08	0.07	0.59
1924	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1925	Dry	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.60
1926	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1927	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1928	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1929	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1930	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1931	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1932	Dry	0.05	0.02	0.01	0.01	0.01	0.03	0.03	0.05	0.06	0.06	0.06	0.05	0.44
1933	Critical	0.05	0.02	0.01	0.00	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.48
1934	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1935	Below Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.04	0.06	0.08	0.08	0.08	0.07	0.55
1936	Below Normal	0.06	0.03	0.01	0.01	0.01	0.04	0.03	0.05	0.08	0.08	0.08	0.07	0.55
1937	Below Normal	0.06	0.03	0.01	0.00	0.00	0.04	0.01	0.02	0.07	0.08	0.08	0.07	0.47
1938	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.05	0.09	0.07	0.37
1939	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.08	0.07	0.07	0.57
1940	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1941	Wet	0.06	0.03	0.01	0.00	0.00	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.60
1942	Wet	0.06	0.03	0.01	0.00	0.01	0.04	0.05	0.06	0.05	0.09	0.09	0.07	0.56
1943	Wet	0.06	0.03	0.01	0.00	0.02	0.01	0.03	0.03	0.08	0.09	0.09	0.07	0.52
1944	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.08	0.08	0.07	0.58
1945	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1946	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1947	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1948	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1949	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1950	Below Normal	0.07	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.64
1951	Above Normal	0.06	0.03	0.01	0.00	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.61
1952	Wet	0.06	0.03	0.01	0.01	0.01	0.04	0.03	0.02	0.02	0.08	0.09	0.07	0.47
1953	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.08	0.08	0.07	0.60
1954	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1955	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1956	Wet	0.06	0.03	0.01	0.01	0.00	0.01	0.03	0.07	0.09	0.09	0.08	0.07	0.55
1957	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.08	0.08	0.07	0.58
1958	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.05	0.05	0.10	0.09	0.07	0.58
1959	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1960	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1961	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.08	0.07	0.62
1962	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.08	0.08	0.07	0.60
1963	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.08	0.09	0.07	0.61
1964	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1965	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.62
1966	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1967	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.03	0.02	0.02	0.06	0.09	0.07	0.46
1968	Below Normal	0.06	0.01	0.01	0.01	0.02	0.04	0.04	0.07	0.08	0.08	0.08	0.07	0.57
1969	Wet	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.02	0.02	0.02	0.09	0.07	0.34
1970	Wet	0.06	0.03	0.01	0.00	0.01	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.60
1971	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1972	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1973	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1974	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.06	0.09	0.09	0.07	0.58
1975	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
1976	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.07	0.09	0.09	0.09	0.07	0.62
1977	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1978	Above Normal	0.05	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.07	0.08	0.09	0.07	0.45
1979	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.08	0.08	0.07	0.58
1980	Above Normal	0.06	0.03	0.01	0.00	0.00	0.01	0.01	0.03	0.08	0.08	0.09	0.07	0.47
1981	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.08	0.08	0.07	0.60
1982	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.01	0.02	0.06	0.09	0.09	0.07	0.51
1983	Wet	0.06	0.01	0.01	0.00	0.01	0.01	0.04	0.02	0.02	0.02	0.06	0.05	0.31
1984	Wet	0.03	0.01	0.01	0.00	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.56
1985	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1986	Wet	0.06	0.03	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.09	0.09	0.07	0.45
1987	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1988	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1989	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
1990	Critical	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.60
1991	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.52
1992	Critical	0.05	0.02	0.01	0.01	0.01	0.03	0.04	0.05	0.07	0.07	0.07	0.06	0.49
1993	Above Normal	0.05	0.02	0.01	0.01	0.01	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.59
1994	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.07	0.06	0.54
1995	Wet	0.05	0.02	0.01	0.01	0.02	0.02	0.01	0.02	0.04	0.01	0.09	0.07	0.37
1996	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.03	0.08	0.09	0.09	0.07	0.58
1997	Wet	0.06	0.03	0.01	0.00	0.01	0.02	0.05	0.07	0.09	0.09	0.09	0.07	0.59
1998	Wet	0.06	0.03	0.01	0.01	0.02	0.01	0.01	0.02	0.02	0.02	0.09	0.07	0.37
1999	Wet	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
2000	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.08	0.09	0.09	0.07	0.62
2001	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2002	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
2003	Above Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.63
	Average	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.08	0.09	0.07	0.57
	Wet	0.06	0.03	0.01	0.01	0.01	0.03	0.04	0.05	0.06	0.08	0.09	0.07	0.53
	Above Normal	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.08	0.09	0.09	0.07	0.58
	Below Normal	0.06	0.03	0.01	0.01	0.02	0.04	0.04	0.06	0.08	0.09	0.09	0.07	0.59
	Dry	0.06	0.03	0.01	0.01	0.02	0.04	0.05	0.07	0.09	0.09	0.09	0.07	0.61
	Critical	0.06	0.03	0.01	0.01	0.02	0.03	0.04	0.06	0.07	0.08	0.08	0.06	0.54

Difference in Energy Use (GWh) At Pumping Plant at DMC Other: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.01)	(0.01)	0.00
1923	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1928	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1933	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.02	(0.01)	(0.01)	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1939	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.02)	0.00	(0.01)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	(0.01)	(0.01)	(0.01)	0.00
1942	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1943	Wet	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00
1944	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.01)
1945	Below Normal	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1946	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1947	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1952	Wet	(0.01)	0.00	0.00	0.00	0.00	0.03	0.02	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1953	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00
1957	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	(0.01)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.02	0.00	(0.01)	(0.01)	0.01
1959	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.02	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00
1966	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.04	(0.01)	(0.01)	0.00
1968	Below Normal	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1970	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1971	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00
1975	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1976	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.04	0.02	(0.01)	(0.01)	0.00
1979	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1980	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	(0.01)	0.00
1981	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.03	0.00	(0.01)	(0.01)	0.00
1983	Wet	0.02	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1985	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00
1987	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1994	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.02	(0.01)	(0.01)	(0.01)	0.00
1996	Wet	(0.01)	0.00	0.00	0.00	0.00	0.03	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00
1997	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00
1998	Wet	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1999	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
2000	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
2001	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Wet	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.01)	(0.01)	0.00
	Above Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	0.00	0.00	(0.00)	(0.00)	(0.00)
	Below Normal	(0.00)	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Dry	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Critical	(0.00)	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at DMC Other: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	13%	-10%	-10%	-13%
1923	Below Normal	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	-11%	-11%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
1928	Above Normal	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	-25%	0%	-14%	-14%	-14%	-17%
1933	Critical	0%	0%	0%	-100%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	-14%	-11%	-11%	-11%	0%
1936	Below Normal	0%	0%	0%	0%	-	0%	0%	0%	-11%	-11%	-11%	0%
1937	Below Normal	0%	0%	0%	0%	0%	300%	0%	0%	40%	-11%	-11%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-10%	-13%
1939	Dry	-14%	0%	0%	0%	0%	0%	-20%	-14%	-11%	-11%	-22%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	75%	0%	-10%	-10%	-13%
1942	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-17%	-10%	-10%	-13%
1943	Wet	-14%	0%	0%	0%	100%	0%	0%	0%	0%	-10%	-10%	-13%
1944	Dry	-14%	0%	0%	0%	0%	0%	-20%	-14%	-11%	-11%	-11%	0%
1945	Below Normal	0%	0%	0%	0%	-	0%	0%	0%	-11%	0%	0%	-13%
1946	Below Normal	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	-13%
1947	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	100%	0%	0%	0%	-11%	0%	0%	-13%
1952	Wet	-14%	0%	0%	0%	0%	300%	200%	0%	0%	0%	-10%	-13%
1953	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	-11%	-11%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	-	0%	0%	0%	0%	0%	-10%	-20%	-13%
1957	Above Normal	-14%	0%	0%	0%	0%	0%	-20%	-14%	-11%	-11%	-11%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	150%	150%	67%	0%	-10%	-13%
1959	Below Normal	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-11%	-11%	-11%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-11%	-11%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	-	0%	-20%	0%	0%	-10%	-10%	-13%
1966	Below Normal	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	200%	0%	0%	200%	-10%	-13%
1968	Below Normal	-14%	-50%	0%	0%	0%	0%	-20%	0%	-11%	-11%	-11%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-10%	-13%
1970	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	-13%
1971	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	-14%	0%	0%	-	0%	0%	0%	0%	0%	-10%	-10%	-13%
1975	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	-13%
1976	Critical	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-	0%	0%	0%	133%	33%	-10%	-13%
1979	Below Normal	-14%	0%	0%	0%	0%	33%	-20%	0%	-11%	-11%	-11%	0%
1980	Above Normal	-14%	0%	0%	0%	0%	0%	0%	0%	14%	0%	-10%	-13%
1981	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	-11%	-11%	0%
1982	Wet	0%	0%	0%	0%	100%	0%	0%	0%	100%	0%	-10%	-13%
1983	Wet	50%	0%	0%	0%	0%	0%	300%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	-13%
1985	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	-14%	0%	0%	0%	-	0%	0%	0%	33%	0%	0%	-13%
1987	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	-13%
1994	Critical	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	100%	100%	0%	0%	100%	-50%	-10%	-13%
1996	Wet	-14%	0%	0%	0%	0%	300%	0%	-25%	-11%	-10%	0%	-13%
1997	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	0%	-10%	-10%	-13%
1998	Wet	-14%	0%	0%	0%	100%	0%	0%	0%	0%	0%	-10%	-13%
1999	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
2000	Above Normal	-14%	0%	0%	0%	0%	0%	0%	0%	-11%	0%	0%	0%
2001	Dry	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-5%	-1%	0%	-1%	6%	13%	9%	2%	2%	-1%	-4%	-4%
	Wet	-5%	0%	0%	0%	15%	27%	32%	8%	7%	2%	-7%	-10%
	Above Normal	-5%	0%	0%	0%	8%	0%	-2%	-1%	8%	1%	-3%	-5%
	Below Normal	-6%	-4%	0%	0%	0%	24%	-3%	-1%	-4%	-6%	-6%	-2%
	Dry	-6%	0%	0%	0%	0%	0%	-4%	-2%	-3%	-3%	-3%	-1%
	Critical	-2%	0%	0%	-8%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Folsom: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.29	0.90	0.93	0.88	0.80	0.65	1.16	0.79	0.74	0.79	0.92	1.15	11.00
1923	Below Normal	0.95	0.81	0.80	0.74	0.82	1.14	0.85	0.78	0.67	0.93	1.14	0.91	10.54
1924	Critical	0.92	0.87	0.89	0.98	1.01	0.95	2.34	2.39	2.70	2.78	2.47	1.81	20.11
1925	Dry	0.90	0.89	0.86	0.84	0.71	0.58	0.94	0.68	0.73	1.20	1.74	1.49	11.56
1926	Dry	1.15	0.79	0.85	0.91	0.82	0.76	0.59	0.95	1.50	2.27	2.47	1.89	14.95
1927	Wet	0.99	0.83	0.68	0.62	0.63	0.75	1.07	0.85	0.71	1.02	1.26	1.13	10.54
1928	Above Normal	0.84	0.78	0.88	0.87	0.84	0.63	0.98	0.78	0.84	1.57	2.11	1.73	12.85
1929	Critical	1.41	0.97	1.00	1.02	1.03	0.83	1.89	2.00	1.91	2.29	2.20	1.68	18.23
1930	Dry	1.29	1.02	0.82	0.70	0.61	0.53	0.90	0.95	1.30	2.00	2.18	1.62	13.92
1931	Critical	1.26	0.92	0.95	0.97	0.98	0.95	2.52	2.18	2.45	2.84	2.54	1.90	20.46
1932	Dry	1.30	0.98	0.93	0.87	0.70	0.67	0.96	0.64	0.57	0.66	0.76	0.82	9.86
1933	Critical	0.84	0.72	0.77	0.83	0.87	0.79	1.93	1.61	1.93	2.46	2.44	1.79	16.98
1934	Critical	1.12	1.07	0.88	0.79	0.67	0.70	1.36	1.63	2.50	2.90	2.78	1.75	18.15
1935	Below Normal	2.12	1.15	0.98	0.93	0.87	0.71	0.55	0.79	0.69	0.97	1.19	1.02	11.97
1936	Below Normal	0.77	0.69	0.75	0.72	0.65	0.64	1.00	0.69	0.60	0.85	1.01	0.91	9.28
1937	Below Normal	0.89	0.87	0.81	0.87	0.78	0.52	0.91	0.74	0.62	0.91	1.13	1.02	10.07
1938	Wet	0.89	0.63	0.65	0.65	0.65	0.65	1.03	0.82	0.75	0.79	0.92	1.08	9.51
1939	Dry	0.92	0.81	0.82	0.91	0.97	0.74	1.53	1.22	1.76	2.38	2.56	1.79	16.41
1940	Above Normal	1.25	1.16	0.99	0.85	0.66	0.69	1.20	0.81	0.74	1.09	1.49	1.55	12.48
1941	Wet	1.32	1.02	0.96	0.78	0.74	0.65	0.66	0.76	0.81	0.87	1.00	1.22	10.79
1942	Wet	0.96	0.79	0.80	0.75	0.76	0.67	0.64	0.75	0.80	0.86	0.99	1.18	9.95
1943	Wet	1.14	0.79	0.80	0.76	0.80	0.72	0.95	0.86	0.73	1.04	1.25	1.24	11.08
1944	Dry	1.28	1.00	1.05	1.12	1.10	0.93	1.59	1.47	1.69	2.21	2.29	1.79	17.52
1945	Below Normal	1.12	0.89	0.81	0.76	0.71	0.59	1.15	0.77	0.67	1.01	1.34	1.19	11.01
1946	Below Normal	0.69	0.72	0.70	0.71	0.72	0.67	1.28	0.79	0.72	1.05	1.45	1.19	10.69
1947	Dry	1.03	0.75	0.76	0.81	0.80	0.57	1.09	1.04	1.32	2.12	2.36	1.88	14.53
1948	Below Normal	0.97	0.93	0.95	0.93	0.89	0.76	0.82	0.73	0.77	0.99	1.14	1.11	10.99
1949	Dry	0.97	0.68	0.75	0.82	0.85	0.62	1.16	0.76	0.73	1.17	1.73	1.54	11.78
1950	Below Normal	1.31	0.90	1.00	0.90	0.73	0.57	0.95	0.74	0.66	0.92	1.11	0.93	10.72
1951	Above Normal	0.59	0.76	0.95	0.99	0.97	1.07	1.42	0.75	0.75	1.17	1.59	1.50	12.51
1952	Wet	1.01	0.87	0.81	0.74	0.74	0.65	1.06	0.85	0.70	0.78	0.90	1.01	10.12
1953	Wet	0.98	0.70	0.79	0.76	0.75	0.86	1.10	0.83	0.69	0.84	0.93	1.03	10.26
1954	Above Normal	0.96	0.73	0.81	0.81	0.77	0.65	0.93	0.95	1.02	1.75	2.21	1.70	13.29
1955	Dry	1.39	0.92	0.95	0.89	0.86	0.98	1.46	1.33	1.32	1.60	1.78	1.34	14.82
1956	Wet	1.09	0.84	0.80	0.80	0.86	1.14	1.21	0.75	0.73	0.78	0.90	1.01	10.91
1957	Above Normal	0.84	0.98	0.93	1.00	0.89	0.59	1.17	0.77	0.77	1.13	1.56	1.20	11.83
1958	Wet	0.83	0.85	0.77	0.74	0.74	0.66	0.65	0.83	0.76	0.83	0.96	1.08	9.70
1959	Below Normal	1.01	0.91	0.90	0.92	0.81	0.79	1.22	1.14	1.31	2.13	2.64	1.56	15.34
1960	Dry	1.58	1.29	1.12	1.13	1.02	0.60	1.12	0.97	1.16	1.44	1.64	1.37	14.44
1961	Dry	1.14	0.81	0.86	0.92	0.95	0.90	1.83	1.89	1.99	2.54	2.72	2.01	18.56
1962	Below Normal	1.56	1.03	1.02	1.01	0.85	0.57	1.24	0.92	0.81	1.18	1.72	1.51	13.42
1963	Wet	0.61	0.60	0.73	0.77	0.85	0.77	0.80	0.83	0.79	1.10	1.32	1.13	10.30
1964	Dry	0.81	0.70	0.74	0.75	0.75	0.91	1.72	1.33	1.34	1.78	2.02	1.63	14.48
1965	Wet	1.02	0.89	0.90	0.92	0.91	1.02	0.88	0.86	0.74	1.00	1.09	1.13	11.36
1966	Below Normal	1.22	0.82	0.84	0.84	0.82	0.91	1.29	0.96	1.10	1.86	2.41	1.83	14.90
1967	Wet	1.49	0.96	0.85	0.75	0.76	0.68	0.67	0.90	0.72	0.84	0.97	1.13	10.72
1968	Below Normal	1.03	0.70	0.79	0.78	0.77	0.62	1.30	1.25	1.45	2.35	2.67	1.99	15.70
1969	Wet	1.40	1.01	0.94	0.83	0.78	0.74	1.15	0.86	0.72	0.77	0.90	1.10	11.20
1970	Wet	0.94	0.72	0.76	0.88	1.01	0.79	1.60	1.25	1.14	1.72	2.10	1.83	14.74
1971	Wet	1.33	0.99	0.81	0.72	0.73	0.78	1.31	0.74	0.70	0.84	0.97	1.04	10.96
1972	Below Normal	1.00	0.73	0.78	0.75	0.74	0.80	1.15	0.95	0.97	1.57	2.00	1.35	12.79
1973	Above Normal	0.86	0.77	0.70	0.66	0.67	0.67	1.20	0.86	0.84	1.38	1.72	1.37	11.70
1974	Wet	0.89	0.73	0.73	0.82	0.90	0.76	1.10	0.89	0.74	0.71	0.94	1.08	10.29
1975	Wet	0.87	0.73	0.88	0.91	0.83	0.65	1.07	0.88	0.75	0.83	0.95	1.08	10.43
1976	Critical	0.59	0.74	0.84	0.93	1.02	1.21	1.78	1.87	2.03	2.22	2.00	1.54	16.77
1977	Critical	1.24	0.89	0.87	0.89	0.93	1.39	2.57	2.10	2.75	2.86	2.82	1.87	21.18
1978	Above Normal	1.35	1.38	0.97	0.80	0.57	0.64	0.80	0.88	0.75	1.02	1.24	1.07	11.47
1979	Below Normal	1.07	0.72	0.82	0.82	0.75	0.58	0.93	0.75	0.84	1.34	1.50	1.14	11.26
1980	Above Normal	0.61	0.63	0.65	0.74	0.85	0.81	1.11	0.82	0.73	0.74	0.90	1.12	9.71
1981	Dry	1.12	0.98	0.94	0.99	0.98	0.74	1.45	1.43	1.74	2.49	2.79	2.00	17.65
1982	Wet	1.09	0.90	0.91	1.00	1.03	0.90	0.70	0.97	0.82	0.89	1.03	0.85	11.09
1983	Wet	0.54	0.60	0.73	0.76	0.78	0.70	0.70	0.87	0.78	0.84	0.96	1.02	9.28
1984	Wet	0.84	0.70	1.02	1.08	1.03	1.13	1.41	0.85	0.71	1.13	1.37	1.16	12.43
1985	Dry	0.81	0.70	0.73	0.77	0.77	0.59	1.19	1.04	1.36	2.19	2.51	1.88	14.54
1986	Wet	1.41	1.01	0.97	0.85	0.91	0.76	1.11	0.79	0.75	1.18	1.44	1.20	12.38
1987	Dry	1.24	0.97	0.95	1.02	1.02	0.71	1.70	1.80	2.28	2.85	2.75	2.02	19.31
1988	Critical	1.40	1.00	0.98	0.90	0.83	1.02	1.35	1.51	1.86	2.29	2.20	1.66	17.00
1989	Dry	1.28	0.80	0.74	0.70	0.64	0.53	1.08	0.99	1.41	2.36	2.44	1.34	14.31
1990	Critical	1.01	0.89	0.92	0.94	0.92	0.83	1.60	1.09	1.75	2.08	2.08	1.58	15.69
1991	Critical	1.22	0.89	0.87	0.90	1.02	0.98	2.07	1.95	1.89	2.20	2.37	1.95	18.31
1992	Critical	1.23	1.08	0.96	0.96	0.91	0.73	1.36	1.79	2.28	3.23	1.83	0.00	16.36
1993	Above Normal	0.00	0.00	1.23	0.93	0.65	0.61	1.21	0.78	0.67	0.91	1.08	1.10	9.17
1994	Critical	0.97	0.76	0.89	0.99	1.04	1.22	2.29	1.92	2.38	2.65	2.63	2.03	19.77
1995	Wet	1.50	1.09	1.06	0.89	0.76	0.72	1.03	0.68	0.70	0.82	0.95	1.07	11.27
1996	Wet	1.07	0.95	0.77	0.76	0.85	0.75	1.04	0.62	0.79	0.99	1.13	1.18	10.90
1997	Wet	0.98	0.87	0.90	1.03	1.13	1.47	1.72	1.08	1.01	1.60	1.94	1.84	15.57
1998	Wet	1.45	1.11	1.08	0.91	0.76	0.66	0.99	0.52	0.81	0.88	1.01	1.07	11.25
1999	Wet	0.91	0.68	0.75	0.76	0.77	0.63	1.19	0.83	0.71	0.90	1.04	1.09	10.26
2000	Above Normal	1.09	0.86	0.99	0.90	0.76	0.72	1.24	0.77	0.79	1.35	1.81	1.40	12.68
2001	Dry	0.77	0.94	0.98	1.04	1.04	0.80	1.38	1.48	1.67	2.19	2.38	1.74	16.41
2002	Dry	1.32	0.88	0.75	0.65	0.65	0.63	1.29	0.79	0.85	1.35	1.90	1.58	12.64
2003	Above Normal	1.34	0.89	0.83	0.76	0.77	0.69	0.79	0.82	0.78	1.16	1.41	1.33	11.57
	Average	1.07	0.86	0.87	0.85	0.83	0.77	1.23	1.05	1.13	1.49	1.67	1.38	13.21
	Wet	1.06	0.84	0.84	0.82	0.83	0.79	1.03	0.84	0.77	0.96	1.12	1.15	11.05
	Above Normal	0.92	0.82	0.91	0.85	0.77	0.70	1.10	0.82	0.79	1.17	1.50	1.35	11.69
	Below Normal	1.12	0.85	0.85	0.83	0.78	0.71	1.05	0.86	0.85	1.29	1.60	1.26	12.05
	Dry	1.13	0.88	0.87	0.88	0.85	0.71	1.28	1.15	1.37	1.93	2.17	1.65	14.87
	Critical	1.10	0.90	0.90	0.93	0.94	0.97	1.92	1.84	2.20	2.57	2.36	1.63	18.25

Energy Use (GWh) At Pumping Plant at Folsom: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.29	0.90	0.93	0.88	0.80	0.65	1.16	0.79	0.74	0.79	0.92	1.15	11.00
1923	Below Normal	0.95	0.81	0.80	0.74	0.82	1.14	0.85	0.78	0.67	0.93	1.14	0.91	10.54
1924	Critical	0.91	0.86	0.89	0.97	1.00	0.95	2.34	2.39	2.70	2.78	2.47	1.81	20.07
1925	Dry	0.90	0.89	0.86	0.84	0.71	0.58	0.94	0.68	0.73	1.20	1.74	1.49	11.56
1926	Dry	1.15	0.79	0.85	0.91	0.82	0.76	0.59	0.95	1.50	2.27	2.47	1.89	14.95
1927	Wet	0.99	0.83	0.68	0.62	0.63	0.75	1.07	0.85	0.71	1.02	1.26	1.13	10.54
1928	Above Normal	0.84	0.78	0.88	0.87	0.84	0.63	0.98	0.78	0.84	1.57	2.11	1.73	12.85
1929	Critical	1.41	0.97	1.00	1.02	1.03	0.83	1.89	2.00	1.91	2.29	2.20	1.68	18.23
1930	Dry	1.29	1.02	0.82	0.70	0.61	0.53	0.90	0.95	1.30	2.00	2.18	1.62	13.92
1931	Critical	1.26	0.92	0.95	0.97	0.98	0.95	2.52	2.18	2.45	2.84	2.54	1.90	20.46
1932	Dry	1.30	0.98	0.93	0.87	0.70	0.67	0.96	0.64	0.57	0.66	0.76	0.82	9.86
1933	Critical	0.84	0.72	0.77	0.83	0.87	0.79	1.93	1.61	1.93	2.46	2.44	1.79	16.98
1934	Critical	1.12	1.07	0.88	0.80	0.67	0.71	1.37	1.65	2.51	2.90	2.80	1.75	18.23
1935	Below Normal	2.12	1.15	0.98	0.93	0.87	0.71	0.55	0.79	0.69	0.97	1.19	1.02	11.97
1936	Below Normal	0.77	0.69	0.75	0.72	0.65	0.64	1.00	0.69	0.60	0.85	1.01	0.91	9.28
1937	Below Normal	0.89	0.87	0.81	0.87	0.78	0.52	0.91	0.74	0.62	0.91	1.13	1.02	10.07
1938	Wet	0.89	0.63	0.65	0.65	0.65	0.65	1.03	0.82	0.75	0.79	0.92	1.08	9.51
1939	Dry	0.92	0.81	0.82	0.91	0.97	0.73	1.58	1.29	1.84	2.45	2.59	1.80	16.71
1940	Above Normal	1.25	1.16	0.99	0.85	0.65	0.69	1.20	0.81	0.74	1.09	1.49	1.54	12.46
1941	Wet	1.32	1.01	0.96	0.78	0.74	0.65	0.66	0.76	0.81	0.87	1.00	1.22	10.78
1942	Wet	0.96	0.79	0.80	0.75	0.76	0.67	0.64	0.75	0.80	0.86	0.99	1.18	9.95
1943	Wet	1.14	0.79	0.80	0.76	0.80	0.72	0.95	0.86	0.73	1.03	1.23	1.23	11.04
1944	Dry	1.25	0.99	1.05	1.12	1.10	0.92	1.59	1.47	1.70	2.24	2.30	1.80	17.53
1945	Below Normal	1.13	0.89	0.81	0.76	0.71	0.59	1.15	0.77	0.66	1.01	1.33	1.19	11.00
1946	Below Normal	0.69	0.72	0.70	0.70	0.71	0.67	1.28	0.79	0.72	1.05	1.45	1.21	10.69
1947	Dry	1.06	0.77	0.78	0.83	0.82	0.58	1.09	1.04	1.32	2.11	2.36	1.88	14.64
1948	Below Normal	0.97	0.93	0.95	0.93	0.89	0.76	0.82	0.73	0.77	0.99	1.14	1.11	10.99
1949	Dry	0.97	0.68	0.75	0.82	0.85	0.62	1.16	0.76	0.73	1.17	1.73	1.54	11.78
1950	Below Normal	1.31	0.90	1.00	0.90	0.73	0.57	0.95	0.74	0.66	0.92	1.11	0.93	10.72
1951	Above Normal	0.59	0.76	0.95	0.99	0.97	1.07	1.42	0.75	0.75	1.17	1.59	1.50	12.51
1952	Wet	1.01	0.87	0.81	0.74	0.74	0.65	1.06	0.85	0.70	0.78	0.90	1.01	10.12
1953	Wet	0.98	0.72	0.83	0.78	0.75	0.85	1.10	0.83	0.69	0.84	0.93	1.03	10.33
1954	Above Normal	0.96	0.73	0.81	0.81	0.76	0.65	0.93	0.95	1.02	1.75	2.21	1.70	13.28
1955	Dry	1.39	0.92	0.95	0.89	0.86	0.98	1.46	1.33	1.32	1.60	1.78	1.34	14.82
1956	Wet	1.09	0.84	0.80	0.80	0.86	1.14	1.21	0.75	0.73	0.78	0.90	1.01	10.91
1957	Above Normal	0.84	0.98	0.93	1.00	0.89	0.59	1.17	0.77	0.77	1.13	1.56	1.20	11.83
1958	Wet	0.83	0.85	0.77	0.74	0.74	0.66	0.65	0.83	0.76	0.83	0.96	1.08	9.70
1959	Below Normal	1.01	0.92	0.93	0.95	0.83	0.80	1.23	1.14	1.31	2.14	2.65	1.57	15.48
1960	Dry	1.58	1.29	1.12	1.14	1.02	0.60	1.12	0.97	1.16	1.45	1.64	1.37	14.46
1961	Dry	1.15	0.81	0.86	0.92	0.95	0.90	1.84	1.90	2.00	2.55	2.73	2.01	18.62
1962	Below Normal	1.56	1.03	1.02	1.00	0.85	0.57	1.24	0.92	0.81	1.18	1.72	1.51	13.41
1963	Wet	0.61	0.60	0.73	0.77	0.85	0.77	0.80	0.83	0.79	1.10	1.32	1.13	10.30
1964	Dry	0.81	0.70	0.74	0.75	0.75	0.91	1.72	1.33	1.34	1.78	2.02	1.63	14.48
1965	Wet	1.02	0.89	0.90	0.92	0.91	1.02	0.88	0.86	0.74	1.00	1.08	1.12	11.34
1966	Below Normal	1.22	0.82	0.84	0.84	0.82	0.91	1.29	0.96	1.10	1.86	2.41	1.83	14.90
1967	Wet	1.49	0.96	0.85	0.75	0.76	0.68	0.67	0.90	0.72	0.84	0.97	1.13	10.72
1968	Below Normal	1.04	0.72	0.82	0.82	0.79	0.62	1.30	1.25	1.45	2.35	2.67	1.99	15.82
1969	Wet	1.40	1.01	0.94	0.83	0.78	0.74	1.15	0.86	0.72	0.77	0.90	1.10	11.20
1970	Wet	0.94	0.72	0.76	0.88	1.01	0.80	1.60	1.25	1.14	1.72	2.10	1.83	14.75
1971	Wet	1.33	0.99	0.81	0.72	0.73	0.78	1.31	0.74	0.70	0.84	0.97	1.04	10.96
1972	Below Normal	1.00	0.73	0.78	0.75	0.74	0.80	1.15	0.95	0.97	1.57	2.00	1.35	12.79
1973	Above Normal	0.86	0.77	0.70	0.66	0.67	0.67	1.20	0.86	0.84	1.38	1.72	1.37	11.70
1974	Wet	0.90	0.73	0.73	0.82	0.90	0.76	1.10	0.89	0.74	0.71	0.94	1.08	10.30
1975	Wet	0.87	0.73	0.87	0.91	0.83	0.65	1.07	0.88	0.75	0.83	0.95	1.08	10.42
1976	Critical	0.59	0.74	0.84	0.93	1.02	1.21	1.78	1.87	2.03	2.22	2.00	1.54	16.77
1977	Critical	1.24	0.89	0.87	0.89	0.93	1.39	2.57	2.10	2.75	2.86	2.82	1.87	21.18
1978	Above Normal	1.35	1.38	0.97	0.80	0.57	0.63	0.80	0.88	0.75	1.02	1.24	1.07	11.46
1979	Below Normal	1.07	0.75	0.88	0.88	0.78	0.58	0.92	0.75	0.84	1.38	1.59	1.20	11.62
1980	Above Normal	0.64	0.65	0.65	0.73	0.85	0.81	1.11	0.82	0.73	0.74	0.90	1.12	9.75
1981	Dry	1.13	0.98	0.95	1.00	0.99	0.75	1.47	1.44	1.76	2.50	2.78	1.99	17.74
1982	Wet	1.09	0.90	0.90	0.99	1.02	0.90	0.70	0.97	0.82	0.89	1.03	0.85	11.06
1983	Wet	0.54	0.60	0.73	0.76	0.78	0.70	0.70	0.87	0.78	0.84	0.96	1.02	9.28
1984	Wet	0.84	0.70	1.02	1.08	1.03	1.13	1.41	0.85	0.71	1.13	1.37	1.16	12.43
1985	Dry	0.81	0.70	0.73	0.77	0.77	0.59	1.19	1.04	1.36	2.19	2.51	1.88	14.54
1986	Wet	1.41	1.01	0.97	0.85	0.91	0.76	1.11	0.79	0.75	1.18	1.44	1.20	12.38
1987	Dry	1.24	0.97	0.95	1.02	1.02	0.71	1.70	1.80	2.26	2.84	2.74	2.01	19.26
1988	Critical	1.40	1.00	0.98	0.90	0.83	1.03	1.36	1.51	1.86	2.29	2.20	1.66	17.02
1989	Dry	1.28	0.80	0.74	0.70	0.64	0.53	1.08	0.99	1.41	2.37	2.44	1.34	14.32
1990	Critical	1.01	0.89	0.92	0.94	0.92	0.83	1.60	1.09	1.75	2.08	2.08	1.58	15.69
1991	Critical	1.22	0.89	0.87	0.90	1.03	0.98	2.07	1.97	1.91	2.22	2.39	1.95	18.40
1992	Critical	1.23	1.08	0.96	0.96	0.91	0.73	1.37	1.81	2.30	3.24	2.28	0.00	16.87
1993	Above Normal	0.00	0.00	1.23	0.93	0.65	0.61	1.21	0.78	0.67	0.91	1.08	1.10	9.17
1994	Critical	0.97	0.76	0.89	0.99	1.04	1.22	2.29	1.92	2.37	2.65	2.63	2.03	19.76
1995	Wet	1.50	1.09	1.06	0.89	0.76	0.72	1.03	0.68	0.70	0.82	0.95	1.07	11.27
1996	Wet	1.07	0.98	0.80	0.77	0.85	0.75	1.04	0.62	0.79	0.99	1.13	1.18	10.97
1997	Wet	0.98	0.86	0.89	1.03	1.13	1.47	1.72	1.08	1.01	1.60	1.94	1.84	15.55
1998	Wet	1.45	1.11	1.08	0.91	0.76	0.66	0.99	0.52	0.81	0.88	1.01	1.07	11.25
1999	Wet	0.91	0.68	0.75	0.76	0.77	0.63	1.19	0.83	0.71	0.90	1.04	1.09	10.26
2000	Above Normal	1.09	0.86	0.99	0.90	0.76	0.72	1.24	0.77	0.79	1.35	1.81	1.40	12.68
2001	Dry	0.77	0.94	0.98	1.04	1.04	0.80	1.38	1.48	1.67	2.19	2.38	1.74	16.41
2002	Dry	1.32	0.88	0.75	0.65	0.65	0.63	1.29	0.79	0.85	1.35	1.90	1.58	12.64
2003	Above Normal	1.34	0.89	0.84	0.76	0.77	0.69	0.79	0.82	0.78	1.16	1.41	1.33	11.58
	Average	1.07	0.86	0.87	0.86	0.83	0.77	1.23	1.05	1.13	1.50	1.68	1.38	13.23
	Wet	1.06	0.84	0.84	0.82	0.83	0.79	1.03	0.84	0.77	0.96	1.12	1.15	11.05
	Above Normal	0.92	0.82	0.91	0.85	0.77	0.70	1.10	0.82	0.79	1.17	1.50	1.35	11.69
	Below Normal	1.12	0.85	0.86	0.84	0.78	0.71	1.05	0.86	0.85	1.29	1.61	1.27	12.09
	Dry	1.13	0.88	0.87	0.88	0.85	0.71	1.28	1.16	1.38	1.94	2.17	1.65	14.90
	Critical	1.10	0.90	0.90	0.93	0.94	0.97	1.92	1.84	2.21	2.57	2.40	1.63	18.31

Difference in Energy Use (GWh) At Pumping Plant at Folsom: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.02	0.01	0.00	0.02	0.00	0.01
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.05	0.07	0.08	0.07	0.03	0.01	0.03
1940	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1941	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00
1944	Dry	(0.03)	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.03	0.01	0.01	0.00
1945	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00
1947	Dry	0.03	0.02	0.02	0.02	0.02	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.02	0.04	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1954	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.01	0.03	0.03	0.02	0.01	0.01	0.00	0.00	0.01	0.01	0.01	0.01
1960	Dry	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1961	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.01	0.02	0.03	0.04	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.03	0.06	0.06	0.03	0.00	(0.01)	0.00	0.00	0.04	0.09	0.06	0.03
1980	Above Normal	0.03	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.01	0.00	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.01	(0.01)	(0.01)	0.01
1982	Wet	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	(0.01)	(0.01)	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.02	0.02	0.02	0.02	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.02	0.01	0.45	0.00	0.04
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.03	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1997	Wet	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	0.00
	Above Normal	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00
	Below Normal	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	(0.00)	0.00	0.01	0.01	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	(0.00)	0.00
	Critical	(0.00)	(0.00)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.04	0.00	0.01

Percent Difference in Energy Use (GWh) At Pumping Plant at Folsom: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	-1%	-1%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	1%	0%	1%	1%	1%	0%	0%	1%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-1%	3%	6%	5%	3%	1%	1%
1940	Above Normal	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	-1%
1941	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-2%	-1%
1944	Dry	-2%	-1%	0%	0%	0%	-1%	0%	0%	1%	1%	0%	1%
1945	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1946	Below Normal	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	2%
1947	Dry	3%	3%	3%	2%	2%	2%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	3%	5%	3%	0%	-1%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	1%	3%	3%	2%	1%	1%	0%	0%	0%	0%	1%
1960	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	1%	0%	0%
1961	Dry	1%	0%	0%	0%	0%	0%	1%	1%	1%	0%	0%	0%
1962	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	1%	3%	4%	5%	3%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	4%	7%	7%	4%	0%	-1%	0%	0%	3%	6%	5%
1980	Above Normal	5%	3%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	1%	0%	1%	1%	1%	1%	1%	1%	1%	0%	0%	-1%
1982	Wet	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	1%	0%	0%	1%	1%	1%	1%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%	25%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	3%	4%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	1%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%

Energy Use (GWh) At Pumping Plant at Misc: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1923	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1924	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1925	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1926	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1927	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1928	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1929	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1930	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1931	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1932	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1933	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1934	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1935	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1936	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1937	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1938	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1939	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1940	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1941	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1942	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1943	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1944	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1945	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1946	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1947	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1948	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1949	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1950	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1951	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1952	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1953	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1954	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1955	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1956	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1957	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1958	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1959	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1960	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1961	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1962	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1963	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1964	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1965	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1966	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1967	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1968	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1969	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1970	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1971	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1972	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1973	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1974	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1975	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1976	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1977	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1978	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1979	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1980	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1981	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1982	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1983	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1984	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1985	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1986	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1987	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1988	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1989	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1990	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1991	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1992	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1993	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1994	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1995	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1996	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1997	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1998	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1999	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2000	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2001	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2002	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2003	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Average	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78

Energy Use (GWh) At Pumping Plant at Misc: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1923	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1924	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1925	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1926	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1927	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1928	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1929	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1930	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1931	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1932	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1933	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1934	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1935	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1936	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1937	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1938	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1939	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1940	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1941	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1942	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1943	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1944	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1945	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1946	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1947	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1948	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1949	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1950	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1951	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1952	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1953	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1954	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1955	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1956	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1957	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1958	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1959	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1960	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1961	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1962	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1963	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1964	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1965	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1966	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1967	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1968	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1969	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1970	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1971	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1972	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1973	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1974	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1975	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1976	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1977	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1978	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1979	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1980	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1981	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1982	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1983	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1984	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1985	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1986	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1987	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1988	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1989	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1990	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1991	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1992	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1993	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1994	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1995	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1996	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1997	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1998	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
1999	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2000	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2001	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2002	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
2003	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Average	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Wet	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Above Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Below Normal	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Dry	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78
	Critical	5.11	3.43	4.62	4.46	6.07	8.47	2.49	3.71	10.60	16.83	24.76	6.23	96.78

Difference in Energy Use (GWh) At Pumping Plant at Misc: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Misc: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at O'Neill: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	7.43	11.14	13.54	11.47	7.67	12.60	0.00	0.00	3.66	1.58	2.51	5.49	77.09
1923	Below Normal	6.63	11.17	13.56	12.92	11.33	5.59	0.00	0.00	0.00	3.40	1.57	5.99	72.16
1924	Critical	7.61	10.95	11.08	12.73	4.70	0.00	0.00	0.00	0.00	0.00	0.00	3.18	50.25
1925	Dry	5.37	2.77	12.68	10.67	5.93	5.27	0.00	0.00	0.00	3.04	1.64	3.03	50.40
1926	Dry	5.69	11.10	11.23	10.30	3.14	0.00	0.00	0.00	0.00	0.00	0.00	4.37	45.83
1927	Wet	5.12	11.28	11.94	7.33	10.75	8.29	0.00	0.00	0.00	3.00	3.64	5.94	67.29
1928	Above Normal	3.29	3.51	13.61	11.17	4.85	9.39	0.00	0.00	0.00	2.35	4.09	3.54	55.80
1929	Critical	3.20	5.49	13.63	10.61	8.37	3.85	0.00	0.00	0.00	0.00	5.05	2.05	52.25
1930	Dry	4.53	7.15	9.87	7.51	6.19	2.70	0.00	0.00	0.00	0.00	0.00	0.22	38.17
1931	Critical	4.88	7.85	9.98	10.58	8.60	0.28	0.00	0.00	0.00	0.00	0.00	2.94	45.11
1932	Dry	5.04	5.84	14.02	11.39	4.29	0.11	0.00	0.00	0.00	0.00	2.89	8.09	51.67
1933	Critical	6.62	8.05	10.34	1.42	1.36	0.98	0.00	0.00	0.00	0.00	7.14	7.58	43.49
1934	Critical	4.82	6.39	2.94	0.69	0.64	0.00	0.00	0.00	0.00	0.00	4.45	3.02	22.95
1935	Below Normal	0.99	8.00	14.02	9.26	0.97	0.73	0.00	0.00	0.00	0.00	0.00	5.62	39.59
1936	Below Normal	7.67	9.98	13.18	5.08	1.96	2.77	0.00	0.00	0.00	1.84	0.00	6.03	48.51
1937	Below Normal	7.00	9.55	13.63	9.73	2.80	1.36	2.80	1.15	0.00	0.00	0.00	6.06	54.08
1938	Wet	4.74	11.25	13.42	2.52	2.47	5.75	5.94	10.29	10.32	6.86	2.04	5.28	80.88
1939	Dry	5.36	0.00	13.54	10.85	9.84	1.52	0.00	0.00	0.00	4.06	0.00	5.06	50.23
1940	Above Normal	4.43	9.58	7.58	8.11	8.96	10.46	0.00	0.00	0.00	1.13	3.94	4.72	58.91
1941	Wet	3.29	5.97	14.12	13.97	13.27	11.06	0.00	0.00	0.83	1.96	2.81	5.63	72.91
1942	Wet	3.98	11.18	14.17	14.84	12.89	10.24	0.00	0.00	4.83	1.53	2.47	5.47	81.60
1943	Wet	5.05	11.16	12.86	14.82	12.08	14.30	0.37	0.00	0.11	1.91	2.78	5.61	81.05
1944	Dry	3.69	10.11	13.57	10.90	9.77	3.91	0.00	0.00	0.00	1.82	0.00	1.93	55.70
1945	Below Normal	4.71	11.27	12.20	11.17	12.32	9.84	0.00	0.00	0.00	2.63	3.35	5.87	73.36
1946	Below Normal	7.55	11.20	13.84	13.85	11.37	6.94	0.00	0.00	0.00	2.68	3.38	5.15	75.96
1947	Dry	7.56	11.20	13.60	12.86	8.97	0.00	0.00	0.00	0.00	3.63	0.00	5.28	63.10
1948	Below Normal	5.74	11.24	10.99	6.01	0.66	4.42	0.00	0.00	0.00	3.38	3.86	6.08	52.38
1949	Dry	7.66	11.26	13.65	10.38	8.59	2.07	0.00	0.00	0.00	2.88	2.26	5.92	64.67
1950	Below Normal	7.39	11.21	13.60	6.47	5.88	7.59	0.00	0.00	0.00	3.47	2.27	6.08	63.96
1951	Above Normal	7.66	11.26	14.56	10.99	2.23	3.98	0.00	0.00	0.00	0.00	3.36	5.87	59.91
1952	Wet	4.22	11.06	12.54	13.93	12.49	14.27	2.57	2.98	10.32	2.66	2.04	5.28	94.36
1953	Wet	3.63	9.83	13.54	10.13	9.70	8.41	0.00	0.00	0.00	3.56	4.08	6.01	68.89
1954	Above Normal	0.54	11.24	13.63	6.19	5.79	7.49	0.00	0.00	0.00	0.00	4.09	6.01	54.98
1955	Dry	3.43	11.24	13.63	11.68	9.51	3.91	0.00	0.00	0.00	3.98	0.00	3.91	61.29
1956	Wet	3.60	11.11	14.55	14.90	13.24	5.33	0.00	0.00	1.83	1.79	2.68	5.57	74.60
1957	Above Normal	4.84	11.17	13.57	10.52	3.37	5.63	0.00	0.00	0.00	2.46	4.42	4.48	60.46
1958	Wet	7.65	11.25	11.76	7.95	11.07	10.24	4.36	1.66	10.06	0.97	2.09	5.30	84.36
1959	Below Normal	5.06	9.53	13.54	6.43	7.00	7.65	0.00	0.00	0.00	3.93	4.37	3.46	60.97
1960	Dry	5.03	8.42	11.60	10.47	5.24	3.98	0.00	0.00	0.00	2.55	0.00	5.25	52.54
1961	Dry	5.32	10.67	13.64	10.73	4.28	7.03	0.00	0.00	0.00	3.32	1.38	5.98	62.35
1962	Below Normal	3.21	10.09	9.13	11.47	7.89	8.87	0.00	0.00	0.00	3.30	4.04	5.64	63.64
1963	Wet	7.61	11.23	11.24	7.43	7.38	7.91	0.00	0.00	0.00	3.26	3.78	5.97	65.81
1964	Dry	2.23	11.23	13.62	10.93	7.07	4.51	0.00	0.00	0.00	3.85	0.00	2.40	55.84
1965	Wet	2.69	7.50	12.89	14.58	13.25	10.42	0.00	0.00	0.00	1.93	2.79	5.62	71.67
1966	Below Normal	3.35	11.18	13.57	12.98	10.36	5.80	0.00	0.00	0.00	3.35	3.92	5.87	70.38
1967	Wet	6.50	9.64	12.53	12.24	9.90	9.83	4.36	1.79	10.32	10.17	2.04	5.28	94.60
1968	Below Normal	5.85	5.56	13.54	10.87	4.79	7.65	0.00	0.00	0.00	3.82	4.29	3.41	59.78
1969	Wet	6.27	10.86	13.64	14.90	13.32	5.76	6.63	9.63	10.32	10.17	2.04	2.93	106.47
1970	Wet	6.28	0.00	13.17	14.80	13.00	7.36	0.00	0.00	0.00	0.46	3.39	5.89	64.35
1971	Wet	3.77	3.66	12.69	10.66	8.46	9.20	0.00	0.00	0.00	3.95	4.39	6.05	62.83
1972	Below Normal	4.55	5.96	13.64	10.27	3.79	3.43	0.00	0.00	0.00	3.62	4.13	4.93	54.32
1973	Above Normal	4.50	11.24	12.13	9.23	11.50	9.74	0.00	0.00	0.00	2.97	3.61	2.30	67.22
1974	Wet	3.17	11.22	13.61	14.87	10.47	10.43	0.00	0.00	2.40	1.62	2.54	5.51	75.84
1975	Wet	7.06	11.17	13.56	10.78	7.55	10.34	0.00	0.00	0.90	2.65	3.36	5.87	73.24
1976	Critical	7.55	9.65	13.60	11.47	11.82	6.83	0.00	0.00	0.00	0.00	0.00	0.00	60.92
1977	Critical	1.62	9.36	9.43	8.47	10.15	0.00	0.00	0.00	0.00	0.00	6.45	0.00	45.48
1978	Above Normal	1.13	2.72	8.94	9.43	13.54	14.34	3.06	0.60	9.24	5.64	2.04	5.28	75.96
1979	Below Normal	5.20	6.68	13.54	12.98	11.15	11.17	0.00	0.00	0.00	3.19	3.78	2.74	70.43
1980	Above Normal	7.59	8.54	13.61	14.88	9.74	4.88	1.31	0.00	4.52	3.41	2.71	1.97	73.16
1981	Dry	3.44	9.77	13.57	10.95	8.44	3.81	0.00	0.00	0.00	3.62	0.24	3.37	57.21
1982	Wet	7.62	11.24	11.71	12.32	12.45	10.41	7.45	4.07	9.38	2.01	2.04	5.28	95.98
1983	Wet	10.78	13.06	14.49	14.80	6.60	5.77	6.59	9.60	10.32	10.17	5.94	8.12	116.24
1984	Wet	12.04	6.87	4.42	6.58	6.60	4.00	0.00	0.00	0.00	2.63	3.35	5.87	52.36
1985	Dry	5.29	11.20	13.60	10.99	8.96	5.46	0.00	0.00	0.00	3.09	2.24	5.95	66.78
1986	Wet	7.58	11.22	13.61	6.43	13.24	12.60	3.76	1.12	7.46	2.74	3.39	0.00	83.15
1987	Dry	0.83	0.00	13.26	10.64	8.41	3.82	0.00	0.00	0.00	1.69	0.00	1.90	40.55
1988	Critical	7.69	9.42	10.42	7.35	0.48	0.00	0.00	0.00	0.00	0.02	5.05	0.00	40.43
1989	Dry	1.54	8.22	8.64	10.32	1.90	0.00	0.00	0.00	0.00	2.23	0.00	2.68	35.53
1990	Critical	2.17	7.31	9.90	9.92	5.41	0.00	0.00	0.00	0.00	1.00	1.89	0.00	37.60
1991	Critical	3.67	7.07	7.99	4.25	3.53	0.87	0.00	0.00	0.00	1.04	0.00	0.93	29.35
1992	Critical	4.49	7.12	7.22	4.61	3.96	4.83	0.00	0.00	0.00	2.16	6.92	0.00	41.31
1993	Above Normal	1.38	7.78	11.85	10.69	11.71	9.60	0.00	0.00	0.53	2.70	3.40	5.89	65.53
1994	Critical	6.24	11.21	13.60	10.21	8.36	4.16	0.00	0.00	0.00	5.06	1.50	3.03	63.37
1995	Wet	2.14	10.33	11.78	9.82	11.02	14.30	3.49	11.34	10.52	10.50	2.41	5.39	103.04
1996	Wet	0.52	2.72	11.95	8.79	11.59	14.35	0.00	0.00	0.00	2.21	3.01	5.72	60.86
1997	Wet	2.68	11.19	14.51	14.84	13.14	10.15	0.00	0.00	2.69	1.04	2.81	5.63	78.68
1998	Wet	2.26	3.86	13.57	9.51	13.11	14.27	4.10	2.41	10.32	10.17	2.09	5.29	90.96
1999	Wet	7.43	11.21	13.45	13.35	11.04	10.41	0.00	0.00	0.00	3.02	3.65	2.90	76.46
2000	Above Normal	1.62	11.22	12.32	6.81	11.89	10.42	0.00	0.00	0.00	0.00	3.73	5.95	63.96
2001	Dry	3.15	11.22	13.08	11.18	7.45	5.55	0.00	0.00	0.00	3.98	0.00	1.97	57.58
2002	Dry	6.79	8.16	12.61	8.36	6.23	4.38	0.00	0.00	0.00	3.77	4.24	5.35	59.89
2003	Above Normal	7.33	11.24	12.33	7.01	8.66	7.04	0.00	0.00	0.00	3.22	3.81	4.11	64.75
	Average	4.96	8.95	12.33	10.20	8.10	6.40	0.69	0.69	1.60	2.73	2.58	4.41	63.63
	Wet	5.30	9.27	12.76	11.43	10.77	9.82	1.91	2.11	4.34	3.96	2.99	5.29	79.94
	Above Normal	4.31	9.22	12.31	9.71	8.33	8.80	0.36	0.05	1.50	2.12	3.48	4.63	64.81
	Below Normal	5.35	9.47	13.00	9.96	6.59	5.99	0.20	0.08	0.00	2.76	2.78	5.21	61.39
	Dry	4.55	8.31	12.75	10.62	6.90	3.22	0.00	0.00	0.00	2.64	0.83	4.04	53.85
	Critical	5.05	8.32	10.01	7.69	5.62	1.82	0.00	0.00	0.00	0.77	3.20	1.89	44.38

Energy Use (GWh) At Pumping Plant at O'Neill: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	7.43	11.14	13.54	11.47	7.58	12.76	0.04	0.00	3.21	2.48	3.23	5.93	78.81
1923	Below Normal	7.07	11.58	14.02	12.72	11.26	5.75	0.00	0.00	0.59	4.30	2.26	6.42	75.97
1924	Critical	8.04	11.36	11.54	13.25	4.88	0.00	0.00	0.00	0.00	0.00	0.00	3.19	52.26
1925	Dry	5.38	2.76	12.68	10.67	5.93	5.30	0.00	0.00	0.00	3.25	1.82	3.14	50.93
1926	Dry	5.81	11.21	11.34	10.43	3.18	0.00	0.00	0.00	0.00	0.00	0.00	4.37	46.34
1927	Wet	5.13	11.28	11.94	7.33	10.75	8.44	0.00	0.00	0.00	3.89	4.35	6.37	69.48
1928	Above Normal	3.73	3.91	14.07	11.71	5.03	9.47	0.00	0.00	0.00	2.87	4.51	3.79	59.09
1929	Critical	3.45	5.72	13.90	10.93	8.47	3.85	0.00	0.00	0.00	0.00	5.05	2.05	53.42
1930	Dry	4.53	7.15	9.87	7.51	6.19	2.70	0.00	0.00	0.00	0.00	0.00	0.22	38.17
1931	Critical	4.88	7.85	9.98	10.58	8.60	0.28	0.00	0.00	0.00	0.00	0.00	2.94	45.11
1932	Dry	5.05	5.82	14.02	11.39	4.27	0.00	0.00	0.00	0.00	0.00	3.63	8.53	52.71
1933	Critical	7.06	8.46	11.07	1.95	1.53	0.98	0.00	0.00	0.00	0.00	7.14	7.59	45.78
1934	Critical	4.84	6.41	2.88	0.69	0.64	0.00	0.00	0.00	0.00	0.00	3.56	3.05	22.07
1935	Below Normal	0.95	8.01	14.02	10.05	0.97	0.87	0.00	0.00	0.00	0.43	0.00	6.04	41.34
1936	Below Normal	8.08	10.37	14.08	4.01	2.13	2.92	0.00	0.00	0.00	2.73	0.00	6.46	50.78
1937	Below Normal	7.44	9.97	14.09	9.70	2.80	1.51	2.79	0.76	0.00	0.41	0.00	6.49	55.96
1938	Wet	5.16	11.66	14.55	3.29	2.64	8.95	5.08	4.50	10.32	6.62	2.40	5.64	80.81
1939	Dry	5.89	0.00	13.90	11.21	9.83	1.53	0.00	0.00	0.00	5.21	0.00	5.07	52.64
1940	Above Normal	5.37	9.98	7.85	8.63	9.17	10.59	0.00	0.00	0.00	1.84	4.55	5.50	63.48
1941	Wet	3.69	7.01	14.38	13.96	13.25	10.44	0.00	0.00	1.64	2.87	3.54	6.07	76.85
1942	Wet	4.67	11.59	14.44	14.84	12.57	10.39	0.00	0.00	5.64	2.45	3.21	5.92	85.72
1943	Wet	5.49	11.58	13.32	14.82	11.32	13.95	0.53	0.00	2.44	2.83	3.51	6.05	85.84
1944	Dry	3.76	10.30	14.03	11.44	9.96	4.01	0.00	0.00	0.00	2.09	0.00	2.23	57.82
1945	Below Normal	5.00	11.54	12.50	11.52	9.80	10.59	0.00	0.00	0.00	3.57	4.10	6.32	74.94
1946	Below Normal	7.99	11.62	14.06	13.81	11.51	7.54	0.00	0.00	0.00	3.54	4.07	6.03	80.17
1947	Dry	7.98	11.60	14.05	13.39	9.14	0.00	0.00	0.00	0.00	3.87	0.00	5.38	65.41
1948	Below Normal	5.86	11.36	11.12	6.16	0.71	4.42	0.00	0.00	0.00	3.37	3.87	6.08	52.95
1949	Dry	7.66	11.26	13.65	10.38	8.59	2.07	0.00	0.00	0.00	2.88	2.26	5.92	64.67
1950	Below Normal	7.40	11.21	13.60	6.47	5.89	7.60	0.00	0.00	0.00	3.56	2.34	6.12	64.19
1951	Above Normal	7.70	11.30	14.56	10.97	2.25	4.13	0.00	0.00	0.00	0.00	4.07	6.31	61.29
1952	Wet	4.66	11.48	13.01	14.47	12.48	10.34	0.05	2.54	10.32	3.03	2.41	5.64	90.43
1953	Wet	3.98	11.50	13.90	8.72	9.65	8.43	0.00	0.00	0.00	4.48	4.81	6.42	71.89
1954	Above Normal	0.85	11.62	14.05	6.69	5.97	7.48	0.00	0.00	0.00	0.00	4.07	6.00	56.73
1955	Dry	3.34	11.24	13.63	11.67	9.58	3.92	0.00	0.00	0.00	3.99	0.00	3.91	61.28
1956	Wet	3.62	11.12	13.64	14.00	13.83	5.33	0.00	0.00	2.62	2.68	4.75	6.00	77.59
1957	Above Normal	5.28	11.58	14.03	11.05	3.55	5.77	0.00	0.00	0.00	3.28	5.07	4.88	64.49
1958	Wet	8.05	11.63	12.19	8.44	11.23	10.39	1.45	0.00	7.87	1.58	2.62	5.74	81.19
1959	Below Normal	5.52	11.51	13.91	6.81	7.04	7.64	0.00	0.00	0.00	4.15	4.55	3.80	64.93
1960	Dry	5.15	8.46	11.73	10.63	5.29	3.98	0.00	0.00	0.00	2.55	0.00	5.24	53.03
1961	Dry	5.28	10.68	13.64	10.73	4.28	7.03	0.00	0.00	0.00	3.33	1.38	5.98	62.33
1962	Below Normal	3.23	10.10	9.12	11.48	7.89	9.02	0.00	0.00	0.00	4.16	4.73	6.06	65.79
1963	Wet	8.03	11.63	11.68	7.95	7.28	8.07	0.00	0.00	0.76	4.17	4.51	6.41	70.49
1964	Dry	2.67	11.64	14.08	11.46	7.25	4.51	0.00	0.00	0.00	3.84	0.00	2.40	57.85
1965	Wet	2.68	7.50	12.89	13.99	11.54	10.58	0.00	0.00	0.00	2.88	3.55	6.07	71.68
1966	Below Normal	3.80	11.59	14.04	13.29	10.47	5.91	0.00	0.00	0.00	4.02	4.45	6.18	73.75
1967	Wet	6.83	9.95	12.88	12.65	9.58	9.99	2.09	1.48	10.32	5.98	2.40	5.64	89.79
1968	Below Normal	6.20	12.66	13.90	11.23	4.79	7.65	0.00	0.00	0.00	4.60	4.91	3.80	69.74
1969	Wet	6.66	11.21	14.04	13.42	13.32	8.93	6.14	10.13	10.32	10.53	2.40	4.10	111.20
1970	Wet	6.54	0.00	13.53	14.80	13.00	6.68	0.00	0.00	0.00	1.35	4.10	6.32	66.32
1971	Wet	4.20	3.96	13.15	11.20	8.64	9.30	0.00	0.00	0.00	4.52	4.84	6.33	66.14
1972	Below Normal	4.82	6.24	13.93	10.61	3.91	3.43	0.00	0.00	0.00	3.62	4.13	4.94	55.63
1973	Above Normal	4.50	11.24	12.13	9.23	11.50	9.89	0.00	0.00	0.00	3.85	4.31	4.02	70.67
1974	Wet	3.59	11.62	14.06	14.47	10.45	10.40	0.00	0.00	2.56	2.61	3.34	5.98	79.08
1975	Wet	7.52	11.58	14.03	11.33	7.74	10.49	0.00	0.00	1.66	3.51	4.05	6.30	78.21
1976	Critical	7.98	10.12	14.05	12.00	11.99	6.83	0.00	0.00	0.00	0.00	0.00	0.00	62.97
1977	Critical	1.68	9.36	9.43	8.47	10.14	0.00	0.00	0.00	0.00	0.00	6.14	0.00	45.22
1978	Above Normal	1.26	2.73	8.92	9.43	12.57	14.34	2.50	0.00	4.05	2.75	2.48	5.67	66.70
1979	Below Normal	5.66	11.51	13.90	13.08	11.06	10.48	0.00	0.00	0.00	4.15	4.79	3.33	77.96
1980	Above Normal	8.05	10.84	14.09	14.00	3.04	4.89	1.30	0.00	3.73	4.08	3.42	5.00	72.44
1981	Dry	4.00	10.05	14.03	11.49	8.61	3.96	0.00	0.00	0.00	4.44	0.72	3.72	61.02
1982	Wet	8.02	11.62	12.13	12.81	11.66	10.33	8.62	2.99	6.00	2.37	2.40	5.64	94.59
1983	Wet	7.79	13.06	14.49	14.80	11.20	10.86	8.75	10.42	10.32	10.17	6.30	8.48	126.64
1984	Wet	12.04	7.42	9.52	7.66	6.60	4.01	0.00	0.00	0.00	3.52	4.06	6.30	61.13
1985	Dry	5.73	11.61	14.06	11.52	9.14	5.55	0.00	0.00	0.00	3.63	2.67	6.21	70.12
1986	Wet	7.85	11.47	13.89	6.75	12.16	13.73	3.76	1.12	6.81	3.63	4.10	0.00	85.27
1987	Dry	1.26	0.00	13.71	11.18	8.59	3.82	0.00	0.00	0.00	1.95	0.00	1.89	42.40
1988	Critical	7.69	9.42	10.42	7.35	0.49	0.00	0.00	0.00	0.00	0.01	5.05	0.00	40.43
1989	Dry	1.55	8.20	8.64	10.32	1.90	0.00	0.00	0.00	0.00	2.24	0.00	2.41	35.26
1990	Critical	2.17	7.32	9.89	9.92	5.41	0.00	0.00	0.00	0.00	1.00	0.00	0.93	36.64
1991	Critical	3.49	7.05	8.03	4.24	3.53	0.87	0.00	0.00	0.00	1.05	0.09	0.93	29.28
1992	Critical	4.47	7.22	7.21	4.52	3.96	4.83	0.00	0.00	0.00	0.21	6.92	0.00	39.34
1993	Above Normal	1.37	7.79	11.85	10.69	11.68	9.31	0.00	0.00	1.34	3.61	4.13	6.33	68.10
1994	Critical	6.68	11.62	14.06	10.75	8.54	4.16	0.00	0.00	0.00	5.05	1.50	3.04	65.40
1995	Wet	2.15	10.32	11.78	9.77	9.77	12.33	2.93	4.90	8.33	11.65	3.33	5.92	93.18
1996	Wet	1.00	11.58	12.42	9.34	11.81	10.86	0.00	0.00	0.00	3.26	3.85	6.21	70.33
1997	Wet	2.75	11.60	14.35	14.85	13.15	10.31	0.00	0.00	3.48	1.59	3.53	6.06	81.67
1998	Wet	2.72	4.25	14.03	10.04	11.79	14.21	3.70	2.14	10.39	10.29	2.54	5.69	91.79
1999	Wet	7.80	11.57	13.75	13.72	11.06	10.40	0.00	0.00	0.00	3.90	4.36	3.32	79.88
2000	Above Normal	2.08	11.63	12.80	7.35	12.06	10.56	0.00	0.00	0.00	0.00	4.40	6.36	67.24
2001	Dry	3.54	11.60	13.67	11.68	7.62	5.55	0.00	0.00	0.00	3.98	0.00	1.98	59.62
2002	Dry	6.79	8.17	12.61	8.36	6.22	4.38	0.00	0.00	0.00	3.77	4.24	5.30	59.84
2003	Above Normal	7.33	11.24	12.33	7.01	8.66	7.09	0.00	0.00	0.00	3.52	4.05	4.25	65.48
	Average	5.18	9.48	12.64	10.35	7.99	6.46	0.61	0.50	1.52	3.04	2.93	4.74	65.43
	Wet	5.49	9.97	13.23	11.52	10.71	9.93	1.66	1.55	4.30	4.48	3.66	5.72	82.20
	Above Normal	4.58	9.58	12.52	9.85	7.76	8.86	0.32	0.00	1.03	2.36	4.02	5.34	66.21
	Below Normal	5.64	10.66	13.31	10.07	6.45	6.10	0.20	0.05	0.04	3.33	3.16	5.58	64.58
	Dry	4.74	8.43	12.96	10.86	6.98	3.24	0.00	0.00	0.00	2.83	0.93	4.11	55.08
	Critical	5.20	8.49	10.21	7.89	5.68	1.82	0.00	0.00	0.00	0.61	2.95	1.98	44.83

Difference in Energy Use (GWh) At Pumping Plant at O'Neill: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.09)	0.16	0.04	0.00	(0.45)	0.90	0.72	0.44	0.14
1923	Below Normal	0.44	0.41	0.46	(0.20)	(0.07)	0.16	0.00	0.00	0.59	0.90	0.69	0.43	0.32
1924	Critical	0.43	0.41	0.46	0.52	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.17
1925	Dry	0.01	(0.01)	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.21	0.18	0.11	0.04
1926	Dry	0.12	0.11	0.11	0.13	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.89	0.71	0.43	0.18
1928	Above Normal	0.44	0.40	0.46	0.54	0.18	0.08	0.00	0.00	0.00	0.52	0.42	0.25	0.27
1929	Critical	0.25	0.23	0.27	0.32	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.01	(0.02)	0.00	0.00	(0.02)	(0.11)	0.00	0.00	0.00	0.00	0.74	0.44	0.09
1933	Critical	0.44	0.41	0.73	0.53	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.19
1934	Critical	0.02	0.02	(0.06)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.89)	0.03	(0.07)
1935	Below Normal	(0.04)	0.01	0.00	0.79	0.00	0.14	0.00	0.00	0.00	0.43	0.00	0.42	0.15
1936	Below Normal	0.41	0.39	0.90	(1.07)	0.17	0.15	0.00	0.00	0.00	0.89	0.00	0.43	0.19
1937	Below Normal	0.44	0.42	0.46	(0.03)	0.00	0.15	(0.01)	(0.39)	0.00	0.41	0.00	0.43	0.16
1938	Wet	0.42	0.41	1.13	0.77	0.17	3.20	(0.86)	(5.79)	0.00	(0.24)	0.36	0.36	(0.01)
1939	Dry	0.53	0.00	0.36	0.36	(0.01)	0.01	0.00	0.00	0.00	1.15	0.00	0.01	0.20
1940	Above Normal	0.94	0.40	0.27	0.52	0.21	0.13	0.00	0.00	0.00	0.71	0.61	0.78	0.38
1941	Wet	0.40	1.04	0.26	(0.01)	(0.02)	(0.62)	0.00	0.00	0.81	0.91	0.73	0.44	0.33
1942	Wet	0.69	0.41	0.27	0.00	(0.32)	0.15	0.00	0.00	0.81	0.92	0.74	0.45	0.34
1943	Wet	0.44	0.42	0.46	0.00	(0.76)	(0.35)	0.16	0.00	2.33	0.92	0.73	0.44	0.40
1944	Dry	0.07	0.19	0.46	0.54	0.19	0.10	0.00	0.00	0.00	0.27	0.00	0.30	0.18
1945	Below Normal	0.29	0.27	0.30	0.35	(2.52)	0.75	0.00	0.00	0.00	0.94	0.75	0.45	0.13
1946	Below Normal	0.44	0.42	0.22	(0.04)	0.14	0.60	0.00	0.00	0.00	0.86	0.69	0.88	0.35
1947	Dry	0.42	0.40	0.45	0.53	0.17	0.00	0.00	0.00	0.00	0.24	0.00	0.10	0.19
1948	Below Normal	0.12	0.12	0.13	0.15	0.05	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.05
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.01	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.09	0.07	0.04	0.02
1951	Above Normal	0.04	0.04	0.00	(0.02)	0.02	0.15	0.00	0.00	0.00	0.00	0.71	0.44	0.12
1952	Wet	0.44	0.42	0.47	0.54	(0.01)	(3.93)	(2.52)	(0.44)	0.00	0.37	0.37	0.36	(0.33)
1953	Wet	0.35	1.67	0.36	(1.41)	(0.05)	0.02	0.00	0.00	0.00	0.92	0.73	0.41	0.25
1954	Above Normal	0.31	0.38	0.42	0.50	0.18	(0.01)	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.15
1955	Dry	(0.09)	0.00	0.00	(0.01)	0.07	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1956	Wet	0.02	0.01	(0.91)	(0.90)	0.59	0.00	0.00	0.00	0.79	0.89	2.07	0.43	0.25
1957	Above Normal	0.44	0.41	0.46	0.53	0.18	0.14	0.00	0.00	0.00	0.82	0.65	0.40	0.34
1958	Wet	0.40	0.38	0.43	0.49	0.16	0.15	(2.91)	(1.66)	(2.19)	0.61	0.53	0.44	(0.26)
1959	Below Normal	0.46	1.98	0.37	0.38	0.04	(0.01)	0.00	0.00	0.00	0.22	0.18	0.34	0.33
1960	Dry	0.12	0.04	0.13	0.16	0.05	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.04
1961	Dry	(0.04)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1962	Below Normal	0.02	0.01	(0.01)	0.01	0.00	0.15	0.00	0.00	0.00	0.86	0.69	0.42	0.18
1963	Wet	0.42	0.40	0.44	0.52	(0.10)	0.16	0.00	0.00	0.76	0.91	0.73	0.44	0.39
1964	Dry	0.44	0.41	0.46	0.53	0.18	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.17
1965	Wet	(0.01)	0.00	0.00	(0.59)	(1.71)	0.16	0.00	0.00	0.00	0.95	0.76	0.45	0.00
1966	Below Normal	0.45	0.41	0.47	0.31	0.11	0.11	0.00	0.00	0.00	0.67	0.53	0.31	0.28
1967	Wet	0.33	0.31	0.35	0.41	(0.32)	0.16	(2.27)	(0.31)	0.00	(4.19)	0.36	0.36	(0.40)
1968	Below Normal	0.35	7.10	0.36	0.36	0.00	0.00	0.00	0.00	0.00	0.78	0.62	0.39	0.83
1969	Wet	0.39	0.35	0.40	(1.48)	0.00	3.17	(0.49)	0.50	0.00	0.36	0.36	1.17	0.39
1970	Wet	0.26	0.00	0.36	0.00	0.00	(0.68)	0.00	0.00	0.00	0.89	0.71	0.43	0.16
1971	Wet	0.43	0.30	0.46	0.54	0.18	0.10	0.00	0.00	0.00	0.57	0.45	0.28	0.28
1972	Below Normal	0.27	0.28	0.29	0.34	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.11
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.88	0.70	1.72	0.29
1974	Wet	0.42	0.40	0.45	(0.40)	(0.02)	(0.03)	0.00	0.00	0.16	0.99	0.80	0.47	0.27
1975	Wet	0.46	0.41	0.47	0.55	0.19	0.15	0.00	0.00	0.76	0.86	0.69	0.43	0.41
1976	Critical	0.43	0.47	0.45	0.53	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17
1977	Critical	0.06	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.31)	0.00	(0.02)
1978	Above Normal	0.13	0.01	(0.02)	0.00	(0.97)	0.00	(0.56)	(0.60)	(5.19)	(2.89)	0.44	0.39	(0.77)
1979	Below Normal	0.46	4.83	0.36	0.10	(0.09)	(0.69)	0.00	0.00	0.00	0.96	1.01	0.59	0.63
1980	Above Normal	0.46	2.30	0.48	(0.88)	(6.70)	0.01	(0.01)	0.00	(0.79)	0.67	0.71	3.03	(0.06)
1981	Dry	0.56	0.28	0.46	0.54	0.17	0.15	0.00	0.00	0.00	0.82	0.48	0.35	0.32
1982	Wet	0.40	0.38	0.42	0.49	(0.79)	(0.08)	1.17	(1.08)	(3.38)	0.36	0.36	0.36	(0.12)
1983	Wet	(2.99)	0.00	0.00	0.00	4.60	5.09	2.16	0.82	0.00	0.00	0.36	0.36	0.87
1984	Wet	0.00	0.55	5.10	1.08	0.00	0.01	0.00	0.00	0.00	0.89	0.71	0.43	0.73
1985	Dry	0.44	0.41	0.46	0.53	0.18	0.09	0.00	0.00	0.00	0.54	0.43	0.26	0.28
1986	Wet	0.27	0.25	0.28	0.32	(1.08)	1.13	0.00	0.00	(0.65)	0.89	0.71	0.00	0.18
1987	Dry	0.43	0.00	0.45	0.54	0.18	0.00	0.00	0.00	0.00	0.26	0.00	(0.01)	0.15
1988	Critical	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1989	Dry	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.27)	(0.02)
1990	Critical	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.89)	0.93	(0.08)
1991	Critical	(0.18)	(0.02)	0.04	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.09	0.00	(0.01)
1992	Critical	(0.02)	0.10	(0.01)	(0.09)	0.00	0.00	0.00	0.00	0.00	(1.95)	0.00	0.00	(0.16)
1993	Above Normal	(0.01)	0.01	0.00	0.00	(0.03)	(0.29)	0.00	0.00	0.81	0.91	0.73	0.44	0.21
1994	Critical	0.44	0.41	0.46	0.54	0.18	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.17
1995	Wet	0.01	(0.01)	0.00	(0.05)	(1.25)	(1.97)	(0.56)	(6.44)	(2.19)	1.15	0.92	0.53	(0.82)
1996	Wet	0.48	8.86	0.47	0.55	0.22	(3.49)	0.00	0.00	0.00	1.05	0.84	0.49	0.79
1997	Wet	0.07	0.41	(0.16)	0.01	0.01	0.16	0.00	0.00	0.79	0.55	0.72	0.43	0.25
1998	Wet	0.46	0.39	0.46	0.53	(1.32)	(0.06)	(0.40)	(0.27)	0.07	0.12	0.45	0.40	0.07
1999	Wet	0.37	0.36	0.30	0.37	0.02	(0.01)	0.00	0.00	0.00	0.88	0.71	0.42	0.29
2000	Above Normal	0.46	0.41	0.48	0.54	0.17	0.14	0.00	0.00	0.00	0.00	0.67	0.41	0.27
2001	Dry	0.39	0.38	0.59	0.50	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.17
2002	Dry	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.30	0.24	0.14	0.06
	Average	0.21	0.53	0.31	0.15	(0.10)	0.06	(0.09)	(0.19)	(0.08)	0.31	0.34	0.33	0.15
	Wet	0.19	0.70	0.47	0.09	(0.06)	0.11	(0.25)	(0.56)	(0.04)	0.52	0.68	0.43	0.19
	Above Normal	0.27	0.36	0.21	0.14	(0.57)	0.06	(0.04)	(0.05)	(0.47)	0.24	0.55	0.70	0.12
	Below Normal	0.29	1.19	0.31	0.10	(0.15)	0.11	(0.00)	(0.03)	0.04	0.57	0.37	0.37	0.27
	Dry	0.19	0.12	0.22	0.24	0.08	0.02	0.00	0.00	0.00	0.20	0.10	0.07	0.10
	Critical	0.16	0.17	0.19	0.20	0.07	0.00	0.00	0.00	0.00	(0.16)	(0.25)	0.08	0.04

Percent Difference in Energy Use (GWh) At Pumping Plant at O'Neill: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-1%	1%	-	0%	-12%	57%	29%	8%
1923	Below Normal	7%	4%	3%	-2%	-1%	3%	0%	0%	-	26%	44%	7%
1924	Critical	6%	4%	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	7%	11%	4%
1926	Dry	2%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	2%	0%	0%	0%	30%	20%	7%
1928	Above Normal	13%	11%	3%	5%	4%	1%	0%	0%	0%	22%	10%	7%
1929	Critical	8%	4%	2%	3%	1%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-100%	0%	0%	0%	0%	26%	5%
1933	Critical	7%	5%	7%	37%	13%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	-20%	1%
1935	Below Normal	-4%	0%	0%	9%	0%	19%	0%	0%	0%	-	0%	7%
1936	Below Normal	5%	4%	7%	-21%	9%	5%	0%	0%	0%	48%	0%	7%
1937	Below Normal	6%	4%	3%	0%	0%	11%	0%	-34%	0%	-	0%	7%
1938	Wet	9%	4%	8%	31%	7%	56%	-14%	-56%	0%	-3%	18%	7%
1939	Dry	10%	0%	3%	3%	0%	1%	0%	0%	0%	28%	0%	0%
1940	Above Normal	21%	4%	4%	6%	2%	1%	0%	0%	0%	63%	15%	17%
1941	Wet	12%	17%	2%	0%	0%	-6%	0%	0%	98%	46%	26%	8%
1942	Wet	17%	4%	2%	0%	-2%	1%	0%	0%	17%	60%	30%	8%
1943	Wet	9%	4%	4%	0%	-6%	-2%	43%	0%	>1,000%	48%	26%	8%
1944	Dry	2%	2%	3%	5%	2%	3%	0%	0%	0%	15%	0%	16%
1945	Below Normal	6%	2%	2%	3%	-20%	8%	0%	0%	0%	36%	22%	8%
1946	Below Normal	6%	4%	2%	0%	1%	9%	0%	0%	0%	32%	20%	17%
1947	Dry	6%	4%	3%	4%	2%	0%	0%	0%	0%	7%	0%	2%
1948	Below Normal	2%	1%	1%	2%	8%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	3%	1%
1951	Above Normal	1%	0%	0%	0%	1%	4%	0%	0%	0%	0%	21%	7%
1952	Wet	10%	4%	4%	4%	0%	-28%	-98%	-15%	0%	14%	18%	7%
1953	Wet	10%	17%	3%	-14%	-1%	0%	0%	0%	0%	26%	18%	7%
1954	Above Normal	57%	3%	3%	8%	3%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	-3%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	1%	0%	-6%	-6%	4%	0%	0%	0%	43%	50%	77%	8%
1957	Above Normal	9%	4%	3%	5%	5%	2%	0%	0%	0%	33%	15%	9%
1958	Wet	5%	3%	4%	6%	1%	1%	-67%	-100%	-22%	63%	25%	8%
1959	Below Normal	9%	21%	3%	6%	1%	0%	0%	0%	0%	6%	4%	10%
1960	Dry	2%	0%	1%	2%	1%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	1%	0%	0%	0%	0%	2%	0%	0%	0%	26%	17%	7%
1963	Wet	6%	4%	4%	7%	-1%	2%	0%	0%	-	28%	19%	7%
1964	Dry	20%	4%	3%	5%	3%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-4%	-13%	2%	0%	0%	0%	49%	27%	8%
1966	Below Normal	13%	4%	3%	2%	1%	2%	0%	0%	0%	20%	14%	5%
1967	Wet	5%	3%	3%	3%	-3%	2%	-52%	-17%	0%	-41%	18%	7%
1968	Below Normal	6%	128%	3%	3%	0%	0%	0%	0%	0%	20%	14%	11%
1969	Wet	6%	3%	3%	-10%	0%	55%	-7%	5%	0%	4%	18%	40%
1970	Wet	4%	0%	3%	0%	0%	-9%	0%	0%	0%	193%	21%	7%
1971	Wet	11%	8%	4%	5%	2%	1%	0%	0%	0%	14%	10%	5%
1972	Below Normal	6%	5%	2%	3%	3%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	2%	0%	0%	0%	30%	19%	75%
1974	Wet	13%	4%	3%	-3%	0%	0%	0%	0%	7%	61%	31%	9%
1975	Wet	7%	4%	3%	5%	3%	1%	0%	0%	84%	32%	21%	7%
1976	Critical	6%	5%	3%	5%	1%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%	0%
1978	Above Normal	12%	0%	0%	0%	-7%	0%	-18%	-100%	-56%	-51%	22%	7%
1979	Below Normal	9%	72%	3%	1%	-1%	-6%	0%	0%	0%	30%	27%	22%
1980	Above Normal	6%	27%	4%	-6%	-69%	0%	-1%	0%	-17%	20%	26%	154%
1981	Dry	16%	3%	3%	5%	2%	4%	0%	0%	0%	23%	200%	10%
1982	Wet	5%	3%	4%	4%	-6%	-1%	16%	-27%	-36%	18%	18%	7%
1983	Wet	-28%	0%	0%	0%	70%	88%	33%	9%	0%	0%	6%	4%
1984	Wet	0%	8%	115%	16%	0%	0%	0%	0%	0%	34%	21%	7%
1985	Dry	8%	4%	3%	5%	2%	2%	0%	0%	0%	17%	19%	4%
1986	Wet	4%	2%	2%	5%	-8%	9%	0%	0%	-9%	32%	21%	0%
1987	Dry	52%	0%	3%	5%	2%	0%	0%	0%	0%	15%	0%	-1%
1988	Critical	0%	0%	0%	0%	2%	0%	0%	0%	0%	-50%	0%	0%
1989	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-10%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-100%	-
1991	Critical	-5%	0%	1%	0%	0%	0%	0%	0%	0%	1%	-	0%
1992	Critical	0%	1%	0%	-2%	0%	0%	0%	0%	0%	-90%	0%	0%
1993	Above Normal	-1%	0%	0%	0%	0%	-3%	0%	0%	153%	34%	21%	7%
1994	Critical	7%	4%	3%	5%	2%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	-1%	-11%	-14%	-16%	-57%	-21%	11%	38%	10%
1996	Wet	92%	326%	4%	6%	2%	-24%	0%	0%	0%	48%	28%	9%
1997	Wet	3%	4%	-1%	0%	0%	2%	0%	0%	29%	53%	26%	8%
1998	Wet	20%	10%	3%	6%	-10%	0%	-10%	-11%	1%	1%	22%	8%
1999	Wet	5%	3%	2%	3%	0%	0%	0%	0%	0%	29%	19%	14%
2000	Above Normal	28%	4%	4%	8%	1%	1%	0%	0%	0%	0%	18%	7%
2001	Dry	12%	3%	5%	4%	2%	0%	0%	0%	0%	0%	0%	1%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
2003	Above Normal	0%	0%	0%	0%	0%	1%	0%	0%	0%	9%	6%	3%
	Average	7%	10%	3%	2%	0%	1%	-2%	-5%	3%	17%	14%	8%
	Wet	9%	17%	7%	2%	1%	5%	-7%	-10%	7%	35%	24%	9%
	Above Normal	12%	5%	2%	2%	-5%	1%	-2%	-8%	6%	18%	17%	25%
	Below Normal	5%	18%	2%	0%	0%	4%	0%	-2%	0%	18%	12%	8%
	Dry	7%	1%	2%	2%	1%	-5%	0%	0%	0%	6%	14%	2%
	Critical	3%	2%	2%	4%	2%	0%	0%	0%	0%	-12%	-10%	0%

Energy Use (GWh) At Pumping Plant at Red Bluff: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.27
1923	Below Normal	0.05	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.01	0.11
1924	Critical	0.09	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.17
1925	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08
1926	Dry	0.12	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.06	0.19
1927	Wet	0.05	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.20	0.26
1928	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.08
1929	Critical	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1930	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1931	Critical	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.15
1932	Dry	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.13
1933	Critical	0.06	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.15
1934	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.11
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1936	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.07
1937	Below Normal	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10
1938	Wet	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.20
1939	Dry	0.10	0.00	0.00	0.00	0.05	0.07	0.00	0.00	0.00	0.00	0.00	0.06	0.28
1940	Above Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.24
1941	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1942	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.27
1943	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.28
1944	Dry	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.19
1945	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.15
1946	Below Normal	0.04	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.26	0.31
1947	Dry	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.27
1948	Below Normal	0.04	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.24
1949	Dry	0.10	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.21
1950	Below Normal	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.14
1951	Above Normal	0.04	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.17	0.23
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.24
1953	Wet	0.17	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.20	0.40
1954	Above Normal	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1955	Dry	0.15	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.26
1956	Wet	0.07	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.15	0.26
1957	Above Normal	0.11	0.02	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.10	0.27
1958	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.25
1959	Below Normal	0.16	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.10	0.30
1960	Dry	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.15
1961	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.08
1962	Below Normal	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.22
1963	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.26
1964	Dry	0.07	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.09	0.19
1965	Wet	0.05	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.19
1966	Below Normal	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.28
1967	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.35
1968	Below Normal	0.16	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.25
1969	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.27
1970	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.16
1971	Wet	0.08	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.13	0.24
1972	Below Normal	0.13	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.01	0.28
1973	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.21
1974	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1975	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.28
1976	Critical	0.05	0.00	0.00	0.00	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.15
1977	Critical	0.05	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.07	0.15
1978	Above Normal	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.20
1979	Below Normal	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.20
1980	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.18
1981	Dry	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.22
1982	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.11
1983	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.22
1984	Wet	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.14	0.30
1985	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.24
1986	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.13
1987	Dry	0.12	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.20
1988	Critical	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1989	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.12
1990	Critical	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1991	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1992	Critical	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.15
1993	Above Normal	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.26
1994	Critical	0.11	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1995	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.31
1996	Wet	0.18	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.41
1997	Wet	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.08	0.18
1998	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.30
1999	Wet	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.31
2000	Above Normal	0.15	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.35
2001	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06
2002	Dry	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.10	0.20
2003	Above Normal	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.36
	Average	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.11	0.21
	Wet	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.17	0.26
	Above Normal	0.08	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.16	0.25
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.07	0.19
	Dry	0.09	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.07	0.18
	Critical	0.06	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.14

Energy Use (GWh) At Pumping Plant at Red Bluff: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.27
1923	Below Normal	0.05	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.01	0.11
1924	Critical	0.09	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.17
1925	Dry	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08
1926	Dry	0.12	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.06	0.19
1927	Wet	0.05	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.20	0.26
1928	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.08
1929	Critical	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1930	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1931	Critical	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.15
1932	Dry	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.13
1933	Critical	0.06	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.06	0.15
1934	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.11
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1936	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.07
1937	Below Normal	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.10
1938	Wet	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.20
1939	Dry	0.10	0.00	0.00	0.00	0.05	0.06	0.00	0.00	0.00	0.00	0.00	0.05	0.26
1940	Above Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.25
1941	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1942	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.27
1943	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.28
1944	Dry	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.20
1945	Below Normal	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.15
1946	Below Normal	0.04	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.26	0.31
1947	Dry	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.27
1948	Below Normal	0.04	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.18	0.24
1949	Dry	0.10	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.21
1950	Below Normal	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.14
1951	Above Normal	0.04	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.17	0.23
1952	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.24
1953	Wet	0.17	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.20	0.40
1954	Above Normal	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1955	Dry	0.15	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.09	0.26
1956	Wet	0.07	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.15	0.26
1957	Above Normal	0.11	0.02	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.10	0.27
1958	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.25
1959	Below Normal	0.16	0.02	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.10	0.30
1960	Dry	0.12	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.15
1961	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.08
1962	Below Normal	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.22
1963	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.26
1964	Dry	0.07	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.09	0.19
1965	Wet	0.05	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.19
1966	Below Normal	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12	0.28
1967	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.35
1968	Below Normal	0.16	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.25
1969	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.27
1970	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.16
1971	Wet	0.08	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.13	0.24
1972	Below Normal	0.13	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.01	0.28
1973	Above Normal	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.21
1974	Wet	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.28
1975	Wet	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.28
1976	Critical	0.05	0.00	0.00	0.00	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.02	0.15
1977	Critical	0.05	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.07	0.15
1978	Above Normal	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.20
1979	Below Normal	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.19
1980	Above Normal	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.18
1981	Dry	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.22
1982	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.11
1983	Wet	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.22
1984	Wet	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.14	0.30
1985	Dry	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.24
1986	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.13
1987	Dry	0.12	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.20
1988	Critical	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1989	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.12
1990	Critical	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1991	Critical	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.10
1992	Critical	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.15
1993	Above Normal	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.25
1994	Critical	0.11	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.20	0.34
1995	Wet	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.31
1996	Wet	0.18	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.41
1997	Wet	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.08	0.18
1998	Wet	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.30
1999	Wet	0.10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.31
2000	Above Normal	0.15	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.19	0.35
2001	Dry	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.06
2002	Dry	0.06	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.10	0.20
2003	Above Normal	0.13	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.36
	Average	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.11	0.21
	Wet	0.08	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.17	0.26
	Above Normal	0.08	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.16	0.25
	Below Normal	0.10	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.07	0.19
	Dry	0.09	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.07	0.18
	Critical	0.06	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.05	0.14

Difference in Energy Use (GWh) At Pumping Plant at Red Bluff: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00
	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00
	Dry	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Red Bluff: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-14%	0%	0%	0%	0%	0%	-17%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	6%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	14%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-50%
1980	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	-17%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-5%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-4%
	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
	Critical	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at San Felipe: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.71	5.56	4.43	3.66	1.98	2.74	2.91	3.59	4.83	5.94	7.09	6.87	54.31
1923	Below Normal	4.09	4.65	3.79	3.30	1.78	2.08	2.12	2.49	3.42	4.28	4.83	4.60	41.43
1924	Critical	2.67	3.11	2.64	2.04	0.98	1.46	1.28	1.28	1.53	1.97	2.46	2.93	24.35
1925	Dry	1.85	2.36	1.95	1.10	0.42	1.57	1.49	1.96	2.85	3.79	4.73	4.99	29.06
1926	Dry	3.04	3.62	3.07	2.42	1.20	1.92	1.77	1.87	2.32	2.84	3.41	3.77	31.25
1927	Wet	2.38	2.82	2.14	1.39	0.57	1.59	1.80	2.27	3.29	4.24	4.82	4.62	31.93
1928	Above Normal	2.83	3.60	2.97	2.19	1.13	1.79	1.73	2.16	3.11	4.09	4.73	4.72	35.05
1929	Critical	2.95	3.87	3.43	2.58	1.23	1.47	1.10	1.06	1.24	1.69	2.13	2.39	25.14
1930	Dry	1.53	2.14	1.89	1.06	0.38	1.63	1.53	1.58	1.96	2.45	2.88	3.03	22.06
1931	Critical	1.82	2.36	2.10	1.37	0.55	1.24	1.09	1.12	1.39	1.91	2.54	3.08	20.57
1932	Dry	2.02	2.69	2.09	1.09	0.39	1.20	1.07	1.12	1.39	1.87	2.28	2.35	19.56
1933	Critical	1.44	1.86	1.60	1.00	0.42	0.97	0.81	0.81	0.99	1.39	1.76	1.99	15.04
1934	Critical	1.30	1.79	1.58	0.91	0.33	1.18	1.04	1.08	1.35	1.99	2.68	2.99	18.22
1935	Below Normal	1.94	2.59	2.14	1.23	0.46	1.06	0.86	1.70	2.28	2.93	3.48	3.56	24.23
1936	Below Normal	2.09	2.55	2.16	1.52	0.64	1.40	1.36	1.62	2.28	2.97	3.52	3.53	25.64
1937	Below Normal	2.07	2.51	2.05	1.42	0.67	1.10	1.31	1.50	2.00	2.63	3.30	3.70	24.26
1938	Wet	2.45	2.91	2.30	1.58	0.69	1.91	2.07	2.19	2.62	3.39	4.48	4.80	31.39
1939	Dry	3.14	4.32	4.01	3.52	1.95	2.02	2.09	2.38	3.26	4.27	5.05	5.40	41.41
1940	Above Normal	3.44	4.37	3.95	2.95	1.29	2.50	2.27	2.69	3.71	4.81	5.65	5.55	43.18
1941	Wet	3.42	4.36	3.77	2.78	1.17	2.17	2.29	2.81	3.98	5.27	6.42	6.46	44.90
1942	Wet	4.15	5.29	4.63	3.83	1.90	2.93	3.15	3.83	5.29	6.75	7.96	7.66	57.37
1943	Wet	4.69	5.56	4.67	3.84	1.86	2.43	2.36	3.01	4.52	6.28	7.85	8.01	55.08
1944	Dry	5.17	6.44	5.41	4.43	2.20	2.42	2.14	2.29	2.89	3.51	4.02	4.44	45.36
1945	Below Normal	2.87	3.30	2.46	1.56	0.61	1.43	1.76	2.25	3.50	4.82	5.64	5.51	35.71
1946	Below Normal	3.22	3.42	2.56	2.02	1.05	1.76	2.00	2.47	3.67	4.88	5.56	5.32	37.93
1947	Dry	3.06	3.36	2.61	2.02	1.00	1.49	1.60	2.01	3.00	3.99	4.95	5.29	34.38
1948	Below Normal	3.19	3.84	3.40	2.85	1.55	2.39	2.87	3.05	3.64	4.29	4.77	4.61	40.45
1949	Dry	2.71	3.31	2.73	1.83	0.78	1.67	2.05	2.53	3.86	5.31	6.50	6.61	39.89
1950	Below Normal	4.14	5.07	4.30	3.59	1.83	2.56	2.36	2.66	3.33	4.02	4.56	4.47	42.89
1951	Above Normal	2.52	2.71	1.86	1.19	0.57	1.62	1.74	2.19	3.28	4.54	5.51	5.37	33.10
1952	Wet	3.28	3.87	3.20	2.57	1.28	2.30	2.35	2.83	3.80	5.00	6.58	6.81	43.87
1953	Wet	4.42	5.69	4.89	4.44	2.54	2.58	2.46	2.82	3.76	4.68	5.19	4.90	48.37
1954	Above Normal	3.02	3.89	3.27	2.47	1.25	2.34	2.26	2.66	3.63	4.79	5.59	5.34	40.51
1955	Dry	3.23	3.88	2.92	1.95	0.87	1.59	1.51	1.73	2.49	3.33	3.99	4.46	31.95
1956	Wet	2.90	3.53	2.67	1.57	0.64	1.85	2.10	2.71	4.04	5.39	6.57	6.55	40.52
1957	Above Normal	4.14	5.17	4.27	3.48	1.94	2.42	2.31	2.64	3.54	4.56	5.19	5.08	44.74
1958	Wet	2.85	3.20	2.66	1.91	0.87	2.30	2.33	2.98	4.25	5.77	7.71	8.11	44.94
1959	Below Normal	5.22	6.42	5.47	5.01	2.86	2.93	2.66	2.94	3.72	4.52	5.01	4.85	51.61
1960	Dry	2.94	3.69	3.26	2.38	1.07	1.96	2.09	2.43	3.30	4.33	5.13	5.26	37.84
1961	Dry	3.32	4.23	3.32	2.15	0.97	2.03	2.01	2.36	3.54	4.86	0.00	6.01	34.80
1962	Below Normal	3.81	4.66	4.12	3.35	1.58	2.60	2.44	2.85	3.83	4.80	5.45	5.28	44.77
1963	Wet	2.94	2.99	2.30	1.85	0.97	1.86	1.91	2.31	3.24	4.08	4.53	4.25	33.23
1964	Dry	2.53	2.90	2.21	1.65	0.86	1.65	1.69	2.02	2.99	4.00	4.86	5.21	32.57
1965	Wet	3.24	4.11	3.52	2.47	1.08	2.09	1.99	3.54	5.15	6.75	7.84	7.50	49.28
1966	Below Normal	4.71	5.47	4.02	3.11	1.64	2.02	2.08	2.48	3.57	4.67	5.23	4.94	43.94
1967	Wet	2.91	3.39	2.70	1.96	0.93	2.26	2.53	3.15	4.31	5.42	6.94	7.33	43.83
1968	Below Normal	4.69	6.07	5.41	4.72	2.67	2.81	2.60	2.90	3.73	4.58	5.10	4.94	50.22
1969	Wet	2.98	3.53	2.64	1.71	0.71	1.86	1.95	1.94	2.31	2.85	3.68	4.01	30.17
1970	Wet	2.59	3.47	3.39	2.84	1.37	1.56	1.76	2.22	3.42	4.69	5.44	5.41	38.16
1971	Wet	3.43	4.11	3.42	2.90	1.58	2.32	2.16	2.46	3.25	4.01	4.38	4.16	38.18
1972	Below Normal	2.48	3.26	2.69	1.77	0.87	2.05	2.11	2.47	3.50	4.55	5.07	4.81	35.63
1973	Above Normal	2.80	3.04	2.29	1.69	0.80	1.51	1.69	2.12	3.11	4.05	4.69	4.67	32.46
1974	Wet	2.87	3.14	2.40	1.89	0.95	2.06	2.34	3.09	4.64	6.20	7.38	7.14	44.10
1975	Wet	4.28	5.11	4.19	3.47	1.91	2.38	2.75	3.28	4.61	5.80	6.57	6.25	50.60
1976	Critical	3.63	4.40	3.68	2.80	1.40	1.48	1.22	1.29	1.69	2.31	2.88	3.25	30.03
1977	Critical	2.10	2.95	2.77	1.82	0.73	2.26	1.93	1.84	2.00	2.50	2.93	3.18	27.01
1978	Above Normal	2.11	2.98	2.81	1.77	0.63	2.68	2.99	3.43	4.51	5.63	6.86	6.78	43.18
1979	Below Normal	4.18	5.08	4.15	3.40	1.68	1.58	1.63	2.03	2.92	3.79	4.31	4.23	38.98
1980	Above Normal	2.50	2.89	2.28	1.61	0.77	1.84	2.02	2.57	3.79	5.16	6.58	7.00	39.01
1981	Dry	4.61	5.99	5.23	4.29	2.20	2.60	2.52	2.86	3.77	4.71	5.53	5.74	50.05
1982	Wet	3.53	3.92	3.03	2.26	0.97	2.11	1.99	2.20	3.11	4.32	5.81	6.13	39.38
1983	Wet	3.58	3.57	2.60	2.21	1.24	1.86	1.95	1.94	2.22	2.63	3.28	3.36	30.44
1984	Wet	2.00	2.27	2.07	2.11	1.24	1.62	1.74	2.19	3.26	4.35	5.12	5.14	33.11
1985	Dry	3.18	3.44	2.50	1.97	1.03	1.55	1.69	2.11	3.17	4.25	5.15	5.25	35.29
1986	Wet	3.04	3.32	2.60	2.15	1.00	1.44	1.68	2.04	2.85	3.75	4.73	5.26	33.86
1987	Dry	3.67	5.02	4.56	3.62	1.78	1.63	2.06	2.11	2.49	3.20	4.10	4.64	38.88
1988	Critical	2.93	3.73	3.15	2.10	0.96	1.74	1.37	1.28	1.43	1.73	1.94	2.21	24.57
1989	Dry	1.48	1.99	1.66	0.90	0.32	1.26	1.88	2.20	3.01	3.91	4.82	5.14	28.57
1990	Critical	3.16	4.09	3.63	2.60	1.20	1.81	1.49	1.46	1.67	1.98	2.22	2.61	27.92
1991	Critical	1.74	2.47	2.29	1.42	0.55	2.71	2.32	2.26	2.53	2.88	3.28	3.74	28.19
1992	Critical	2.44	3.22	2.92	2.02	0.90	2.43	2.23	2.29	2.73	3.52	4.32	4.80	33.82
1993	Above Normal	3.23	4.30	3.68	2.37	0.98	2.45	3.20	3.67	4.89	5.98	6.80	6.45	48.00
1994	Critical	3.88	4.77	3.92	2.95	1.45	2.35	2.44	2.87	4.25	5.79	0.00	6.85	41.52
1995	Wet	4.46	5.46	4.76	3.91	1.91	3.49	3.37	3.58	4.21	5.22	6.47	6.66	53.50
1996	Wet	4.48	6.09	5.69	5.31	2.62	2.71	3.03	3.61	5.06	6.53	7.43	7.02	59.58
1997	Wet	4.46	5.63	4.45	3.07	1.30	1.95	2.08	2.80	4.37	6.18	7.64	7.60	51.53
1998	Wet	4.85	6.44	5.61	4.59	2.23	3.06	3.10	3.66	4.71	5.58	6.68	6.63	57.14
1999	Wet	3.77	3.78	3.00	2.79	1.52	1.53	1.68	2.08	3.03	3.92	4.44	4.63	36.17
2000	Above Normal	3.17	4.08	3.37	2.69	1.35	1.96	1.99	2.44	3.47	4.64	5.51	5.27	39.94
2001	Dry	3.23	4.06	3.29	2.39	1.15	1.85	1.68	1.86	2.49	3.22	4.10	4.69	34.01
2002	Dry	3.01	3.68	2.93	2.03	0.90	1.85	1.86	2.28	3.30	4.31	5.16	5.48	36.79
2003	Above Normal	3.43	4.25	3.67	2.86	1.33	2.53	2.57	2.99	3.95	4.83	5.47	5.26	43.14
	Average	3.17	3.89	3.25	2.48	1.21	1.99	2.02	2.37	3.24	4.19	4.84	5.08	37.74
	Wet	3.46	4.14	3.43	2.75	1.35	2.16	2.27	2.75	3.82	4.96	6.00	6.02	43.10
	Above Normal	3.16	3.90	3.24	2.41	1.17	2.20	2.31	2.76	3.82	4.92	5.81	5.70	41.39
	Below Normal	3.48	4.21	3.48	2.78	1.42	1.98	2.01	2.39	3.24	4.12	4.70	4.60	38.41
	Dry	2.98	3.73	3.09	2.27	1.08	1.77	1.82	2.09	2.89	3.79	4.26	4.88	34.65
	Critical	2.51	3.22	2.81	1.97	0.89	1.76	1.53	1.55	1.90	2.47	2.43	3.34	26.37

Energy Use (GWh) At Pumping Plant at San Felipe: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	4.71	5.56	4.43	3.66	1.98	2.74	2.92	3.59	4.86	6.01	7.13	6.87	54.46
1923	Below Normal	4.09	4.65	3.79	3.30	1.79	2.09	2.12	2.50	3.41	4.27	4.82	4.59	41.42
1924	Critical	2.66	3.11	2.64	2.03	0.98	1.46	1.28	1.28	1.53	1.97	2.46	2.93	24.33
1925	Dry	1.85	2.36	1.95	1.10	0.42	1.56	1.49	1.96	2.85	3.79	4.74	5.00	29.07
1926	Dry	3.05	3.63	3.08	2.43	1.21	1.92	1.77	1.87	2.32	2.84	3.41	3.76	31.29
1927	Wet	2.38	2.81	2.14	1.39	0.57	1.59	1.80	2.27	3.29	4.25	4.82	4.62	31.93
1928	Above Normal	2.83	3.60	2.97	2.20	1.13	1.79	1.73	2.16	3.11	4.09	4.73	4.72	35.06
1929	Critical	2.95	3.87	3.43	2.58	1.23	1.47	1.10	1.06	1.24	1.69	2.13	2.39	25.14
1930	Dry	1.53	2.14	1.89	1.06	0.38	1.62	1.53	1.58	1.96	2.44	2.88	3.03	22.04
1931	Critical	1.82	2.36	2.09	1.37	0.55	1.24	1.09	1.12	1.39	1.91	2.54	3.08	20.56
1932	Dry	2.02	2.69	2.09	1.09	0.39	1.21	1.07	1.12	1.39	1.87	2.29	2.36	19.59
1933	Critical	1.45	1.86	1.60	1.00	0.42	0.97	0.81	0.80	0.99	1.39	1.76	1.99	15.04
1934	Critical	1.30	1.79	1.51	0.82	0.30	1.09	0.96	1.00	1.27	1.90	2.63	3.01	17.58
1935	Below Normal	1.95	2.61	2.17	1.25	0.47	1.09	0.88	1.73	2.32	2.98	3.54	3.63	24.62
1936	Below Normal	2.13	2.61	2.20	1.53	0.64	1.40	1.36	1.62	2.28	2.97	3.51	3.53	25.78
1937	Below Normal	2.07	2.51	2.05	1.42	0.67	1.09	1.32	1.52	2.07	2.77	3.46	3.88	24.83
1938	Wet	2.57	3.06	2.42	1.67	1.17	9.16	2.09	2.49	3.35	4.36	5.76	6.15	44.25
1939	Dry	4.02	5.49	5.09	4.52	2.51	2.51	2.49	2.68	3.38	4.19	0.00	5.17	42.05
1940	Above Normal	3.29	4.22	3.83	2.77	1.18	2.47	2.25	2.69	3.73	4.85	5.72	5.61	42.61
1941	Wet	3.45	4.37	3.76	2.80	1.19	2.20	2.30	2.88	4.13	5.45	6.56	6.55	45.64
1942	Wet	4.20	5.30	4.62	3.81	1.89	2.95	3.16	3.84	5.29	6.74	7.94	7.64	57.38
1943	Wet	4.67	5.55	4.66	3.85	1.89	2.49	2.42	3.08	4.60	6.35	7.88	8.04	55.48
1944	Dry	5.19	6.45	5.42	4.44	2.19	2.43	2.15	2.31	2.91	3.55	4.07	4.49	45.60
1945	Below Normal	2.89	3.32	2.49	1.57	0.63	1.46	1.75	2.24	3.47	4.76	5.57	5.43	35.58
1946	Below Normal	3.17	3.37	2.52	2.00	1.04	1.76	2.01	2.48	3.69	4.90	5.59	5.33	37.86
1947	Dry	3.07	3.36	2.61	2.02	1.00	1.49	1.60	2.01	3.00	4.00	4.96	5.30	34.42
1948	Below Normal	3.21	3.86	3.42	2.87	1.56	2.39	2.87	3.05	3.64	4.29	4.77	4.61	40.54
1949	Dry	2.71	3.31	2.73	1.83	0.78	1.68	2.05	2.53	3.86	5.31	6.49	6.60	39.88
1950	Below Normal	4.14	5.07	4.30	3.59	1.83	2.56	2.36	2.66	3.32	4.02	4.56	4.47	42.88
1951	Above Normal	2.52	2.71	1.89	1.20	0.57	1.62	1.74	2.19	3.28	4.54	5.51	5.37	33.14
1952	Wet	3.28	3.87	3.20	2.57	1.29	2.36	2.51	3.02	3.96	5.04	6.38	6.39	43.87
1953	Wet	4.03	4.90	3.94	3.58	2.13	2.26	2.20	2.53	3.49	4.47	4.93	4.64	43.10
1954	Above Normal	2.85	3.69	3.08	2.29	1.16	2.28	2.22	2.61	3.60	4.77	5.57	5.31	39.43
1955	Dry	3.22	3.85	2.89	1.93	0.86	1.57	1.50	1.71	2.48	3.33	4.00	4.48	31.82
1956	Wet	2.92	3.58	2.77	1.66	0.65	1.85	2.10	2.71	4.04	5.40	3.93	6.56	38.17
1957	Above Normal	4.15	5.18	4.29	3.49	1.95	2.43	2.32	2.65	3.55	4.56	5.19	5.08	44.84
1958	Wet	2.85	3.20	2.66	1.91	0.87	2.30	2.38	3.10	4.51	6.12	8.06	8.45	46.41
1959	Below Normal	5.42	6.52	5.41	4.88	2.75	2.91	2.65	2.95	3.74	4.54	5.05	4.88	51.70
1960	Dry	2.95	3.70	3.27	2.40	1.08	1.96	2.09	2.43	3.30	4.33	5.13	5.25	37.89
1961	Dry	3.32	4.23	3.32	2.15	0.97	2.03	2.01	2.36	3.54	4.86	0.00	6.01	34.80
1962	Below Normal	3.81	4.66	4.12	3.34	1.58	2.60	2.44	2.85	3.83	4.80	5.45	5.28	44.76
1963	Wet	2.94	2.99	2.30	1.85	0.97	1.86	1.91	2.31	3.24	4.07	4.51	4.24	33.19
1964	Dry	2.52	2.90	2.21	1.64	0.85	1.65	1.69	2.02	2.99	4.00	4.86	5.22	32.55
1965	Wet	3.24	4.11	3.52	2.48	1.10	2.14	2.02	3.59	5.21	6.80	7.83	7.45	49.49
1966	Below Normal	4.67	5.45	4.00	3.09	1.62	2.02	2.09	2.48	3.57	4.66	5.22	4.93	43.80
1967	Wet	2.91	3.38	2.69	1.96	0.93	2.28	2.57	3.27	4.49	5.79	7.56	7.95	45.78
1968	Below Normal	5.10	6.34	5.45	4.76	2.67	2.81	2.59	2.90	3.73	4.58	5.10	4.94	50.97
1969	Wet	2.98	3.54	2.65	1.74	0.73	8.61	2.03	2.08	2.45	3.01	3.82	4.10	37.74
1970	Wet	2.64	3.55	3.46	2.90	1.40	1.58	1.77	2.23	3.43	4.71	5.46	5.41	38.54
1971	Wet	3.42	4.09	3.41	2.89	1.57	2.31	2.16	2.46	3.24	4.00	4.37	4.14	38.06
1972	Below Normal	2.47	3.25	2.68	1.76	0.87	2.05	2.11	2.47	3.50	4.55	5.07	4.80	35.58
1973	Above Normal	2.80	3.04	2.29	1.69	0.80	1.51	1.69	2.12	3.13	4.11	4.75	4.70	32.63
1974	Wet	2.87	3.14	2.40	1.91	0.97	2.10	2.37	3.12	4.66	6.21	7.34	7.07	44.16
1975	Wet	4.23	5.07	4.17	3.42	1.87	2.39	2.75	3.29	4.63	5.82	6.60	6.28	50.52
1976	Critical	3.65	4.42	3.69	2.82	1.41	1.48	1.22	1.29	1.68	2.30	2.87	3.25	30.08
1977	Critical	2.10	2.95	2.77	1.82	0.73	2.26	1.93	1.84	2.00	2.50	2.93	3.19	27.02
1978	Above Normal	2.12	2.98	2.81	1.77	0.64	2.77	3.19	3.66	4.98	6.51	7.99	7.85	47.27
1979	Below Normal	4.83	5.57	4.40	3.63	1.77	1.68	1.65	1.99	2.76	3.51	3.91	3.80	39.50
1980	Above Normal	2.23	2.55	1.96	1.36	0.68	1.84	1.99	2.44	3.51	4.65	5.72	5.94	34.87
1981	Dry	3.83	4.91	4.18	3.36	1.79	2.22	2.21	2.56	3.60	4.72	5.54	5.73	44.65
1982	Wet	3.51	3.89	3.01	2.25	0.97	2.14	2.00	2.22	3.26	4.62	6.19	6.51	40.57
1983	Wet	3.88	3.96	2.87	2.32	11.06	12.73	6.55	3.70	2.22	2.63	3.28	3.36	58.56
1984	Wet	2.00	3.73	12.94	4.40	1.24	1.63	1.74	2.19	3.26	4.35	5.12	5.14	47.74
1985	Dry	3.18	3.44	2.50	1.97	1.03	1.55	1.69	2.11	3.17	4.25	5.15	5.25	35.29
1986	Wet	3.04	3.32	2.60	2.15	1.02	1.48	1.69	2.06	2.91	3.86	4.85	5.40	34.38
1987	Dry	3.76	5.11	4.61	3.66	1.80	1.65	2.07	2.12	2.50	3.20	4.08	4.60	39.16
1988	Critical	2.90	3.69	3.13	2.08	0.95	1.73	1.36	1.28	1.43	1.73	1.94	2.22	24.44
1989	Dry	1.48	2.00	1.67	0.90	0.33	1.27	1.89	2.21	3.01	3.91	4.81	5.14	28.62
1990	Critical	3.16	4.10	3.64	2.61	1.20	1.81	1.50	1.46	1.67	1.99	2.27	2.67	28.08
1991	Critical	1.75	2.49	2.31	1.43	0.55	2.73	2.34	2.27	2.55	2.90	3.30	3.76	28.38
1992	Critical	2.45	3.24	2.93	2.03	0.90	2.45	2.24	2.29	2.72	3.50	4.29	4.77	33.81
1993	Above Normal	3.21	4.28	3.66	2.35	0.97	2.45	3.19	3.65	4.87	5.95	6.44	6.40	47.42
1994	Critical	3.84	4.73	3.89	2.92	1.43	2.35	2.44	2.87	4.26	5.81	0.00	6.87	41.41
1995	Wet	4.48	5.47	4.77	3.92	1.93	3.58	3.47	4.06	5.30	6.53	7.90	8.10	59.51
1996	Wet	5.30	6.51	5.62	5.14	2.50	2.78	3.05	3.56	4.95	6.33	7.14	6.73	59.61
1997	Wet	4.27	5.41	4.29	2.95	1.24	2.00	2.08	2.80	4.37	6.19	7.65	7.59	50.84
1998	Wet	4.84	6.44	5.61	4.58	2.25	3.11	3.15	3.72	4.77	5.61	6.68	6.62	57.38
1999	Wet	3.76	3.76	2.99	2.76	1.49	1.53	1.68	2.08	3.04	3.93	4.46	4.65	36.13
2000	Above Normal	3.18	4.09	3.39	2.70	1.36	1.97	2.00	2.45	3.48	4.65	5.52	5.29	40.08
2001	Dry	3.24	4.07	3.30	2.40	1.15	1.85	1.69	1.87	2.49	3.22	4.10	4.69	34.07
2002	Dry	3.01	3.69	2.94	2.03	0.90	1.85	1.86	2.28	3.30	4.31	5.16	5.47	36.80
2003	Above Normal	3.43	4.25	3.68	2.86	1.34	2.53	2.57	2.99	3.95	4.83	5.46	5.25	43.14
	Average	3.19	3.91	3.37	2.50	1.33	2.30	2.09	2.41	3.27	4.24	4.79	5.12	38.52
	Wet	3.49	4.19	3.83	2.80	1.73	3.13	2.46	2.87	3.93	5.10	6.04	6.15	45.71
	Above Normal	3.11	3.85	3.19	2.36	1.15	2.20	2.32	2.77	3.84	4.96	5.81	5.70	41.25
	Below Normal	3.57	4.27	3.50	2.79	1.42	1.99	2.01	2.39	3.24	4.11	4.69	4.58	38.56
	Dry	3.00	3.74	3.10	2.27	1.09	1.78	1.83	2.10	2.89	3.78	3.98	4.86	34.42
	Critical	2.50	3.22	2.80	1.96	0.89	1.75	1.52	1.55	1.89	2.47	2.43	3.34	26.32

Difference in Energy Use (GWh) At Pumping Plant at San Felipe: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.03	0.07	0.04	0.00	0.01
1923	Below Normal	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1924	Critical	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.00
1926	Dry	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1927	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1931	Critical	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.00
1933	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	(0.07)	(0.09)	(0.03)	(0.09)	(0.08)	(0.08)	(0.08)	(0.09)	(0.05)	0.02	(0.05)
1935	Below Normal	0.01	0.02	0.03	0.02	0.01	0.03	0.02	0.03	0.04	0.05	0.06	0.07	0.03
1936	Below Normal	0.04	0.06	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.02	0.07	0.14	0.16	0.18	0.05
1938	Wet	0.12	0.15	0.12	0.09	0.48	7.25	0.02	0.30	0.73	0.97	1.28	1.35	1.07
1939	Dry	0.88	1.17	1.08	1.00	0.56	0.49	0.40	0.30	0.12	(0.08)	(5.05)	(0.23)	0.05
1940	Above Normal	(0.15)	(0.15)	(0.12)	(0.18)	(0.11)	(0.03)	(0.02)	0.00	0.02	0.04	0.07	0.06	(0.05)
1941	Wet	0.03	0.01	(0.01)	0.02	0.02	0.03	0.01	0.07	0.15	0.18	0.14	0.09	0.06
1942	Wet	0.05	0.01	(0.01)	(0.02)	(0.01)	0.02	0.01	0.01	0.00	(0.01)	(0.02)	(0.02)	0.00
1943	Wet	(0.02)	(0.01)	(0.01)	0.01	0.03	0.06	0.06	0.07	0.08	0.07	0.03	0.03	0.03
1944	Dry	0.02	0.01	0.01	0.01	(0.01)	0.01	0.01	0.02	0.02	0.04	0.05	0.05	0.02
1945	Below Normal	0.02	0.02	0.03	0.01	0.02	0.03	(0.01)	(0.01)	(0.03)	(0.06)	(0.07)	(0.08)	(0.01)
1946	Below Normal	(0.05)	(0.05)	(0.04)	(0.02)	(0.01)	0.00	0.01	0.01	0.02	0.02	0.03	0.01	(0.01)
1947	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1948	Below Normal	0.02	0.02	0.02	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.01	0.06	0.16	0.19	0.16	0.04	(0.20)	(0.42)	0.00
1953	Wet	(0.39)	(0.79)	(0.95)	(0.86)	(0.41)	(0.32)	(0.26)	(0.29)	(0.27)	(0.21)	(0.26)	(0.26)	(0.44)
1954	Above Normal	(0.17)	(0.20)	(0.19)	(0.18)	(0.09)	(0.06)	(0.04)	(0.05)	(0.03)	(0.02)	(0.02)	(0.03)	(0.09)
1955	Dry	(0.01)	(0.03)	(0.03)	(0.02)	(0.01)	(0.02)	(0.01)	(0.02)	(0.01)	0.00	0.01	0.02	(0.01)
1956	Wet	0.02	0.05	0.10	0.09	0.01	0.00	0.00	0.00	0.00	0.01	(2.64)	0.01	(0.20)
1957	Above Normal	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.12	0.26	0.35	0.35	0.34	0.12
1959	Below Normal	0.20	0.10	(0.06)	(0.13)	(0.11)	(0.02)	(0.01)	0.01	0.02	0.02	0.04	0.03	0.01
1960	Dry	0.01	0.01	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00
1964	Dry	(0.01)	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1965	Wet	0.00	0.00	0.00	0.01	0.02	0.05	0.03	0.05	0.06	0.05	(0.01)	(0.05)	0.02
1966	Below Normal	(0.04)	(0.02)	(0.02)	(0.02)	(0.02)	0.00	0.01	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)
1967	Wet	0.00	(0.01)	(0.01)	0.00	0.00	0.02	0.04	0.12	0.18	0.37	0.62	0.62	0.16
1968	Below Normal	0.41	0.27	0.04	0.04	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.06
1969	Wet	0.00	0.01	0.01	0.03	0.02	6.75	0.08	0.14	0.14	0.16	0.14	0.09	0.63
1970	Wet	0.05	0.08	0.07	0.06	0.03	0.02	0.01	0.01	0.01	0.02	0.02	0.00	0.03
1971	Wet	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)
1972	Below Normal	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.06	0.06	0.03	0.01
1974	Wet	0.00	0.00	0.00	0.02	0.02	0.04	0.03	0.03	0.02	0.01	(0.04)	(0.07)	0.01
1975	Wet	(0.05)	(0.04)	(0.02)	(0.05)	(0.04)	0.01	0.00	0.01	0.02	0.02	0.03	0.03	(0.01)
1976	Critical	0.02	0.02	0.01	0.02	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1978	Above Normal	0.01	0.00	0.00	0.00	0.01	0.09	0.20	0.23	0.47	0.88	1.13	1.07	0.34
1979	Below Normal	0.65	0.49	0.25	0.23	0.09	0.10	0.02	(0.04)	(0.16)	(0.28)	(0.40)	(0.43)	0.04
1980	Above Normal	(0.27)	(0.34)	(0.32)	(0.25)	(0.09)	0.00	(0.03)	(0.13)	(0.28)	(0.51)	(0.86)	(1.06)	(0.35)
1981	Dry	(0.78)	(1.08)	(1.05)	(0.93)	(0.41)	(0.38)	(0.31)	(0.30)	(0.17)	0.01	0.01	(0.01)	(0.45)
1982	Wet	(0.02)	(0.03)	(0.02)	(0.01)	0.00	0.03	0.01	0.02	0.15	0.30	0.38	0.38	0.10
1983	Wet	0.30	0.39	0.27	0.11	9.82	10.87	4.60	1.76	0.00	0.00	0.00	0.00	2.34
1984	Wet	0.00	1.46	10.87	2.29	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	1.22
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.02	0.04	0.01	0.02	0.06	0.11	0.12	0.14	0.04
1987	Dry	0.09	0.09	0.05	0.04	0.02	0.02	0.01	0.01	0.01	0.00	(0.02)	(0.04)	0.02
1988	Critical	(0.03)	(0.04)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.01	(0.01)
1989	Dry	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.00	0.00	(0.01)	0.00	0.00
1990	Critical	0.00	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.05	0.06	0.01
1991	Critical	0.01	0.02	0.02	0.01	0.00	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.02
1992	Critical	0.01	0.02	0.01	0.01	0.00	0.02	0.01	0.00	(0.01)	(0.02)	(0.03)	(0.03)	0.00
1993	Above Normal	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	0.00	(0.01)	(0.02)	(0.02)	(0.03)	(0.36)	(0.05)	(0.05)
1994	Critical	(0.04)	(0.04)	(0.03)	(0.03)	(0.02)	0.00	0.00	0.00	0.01	0.02	0.00	0.02	(0.01)
1995	Wet	0.02	0.01	0.01	0.01	0.02	0.09	0.10	0.48	1.09	1.31	1.43	1.44	0.50
1996	Wet	0.82	0.42	(0.07)	(0.17)	(0.12)	0.07	0.02	(0.05)	(0.11)	(0.20)	(0.29)	(0.29)	0.00
1997	Wet	(0.19)	(0.22)	(0.16)	(0.12)	(0.06)	0.05	0.00	0.00	0.00	0.01	0.01	(0.01)	(0.06)
1998	Wet	(0.01)	0.00	0.00	(0.01)	0.02	0.05	0.05	0.06	0.06	0.03	0.00	(0.01)	0.02
1999	Wet	(0.01)	(0.02)	(0.01)	(0.03)	(0.03)	0.00	0.00	0.00	0.01	0.01	0.02	0.02	0.00
2000	Above Normal	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01
2001	Dry	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.01
2002	Dry	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
2003	Above Normal	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
	Average	0.02	0.02	0.12	0.01	0.12	0.31	0.06	0.04	0.03	0.05	(0.05)	0.04	0.06
	Wet	0.03	0.06	0.39	0.06	0.38	0.97	0.19	0.12	0.11	0.14	0.04	0.13	0.22
	Above Normal	(0.05)	(0.06)	(0.05)	(0.05)	(0.02)	0.00	0.01	0.00	0.02	0.04	0.00	0.00	(0.01)
	Below Normal	0.09	0.06	0.02	0.01	0.00	0.01	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.02)	0.01
	Dry	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	(0.00)	(0.00)	(0.28)	(0.01)	(0.02)
	Critical	(0.00)	(0.00)	(0.01)	(0.01)	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	0.01	(0.00)

Percent Difference in Energy Use (GWh) At Pumping Plant at San Felipe: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%
1923	Below Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1933	Critical	1%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1934	Critical	0%	0%	-4%	-10%	-9%	-8%	-8%	-7%	-6%	-5%	-2%	1%
1935	Below Normal	1%	1%	1%	2%	2%	3%	2%	2%	2%	2%	2%	2%
1936	Below Normal	2%	2%	2%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	-1%	1%	1%	3%	5%	5%	5%
1938	Wet	5%	5%	5%	6%	70%	380%	1%	14%	28%	29%	29%	28%
1939	Dry	28%	27%	27%	28%	29%	24%	19%	13%	4%	-2%	-100%	-4%
1940	Above Normal	-4%	-3%	-3%	-6%	-9%	-1%	-1%	0%	1%	1%	1%	1%
1941	Wet	1%	0%	0%	1%	2%	1%	0%	2%	4%	3%	2%	1%
1942	Wet	1%	0%	0%	-1%	-1%	1%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	2%	2%	3%	2%	2%	1%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1945	Below Normal	1%	1%	1%	1%	3%	2%	-1%	0%	-1%	-1%	-1%	-1%
1946	Below Normal	-2%	-1%	-2%	-1%	-1%	0%	0%	0%	1%	0%	1%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	1%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	1%	3%	7%	7%	4%	1%	-3%	-6%
1953	Wet	-9%	-14%	-19%	-19%	-16%	-12%	-11%	-10%	-7%	-4%	-5%	-5%
1954	Above Normal	-6%	-5%	-6%	-7%	-7%	-3%	-2%	-2%	-1%	0%	0%	-1%
1955	Dry	0%	-1%	-1%	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%
1956	Wet	1%	1%	4%	6%	2%	0%	0%	0%	0%	0%	-40%	0%
1957	Above Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	2%	4%	6%	6%	5%	4%
1959	Below Normal	4%	2%	-1%	-3%	-4%	-1%	0%	0%	1%	0%	1%	1%
1960	Dry	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	2%	2%	2%	1%	1%	1%	0%	-1%
1966	Below Normal	-1%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	1%	2%	4%	4%	7%	9%	8%
1968	Below Normal	9%	4%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	2%	3%	363%	4%	7%	6%	6%	4%	2%
1970	Wet	2%	2%	2%	2%	2%	1%	1%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1974	Wet	0%	0%	0%	1%	2%	2%	1%	1%	0%	0%	-1%	-1%
1975	Wet	-1%	-1%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	1%	0%	0%	1%	1%	0%	0%	0%	-1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	2%	3%	7%	7%	10%	16%	16%	16%
1979	Below Normal	16%	10%	6%	7%	5%	6%	1%	-2%	-5%	-7%	-9%	-10%
1980	Above Normal	-11%	-12%	-14%	-16%	-12%	0%	-1%	-5%	-7%	-10%	-13%	-15%
1981	Dry	-17%	-18%	-20%	-22%	-19%	-15%	-12%	-10%	-5%	0%	0%	0%
1982	Wet	-1%	-1%	-1%	0%	0%	1%	1%	1%	5%	7%	7%	6%
1983	Wet	8%	11%	10%	5%	792%	584%	236%	91%	0%	0%	0%	0%
1984	Wet	0%	64%	525%	109%	0%	1%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	2%	3%	1%	1%	2%	3%	3%	3%
1987	Dry	2%	2%	1%	1%	1%	1%	0%	0%	0%	0%	0%	-1%
1988	Critical	-1%	-1%	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%
1989	Dry	0%	1%	1%	0%	3%	1%	1%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	1%	0%	0%	1%	2%	2%
1991	Critical	1%	1%	1%	1%	0%	1%	1%	0%	1%	1%	1%	1%
1992	Critical	0%	1%	0%	0%	0%	1%	0%	0%	0%	-1%	-1%	-1%
1993	Above Normal	-1%	0%	-1%	-1%	-1%	0%	0%	-1%	0%	-1%	-5%	-1%
1994	Critical	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	1%	3%	3%	13%	26%	25%	22%	22%
1996	Wet	18%	7%	-1%	-3%	-5%	3%	1%	-1%	-2%	-3%	-4%	-4%
1997	Wet	-4%	-4%	-4%	-4%	-5%	3%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	1%	2%	2%	2%	1%	1%	0%	0%
1999	Wet	0%	-1%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	1%	0%	1%	1%	1%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
	Average	1%	1%	6%	1%	10%	17%	3%	2%	1%	1%	-1%	1%
	Wet	1%	3%	20%	4%	33%	52%	10%	5%	3%	3%	1%	2%
	Above Normal	-2%	-2%	-2%	-2%	-2%	0%	0%	0%	0%	1%	0%	0%
	Below Normal	2%	1%	1%	0%	0%	1%	0%	0%	0%	0%	0%	0%
	Dry	1%	1%	0%	0%	1%	1%	0%	0%	0%	0%	-5%	0%
	Critical	0%	0%	0%	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at San Luis Other: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.66	3.19	5.23	8.87	9.48	6.19	7.96	11.31	19.86	24.02	16.73	4.24	120.74
1923	Below Normal	3.23	2.80	4.58	7.73	8.27	3.54	4.26	6.37	11.10	13.40	9.42	2.48	77.18
1924	Critical	1.87	1.59	2.55	4.25	4.58	0.96	1.17	1.73	2.84	3.39	2.53	0.83	28.29
1925	Dry	0.60	0.46	0.65	0.96	1.11	3.00	3.83	7.36	12.85	15.51	10.87	2.83	60.03
1926	Dry	2.14	1.83	2.96	4.94	5.32	1.67	1.97	2.92	4.95	5.95	4.29	1.26	40.20
1927	Wet	0.93	0.75	1.14	1.80	2.00	3.96	5.03	7.44	13.00	15.70	11.00	2.86	65.61
1928	Above Normal	2.17	1.85	2.99	5.00	5.39	2.54	3.95	5.89	10.24	12.36	8.70	2.31	63.39
1929	Critical	1.74	1.48	2.36	3.91	4.22	0.38	0.51	0.74	1.08	1.25	1.06	0.47	19.20
1930	Dry	0.32	0.22	0.24	0.26	0.37	1.15	1.95	2.89	4.90	5.89	4.25	1.25	23.69
1931	Critical	0.93	0.75	1.13	1.78	1.98	1.04	1.27	1.87	3.09	3.68	2.74	0.88	21.14
1932	Dry	0.64	0.49	0.71	1.06	1.21	1.52	1.81	2.67	4.52	5.42	3.93	1.17	25.15
1933	Critical	0.86	0.69	1.04	1.63	1.81	0.68	0.88	1.28	2.05	2.43	1.87	0.67	15.89
1934	Critical	0.47	0.35	0.47	0.65	0.77	1.08	1.31	1.93	3.20	3.82	2.83	0.90	17.78
1935	Below Normal	0.66	0.51	0.73	1.10	1.26	0.38	0.51	3.83	6.58	7.91	5.65	1.59	30.71
1936	Below Normal	1.19	0.98	1.52	2.45	2.68	3.19	3.70	5.50	9.54	11.50	8.12	2.17	52.54
1937	Below Normal	1.64	1.38	2.20	3.63	3.93	1.17	3.17	4.83	8.35	10.06	7.13	1.94	49.43
1938	Wet	1.46	1.22	1.92	3.15	3.43	7.58	8.68	12.92	22.73	27.49	19.11	4.80	114.49
1939	Dry	3.66	3.19	5.23	8.87	9.48	1.93	2.96	4.39	7.56	9.11	3.72	1.78	61.88
1940	Above Normal	1.34	1.11	1.74	2.84	3.09	2.92	4.22	6.43	11.20	13.52	9.50	2.50	60.41
1941	Wet	1.89	1.61	2.58	4.29	4.63	5.37	7.11	10.29	18.05	21.82	15.22	3.89	96.75
1942	Wet	2.96	2.55	4.16	7.01	7.51	6.14	7.94	11.43	20.08	24.28	12.98	4.29	111.33
1943	Wet	3.26	2.83	4.63	7.82	8.37	6.09	7.00	10.41	18.26	22.08	15.40	3.93	110.08
1944	Dry	2.99	2.58	4.21	7.10	7.60	1.97	2.32	3.44	5.88	7.07	5.07	1.45	51.68
1945	Below Normal	1.08	0.88	1.36	2.17	2.39	3.28	5.69	8.45	14.79	17.87	12.50	3.23	73.69
1946	Below Normal	2.45	2.10	3.41	5.71	6.14	4.65	5.69	8.33	14.58	17.61	12.32	3.18	86.17
1947	Dry	2.41	2.07	3.36	5.63	6.05	2.40	3.87	5.75	9.99	12.05	8.49	2.26	64.33
1948	Below Normal	1.70	1.44	2.30	3.80	4.12	0.90	3.11	4.44	7.65	9.22	6.55	1.80	47.03
1949	Dry	1.35	1.13	1.76	2.88	3.13	2.34	5.35	7.78	13.61	16.43	11.51	2.98	70.25
1950	Below Normal	2.26	1.94	3.13	5.24	5.64	2.00	2.94	4.36	7.51	9.05	6.43	1.78	52.28
1951	Above Normal	1.33	1.11	1.73	2.82	3.07	4.92	5.69	8.41	14.71	17.77	12.43	3.21	77.20
1952	Wet	2.44	2.09	3.39	5.68	6.11	6.90	8.68	12.92	22.73	27.49	19.11	4.80	122.34
1953	Wet	3.66	3.19	5.23	8.87	9.48	3.06	4.02	5.94	10.33	12.47	8.78	2.33	77.36
1954	Above Normal	1.75	1.49	2.38	3.94	4.26	3.17	4.04	5.91	10.27	12.39	7.89	2.32	59.81
1955	Dry	1.75	1.48	2.36	3.92	4.24	2.78	3.24	4.81	8.31	10.02	7.10	1.93	51.94
1956	Wet	1.45	1.21	1.92	3.14	3.41	6.89	7.67	10.73	18.84	22.78	12.97	4.04	95.05
1957	Above Normal	3.08	2.66	4.34	7.32	7.84	2.67	3.25	4.80	8.29	10.00	7.08	1.93	63.26
1958	Wet	1.45	1.21	1.91	3.13	3.40	6.18	7.98	12.73	22.39	27.08	18.83	4.74	111.03
1959	Below Normal	3.61	3.14	5.16	8.74	9.34	2.50	3.28	4.95	8.56	10.32	7.30	1.98	68.88
1960	Dry	1.49	1.25	1.97	3.24	3.51	1.64	3.07	4.55	7.85	9.46	2.68	1.84	42.55
1961	Dry	1.38	1.15	1.81	2.95	3.22	2.53	4.54	6.58	11.46	13.84	1.96	2.55	53.97
1962	Below Normal	1.93	1.64	2.64	4.39	4.74	3.07	4.08	6.07	10.57	12.75	8.97	2.37	63.22
1963	Wet	1.79	1.52	2.43	4.03	4.36	3.59	4.59	6.74	11.76	14.19	9.96	2.61	67.57
1964	Dry	1.97	1.68	2.70	4.51	4.86	3.00	3.48	5.17	8.95	10.79	7.63	2.06	56.80
1965	Wet	1.55	1.30	2.06	3.39	3.68	3.38	3.91	10.36	18.18	21.98	9.96	3.91	83.66
1966	Below Normal	2.98	2.57	4.19	7.06	7.57	3.67	4.44	6.50	11.32	13.67	9.60	2.52	76.09
1967	Wet	1.90	1.62	2.60	4.34	4.68	7.23	8.68	12.92	22.73	27.49	19.11	4.80	118.10
1968	Below Normal	3.66	3.19	5.23	8.87	9.48	2.68	3.49	5.24	9.08	10.95	7.74	2.08	71.69
1969	Wet	1.57	1.32	2.09	3.44	3.74	7.58	8.68	12.92	22.73	27.49	19.11	4.80	115.47
1970	Wet	3.66	3.19	5.23	8.87	9.48	4.57	5.69	8.31	14.54	17.57	11.51	3.18	95.80
1971	Wet	2.41	2.07	3.35	5.62	6.03	2.37	3.31	4.90	8.47	10.21	7.23	1.96	57.93
1972	Below Normal	1.48	1.24	1.95	3.20	3.48	3.50	3.97	5.78	10.04	12.11	8.53	2.27	57.55
1973	Above Normal	1.71	1.45	2.31	3.82	4.14	3.89	5.10	7.53	13.15	15.88	11.13	2.89	73.00
1974	Wet	2.19	1.87	3.03	5.06	5.45	6.09	7.90	11.19	19.66	23.77	8.99	4.20	99.40
1975	Wet	3.20	2.77	4.53	7.65	8.19	4.57	6.08	8.41	14.72	17.78	6.75	3.21	87.86
1976	Critical	2.44	2.09	3.39	5.69	6.11	0.93	1.14	1.67	2.74	3.26	2.44	0.81	32.71
1977	Critical	0.58	0.45	0.63	0.92	1.06	0.88	1.08	1.59	2.60	3.09	2.33	0.78	15.99
1978	Above Normal	0.56	0.43	0.59	0.87	1.00	5.19	8.68	12.92	22.73	27.49	19.11	4.80	104.37
1979	Below Normal	3.66	3.19	5.23	8.87	9.48	2.69	4.67	6.94	12.11	14.62	10.26	2.68	84.40
1980	Above Normal	2.02	1.73	2.78	4.65	5.01	6.20	7.15	10.63	18.65	22.55	15.72	4.01	101.10
1981	Dry	3.05	2.64	4.30	7.25	7.76	3.00	3.79	5.78	10.05	12.13	5.81	2.27	67.83
1982	Wet	1.71	1.45	2.31	3.83	4.14	7.14	8.68	12.92	22.73	27.49	19.11	4.80	116.31
1983	Wet	3.66	3.19	5.23	8.87	9.48	7.58	8.68	12.92	22.73	27.49	19.11	4.80	133.74
1984	Wet	3.66	3.19	5.23	8.87	9.48	4.93	5.69	8.45	14.79	17.87	12.50	3.23	97.89
1985	Dry	2.45	2.10	3.41	5.72	6.14	4.03	4.81	7.21	12.59	15.20	10.66	2.78	77.10
1986	Wet	2.10	1.80	2.90	4.84	5.21	3.80	5.59	8.32	14.55	17.57	12.29	3.18	82.15
1987	Dry	2.41	2.07	3.35	5.62	6.04	0.38	2.30	3.40	5.81	6.99	5.01	1.44	44.82
1988	Critical	1.07	0.87	1.34	2.14	2.36	0.38	0.51	0.74	1.08	1.25	1.06	0.47	13.27
1989	Dry	0.32	0.22	0.24	0.26	0.37	0.38	3.04	4.51	7.79	9.38	6.66	1.83	35.00
1990	Critical	1.37	1.14	1.80	2.93	3.19	0.38	0.51	0.74	1.08	1.25	1.06	0.47	15.92
1991	Critical	0.32	0.22	0.24	0.26	0.37	1.40	1.71	2.52	4.25	5.10	3.71	1.12	21.22
1992	Critical	0.82	0.66	0.98	1.53	1.70	1.60	2.29	3.38	5.78	6.95	4.99	1.43	32.11
1993	Above Normal	1.06	0.87	1.33	2.13	2.34	3.66	6.09	8.28	14.49	17.51	5.94	3.17	66.87
1994	Critical	2.40	2.06	3.34	5.59	6.01	4.55	5.18	7.62	13.32	14.79	2.14	2.93	69.93
1995	Wet	2.21	1.90	3.06	5.13	5.52	6.17	8.21	12.07	21.23	25.67	17.87	4.51	113.55
1996	Wet	3.44	2.98	4.89	8.27	8.85	4.87	6.81	9.60	16.83	20.34	6.49	3.64	97.01
1997	Wet	2.77	2.39	3.88	6.52	7.00	6.02	6.91	10.28	18.04	21.81	11.99	3.89	101.50
1998	Wet	2.96	2.55	4.16	7.01	7.51	6.78	8.68	12.92	22.73	27.49	19.11	4.80	126.70
1999	Wet	3.66	3.19	5.23	8.87	9.48	3.65	5.04	7.39	12.91	15.59	10.93	2.84	88.78
2000	Above Normal	2.15	1.84	2.97	4.97	5.35	3.50	4.87	7.13	12.44	15.02	10.54	2.75	73.53
2001	Dry	2.08	1.78	2.86	4.78	5.15	2.62	3.25	4.82	8.33	10.03	7.11	1.94	54.75
2002	Dry	1.45	1.22	1.92	3.14	3.42	3.20	3.73	5.38	9.33	11.26	7.95	2.13	54.13
2003	Above Normal	1.60	1.35	2.15	3.54	3.84	3.79	4.71	6.84	11.94	14.41	10.11	2.64	66.92
	Average	2.02	1.72	2.76	4.60	4.96	3.44	4.55	6.81	11.87	14.31	9.20	2.64	68.88
	Wet	2.46	2.11	3.43	5.75	6.18	5.48	6.82	10.21	17.91	21.65	13.67	3.85	99.52
	Above Normal	1.87	1.59	2.55	4.23	4.57	4.05	5.48	8.01	14.00	16.91	11.24	3.06	77.55
	Below Normal	2.25	1.93	3.12	5.21	5.61	2.66	3.79	5.83	10.13	12.22	8.61	2.29	63.63
	Dry	1.80	1.53	2.45	4.06	4.39	2.20	3.30	4.97	8.60	10.36	6.37	1.99	52.01
	Critical	1.24	1.03	1.61	2.61	2.85	1.19	1.46	2.15	3.59	4.19	2.40	0.98	25.29

Energy Use (GWh) At Pumping Plant at San Luis Other: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.66	3.19	5.23	8.87	9.48	6.42	8.19	11.68	20.50	24.80	15.40	4.35	121.77
1923	Below Normal	3.34	2.87	4.73	7.78	8.54	3.74	4.45	6.69	11.64	14.07	9.86	2.57	80.28
1924	Critical	1.97	1.65	2.68	4.47	4.81	0.96	1.18	1.73	2.85	3.39	2.54	0.83	29.06
1925	Dry	0.60	0.46	0.65	0.96	1.11	3.06	3.89	7.47	13.03	15.74	11.03	2.86	60.86
1926	Dry	2.17	1.85	3.00	5.02	5.40	1.66	1.97	2.91	4.93	5.92	4.28	1.26	40.37
1927	Wet	0.93	0.75	1.14	1.80	1.99	4.20	5.27	7.85	13.69	16.55	11.57	2.98	68.72
1928	Above Normal	2.29	1.93	3.15	5.28	5.67	2.68	4.08	6.12	10.63	12.84	9.02	2.38	66.07
1929	Critical	1.81	1.52	2.45	4.07	4.38	0.38	0.51	0.74	1.08	1.25	1.06	0.47	19.72
1930	Dry	0.32	0.22	0.24	0.26	0.37	1.15	1.95	2.89	4.89	5.88	4.25	1.25	23.67
1931	Critical	0.92	0.75	1.13	1.78	1.97	1.04	1.27	1.87	3.09	3.68	2.74	0.88	21.12
1932	Dry	0.64	0.49	0.71	1.06	1.21	1.76	2.04	3.07	5.18	6.24	4.48	1.29	28.17
1933	Critical	0.98	0.77	1.20	1.90	2.09	0.68	0.87	1.28	2.05	2.43	1.87	0.67	16.79
1934	Critical	0.47	0.35	0.46	0.65	0.77	1.07	1.30	1.91	3.17	3.79	2.81	0.90	17.65
1935	Below Normal	0.65	0.51	0.73	1.09	1.25	0.60	0.73	4.21	7.21	8.70	6.17	1.70	33.55
1936	Below Normal	1.30	1.05	1.67	2.71	2.94	3.43	3.94	5.89	10.21	12.33	8.67	2.29	56.43
1937	Below Normal	1.75	1.46	2.35	3.62	3.92	1.40	3.17	4.92	9.01	10.88	7.67	2.06	52.21
1938	Wet	1.57	1.30	1.92	3.15	3.42	7.58	8.68	12.92	22.73	27.49	19.11	4.80	114.67
1939	Dry	3.66	3.19	5.23	8.87	9.48	1.80	2.74	4.10	7.02	8.47	2.82	1.67	59.05
1940	Above Normal	1.27	1.03	1.62	2.64	2.86	3.26	4.59	7.02	12.22	14.76	10.34	2.68	64.29
1941	Wet	2.06	1.73	2.81	4.44	4.83	5.65	7.31	10.63	18.62	22.53	13.20	3.99	97.80
1942	Wet	3.06	2.62	4.30	6.97	7.75	6.34	8.13	11.36	20.64	24.98	13.48	4.38	114.01
1943	Wet	3.37	2.89	4.76	7.77	8.60	6.29	7.19	10.74	18.81	22.76	15.85	4.02	113.05
1944	Dry	3.09	2.65	4.34	7.32	7.83	2.16	2.51	3.75	6.40	7.72	5.50	1.55	54.82
1945	Below Normal	1.17	0.95	1.48	2.39	2.60	3.47	5.84	8.72	15.23	18.41	12.85	3.30	76.41
1946	Below Normal	2.53	2.15	3.51	5.90	6.32	4.85	5.92	8.72	15.24	18.43	12.86	3.30	89.73
1947	Dry	2.53	2.15	3.51	5.90	6.32	2.47	3.97	5.90	10.25	12.37	8.71	2.31	66.39
1948	Below Normal	1.75	1.47	2.36	3.91	4.22	0.90	3.11	4.43	7.64	9.20	6.54	1.80	47.33
1949	Dry	1.35	1.12	1.76	2.87	3.13	2.34	5.34	7.77	13.58	16.41	11.49	2.98	70.14
1950	Below Normal	2.26	1.93	3.13	5.23	5.63	2.02	2.97	4.40	7.58	9.13	6.49	1.79	52.56
1951	Above Normal	1.34	1.11	1.73	2.82	3.10	5.16	5.93	8.81	15.39	18.61	12.99	3.33	80.32
1952	Wet	2.55	2.17	3.55	5.96	6.19	7.14	8.68	12.89	22.68	27.43	19.07	4.79	123.10
1953	Wet	3.65	3.18	5.22	8.85	9.46	2.90	4.05	6.03	10.45	12.63	8.87	2.34	77.63
1954	Above Normal	1.79	1.49	2.41	4.00	4.31	3.20	4.08	5.97	10.38	12.52	7.89	2.34	60.38
1955	Dry	1.76	1.49	2.39	3.96	4.28	2.77	3.23	4.79	8.28	9.98	7.07	1.93	51.93
1956	Wet	1.45	1.21	1.91	3.12	3.40	6.89	7.67	11.13	19.52	23.61	16.43	4.16	100.50
1957	Above Normal	3.20	2.74	4.50	7.60	8.12	2.89	3.47	5.16	8.91	10.76	7.59	2.04	66.98
1958	Wet	1.56	1.29	2.06	3.39	3.66	6.42	8.22	12.15	21.37	25.84	17.98	4.54	108.48
1959	Below Normal	3.46	3.00	4.92	8.33	8.91	2.57	3.43	5.19	8.98	10.83	7.65	2.06	69.33
1960	Dry	1.56	1.30	2.07	3.41	3.69	1.63	3.06	4.54	7.83	9.43	1.60	1.84	41.96
1961	Dry	1.38	1.15	1.81	2.95	3.21	2.52	4.54	6.57	11.46	13.83	1.96	2.55	53.93
1962	Below Normal	1.92	1.64	2.63	4.39	4.73	3.30	4.31	6.46	11.23	13.56	9.52	2.49	66.18
1963	Wet	1.91	1.60	2.59	4.31	4.63	3.81	4.80	7.10	12.36	14.94	10.46	2.71	71.22
1964	Dry	2.08	1.75	2.84	4.76	5.11	3.00	3.49	5.18	8.97	10.82	7.65	2.06	57.71
1965	Wet	1.55	1.30	2.07	3.40	3.69	3.50	4.03	10.59	18.55	22.44	8.55	3.97	83.64
1966	Below Normal	3.05	2.61	4.28	7.22	7.71	3.85	4.62	6.79	11.82	14.28	10.01	2.61	78.85
1967	Wet	1.99	1.68	2.72	4.54	4.88	7.43	8.68	12.92	22.73	27.49	19.11	4.80	118.97
1968	Below Normal	3.66	3.19	5.23	8.87	9.48	2.68	3.70	5.59	9.68	11.69	8.23	2.19	74.19
1969	Wet	1.67	1.39	2.23	3.44	3.74	7.58	8.68	12.92	22.73	27.49	19.11	4.80	115.78
1970	Wet	3.66	3.19	5.23	8.87	9.48	4.61	5.93	8.71	15.22	18.41	12.08	3.30	98.69
1971	Wet	2.53	2.15	3.51	5.90	6.31	2.51	3.45	5.13	8.87	10.70	7.56	2.03	60.65
1972	Below Normal	1.55	1.28	2.05	3.37	3.64	3.51	3.98	5.78	10.04	12.12	8.54	2.27	58.13
1973	Above Normal	1.71	1.45	2.31	3.83	4.14	4.12	5.34	7.92	13.82	16.70	11.67	3.01	76.02
1974	Wet	2.31	1.95	3.18	5.34	5.72	6.20	7.96	11.32	19.86	24.03	8.17	4.23	100.27
1975	Wet	3.25	2.79	4.58	7.74	8.27	4.83	6.35	8.86	15.48	18.73	7.36	3.35	91.59
1976	Critical	2.57	2.18	3.57	6.00	6.42	0.92	1.13	1.66	2.72	3.24	2.43	0.80	33.64
1977	Critical	0.58	0.44	0.62	0.92	1.06	0.88	1.08	1.59	2.60	3.09	2.33	0.78	15.97
1978	Above Normal	0.56	0.43	0.59	0.87	1.00	5.05	8.68	12.64	22.25	26.90	17.19	4.71	100.87
1979	Below Normal	3.59	3.12	5.12	8.68	9.28	2.52	4.25	6.35	11.02	13.32	9.35	2.45	79.05
1980	Above Normal	1.88	1.57	2.54	3.95	4.27	6.21	7.16	11.04	19.36	23.43	16.30	4.13	101.84
1981	Dry	3.17	2.72	4.47	7.54	8.06	3.16	4.01	6.16	10.68	12.90	6.04	2.38	71.29
1982	Wet	1.82	1.52	2.46	4.09	4.40	7.29	8.68	12.92	22.73	27.49	19.11	4.80	117.31
1983	Wet	3.66	3.19	5.23	8.87	9.48	7.58	8.68	12.92	22.73	27.49	19.11	4.80	133.74
1984	Wet	3.66	3.19	5.23	8.87	9.48	4.93	5.93	8.85	15.47	18.71	13.06	3.35	100.73
1985	Dry	2.57	2.18	3.57	5.99	6.42	4.17	4.95	7.45	13.00	15.71	11.00	2.85	79.86
1986	Wet	2.17	1.85	2.99	5.01	5.38	3.72	5.59	8.31	15.22	18.41	12.85	3.30	84.80
1987	Dry	2.53	2.15	3.51	5.90	6.32	0.38	2.27	3.36	5.74	6.90	4.95	1.42	45.43
1988	Critical	1.06	0.86	1.32	2.11	2.33	0.38	0.51	0.74	1.08	1.25	1.06	0.47	13.17
1989	Dry	0.32	0.22	0.24	0.26	0.37	0.38	3.03	4.49	7.74	9.33	6.62	1.82	34.82
1990	Critical	1.37	1.14	1.79	2.91	3.17	0.38	0.51	0.74	1.08	1.25	1.06	0.47	15.87
1991	Critical	0.32	0.22	0.24	0.26	0.37	1.40	1.71	2.52	4.24	5.09	3.70	1.12	21.19
1992	Critical	0.82	0.66	0.98	1.52	1.70	1.60	2.26	3.35	5.71	6.87	4.93	1.42	31.82
1993	Above Normal	1.05	0.86	1.32	2.10	2.32	3.88	6.29	8.62	15.06	18.21	6.49	3.26	69.46
1994	Critical	2.50	2.13	3.47	5.83	6.25	4.56	5.19	7.65	13.36	14.90	2.15	2.93	70.92
1995	Wet	2.22	1.90	3.08	5.14	5.54	6.28	7.83	11.38	20.67	25.01	17.40	4.39	110.84
1996	Wet	3.37	2.90	4.77	8.06	8.61	5.19	6.75	9.56	16.73	20.24	6.54	3.61	96.33
1997	Wet	2.77	2.36	3.86	6.22	6.67	6.26	7.15	10.68	18.72	22.65	12.03	4.01	103.38
1998	Wet	3.08	2.63	4.32	7.29	7.79	6.88	8.52	12.60	22.17	26.81	18.64	4.69	125.42
1999	Wet	3.58	3.11	5.10	8.65	9.24	3.67	5.30	7.83	13.65	16.50	11.54	2.97	91.14
2000	Above Normal	2.28	1.93	3.14	5.27	5.65	3.72	5.09	7.50	13.07	15.79	11.05	2.86	77.35
2001	Dry	2.19	1.85	3.01	5.04	5.41	2.62	3.25	4.82	8.33	10.04	7.11	1.94	55.61
2002	Dry	1.45	1.22	1.92	3.15	3.42	3.20	3.73	5.38	9.33	11.26	7.95	2.13	54.14
2003	Above Normal	1.60	1.35	2.15	3.54	3.84	3.87	4.78	6.97	12.15	14.67	10.29	2.68	67.89
	Average	2.06	1.74	2.82	4.67	5.04	3.53	4.62	6.93	12.10	14.60	9.29	2.68	70.09
	Wet	2.52	2.15	3.49	5.82	6.25	5.60	6.90	10.32	18.17	21.98	13.78	3.89	100.86
	Above Normal	1.89	1.59	2.56	4.23	4.56	4.21	5.64	8.29	14.48	17.50	11.35	3.15	79.44
	Below Normal	2.28	1.95	3.16	5.25	5.66	2.77	3.89	6.01	10.47	12.64	8.89	2.35	65.30
	Dry	1.85	1.56	2.52	4.18	4.51	2.24	3.33	5.03	8.70	10.50	6.36	2.01	52.79
	Critical	1.28	1.06	1.66	2.70	2.94	1.19	1.46	2.15	3.59	4.19	2.39	0.98	25.58

Difference in Energy Use (GWh) At Pumping Plant at San Luis Other: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.23	0.23	0.37	0.64	0.78	(1.33)	0.11	0.09
1923	Below Normal	0.11	0.07	0.15	0.05	0.27	0.20	0.19	0.32	0.54	0.67	0.44	0.09	0.26
1924	Critical	0.10	0.06	0.13	0.22	0.23	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.06
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.11	0.18	0.23	0.16	0.03	0.07
1926	Dry	0.03	0.02	0.04	0.08	0.08	(0.01)	0.00	(0.01)	(0.02)	(0.03)	(0.01)	0.00	0.01
1927	Wet	0.00	0.00	0.00	0.00	(0.01)	0.24	0.24	0.41	0.69	0.85	0.57	0.12	0.26
1928	Above Normal	0.12	0.08	0.16	0.28	0.28	0.14	0.13	0.23	0.39	0.48	0.32	0.07	0.22
1929	Critical	0.07	0.04	0.09	0.16	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.24	0.23	0.40	0.66	0.82	0.55	0.12	0.25
1933	Critical	0.12	0.08	0.16	0.27	0.28	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.08
1934	Critical	0.00	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.03)	(0.03)	(0.02)	0.00	(0.01)
1935	Below Normal	(0.01)	0.00	0.00	(0.01)	(0.01)	0.22	0.22	0.38	0.63	0.79	0.52	0.11	0.24
1936	Below Normal	0.11	0.07	0.15	0.26	0.26	0.24	0.24	0.39	0.67	0.83	0.55	0.12	0.32
1937	Below Normal	0.11	0.08	0.15	(0.01)	(0.01)	0.23	0.00	0.09	0.66	0.82	0.54	0.12	0.23
1938	Wet	0.11	0.08	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.22)	(0.29)	(0.54)	(0.64)	(0.90)	(0.11)	(0.24)
1940	Above Normal	(0.07)	(0.08)	(0.12)	(0.20)	(0.23)	0.34	0.37	0.59	1.02	1.24	0.84	0.18	0.32
1941	Wet	0.17	0.12	0.23	0.15	0.20	0.28	0.20	0.34	0.57	0.71	(2.02)	0.10	0.09
1942	Wet	0.10	0.07	0.14	(0.04)	0.24	0.20	0.19	(0.07)	0.56	0.70	0.50	0.09	0.22
1943	Wet	0.11	0.06	0.13	(0.05)	0.23	0.20	0.19	0.33	0.55	0.68	0.45	0.09	0.25
1944	Dry	0.10	0.07	0.13	0.22	0.23	0.19	0.19	0.31	0.52	0.65	0.43	0.10	0.26
1945	Below Normal	0.09	0.07	0.12	0.22	0.21	0.19	0.15	0.27	0.44	0.54	0.35	0.07	0.23
1946	Below Normal	0.08	0.05	0.10	0.19	0.18	0.20	0.23	0.39	0.66	0.82	0.54	0.12	0.30
1947	Dry	0.12	0.08	0.15	0.27	0.27	0.07	0.10	0.15	0.26	0.32	0.22	0.05	0.17
1948	Below Normal	0.05	0.03	0.06	0.11	0.10	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.02
1949	Dry	0.00	(0.01)	0.00	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.03)	(0.02)	(0.02)	0.00	(0.01)
1950	Below Normal	0.00	(0.01)	0.00	(0.01)	(0.01)	0.02	0.03	0.04	0.07	0.08	0.06	0.01	0.02
1951	Above Normal	0.01	0.00	0.00	0.00	0.03	0.24	0.24	0.40	0.68	0.84	0.56	0.12	0.26
1952	Wet	0.11	0.08	0.16	0.28	0.08	0.24	0.00	(0.03)	(0.05)	(0.06)	(0.04)	(0.01)	0.06
1953	Wet	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.16)	0.03	0.09	0.12	0.16	0.09	0.01	0.02
1954	Above Normal	0.04	0.00	0.03	0.06	0.05	0.03	0.04	0.06	0.11	0.13	0.00	0.02	0.05
1955	Dry	0.01	0.01	0.03	0.04	0.04	(0.01)	(0.01)	(0.02)	(0.03)	(0.04)	(0.03)	0.00	0.00
1956	Wet	0.00	0.00	(0.01)	(0.02)	(0.01)	0.00	0.00	0.40	0.68	0.83	3.46	0.12	0.45
1957	Above Normal	0.12	0.08	0.16	0.28	0.28	0.22	0.22	0.36	0.62	0.76	0.51	0.11	0.31
1958	Wet	0.11	0.08	0.15	0.26	0.26	0.24	0.24	(0.58)	(1.02)	(1.24)	(0.85)	(0.20)	(0.21)
1959	Below Normal	(0.15)	(0.14)	(0.24)	(0.41)	(0.43)	0.07	0.15	0.24	0.42	0.51	0.35	0.08	0.04
1960	Dry	0.07	0.05	0.10	0.17	0.18	(0.01)	(0.01)	(0.01)	(0.02)	(0.03)	(1.08)	0.00	(0.05)
1961	Dry	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1962	Below Normal	(0.01)	0.00	(0.01)	0.00	(0.01)	0.23	0.23	0.39	0.66	0.81	0.55	0.12	0.25
1963	Wet	0.12	0.08	0.16	0.28	0.27	0.22	0.21	0.36	0.60	0.75	0.50	0.10	0.30
1964	Dry	0.11	0.07	0.14	0.25	0.25	0.00	0.01	0.01	0.02	0.03	0.02	0.00	0.08
1965	Wet	0.00	0.00	0.01	0.01	0.01	0.12	0.12	0.23	0.37	0.46	(1.41)	0.06	0.00
1966	Below Normal	0.07	0.04	0.09	0.16	0.14	0.18	0.18	0.29	0.50	0.61	0.41	0.09	0.23
1967	Wet	0.09	0.06	0.12	0.20	0.20	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.35	0.60	0.74	0.49	0.11	0.21
1969	Wet	0.10	0.07	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.04	0.24	0.40	0.68	0.84	0.57	0.12	0.24
1971	Wet	0.12	0.08	0.16	0.28	0.28	0.14	0.14	0.23	0.40	0.49	0.33	0.07	0.23
1972	Below Normal	0.07	0.04	0.10	0.17	0.16	0.01	0.01	0.00	0.00	0.01	0.01	0.00	0.05
1973	Above Normal	0.00	0.00	0.00	0.01	0.00	0.23	0.24	0.39	0.67	0.82	0.54	0.12	0.25
1974	Wet	0.12	0.08	0.15	0.28	0.27	0.11	0.06	0.13	0.20	0.26	(0.82)	0.03	0.07
1975	Wet	0.05	0.02	0.05	0.09	0.08	0.26	0.27	0.45	0.76	0.95	0.61	0.14	0.31
1976	Critical	0.13	0.09	0.18	0.31	0.31	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	0.08
1977	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.14)	0.00	(0.28)	(0.48)	(0.59)	(1.92)	(0.09)	(0.29)
1979	Below Normal	(0.07)	(0.07)	(0.11)	(0.19)	(0.20)	(0.17)	(0.42)	(0.59)	(1.09)	(1.30)	(0.91)	(0.23)	(0.45)
1980	Above Normal	(0.14)	(0.16)	(0.24)	(0.70)	(0.74)	0.01	0.01	0.41	0.71	0.88	0.58	0.12	0.06
1981	Dry	0.12	0.08	0.17	0.29	0.30	0.16	0.22	0.38	0.63	0.77	0.23	0.11	0.29
1982	Wet	0.11	0.07	0.15	0.26	0.26	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.40	0.68	0.84	0.56	0.12	0.24
1985	Dry	0.12	0.08	0.16	0.27	0.28	0.14	0.14	0.24	0.41	0.51	0.34	0.07	0.23
1986	Wet	0.07	0.05	0.09	0.17	0.17	(0.08)	0.00	(0.01)	0.67	0.84	0.56	0.12	0.22
1987	Dry	0.12	0.08	0.16	0.28	0.28	0.00	(0.03)	(0.04)	(0.07)	(0.09)	(0.06)	(0.02)	0.05
1988	Critical	(0.01)	(0.01)	(0.02)	(0.03)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.05)	(0.05)	(0.04)	(0.01)	(0.02)
1990	Critical	0.00	0.00	(0.01)	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1992	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.03)	(0.03)	(0.07)	(0.08)	(0.06)	(0.01)	(0.02)
1993	Above Normal	(0.01)	(0.01)	(0.01)	(0.03)	(0.02)	0.22	0.20	0.34	0.57	0.70	0.55	0.09	0.22
1994	Critical	0.10	0.07	0.13	0.24	0.24	0.01	0.01	0.03	0.04	0.11	0.01	0.00	0.08
1995	Wet	0.01	0.00	0.02	0.01	0.02	0.11	(0.38)	(0.69)	(0.56)	(0.66)	(0.47)	(0.12)	(0.23)
1996	Wet	(0.07)	(0.08)	(0.12)	(0.21)	(0.24)	0.32	(0.06)	(0.04)	(0.10)	(0.10)	0.05	(0.03)	(0.06)
1997	Wet	0.00	(0.03)	(0.02)	(0.30)	(0.33)	0.24	0.24	0.40	0.68	0.84	0.04	0.12	0.16
1998	Wet	0.12	0.08	0.16	0.28	0.28	0.10	(0.16)	(0.32)	(0.56)	(0.68)	(0.47)	(0.11)	(0.11)
1999	Wet	(0.08)	(0.08)	(0.13)	(0.22)	(0.24)	0.02	0.26	0.44	0.74	0.91	0.61	0.13	0.20
2000	Above Normal	0.13	0.09	0.17	0.30	0.30	0.22	0.22	0.37	0.63	0.77	0.51	0.11	0.32
2001	Dry	0.11	0.07	0.15	0.26	0.26	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.07
2002	Dry	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.08	0.07	0.13	0.21	0.26	0.18	0.04	0.08
	Average	0.04	0.02	0.05	0.07	0.07	0.09	0.08	0.12	0.23	0.29	0.09	0.04	0.10
	Wet	0.06	0.03	0.07	0.07	0.08	0.12	0.09	0.11	0.26	0.32	0.11	0.04	0.11
	Above Normal	0.02	(0.00)	0.01	0.00	(0.00)	0.15	0.16	0.28	0.48	0.59	0.11	0.08	0.16
	Below Normal	0.03	0.02	0.04	0.04	0.05	0.12	0.10	0.18	0.34	0.42	0.28	0.06	0.14
	Dry	0.05	0.03	0.07	0.12	0.12	0.04	0.04	0.07	0.11	0.13	(0.01)	0.02	0.06
	Critical	0.04	0.03	0.05	0.10	0.10	(0.00)	(0.00)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	0.03

Percent Difference in Energy Use (GWh) At Pumping Plant at San Luis Other: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	4%	3%	3%	3%	3%	-8%	3%
1923	Below Normal	3%	3%	3%	1%	3%	6%	4%	5%	5%	5%	5%	4%
1924	Critical	5%	4%	5%	5%	5%	0%	1%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	2%	2%	1%	1%	1%	1%	1%
1926	Dry	1%	1%	1%	2%	2%	-1%	0%	0%	0%	-1%	0%	0%
1927	Wet	0%	0%	0%	0%	-1%	6%	5%	6%	5%	5%	5%	4%
1928	Above Normal	6%	4%	5%	6%	5%	6%	3%	4%	4%	4%	4%	3%
1929	Critical	4%	3%	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	-1%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	16%	13%	15%	15%	15%	14%	10%
1933	Critical	14%	12%	15%	17%	15%	0%	-1%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-2%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%	0%
1935	Below Normal	-2%	0%	0%	-1%	-1%	58%	43%	10%	10%	10%	9%	7%
1936	Below Normal	9%	7%	10%	11%	10%	8%	6%	7%	7%	7%	7%	6%
1937	Below Normal	7%	6%	7%	0%	0%	20%	0%	2%	8%	8%	8%	6%
1938	Wet	8%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-7%	-7%	-7%	-7%	-7%	-24%	-6%
1940	Above Normal	-5%	-7%	-7%	-7%	-7%	12%	9%	9%	9%	9%	9%	7%
1941	Wet	9%	7%	9%	3%	4%	5%	3%	3%	3%	3%	-13%	3%
1942	Wet	3%	3%	3%	-1%	3%	3%	2%	-1%	3%	3%	4%	2%
1943	Wet	3%	2%	3%	-1%	3%	3%	3%	3%	3%	3%	3%	2%
1944	Dry	3%	3%	3%	3%	3%	10%	8%	9%	9%	9%	8%	7%
1945	Below Normal	8%	8%	9%	10%	9%	6%	3%	3%	3%	3%	3%	2%
1946	Below Normal	3%	2%	3%	3%	3%	4%	4%	5%	5%	5%	4%	4%
1947	Dry	5%	4%	4%	5%	4%	3%	3%	3%	3%	3%	3%	2%
1948	Below Normal	3%	2%	3%	3%	2%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	-1%	0%	0%	0%	1%	1%	1%	1%	1%	1%	1%
1951	Above Normal	1%	0%	0%	0%	1%	5%	4%	5%	5%	5%	5%	4%
1952	Wet	5%	4%	5%	5%	1%	3%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	-5%	1%	2%	1%	1%	1%	0%
1954	Above Normal	2%	0%	1%	2%	1%	1%	1%	1%	1%	1%	0%	1%
1955	Dry	1%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	-1%	-1%	0%	0%	0%	4%	4%	4%	27%	3%
1957	Above Normal	4%	3%	4%	4%	4%	8%	7%	8%	7%	8%	7%	6%
1958	Wet	8%	7%	8%	8%	8%	4%	3%	-5%	-5%	-5%	-5%	-4%
1959	Below Normal	-4%	-4%	-5%	-5%	-5%	3%	5%	5%	5%	5%	5%	4%
1960	Dry	5%	4%	5%	5%	5%	-1%	0%	0%	0%	0%	-40%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	0%	0%	0%	0%	7%	6%	6%	6%	6%	6%	5%
1963	Wet	7%	5%	7%	7%	6%	6%	5%	5%	5%	5%	5%	4%
1964	Dry	6%	4%	5%	6%	5%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	4%	3%	2%	2%	2%	-14%	2%
1966	Below Normal	2%	2%	2%	2%	2%	5%	4%	4%	4%	4%	4%	4%
1967	Wet	5%	4%	5%	5%	4%	3%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	6%	7%	7%	7%	6%	5%
1969	Wet	6%	5%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	1%	4%	5%	5%	5%	5%	4%
1971	Wet	5%	4%	5%	5%	5%	6%	4%	5%	5%	5%	5%	4%
1972	Below Normal	5%	3%	5%	5%	5%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	6%	5%	5%	5%	5%	5%	4%
1974	Wet	5%	4%	5%	6%	5%	2%	1%	1%	1%	1%	-9%	1%
1975	Wet	2%	1%	1%	1%	1%	6%	4%	5%	5%	5%	9%	4%
1976	Critical	5%	4%	5%	5%	5%	-1%	-1%	-1%	-1%	-1%	0%	-1%
1977	Critical	0%	-2%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-3%	0%	-2%	-2%	-2%	-10%	-2%
1979	Below Normal	-2%	-2%	-2%	-2%	-2%	-6%	-9%	-9%	-9%	-9%	-9%	-9%
1980	Above Normal	-7%	-9%	-9%	-15%	-15%	0%	0%	4%	4%	4%	4%	3%
1981	Dry	4%	3%	4%	4%	4%	5%	6%	7%	6%	6%	4%	5%
1982	Wet	6%	5%	6%	7%	6%	2%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	4%	5%	5%	5%	4%	4%
1985	Dry	5%	4%	5%	5%	5%	3%	3%	3%	3%	3%	3%	3%
1986	Wet	3%	3%	3%	4%	3%	-2%	0%	0%	5%	5%	5%	4%
1987	Dry	5%	4%	5%	5%	5%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1988	Critical	-1%	-1%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%
1990	Critical	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	-1%	0%	0%	-1%	-1%	-1%	-1%	-1%	-1%
1993	Above Normal	-1%	-1%	-1%	-1%	-1%	6%	3%	4%	4%	4%	9%	3%
1994	Critical	4%	3%	4%	4%	4%	0%	0%	0%	0%	1%	0%	0%
1995	Wet	0%	0%	1%	0%	0%	2%	-5%	-6%	-3%	-3%	-3%	-3%
1996	Wet	-2%	-3%	-2%	-3%	-3%	7%	-1%	0%	-1%	0%	1%	-1%
1997	Wet	0%	-1%	-1%	-5%	-5%	4%	3%	4%	4%	4%	0%	3%
1998	Wet	4%	3%	4%	4%	4%	1%	-2%	-2%	-2%	-2%	-2%	-2%
1999	Wet	-2%	-3%	-2%	-2%	-3%	1%	5%	6%	6%	6%	6%	5%
2000	Above Normal	6%	5%	6%	6%	6%	6%	5%	5%	5%	5%	5%	4%
2001	Dry	5%	4%	5%	5%	5%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	2%	1%	2%	2%	2%	2%	2%
	Average	2%	2%	2%	2%	2%	3%	2%	2%	2%	2%	1%	2%
	Wet	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%	1%	1%
	Above Normal	0%	0%	0%	-1%	-1%	4%	3%	4%	4%	4%	3%	3%
	Below Normal	2%	2%	2%	2%	2%	8%	5%	3%	4%	4%	3%	3%
	Dry	2%	2%	2%	2%	2%	2%	1%	2%	1%	2%	-2%	1%
	Critical	3%	2%	2%	3%	3%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at System Total: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	126.49	199.59	151.40	118.85	85.47	156.43	48.24	69.01	141.36	163.01	146.55	116.52	1,522.92
1923	Below Normal	128.05	200.90	145.56	131.24	126.31	82.06	37.21	47.47	94.20	139.22	109.63	116.53	1,358.38
1924	Critical	160.58	130.89	119.53	137.93	57.88	17.56	25.91	33.55	18.15	36.12	35.96	67.17	841.23
1925	Dry	82.23	42.13	134.89	120.95	77.97	83.04	39.02	56.00	98.34	145.11	155.51	80.57	1,115.76
1926	Dry	99.61	131.10	119.54	111.20	43.30	24.46	33.57	36.79	56.94	88.29	77.37	90.54	912.71
1927	Wet	89.63	145.57	131.74	87.76	134.75	117.55	37.07	51.71	87.98	145.82	133.77	112.83	1,276.18
1928	Above Normal	77.96	90.05	159.53	121.41	59.24	129.65	37.19	43.85	76.64	128.73	129.83	86.38	1,140.46
1929	Critical	73.58	96.49	151.11	111.69	97.04	65.55	21.56	30.19	21.32	55.48	134.43	64.17	922.61
1930	Dry	80.30	83.63	105.49	85.72	79.85	52.26	39.66	50.06	37.61	78.91	60.73	51.54	805.76
1931	Critical	90.49	99.15	110.48	119.77	109.17	22.54	23.04	33.19	21.21	33.26	36.57	66.63	765.50
1932	Dry	79.36	69.91	161.49	130.65	59.55	24.00	23.83	34.81	48.79	50.80	90.50	139.47	913.16
1933	Critical	103.70	101.88	119.58	22.13	23.58	30.77	21.87	31.12	20.37	35.04	158.73	119.14	787.91
1934	Critical	83.06	81.87	38.65	15.25	16.68	16.36	23.05	33.26	22.45	38.72	106.91	65.92	542.18
1935	Below Normal	40.84	92.50	148.43	105.10	20.11	32.01	27.87	41.84	75.98	93.82	62.80	107.86	849.16
1936	Below Normal	141.17	123.58	146.82	60.18	23.45	50.09	38.01	45.93	79.08	120.84	81.68	122.13	1,032.96
1937	Below Normal	140.63	118.99	153.26	108.15	30.64	20.43	49.33	53.93	41.77	99.92	74.41	144.81	1,036.27
1938	Wet	89.39	145.89	146.13	31.50	28.21	62.42	87.02	192.93	152.54	173.86	146.29	109.94	1,366.12
1939	Dry	120.56	65.01	142.48	113.42	108.29	37.92	27.25	40.94	34.91	129.34	86.19	96.14	1,002.45
1940	Above Normal	80.65	102.14	74.56	80.38	102.29	147.26	42.46	49.86	82.85	124.69	132.44	97.40	1,116.98
1941	Wet	82.15	97.58	134.85	141.43	155.48	154.70	53.18	71.10	121.17	155.81	140.53	114.88	1,422.86
1942	Wet	117.63	172.47	144.04	160.86	147.47	142.47	52.13	72.41	131.83	162.27	137.46	113.29	1,554.33
1943	Wet	120.83	193.70	133.20	160.73	142.43	175.42	49.56	57.25	111.16	157.72	142.80	113.59	1,558.39
1944	Dry	99.76	139.26	133.72	112.04	108.20	64.29	34.15	39.36	52.64	105.15	80.89	66.25	1,035.71
1945	Below Normal	82.63	136.99	131.24	125.06	145.94	139.04	39.52	54.61	76.44	150.60	136.05	116.27	1,334.39
1946	Below Normal	171.09	146.76	164.68	154.77	149.46	98.80	35.94	54.69	88.80	150.23	134.58	103.75	1,453.55
1947	Dry	170.71	146.98	161.87	142.31	107.80	28.36	30.62	44.26	59.47	139.04	108.33	99.08	1,238.83
1948	Below Normal	93.59	129.73	114.80	65.18	26.79	70.79	29.87	42.15	74.75	126.49	117.28	115.54	1,006.96
1949	Dry	146.52	132.97	148.18	115.54	106.02	43.57	30.33	49.36	69.02	148.93	165.72	113.72	1,269.88
1950	Below Normal	110.82	128.22	139.87	71.24	68.75	105.23	31.25	41.24	58.36	126.20	105.37	116.16	1,102.71
1951	Above Normal	152.52	148.53	178.37	130.83	28.46	62.15	37.72	53.99	88.00	121.83	137.16	118.22	1,257.78
1952	Wet	99.84	161.81	134.96	162.82	135.84	174.77	62.19	103.67	154.15	167.84	147.26	113.80	1,618.95
1953	Wet	97.43	157.80	150.83	105.03	105.40	111.96	35.69	46.53	65.53	138.40	128.02	113.58	1,256.20
1954	Above Normal	60.27	150.22	151.72	68.14	69.21	102.84	33.84	44.80	78.62	100.11	126.81	114.28	1,100.86
1955	Dry	89.14	140.77	156.86	128.54	115.65	65.13	30.14	41.35	37.91	134.59	99.94	86.40	1,126.42
1956	Wet	74.09	125.51	163.25	178.84	160.50	59.34	42.71	66.49	130.32	159.98	138.44	115.55	1,415.02
1957	Above Normal	124.81	191.43	143.65	110.04	51.85	82.63	35.17	42.64	60.17	120.39	126.90	93.06	1,182.74
1958	Wet	125.41	164.85	128.15	88.58	132.26	146.75	77.02	90.93	153.76	165.70	148.35	112.51	1,534.27
1959	Below Normal	93.06	166.18	140.42	70.69	79.82	103.12	36.80	46.22	57.16	135.03	127.05	82.25	1,137.80
1960	Dry	110.12	97.48	121.57	110.98	63.78	65.95	27.74	55.65	52.52	120.49	80.86	97.42	1,004.56
1961	Dry	88.13	111.74	149.17	115.11	54.87	100.17	33.27	47.74	44.55	159.17	98.35	121.58	1,123.85
1962	Below Normal	71.76	108.01	88.88	113.21	90.22	118.36	38.49	45.95	61.84	137.87	129.06	104.78	1,108.43
1963	Wet	126.60	149.03	126.99	85.35	88.03	109.99	34.86	49.99	96.34	142.91	128.85	119.93	1,258.87
1964	Dry	66.29	179.10	165.54	123.15	86.89	71.77	28.03	42.80	40.88	136.32	106.14	72.16	1,119.07
1965	Wet	64.92	85.36	126.30	166.28	150.44	148.36	40.39	61.45	99.93	161.27	134.25	113.98	1,352.93
1966	Below Normal	120.97	180.38	154.76	136.04	117.38	84.42	34.53	46.37	63.17	140.87	129.44	106.44	1,314.77
1967	Wet	135.53	115.45	133.47	134.90	117.31	128.36	73.36	96.60	154.83	181.50	149.81	109.45	1,530.57
1968	Below Normal	105.16	122.36	141.12	111.70	64.35	103.24	36.29	48.28	58.11	138.02	126.65	82.35	1,137.63
1969	Wet	123.47	124.16	158.04	162.62	176.13	62.68	97.91	180.46	152.12	177.82	145.05	83.42	1,643.88
1970	Wet	114.34	81.03	140.90	167.21	154.89	105.08	33.45	50.48	71.75	130.21	132.67	116.26	1,298.27
1971	Wet	93.27	82.66	134.14	112.64	96.74	122.97	34.42	42.79	74.89	132.48	125.70	109.91	1,162.61
1972	Below Normal	109.34	82.02	158.36	114.81	49.17	57.50	30.68	44.51	59.31	139.69	127.45	96.78	1,069.62
1973	Above Normal	111.57	145.12	133.56	104.45	145.68	135.21	36.73	51.63	87.85	145.55	131.89	74.85	1,304.09
1974	Wet	74.47	147.37	157.74	167.31	125.72	150.74	45.52	59.39	118.03	160.56	128.64	113.86	1,449.35
1975	Wet	114.62	207.94	153.74	112.68	85.19	146.53	40.54	52.65	112.86	149.42	124.43	114.43	1,415.03
1976	Critical	126.32	152.38	154.55	121.26	142.33	100.35	31.76	32.99	17.74	51.05	26.37	32.47	989.57
1977	Critical	52.89	99.34	89.86	84.72	115.20	20.48	23.85	33.78	16.75	32.88	124.82	31.08	725.65
1978	Above Normal	42.53	40.20	85.02	94.70	159.17	173.38	64.59	86.31	150.18	175.39	150.22	114.25	1,335.94
1979	Below Normal	123.99	127.13	155.31	133.52	136.83	164.75	36.75	58.87	83.92	143.39	129.29	77.65	1,371.40
1980	Above Normal	164.69	106.68	162.40	180.12	113.44	54.45	45.94	65.56	135.56	161.56	144.15	78.54	1,413.09
1981	Dry	77.37	158.09	141.85	112.47	93.83	62.08	40.02	51.51	60.47	139.91	122.77	82.21	1,142.58
1982	Wet	119.02	132.00	126.95	132.78	155.89	147.15	110.66	115.58	151.94	168.19	146.20	114.11	1,620.47
1983	Wet	151.35	161.23	171.13	168.81	67.47	62.67	95.36	176.38	200.39	235.80	148.11	155.45	1,794.15
1984	Wet	174.70	86.98	49.62	68.08	75.38	62.19	38.04	50.77	90.98	147.51	134.16	119.27	1,097.68
1985	Dry	97.65	147.22	164.29	122.55	107.58	81.77	38.16	50.58	65.80	144.43	157.56	113.39	1,290.98
1986	Wet	124.85	150.53	148.51	71.04	162.14	154.17	59.24	69.03	117.44	148.51	135.81	31.51	1,372.78
1987	Dry	55.31	60.62	126.29	109.31	95.10	64.41	26.19	38.46	49.73	122.71	53.37	66.91	868.41
1988	Critical	115.70	101.93	105.94	81.41	21.49	16.39	26.99	30.60	14.95	73.43	135.93	37.92	762.68
1989	Dry	52.25	98.06	95.09	116.86	31.57	22.65	35.92	45.13	68.15	134.00	83.64	76.30	859.62
1990	Critical	62.03	84.96	98.31	105.86	66.10	21.43	22.11	32.18	13.75	78.84	85.73	35.10	706.40
1991	Critical	72.76	80.32	79.21	47.56	46.82	29.74	31.11	37.43	36.89	91.29	65.64	48.55	667.32
1992	Critical	73.82	79.71	74.15	52.73	50.28	71.59	26.65	39.42	37.96	114.58	138.14	25.06	784.09
1993	Above Normal	46.51	83.98	110.20	112.86	132.90	124.35	34.59	52.69	110.43	151.55	125.74	115.41	1,201.21
1994	Critical	124.53	149.11	166.12	106.87	96.08	59.90	35.18	55.67	49.13	157.27	98.81	72.23	1,170.90
1995	Wet	55.18	115.33	121.36	103.35	120.65	174.04	58.14	136.78	139.17	156.66	130.45	116.74	1,427.85
1996	Wet	86.95	86.77	127.72	93.71	142.09	178.27	43.32	48.08	102.67	137.25	106.90	113.56	1,267.29
1997	Wet	119.30	182.01	175.70	180.95	165.73	131.07	38.07	46.15	122.00	132.52	115.43	113.29	1,522.22
1998	Wet	75.34	105.39	152.90	104.09	152.15	174.43	62.29	69.82	143.25	159.80	131.75	114.49	1,445.70
1999	Wet	131.92	159.85	159.98	155.02	166.58	163.95	32.36	38.62	82.84	122.49	111.13	100.76	1,425.50
2000	Above Normal	74.79	159.83	144.13	78.99	154.95	157.73	32.60	38.03	87.61	91.70	112.48	115.02	1,247.86
2001	Dry	92.10	174.24	152.97	130.06	92.42	87.49	29.09	31.08	52.56	138.82	63.81	69.19	1,113.83
2002	Dry	106.05	102.77	148.11	101.32	80.99	72.14	28.57	33.05	57.42	111.76	130.39	100.08	1,072.65
2003	Above Normal	109.01	137.29	132.73	85.34	105.04	100.60	31.16	37.07	75.77	124.23	113.36	92.09	1,143.69
	Average	101.71	125.56	135.12	112.20	98.03	92.06	40.32	56.32	80.08	128.65	117.45	96.07	1,183.55
	Wet	107.01	136.09	139.71	127.09	128.65	129.54	55.17	80.69	120.76	156.63	134.32	110.78	1,426.44
	Above Normal	97.65	129.59	135.61	107.18	100.64	118.89	40.02	52.95	97.92	134.06	131.46	101.34	1,247.30
	Below Normal	109.51	133.13	141.68	107.21	80.66	87.85	35.90	48.00	69.49	131.59	113.62	106.66	1,165.29
	Dry	95.19	115.62	140.52	116.79	84.09	58.41	31.98	43.83	54.87	123.77	101.23	90.16	1,056.46
	Critical	94.96	104.84	108.96	83.93	70.22	39.39	26.09	35.28	24.22	66.50	95.67	55.45	805.50

Energy Use (GWh) At Pumping Plant at System Total: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	126.49	199.59	151.40	118.85	84.96	156.92	48.75	69.97	141.99	165.98	144.84	117.24	1,526.98
1923	Below Normal	128.77	201.69	146.31	129.11	125.03	82.68	37.59	48.30	95.75	141.86	111.20	117.24	1,365.53
1924	Critical	160.92	131.44	120.29	139.00	58.79	17.56	25.91	33.62	18.17	36.16	35.97	67.29	845.12
1925	Dry	82.36	42.00	134.83	120.95	77.96	83.10	39.14	56.28	98.75	145.89	156.16	80.80	1,118.22
1926	Dry	99.82	131.28	119.65	111.43	43.53	24.43	33.56	36.77	56.82	88.23	77.05	90.50	913.07
1927	Wet	89.65	145.57	131.74	87.77	134.77	118.10	37.55	52.74	89.29	148.80	135.86	113.55	1,285.39
1928	Above Normal	78.69	90.59	160.25	122.40	60.09	129.98	37.46	44.44	77.39	130.43	131.04	86.79	1,149.55
1929	Critical	74.00	96.76	151.49	112.27	97.42	65.53	21.56	30.19	21.32	55.49	134.43	64.19	924.65
1930	Dry	80.32	83.67	105.47	85.72	79.85	52.21	39.66	50.04	37.56	78.85	60.70	51.54	805.59
1931	Critical	90.51	99.20	110.44	119.78	109.22	22.55	23.04	33.19	21.21	33.26	36.57	66.66	765.63
1932	Dry	79.41	69.78	161.49	130.65	59.23	23.08	24.30	35.82	50.07	52.45	92.96	140.13	919.37
1933	Critical	104.38	102.41	123.16	23.31	24.40	30.77	21.87	31.12	20.36	35.02	158.72	119.31	794.83
1934	Critical	83.29	82.03	38.22	15.23	16.69	16.12	22.92	33.09	22.33	38.45	96.62	66.19	531.18
1935	Below Normal	40.43	91.91	148.00	113.13	20.04	32.52	28.34	42.84	77.23	96.09	63.94	108.56	863.03
1936	Below Normal	141.66	123.86	162.05	44.87	26.53	52.37	38.47	46.93	80.36	123.72	82.78	122.85	1,046.45
1937	Below Normal	141.39	119.66	153.89	107.74	30.61	38.38	49.27	50.82	42.69	102.18	75.70	145.25	1,057.58
1938	Wet	89.85	145.49	169.53	39.38	30.46	108.21	77.32	119.98	153.53	174.90	148.56	110.78	1,367.99
1939	Dry	122.19	66.28	137.55	112.18	106.52	38.60	26.15	40.77	33.62	131.79	72.65	92.56	980.86
1940	Above Normal	85.73	102.74	73.96	81.88	103.92	147.77	43.16	51.35	84.81	128.04	135.01	101.67	1,140.04
1941	Wet	82.89	104.90	135.83	141.35	155.06	149.38	53.59	72.08	123.56	158.80	137.57	115.26	1,430.27
1942	Wet	121.90	182.45	144.63	160.97	144.97	143.05	52.53	72.26	134.00	164.98	139.42	114.04	1,575.20
1943	Wet	121.56	193.42	133.96	160.66	136.60	171.70	50.25	58.20	123.74	160.50	144.75	114.35	1,569.69
1944	Dry	90.70	143.53	134.33	113.23	108.94	64.60	34.53	40.17	55.99	105.30	82.22	66.94	1,040.48
1945	Below Normal	83.12	137.16	131.64	125.59	122.07	160.57	39.80	55.25	77.24	152.97	137.69	117.04	1,340.14
1946	Below Normal	171.14	147.37	163.91	151.80	149.89	104.81	36.42	55.70	87.56	153.15	136.65	109.10	1,467.50
1947	Dry	171.37	147.50	162.57	143.35	108.41	28.53	30.80	44.65	59.97	140.04	110.68	99.10	1,246.97
1948	Below Normal	93.70	129.55	112.36	65.51	27.08	70.79	29.86	42.13	74.72	126.35	117.30	115.53	1,004.88
1949	Dry	146.45	132.96	147.38	115.50	105.99	43.57	30.32	49.33	68.96	148.87	165.59	113.72	1,268.64
1950	Below Normal	110.84	128.22	139.89	71.24	68.77	105.29	31.29	41.35	58.50	126.49	105.58	116.23	1,103.69
1951	Above Normal	152.60	148.60	177.89	130.25	33.51	62.87	38.19	55.01	89.29	123.51	139.24	118.93	1,269.89
1952	Wet	100.56	162.46	135.70	163.79	135.56	144.53	57.58	99.89	154.26	168.31	147.41	114.74	1,584.79
1953	Wet	97.33	231.93	154.64	89.57	106.10	114.05	35.39	46.23	65.41	139.74	128.87	115.28	1,324.54
1954	Above Normal	58.74	152.09	153.44	69.62	70.52	103.04	33.86	44.87	78.77	100.14	126.76	114.31	1,106.16
1955	Dry	89.10	142.09	157.09	128.74	116.65	65.22	30.09	41.28	37.80	134.51	98.98	86.29	1,127.84
1956	Wet	74.22	124.29	156.93	170.75	180.24	59.34	42.71	67.51	132.69	162.96	144.66	116.22	1,432.52
1957	Above Normal	125.44	191.61	144.33	111.21	52.70	83.11	35.60	43.58	61.36	123.10	128.80	93.72	1,194.56
1958	Wet	126.03	165.36	128.79	89.48	132.82	147.28	72.42	86.66	149.19	164.58	147.92	113.35	1,523.88
1959	Below Normal	93.98	209.68	140.84	71.13	80.09	102.97	37.10	46.85	57.99	136.33	127.43	84.56	1,188.95
1960	Dry	110.99	96.87	121.63	111.14	63.75	65.96	27.73	55.62	52.49	120.47	78.44	97.28	1,002.37
1961	Dry	87.76	111.77	149.15	115.12	54.88	100.18	33.26	47.73	44.53	159.59	97.86	121.53	1,123.36
1962	Below Normal	71.91	108.07	88.82	113.23	90.23	118.90	38.95	46.94	63.10	140.78	131.07	105.47	1,117.47
1963	Wet	127.27	149.58	127.69	86.32	86.71	110.57	35.28	50.90	98.34	145.70	130.81	120.69	1,269.86
1964	Dry	67.02	179.49	166.33	124.25	87.64	71.76	28.05	42.83	40.93	136.36	106.27	72.20	1,123.13
1965	Wet	64.92	85.36	126.31	162.74	138.88	148.64	40.67	62.12	100.70	163.63	132.38	114.79	1,341.14
1966	Below Normal	121.73	178.70	155.61	135.85	117.82	84.84	34.88	47.11	64.37	143.06	130.98	106.83	1,321.78
1967	Wet	136.03	115.88	134.02	135.67	114.44	128.99	68.66	93.99	155.07	176.04	151.17	112.84	1,522.80
1968	Below Normal	109.80	177.62	141.08	112.06	64.38	103.25	36.69	49.17	59.25	140.63	128.48	82.97	1,205.38
1969	Wet	124.04	124.41	158.61	145.33	193.94	108.16	90.18	190.00	152.31	178.57	145.75	91.97	1,703.27
1970	Wet	115.51	79.13	140.85	166.63	154.36	96.77	33.93	51.52	73.40	133.27	134.80	116.98	1,297.15
1971	Wet	94.58	82.13	134.93	113.69	97.42	123.39	34.68	43.38	75.64	134.04	127.05	110.47	1,171.40
1972	Below Normal	109.57	82.72	158.91	115.51	49.61	57.49	30.69	44.52	59.32	139.70	127.46	96.84	1,072.34
1973	Above Normal	111.58	145.12	133.56	104.45	145.67	135.75	37.19	52.63	89.15	148.53	134.01	89.65	1,327.29
1974	Wet	75.16	147.93	158.45	157.57	124.51	149.86	45.69	59.78	118.66	162.53	128.00	114.77	1,442.91
1975	Wet	115.53	204.88	154.66	114.02	86.27	147.08	41.08	53.81	115.38	152.59	126.62	115.13	1,427.05
1976	Critical	127.03	153.86	155.28	122.22	142.89	100.37	31.74	32.96	17.69	50.27	26.74	32.44	993.49
1977	Critical	53.41	99.30	89.82	84.74	115.11	20.48	23.85	33.78	16.75	32.88	121.40	31.11	722.63
1978	Above Normal	43.68	40.25	84.80	94.58	142.63	167.18	60.97	77.88	139.04	171.31	148.51	114.20	1,285.03
1979	Below Normal	123.58	214.46	155.51	131.59	134.28	158.13	35.92	57.28	81.42	137.84	128.35	79.42	1,437.78
1980	Above Normal	161.58	128.82	167.62	160.13	33.95	54.52	45.91	66.39	135.44	163.55	145.09	104.03	1,367.03
1981	Dry	80.34	167.13	155.20	115.68	95.67	63.04	40.03	51.91	61.75	142.67	122.86	82.43	1,178.71
1982	Wet	119.70	132.95	127.72	133.78	149.77	145.93	128.84	105.78	147.56	169.18	147.23	114.72	1,623.16
1983	Wet	129.68	158.68	168.03	262.34	132.39	137.39	151.28	196.33	201.27	236.55	148.60	156.17	2,078.71
1984	Wet	174.75	95.27	117.75	82.45	75.65	62.24	38.51	51.79	92.27	150.48	136.24	119.99	1,197.39
1985	Dry	98.37	147.79	165.01	123.55	108.23	82.10	38.44	51.19	66.79	146.22	158.82	113.81	1,300.32
1986	Wet	125.29	150.88	148.94	71.76	153.17	167.48	59.25	69.07	117.93	151.63	138.06	31.93	1,385.39
1987	Dry	56.11	62.71	126.41	110.24	95.67	64.34	26.15	38.37	48.59	124.03	56.86	66.71	876.19
1988	Critical	115.68	102.00	106.16	81.48	21.40	16.39	26.98	30.59	14.95	73.31	135.85	37.93	762.72
1989	Dry	52.37	97.66	95.08	116.78	31.53	22.68	35.89	45.08	68.07	133.85	83.70	73.83	856.52
1990	Critical	62.03	84.93	98.01	105.85	66.10	21.43	22.12	32.19	13.76	78.84	57.51	55.10	697.87
1991	Critical	71.10	80.07	79.33	47.25	46.57	29.76	31.12	37.44	36.91	91.31	66.43	48.54	665.83
1992	Critical	73.61	80.48	73.85	51.78	50.26	71.56	26.60	39.32	47.12	100.07	137.91	24.80	777.36
1993	Above Normal	46.37	84.03	110.20	112.91	132.82	122.04	34.97	53.52	112.58	154.24	127.36	116.13	1,207.17
1994	Critical	125.27	148.91	167.67	107.98	96.86	59.88	35.21	55.73	49.23	158.03	98.42	72.35	1,175.54
1995	Wet	55.26	115.31	121.41	103.07	112.81	160.41	54.16	81.25	136.78	157.54	131.68	116.11	1,345.79
1996	Wet	88.32	164.16	128.71	95.23	143.87	153.44	43.19	47.94	102.31	137.87	107.66	114.34	1,327.04
1997	Wet	113.84	181.85	172.70	181.35	166.61	132.69	38.65	47.11	124.42	133.76	116.29	114.00	1,523.27
1998	Wet	76.47	105.60	153.72	105.20	143.19	173.42	59.77	67.45	142.04	158.31	131.08	115.33	1,431.58
1999	Wet	132.54	160.36	160.59	155.99	167.37	163.95	33.00	39.67	84.63	125.57	113.25	101.30	1,438.22
2000	Above Normal	75.96	160.76	145.06	80.05	155.50	158.15	33.14	38.92	89.12	93.60	114.40	115.61	1,260.27
2001	Dry	92.58	174.42	155.48	131.02	93.03	87.47	29.10	31.09	52.58	138.70	63.32	69.21	1,118.00
2002	Dry	106.03	102.76	148.08	101.29	80.93	72.13	28.57	33.05	57.42	111.76	130.39	99.64	1,072.05
2003	Above Normal	109.01	137.27	132.70	85.34	105.03	100.79	31.34	37.37	76.28	125.20	113.93	92.22	1,146.48
	Average	101.77	130.53	136.80	112.91	97.44	93.74	40.86	55.05	80.63	129.54	117.53	97.39	1,194.17
	Wet	106.65	142.70	143.34	129.88	130.69	133.31	56.78	76.44	121.71	158.11	135.45	111.89	1,446.94
	Above Normal	97.99	131.79	136.27	105.97	93.44	118.51	40.05	52.99	97.94	135.64	132.42	105.38	1,248.37
	Below Normal	110.12	146.48	142.77	106.31	79.03	90.93	36.09	48.23	69.96	132.94	114.62	107.71	1,185.18
	Dry	95.18	116.65	141.26	117.27	84.36	58.50	31.99	44.00	55.15	124.42	100.86	89.90	1,059.54
	Critical	95.10	105.12	109.48	84.24	70.48	39.37	26.08	35.27	24.98	65.26	92.21	57.16	804.74

Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.51)	0.49	0.51	0.96	0.63	2.97	(1.71)	0.72	0.34
1923	Below Normal	0.72	0.79	0.75	(2.13)	(1.28)	0.62	0.38	0.83	1.55	2.64	1.57	0.71	0.60
1924	Critical	0.34	0.55	0.76	1.07	0.91	0.00	0.00	0.07	0.02	0.04	0.01	0.12	0.32
1925	Dry	0.13	(0.13)	(0.06)	0.00	(0.01)	0.06	0.12	0.28	0.41	0.78	0.65	0.23	0.20
1926	Dry	0.21	0.18	0.11	0.23	0.23	(0.03)	(0.01)	(0.02)	(0.12)	(0.06)	(0.32)	(0.04)	0.03
1927	Wet	0.02	0.00	0.00	0.01	0.02	0.55	0.48	1.03	1.31	2.98	2.09	0.72	0.77
1928	Above Normal	0.73	0.54	0.72	0.99	0.85	0.33	0.27	0.59	0.75	1.70	1.21	0.41	0.76
1929	Critical	0.42	0.27	0.38	0.58	0.38	(0.02)	0.00	0.00	0.00	0.01	0.00	0.02	0.17
1930	Dry	0.02	0.04	(0.02)	0.00	0.00	(0.05)	0.00	(0.02)	(0.05)	(0.06)	(0.03)	0.00	(0.01)
1931	Critical	0.02	0.05	(0.04)	0.01	0.05	0.01	0.00	0.00	0.00	0.00	0.00	0.03	0.01
1932	Dry	0.05	(0.13)	0.00	0.00	(0.32)	(0.92)	0.47	1.01	1.28	1.65	2.46	0.66	0.52
1933	Critical	0.68	0.53	3.58	1.18	0.82	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	0.17	0.58
1934	Critical	0.23	0.16	(0.43)	(0.02)	0.01	(0.24)	(0.13)	(0.17)	(0.12)	(0.27)	(10.29)	0.27	(0.92)
1935	Below Normal	(0.41)	(0.59)	(0.43)	8.03	(0.07)	0.51	0.47	1.00	1.25	2.27	1.14	0.70	1.16
1936	Below Normal	0.49	0.28	15.23	(15.31)	3.08	2.28	0.46	1.00	1.28	2.88	1.10	0.72	1.12
1937	Below Normal	0.76	0.67	0.63	(0.41)	(0.03)	17.95	(0.06)	(3.11)	0.92	2.26	1.29	0.44	1.78
1938	Wet	0.46	(0.40)	23.40	7.88	2.25	45.79	(9.70)	(72.95)	0.99	1.04	2.27	0.84	0.16
1939	Dry	1.63	1.27	(4.93)	(1.24)	(1.77)	0.68	(1.10)	(0.17)	(1.29)	2.45	(13.54)	(3.58)	(1.80)
1940	Above Normal	5.08	0.60	(0.60)	1.50	1.63	0.51	0.70	1.49	1.96	3.35	2.57	4.27	1.92
1941	Wet	0.74	7.32	0.98	(0.08)	(0.42)	(5.32)	0.41	0.98	2.39	2.99	(2.96)	0.38	0.62
1942	Wet	4.27	9.98	0.59	0.11	(2.50)	0.58	0.40	(0.15)	2.17	2.71	1.96	0.75	1.74
1943	Wet	0.73	(0.28)	0.76	(0.07)	(5.83)	(3.72)	0.69	0.95	12.58	2.78	1.95	0.76	0.94
1944	Dry	(9.06)	4.27	0.61	1.19	0.74	0.31	0.38	0.81	3.35	0.15	1.33	0.69	0.40
1945	Below Normal	0.49	0.17	0.40	0.53	(23.87)	21.53	0.28	0.64	0.80	2.37	1.64	0.77	0.48
1946	Below Normal	0.05	0.61	(0.77)	(2.97)	0.43	6.01	0.48	1.01	(1.24)	2.92	2.07	5.35	1.16
1947	Dry	0.66	0.52	0.70	1.04	0.61	0.17	0.18	0.39	0.50	1.00	2.35	0.02	0.68
1948	Below Normal	0.11	(0.18)	(2.44)	0.33	0.29	0.00	(0.01)	(0.02)	(0.03)	(0.14)	0.02	(0.01)	(0.17)
1949	Dry	(0.07)	(0.01)	(0.80)	(0.04)	(0.03)	0.00	(0.01)	(0.03)	(0.06)	(0.06)	(0.13)	0.00	(0.10)
1950	Below Normal	0.02	0.00	0.02	0.00	0.02	0.06	0.04	0.11	0.14	0.29	0.21	0.07	0.08
1951	Above Normal	0.08	0.07	(0.48)	(0.58)	5.05	0.72	0.47	1.02	1.29	1.68	2.08	0.71	1.01
1952	Wet	0.72	0.65	0.74	0.97	(0.28)	(30.24)	(4.61)	(3.78)	0.11	0.47	0.15	0.94	(2.85)
1953	Wet	(0.10)	74.13	3.81	(15.46)	0.70	2.09	(0.30)	(0.30)	(0.12)	1.34	0.85	1.70	5.69
1954	Above Normal	(1.53)	1.87	1.72	1.48	1.31	0.20	0.02	0.07	0.15	0.03	(0.05)	0.03	0.44
1955	Dry	(0.04)	1.32	0.23	0.20	1.00	0.09	(0.05)	(0.07)	(0.11)	(0.08)	(0.96)	(0.11)	0.12
1956	Wet	0.13	(1.22)	(6.32)	(8.09)	19.74	0.00	0.00	1.02	2.37	2.98	6.22	0.67	1.46
1957	Above Normal	0.63	0.18	0.68	1.17	0.85	0.48	0.43	0.94	1.19	2.71	1.90	0.66	0.98
1958	Wet	0.62	0.51	0.64	0.90	0.56	0.53	(4.60)	(4.27)	(4.57)	(1.12)	(0.43)	0.84	(0.87)
1959	Below Normal	0.92	43.50	0.42	0.44	0.27	(0.15)	0.30	0.63	0.83	1.30	0.38	2.31	4.26
1960	Dry	0.87	(0.61)	0.06	0.16	(0.03)	0.01	(0.01)	(0.03)	(0.03)	(0.02)	(2.42)	(0.14)	(0.18)
1961	Dry	(0.37)	0.03	(0.02)	0.01	0.01	0.01	(0.01)	(0.01)	(0.02)	0.42	(0.49)	(0.05)	(0.04)
1962	Below Normal	0.15	0.06	(0.06)	0.02	0.01	0.54	0.46	0.99	1.26	2.91	2.01	0.69	0.75
1963	Wet	0.67	0.55	0.70	0.97	(1.32)	0.58	0.42	0.91	2.00	2.79	1.96	0.76	0.92
1964	Dry	0.73	0.39	0.79	1.10	0.75	(0.01)	0.02	0.03	0.05	0.04	0.13	0.04	0.34
1965	Wet	0.00	0.00	0.01	(3.54)	(11.56)	0.28	0.28	0.67	0.77	2.36	(1.87)	0.81	(0.98)
1966	Below Normal	0.76	(1.68)	0.85	(0.19)	0.44	0.42	0.35	0.74	1.20	2.19	1.54	0.39	0.58
1967	Wet	0.50	0.43	0.55	0.77	(2.87)	0.63	(4.70)	(2.61)	0.24	(5.46)	1.36	3.39	(0.65)
1968	Below Normal	4.64	55.26	(0.04)	0.36	0.03	0.01	0.40	0.89	1.14	2.61	1.83	0.62	5.65
1969	Wet	0.57	0.25	0.57	(17.29)	17.81	45.48	(7.73)	9.54	0.19	0.75	0.70	8.55	4.95
1970	Wet	1.17	(1.90)	(0.05)	(0.58)	(0.53)	(8.31)	0.48	1.04	1.65	3.06	2.13	0.72	(0.09)
1971	Wet	1.31	(0.53)	0.79	1.05	0.68	0.42	0.26	0.59	0.75	1.56	1.35	0.56	0.73
1972	Below Normal	0.23	0.70	0.55	0.70	0.44	(0.01)	0.01	0.01	0.01	0.01	0.01	0.06	0.23
1973	Above Normal	0.01	0.00	0.00	0.00	(0.01)	0.54	0.46	1.00	1.30	2.98	2.12	14.80	1.93
1974	Wet	0.69	0.56	0.71	(9.74)	(1.21)	(0.88)	0.17	0.39	0.63	1.97	(0.64)	0.91	(0.54)
1975	Wet	0.91	(3.06)	0.92	1.34	1.08	0.55	0.54	1.16	2.52	3.17	2.19	0.70	1.00
1976	Critical	0.71	1.48	0.73	0.96	0.56	0.02	(0.02)	(0.03)	(0.05)	(0.78)	0.37	(0.03)	0.33
1977	Critical	0.52	(0.04)	(0.04)	0.02	(0.09)	0.00	0.00	0.00	0.00	0.00	(3.42)	0.03	(0.25)
1978	Above Normal	1.15	0.05	(0.22)	(0.12)	(16.54)	(6.20)	(3.62)	(8.43)	(11.14)	(4.08)	(1.71)	(0.05)	(4.24)
1979	Below Normal	(0.41)	87.33	0.20	(1.93)	(2.55)	(6.62)	(0.83)	(1.59)	(2.50)	(5.55)	(0.94)	1.77	5.53
1980	Above Normal	(3.11)	22.14	5.22	(19.99)	(79.49)	0.07	(0.03)	0.83	(0.12)	1.99	0.94	25.49	(3.84)
1981	Dry	2.97	9.04	13.35	3.21	1.84	0.96	0.01	0.40	1.28	2.76	0.09	0.22	3.01
1982	Wet	0.68	0.95	0.77	1.00	(6.12)	(1.22)	18.18	(9.80)	(4.38)	0.99	1.03	0.61	0.22
1983	Wet	(21.67)	(2.55)	(3.10)	93.53	64.92	74.72	55.92	19.95	0.88	0.75	0.49	0.72	23.71
1984	Wet	0.05	8.29	68.13	14.37	0.27	0.05	0.47	1.02	1.29	2.97	2.08	0.72	8.31
1985	Dry	0.72	0.57	0.72	1.00	0.65	0.33	0.28	0.61	0.99	1.79	1.26	0.42	0.78
1986	Wet	0.44	0.35	0.43	0.72	(8.97)	13.31	0.01	0.04	0.49	3.12	2.25	0.42	1.05
1987	Dry	0.80	2.09	0.12	0.93	0.57	(0.07)	(0.04)	(0.09)	(1.14)	1.32	3.49	(0.20)	0.65
1988	Critical	(0.02)	0.07	0.22	0.07	(0.09)	0.00	(0.01)	(0.01)	0.00	(0.12)	(0.08)	0.01	0.00
1989	Dry	0.12	(0.40)	(0.01)	(0.08)	(0.04)	0.03	(0.03)	(0.05)	(0.08)	(0.15)	0.06	(2.47)	(0.26)
1990	Critical	0.00	(0.03)	(0.30)	(0.01)	0.00	0.00	0.01	0.01	0.01	0.00	(28.22)	20.00	(0.71)
1991	Critical	(1.66)	(0.25)	0.12	(0.31)	(0.25)	0.02	0.01	0.01	0.02	0.02	0.79	(0.01)	(0.12)
1992	Critical	(0.21)	0.77	(0.30)	(0.95)	(0.02)	(0.03)	(0.05)	(0.10)	9.16	(14.51)	(0.23)	(0.26)	(0.56)
1993	Above Normal	(0.14)	0.05	0.00	0.05	(0.08)	(2.31)	0.38	0.83	2.15	2.69	1.62	0.72	0.50
1994	Critical	0.74	(0.20)	1.55	1.11	0.78	(0.02)	0.03	0.06	0.10	0.76	(0.39)	0.12	0.39
1995	Wet	0.08	(0.02)	0.05	(0.28)	(7.84)	(13.63)	(3.98)	(55.53)	(2.39)	0.88	1.23	(0.63)	(6.84)
1996	Wet	1.37	77.39	0.99	1.52	1.78	(24.83)	(0.13)	(0.14)	(0.36)	0.62	0.76	0.78	4.98
1997	Wet	(5.46)	(0.16)	(3.00)	0.40	0.88	1.62	0.58	0.96	2.42	1.24	0.86	0.71	0.09
1998	Wet	1.13	0.21	0.82	1.11	(8.96)	(1.01)	(2.52)	(2.37)	(1.21)	(1.49)	(0.67)	0.84	(1.18)
1999	Wet	0.62	0.51	0.61	0.97	0.79	0.00	0.64	1.05	1.79	3.08	2.12	0.54	1.06
2000	Above Normal	1.17	0.93	0.93	1.06	0.55	0.42	0.54	0.89	1.51	1.90	1.92	0.59	1.03
2001	Dry	0.48	0.18	2.51	0.96	0.61	(0.02)	0.01	0.01	0.02	(0.12)	(0.49)	0.02	0.35
2002	Dry	(0.02)	(0.01)	(0.03)	(0.03)	(0.06)	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.44)	(0.05)
2003	Above Normal	0.00	(0.02)	(0.03)	0.00	(0.01)	0.19	0.18	0.30	0.51	0.97	0.57	0.13	0.23
	Average	0.06	4.97	1.67	0.71	(0.59)	1.68	0.55	(1.27)	0.55	0.89	0.08	1.31	0.88
	Wet	(0.36)	6.61	3.63	2.79	2.04	3.77	1.60	(4.25)	0.94	1.48	1.13	1.10	1.71
	Above Normal	0.34	2.20	0.66	(1.20)	(7.20)	(0.38)	0.03	0.04	0.01	1.57	0.96	4.04	0.09
	Below Normal	0.61	13.35	1.09	(0.90)	(1.63)	3.08	0.20	0.22	0.47	1.35	0.99	1.04	1.66
	Dry	(0.01)	1.03	0.74	0.48	0.26	0.09	0.01	0.17	0.28	0.66	(0.36)	(0.26)	0.26
	Critical	0.15	0.28	0.52	0.31	0.25	(0.02)	(0.01)	(0.01)	0.76	(1.24)	(3.46)	1.71	(0.06)

Percent Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-1%	0%	1%	1%	0%	2%	-1%	1%
1923	Below Normal	1%	0%	1%	-2%	-1%	1%	1%	2%	2%	2%	1%	1%
1924	Critical	0%	0%	1%	1%	2%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	1%	0%	1%	0%	0%
1926	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	1%	2%	1%	2%	2%	1%
1928	Above Normal	1%	1%	0%	1%	1%	0%	1%	1%	1%	1%	1%	0%
1929	Critical	1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	-1%	-4%	2%	3%	3%	3%	3%	0%
1933	Critical	1%	1%	3%	5%	3%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-1%	0%	0%	-1%	-1%	-1%	-1%	-1%	-10%	0%
1935	Below Normal	-1%	-1%	0%	8%	0%	2%	2%	2%	2%	2%	2%	1%
1936	Below Normal	0%	0%	10%	-25%	13%	5%	1%	2%	2%	2%	1%	1%
1937	Below Normal	1%	1%	0%	0%	0%	88%	0%	-6%	2%	2%	2%	0%
1938	Wet	1%	0%	16%	25%	8%	73%	-11%	-38%	1%	1%	2%	1%
1939	Dry	1%	2%	-3%	-1%	-2%	2%	-4%	0%	-4%	2%	-16%	-4%
1940	Above Normal	6%	1%	-1%	2%	2%	0%	2%	3%	2%	3%	2%	4%
1941	Wet	1%	8%	1%	0%	0%	-3%	1%	1%	2%	2%	-2%	0%
1942	Wet	4%	6%	0%	0%	-2%	0%	1%	0%	2%	2%	1%	1%
1943	Wet	1%	0%	1%	0%	-4%	-2%	1%	2%	11%	2%	1%	1%
1944	Dry	-9%	3%	0%	1%	1%	0%	1%	2%	6%	0%	2%	1%
1945	Below Normal	1%	0%	0%	0%	-16%	15%	1%	1%	1%	2%	1%	1%
1946	Below Normal	0%	0%	0%	-2%	0%	6%	1%	2%	-1%	2%	2%	5%
1947	Dry	0%	0%	0%	1%	1%	1%	1%	1%	1%	1%	2%	0%
1948	Below Normal	0%	0%	-2%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	18%	1%	1%	2%	1%	1%	2%	1%
1952	Wet	1%	0%	1%	1%	0%	-17%	-7%	-4%	0%	0%	0%	1%
1953	Wet	0%	47%	3%	-15%	1%	2%	-1%	-1%	0%	1%	1%	1%
1954	Above Normal	-3%	1%	1%	2%	2%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	1%	0%	0%	1%	0%	0%	0%	0%	0%	-1%	0%
1956	Wet	0%	-1%	-4%	-5%	12%	0%	0%	2%	2%	2%	4%	1%
1957	Above Normal	1%	0%	0%	1%	2%	1%	1%	2%	2%	2%	1%	1%
1958	Wet	0%	0%	0%	1%	0%	0%	-6%	-5%	-3%	-1%	0%	1%
1959	Below Normal	1%	26%	0%	1%	0%	0%	1%	1%	1%	1%	0%	3%
1960	Dry	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	1%	2%	2%	2%	2%	1%
1963	Wet	1%	0%	1%	1%	-1%	1%	1%	2%	2%	2%	2%	1%
1964	Dry	1%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	-2%	-8%	0%	1%	1%	1%	1%	-1%	1%
1966	Below Normal	1%	-1%	1%	0%	0%	0%	1%	2%	2%	2%	1%	0%
1967	Wet	0%	0%	0%	1%	-2%	0%	-6%	-3%	0%	-3%	1%	3%
1968	Below Normal	4%	45%	0%	0%	0%	0%	1%	2%	2%	2%	1%	1%
1969	Wet	0%	0%	0%	-11%	10%	73%	-8%	5%	0%	0%	0%	10%
1970	Wet	1%	-2%	0%	0%	0%	-8%	1%	2%	2%	2%	2%	1%
1971	Wet	1%	-1%	1%	1%	1%	0%	1%	1%	1%	1%	1%	1%
1972	Below Normal	0%	1%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	1%	2%	1%	2%	2%	20%
1974	Wet	1%	0%	0%	-6%	-1%	-1%	0%	1%	1%	1%	0%	1%
1975	Wet	1%	-1%	1%	1%	1%	0%	1%	2%	2%	2%	2%	1%
1976	Critical	1%	1%	0%	1%	0%	0%	0%	0%	0%	-2%	1%	0%
1977	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1978	Above Normal	3%	0%	0%	0%	-10%	-4%	-6%	-10%	-7%	-2%	-1%	0%
1979	Below Normal	0%	69%	0%	-1%	-2%	-4%	-2%	-3%	-3%	-4%	-1%	2%
1980	Above Normal	-2%	21%	3%	-11%	-70%	0%	0%	1%	0%	1%	1%	32%
1981	Dry	4%	6%	9%	3%	2%	2%	0%	1%	2%	2%	0%	0%
1982	Wet	1%	1%	1%	1%	-4%	-1%	16%	-8%	-3%	1%	1%	1%
1983	Wet	-14%	-2%	-2%	55%	96%	119%	59%	11%	0%	0%	0%	0%
1984	Wet	0%	10%	137%	21%	0%	0%	1%	2%	1%	2%	2%	1%
1985	Dry	1%	0%	0%	1%	1%	0%	1%	1%	2%	1%	1%	0%
1986	Wet	0%	0%	0%	1%	-6%	9%	0%	0%	0%	2%	2%	1%
1987	Dry	1%	3%	0%	1%	1%	0%	0%	0%	-2%	1%	7%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-33%	57%
1991	Critical	-2%	0%	0%	-1%	-1%	0%	0%	0%	0%	0%	1%	0%
1992	Critical	0%	1%	0%	-2%	0%	0%	0%	0%	24%	-13%	0%	-1%
1993	Above Normal	0%	0%	0%	0%	0%	-2%	1%	2%	2%	2%	1%	1%
1994	Critical	1%	0%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	-6%	-8%	-7%	-41%	-2%	1%	1%	-1%
1996	Wet	2%	89%	1%	2%	1%	-14%	0%	0%	0%	0%	1%	1%
1997	Wet	-5%	0%	-2%	0%	1%	1%	2%	2%	2%	1%	1%	1%
1998	Wet	1%	0%	1%	1%	-6%	-1%	-4%	-3%	-1%	-1%	-1%	1%
1999	Wet	0%	0%	0%	1%	0%	0%	2%	3%	2%	3%	2%	1%
2000	Above Normal	2%	1%	1%	1%	0%	0%	2%	2%	2%	2%	2%	1%
2001	Dry	1%	0%	2%	1%	1%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%	0%
	Average	0%	4%	2%	1%	1%	4%	1%	0%	1%	1%	0%	2%
	Wet	0%	6%	6%	3%	4%	9%	1%	-2%	1%	1%	1%	1%
	Above Normal	1%	2%	0%	0%	-5%	0%	0%	1%	0%	1%	1%	5%
	Below Normal	1%	10%	1%	-1%	0%	8%	1%	1%	1%	1%	1%	1%
	Dry	0%	1%	1%	0%	0%	0%	0%	0%	0%	1%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	2%	-1%	-4%	5%

Energy Use (GWh) At Pumping Plant at Tehama Other: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.24	0.00	0.00	0.00	0.00	0.01	0.73	2.05	2.75	2.91	2.34	0.52	11.55
1923	Below Normal	0.19	0.00	0.00	0.00	0.00	0.16	0.63	0.86	1.54	1.74	1.40	0.00	6.52
1924	Critical	0.32	0.01	0.00	0.00	0.00	0.08	0.24	0.41	0.57	0.77	1.10	0.21	3.71
1925	Dry	0.14	0.00	0.00	0.00	0.00	0.00	0.26	0.48	1.65	2.02	1.62	0.08	6.25
1926	Dry	0.41	0.00	0.00	0.00	0.00	0.02	0.06	0.34	0.82	0.59	0.46	0.21	2.91
1927	Wet	0.17	0.00	0.00	0.00	0.00	0.01	1.24	2.12	2.43	3.07	2.47	0.57	12.08
1928	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.40	0.68	1.65	1.59	1.28	0.05	5.81
1929	Critical	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34
1930	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.11	0.00	0.80	0.56	0.45	0.17	2.27
1931	Critical	0.20	0.04	0.00	0.00	0.00	0.10	0.26	0.40	0.57	0.80	1.13	0.17	3.67
1932	Dry	0.17	0.04	0.00	0.00	0.00	0.01	0.33	0.52	0.76	1.01	1.30	0.24	4.38
1933	Critical	0.21	0.05	0.00	0.00	0.00	0.06	0.18	0.32	0.48	0.67	1.02	0.21	3.20
1934	Critical	0.15	0.04	0.00	0.00	0.00	0.00	0.23	0.44	0.62	0.83	1.16	0.20	3.67
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.95	0.84	0.68	0.00	2.54
1936	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.35	0.37	0.92	1.25	1.00	0.00	4.09
1937	Below Normal	0.30	0.01	0.00	0.00	0.00	0.00	0.00	0.34	0.86	1.05	0.84	0.01	3.41
1938	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.01	1.48	3.06	3.24	2.61	0.44	11.03
1939	Dry	0.33	0.01	0.00	0.00	0.19	0.23	0.61	0.53	0.95	0.74	0.60	0.21	4.40
1940	Above Normal	0.21	0.01	0.00	0.00	0.00	0.00	0.71	1.15	2.82	3.05	2.45	0.54	10.94
1941	Wet	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.90	2.82	3.30	2.65	0.65	10.54
1942	Wet	0.21	0.00	0.00	0.00	0.00	0.00	0.00	1.19	3.04	3.29	2.65	0.62	11.00
1943	Wet	0.51	0.00	0.00	0.00	0.00	0.00	0.61	1.60	2.29	2.43	1.97	0.35	9.76
1944	Dry	0.42	0.01	0.00	0.00	0.00	0.01	0.25	0.01	0.79	0.68	0.54	0.24	2.95
1945	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.19	1.60	2.08	1.67	0.23	6.98
1946	Below Normal	0.15	0.00	0.00	0.00	0.00	0.04	0.80	1.78	2.34	2.39	1.95	0.82	10.27
1947	Dry	0.43	0.00	0.00	0.00	0.00	0.00	0.59	0.85	0.97	1.25	0.99	0.44	5.52
1948	Below Normal	0.15	0.00	0.00	0.00	0.03	0.02	0.12	1.00	2.15	3.21	2.58	0.52	9.78
1949	Dry	0.32	0.06	0.00	0.00	0.00	0.00	0.00	0.89	2.17	2.12	1.70	0.23	7.49
1950	Below Normal	0.44	0.00	0.00	0.00	0.00	0.01	0.46	0.26	0.88	0.86	0.69	0.00	3.60
1951	Above Normal	0.15	0.00	0.00	0.00	0.00	0.05	0.68	1.23	2.68	2.84	2.29	0.49	10.41
1952	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.12	1.69	2.46	3.05	2.48	0.57	10.52
1953	Wet	0.55	0.00	0.00	0.00	0.00	0.09	0.25	2.01	2.68	3.07	2.21	0.57	11.43
1954	Above Normal	0.45	0.00	0.00	0.00	0.00	0.00	0.01	1.92	2.95	3.13	2.29	0.59	11.34
1955	Dry	0.51	0.00	0.00	0.00	0.00	0.07	0.42	0.31	1.14	0.96	0.77	0.29	4.47
1956	Wet	0.24	0.00	0.00	0.00	0.00	0.11	0.50	1.80	2.55	3.07	2.47	0.43	11.17
1957	Above Normal	0.34	0.07	0.00	0.00	0.00	0.14	0.30	1.36	2.09	2.16	1.74	0.33	8.53
1958	Wet	0.14	0.01	0.00	0.00	0.00	0.00	0.00	1.01	2.78	3.18	2.61	0.62	10.35
1959	Below Normal	0.53	0.07	0.00	0.00	0.00	0.05	0.35	1.08	1.96	1.88	1.47	0.30	7.69
1960	Dry	0.40	0.06	0.00	0.00	0.00	0.00	0.41	0.19	1.11	0.92	0.74	0.00	3.83
1961	Dry	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.70	1.41	1.62	1.27	0.00	5.26
1962	Below Normal	0.34	0.04	0.00	0.00	0.00	0.00	0.22	1.28	1.96	2.34	1.88	0.29	8.35
1963	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.18	2.93	3.30	2.65	0.63	10.83
1964	Dry	0.24	0.00	0.00	0.00	0.00	0.10	0.71	0.78	0.82	1.00	0.80	0.30	4.75
1965	Wet	0.17	0.00	0.00	0.00	0.00	0.08	0.00	1.27	2.24	2.40	1.63	0.34	8.13
1966	Below Normal	0.47	0.00	0.00	0.00	0.00	0.06	1.42	1.44	2.38	2.37	1.91	0.32	10.37
1967	Wet	0.47	0.00	0.00	0.00	0.00	0.00	0.01	1.41	2.15	3.29	2.64	0.63	10.60
1968	Below Normal	0.53	0.04	0.00	0.00	0.00	0.00	0.03	1.00	1.60	2.05	1.47	0.22	6.94
1969	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.29	1.78	2.60	3.01	2.42	0.54	10.93
1970	Wet	0.31	0.00	0.00	0.00	0.00	0.00	0.11	1.07	1.68	1.96	1.57	0.18	6.88
1971	Wet	0.28	0.00	0.00	0.00	0.00	0.11	0.87	1.51	2.35	2.50	2.00	0.37	9.99
1972	Below Normal	0.44	0.00	0.00	0.00	0.01	0.45	0.17	0.63	1.38	1.37	1.10	0.00	5.55
1973	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.98	1.64	2.88	2.94	2.36	0.49	11.44
1974	Wet	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.73	2.95	2.79	2.61	0.63	10.92
1975	Wet	0.29	0.01	0.00	0.00	0.00	0.00	0.01	2.12	2.96	3.03	2.46	0.58	11.46
1976	Critical	0.17	0.01	0.00	0.00	0.18	0.10	0.12	0.15	0.43	0.19	0.14	0.06	1.55
1977	Critical	0.17	0.00	0.00	0.00	0.01	0.10	0.24	0.34	0.54	0.73	1.08	0.24	3.45
1978	Above Normal	0.16	0.04	0.00	0.00	0.00	0.00	0.03	1.87	3.06	3.25	2.61	0.39	11.41
1979	Below Normal	0.59	0.00	0.00	0.00	0.00	0.00	0.49	0.69	1.69	1.58	1.27	0.01	6.32
1980	Above Normal	0.18	0.00	0.00	0.00	0.00	0.00	0.01	1.17	2.10	2.48	2.02	0.37	8.33
1981	Dry	0.45	0.02	0.00	0.00	0.00	0.00	0.01	0.99	2.29	2.27	1.82	0.21	8.06
1982	Wet	0.16	0.00	0.00	0.00	0.00	0.00	0.01	1.47	2.52	3.30	2.65	0.16	10.27
1983	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.77	3.30	2.57	0.54	10.59
1984	Wet	0.45	0.00	0.00	0.00	0.00	0.08	0.77	1.61	2.48	2.56	1.93	0.38	10.26
1985	Dry	0.24	0.00	0.00	0.00	0.00	0.00	0.21	1.59	2.21	2.19	1.74	0.54	8.72
1986	Wet	0.38	0.00	0.00	0.00	0.00	0.00	0.48	0.89	1.91	1.94	1.56	0.03	7.19
1987	Dry	0.39	0.01	0.00	0.00	0.00	0.00	0.34	0.47	0.84	0.61	0.49	0.21	3.36
1988	Critical	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.28
1989	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.45	0.36	0.93	0.98	0.78	0.24	3.92
1990	Critical	0.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.51
1991	Critical	0.14	0.04	0.00	0.00	0.00	0.00	0.19	0.52	0.76	1.01	1.30	0.16	4.12
1992	Critical	0.20	0.05	0.00	0.00	0.00	0.00	0.27	0.32	0.92	1.24	1.49	0.24	4.73
1993	Above Normal	0.15	0.05	0.00	0.00	0.00	0.00	0.22	1.46	2.25	3.14	2.53	0.60	10.40
1994	Critical	0.39	0.04	0.00	0.00	0.00	0.05	0.56	1.24	2.01	2.41	2.42	0.64	9.76
1995	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.03	1.07	2.50	3.26	2.62	0.64	10.41
1996	Wet	0.59	0.07	0.00	0.00	0.00	0.00	0.72	0.86	2.90	3.30	2.65	0.62	11.71
1997	Wet	0.22	0.04	0.00	0.00	0.00	0.11	0.66	1.61	1.89	2.18	1.63	0.21	8.55
1998	Wet	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.23	2.60	3.30	2.65	0.52	9.66
1999	Wet	0.33	0.04	0.00	0.00	0.00	0.00	0.24	1.63	2.45	3.07	2.46	0.57	10.79
2000	Above Normal	0.50	0.04	0.00	0.00	0.00	0.00	0.01	1.49	2.60	3.30	2.65	0.54	11.13
2001	Dry	0.15	0.05	0.00	0.00	0.00	0.00	0.40	0.31	1.01	1.02	0.82	0.00	3.76
2002	Dry	0.22	0.04	0.00	0.00	0.00	0.09	0.68	1.39	2.08	2.15	1.73	0.25	8.63
2003	Above Normal	0.44	0.04	0.00	0.00	0.00	0.00	0.25	1.06	2.95	3.29	2.28	0.65	10.96
	Average	0.28	0.02	0.00	0.00	0.01	0.03	0.30	0.98	1.82	2.03	1.67	0.33	7.46
	Wet	0.29	0.01	0.00	0.00	0.00	0.02	0.27	1.40	2.54	2.93	2.34	0.48	10.27
	Above Normal	0.26	0.02	0.00	0.00	0.00	0.02	0.36	1.42	2.57	2.84	2.24	0.46	10.19
	Below Normal	0.32	0.01	0.00	0.00	0.00	0.06	0.36	0.86	1.59	1.79	1.42	0.19	6.60
	Dry	0.30	0.02	0.00	0.00	0.01	0.03	0.32	0.60	1.26	1.26	1.03	0.21	5.05
	Critical	0.22	0.03	0.00	0.00	0.02	0.04	0.19	0.35	0.61	0.72	0.90	0.18	3.25

Energy Use (GWh) At Pumping Plant at Tehama Other: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.24	0.00	0.00	0.00	0.00	0.01	0.73	2.05	2.75	2.91	2.34	0.52	11.55
1923	Below Normal	0.19	0.00	0.00	0.00	0.00	0.16	0.63	0.85	1.53	1.73	1.39	0.00	6.48
1924	Critical	0.31	0.01	0.00	0.00	0.00	0.08	0.24	0.41	0.57	0.77	1.10	0.21	3.70
1925	Dry	0.14	0.00	0.00	0.00	0.00	0.00	0.26	0.47	1.64	2.02	1.62	0.08	6.23
1926	Dry	0.41	0.00	0.00	0.00	0.00	0.02	0.06	0.34	0.81	0.59	0.46	0.20	2.89
1927	Wet	0.17	0.00	0.00	0.00	0.00	0.01	1.24	2.12	2.43	3.07	2.47	0.57	12.08
1928	Above Normal	0.16	0.00	0.00	0.00	0.00	0.00	0.40	0.68	1.64	1.59	1.28	0.05	5.80
1929	Critical	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.34
1930	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.11	0.00	0.79	0.56	0.45	0.17	2.26
1931	Critical	0.20	0.04	0.00	0.00	0.00	0.10	0.26	0.40	0.57	0.80	1.13	0.17	3.67
1932	Dry	0.17	0.04	0.00	0.00	0.00	0.01	0.33	0.52	0.76	1.01	1.30	0.24	4.38
1933	Critical	0.21	0.05	0.00	0.00	0.00	0.06	0.18	0.32	0.48	0.67	1.02	0.21	3.20
1934	Critical	0.15	0.04	0.00	0.00	0.00	0.00	0.23	0.43	0.61	0.83	1.15	0.19	3.63
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.95	0.84	0.68	0.00	2.54
1936	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.35	0.36	0.91	1.25	1.00	0.00	4.07
1937	Below Normal	0.30	0.01	0.00	0.00	0.00	0.00	0.00	0.34	0.85	1.05	0.84	0.01	3.40
1938	Wet	0.19	0.00	0.00	0.00	0.00	0.00	0.01	1.48	3.06	3.24	2.61	0.44	11.03
1939	Dry	0.33	0.01	0.00	0.00	0.19	0.21	0.52	0.43	0.84	0.61	0.49	0.17	3.80
1940	Above Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.73	1.18	2.87	3.10	2.49	0.56	11.13
1941	Wet	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.90	2.82	3.30	2.65	0.65	10.54
1942	Wet	0.21	0.00	0.00	0.00	0.00	0.00	0.00	1.19	3.04	3.29	2.65	0.62	11.00
1943	Wet	0.51	0.00	0.00	0.00	0.00	0.00	0.61	1.59	2.27	2.42	1.95	0.35	9.70
1944	Dry	0.41	0.01	0.00	0.00	0.00	0.01	0.26	0.02	0.80	0.69	0.55	0.24	2.99
1945	Below Normal	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.18	1.59	2.06	1.65	0.22	6.91
1946	Below Normal	0.15	0.00	0.00	0.00	0.00	0.04	0.80	1.78	2.34	2.39	1.95	0.82	10.27
1947	Dry	0.43	0.00	0.00	0.00	0.00	0.00	0.59	0.86	0.98	1.26	1.00	0.44	5.56
1948	Below Normal	0.15	0.00	0.00	0.00	0.03	0.02	0.12	1.00	2.14	3.21	2.58	0.52	9.77
1949	Dry	0.32	0.06	0.00	0.00	0.00	0.00	0.00	0.89	2.17	2.12	1.70	0.23	7.49
1950	Below Normal	0.44	0.00	0.00	0.00	0.00	0.01	0.46	0.26	0.88	0.86	0.69	0.00	3.60
1951	Above Normal	0.15	0.00	0.00	0.00	0.00	0.05	0.68	1.23	2.68	2.85	2.29	0.49	10.42
1952	Wet	0.15	0.00	0.00	0.00	0.00	0.00	0.12	1.69	2.46	3.05	2.48	0.57	10.52
1953	Wet	0.55	0.00	0.00	0.00	0.00	0.09	0.24	2.01	2.68	3.07	2.21	0.57	11.42
1954	Above Normal	0.45	0.00	0.00	0.00	0.00	0.00	0.01	1.93	2.95	3.14	2.29	0.59	11.36
1955	Dry	0.51	0.00	0.00	0.00	0.00	0.07	0.42	0.31	1.13	0.96	0.77	0.29	4.46
1956	Wet	0.24	0.00	0.00	0.00	0.00	0.11	0.50	1.80	2.55	3.07	2.47	0.43	11.17
1957	Above Normal	0.34	0.07	0.00	0.00	0.00	0.14	0.30	1.36	2.09	2.16	1.74	0.33	8.53
1958	Wet	0.14	0.01	0.00	0.00	0.00	0.00	0.00	1.01	2.78	3.18	2.61	0.62	10.35
1959	Below Normal	0.53	0.07	0.00	0.00	0.00	0.05	0.36	1.09	1.97	1.90	1.48	0.31	7.76
1960	Dry	0.41	0.06	0.00	0.00	0.00	0.00	0.40	0.18	1.11	0.92	0.74	0.00	3.82
1961	Dry	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.69	1.40	1.61	1.27	0.00	5.22
1962	Below Normal	0.34	0.04	0.00	0.00	0.00	0.00	0.22	1.27	1.96	2.34	1.88	0.29	8.34
1963	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.18	2.93	3.30	2.65	0.63	10.83
1964	Dry	0.24	0.00	0.00	0.00	0.00	0.10	0.71	0.78	0.82	1.00	0.80	0.31	4.76
1965	Wet	0.17	0.00	0.00	0.00	0.00	0.07	0.00	1.24	2.20	2.36	1.60	0.32	7.96
1966	Below Normal	0.46	0.00	0.00	0.00	0.00	0.06	1.43	1.44	2.39	2.38	1.92	0.32	10.40
1967	Wet	0.47	0.00	0.00	0.00	0.00	0.00	0.01	1.41	2.15	3.29	2.64	0.63	10.60
1968	Below Normal	0.53	0.04	0.00	0.00	0.00	0.00	0.03	1.00	1.60	2.05	1.47	0.22	6.94
1969	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.29	1.78	2.60	3.01	2.42	0.54	10.93
1970	Wet	0.31	0.00	0.00	0.00	0.00	0.00	0.11	1.07	1.68	1.96	1.57	0.18	6.88
1971	Wet	0.28	0.00	0.00	0.00	0.00	0.11	0.86	1.51	2.34	2.49	2.00	0.37	9.96
1972	Below Normal	0.44	0.00	0.00	0.00	0.01	0.45	0.17	0.63	1.38	1.37	1.10	0.00	5.55
1973	Above Normal	0.15	0.00	0.00	0.00	0.00	0.00	0.98	1.64	2.88	2.94	2.36	0.49	11.44
1974	Wet	0.20	0.00	0.00	0.00	0.00	0.00	0.01	1.73	2.95	2.79	2.61	0.63	10.92
1975	Wet	0.29	0.01	0.00	0.00	0.00	0.00	0.01	2.12	2.96	3.03	2.46	0.58	11.46
1976	Critical	0.17	0.01	0.00	0.00	0.18	0.09	0.12	0.15	0.43	0.19	0.14	0.06	1.54
1977	Critical	0.17	0.00	0.00	0.00	0.01	0.10	0.24	0.34	0.54	0.73	1.08	0.24	3.45
1978	Above Normal	0.16	0.04	0.00	0.00	0.00	0.00	0.03	1.87	3.06	3.25	2.61	0.39	11.41
1979	Below Normal	0.59	0.00	0.00	0.00	0.00	0.00	0.41	0.52	1.47	1.33	1.07	0.00	5.39
1980	Above Normal	0.17	0.00	0.00	0.00	0.00	0.00	0.01	1.18	2.10	2.48	2.02	0.37	8.33
1981	Dry	0.45	0.02	0.00	0.00	0.00	0.00	0.01	0.96	2.25	2.22	1.78	0.20	7.89
1982	Wet	0.16	0.00	0.00	0.00	0.00	0.00	0.01	1.47	2.52	3.30	2.65	0.16	10.27
1983	Wet	0.14	0.00	0.00	0.00	0.00	0.00	0.00	1.27	2.77	3.30	2.57	0.54	10.59
1984	Wet	0.45	0.00	0.00	0.00	0.00	0.08	0.77	1.61	2.48	2.56	1.93	0.38	10.26
1985	Dry	0.24	0.00	0.00	0.00	0.00	0.00	0.21	1.59	2.21	2.19	1.74	0.54	8.72
1986	Wet	0.38	0.00	0.00	0.00	0.00	0.00	0.48	0.89	1.91	1.94	1.56	0.03	7.19
1987	Dry	0.39	0.01	0.00	0.00	0.00	0.00	0.33	0.46	0.83	0.60	0.48	0.21	3.31
1988	Critical	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.28
1989	Dry	0.14	0.04	0.00	0.00	0.00	0.00	0.45	0.36	0.93	0.97	0.78	0.24	3.91
1990	Critical	0.17	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.51
1991	Critical	0.14	0.04	0.00	0.00	0.00	0.00	0.19	0.52	0.76	1.01	1.30	0.16	4.12
1992	Critical	0.20	0.05	0.00	0.00	0.00	0.00	0.26	0.31	0.91	1.23	1.48	0.24	4.68
1993	Above Normal	0.15	0.05	0.00	0.00	0.00	0.00	0.20	1.44	2.21	3.09	2.48	0.58	10.20
1994	Critical	0.38	0.04	0.00	0.00	0.00	0.05	0.56	1.24	2.00	2.40	2.42	0.64	9.73
1995	Wet	0.29	0.00	0.00	0.00	0.00	0.00	0.03	1.07	2.50	3.26	2.62	0.64	10.41
1996	Wet	0.59	0.07	0.00	0.00	0.00	0.00	0.72	0.86	2.90	3.30	2.65	0.62	11.71
1997	Wet	0.22	0.04	0.00	0.00	0.00	0.11	0.66	1.61	1.89	2.18	1.63	0.21	8.55
1998	Wet	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.23	2.60	3.30	2.65	0.52	9.66
1999	Wet	0.33	0.04	0.00	0.00	0.00	0.00	0.24	1.63	2.45	3.07	2.46	0.57	10.79
2000	Above Normal	0.50	0.04	0.00	0.00	0.00	0.00	0.01	1.49	2.60	3.30	2.65	0.54	11.13
2001	Dry	0.15	0.05	0.00	0.00	0.00	0.00	0.40	0.31	1.01	1.02	0.82	0.00	3.76
2002	Dry	0.22	0.04	0.00	0.00	0.00	0.09	0.68	1.39	2.08	2.15	1.73	0.25	8.63
2003	Above Normal	0.44	0.04	0.00	0.00	0.00	0.00	0.25	1.06	2.95	3.29	2.28	0.65	10.96
	Average	0.28	0.02	0.00	0.00	0.01	0.03	0.30	0.98	1.81	2.03	1.67	0.32	7.43
	Wet	0.29	0.01	0.00	0.00	0.00	0.02	0.27	1.40	2.54	2.93	2.34	0.48	10.26
	Above Normal	0.26	0.02	0.00	0.00	0.00	0.02	0.36	1.43	2.57	2.84	2.24	0.46	10.19
	Below Normal	0.32	0.01	0.00	0.00	0.00	0.06	0.36	0.84	1.57	1.77	1.41	0.19	6.53
	Dry	0.30	0.02	0.00	0.00	0.01	0.03	0.32	0.59	1.25	1.25	1.03	0.21	5.00
	Critical	0.22	0.03	0.00	0.00	0.02	0.04	0.19	0.34	0.60	0.72	0.90	0.18	3.24

Difference in Energy Use (GWh) At Pumping Plant at Tehama Other: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1924	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.09)	(0.10)	(0.11)	(0.13)	(0.11)	(0.04)	(0.05)
1940	Above Normal	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.02	0.03	0.05	0.05	0.04	0.02	0.02
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.02)	0.00	(0.01)
1944	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.01	0.01	0.01
1960	Dry	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00
1961	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.03)	(0.04)	(0.04)	(0.03)	(0.02)	(0.01)
1966	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.17)	(0.22)	(0.25)	(0.20)	(0.01)	(0.08)
1980	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.04)	(0.05)	(0.04)	(0.01)	(0.01)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.04)	(0.05)	(0.05)	(0.02)	(0.02)
1994	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.00)	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Wet	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Above Normal	(0.00)	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.02)	(0.02)	(0.02)	(0.00)	(0.01)
	Dry	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Critical	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Tehama Other: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	0%
1924	Critical	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	-2%	-1%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	-5%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	-2%	-2%	0%	-1%	-5%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	-3%	-1%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-9%	-15%	-19%	-12%	-18%	-18%	-19%
1940	Above Normal	-5%	-100%	0%	0%	0%	0%	3%	3%	2%	2%	2%	4%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	-1%	0%
1944	Dry	-2%	0%	0%	0%	0%	0%	4%	100%	1%	1%	2%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	-4%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1956	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	3%	1%	1%	1%	1%	3%
1960	Dry	2%	0%	0%	0%	0%	0%	-2%	-5%	0%	0%	0%	0%
1961	Dry	-4%	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1965	Wet	0%	0%	0%	0%	0%	-13%	0%	-2%	-2%	-2%	-2%	-6%
1966	Below Normal	-2%	0%	0%	0%	0%	0%	1%	0%	0%	0%	1%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	-10%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	-16%	-25%	-13%	-16%	-16%	-100%
1980	Above Normal	-6%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	-3%	-2%	-2%	-2%	-5%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	-3%	-2%	-1%	-2%	-2%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-4%	-3%	-1%	-1%	-1%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	-9%	-1%	-2%	-2%	-2%	-3%
1994	Critical	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	-2%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	-1%	-8%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-2%	-1%	-1%	-1%	-7%
	Dry	0%	0%	0%	0%	0%	0%	-1%	4%	-1%	-1%	-1%	-1%
	Critical	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Tracy: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	67.18	65.01	67.18	52.26	42.20	65.84	16.76	14.50	65.01	67.18	67.18	65.01	655.31
1923	Below Normal	60.35	65.01	62.57	54.11	55.92	42.89	15.81	11.68	47.59	66.90	55.87	65.01	603.71
1924	Critical	66.85	58.73	51.40	56.64	28.72	11.68	13.30	11.92	3.87	11.68	18.61	40.18	373.58
1925	Dry	45.20	22.11	56.09	46.99	30.75	41.34	16.93	13.93	48.67	67.18	57.50	50.91	497.60
1926	Dry	55.33	59.44	52.05	47.00	22.76	15.20	17.33	11.68	29.74	45.45	34.16	53.48	443.62
1927	Wet	51.62	65.01	54.60	34.65	51.99	53.93	14.16	11.68	40.67	67.18	67.18	62.63	575.30
1928	Above Normal	45.70	28.98	67.18	50.52	29.64	57.63	15.69	11.68	36.15	60.72	67.18	52.02	523.09
1929	Critical	44.84	36.74	67.18	48.12	43.30	34.41	11.31	11.68	9.77	29.78	67.18	42.79	447.10
1930	Dry	48.56	42.80	46.13	35.15	33.05	30.16	19.99	17.31	15.90	38.87	22.21	36.81	386.94
1931	Critical	50.62	45.86	46.73	47.68	43.34	16.38	11.31	11.68	5.85	8.76	18.60	39.31	346.12
1932	Dry	43.92	34.43	67.18	49.87	24.21	15.91	11.31	11.68	25.26	11.68	47.38	65.01	407.84
1933	Critical	50.53	43.40	46.78	9.96	12.67	19.03	11.31	11.68	7.70	11.68	67.18	57.54	349.46
1934	Critical	42.84	36.59	16.97	6.91	9.39	9.00	11.31	11.68	5.89	8.76	52.65	39.65	251.64
1935	Below Normal	27.70	43.10	61.48	41.34	10.92	21.89	14.57	11.68	41.63	46.05	29.23	59.06	408.65
1936	Below Normal	63.41	54.50	59.61	25.70	9.96	29.87	16.81	11.68	39.76	57.99	39.34	65.01	473.64
1937	Below Normal	59.98	53.01	62.08	40.90	13.67	9.01	18.18	16.00	13.84	47.58	34.94	65.01	434.20
1938	Wet	50.68	65.01	57.01	11.90	12.18	29.02	35.85	60.19	65.01	67.18	67.18	63.46	584.67
1939	Dry	55.75	11.31	62.06	49.78	51.28	25.78	12.19	11.68	6.29	64.92	33.69	57.16	441.89
1940	Above Normal	49.33	52.99	37.21	37.94	45.23	67.18	18.53	11.68	38.78	56.77	67.18	57.11	539.93
1941	Wet	45.39	38.73	61.20	57.97	60.67	67.18	22.59	19.71	56.55	67.18	67.18	64.67	629.02
1942	Wet	49.38	65.01	61.85	67.18	60.67	67.18	20.21	17.82	56.26	67.18	67.18	65.01	664.93
1943	Wet	54.03	65.01	58.89	67.18	60.67	67.18	20.09	11.68	49.05	67.18	67.18	65.01	653.15
1944	Dry	48.26	55.82	64.29	49.73	50.27	35.41	14.92	11.68	24.70	54.26	32.25	44.01	485.60
1945	Below Normal	50.14	65.01	55.68	50.10	51.43	59.82	14.71	11.68	29.20	67.18	67.18	65.01	587.14
1946	Below Normal	67.18	65.01	67.18	59.05	60.67	48.84	11.91	11.68	38.45	67.18	67.18	60.04	624.37
1947	Dry	67.18	65.01	67.18	57.39	46.41	19.47	12.72	11.68	23.84	67.18	36.85	58.93	533.84
1948	Below Normal	54.99	63.34	50.97	29.65	12.36	36.93	11.31	11.68	37.86	62.29	62.35	65.01	498.74
1949	Dry	67.18	59.71	62.52	47.06	43.77	28.19	11.31	11.68	24.50	67.18	60.57	65.01	548.68
1950	Below Normal	62.27	65.01	66.63	31.67	33.90	50.16	12.06	11.68	26.27	62.51	55.86	65.01	543.03
1951	Above Normal	67.18	65.01	67.18	45.87	13.27	37.08	13.60	11.68	38.07	50.18	67.18	65.01	541.31
1952	Wet	49.76	59.39	57.40	67.18	53.13	67.18	23.86	30.89	65.01	67.18	67.18	65.01	673.17
1953	Wet	48.79	55.00	67.18	46.37	50.52	53.96	14.56	12.25	27.39	67.18	67.18	65.01	575.39
1954	Above Normal	34.20	64.66	66.03	30.39	32.96	50.32	13.24	11.68	37.05	43.79	67.18	65.01	516.51
1955	Dry	45.76	62.55	67.18	52.39	47.89	35.80	13.35	11.68	8.45	67.18	37.84	52.83	502.90
1956	Wet	46.12	59.19	67.18	67.18	55.42	27.09	14.18	14.78	61.14	67.18	67.18	65.01	611.65
1957	Above Normal	52.97	65.01	62.67	48.22	24.69	42.64	14.66	11.95	26.29	59.24	67.18	55.09	530.61
1958	Wet	67.18	65.01	54.01	37.32	53.82	67.18	35.10	25.40	65.01	67.18	67.18	65.01	669.40
1959	Below Normal	54.49	53.77	67.18	32.03	39.85	50.66	17.22	13.32	23.51	65.93	67.18	51.11	536.25
1960	Dry	51.90	48.41	53.36	47.47	30.48	35.53	11.31	17.22	21.42	59.14	30.90	58.04	465.18
1961	Dry	52.93	57.39	67.18	48.47	26.49	48.18	11.31	12.02	5.24	65.83	51.72	65.01	511.77
1962	Below Normal	45.11	55.28	43.56	51.65	41.57	55.82	15.55	11.68	24.04	64.84	67.18	60.56	536.84
1963	Wet	67.18	65.01	51.99	35.38	38.30	52.23	13.10	11.68	48.64	67.18	65.24	65.01	580.94
1964	Dry	41.24	65.01	67.18	49.46	38.35	38.30	11.33	11.68	9.69	67.18	39.30	46.99	485.71
1965	Wet	42.56	44.73	58.54	67.18	57.88	66.52	17.92	11.68	40.35	67.18	67.18	65.01	606.73
1966	Below Normal	46.88	65.01	67.18	57.15	52.31	43.78	13.04	11.68	23.81	67.18	67.18	61.76	576.96
1967	Wet	58.30	53.48	57.21	54.72	47.80	61.67	29.88	26.10	65.01	67.18	67.18	63.46	651.99
1968	Below Normal	57.69	30.73	67.18	49.83	31.03	50.72	16.61	14.08	23.47	67.18	67.18	51.11	526.81
1969	Wet	56.98	58.20	67.18	61.77	60.67	29.06	38.64	57.57	65.01	67.18	67.18	54.03	683.47
1970	Wet	59.43	11.31	60.24	67.18	60.67	50.09	11.31	11.68	26.04	57.36	67.18	65.01	547.50
1971	Wet	47.89	29.67	58.00	48.56	44.40	56.82	14.94	12.03	37.42	66.47	67.18	61.48	544.86
1972	Below Normal	49.93	38.52	67.18	46.66	24.65	34.22	12.41	11.68	23.25	66.94	67.18	57.54	500.16
1973	Above Normal	50.05	65.01	55.55	42.57	57.43	59.70	13.77	11.68	40.33	66.92	67.18	48.10	578.29
1974	Wet	45.24	65.01	64.69	63.51	51.46	67.18	16.31	11.68	49.75	67.18	67.18	65.01	634.20
1975	Wet	62.02	65.01	67.18	49.34	41.57	67.18	14.48	11.68	54.41	67.18	67.18	65.01	632.24
1976	Critical	67.18	53.74	67.18	51.82	60.81	46.60	17.59	11.68	3.94	23.00	11.68	22.11	437.33
1977	Critical	37.18	51.78	44.44	39.10	49.19	11.68	11.31	11.68	0.84	8.76	60.22	19.12	345.30
1978	Above Normal	28.15	21.90	41.08	41.98	60.67	67.18	24.29	21.34	62.24	67.18	67.18	64.41	567.60
1979	Below Normal	55.11	42.33	66.86	57.17	60.67	67.18	14.28	16.39	39.07	67.18	67.18	49.51	602.93
1980	Above Normal	67.18	49.10	67.18	67.18	41.81	25.02	15.84	14.57	62.60	67.18	67.18	48.72	593.56
1981	Dry	47.30	54.49	67.18	49.96	44.99	35.49	18.64	14.78	23.32	67.18	49.72	51.28	524.33
1982	Wet	67.18	65.01	53.85	54.95	60.67	67.18	41.92	35.25	65.01	67.18	67.18	65.01	710.39
1983	Wet	67.18	65.01	67.18	65.18	30.45	29.07	38.46	57.43	65.01	67.18	67.18	65.01	684.34
1984	Wet	67.18	35.41	21.35	28.81	37.78	36.93	14.61	11.68	40.40	67.18	67.18	64.95	493.46
1985	Dry	54.05	65.01	67.18	49.88	46.43	42.57	16.70	13.01	23.69	67.18	59.69	65.01	570.40
1986	Wet	65.84	65.01	62.48	31.47	60.67	55.10	24.26	19.13	53.23	67.18	67.18	11.31	582.86
1987	Dry	36.13	11.31	60.04	48.24	44.18	34.27	11.31	11.68	23.04	53.68	25.06	43.87	402.81
1988	Critical	65.16	52.21	48.52	34.78	10.93	11.68	14.91	11.68	4.67	42.36	67.18	27.90	391.98
1989	Dry	36.55	47.08	41.18	46.42	15.84	17.65	17.39	11.68	33.33	57.81	40.08	47.70	412.71
1990	Critical	40.28	43.91	46.53	45.21	31.03	14.78	11.31	12.39	3.14	46.26	49.36	23.53	367.73
1991	Critical	45.12	42.49	38.57	22.08	22.38	18.92	15.22	11.96	15.49	41.05	35.50	31.67	340.45
1992	Critical	41.91	39.66	34.22	22.76	23.09	34.89	11.31	11.68	13.60	47.03	66.80	11.50	358.45
1993	Above Normal	29.73	42.41	52.87	47.24	54.30	57.27	11.31	11.68	52.80	67.18	67.18	65.01	558.98
1994	Critical	57.80	62.62	67.18	46.76	43.99	33.62	13.13	14.25	3.35	66.12	44.71	43.32	496.85
1995	Wet	34.13	53.11	52.89	43.97	47.88	67.18	25.59	63.62	65.01	67.18	67.18	65.01	652.75
1996	Wet	36.06	26.37	54.07	41.41	62.84	67.18	17.01	13.92	48.17	67.18	67.18	65.01	566.40
1997	Wet	43.93	65.01	67.18	67.18	60.67	52.34	12.21	11.68	63.99	63.14	67.18	65.01	639.52
1998	Wet	42.49	30.73	67.18	44.00	60.67	67.18	28.47	28.59	65.01	67.18	67.18	65.01	633.69
1999	Wet	67.18	65.01	58.88	59.82	60.67	67.18	12.71	11.68	40.60	67.18	67.18	50.41	628.50
2000	Above Normal	39.01	65.01	56.44	33.03	62.84	67.18	12.59	11.68	45.41	39.88	67.18	65.01	565.26
2001	Dry	45.04	65.01	59.46	50.52	40.00	42.28	14.51	11.68	22.84	67.18	35.55	45.06	499.13
2002	Dry	58.92	47.34	57.41	38.99	34.39	37.85	11.82	11.68	23.67	67.18	67.18	58.96	515.39
2003	Above Normal	61.28	65.01	56.34	33.62	44.34	48.83	11.31	11.68	33.76	67.18	67.18	54.93	555.46
	Average	51.86	51.86	57.95	46.29	41.50	43.29	16.66	16.05	34.40	57.61	57.16	55.03	529.66
	Wet	53.60	53.86	58.82	51.59	51.70	56.15	22.02	23.52	53.04	66.62	67.11	61.60	619.64
	Above Normal	49.33	54.18	58.08	44.24	42.45	53.82	15.13	12.98	44.87	59.45	67.18	58.79	560.49
	Below Normal	53.95	54.26	61.81	44.79	35.64	42.99	14.61	12.61	30.84	62.64	58.22	60.05	532.39
	Dry	50.07	48.57	60.27	48.04	37.31	32.19	14.13	12.69	21.87	58.68	42.31	53.67	479.80
	Critical	50.86	47.31	47.98	35.99	31.57	21.89	12.78	12.00	6.51	28.77	46.64	33.22	375.50

Energy Use (GWh) At Pumping Plant at Tracy: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	67.18	65.01	67.18	52.26	42.21	65.82	16.76	14.50	65.01	67.18	67.18	65.01	655.30
1923	Below Normal	60.35	65.01	62.57	53.40	55.77	42.89	15.81	11.68	47.38	66.90	55.70	65.01	602.47
1924	Critical	66.85	58.72	51.40	56.64	28.72	11.68	13.30	11.95	3.87	11.68	18.61	40.23	373.65
1925	Dry	45.25	22.06	56.07	46.99	30.75	41.31	16.93	13.93	48.70	67.18	57.52	50.94	497.63
1926	Dry	55.34	59.45	52.03	47.00	22.76	15.18	17.33	11.68	29.68	45.45	34.01	53.46	443.37
1927	Wet	51.63	65.01	54.60	34.65	51.99	53.93	14.16	11.68	40.67	67.18	67.18	62.63	575.31
1928	Above Normal	45.71	28.96	67.18	50.52	29.64	57.63	15.69	11.68	36.15	60.71	67.18	52.02	523.07
1929	Critical	44.84	36.72	67.18	48.12	43.30	34.41	11.31	11.68	9.77	29.79	67.18	42.80	447.10
1930	Dry	48.57	42.82	46.12	35.15	33.05	30.14	19.99	17.31	15.87	38.84	22.22	36.81	386.89
1931	Critical	50.63	45.88	46.71	47.68	43.35	16.39	11.31	11.68	5.85	8.76	18.60	39.32	346.16
1932	Dry	43.94	34.38	67.18	49.87	24.11	14.54	11.31	11.68	25.26	11.68	47.49	65.01	406.45
1933	Critical	50.54	43.41	47.86	9.95	12.66	19.03	11.31	11.68	7.70	11.68	67.18	57.60	350.60
1934	Critical	42.93	36.65	16.72	6.91	9.39	8.87	11.31	11.68	5.89	8.76	49.07	39.79	247.97
1935	Below Normal	27.53	43.15	61.48	44.53	10.88	21.89	14.57	11.68	41.63	46.05	29.25	59.10	411.74
1936	Below Normal	63.45	54.55	65.76	19.41	12.25	31.40	16.81	11.68	39.76	57.95	39.35	65.01	477.38
1937	Below Normal	60.01	53.04	62.04	40.75	13.66	24.76	18.16	14.53	13.08	47.47	34.95	65.01	447.46
1938	Wet	50.64	65.01	67.18	14.99	12.85	41.83	32.42	36.96	65.01	67.18	67.18	63.46	584.71
1939	Dry	56.43	11.31	62.95	49.78	51.24	25.78	11.31	11.68	6.28	66.46	33.27	55.17	441.66
1940	Above Normal	51.27	52.99	36.51	37.94	45.23	67.18	18.53	11.68	38.78	56.61	67.18	58.73	542.63
1941	Wet	45.43	41.39	61.20	57.97	60.67	67.18	22.59	19.71	56.55	67.18	67.18	64.65	631.70
1942	Wet	50.38	65.01	61.85	67.18	60.67	67.18	20.21	17.82	56.26	67.18	67.18	65.01	665.93
1943	Wet	54.02	65.01	58.89	67.18	60.67	67.18	20.09	11.68	55.15	67.18	67.18	65.01	659.24
1944	Dry	46.74	54.90	64.30	49.73	50.27	35.41	14.92	11.68	26.40	53.13	32.33	44.10	483.91
1945	Below Normal	50.16	65.01	55.68	50.10	47.87	67.18	14.71	11.68	29.20	67.18	67.18	65.01	590.96
1946	Below Normal	67.18	65.01	67.18	59.05	60.67	50.62	11.91	11.68	36.59	67.18	67.18	61.86	626.11
1947	Dry	67.18	65.01	67.18	57.39	46.41	19.47	12.72	11.68	23.85	67.18	38.06	58.86	534.99
1948	Below Normal	54.97	63.33	50.99	29.65	12.33	36.93	11.31	11.68	37.86	62.23	62.37	65.01	498.66
1949	Dry	67.18	59.71	62.18	47.06	43.77	28.19	11.31	11.68	24.50	67.18	60.56	65.01	548.33
1950	Below Normal	62.28	65.01	66.63	31.67	33.90	50.16	12.06	11.68	26.27	62.50	55.86	65.01	543.03
1951	Above Normal	67.18	65.01	67.18	45.80	18.22	37.08	13.60	11.68	38.07	50.17	67.18	65.01	546.18
1952	Wet	49.76	59.42	57.40	67.18	53.18	67.18	22.93	29.09	65.01	67.18	67.18	65.01	670.52
1953	Wet	48.76	65.01	67.18	39.78	50.52	53.96	14.56	12.25	27.39	67.18	67.18	65.01	578.78
1954	Above Normal	33.74	63.73	66.01	30.39	32.96	50.32	13.24	11.68	37.05	43.65	67.18	65.01	514.96
1955	Dry	45.43	63.08	67.18	52.39	48.19	35.80	13.35	11.68	8.45	67.18	37.27	52.79	502.79
1956	Wet	46.20	59.20	67.18	67.18	62.52	27.09	14.18	14.78	61.14	67.18	67.18	65.01	618.84
1957	Above Normal	52.97	65.01	62.68	48.22	24.69	42.64	14.66	11.95	26.29	59.24	67.18	55.10	530.63
1958	Wet	67.18	65.01	54.01	37.32	53.82	67.18	34.34	25.40	65.01	67.18	67.18	65.01	668.64
1959	Below Normal	54.71	65.01	67.18	32.03	39.85	50.63	17.22	13.32	23.51	65.86	67.18	52.04	548.54
1960	Dry	51.91	48.07	53.33	47.47	30.48	35.53	11.31	17.22	21.42	59.14	30.80	57.97	464.65
1961	Dry	52.77	57.40	67.18	48.47	26.49	48.18	11.31	12.02	5.24	65.83	51.67	65.01	511.57
1962	Below Normal	45.18	55.31	43.53	51.65	41.57	55.82	15.55	11.68	24.04	64.86	67.18	60.56	536.93
1963	Wet	67.18	65.01	51.99	35.38	38.30	52.23	13.10	11.68	48.51	67.18	65.24	65.01	580.81
1964	Dry	41.24	65.01	67.18	49.46	38.35	38.30	11.33	11.68	9.69	67.18	39.31	47.01	485.74
1965	Wet	42.56	44.73	58.54	67.18	57.88	66.52	17.92	11.68	40.35	67.18	67.18	65.01	606.73
1966	Below Normal	46.89	65.01	67.18	57.15	52.31	43.78	13.04	11.68	23.81	67.18	67.18	61.70	576.91
1967	Wet	58.30	53.48	57.21	54.72	47.80	61.67	28.74	24.85	65.01	67.18	67.18	65.01	651.15
1968	Below Normal	57.67	58.70	67.18	49.83	31.03	50.72	16.61	14.08	23.47	67.18	67.18	51.11	554.76
1969	Wet	56.97	58.17	67.18	55.68	60.67	41.76	36.67	59.54	65.01	67.18	67.18	57.30	693.31
1970	Wet	59.02	11.31	60.24	67.18	60.67	47.78	11.31	11.68	26.04	57.40	67.18	65.01	544.82
1971	Wet	47.87	29.25	58.00	48.56	44.40	56.82	14.94	12.03	37.42	66.32	67.18	61.48	544.27
1972	Below Normal	49.94	38.59	67.18	46.66	24.65	34.22	12.41	11.68	23.25	66.94	67.18	57.57	500.27
1973	Above Normal	50.04	65.01	55.55	42.57	57.43	59.70	13.77	11.68	40.33	66.92	67.18	53.28	583.46
1974	Wet	45.24	65.01	64.69	61.94	51.46	67.18	16.31	11.68	49.74	67.18	67.18	65.01	632.62
1975	Wet	62.01	65.01	67.18	49.34	41.57	67.18	14.48	11.68	54.41	67.18	67.18	65.01	632.23
1976	Critical	67.18	53.98	67.18	51.82	60.81	46.60	17.59	11.68	3.94	22.82	11.68	22.10	437.38
1977	Critical	37.41	51.77	44.43	39.11	49.14	11.68	11.31	11.68	0.84	8.76	58.95	19.13	344.21
1978	Above Normal	28.66	21.93	40.99	41.98	56.49	65.19	22.06	17.44	59.41	67.18	67.18	65.01	553.52
1979	Below Normal	55.40	65.01	67.18	57.23	60.67	67.18	14.28	16.38	38.91	64.46	67.18	49.49	623.37
1980	Above Normal	67.18	56.57	67.18	58.04	14.71	25.05	15.84	14.57	62.60	67.18	67.18	59.17	575.27
1981	Dry	47.80	53.95	67.18	49.97	44.99	35.49	18.64	14.78	23.32	67.18	48.99	51.09	523.38
1982	Wet	67.18	65.01	53.85	54.95	60.67	67.18	46.61	30.90	65.01	67.18	67.18	65.01	710.73
1983	Wet	67.18	65.01	67.18	67.18	48.92	49.52	58.25	60.74	65.01	67.18	67.18	65.01	748.36
1984	Wet	67.18	37.60	41.79	33.12	38.05	36.93	14.61	11.68	40.40	67.18	67.18	64.95	520.67
1985	Dry	54.06	65.01	67.18	49.88	46.43	42.57	16.70	13.01	23.69	67.18	59.69	65.01	570.41
1986	Wet	65.84	65.01	62.48	31.47	60.67	59.58	24.26	19.13	53.23	67.18	67.18	11.31	587.34
1987	Dry	36.11	13.02	60.00	48.24	44.18	34.27	11.31	11.68	22.29	54.65	27.69	43.79	407.23
1988	Critical	65.13	52.21	48.52	34.78	10.93	11.68	14.91	11.68	4.67	42.29	67.18	27.91	391.89
1989	Dry	36.60	47.01	41.20	46.42	15.83	17.65	17.39	11.68	33.33	57.79	40.26	46.60	411.76
1990	Critical	40.27	43.92	46.46	45.21	31.03	14.78	11.31	12.39	3.14	46.25	34.38	38.27	367.41
1991	Critical	44.38	42.42	38.73	22.03	22.38	18.92	15.22	11.96	15.51	41.08	35.97	31.66	340.26
1992	Critical	41.84	40.07	34.18	22.38	23.09	34.89	11.31	11.68	20.81	39.15	66.69	11.33	357.42
1993	Above Normal	29.67	42.44	52.86	47.24	54.30	57.23	11.31	11.68	52.80	67.18	67.18	65.01	558.90
1994	Critical	57.80	62.35	67.18	46.76	43.99	33.62	13.13	14.25	3.35	66.12	44.67	43.37	496.59
1995	Wet	34.16	53.09	52.91	43.97	47.88	67.18	22.99	37.13	65.01	67.18	67.18	65.01	623.69
1996	Wet	36.03	61.47	54.07	41.41	62.84	67.18	17.01	13.91	48.16	67.18	67.18	65.01	601.45
1997	Wet	42.32	65.01	67.18	67.18	60.67	53.07	12.21	11.68	63.99	61.80	67.18	65.01	637.30
1998	Wet	42.58	30.65	67.18	44.00	60.67	67.18	26.70	27.19	65.01	67.18	67.18	65.01	630.53
1999	Wet	67.18	65.01	58.87	59.82	60.67	67.18	12.71	11.68	40.60	67.18	67.18	50.38	628.46
2000	Above Normal	39.09	65.01	56.49	33.03	62.84	67.18	12.59	11.68	45.41	39.92	67.18	65.01	565.43
2001	Dry	45.00	65.01	60.12	50.52	40.00	42.28	14.51	11.68	22.84	67.18	35.06	45.07	499.27
2002	Dry	58.92	47.36	57.41	38.99	34.38	37.85	11.82	11.68	23.67	67.18	67.18	58.77	515.21
2003	Above Normal	61.28	65.01	56.34	33.62	44.34	48.83	11.31	11.68	33.76	67.18	67.18	54.88	555.41
	Average	51.86	53.30	58.42	46.07	41.48	44.16	16.77	15.34	34.50	57.47	56.94	55.48	531.80
	Wet	53.57	55.77	60.00	51.40	52.72	58.03	22.47	21.47	53.27	66.56	67.11	61.78	624.16
	Above Normal	49.50	54.72	58.01	43.47	40.26	53.65	14.95	12.66	44.64	59.43	67.18	60.27	558.73
	Below Normal	53.98	58.70	62.27	44.51	35.53	44.87	14.60	12.51	30.63	62.42	58.21	60.25	538.47
	Dry	50.03	48.59	60.33	48.04	37.32	32.11	14.08	12.69	21.92	58.76	42.41	53.47	479.74
	Critical	50.82	47.34	48.05	35.95	31.57	21.88	12.78	12.00	7.11	28.10	45.01	34.46	375.05

Difference in Energy Use (GWh) At Pumping Plant at Tracy: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	(0.71)	(0.15)	0.00	0.00	0.00	(0.21)	0.00	(0.17)	0.00	(0.10)
1924	Critical	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.05	0.01
1925	Dry	0.05	(0.05)	(0.02)	0.00	0.00	(0.03)	0.00	0.00	0.03	0.00	0.02	0.03	0.00
1926	Dry	0.01	0.01	(0.02)	0.00	0.00	(0.02)	0.00	0.00	(0.06)	0.00	(0.15)	(0.02)	(0.02)
1927	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1929	Critical	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1930	Dry	0.01	0.02	(0.01)	0.00	0.00	(0.02)	0.00	0.00	(0.03)	(0.03)	0.01	0.00	0.00
1931	Critical	0.01	0.02	(0.02)	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1932	Dry	0.02	(0.05)	0.00	0.00	(0.10)	(1.37)	0.00	0.00	0.00	0.00	0.11	0.00	(0.12)
1933	Critical	0.01	0.01	1.08	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.09
1934	Critical	0.09	0.06	(0.25)	0.00	0.00	(0.13)	0.00	0.00	0.00	0.00	(3.58)	0.14	(0.31)
1935	Below Normal	(0.17)	0.05	0.00	3.19	(0.04)	0.00	0.00	0.00	0.00	0.00	0.02	0.04	0.26
1936	Below Normal	0.04	0.05	6.15	(6.29)	2.29	1.53	0.00	0.00	0.00	(0.04)	0.01	0.00	0.31
1937	Below Normal	0.03	0.03	(0.04)	(0.15)	(0.01)	15.75	(0.02)	(1.47)	(0.76)	(0.11)	0.01	0.00	1.11
1938	Wet	(0.04)	0.00	10.17	3.09	0.67	12.81	(3.43)	(23.23)	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.68	0.00	0.89	0.00	(0.04)	0.00	(0.88)	0.00	(0.01)	1.54	(0.42)	(1.99)	(0.02)
1940	Above Normal	1.94	0.00	(0.70)	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)	0.00	1.62	0.23
1941	Wet	0.04	2.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.22
1942	Wet	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1943	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.10	0.00	0.00	0.00	0.51
1944	Dry	(1.52)	(0.92)	0.01	0.00	0.00	0.00	0.00	0.00	1.70	(1.13)	0.08	0.09	(0.14)
1945	Below Normal	0.02	0.00	0.00	0.00	(3.56)	7.36	0.00	0.00	0.00	0.00	0.00	0.00	0.32
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	1.78	0.00	0.00	(1.86)	0.00	0.00	1.82	0.15
1947	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	1.21	(0.07)	0.10
1948	Below Normal	(0.02)	(0.01)	0.02	0.00	(0.03)	0.00	0.00	0.00	0.00	(0.06)	0.02	0.00	(0.01)
1949	Dry	0.00	0.00	(0.34)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.03)
1950	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.07)	4.95	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.41
1952	Wet	0.00	0.03	0.00	0.00	0.05	0.00	(0.93)	(1.80)	0.00	0.00	0.00	0.00	(0.22)
1953	Wet	(0.03)	10.01	0.00	(6.59)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28
1954	Above Normal	(0.46)	(0.93)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	(0.14)	0.00	0.00	(0.13)
1955	Dry	(0.33)	0.53	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00	(0.57)	(0.04)	(0.01)
1956	Wet	0.08	0.01	0.00	0.00	7.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.60
1957	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.76)	0.00	0.00	0.00	0.00	0.00	(0.06)
1959	Below Normal	0.22	11.24	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	(0.07)	0.00	0.93	1.02
1960	Dry	0.01	(0.34)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.07)	(0.04)
1961	Dry	(0.16)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	(0.02)
1962	Below Normal	0.07	0.03	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.01
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	0.00	0.00	0.00	(0.01)
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(1.14)	(1.25)	0.00	0.00	0.00	1.55	(0.07)
1968	Below Normal	(0.02)	27.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.33
1969	Wet	(0.01)	(0.03)	0.00	(6.09)	0.00	12.70	(1.97)	1.97	0.00	0.00	0.00	3.27	0.82
1970	Wet	(0.41)	0.00	0.00	0.00	0.00	(2.31)	0.00	0.00	0.00	0.04	0.00	0.00	(0.22)
1971	Wet	(0.02)	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.15)	0.00	0.00	(0.05)
1972	Below Normal	0.01	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.01
1973	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.18	0.43
1974	Wet	0.00	0.00	0.00	(1.57)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.13)
1975	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.18)	0.00	(0.01)	0.00
1977	Critical	0.23	(0.01)	(0.01)	0.01	(0.05)	0.00	0.00	0.00	0.00	0.00	(1.27)	0.01	(0.09)
1978	Above Normal	0.51	0.03	(0.09)	0.00	(4.18)	(1.99)	(2.23)	(3.90)	(2.83)	0.00	0.00	0.60	(1.17)
1979	Below Normal	0.29	22.68	0.32	0.06	0.00	0.00	0.00	(0.01)	(0.16)	(2.72)	0.00	(0.02)	1.70
1980	Above Normal	0.00	7.47	0.00	(9.14)	(27.10)	0.03	0.00	0.00	0.00	0.00	0.00	10.45	(1.52)
1981	Dry	0.50	(0.54)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.73)	(0.19)	(0.08)
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	4.69	(4.35)	0.00	0.00	0.00	0.00	0.03
1983	Wet	0.00	0.00	0.00	2.00	18.47	20.45	19.79	3.31	0.00	0.00	0.00	0.00	5.34
1984	Wet	0.00	2.19	20.44	4.31	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.27
1985	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	4.48	0.00	0.00	0.00	0.00	0.00	0.00	0.37
1987	Dry	(0.02)	1.71	(0.04)	0.00	0.00	0.00	0.00	0.00	(0.75)	0.97	2.63	(0.08)	0.37
1988	Critical	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.01	(0.01)
1989	Dry	0.05	(0.07)	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.02)	0.18	(1.10)	(0.08)
1990	Critical	(0.01)	0.01	(0.07)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(14.98)	14.74	(0.03)
1991	Critical	(0.74)	(0.07)	0.16	(0.05)	0.00	0.00	0.00	0.00	0.02	0.03	0.47	(0.01)	(0.02)
1992	Critical	(0.07)	0.41	(0.04)	(0.38)	0.00	0.00	0.00	0.00	7.21	(7.88)	(0.11)	(0.17)	(0.09)
1993	Above Normal	(0.06)	0.03	(0.01)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1994	Critical	0.00	(0.27)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.05	(0.02)
1995	Wet	0.03	(0.02)	0.02	0.00	0.00	0.00	(2.60)	(26.49)	0.00	0.00	0.00	0.00	(2.42)
1996	Wet	(0.03)	35.10	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00	2.92
1997	Wet	(1.61)	0.00	0.00	0.00	0.00	0.73	0.00	0.00	0.00	(1.34)	0.00	0.00	(0.19)
1998	Wet	0.09	(0.08)	0.00	0.00	0.00	0.00	(1.77)	(1.40)	0.00	0.00	0.00	0.00	(0.26)
1999	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00
2000	Above Normal	0.08	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.01
2001	Dry	(0.04)	0.00	0.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.49)	0.01	0.01
2002	Dry	0.00	0.02	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.02)
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00
	Average	0.00	1.45	0.47	(0.22)	(0.01)	0.87	0.11	(0.71)	0.10	(0.14)	(0.22)	0.45	0.18
	Wet	(0.04)	1.90	1.18	(0.19)	1.02	1.88	0.46	(2.05)	0.23	(0.06)	0.00	0.18	0.38
	Above Normal	0.17	0.55	(0.06)	(0.77)	(2.19)	(0.17)	(0.19)	(0.33)	(0.24)	(0.02)	0.00	1.48	(0.15)
	Below Normal	0.03	4.44	0.46	(0.28)	(0.11)	1.89	(0.00)	(0.11)	(0.21)	(0.21)	(0.01)	0.20	0.51
	Dry	(0.04)	0.02	0.06	0.00	0.01	(0.08)	(0.05)	0.00	0.05	0.07	0.10	(0.20)	(0.01)
	Critical	(0.04)	0.03	0.07	(0.04)	(0.00)	(0.01)	0.00	0.00	0.60	(0.68)	(1.63)	1.24	(0.04)

Percent Difference in Energy Use (GWh) At Pumping Plant at Tracy: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	-9%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	-1%	0%	0%	-1%	0%	0%	0%	0%	-7%	0%
1935	Below Normal	-1%	0%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	10%	-24%	23%	5%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	175%	0%	-9%	-5%	0%	0%	0%
1938	Wet	0%	0%	18%	26%	6%	44%	-10%	-39%	0%	0%	0%	0%
1939	Dry	1%	0%	1%	0%	0%	0%	-7%	0%	0%	2%	-1%	-3%
1940	Above Normal	4%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1941	Wet	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	12%	0%	0%	0%
1944	Dry	-3%	-2%	0%	0%	0%	0%	0%	0%	7%	-2%	0%	0%
1945	Below Normal	0%	0%	0%	0%	-7%	12%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	4%	0%	0%	-5%	0%	0%	3%
1947	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	37%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	-4%	-6%	0%	0%	0%	0%
1953	Wet	0%	18%	0%	-14%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	-1%	1%	0%	0%	1%	0%	0%	0%	0%	0%	-2%	0%
1956	Wet	0%	0%	0%	0%	13%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%
1959	Below Normal	0%	21%	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1960	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	-4%	-5%	0%	0%	0%	2%
1968	Below Normal	0%	91%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	-10%	0%	44%	-5%	3%	0%	0%	0%	6%
1970	Wet	-1%	0%	0%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	11%
1974	Wet	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1977	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1978	Above Normal	2%	0%	0%	0%	-7%	-3%	-9%	-18%	-5%	0%	0%	1%
1979	Below Normal	1%	54%	0%	0%	0%	0%	0%	0%	0%	-4%	0%	0%
1980	Above Normal	0%	15%	0%	-14%	-65%	0%	0%	0%	0%	0%	0%	21%
1981	Dry	1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	11%	-12%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	3%	61%	70%	51%	6%	0%	0%	0%	0%
1984	Wet	0%	6%	96%	15%	1%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	8%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	15%	0%	0%	0%	0%	0%	0%	-3%	2%	10%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-30%	63%
1991	Critical	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
1992	Critical	0%	1%	0%	-2%	0%	0%	0%	0%	53%	-17%	0%	-1%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	-10%	-42%	0%	0%	0%	0%
1996	Wet	0%	133%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-4%	0%	0%	0%	0%	1%	0%	0%	0%	-2%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	-6%	-5%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	4%	2%	0%	1%	4%	0%	-2%	1%	0%	0%	1%
	Wet	0%	6%	4%	1%	3%	6%	1%	-4%	0%	0%	0%	0%
	Above Normal	0%	1%	0%	-1%	-3%	0%	-1%	-2%	0%	0%	0%	3%
	Below Normal	0%	12%	1%	-1%	1%	14%	0%	-1%	-1%	0%	0%	0%
	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	4%	-1%	-3%	5%

Hydropower Modeling Attachment: Alternative Plan 4, SWP, Future Conditions

Upper San Joaquin River Basin Storage Investigation, California

Prepared by:

United States Department of the Interior
Bureau of Reclamation
Mid-Pacific Region

U.S. Department of the Interior
Bureau of Reclamation

August 2014

Mission Statements

The mission of the Department of the Interior is to protect and provide access to our Nation's natural and cultural heritage and honor our trust responsibilities to Indian Tribes and our commitments to island communities.

The mission of the Bureau of Reclamation is to manage, develop, and protect water and related resources in an environmentally and economically sound manner in the interest of the American public.

Energy generated (GWh) at Alamo Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.23	10.87	11.23	3.30	9.14	9.86	9.65	10.15	10.11	10.38	10.51	10.04	116.47
1923	Below Normal	9.44	8.66	8.59	11.23	10.15	9.77	7.44	9.51	9.62	9.66	10.53	9.77	114.37
1924	Critical	8.12	7.25	6.55	2.43	2.78	2.82	4.62	6.31	6.56	5.92	5.90	5.55	64.81
1925	Dry	3.70	2.91	2.55	0.71	1.36	4.10	8.44	10.90	10.87	11.03	11.23	10.87	78.67
1926	Dry	9.13	8.19	7.19	0.78	1.76	3.61	6.40	8.96	9.18	9.08	10.21	9.35	83.84
1927	Wet	7.50	6.70	5.90	1.47	6.11	11.12	10.51	10.97	10.87	11.22	11.23	10.80	104.40
1928	Above Normal	10.38	9.59	9.59	7.47	8.75	5.33	10.87	11.23	10.87	11.23	11.23	10.87	117.41
1929	Critical	11.23	10.87	10.96	7.71	7.28	3.74	4.28	6.98	7.22	6.52	6.53	0.82	84.14
1930	Dry	3.93	5.14	4.97	0.69	1.67	2.47	6.84	8.97	9.29	8.70	9.17	8.56	70.40
1931	Critical	6.21	5.22	4.59	0.70	1.63	2.71	5.79	7.75	8.01	7.23	7.23	6.79	63.86
1932	Dry	4.58	3.62	3.16	0.93	2.48	4.05	6.37	8.33	8.54	8.42	9.33	8.58	68.39
1933	Critical	6.75	5.98	5.28	0.73	6.61	3.34	6.40	8.82	9.10	8.62	9.16	8.52	79.31
1934	Critical	6.28	5.30	4.67	0.73	1.47	2.86	6.68	8.96	9.26	8.36	3.58	0.29	58.44
1935	Below Normal	9.55	7.84	6.39	0.71	2.29	3.67	10.76	11.23	10.87	11.23	11.23	10.87	96.64
1936	Below Normal	10.68	9.80	9.49	5.41	6.09	11.23	10.87	11.23	10.87	11.23	11.23	10.87	119.00
1937	Below Normal	11.23	10.71	10.70	8.05	10.15	10.83	10.87	11.23	10.87	11.23	11.23	10.87	127.97
1938	Wet	11.23	10.87	11.23	9.18	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	130.19
1939	Dry	11.23	10.87	11.23	9.70	10.15	7.08	8.67	10.93	1.42	11.23	1.89	10.87	105.27
1940	Above Normal	1.02	0.67	9.42	0.74	1.40	4.64	8.49	10.99	6.64	10.66	11.23	10.87	76.77
1941	Wet	9.62	8.63	7.55	4.86	9.70	10.73	10.87	11.23	10.87	11.23	11.23	10.87	117.39
1942	Wet	11.23	10.60	10.61	11.23	10.15	11.23	8.36	9.59	9.67	9.78	10.36	9.71	122.52
1943	Wet	8.46	7.63	7.16	11.00	10.15	10.71	10.87	11.23	10.87	11.23	11.23	10.87	121.41
1944	Dry	11.23	0.23	11.23	5.31	5.15	4.18	6.86	8.96	9.19	8.76	9.39	8.74	89.23
1945	Below Normal	6.50	5.55	4.89	1.32	2.29	11.23	10.87	11.23	10.87	11.23	11.23	10.87	98.08
1946	Below Normal	11.21	10.38	10.37	11.23	10.15	11.23	8.65	9.41	9.38	9.64	9.78	9.32	120.75
1947	Dry	8.71	7.97	7.88	6.71	6.96	4.91	10.87	11.23	10.87	11.23	11.23	10.87	109.44
1948	Below Normal	11.23	10.87	10.90	6.89	6.56	3.62	5.74	1.23	0.83	11.23	11.23	10.87	91.20
1949	Dry	9.79	8.85	7.81	1.23	2.13	3.31	9.56	11.23	10.87	11.23	4.18	10.87	91.06
1950	Below Normal	10.45	2.07	3.05	1.14	1.49	2.82	7.80	9.80	0.31	11.23	11.23	10.87	72.26
1951	Above Normal	9.52	8.54	7.52	11.23	10.15	11.23	9.70	10.65	10.59	10.91	10.92	10.49	121.45
1952	Wet	10.07	9.27	9.30	11.23	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.91
1953	Wet	11.23	10.87	11.23	11.23	10.15	6.86	7.05	9.15	1.35	10.36	11.23	10.55	111.26
1954	Above Normal	8.35	7.47	6.57	1.41	6.65	5.06	8.11	10.39	9.51	9.94	11.23	10.87	95.56
1955	Dry	8.80	7.86	6.88	1.46	2.78	4.17	7.33	9.27	9.46	9.40	10.50	9.64	87.55
1956	Wet	7.69	6.86	6.04	8.73	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	117.36
1957	Above Normal	11.23	10.55	10.57	9.32	8.91	8.21	8.43	10.81	4.82	11.21	11.23	10.87	116.16
1958	Wet	9.60	8.63	7.56	1.69	10.15	10.95	10.87	11.23	10.87	11.23	11.23	10.87	114.88
1959	Below Normal	11.23	1.18	11.23	5.89	6.37	5.41	7.21	9.02	0.33	10.92	11.23	10.87	90.89
1960	Dry	8.73	7.79	6.87	0.73	1.15	3.25	9.68	11.23	6.98	11.23	8.40	10.87	86.91
1961	Dry	11.09	10.03	9.06	2.14	2.70	2.79	7.51	9.42	9.67	9.56	7.13	3.05	84.15
1962	Below Normal	0.10	5.32	6.59	0.77	1.27	4.25	7.98	10.15	0.32	11.23	11.23	10.87	70.08
1963	Wet	9.89	8.87	7.81	9.16	9.54	9.03	8.42	9.54	9.54	9.75	10.04	9.52	111.11
1964	Dry	8.69	7.90	7.68	6.94	10.51	9.33	9.52	10.25	10.25	10.48	10.76	10.20	112.51
1965	Wet	9.39	8.57	8.36	10.29	10.15	11.14	8.96	9.81	3.81	10.72	11.09	10.49	112.78
1966	Below Normal	9.46	8.62	8.30	11.23	10.15	8.72	7.69	9.56	9.70	9.71	10.55	9.79	113.48
1967	Wet	8.19	7.33	6.65	3.27	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	113.12
1968	Below Normal	11.23	10.87	11.23	6.62	8.07	5.89	7.33	9.23	0.35	11.16	11.23	10.87	104.08
1969	Wet	8.88	7.94	6.99	8.42	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	119.91
1970	Wet	11.23	10.87	11.23	11.23	10.15	11.23	9.92	10.47	10.41	10.72	10.73	10.30	128.49
1971	Wet	9.89	9.10	9.12	11.23	10.15	10.68	7.70	9.63	9.76	9.80	10.60	9.85	117.51
1972	Below Normal	8.29	7.43	6.79	5.43	10.50	8.71	8.13	9.97	10.15	10.10	11.12	10.27	106.89
1973	Above Normal	8.41	7.53	6.74	2.71	10.15	11.10	10.36	11.23	10.87	11.23	11.23	10.87	112.43
1974	Wet	10.65	9.81	9.83	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.20
1975	Wet	10.79	9.93	9.95	11.23	10.08	11.23	10.76	11.13	10.87	11.23	11.23	10.87	129.30
1976	Critical	10.52	9.73	9.73	7.65	7.99	5.93	8.29	10.49	7.85	10.90	6.17	10.87	106.12
1977	Critical	9.83	8.82	5.78	0.76	1.18	1.62	3.26	0.30	0.00	0.36	0.62	0.31	32.84
1978	Above Normal	0.11	2.92	6.74	0.67	2.87	9.82	9.91	11.15	10.87	11.23	11.23	10.87	88.39
1979	Below Normal	10.25	9.38	9.17	6.46	6.68	11.23	10.87	11.23	10.87	11.23	11.23	10.87	119.47
1980	Above Normal	11.00	10.18	10.16	8.12	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.50
1981	Dry	11.23	9.84	11.23	6.41	6.41	5.09	7.58	9.81	0.37	11.23	11.23	10.87	101.30
1982	Wet	9.51	8.52	7.50	7.84	9.93	10.87	10.87	11.23	10.87	11.23	11.23	10.87	120.47
1983	Wet	11.23	10.87	11.23	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	132.24
1984	Wet	11.23	10.87	11.23	11.23	10.51	11.23	9.56	10.60	10.52	10.87	10.88	10.45	129.18
1985	Dry	10.01	9.23	9.28	11.23	9.21	10.38	9.86	10.47	10.43	10.73	10.74	10.30	121.87
1986	Wet	9.90	9.12	9.14	7.83	8.32	11.23	10.87	11.23	10.87	11.23	11.23	10.87	121.84
1987	Dry	11.23	1.19	11.23	5.36	5.21	2.92	4.43	5.86	6.08	5.49	5.50	5.17	69.67
1988	Critical	3.48	2.72	2.39	0.72	1.92	1.63	3.35	4.60	4.79	4.37	4.33	4.05	38.35
1989	Dry	2.68	2.05	1.83	1.01	2.04	2.44	10.71	11.23	10.87	11.23	11.23	10.87	78.19
1990	Critical	10.88	9.96	9.59	5.09	5.08	3.55	5.08	6.75	7.01	6.33	6.33	5.95	81.60
1991	Critical	4.01	3.15	2.76	0.70	1.19	1.63	3.47	4.57	4.76	4.35	4.32	4.06	38.97
1992	Critical	2.70	2.07	1.84	0.69	1.18	1.62	4.65	6.17	6.39	5.77	5.52	5.52	44.12
1993	Above Normal	2.50	2.03	3.88	0.73	9.82	9.55	8.87	10.16	1.61	11.23	11.23	10.87	82.48
1994	Critical	9.95	9.04	8.47	4.41	4.95	5.33	8.33	10.50	4.48	11.23	1.80	4.20	82.69
1995	Wet	0.68	1.12	10.21	0.77	7.71	6.41	10.87	11.23	10.87	11.23	11.23	10.87	93.20
1996	Wet	11.23	3.22	6.45	6.50	5.72	9.50	10.22	10.52	10.43	10.77	10.80	10.35	105.71
1997	Wet	9.94	9.18	9.20	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	127.23
1998	Wet	11.23	10.77	10.78	9.24	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.70
1999	Wet	10.79	10.18	10.08	11.23	10.15	10.23	9.61	10.55	10.47	10.84	10.86	10.41	125.40
2000	Above Normal	10.00	9.21	9.23	8.37	10.51	9.25	9.28	10.64	10.68	10.86	11.23	10.75	120.01
2001	Dry	9.46	8.60	8.15	4.39	4.48	3.72	6.70	9.00	9.29	8.48	8.64	8.12	89.03
2002	Dry	5.59	4.51	3.94	1.44	2.88	4.14	10.87	11.23	10.87	11.23	4.67	10.87	82.24
2003	Above Normal	1.33	0.92	8.34	2.21	3.33	4.32	7.26	9.16	0.27	11.11	11.23	10.87	70.35
	Average	8.62	7.47	7.99	5.63	6.80	7.35	8.67	9.78	8.34	10.07	9.66	9.50	99.86
	Wet	9.66	8.71	8.94	8.61	9.65	10.59	10.16	10.79	10.03	10.94	11.06	10.63	119.76
	Above Normal	7.09	6.71	8.33	4.69	7.68	8.30	9.32	10.65	8.14	10.94	11.14	10.76	103.75
	Below Normal	9.35	7.76	8.41	5.88	6.59	7.76	8.73	9.57	6.81	10.79	11.02	10.56	103.23
	Dry	8.32	6.49	7.34	3.73	4.39	4.55	8.23	9.85	8.58	9.93	8.64	9.37	89.43
	Critical	7.50	6.68	6.05	2.69	3.61	3.07	5.35	6.85	6.29	6.66	5.12	4.74	64.60

Energy generated (GWh) at Alamo Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.23	10.87	11.23	3.30	9.14	9.86	9.65	10.15	10.51	10.78	10.91	10.44	118.07
1923	Below Normal	9.84	9.06	8.99	11.23	10.15	9.70	7.43	9.51	10.02	10.06	10.93	10.17	117.09
1924	Critical	8.50	7.64	6.93	2.78	2.75	2.81	4.63	6.32	6.56	5.92	5.90	5.55	66.29
1925	Dry	3.70	2.91	2.55	0.71	1.36	4.10	8.45	10.91	10.87	11.13	11.23	10.87	78.79
1926	Dry	9.23	8.29	7.29	0.88	1.75	3.61	6.39	8.95	9.17	9.08	10.20	9.35	84.19
1927	Wet	7.50	6.70	5.89	1.47	6.10	11.12	10.51	10.97	10.87	11.23	11.23	10.87	104.46
1928	Above Normal	10.77	9.99	9.99	7.87	8.75	5.33	10.87	11.23	10.87	11.23	11.23	10.87	119.00
1929	Critical	11.23	10.87	11.19	7.94	7.28	3.74	4.27	6.98	7.22	6.52	6.53	0.97	84.74
1930	Dry	3.94	5.17	5.00	0.69	1.67	2.47	6.84	8.97	9.29	8.70	9.17	8.56	70.47
1931	Critical	6.21	5.22	4.59	0.70	1.63	2.71	5.78	7.75	8.00	7.23	7.23	6.79	63.84
1932	Dry	4.58	3.62	3.16	0.93	2.48	4.05	6.37	8.33	8.94	8.82	9.73	8.98	69.99
1933	Critical	7.15	6.38	5.67	1.13	6.35	3.34	6.40	8.82	9.10	8.62	9.16	8.52	80.64
1934	Critical	6.28	5.30	4.67	0.73	1.80	3.33	6.69	8.89	9.16	8.55	7.90	0.29	63.59
1935	Below Normal	8.60	7.88	6.71	0.73	2.26	3.64	10.44	11.23	10.87	11.23	11.23	10.87	95.69
1936	Below Normal	10.85	9.94	9.50	5.02	5.44	11.23	10.87	11.23	10.87	11.23	11.23	10.87	118.28
1937	Below Normal	11.23	10.87	11.10	8.05	10.15	10.83	10.87	11.23	10.87	11.23	11.23	10.87	128.53
1938	Wet	11.23	10.87	11.23	8.94	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.95
1939	Dry	11.23	10.87	11.23	10.92	10.14	6.26	7.38	9.26	0.70	11.23	2.85	9.81	101.88
1940	Above Normal	1.69	1.37	10.01	1.10	1.40	4.64	8.49	10.99	7.02	11.02	11.23	10.87	79.83
1941	Wet	10.00	9.01	7.74	4.86	9.70	10.69	10.87	11.23	10.87	11.23	11.23	10.87	118.30
1942	Wet	11.23	10.87	10.77	11.23	10.15	11.23	8.36	9.59	10.07	10.18	10.76	10.10	124.54
1943	Wet	8.85	8.03	7.56	10.99	10.15	10.62	10.87	11.23	10.87	11.23	11.23	10.87	122.50
1944	Dry	11.23	0.46	11.23	5.26	4.76	4.05	6.85	8.95	9.45	9.02	9.65	9.00	89.91
1945	Below Normal	6.76	5.81	5.15	1.58	2.29	11.23	10.87	11.23	10.87	11.23	11.23	10.87	99.12
1946	Below Normal	11.23	10.79	10.78	11.23	10.15	11.23	8.58	9.40	9.78	10.02	10.20	9.73	123.12
1947	Dry	9.05	8.30	8.18	6.91	6.80	4.90	10.87	11.23	10.87	11.23	11.23	10.87	110.44
1948	Below Normal	11.23	10.87	11.04	6.58	6.23	3.50	5.74	1.59	0.81	11.23	11.23	10.87	90.92
1949	Dry	9.81	8.86	7.76	1.23	2.13	3.31	9.51	11.23	10.87	11.23	4.02	10.87	90.83
1950	Below Normal	10.48	2.14	10.36	1.14	1.49	2.82	7.80	9.80	0.35	11.23	11.23	10.87	79.71
1951	Above Normal	9.56	8.58	7.52	11.23	10.15	11.23	9.71	10.66	10.87	11.23	11.23	10.87	122.84
1952	Wet	10.48	9.68	9.71	11.23	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	129.14
1953	Wet	11.23	10.64	10.66	11.23	10.15	11.23	7.32	9.49	10.00	10.01	10.99	10.19	123.14
1954	Above Normal	8.36	7.49	6.70	2.57	8.94	5.61	8.06	10.37	10.56	10.50	11.23	10.79	101.18
1955	Dry	8.64	7.72	6.75	1.47	2.87	4.28	7.51	9.50	9.69	9.63	10.76	9.88	88.70
1956	Wet	7.89	7.04	6.19	8.45	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	117.61
1957	Above Normal	11.23	10.87	11.00	9.73	8.92	8.04	8.43	10.81	4.95	11.23	11.23	10.87	117.31
1958	Wet	9.98	9.01	7.93	2.05	10.15	10.94	10.87	11.23	10.87	11.23	11.23	10.87	116.36
1959	Below Normal	11.23	2.01	11.23	6.30	6.37	5.42	7.21	9.02	0.45	11.04	11.23	10.87	92.38
1960	Dry	8.85	7.91	6.99	0.85	1.15	3.24	9.69	11.23	7.00	11.23	8.46	10.87	87.47
1961	Dry	11.08	10.02	9.05	2.15	2.70	2.79	7.51	9.42	9.67	9.56	7.12	3.06	84.13
1962	Below Normal	0.10	5.41	11.23	0.77	1.27	4.26	7.98	10.15	0.70	11.23	11.23	10.87	75.20
1963	Wet	10.27	9.25	8.19	9.54	9.54	9.03	8.42	9.54	9.94	10.15	10.44	9.92	114.23
1964	Dry	9.09	8.30	8.08	7.35	10.51	9.34	9.52	10.25	10.25	10.48	10.76	10.20	114.13
1965	Wet	9.39	8.57	8.36	10.30	10.15	11.14	8.95	9.81	4.18	11.12	11.23	10.87	114.07
1966	Below Normal	9.86	9.02	8.69	11.23	10.15	8.72	7.69	9.56	9.99	10.01	10.85	10.09	115.86
1967	Wet	8.49	7.63	6.95	3.57	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	114.32
1968	Below Normal	11.23	10.87	11.23	6.49	7.44	5.72	7.36	9.27	0.70	11.23	11.23	10.87	103.64
1969	Wet	9.28	8.33	7.38	8.39	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	121.06
1970	Wet	11.23	10.87	11.23	11.23	10.15	11.23	10.51	10.45	10.79	11.09	11.11	10.67	130.56
1971	Wet	10.27	9.48	9.50	11.23	10.15	10.78	7.72	9.62	10.00	10.04	10.82	10.08	119.69
1972	Below Normal	8.55	7.70	7.07	5.82	10.51	8.75	8.14	9.97	10.15	10.11	11.12	10.27	108.16
1973	Above Normal	8.42	7.54	6.74	2.74	10.15	11.10	10.36	11.23	10.87	11.23	11.23	10.87	112.48
1974	Wet	11.04	10.21	10.22	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	130.38
1975	Wet	11.16	10.29	10.32	11.23	10.10	11.23	10.74	11.11	10.87	11.23	11.23	10.87	130.38
1976	Critical	10.90	10.10	10.11	8.04	7.98	5.94	8.31	10.52	7.94	10.92	6.12	10.87	107.75
1977	Critical	9.85	8.84	5.48	0.76	1.18	1.62	3.26	0.27	0.00	0.36	0.62	0.31	32.55
1978	Above Normal	0.11	3.08	9.40	0.67	2.87	9.11	9.56	11.15	10.87	11.23	11.23	10.87	90.15
1979	Below Normal	10.36	9.44	9.01	5.48	5.50	11.23	10.71	11.13	10.87	11.23	11.23	10.87	117.06
1980	Above Normal	10.92	10.12	10.12	11.23	10.51	11.23	10.87	11.23	10.87	11.23	11.23	10.87	130.43
1981	Dry	11.23	10.87	11.23	9.48	10.15	8.36	8.32	10.79	8.87	11.23	11.23	10.87	122.63
1982	Wet	9.60	8.64	7.69	8.65	10.15	10.86	10.87	11.23	10.87	11.23	11.23	10.87	121.89
1983	Wet	11.23	10.87	11.23	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	132.24
1984	Wet	11.23	10.87	8.62	11.23	10.51	11.23	9.56	10.60	10.87	11.23	11.23	10.85	128.03
1985	Dry	10.41	9.63	9.68	11.23	9.21	10.38	9.86	10.47	10.67	10.97	10.98	10.54	124.03
1986	Wet	10.14	9.36	9.38	8.07	8.32	11.23	10.87	11.23	10.87	11.23	11.23	10.87	122.80
1987	Dry	11.23	2.08	11.23	5.75	5.21	2.92	4.43	5.86	6.08	5.49	5.50	5.16	70.94
1988	Critical	3.48	2.72	2.39	0.72	1.93	1.63	3.35	4.66	4.84	4.42	4.38	4.10	38.62
1989	Dry	2.71	2.08	1.85	1.00	2.03	2.42	10.66	11.23	10.87	11.23	10.66	10.87	77.61
1990	Critical	10.99	10.06	9.67	4.96	4.99	3.53	5.11	6.80	7.06	6.38	6.37	6.00	81.92
1991	Critical	4.05	3.18	2.78	0.70	1.19	1.63	3.47	4.57	4.76	4.35	4.32	4.06	39.06
1992	Critical	2.70	2.07	1.84	0.69	1.18	1.62	4.57	6.07	6.28	5.68	5.45	5.42	43.57
1993	Above Normal	2.70	2.03	3.62	0.73	9.83	9.58	8.89	10.16	2.29	11.23	11.23	10.87	83.16
1994	Critical	10.39	9.47	8.88	4.87	5.01	5.34	8.32	10.49	4.79	11.23	2.41	4.30	85.50
1995	Wet	0.64	1.22	11.23	0.77	7.71	6.41	10.87	11.23	10.87	11.23	11.23	10.87	94.28
1996	Wet	5.04	0.46	11.23	6.91	5.72	9.50	10.19	10.49	10.79	11.13	11.16	10.72	103.34
1997	Wet	10.31	9.55	9.57	11.23	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	128.34
1998	Wet	11.23	10.87	11.18	9.62	10.15	11.23	10.87	11.23	10.87	11.23	11.23	10.87	130.58
1999	Wet	11.13	10.53	10.85	11.23	10.15	10.23	9.61	10.55	10.86	11.23	11.23	10.81	128.41
2000	Above Normal	10.39	9.61	9.63	8.77	10.51	9.13	9.23	10.64	10.87	11.23	11.23	10.87	122.11
2001	Dry	9.80	8.94	8.47	4.60	4.34	3.68	6.70	9.00	9.29	8.49	8.65	8.13	90.09
2002	Dry	5.60	4.53	3.95	1.44	2.88	4.14	10.87	11.23	10.87	11.23	4.38	10.87	81.99
2003	Above Normal	1.33	1.48	11.23	2.21	3.33	4.32	7.26	9.16	0.40	11.23	11.23	10.87	74.05
	Average	8.68	7.64	8.39	5.81	6.83	7.42	8.66	9.78	8.65	10.16	9.79	9.56	101.37
	Wet	9.62	8.80	9.26	8.70	9.66	10.76	10.19	10.80	10.47	11.04	11.15	10.73	121.18
	Above Normal	7.23	6.92	8.93	5.18	7.88	8.27	9.28	10.65	8.41	11.11	11.20	10.83	105.88
	Below Normal	9.40	7.99	9.44	5.83	6.39	7.73	8.69	9.59	6.95	10.88	11.10	10.64	104.63
	Dry	8.41	6.70	7.43	4.05	4.56	4.68	8.21	9.82	9.08	10.00	8.70	9.38	91.01
	Critical	7.64	6.82	6.18	2.84	3.61	3.10	5.35	6.85	6.31	6.68	5.53	4.77	65.67

Difference in Energy generated (GWh) at Alamo Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.40	0.40	0.40	0.13
1923	Below Normal	0.40	0.40	0.40	0.00	0.00	(0.07)	(0.01)	0.00	0.40	0.40	0.40	0.40	0.23
1924	Critical	0.38	0.39	0.38	0.35	(0.03)	(0.01)	0.01	0.01	0.00	0.00	0.00	0.00	0.12
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.10	0.00	0.00	0.01
1926	Dry	0.10	0.10	0.10	0.10	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00	0.03
1927	Wet	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.00	0.07	0.00
1928	Above Normal	0.39	0.40	0.40	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13
1929	Critical	0.00	0.00	0.23	0.23	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.15	0.05
1930	Dry	0.01	0.03	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.40	0.40	0.40	0.13
1933	Critical	0.40	0.40	0.39	0.40	(0.26)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11
1934	Critical	0.00	0.00	0.00	0.00	0.33	0.47	0.01	(0.07)	(0.10)	0.19	4.32	0.00	0.43
1935	Below Normal	(0.95)	0.04	0.32	0.02	(0.03)	(0.03)	(0.32)	0.00	0.00	0.00	0.00	0.00	(0.08)
1936	Below Normal	0.17	0.14	0.01	(0.39)	(0.65)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)
1937	Below Normal	0.00	0.16	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1938	Wet	0.00	0.00	0.00	(0.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1939	Dry	0.00	0.00	0.00	1.22	(0.01)	(0.82)	(1.29)	(1.67)	(0.72)	0.00	0.96	(1.06)	(0.28)
1940	Above Normal	0.67	0.70	0.59	0.36	0.00	0.00	0.00	0.00	0.38	0.36	0.00	0.00	0.26
1941	Wet	0.38	0.38	0.19	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1942	Wet	0.00	0.27	0.16	0.00	0.00	0.00	0.00	0.00	0.40	0.40	0.40	0.39	0.17
1943	Wet	0.39	0.40	0.40	(0.01)	0.00	(0.09)	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1944	Dry	0.00	0.23	0.00	(0.05)	(0.39)	(0.13)	(0.01)	(0.01)	0.26	0.26	0.26	0.26	0.06
1945	Below Normal	0.26	0.26	0.26	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1946	Below Normal	0.02	0.41	0.41	0.00	0.00	0.00	(0.07)	(0.01)	0.40	0.38	0.42	0.41	0.20
1947	Dry	0.34	0.33	0.30	0.20	(0.16)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1948	Below Normal	0.00	0.00	0.14	(0.31)	(0.33)	(0.12)	0.00	0.36	(0.02)	0.00	0.00	0.00	(0.02)
1949	Dry	0.02	0.01	(0.05)	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	(0.16)	0.00	(0.02)
1950	Below Normal	0.03	0.07	7.31	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.62
1951	Above Normal	0.04	0.04	0.00	0.00	0.00	0.00	0.01	0.01	0.28	0.32	0.31	0.38	0.12
1952	Wet	0.41	0.41	0.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1953	Wet	0.00	(0.23)	(0.57)	0.00	0.00	4.37	0.27	0.34	8.65	(0.35)	(0.24)	(0.36)	0.99
1954	Above Normal	0.01	0.02	0.13	1.16	2.29	0.55	(0.05)	(0.02)	1.05	0.56	0.00	(0.08)	0.47
1955	Dry	(0.16)	(0.14)	(0.13)	0.01	0.09	0.11	0.18	0.23	0.23	0.23	0.26	0.24	0.10
1956	Wet	0.20	0.18	0.15	(0.28)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1957	Above Normal	0.00	0.32	0.43	0.41	0.01	(0.17)	0.00	0.00	0.13	0.02	0.00	0.00	0.10
1958	Wet	0.38	0.38	0.37	0.36	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.12
1959	Below Normal	0.00	0.83	0.00	0.41	0.00	0.01	0.00	0.00	0.12	0.12	0.00	0.00	0.12
1960	Dry	0.12	0.12	0.12	0.12	0.00	(0.01)	0.01	0.00	0.02	0.00	0.06	0.00	0.05
1961	Dry	(0.01)	(0.01)	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00
1962	Below Normal	0.00	0.09	4.64	0.00	0.00	0.01	0.00	0.00	0.38	0.00	0.00	0.00	0.43
1963	Wet	0.38	0.38	0.38	0.38	0.00	0.00	0.00	0.00	0.40	0.40	0.40	0.40	0.26
1964	Dry	0.40	0.40	0.40	0.41	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.14
1965	Wet	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	0.37	0.40	0.14	0.38	0.11
1966	Below Normal	0.40	0.40	0.39	0.00	0.00	0.00	0.00	0.00	0.29	0.30	0.30	0.30	0.20
1967	Wet	0.30	0.30	0.30	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1968	Below Normal	0.00	0.00	0.00	(0.13)	(0.63)	(0.17)	0.03	0.04	0.35	0.07	0.00	0.00	(0.04)
1969	Wet	0.40	0.39	0.39	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.59	(0.02)	0.38	0.37	0.38	0.37	0.17
1971	Wet	0.38	0.38	0.38	0.00	0.00	0.10	0.02	(0.01)	0.24	0.24	0.22	0.23	0.18
1972	Below Normal	0.26	0.27	0.28	0.39	0.01	0.04	0.01	0.00	0.00	0.01	0.00	0.00	0.11
1973	Above Normal	0.01	0.01	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.39	0.40	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10
1975	Wet	0.37	0.36	0.37	0.00	0.02	0.00	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.09
1976	Critical	0.38	0.37	0.38	0.39	(0.01)	0.01	0.02	0.03	0.09	0.02	(0.05)	0.00	0.14
1977	Critical	0.02	0.02	(0.30)	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.16	2.66	0.00	0.00	(0.71)	(0.35)	0.00	0.00	0.00	0.00	0.00	0.15
1979	Below Normal	0.11	0.06	(0.16)	(0.98)	(1.18)	0.00	(0.16)	(0.10)	0.00	0.00	0.00	0.00	(0.20)
1980	Above Normal	(0.08)	(0.06)	(0.04)	3.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24
1981	Dry	0.00	1.03	0.00	3.07	3.74	3.27	0.74	0.98	8.50	0.00	0.00	0.00	1.78
1982	Wet	0.09	0.12	0.19	0.81	0.22	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.12
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	(2.61)	0.00	0.00	0.00	0.00	0.00	0.35	0.36	0.35	0.40	(0.10)
1985	Dry	0.40	0.40	0.40	0.00	0.00	0.00	0.00	0.00	0.24	0.24	0.24	0.24	0.18
1986	Wet	0.24	0.24	0.24	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1987	Dry	0.00	0.89	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.11
1988	Critical	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.06	0.05	0.05	0.05	0.05	0.02
1989	Dry	0.03	0.03	0.02	(0.01)	(0.01)	(0.02)	(0.05)	0.00	0.00	0.00	(0.57)	0.00	(0.05)
1990	Critical	0.11	0.10	0.08	(0.13)	(0.09)	(0.02)	0.03	0.05	0.05	0.05	0.04	0.05	0.03
1991	Critical	0.04	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)	(0.10)	(0.11)	(0.09)	(0.07)	(0.10)	(0.05)
1993	Above Normal	0.20	0.00	(0.26)	0.00	0.01	0.03	0.02	0.00	0.68	0.00	0.00	0.00	0.06
1994	Critical	0.44	0.43	0.41	0.46	0.06	0.01	(0.01)	(0.01)	0.31	0.00	0.61	0.10	0.23
1995	Wet	(0.04)	0.10	1.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1996	Wet	(6.19)	(2.76)	4.78	0.41	0.00	0.00	(0.03)	(0.03)	0.36	0.36	0.36	0.37	(0.20)
1997	Wet	0.37	0.37	0.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09
1998	Wet	0.00	0.10	0.40	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07
1999	Wet	0.34	0.35	0.77	0.00	0.00	0.00	0.00	0.00	0.39	0.39	0.37	0.40	0.25
2000	Above Normal	0.39	0.40	0.40	0.40	0.00	(0.12)	(0.05)	0.00	0.19	0.37	0.00	0.12	0.18
2001	Dry	0.34	0.34	0.32	0.21	(0.14)	(0.04)	0.00	0.00	0.00	0.01	0.01	0.01	0.09
2002	Dry	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.29)	0.00	(0.02)
2003	Above Normal	0.00	0.56	2.89	0.00	0.00	0.00	0.00	0.00	0.13	0.12	0.00	0.00	0.31
	Average	0.05	0.17	0.40	0.18	0.03	0.08	(0.01)	0.00	0.32	0.09	0.13	0.06	0.13
	Wet	(0.05)	0.10	0.33	0.09	0.01	0.17	0.03	0.01	0.44	0.10	0.09	0.10	0.12
	Above Normal	0.14	0.21	0.60	0.49	0.19	(0.04)	(0.03)	(0.00)	0.27	0.18	0.06	0.07	0.18
	Below Normal	0.05	0.22	1.03	(0.05)	(0.20)	(0.02)	(0.04)	0.02	0.14	0.09	0.08	0.08	0.12
	Dry	0.09	0.21	0.08	0.32	0.17	0.13	(0.03)	(0.03)	0.50	0.07	0.06	0.01	0.13
	Critical	0.15	0.15	0.13	0.14	0.00	0.04	(0.00)	(0.00)	0.02	0.02	0.41	0.02	0.09

Percent Difference in Energy generated (GWh) at Alamo Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	5%	5%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	5%	6%	14%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1926	Dry	1%	1%	1%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1928	Above Normal	4%	4%	4%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	2%	3%	0%	0%	0%	0%	0%	0%	0%	18%
1930	Dry	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	5%	5%	4%	5%
1933	Critical	6%	7%	7%	55%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	22%	16%	0%	-1%	-1%	2%	121%	0%
1935	Below Normal	-10%	1%	5%	3%	-1%	-1%	-3%	0%	0%	0%	0%	0%
1936	Below Normal	2%	1%	0%	-7%	-11%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	1%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	13%	0%	-12%	-15%	-15%	-51%	0%	51%	-10%
1940	Above Normal	66%	104%	6%	49%	0%	0%	0%	0%	6%	3%	0%	0%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	3%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	6%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	100%	0%	-1%	-8%	-3%	0%	0%	3%	3%	3%	3%
1945	Below Normal	4%	5%	5%	20%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	4%	4%	0%	0%	0%	-1%	0%	4%	4%	4%	4%
1947	Dry	4%	4%	4%	3%	-2%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	1%	-4%	-5%	-3%	0%	29%	-2%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	-1%	0%	0%	0%	-4%	0%
1950	Below Normal	0%	3%	240%	0%	0%	0%	0%	0%	13%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	3%	3%	3%	4%
1952	Wet	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	-2%	-5%	0%	0%	64%	4%	4%	641%	-3%	-2%	-3%
1954	Above Normal	0%	0%	2%	82%	34%	11%	-1%	0%	11%	6%	0%	-1%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	2%	-3%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	3%	4%	4%	0%	-2%	0%	0%	3%	0%	0%	0%
1958	Wet	4%	4%	5%	21%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	70%	0%	7%	0%	0%	0%	0%	36%	1%	0%	0%
1960	Dry	1%	2%	2%	16%	0%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	2%	70%	0%	0%	0%	0%	0%	119%	0%	0%	0%
1963	Wet	4%	4%	5%	4%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	10%	4%	1%	4%
1966	Below Normal	4%	5%	5%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	9%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	-2%	-8%	-3%	0%	0%	100%	1%	0%	0%
1969	Wet	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	0%	6%	0%	4%	3%	4%	4%
1971	Wet	4%	4%	4%	0%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	3%	4%	4%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	3%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	-1%	0%
1977	Critical	0%	0%	-5%	0%	0%	0%	0%	-10%	0%	0%	0%	0%
1978	Above Normal	0%	5%	39%	0%	0%	-7%	-4%	0%	0%	0%	0%	0%
1979	Below Normal	1%	1%	-2%	-15%	-18%	0%	-1%	-1%	0%	0%	0%	0%
1980	Above Normal	-1%	-1%	0%	38%	0%	0%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	10%	0%	48%	58%	64%	10%	10%	>1,000%	0%	0%	0%
1982	Wet	1%	1%	3%	10%	2%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	-23%	0%	0%	0%	0%	0%	3%	3%	3%	4%
1985	Dry	4%	4%	4%	0%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	2%	3%	3%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	75%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	1%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	0%
1990	Critical	1%	1%	1%	-3%	-2%	-1%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	8%	0%	-7%	0%	0%	0%	0%	0%	42%	0%	0%	0%
1994	Critical	4%	5%	5%	10%	1%	0%	0%	0%	7%	0%	34%	2%
1995	Wet	-6%	9%	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	-55%	-86%	74%	6%	0%	0%	0%	0%	3%	3%	3%	4%
1997	Wet	4%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	1%	4%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	3%	3%	8%	0%	0%	0%	0%	0%	4%	4%	3%	4%
2000	Above Normal	4%	4%	4%	5%	0%	-1%	-1%	0%	2%	3%	0%	1%
2001	Dry	4%	4%	4%	5%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-6%	0%
2003	Above Normal	0%	61%	35%	0%	0%	0%	0%	0%	48%	1%	0%	0%
	Average	1%	6%	7%	5%	1%	1%	0%	0%	13%	1%	3%	1%
	Wet	0%	-1%	5%	2%	0%	2%	0%	0%	26%	1%	1%	1%
	Above Normal	7%	15%	7%	15%	3%	0%	0%	0%	10%	2%	1%	1%
	Below Normal	1%	7%	24%	1%	-3%	0%	0%	2%	20%	1%	1%	1%
	Dry	1%	11%	1%	6%	3%	3%	0%	0%	-2%	1%	3%	0%
	Critical	2%	2%	2%	7%	1%	1%	0%	-1%	1%	0%	13%	2%

Energy generated (GWh) at Castaic: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	96.83	77.56	52.53	9.88	50.24	61.99	60.57	58.73	53.98	56.25	55.50	52.63	686.69
1923	Below Normal	42.60	39.83	36.05	60.47	72.73	62.41	59.82	59.29	55.82	64.74	60.39	51.16	665.31
1924	Critical	37.72	34.62	24.15	16.27	15.38	22.05	29.79	28.36	26.15	30.98	23.26	16.91	305.64
1925	Dry	0.69	0.14	0.10	2.30	10.37	49.01	53.63	68.36	65.61	78.03	71.62	58.69	458.55
1926	Dry	43.35	39.72	25.67	10.31	12.03	28.78	37.87	56.77	53.76	63.95	58.66	48.05	478.92
1927	Wet	33.69	30.62	18.58	7.90	31.00	68.06	63.56	62.21	57.16	58.34	58.22	56.30	545.64
1928	Above Normal	46.84	44.00	41.37	33.95	42.39	40.09	71.83	70.13	64.97	66.24	66.20	64.02	652.03
1929	Critical	54.69	51.56	49.08	32.52	29.46	24.47	28.17	30.81	28.79	34.23	25.66	3.98	393.42
1930	Dry	9.47	9.11	4.16	10.05	11.69	20.80	45.69	44.77	42.70	50.46	41.29	31.73	321.92
1931	Critical	14.37	11.24	3.91	9.96	11.46	21.89	35.08	33.59	31.88	38.14	28.40	20.55	260.47
1932	Dry	2.87	0.17	0.10	8.11	12.44	77.85	38.16	51.84	48.77	57.87	52.52	42.75	393.45
1933	Critical	28.25	25.35	14.54	10.03	83.52	21.71	26.78	45.47	43.16	51.23	42.58	33.00	425.62
1934	Critical	16.07	12.97	5.22	10.24	10.84	22.81	39.40	38.35	37.05	44.07	33.04	1.40	271.46
1935	Below Normal	21.88	16.16	8.23	10.37	14.05	29.36	69.36	68.34	64.15	69.30	67.12	61.24	499.56
1936	Below Normal	49.96	46.72	40.26	25.35	29.82	92.25	54.03	68.23	63.12	64.47	64.32	62.18	660.71
1937	Below Normal	52.80	49.73	47.19	34.57	83.51	92.30	68.37	81.77	76.51	78.08	77.95	75.42	818.20
1938	Wet	66.20	62.61	60.26	40.85	84.50	92.99	85.98	84.57	79.40	80.93	80.79	78.21	897.29
1939	Dry	68.97	65.23	62.87	45.92	50.50	48.00	68.92	69.09	23.79	90.58	57.12	86.64	737.63
1940	Above Normal	29.36	24.80	93.78	9.88	10.52	35.09	67.01	68.80	66.14	83.16	77.46	63.41	629.41
1941	Wet	47.71	43.76	28.78	16.77	52.90	66.61	69.87	68.40	63.26	64.59	64.45	62.38	649.48
1942	Wet	52.98	49.88	47.32	64.18	82.08	79.19	59.35	58.18	54.29	60.79	57.74	50.92	716.90
1943	Wet	38.82	35.89	27.94	44.26	65.67	66.96	76.57	75.15	69.90	71.30	71.24	68.98	712.68
1944	Dry	59.66	0.14	93.79	27.45	24.66	27.36	47.98	47.24	44.78	52.99	44.77	35.01	505.83
1945	Below Normal	18.29	15.17	6.90	16.26	13.76	92.35	53.75	66.40	61.32	62.66	62.46	60.40	529.72
1946	Below Normal	50.99	47.99	45.42	65.18	84.51	85.97	57.47	55.21	50.48	52.87	52.10	49.14	697.33
1947	Dry	38.99	36.36	32.37	29.65	35.06	36.94	71.57	69.78	64.64	65.78	65.79	63.68	610.61
1948	Below Normal	54.34	51.22	48.73	32.61	29.54	24.15	34.83	56.42	1.53	86.79	79.69	65.28	565.13
1949	Dry	49.43	45.24	29.91	15.79	13.55	25.66	70.53	70.43	67.35	78.13	72.68	70.38	609.08
1950	Below Normal	55.68	53.10	67.51	12.00	10.84	22.17	62.24	61.92	1.50	83.95	77.00	63.04	570.95
1951	Above Normal	47.34	43.42	28.53	92.48	83.50	92.27	46.30	61.06	56.06	57.12	57.08	55.20	720.36
1952	Wet	45.71	42.90	40.25	63.28	87.52	93.01	72.23	77.59	72.32	73.84	73.74	71.36	813.75
1953	Wet	62.06	58.61	56.17	69.22	60.17	49.30	57.91	58.95	41.74	75.06	68.82	56.46	714.47
1954	Above Normal	41.37	37.65	24.01	13.34	34.33	37.27	64.78	65.67	62.78	75.86	70.40	57.73	585.19
1955	Dry	42.49	38.88	25.00	9.97	12.23	32.64	59.43	59.16	56.07	66.58	61.35	50.23	514.03
1956	Wet	35.67	32.50	20.04	51.50	86.50	92.28	55.55	68.49	63.42	64.63	64.54	62.48	697.60
1957	Above Normal	53.06	49.95	47.37	43.43	43.26	54.30	66.79	68.03	65.32	82.85	76.61	62.74	713.71
1958	Wet	47.10	43.19	28.33	3.49	58.99	67.61	85.79	84.80	79.53	81.04	81.08	78.43	739.38
1959	Below Normal	69.21	52.63	93.75	34.61	34.22	40.50	58.35	57.64	1.58	77.71	71.25	58.37	649.82
1960	Dry	43.07	39.44	25.44	9.91	9.43	24.55	71.39	71.51	68.54	84.32	78.30	72.25	598.15
1961	Dry	57.38	53.12	39.17	14.52	15.15	21.87	60.22	59.79	56.83	67.56	62.03	55.36	563.00
1962	Below Normal	0.18	78.89	87.54	10.34	9.67	32.69	63.43	64.04	1.54	86.97	79.85	65.42	580.56
1963	Wet	49.48	45.45	30.12	35.09	52.86	58.05	58.21	56.52	52.07	55.76	54.31	50.06	597.98
1964	Dry	39.24	36.50	31.13	28.61	77.65	61.14	61.84	60.27	55.81	59.59	58.08	53.76	623.62
1965	Wet	43.04	40.15	34.93	42.22	71.93	69.73	59.72	58.21	53.87	62.29	60.25	54.91	651.25
1966	Below Normal	43.78	40.80	34.61	52.91	66.47	56.81	60.16	59.32	55.89	64.37	60.30	51.29	646.71
1967	Wet	38.01	34.92	24.74	11.58	70.85	74.69	84.79	84.07	78.82	80.48	80.39	77.72	741.06
1968	Below Normal	68.48	64.75	62.38	35.44	43.50	43.57	59.60	59.09	1.61	79.82	73.15	59.94	651.33
1969	Wet	44.51	40.78	26.48	32.47	83.54	92.28	72.49	76.30	75.92	77.49	77.39	74.84	774.49
1970	Wet	65.56	61.96	59.55	74.81	84.49	92.90	60.82	60.03	55.07	56.29	56.10	54.18	781.76
1971	Wet	44.69	41.92	39.26	63.00	79.54	69.07	60.23	59.53	56.03	64.41	60.33	51.63	689.64
1972	Below Normal	38.54	35.47	25.65	20.07	56.44	56.60	62.69	62.28	59.15	69.23	64.15	53.65	603.92
1973	Above Normal	39.57	36.27	24.59	8.00	70.10	71.34	49.60	63.96	59.02	60.13	60.04	58.03	600.65
1974	Wet	48.58	45.65	43.03	65.94	84.50	92.89	85.67	64.92	59.96	61.14	61.04	58.98	772.30
1975	Wet	49.53	46.56	43.95	52.63	49.71	77.16	65.00	63.19	58.19	59.30	59.23	57.25	681.70
1976	Critical	47.82	44.95	42.35	36.19	37.74	41.89	66.03	66.18	63.37	78.31	71.78	65.08	661.69
1977	Critical	49.31	45.21	29.87	10.11	9.65	16.75	23.61	6.15	1.66	1.83	1.75	1.40	197.30
1978	Above Normal	0.18	39.18	57.33	9.87	12.50	61.33	65.79	64.11	59.66	63.53	61.97	57.47	552.92
1979	Below Normal	46.80	43.78	38.60	32.53	30.80	76.90	66.75	65.23	60.23	61.37	61.27	59.24	643.50
1980	Above Normal	49.83	46.87	44.29	74.55	86.47	92.30	70.34	83.75	78.48	80.10	79.99	77.41	864.38
1981	Dry	68.16	64.45	75.85	35.56	35.81	38.63	60.88	62.13	1.67	84.30	77.35	63.31	668.10
1982	Wet	47.56	43.65	28.72	30.38	54.55	67.60	83.94	82.77	77.59	79.18	79.02	76.44	751.40
1983	Wet	67.19	63.53	61.16	79.66	75.68	92.29	71.03	74.95	74.57	75.84	75.97	73.51	885.38
1984	Wet	73.53	69.69	92.30	70.43	86.49	92.28	45.63	60.89	55.81	57.05	56.93	55.03	816.06
1985	Dry	45.55	42.74	71.18	32.27	61.07	54.72	60.44	60.05	55.10	56.17	56.02	54.20	649.51
1986	Wet	44.71	41.95	39.28	32.81	55.69	92.24	71.05	84.52	79.29	80.72	80.79	78.24	781.29
1987	Dry	69.16	49.14	93.86	27.74	24.91	21.74	28.91	26.67	24.27	28.53	21.60	15.72	432.25
1988	Critical	0.18	0.14	0.10	1.10	12.71	17.09	24.04	22.14	19.21	22.93	17.24	12.58	149.46
1989	Dry	0.18	0.14	0.10	0.10	12.90	20.80	70.53	69.34	65.19	71.07	68.45	63.08	441.88
1990	Critical	51.52	48.17	41.05	24.02	22.52	23.92	31.84	29.98	27.91	33.21	24.82	18.03	376.99
1991	Critical	1.36	0.14	0.10	3.17	9.69	16.75	24.53	22.04	19.10	22.73	17.09	12.50	149.20
1992	Critical	0.18	0.14	0.10	0.10	5.51	16.95	29.88	27.78	25.48	30.15	22.73	16.78	175.78
1993	Above Normal	0.62	0.20	0.10	9.21	52.98	60.22	61.94	60.97	37.69	72.15	68.58	60.38	485.04
1994	Critical	47.72	44.20	35.08	23.60	24.02	39.79	66.22	66.29	63.46	80.81	18.92	78.97	589.08
1995	Wet	0.18	89.23	93.88	10.21	40.38	43.87	79.22	77.97	72.72	74.08	74.13	71.72	727.59
1996	Wet	62.44	58.97	90.15	25.00	29.22	60.16	62.24	60.11	55.07	56.21	56.14	54.24	669.95
1997	Wet	44.78	42.02	39.39	61.19	83.90	92.84	70.14	69.59	64.46	65.66	65.66	63.55	763.18
1998	Wet	54.15	51.01	48.46	43.28	81.66	90.37	67.92	64.51	59.34	60.60	60.62	58.57	740.49
1999	Wet	49.12	64.95	59.31	64.69	83.51	81.75	45.88	60.74	55.59	56.79	56.81	54.88	734.02
2000	Above Normal	45.39	42.59	39.94	40.00	65.91	58.92	64.34	63.45	59.41	66.00	63.09	56.10	665.14
2001	Dry	44.05	40.93	33.06	21.61	20.58	25.60	40.43	39.75	38.19	45.36	34.68	25.47	409.71
2002	Dry	6.87	3.78	0.10	3.94	12.52	32.46	68.79	67.14	61.88	63.20	63.22	67.39	451.29
2003	Above Normal	28.35	45.88	93.93	5.81	14.59	33.58	59.21	58.92	1.40	79.41	73.00	59.75	553.83
	Average	41.32	40.13	39.79	30.01	44.51	54.36	58.45	60.26	50.82	63.81	59.38	54.28	597.10
	Wet	48.35	49.32	45.48	44.49	68.38	77.55	68.11	69.12	64.05	67.45	66.76	63.51	732.57
	Above Normal	39.90	40.70	45.65	29.20	47.23	58.23	62.38	65.63	55.41	70.23	67.49	60.41	642.45
	Below Normal	43.82	45.45	45.92	31.62	41.42	57.72	59.35	63.23	39.60	71.60	67.93	59.70	627.34
	Dry	38.31	31.40	35.77	18.55	25.14	36.03	56.51	58.56	49.72	64.69	58.09	53.21	525.97
	Critical	29.10	26.56	20.46	14.78	22.71	23.84	35.45	34.76	32.27	39.05	27.27	23.43	329.68

Energy generated (GWh) at Castaic: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	96.83	77.56	52.53	9.88	50.24	61.99	60.57	58.73	56.17	58.44	57.69	54.81	695.44
1923	Below Normal	44.79	42.04	38.26	60.46	72.66	62.06	59.86	59.36	58.04	67.03	62.64	53.34	680.54
1924	Critical	39.87	36.78	26.26	18.31	15.26	22.01	29.80	28.37	26.16	30.99	23.27	16.92	314.00
1925	Dry	0.69	0.14	0.10	2.30	10.37	48.48	53.67	68.40	66.19	78.62	72.21	59.27	460.44
1926	Dry	43.92	40.30	26.25	10.86	12.02	28.76	37.83	56.74	53.72	63.91	58.63	48.02	480.96
1927	Wet	33.66	30.59	18.56	7.90	30.97	68.06	63.56	62.21	59.35	60.52	60.41	58.48	554.27
1928	Above Normal	49.04	46.20	43.59	36.16	42.34	40.09	71.83	70.13	66.24	67.51	67.47	65.29	665.89
1929	Critical	55.97	52.85	50.37	33.81	29.46	24.46	28.16	30.80	28.77	34.21	25.65	2.30	396.81
1930	Dry	9.45	8.94	3.98	10.05	11.69	20.80	45.69	44.77	42.70	50.45	41.29	31.72	321.53
1931	Critical	14.36	11.23	3.90	9.96	11.46	21.89	35.07	33.57	31.87	38.13	28.39	20.54	260.37
1932	Dry	2.87	0.17	0.10	8.10	12.45	80.28	38.15	51.84	50.95	60.05	54.70	44.92	404.58
1933	Critical	30.43	27.54	16.76	12.24	83.52	21.71	26.79	45.47	43.16	51.23	42.58	33.00	434.43
1934	Critical	16.07	12.97	5.22	10.24	12.20	39.37	29.71	43.10	41.06	48.59	39.23	1.40	299.16
1935	Below Normal	26.99	23.44	13.65	10.35	14.06	28.98	69.73	68.98	67.15	73.79	70.79	63.47	531.38
1936	Below Normal	51.46	48.13	40.19	25.03	26.98	92.25	54.03	68.23	65.30	66.65	66.51	64.37	669.13
1937	Below Normal	55.00	51.94	49.41	34.56	82.21	92.30	68.37	81.77	78.70	80.27	80.14	77.61	832.28
1938	Wet	68.40	64.81	60.26	40.39	84.50	92.99	89.16	86.19	79.86	83.67	83.53	80.94	914.70
1939	Dry	71.80	68.05	65.72	50.07	45.75	39.82	59.52	58.94	3.58	81.53	67.83	71.96	684.57
1940	Above Normal	36.98	25.17	95.84	11.93	10.54	35.09	67.02	68.81	68.20	85.22	79.54	65.48	649.82
1941	Wet	49.79	45.86	29.85	16.76	52.90	66.40	69.68	68.20	65.24	66.56	66.42	64.36	662.02
1942	Wet	54.97	51.89	48.22	64.13	82.03	78.97	59.35	58.19	56.49	63.00	59.94	53.11	730.29
1943	Wet	41.01	38.09	30.14	44.22	65.14	66.47	76.21	74.78	71.72	73.11	73.05	70.80	724.74
1944	Dry	61.48	2.35	96.01	27.97	23.15	26.88	47.97	47.23	46.20	54.41	46.19	36.43	516.27
1945	Below Normal	19.72	16.61	8.34	17.72	13.77	81.46	53.84	66.49	63.60	64.94	64.73	62.67	533.89
1946	Below Normal	53.27	50.28	47.73	67.36	84.51	87.13	57.55	55.37	52.85	55.63	54.65	51.33	717.66
1947	Dry	41.01	38.36	34.01	30.77	36.74	34.31	71.75	69.97	65.45	66.59	66.60	64.48	620.04
1948	Below Normal	55.15	52.03	49.55	33.31	29.24	24.04	34.84	54.24	1.53	86.87	79.70	65.25	565.75
1949	Dry	49.45	45.31	29.95	15.73	13.52	25.60	70.56	70.51	67.48	78.48	72.90	70.42	609.91
1950	Below Normal	55.56	52.90	0.10	12.00	10.84	22.17	62.24	61.92	1.72	84.17	77.22	63.26	504.10
1951	Above Normal	47.56	43.65	28.53	92.48	75.84	92.27	46.35	61.11	58.29	59.35	59.31	57.42	722.16
1952	Wet	47.95	45.15	42.51	65.50	79.50	93.01	71.92	66.58	61.73	64.93	64.84	62.78	766.40
1953	Wet	53.37	50.35	47.78	71.86	77.94	73.41	59.74	60.05	58.75	68.80	63.69	53.47	739.21
1954	Above Normal	39.45	36.25	24.69	16.96	48.00	40.05	64.46	65.57	62.67	74.65	68.49	56.18	597.42
1955	Dry	41.06	37.54	23.97	9.03	12.47	33.28	60.69	60.52	57.47	68.25	62.88	51.48	518.64
1956	Wet	36.80	33.57	20.88	32.57	86.54	92.28	55.73	68.65	65.77	66.98	66.88	64.82	691.47
1957	Above Normal	55.41	52.31	49.75	45.65	43.15	53.53	66.79	68.01	67.29	85.05	78.83	64.92	730.69
1958	Wet	49.27	45.36	30.48	5.51	58.95	67.57	85.75	84.76	81.68	83.19	83.23	80.57	756.32
1959	Below Normal	71.36	48.71	95.97	36.87	34.24	40.52	58.34	57.64	2.23	78.36	71.91	59.03	655.18
1960	Dry	43.73	40.10	26.10	10.57	9.43	24.45	71.39	71.52	68.55	84.30	78.29	72.16	600.59
1961	Dry	57.30	53.05	39.12	14.53	15.16	21.88	60.23	59.80	56.84	67.57	62.04	55.37	562.89
1962	Below Normal	0.18	77.77	23.09	10.34	9.67	32.70	63.43	64.04	3.64	89.07	81.95	67.52	523.40
1963	Wet	51.59	47.58	32.26	37.22	52.86	58.06	58.20	56.52	54.26	57.94	56.50	52.24	615.23
1964	Dry	41.44	38.71	33.36	30.88	77.65	61.17	61.83	60.26	55.80	59.57	58.06	53.75	632.48
1965	Wet	43.03	40.14	34.93	42.24	71.94	69.73	59.73	58.22	56.06	64.52	62.48	57.12	660.14
1966	Below Normal	45.99	43.01	36.82	55.10	66.44	56.81	60.15	59.32	57.52	66.00	61.93	52.93	662.02
1967	Wet	39.65	36.58	26.41	13.26	70.86	74.71	84.79	84.07	78.82	82.67	82.57	79.91	754.30
1968	Below Normal	70.67	65.55	74.00	34.19	39.54	42.53	59.83	59.34	3.52	82.10	75.40	62.13	668.80
1969	Wet	46.68	42.95	28.61	32.35	83.52	92.28	67.92	81.20	76.00	79.75	79.65	77.09	788.00
1970	Wet	67.83	64.23	61.84	74.22	77.01	92.90	64.83	59.89	57.12	58.34	58.15	56.24	792.60
1971	Wet	46.75	44.00	41.35	65.15	79.51	69.48	60.13	59.39	57.23	65.44	61.45	52.92	702.80
1972	Below Normal	39.92	36.88	27.23	22.15	56.64	56.78	62.69	62.26	59.13	69.18	64.12	53.65	610.63
1973	Above Normal	39.59	36.30	24.65	8.11	70.10	71.34	49.60	63.96	61.16	62.27	62.18	60.17	609.43
1974	Wet	50.73	47.81	45.20	68.11	75.94	92.89	84.20	64.74	61.97	63.15	63.04	60.99	778.77
1975	Wet	51.55	48.60	45.99	55.12	49.83	77.07	64.91	63.09	60.26	61.37	61.29	59.31	698.39
1976	Critical	49.89	47.04	44.45	38.32	37.76	41.96	66.17	66.33	63.52	78.43	71.89	65.39	671.15
1977	Critical	49.60	45.47	30.07	10.11	9.65	16.75	23.61	6.15	1.66	1.83	1.75	1.40	198.05
1978	Above Normal	0.18	37.65	32.13	9.87	12.50	57.78	66.55	65.51	63.78	70.24	67.27	60.31	543.77
1979	Below Normal	48.38	45.21	37.51	30.35	26.23	72.35	64.30	62.64	59.84	60.95	60.84	58.89	627.49
1980	Above Normal	49.46	46.61	44.02	49.70	86.52	92.30	56.85	71.90	68.92	70.33	70.22	68.00	774.83
1981	Dry	58.63	55.39	52.88	45.17	58.80	54.99	66.23	67.48	66.73	80.93	74.71	62.05	743.99
1982	Wet	47.02	43.36	29.76	34.33	56.20	67.55	83.92	82.75	79.75	81.34	81.18	78.60	765.76
1983	Wet	69.37	63.51	61.14	71.27	84.50	92.29	79.56	68.89	72.37	75.84	78.16	75.70	892.60
1984	Wet	73.53	69.69	92.30	70.43	78.86	92.28	45.63	60.90	58.00	59.24	59.12	57.22	817.20
1985	Dry	47.74	44.95	73.37	34.48	61.08	54.72	60.44	60.05	56.42	57.49	57.34	55.52	663.60
1986	Wet	46.04	43.28	40.62	34.15	33.14	92.70	81.53	84.71	81.66	83.12	83.21	80.70	784.86
1987	Dry	71.70	27.21	96.08	29.94	24.89	21.74	28.91	26.66	24.26	28.51	21.59	15.71	417.20
1988	Critical	0.18	0.14	0.10	1.09	12.72	17.09	24.04	22.35	19.44	23.20	17.44	12.73	150.52
1989	Dry	0.18	0.14	0.10	0.10	12.97	20.72	70.61	69.47	65.37	71.51	68.75	64.29	444.21
1990	Critical	52.59	49.18	41.73	23.59	22.22	23.90	32.01	30.18	28.13	33.47	25.01	18.17	380.18
1991	Critical	1.44	0.14	0.10	3.29	9.69	16.75	24.53	22.04	19.10	22.73	17.09	12.50	149.40
1992	Critical	0.18	0.14	0.10	0.10	5.51	16.95	29.55	27.40	25.07	29.66	22.37	16.49	173.52
1993	Above Normal	0.44	0.14	0.10	7.98	53.06	60.38	61.89	60.91	39.29	73.51	69.96	61.86	489.52
1994	Critical	49.46	46.11	37.25	26.11	24.25	39.85	66.16	66.22	63.39	80.39	13.24	78.11	590.54
1995	Wet	0.18	88.26	65.15	10.22	40.38	43.87	79.22	77.97	74.91	76.26	78.11	75.65	710.18
1996	Wet	66.43	2.35	2.32	27.26	29.20	60.14	62.07	59.93	57.08	58.22	58.14	56.25	539.39
1997	Wet	46.80	44.06	41.44	61.13	83.82	92.77	68.68	69.58	66.64	67.83	67.84	65.72	776.31
1998	Wet	56.34	53.20	50.67	45.47	81.68	90.41	67.97	64.21	59.04	60.29	62.49	60.46	752.23
1999	Wet	51.01	66.85	56.86	66.77	83.51	81.75	45.88	60.73	57.77	58.97	58.99	57.06	746.15
2000	Above Normal	47.58	44.80	42.16	42.21	65.89	58.34	64.45	63.62	61.69	68.55	65.49	58.22	683.00
2001	Dry	46.05	42.92	34.78	23.15	20.15	25.46	40.52	39.83	38.26	45.43	34.79	25.57	416.91
2002	Dry	7.00	3.91	0.10	4.04	12.51	32.45	68.72	67.06	61.81	63.13	63.15	67.19	451.07
2003	Above Normal	32.59	40.71	46.38	5.81	14.59	33.58	59.21	58.92	2.13	80.14	73.73	60.48	508.27
	Average	42.42	39.89	36.63	30.35	44.34	54.72	58.36	59.98	52.43	64.62	60.45	55.00	599.21
	Wet	49.61	48.16	41.75	44.52	67.36	78.46	68.86	68.71	65.75	68.66	68.24	65.10	735.17
	Above Normal	41.26	40.61	40.36	28.06	47.73	58.06	61.30	64.77	56.32	71.27	68.35	61.10	639.19
	Below Normal	45.60	46.75	38.70	32.13	40.50	56.58	59.23	62.97	41.06	73.22	69.47	61.10	627.30
	Dry	38.64	30.42	35.33	19.87	26.16	36.43	56.37	58.39	52.65	64.49	59.00	52.80	530.55
	Critical	30.00	27.47	21.36	15.60	22.81	25.22	34.63	35.17	32.61	39.41	27.33	23.25	334.84

Difference in Energy generated (GWh) at Castaic: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.19	2.19	2.19	2.18	0.73
1923	Below Normal	2.19	2.21	2.21	(0.01)	(0.07)	(0.35)	0.04	0.07	2.22	2.29	2.25	2.18	1.27
1924	Critical	2.15	2.16	2.11	2.04	(0.12)	(0.04)	0.01	0.01	0.01	0.01	0.01	0.01	0.70
1925	Dry	0.00	0.00	0.00	0.00	0.00	(0.53)	0.04	0.04	0.58	0.59	0.59	0.58	0.16
1926	Dry	0.57	0.58	0.58	0.55	(0.01)	(0.02)	(0.04)	(0.03)	(0.04)	(0.04)	(0.03)	(0.03)	0.17
1927	Wet	(0.03)	(0.03)	(0.02)	0.00	(0.03)	0.00	0.00	0.00	2.19	2.18	2.19	2.18	0.72
1928	Above Normal	2.20	2.20	2.22	2.21	(0.05)	0.00	0.00	0.00	1.27	1.27	1.27	1.27	1.16
1929	Critical	1.28	1.29	1.29	1.29	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(1.68)	0.28
1930	Dry	(0.02)	(0.17)	(0.18)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.03)
1931	Critical	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1932	Dry	0.00	0.00	0.00	(0.01)	0.01	2.43	(0.01)	0.00	2.18	2.18	2.18	2.17	0.93
1933	Critical	2.18	2.19	2.22	2.21	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.73
1934	Critical	0.00	0.00	0.00	0.00	1.36	16.56	(9.69)	4.75	4.01	4.52	6.19	0.00	2.31
1935	Below Normal	5.11	7.28	5.42	(0.02)	0.01	(0.38)	0.37	0.64	3.00	4.49	3.67	2.23	2.65
1936	Below Normal	1.50	1.41	(0.07)	(0.32)	(2.84)	0.00	0.00	0.00	2.18	2.18	2.19	2.19	0.70
1937	Below Normal	2.20	2.21	2.22	(0.01)	(1.30)	0.00	0.00	0.00	2.19	2.19	2.19	2.19	1.17
1938	Wet	2.20	2.20	0.00	(0.46)	0.00	0.00	3.18	1.62	0.46	2.74	2.74	2.73	1.45
1939	Dry	2.83	2.82	2.85	4.15	(4.75)	(8.18)	(9.40)	(10.15)	(20.21)	(9.05)	10.71	(14.68)	(4.42)
1940	Above Normal	7.62	0.37	2.06	2.05	0.02	0.00	0.01	0.01	2.06	2.06	2.08	2.07	1.70
1941	Wet	2.08	2.10	1.07	(0.01)	0.00	(0.21)	(0.19)	(0.20)	1.98	1.97	1.97	1.98	1.05
1942	Wet	1.99	2.01	0.90	(0.05)	(0.05)	(0.22)	0.00	0.01	2.20	2.21	2.20	2.19	1.12
1943	Wet	2.19	2.20	2.20	(0.04)	(0.53)	(0.49)	(0.36)	(0.37)	1.82	1.81	1.81	1.82	1.01
1944	Dry	1.82	2.21	2.22	0.52	(1.51)	(0.48)	(0.01)	(0.01)	1.42	1.42	1.42	1.42	0.87
1945	Below Normal	1.43	1.44	1.44	1.46	0.01	(10.89)	0.09	0.09	2.28	2.28	2.27	2.27	0.35
1946	Below Normal	2.28	2.29	2.31	2.18	0.00	1.16	0.08	0.16	2.37	2.76	2.55	2.19	1.69
1947	Dry	2.02	2.00	1.64	1.12	1.68	(2.63)	0.18	0.19	0.81	0.81	0.81	0.80	0.79
1948	Below Normal	0.81	0.81	0.82	0.70	(0.30)	(0.11)	0.01	(2.18)	0.00	0.08	0.01	(0.03)	0.05
1949	Dry	0.02	0.07	0.04	(0.06)	(0.03)	(0.06)	0.03	0.08	0.13	0.35	0.22	0.04	0.07
1950	Below Normal	(0.12)	(0.20)	(67.41)	0.00	0.00	0.00	0.00	0.00	0.22	0.22	0.22	0.22	(5.57)
1951	Above Normal	0.22	0.23	0.00	0.00	(7.66)	0.00	0.05	0.05	2.23	2.23	2.23	2.22	0.15
1952	Wet	2.24	2.25	2.26	2.22	(8.02)	0.00	(0.31)	(11.01)	(10.59)	(8.91)	(8.90)	(8.58)	(3.95)
1953	Wet	(8.69)	(8.26)	(8.39)	2.64	17.77	24.11	1.83	1.10	17.01	(6.26)	(5.13)	(2.99)	2.06
1954	Above Normal	(1.92)	(1.40)	0.68	3.62	13.67	2.78	(0.32)	(0.10)	(0.11)	(1.21)	(1.91)	(1.55)	1.02
1955	Dry	(1.43)	(1.34)	(1.03)	(0.94)	0.24	0.64	1.26	1.36	1.40	1.67	1.53	1.25	0.38
1956	Wet	1.13	1.07	0.84	(18.93)	0.04	0.00	0.18	0.16	2.35	2.35	2.34	2.34	(0.51)
1957	Above Normal	2.35	2.36	2.38	2.22	(0.11)	(0.77)	0.00	(0.02)	1.97	2.20	2.22	2.18	1.42
1958	Wet	2.17	2.17	2.15	2.02	(0.04)	(0.04)	(0.04)	(0.04)	2.15	2.15	2.15	2.14	1.41
1959	Below Normal	2.15	(3.92)	2.22	2.26	0.02	0.02	(0.01)	0.00	0.65	0.65	0.66	0.66	0.45
1960	Dry	0.66	0.66	0.66	0.66	0.00	(0.10)	0.00	0.01	0.01	(0.02)	(0.01)	(0.09)	0.20
1961	Dry	(0.08)	(0.07)	(0.05)	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	(0.01)
1962	Below Normal	0.00	(1.12)	(64.45)	0.00	0.00	0.01	0.00	0.00	2.10	2.10	2.10	2.10	(4.76)
1963	Wet	2.11	2.13	2.14	2.13	0.00	0.01	(0.01)	0.00	2.19	2.18	2.19	2.18	1.44
1964	Dry	2.20	2.21	2.23	2.27	0.00	0.03	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	0.74
1965	Wet	(0.01)	(0.01)	0.00	0.02	0.01	0.00	0.01	0.01	2.19	2.23	2.23	2.21	0.74
1966	Below Normal	2.21	2.21	2.21	2.19	(0.03)	0.00	(0.01)	0.00	1.63	1.63	1.63	1.64	1.28
1967	Wet	1.64	1.66	1.67	1.68	0.01	0.02	0.00	0.00	0.00	2.19	2.18	2.19	1.10
1968	Below Normal	2.19	0.80	11.62	(1.25)	(3.96)	(1.04)	0.23	0.25	1.91	2.28	2.25	2.19	1.46
1969	Wet	2.17	2.17	2.13	(0.12)	(0.02)	0.00	(4.57)	4.90	0.08	2.26	2.26	2.25	1.13
1970	Wet	2.27	2.27	2.29	(0.59)	(7.48)	0.00	4.01	(0.14)	2.05	2.05	2.05	2.06	0.90
1971	Wet	2.06	2.08	2.09	2.15	(0.03)	0.41	(0.10)	(0.14)	1.20	1.03	1.12	1.29	1.10
1972	Below Normal	1.38	1.41	1.58	2.08	0.20	0.18	0.00	(0.02)	(0.02)	(0.05)	(0.03)	0.00	0.56
1973	Above Normal	0.02	0.03	0.06	0.11	0.00	0.00	0.00	0.00	2.14	2.14	2.14	2.14	0.73
1974	Wet	2.15	2.16	2.17	2.17	(8.56)	0.00	(1.47)	(0.18)	2.01	2.01	2.00	2.01	0.54
1975	Wet	2.02	2.04	2.04	2.49	0.12	(0.09)	(0.09)	(0.10)	2.07	2.07	2.06	2.06	1.39
1976	Critical	2.07	2.09	2.10	2.13	0.02	0.07	0.14	0.15	0.15	0.12	0.11	0.31	0.79
1977	Critical	0.29	0.26	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1978	Above Normal	0.00	(1.53)	(25.20)	0.00	0.00	(3.55)	0.76	1.40	4.12	6.71	5.30	2.84	(0.76)
1979	Below Normal	1.58	1.43	(1.09)	(2.18)	(4.57)	(4.55)	(2.45)	(2.59)	(0.39)	(0.42)	(0.43)	(0.35)	(1.33)
1980	Above Normal	(0.37)	(0.26)	(0.27)	(24.85)	0.05	0.00	(13.49)	(11.85)	(9.56)	(9.77)	(9.77)	(9.41)	(7.46)
1981	Dry	(9.53)	(9.06)	(22.97)	9.61	22.99	16.36	5.35	5.35	65.06	(3.37)	(2.64)	(1.26)	6.32
1982	Wet	(0.54)	(0.29)	1.04	3.95	1.65	(0.05)	(0.02)	(0.02)	2.16	2.16	2.16	2.16	1.20
1983	Wet	2.18	(0.02)	(0.02)	(8.39)	8.82	0.00	8.53	(6.06)	(2.20)	0.00	2.19	2.19	0.60
1984	Wet	0.00	0.00	0.00	0.00	(7.63)	0.00	0.00	0.01	2.19	2.19	2.19	2.19	0.10
1985	Dry	2.19	2.21	2.19	2.21	0.01	0.00	0.00	0.00	1.32	1.32	1.32	1.32	1.17
1986	Wet	1.33	1.33	1.34	1.34	(22.55)	0.46	10.48	0.19	2.37	2.40	2.42	2.46	0.30
1987	Dry	2.54	(21.93)	2.22	2.20	(0.02)	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(1.25)
1988	Critical	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	0.21	0.23	0.27	0.20	0.15	0.09
1989	Dry	0.00	0.00	0.00	0.00	0.07	(0.08)	0.08	0.13	0.18	0.44	0.30	1.21	0.19
1990	Critical	1.07	1.01	0.68	(0.43)	(0.30)	(0.02)	0.17	0.20	0.22	0.26	0.19	0.14	0.27
1991	Critical	0.08	0.00	0.00	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.33)	(0.38)	(0.41)	(0.49)	(0.36)	(0.29)	(0.19)
1993	Above Normal	(0.18)	(0.06)	0.00	(1.23)	0.08	0.16	(0.05)	(0.06)	1.60	1.36	1.38	1.48	0.37
1994	Critical	1.74	1.91	2.17	2.51	0.23	0.06	(0.06)	(0.07)	(0.07)	(0.42)	(5.68)	(0.86)	0.12
1995	Wet	0.00	(0.97)	(28.73)	0.01	0.00	0.00	0.00	0.00	2.19	2.18	3.98	3.93	(1.45)
1996	Wet	3.99	(56.62)	(87.83)	2.26	(0.02)	(0.02)	(0.17)	(0.18)	2.01	2.01	2.00	2.01	(10.88)
1997	Wet	2.02	2.04	2.05	(0.06)	(0.08)	(0.07)	(1.46)	(0.01)	2.18	2.17	2.18	2.17	1.09
1998	Wet	2.19	2.19	2.21	2.19	0.02	0.04	0.05	(0.30)	(0.30)	(0.31)	1.87	1.89	0.98
1999	Wet	1.89	1.90	(2.45)	2.08	0.00	0.00	0.00	(0.01)	2.18	2.18	2.18	2.18	1.01
2000	Above Normal	2.19	2.21	2.22	2.21	(0.02)	(0.58)	0.11	0.17	2.28	2.55	2.40	2.12	1.49
2001	Dry	2.00	1.99	1.72	1.54	(0.43)	(0.14)	0.09	0.08	0.07	0.07	0.11	0.10	0.60
2002	Dry	0.13	0.13	0.00	0.10	(0.01)	(0.01)	(0.07)	(0.08)	(0.07)	(0.07)	(0.07)	(0.20)	(0.02)
2003	Above Normal	4.24	(5.17)	(47.55)	0.00	0.00	0.00	0.00	0.00	0.73	0.73	0.73	0.73	(3.80)
	Average	1.11	(0.24)	(3.15)	0.34	(0.17)	0.36	(0.09)	(0.28)	1.61	0.82	1.07	0.73	0.18
	Wet	1.26	(1.16)	(3.73)	0.03	(1.02)	0.92	0.75	(0.41)	1.70	1.20	1.49	1.59	0.22
	Above Normal	1.36	(0.09)	(5.28)	(1.14)	0.50	(0.16)	(1.08)	(0.87)	0.91	1.04	0.85	0.69	(0.27)
	Below Normal	1.78	1.30	(7.21)	0.51	(0.92)	(1.14)	(0.12)	(0.26)	1.45	1.62	1.54	1.41	(0.00)
	Dry	0.33	(0.98)	(0.44)	1.33	1.01	0.40	(0.14)	(0.17)	2.94	(0.21)	0.91	(0.41)	0.38
	Critical	0.90	0.91	0.90	0.82	0.10	1.39	(0.81)	0.40	0.34	0.35	0.05	(0.19)	0.43

Percent Difference in Energy generated (GWh) at Castaic: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	5%	6%	6%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	6%	6%	9%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	5%	5%	5%	7%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	3%	3%	4%	0%	0%	0%	0%	0%	0%	0%	-42%
1930	Dry	0%	-2%	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	3%	0%	0%	4%	4%	4%	5%
1933	Critical	8%	9%	15%	22%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	13%	73%	-25%	12%	11%	10%	19%	0%
1935	Below Normal	23%	45%	66%	0%	0%	-1%	1%	1%	5%	6%	5%	4%
1936	Below Normal	3%	3%	0%	-1%	-10%	0%	0%	0%	3%	3%	3%	4%
1937	Below Normal	4%	4%	5%	0%	-2%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	4%	0%	-1%	0%	0%	4%	2%	1%	3%	3%	3%
1939	Dry	4%	4%	5%	9%	-9%	-17%	-14%	-15%	-85%	-10%	19%	-17%
1940	Above Normal	26%	1%	2%	21%	0%	0%	0%	0%	3%	2%	3%	3%
1941	Wet	4%	5%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	4%	4%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	6%	6%	8%	0%	-1%	-1%	0%	0%	3%	3%	3%	3%
1944	Dry	3%	>1,000%	2%	2%	-6%	-2%	0%	0%	3%	3%	3%	4%
1945	Below Normal	8%	9%	21%	9%	0%	-12%	0%	0%	4%	4%	4%	4%
1946	Below Normal	4%	5%	5%	3%	0%	1%	0%	0%	5%	5%	5%	4%
1947	Dry	5%	6%	5%	4%	5%	-7%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	2%	2%	2%	-1%	0%	0%	-4%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-100%	0%	0%	0%	0%	0%	15%	0%	0%	0%
1951	Above Normal	0%	1%	0%	0%	-9%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	5%	5%	6%	4%	-9%	0%	0%	-14%	-15%	-12%	-12%	-12%
1953	Wet	-14%	-14%	-15%	4%	30%	49%	3%	2%	41%	-8%	-7%	-5%
1954	Above Normal	-5%	-4%	3%	27%	40%	7%	0%	0%	0%	-2%	-3%	-3%
1955	Dry	-3%	-3%	-4%	-9%	2%	2%	2%	2%	2%	3%	2%	2%
1956	Wet	3%	3%	4%	-37%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	3%	3%	3%	3%
1958	Wet	5%	5%	8%	58%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	-7%	2%	7%	0%	0%	0%	0%	41%	1%	1%	1%
1960	Dry	2%	2%	3%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	-1%	-74%	0%	0%	0%	0%	0%	136%	2%	3%	3%
1963	Wet	4%	5%	7%	6%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	6%	6%	7%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1966	Below Normal	5%	5%	6%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	5%	7%	15%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	1%	19%	-4%	-9%	-2%	0%	0%	119%	3%	3%	4%
1969	Wet	5%	5%	8%	0%	0%	0%	-6%	6%	0%	3%	3%	3%
1970	Wet	3%	4%	4%	-1%	-9%	0%	7%	0%	4%	4%	4%	4%
1971	Wet	5%	5%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	4%	4%	6%	10%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	4%	4%	4%
1974	Wet	4%	5%	5%	3%	-10%	0%	-2%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	5%	5%	0%	0%	0%	0%	4%	3%	3%	4%
1976	Critical	4%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-4%	-44%	0%	0%	-6%	1%	2%	7%	11%	9%	5%
1979	Below Normal	3%	3%	-3%	-7%	-15%	-6%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	-33%	0%	0%	-19%	-14%	-12%	-12%	-12%	-12%
1981	Dry	-14%	-14%	-30%	27%	64%	42%	9%	9%	>1,000%	-4%	-3%	-2%
1982	Wet	-1%	-1%	4%	13%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	-11%	12%	0%	12%	-8%	-3%	0%	3%	3%
1984	Wet	0%	0%	0%	0%	-9%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	5%	5%	3%	7%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	4%	-40%	0%	15%	0%	3%	3%	3%	3%
1987	Dry	4%	-45%	2%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	-1%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	1%	0%	2%
1990	Critical	2%	2%	2%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	6%	0%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-2%	-2%
1993	Above Normal	-29%	-30%	0%	-13%	0%	0%	0%	0%	4%	2%	2%	2%
1994	Critical	4%	4%	6%	11%	1%	0%	0%	0%	0%	-1%	-30%	-1%
1995	Wet	0%	-1%	-31%	0%	0%	0%	0%	0%	3%	3%	5%	5%
1996	Wet	6%	-96%	-97%	9%	0%	0%	0%	0%	4%	4%	4%	4%
1997	Wet	5%	5%	5%	0%	0%	0%	-2%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	5%	5%	0%	0%	0%	0%	-1%	-1%	3%	3%
1999	Wet	4%	3%	-4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	5%	5%	6%	6%	0%	-1%	0%	0%	4%	4%	4%	4%
2001	Dry	5%	5%	5%	7%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	2%	3%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	15%	-11%	-51%	0%	0%	0%	0%	0%	52%	1%	1%	1%
	Average	3%	0%	-2%	3%	0%	1%	0%	0%	5%	1%	2%	1%
	Wet	3%	-1%	-2%	3%	-1%	2%	1%	-1%	3%	2%	2%	3%
	Above Normal	2%	-3%	-6%	2%	3%	0%	-2%	-1%	6%	2%	2%	2%
	Below Normal	5%	6%	-3%	2%	-3%	-1%	0%	0%	24%	2%	2%	2%
	Dry	1%	-2%	0%	4%	3%	1%	0%	0%	-4%	0%	2%	0%
	Critical	3%	2%	3%	5%	1%	6%	-2%	1%	1%	1%	-1%	-4%

Energy generated (GWh) at DCanyon: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	114.09	127.44	106.34	28.22	81.42	91.37	84.47	90.50	89.27	91.04	92.25	89.76	1,086.17
1923	Below Normal	86.43	81.64	80.80	122.76	114.01	90.83	63.94	84.81	83.90	81.76	91.19	88.22	1,070.29
1924	Critical	74.34	68.55	58.82	20.21	25.88	26.67	40.34	58.41	59.86	51.57	51.63	50.18	586.46
1925	Dry	32.35	26.09	21.15	5.85	12.63	35.43	74.45	97.08	96.33	91.95	106.63	103.08	703.02
1926	Dry	83.51	77.08	62.41	5.85	16.44	33.81	56.83	79.34	78.89	75.22	87.44	84.42	741.24
1927	Wet	68.53	63.08	51.05	11.77	55.34	102.37	92.15	97.66	96.27	98.92	98.83	96.21	932.18
1928	Above Normal	94.75	89.77	90.55	61.97	77.60	50.18	106.15	111.15	109.38	112.38	112.32	109.38	1,125.58
1929	Critical	107.79	102.36	103.36	66.09	64.71	35.42	37.24	64.90	66.26	57.15	57.49	1.27	764.04
1930	Dry	33.45	48.77	45.66	5.66	15.65	23.11	60.08	82.31	83.67	75.09	80.42	78.17	632.04
1931	Critical	55.65	48.09	39.34	5.59	15.19	25.48	51.19	72.03	73.53	63.40	63.69	61.86	575.04
1932	Dry	40.09	32.52	26.36	7.79	23.16	34.94	56.13	74.11	73.96	70.12	80.08	77.50	596.76
1933	Critical	61.51	56.21	45.59	5.64	65.08	30.39	58.49	80.46	81.49	73.93	79.90	77.59	716.28
1934	Critical	56.24	48.89	39.98	5.80	13.71	26.92	59.52	83.50	85.23	73.53	23.09	1.28	517.69
1935	Below Normal	87.18	73.25	56.79	5.90	21.56	34.31	93.96	105.08	103.91	104.12	108.86	105.72	900.64
1936	Below Normal	97.54	91.75	87.27	46.18	54.44	133.83	101.24	108.74	107.12	110.04	109.98	107.09	1,155.22
1937	Below Normal	105.39	99.97	100.88	69.11	113.80	107.75	125.96	131.98	129.93	133.44	133.37	129.94	1,381.52
1938	Wet	128.05	121.63	122.83	76.25	100.13	131.12	130.96	136.39	134.44	137.87	137.79	134.33	1,491.79
1939	Dry	132.34	125.68	126.83	80.38	88.49	64.02	74.86	97.70	1.49	98.73	1.75	96.17	988.44
1940	Above Normal	0.87	0.32	71.68	5.53	13.00	43.51	72.94	97.78	48.38	87.87	113.57	109.99	665.44
1941	Wet	88.63	81.69	66.17	41.55	86.09	99.36	103.03	108.24	106.50	109.54	109.43	106.54	1,106.77
1942	Wet	104.97	99.63	100.49	120.10	105.55	122.24	72.55	85.58	84.71	83.91	90.18	87.31	1,157.22
1943	Wet	77.46	72.08	65.64	94.96	110.51	100.22	114.68	120.01	117.94	121.35	121.25	118.22	1,234.32
1944	Dry	116.51	0.53	127.43	52.36	51.05	40.28	59.87	81.55	82.10	75.05	81.98	79.67	848.38
1945	Below Normal	58.56	51.47	42.07	10.99	21.50	134.77	100.61	105.33	103.89	106.70	106.61	103.86	946.36
1946	Below Normal	102.18	96.82	97.69	120.56	102.35	135.86	75.35	83.92	82.70	84.35	85.76	83.32	1,150.86
1947	Dry	79.90	75.40	74.25	55.61	61.55	46.16	105.65	110.55	108.81	111.72	111.63	108.80	1,050.03
1948	Below Normal	107.22	101.76	102.75	65.73	63.82	34.63	50.88	1.11	1.41	102.83	116.81	113.27	862.22
1949	Dry	90.57	83.91	68.20	9.97	20.08	31.09	82.68	102.76	101.92	98.69	19.20	124.45	833.52
1950	Below Normal	96.39	11.25	18.29	10.17	14.04	26.47	66.88	87.19	1.35	98.77	111.85	108.44	651.09
1951	Above Normal	86.59	80.06	65.04	107.06	112.84	139.55	86.83	95.14	93.77	96.30	96.23	93.71	1,153.12
1952	Wet	92.31	87.53	88.23	120.82	103.55	134.57	105.56	124.13	121.91	125.47	125.40	122.22	1,351.70
1953	Wet	120.59	114.40	115.41	117.76	102.45	64.61	60.36	81.59	1.17	87.99	99.64	96.60	1,062.57
1954	Above Normal	77.08	70.83	57.41	11.35	59.98	47.47	69.59	92.45	80.23	81.49	103.29	100.01	851.18
1955	Dry	80.65	74.21	60.07	11.64	25.92	39.04	62.73	82.35	81.73	78.19	90.11	87.15	773.79
1956	Wet	70.30	64.65	52.34	75.94	112.41	138.64	102.96	108.02	106.43	109.30	109.19	106.41	1,156.59
1957	Above Normal	104.82	99.47	100.29	79.43	78.14	76.85	72.36	96.19	29.40	94.01	114.18	110.55	1,055.69
1958	Wet	88.52	81.89	66.45	13.42	97.30	101.49	130.83	136.98	134.77	138.42	138.42	134.81	1,263.30
1959	Below Normal	133.03	0.47	125.76	57.48	61.70	51.45	61.38	79.98	1.54	90.87	102.54	99.43	865.63
1960	Dry	79.27	72.98	59.24	5.55	10.57	30.63	83.92	104.62	51.24	105.79	63.63	123.71	791.15
1961	Dry	103.02	95.53	81.76	17.68	25.24	26.36	64.26	83.75	83.47	79.59	54.03	17.13	731.82
1962	Below Normal	0.91	42.62	52.18	5.88	11.20	39.89	68.38	90.26	1.44	102.30	116.10	112.59	643.75
1963	Wet	89.96	83.10	67.46	79.72	85.67	84.12	73.20	85.11	83.93	84.77	87.83	85.30	990.17
1964	Dry	79.62	74.72	71.69	57.92	117.26	88.57	83.22	91.52	90.35	91.33	94.22	91.47	1,031.89
1965	Wet	85.99	80.78	78.00	87.92	113.99	104.73	78.06	87.55	22.68	94.26	98.16	95.22	1,027.34
1966	Below Normal	87.52	81.99	77.72	113.49	112.45	82.11	66.18	85.28	84.52	82.28	91.42	88.35	1,053.31
1967	Wet	74.99	69.23	59.86	26.66	116.92	113.85	129.10	135.54	133.38	137.04	137.04	133.57	1,267.18
1968	Below Normal	131.60	124.91	126.05	63.44	78.14	56.18	62.69	82.05	1.63	93.17	104.78	101.74	1,026.38
1969	Wet	80.84	74.46	60.45	73.26	108.51	138.45	124.54	130.31	128.21	131.67	131.64	128.32	1,310.66
1970	Wet	126.40	120.06	121.12	112.94	97.85	133.85	86.99	93.42	92.13	94.56	94.50	91.95	1,265.77
1971	Wet	90.63	85.87	86.57	121.00	109.49	100.95	66.39	85.89	85.19	83.23	91.88	88.84	1,095.93
1972	Below Normal	75.92	70.24	61.34	45.71	93.76	81.45	70.13	88.86	88.27	85.09	96.13	92.93	949.83
1973	Above Normal	77.06	71.12	59.78	22.02	99.72	100.92	92.75	100.55	99.21	101.66	101.61	98.91	1,025.31
1974	Wet	97.43	92.31	93.09	120.19	104.94	131.37	125.57	101.80	100.46	102.99	102.95	100.32	1,273.42
1975	Wet	98.87	93.66	94.42	106.21	88.90	119.80	94.51	99.21	97.89	100.38	100.32	97.76	1,191.93
1976	Critical	96.20	91.21	92.01	63.94	70.82	53.90	71.28	93.43	62.42	91.68	41.84	115.05	943.78
1977	Critical	91.53	84.30	48.18	5.71	10.89	14.93	27.56	1.12	1.78	1.82	1.78	1.33	290.93
1978	Above Normal	1.02	12.65	53.05	5.53	26.70	90.46	86.32	99.24	97.98	98.96	102.08	99.16	773.15
1979	Below Normal	93.53	87.89	85.10	55.33	59.97	119.04	98.03	103.44	102.07	104.63	104.55	101.92	1,115.50
1980	Above Normal	100.25	94.95	95.80	65.69	113.12	137.75	128.88	134.78	132.63	136.33	136.27	132.83	1,409.28
1981	Dry	130.99	88.18	130.37	62.91	62.34	48.40	64.82	87.19	1.80	98.78	111.84	108.51	996.13
1982	Wet	86.47	79.80	64.78	68.09	88.98	101.02	127.51	133.43	131.36	134.78	134.73	131.29	1,282.24
1983	Wet	129.48	122.92	124.04	104.96	119.82	136.70	121.77	127.55	125.53	128.93	128.91	125.67	1,496.28
1984	Wet	131.74	117.63	130.91	116.76	114.97	139.72	85.65	94.72	93.15	95.91	95.84	93.35	1,310.35
1985	Dry	91.85	87.17	87.87	120.80	82.73	96.52	86.35	93.45	92.32	94.70	94.59	92.00	1,120.35
1986	Wet	90.72	86.02	86.72	67.13	73.16	130.73	131.09	137.28	134.75	138.83	138.00	134.33	1,348.76
1987	Dry	133.47	0.47	124.39	52.86	51.62	28.08	38.55	54.16	55.49	47.81	48.11	46.73	681.74
1988	Critical	30.49	24.55	19.90	5.92	18.07	15.02	28.46	42.20	43.28	37.57	37.38	36.23	339.07
1989	Dry	23.29	18.48	14.97	8.49	19.20	22.84	93.48	106.37	104.97	105.06	100.16	108.81	726.12
1990	Critical	99.56	93.50	88.18	43.37	45.74	32.47	44.57	62.60	64.13	55.29	55.55	54.00	738.96
1991	Critical	35.12	28.38	23.00	5.75	10.98	15.04	29.65	41.97	43.11	37.40	37.37	36.33	344.10
1992	Critical	23.52	18.73	15.17	5.69	10.87	14.89	40.56	57.11	58.36	50.33	47.89	50.12	393.24
1993	Above Normal	19.76	16.95	35.37	6.01	87.02	88.33	77.00	90.54	1.41	99.99	107.72	104.44	734.54
1994	Critical	92.07	85.83	77.81	36.90	45.06	50.43	71.53	93.45	26.49	96.74	1.75	26.49	704.55
1995	Wet	0.88	0.99	84.72	5.78	68.56	59.67	119.56	125.12	123.16	126.59	126.56	123.33	964.92
1996	Wet	121.56	18.45	54.09	57.14	52.37	87.90	89.63	93.78	92.43	95.00	94.94	92.36	949.65
1997	Wet	90.96	86.27	87.01	121.95	102.88	135.24	105.21	110.16	108.34	111.36	111.29	108.44	1,279.11
1998	Wet	106.82	101.39	102.26	78.56	101.67	133.19	99.34	101.57	99.97	103.04	103.01	100.27	1,231.09
1999	Wet	98.61	93.56	94.36	121.77	110.80	94.38	86.13	94.28	92.75	95.67	95.65	93.05	1,171.01
2000	Above Normal	91.66	86.95	87.65	71.23	115.56	86.56	80.59	94.80	93.55	93.27	99.62	96.56	1,098.00
2001	Dry	86.41	80.80	74.44	37.25	40.46	35.63	59.64	83.68	85.31	74.44	76.28	74.30	808.64
2002	Dry	49.35	40.83	33.25	11.88	26.85	38.82	101.04	105.76	104.05	107.24	27.40	118.37	764.84
2003	Above Normal	0.83	0.39	68.69	18.94	31.23	40.58	62.16	81.59	1.08	92.85	104.47	101.35	604.16
	Average	82.49	70.90	75.20	52.43	67.07	75.22	81.12	93.02	78.82	94.00	91.41	93.19	954.88
	Wet	93.91	84.35	85.33	82.41	97.42	113.09	102.21	109.05	101.90	110.45	111.67	108.69	1,200.47
	Above Normal	64.07	62.58	74.30	40.25	74.69	82.79	85.00	98.73	73.02	98.85	106.97	103.89	965.14
	Below Normal	90.24	72.57	79.62	56.62	65.91	80.61	78.97	88.43	63.83	98.60	105.71	102.63	983.76
	Dry	81.48	61.30	71.69	33.91	41.74	42.43	72.70	89.90	76.55	87.75	73.86	90.02	823.33
	Critical	68.67	62.55	54.28	22.55	33.08	28.46	46.70	62.60	55.50	57.53	41.61	42.64	576.18

Energy generated (GWh) at DCanyon: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	114.09	127.44	106.34	28.22	81.42	91.37	84.46	90.50	92.87	94.64	95.85	93.36	1,100.56
1923	Below Normal	90.02	85.23	84.39	122.76	114.03	90.18	63.87	84.84	87.47	85.28	94.80	91.83	1,094.70
1924	Critical	77.84	72.04	62.21	23.35	25.55	26.57	40.35	58.44	59.89	51.59	51.65	50.19	599.67
1925	Dry	32.36	26.10	21.15	5.85	12.61	35.41	74.50	97.14	97.29	92.89	107.59	104.04	706.93
1926	Dry	84.46	78.02	63.34	6.75	16.41	33.79	56.76	79.29	78.84	75.18	87.39	84.36	744.59
1927	Wet	68.49	63.04	51.02	11.77	55.30	102.38	92.16	97.66	99.87	102.52	102.43	99.80	946.44
1928	Above Normal	98.34	93.37	94.15	65.56	77.52	50.18	106.15	111.15	111.47	114.47	114.41	111.47	1,148.24
1929	Critical	109.88	104.45	105.45	68.17	64.71	35.41	37.22	64.87	66.23	57.12	57.46	1.27	772.24
1930	Dry	34.03	49.59	46.53	5.66	15.64	23.10	60.09	82.31	83.67	75.10	80.41	78.16	634.29
1931	Critical	55.65	48.08	39.34	5.59	15.18	25.48	51.17	72.00	73.50	63.37	63.66	61.84	574.86
1932	Dry	40.07	32.50	26.35	7.78	23.16	34.93	56.14	74.12	77.56	73.72	83.68	81.10	611.11
1933	Critical	65.10	59.80	49.19	9.24	62.31	30.39	58.49	80.46	81.50	73.93	79.90	77.59	727.90
1934	Critical	56.24	48.89	39.99	5.80	16.86	30.64	59.35	81.67	82.82	73.98	67.42	1.28	564.94
1935	Below Normal	76.61	73.32	59.07	5.89	21.28	34.06	90.98	104.78	107.03	106.33	112.92	109.67	901.94
1936	Below Normal	99.08	93.07	86.59	42.83	48.80	134.07	101.24	108.74	110.71	113.63	113.57	110.68	1,163.01
1937	Below Normal	108.99	103.57	104.49	69.11	115.31	107.73	125.96	131.98	133.52	137.04	136.97	133.54	1,408.21
1938	Wet	131.64	125.23	122.84	74.15	98.03	133.18	133.48	139.03	134.07	142.50	142.26	138.42	1,514.83
1939	Dry	137.07	130.36	131.53	93.30	89.14	56.48	62.99	82.22	4.82	96.62	5.09	85.47	975.09
1940	Above Normal	4.20	3.66	91.32	8.87	13.05	43.51	72.94	97.78	51.86	91.01	116.98	113.40	708.58
1941	Wet	92.04	85.10	67.90	41.52	86.09	98.99	102.69	107.88	109.74	112.77	112.66	109.78	1,127.16
1942	Wet	108.22	102.88	101.93	120.13	105.62	121.81	72.52	85.57	88.30	87.50	93.77	90.90	1,179.15
1943	Wet	81.04	75.65	69.19	94.88	109.54	99.35	114.07	119.37	120.90	124.30	124.21	121.19	1,253.69
1944	Dry	119.48	4.13	131.05	51.47	47.05	38.97	59.85	81.53	84.42	77.38	84.30	81.99	861.62
1945	Below Normal	60.89	53.80	44.40	13.33	21.49	129.84	100.76	105.49	107.64	110.46	110.36	107.62	966.08
1946	Below Normal	105.93	100.56	101.44	124.16	102.37	135.33	74.65	83.89	86.19	87.61	89.46	86.99	1,178.58
1947	Dry	82.94	78.37	76.71	57.48	60.23	46.09	105.96	110.87	110.16	113.07	112.98	110.14	1,065.00
1948	Below Normal	108.56	103.09	104.08	64.95	61.82	33.89	50.90	1.11	1.41	103.54	117.53	113.99	864.87
1949	Dry	91.11	84.40	68.61	9.93	20.01	31.04	82.19	102.64	101.81	98.44	17.51	125.02	832.71
1950	Below Normal	96.81	12.10	95.81	10.17	14.04	26.47	66.88	87.19	1.71	99.13	112.22	108.80	731.33
1951	Above Normal	86.96	80.42	65.04	107.31	121.66	139.53	86.93	95.23	97.46	99.99	99.91	97.39	1,177.83
1952	Wet	95.99	91.20	91.91	124.41	112.76	134.58	105.08	104.86	103.51	109.68	109.60	106.85	1,290.43
1953	Wet	105.45	100.11	100.92	122.25	110.93	107.57	62.88	84.66	87.22	84.44	95.14	92.16	1,153.73
1954	Above Normal	76.59	70.67	59.51	21.31	80.18	52.58	69.23	92.33	91.48	87.56	101.11	97.79	900.34
1955	Dry	79.06	72.76	58.87	11.71	26.74	40.13	64.32	84.43	83.79	80.15	92.36	89.34	783.66
1956	Wet	72.07	66.29	53.67	73.49	112.64	138.57	103.33	108.35	110.35	113.22	113.11	110.33	1,175.42
1957	Above Normal	108.72	103.36	104.19	83.16	78.25	75.32	72.34	96.15	30.17	97.19	117.70	114.08	1,080.63
1958	Wet	91.98	85.32	69.86	16.68	97.22	101.43	130.77	136.92	138.30	141.95	141.95	138.40	1,290.78
1959	Below Normal	136.55	4.06	133.73	61.18	61.70	51.47	61.38	79.98	2.62	91.94	103.62	100.51	888.74
1960	Dry	80.35	74.06	60.32	6.63	10.58	30.53	83.95	104.64	51.45	105.80	64.30	123.58	796.19
1961	Dry	102.94	95.45	81.71	17.72	25.28	26.38	64.27	83.76	83.48	79.59	53.98	17.16	731.72
1962	Below Normal	0.91	43.58	125.11	5.88	11.20	39.90	68.38	90.25	4.91	105.76	119.55	116.05	731.48
1963	Wet	93.41	86.56	70.92	83.18	85.67	84.12	73.21	85.11	87.52	88.36	91.42	88.89	1,018.37
1964	Dry	83.21	78.31	75.29	61.64	117.26	88.62	83.22	91.50	90.34	91.32	94.20	91.44	1,046.35
1965	Wet	85.98	80.77	78.01	87.98	113.98	104.73	78.04	87.55	25.97	97.87	101.79	98.85	1,041.52
1966	Below Normal	91.12	85.59	81.30	117.03	112.39	82.12	66.19	85.28	87.22	84.98	94.11	91.04	1,078.37
1967	Wet	77.69	71.93	62.57	29.39	116.92	113.89	129.10	135.54	133.38	140.64	140.63	137.16	1,288.84
1968	Below Normal	135.19	101.58	133.87	61.79	72.02	54.54	62.99	82.44	4.79	96.76	108.43	105.37	1,019.77
1969	Wet	84.38	77.98	63.90	72.97	108.72	147.13	124.68	130.46	128.35	135.41	135.39	132.06	1,341.43
1970	Wet	130.14	123.79	124.86	113.90	106.69	134.44	93.11	93.23	95.53	97.95	97.90	95.36	1,306.90
1971	Wet	94.04	89.29	89.98	124.65	109.55	102.76	66.57	85.82	87.37	85.51	93.94	90.92	1,120.40
1972	Below Normal	78.27	72.62	63.94	49.22	94.22	81.76	70.20	88.88	88.29	85.13	96.12	92.92	961.57
1973	Above Normal	77.10	71.17	59.88	22.20	99.72	100.92	92.75	100.55	102.73	105.18	105.13	102.43	1,039.76
1974	Wet	100.95	95.83	96.62	123.71	109.22	135.13	125.82	101.50	103.75	106.28	106.24	103.62	1,308.67
1975	Wet	102.17	96.97	97.73	110.51	89.08	119.64	94.36	99.05	101.28	103.77	103.71	101.16	1,219.43
1976	Critical	99.60	94.61	95.41	67.41	70.75	54.01	71.46	93.65	63.27	91.82	41.17	115.31	958.47
1977	Critical	91.66	84.42	44.98	5.71	10.89	14.93	27.56	1.12	1.78	1.82	1.78	1.33	287.98
1978	Above Normal	1.02	14.17	81.08	5.53	26.70	84.23	83.00	99.20	101.64	101.07	107.40	104.25	809.29
1979	Below Normal	94.50	88.45	82.24	46.89	49.80	110.56	93.77	98.92	101.22	103.67	103.59	101.06	1,074.67
1980	Above Normal	99.46	94.35	95.16	102.05	112.18	138.23	105.32	114.04	115.82	119.04	118.97	116.00	1,330.62
1981	Dry	114.47	108.67	109.57	79.82	104.57	78.19	71.45	96.04	72.06	97.55	110.65	107.28	1,150.32
1982	Wet	87.97	81.39	67.64	75.13	92.07	100.94	127.47	133.39	134.92	138.33	138.28	134.84	1,312.37
1983	Wet	133.04	122.89	124.00	114.53	132.97	144.92	121.77	127.55	125.53	128.93	132.51	129.27	1,537.91
1984	Wet	131.74	117.63	147.26	116.76	124.28	139.72	85.65	94.72	96.75	99.51	99.44	96.95	1,350.41
1985	Dry	95.45	90.77	91.47	124.32	82.73	96.52	86.35	93.45	94.49	96.87	96.76	94.17	1,143.35
1986	Wet	92.89	88.19	88.89	69.30	73.15	130.93	131.41	137.61	138.09	142.61	141.57	137.90	1,372.54
1987	Dry	137.63	4.06	133.15	56.40	51.57	28.06	38.53	54.13	55.46	47.79	48.09	46.71	701.58
1988	Critical	30.48	24.54	19.89	5.92	18.09	15.02	28.46	42.74	43.83	38.03	37.84	36.69	341.53
1989	Dry	23.59	18.72	15.17	8.42	19.07	22.66	93.00	106.35	104.97	104.90	89.02	110.68	716.55
1990	Critical	100.85	94.66	88.94	42.22	44.92	32.34	44.93	63.11	64.65	55.73	55.99	54.43	742.77
1991	Critical	35.40	28.61	23.19	5.75	10.98	15.04	29.65	41.97	43.11	37.40	37.37	36.33	344.80
1992	Critical	23.52	18.73	15.17	5.69	10.87	14.89	39.87	56.14	57.37	49.49	47.32	49.18	388.24
1993	Above Normal	22.01	17.08	32.71	6.04	87.16	88.60	77.17	90.53	5.01	104.37	111.96	108.67	751.31
1994	Critical	96.40	90.14	82.24	41.04	45.54	50.50	71.45	93.34	29.79	96.28	1.75	28.70	727.17
1995	Wet	0.88	0.52	124.11	5.78	68.56	59.67	119.56	125.12	126.75	106.59	132.85	129.54	999.93
1996	Wet	33.19	4.10	99.33	60.82	52.34	87.88	89.34	93.47	95.72	98.28	98.22	95.65	908.34
1997	Wet	94.26	89.57	90.32	121.98	103.00	135.25	105.19	110.15	111.92	114.94	114.86	112.02	1,303.46
1998	Wet	110.40	104.97	105.84	82.00	101.64	133.19	99.41	101.03	99.44	102.49	106.07	103.33	1,249.81
1999	Wet	101.68	96.65	102.01	125.42	110.80	94.38	86.13	94.28	96.35	99.26	99.24	96.64	1,202.84
2000	Above Normal	95.25	90.55	91.25	74.82	115.52	85.45	80.13	94.82	96.94	96.50	103.20	100.11	1,124.54
2001	Dry	89.52	83.86	77.13	39.18	39.29	35.23	59.63	83.64	85.27	74.44	76.35	74.37	817.91
2002	Dry	49.46	40.96	33.36	11.88	26.85	38.81	100.91	105.63	103.92	107.10	24.32	119.13	762.33
2003	Above Normal	0.83	0.39	128.94	18.94	31.23	40.58	62.16	81.59	2.28	94.05	105.67	102.55	669.21
	Average	82.80	72.33	80.98	54.61	68.25	76.09	80.76	92.45	82.16	95.13	93.33	94.66	973.55
	Wet	92.37	85.53	90.89	84.51	99.49	115.64	102.61	108.46	106.96	111.75	114.20	111.23	1,223.65
	Above Normal	65.38	63.89	84.13	45.33	77.05	82.54	82.72	96.99	74.98	100.42	108.19	105.13	986.74
	Below Normal	91.67	72.90	92.89	56.80	64.32	79.42	78.44	88.13	66.05	100.80	108.09	105.01	1,004.52
	Dry	82.07	63.95	72.30	36.44	43.79	43.61	72.45	89.65	81.32	88.22	73.83	90.23	837.85
	Critical	70.22	64.08	55.50	23.82	33.05	28.77	46.66	62.46	55.65	57.55	45.28	42.85	585.88

Difference in Energy generated (GWh) at DCanyon: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	3.60	3.60	3.60	3.60	1.20
1923	Below Normal	3.59	3.59	3.59	0.00	0.02	(0.65)	(0.07)	0.03	3.57	3.52	3.61	3.61	2.03
1924	Critical	3.50	3.49	3.39	3.14	(0.33)	(0.10)	0.01	0.03	0.03	0.02	0.02	0.01	1.10
1925	Dry	0.01	0.01	0.00	0.00	(0.02)	(0.02)	0.05	0.06	0.96	0.94	0.96	0.96	0.33
1926	Dry	0.95	0.94	0.93	0.90	(0.03)	(0.02)	(0.07)	(0.05)	(0.05)	(0.04)	(0.05)	(0.06)	0.28
1927	Wet	(0.04)	(0.04)	(0.03)	0.00	(0.04)	0.01	0.01	0.00	3.60	3.60	3.60	3.59	1.19
1928	Above Normal	3.59	3.60	3.60	3.59	(0.08)	0.00	0.00	0.00	2.09	2.09	2.09	2.09	1.89
1929	Critical	2.09	2.09	2.09	2.08	0.00	(0.01)	(0.02)	(0.03)	(0.03)	(0.03)	(0.03)	0.00	0.68
1930	Dry	0.58	0.82	0.87	0.00	(0.01)	(0.01)	0.01	0.00	0.00	0.01	(0.01)	(0.01)	0.19
1931	Critical	0.00	(0.01)	0.00	0.00	(0.01)	0.00	(0.02)	(0.03)	(0.03)	(0.03)	(0.03)	(0.02)	(0.02)
1932	Dry	(0.02)	(0.02)	(0.01)	(0.01)	0.00	(0.01)	0.01	0.01	3.60	3.60	3.60	3.60	1.20
1933	Critical	3.59	3.59	3.60	3.60	(2.77)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.97
1934	Critical	0.00	0.00	0.01	0.00	3.15	3.72	(0.17)	(1.83)	(2.41)	0.45	44.33	0.00	3.94
1935	Below Normal	(10.57)	0.07	2.28	(0.01)	(0.28)	(0.25)	(2.98)	(0.30)	3.12	2.21	4.06	3.95	0.11
1936	Below Normal	1.54	1.32	(0.68)	(3.35)	(5.64)	0.24	0.00	0.00	3.59	3.59	3.59	3.59	0.65
1937	Below Normal	3.60	3.60	3.61	0.00	1.51	(0.02)	0.00	0.00	3.59	3.60	3.60	3.60	2.22
1938	Wet	3.59	3.60	0.01	(2.10)	(2.10)	2.06	2.52	2.64	(0.37)	4.63	4.47	4.09	1.92
1939	Dry	4.73	4.68	4.70	12.92	0.65	(7.54)	(11.87)	(15.48)	3.33	(2.11)	3.34	(10.70)	(1.11)
1940	Above Normal	3.33	3.34	19.64	3.34	0.05	0.00	0.00	0.00	3.48	3.14	3.41	3.41	3.60
1941	Wet	3.41	3.41	1.73	(0.03)	0.00	(0.37)	(0.34)	(0.36)	3.24	3.23	3.23	3.24	1.70
1942	Wet	3.25	3.25	1.44	0.03	0.07	(0.43)	(0.03)	(0.01)	3.59	3.59	3.59	3.59	1.83
1943	Wet	3.58	3.57	3.55	(0.08)	(0.97)	(0.87)	(0.61)	(0.64)	2.96	2.95	2.96	2.97	1.61
1944	Dry	2.97	3.60	3.62	(0.89)	(4.00)	(1.31)	(0.02)	(0.02)	2.32	2.33	2.32	2.32	1.10
1945	Below Normal	2.33	2.33	2.33	2.34	(0.01)	(4.93)	0.15	0.16	3.75	3.76	3.75	3.76	1.64
1946	Below Normal	3.75	3.74	3.75	3.60	0.02	(0.53)	(0.70)	(0.03)	3.49	3.26	3.70	3.67	2.31
1947	Dry	3.04	2.97	2.46	1.87	(1.32)	(0.07)	0.31	0.32	1.35	1.35	1.35	1.34	1.25
1948	Below Normal	1.34	1.33	1.33	(0.78)	(2.00)	(0.74)	0.02	0.00	0.00	0.71	0.72	0.72	0.22
1949	Dry	0.54	0.49	0.41	(0.04)	(0.07)	(0.05)	(0.49)	(0.12)	(0.11)	(0.25)	(1.69)	0.57	(0.07)
1950	Below Normal	0.42	0.85	77.52	0.00	0.00	0.00	0.00	0.00	0.36	0.36	0.37	0.36	6.69
1951	Above Normal	0.37	0.36	0.00	0.25	8.82	(0.02)	0.10	0.09	3.69	3.69	3.68	3.68	2.06
1952	Wet	3.68	3.67	3.68	3.59	9.21	0.01	(0.48)	(19.27)	(18.40)	(15.79)	(15.80)	(15.37)	(5.11)
1953	Wet	(15.14)	(14.29)	(14.49)	4.49	8.48	42.96	2.52	3.07	86.05	(3.55)	(4.50)	(4.44)	7.60
1954	Above Normal	(0.49)	(0.16)	2.10	9.96	20.20	5.11	(0.36)	(0.12)	11.25	6.07	(2.18)	(2.22)	4.10
1955	Dry	(1.59)	(1.45)	(1.20)	0.07	0.82	1.09	1.59	2.08	2.06	1.96	2.25	2.19	0.82
1956	Wet	1.77	1.64	1.33	(2.45)	0.23	(0.07)	0.37	0.33	3.92	3.92	3.92	3.92	1.57
1957	Above Normal	3.90	3.89	3.90	3.73	0.11	(1.53)	(0.02)	(0.04)	0.77	3.18	3.52	3.53	2.08
1958	Wet	3.46	3.43	3.41	3.26	(0.08)	(0.06)	(0.06)	(0.06)	3.53	3.53	3.53	3.59	2.29
1959	Below Normal	3.52	3.59	7.97	3.70	0.00	0.02	0.00	0.00	1.08	1.07	1.08	1.08	1.93
1960	Dry	1.08	1.08	1.08	1.08	0.01	(0.10)	0.03	0.02	0.21	0.01	0.67	(0.13)	0.42
1961	Dry	(0.08)	(0.08)	(0.05)	0.04	0.04	0.02	0.01	0.01	0.01	0.00	(0.05)	0.03	(0.01)
1962	Below Normal	0.00	0.96	72.93	0.00	0.00	0.01	0.00	(0.01)	3.47	3.46	3.45	3.46	7.31
1963	Wet	3.45	3.46	3.46	3.46	0.00	0.00	0.01	0.00	3.59	3.59	3.59	3.59	2.35
1964	Dry	3.59	3.59	3.60	3.72	0.00	0.05	0.00	(0.02)	(0.01)	(0.01)	(0.02)	(0.03)	1.21
1965	Wet	(0.01)	(0.01)	0.01	0.06	(0.01)	0.00	(0.02)	0.00	3.29	3.61	3.63	3.63	1.18
1966	Below Normal	3.60	3.60	3.58	3.54	(0.06)	0.01	0.01	0.00	2.70	2.70	2.69	2.69	2.09
1967	Wet	2.70	2.70	2.71	2.73	0.00	0.04	0.00	0.00	0.00	3.60	3.59	3.59	1.81
1968	Below Normal	3.59	(23.33)	7.82	(1.65)	(6.12)	(1.64)	0.30	0.39	3.16	3.59	3.65	3.63	(0.55)
1969	Wet	3.54	3.52	3.45	(0.29)	0.21	8.68	0.14	0.15	0.14	3.74	3.75	3.74	2.56
1970	Wet	3.74	3.73	3.74	0.96	8.84	0.59	6.12	(0.19)	3.40	3.39	3.40	3.41	3.43
1971	Wet	3.41	3.42	3.41	3.65	0.06	1.81	0.18	(0.07)	2.18	2.28	2.06	2.08	2.04
1972	Below Normal	2.35	2.38	2.60	3.51	0.46	0.31	0.07	0.02	0.02	0.04	(0.01)	(0.01)	0.98
1973	Above Normal	0.04	0.05	0.10	0.18	0.00	0.00	0.00	0.00	3.52	3.52	3.52	3.52	1.20
1974	Wet	3.52	3.52	3.53	3.52	4.28	3.76	0.25	(0.30)	3.29	3.29	3.29	3.30	2.94
1975	Wet	3.30	3.31	3.31	4.30	0.18	(0.16)	(0.15)	(0.16)	3.39	3.39	3.39	3.40	2.29
1976	Critical	3.40	3.40	3.40	3.47	(0.07)	0.11	0.18	0.22	0.85	0.14	(0.67)	0.26	1.22
1977	Critical	0.13	0.12	(3.20)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.25)
1978	Above Normal	0.00	1.52	28.03	0.00	0.00	(6.23)	(3.32)	(0.04)	3.66	2.11	5.32	5.09	3.01
1979	Below Normal	0.97	0.56	(2.86)	(8.44)	(10.17)	(8.48)	(4.26)	(4.52)	(0.85)	(0.96)	(0.96)	(0.86)	(3.40)
1980	Above Normal	(0.79)	(0.60)	(0.64)	36.36	(0.94)	0.48	(23.56)	(20.74)	(16.81)	(17.29)	(17.30)	(16.83)	(6.56)
1981	Dry	(16.52)	20.49	(20.80)	16.91	42.23	29.79	6.63	8.85	70.26	(1.23)	(1.19)	(1.23)	12.85
1982	Wet	1.50	1.59	2.86	7.04	3.09	(0.08)	(0.04)	(0.04)	3.56	3.55	3.55	3.55	2.51
1983	Wet	3.56	(0.03)	(0.04)	9.57	13.15	8.22	0.00	0.00	0.00	0.00	3.60	3.60	3.47
1984	Wet	0.00	0.00	16.35	0.00	9.31	0.00	0.00	0.00	3.60	3.60	3.60	3.60	3.34
1985	Dry	3.60	3.60	3.60	3.52	0.00	0.00	0.00	0.00	2.17	2.17	2.17	2.17	1.92
1986	Wet	2.17	2.17	2.17	2.17	(0.01)	0.20	0.32	0.33	3.34	3.78	3.57	3.57	1.98
1987	Dry	4.16	3.59	8.76	3.54	(0.05)	(0.02)	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	(0.02)	1.65
1988	Critical	(0.01)	(0.01)	(0.01)	0.00	0.02	0.00	0.00	0.54	0.55	0.46	0.46	0.46	0.21
1989	Dry	0.30	0.24	0.20	(0.07)	(0.13)	(0.18)	(0.48)	(0.02)	0.00	(0.16)	(11.14)	1.87	(0.80)
1990	Critical	1.29	1.16	0.76	(1.15)	(0.82)	(0.13)	0.36	0.51	0.52	0.44	0.44	0.43	0.32
1991	Critical	0.28	0.23	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.69)	(0.97)	(0.99)	(0.84)	(0.57)	(0.94)	(0.42)
1993	Above Normal	2.25	0.13	(2.66)	0.03	0.14	0.27	0.17	(0.01)	3.60	4.38	4.24	4.23	1.40
1994	Critical	4.33	4.31	4.43	4.14	0.48	0.07	(0.08)	(0.11)	3.30	(0.46)	0.00	2.21	1.89
1995	Wet	0.00	(0.47)	39.39	0.00	0.00	0.00	0.00	0.00	3.59	(20.00)	6.29	6.21	2.92
1996	Wet	(88.37)	(14.35)	45.24	3.68	(0.03)	(0.02)	(0.29)	(0.31)	3.29	3.28	3.28	3.29	(3.44)
1997	Wet	3.30	3.30	3.31	0.03	0.12	0.01	(0.02)	(0.01)	3.58	3.58	3.57	3.58	2.03
1998	Wet	3.58	3.58	3.58	3.44	(0.03)	0.00	0.07	(0.54)	(0.53)	(0.55)	3.06	3.06	1.56
1999	Wet	3.07	3.09	7.65	3.65	0.00	0.00	0.00	0.00	3.60	3.59	3.59	3.59	2.65
2000	Above Normal	3.59	3.60	3.60	3.59	(0.04)	(1.11)	(0.46)	0.02	3.39	3.23	3.58	3.55	2.21
2001	Dry	3.11	3.06	2.69	1.93	(1.17)	(0.40)	(0.01)	(0.04)	(0.04)	0.00	0.07	0.07	0.77
2002	Dry	0.11	0.13	0.11	0.00	0.00	(0.01)	(0.13)	(0.13)	(0.13)	(0.14)	(3.08)	0.76	(0.21)
2003	Above Normal	0.00	0.00	60.25	0.00	0.00	0.00	0.00	0.00	1.20	1.20	1.20	1.20	5.42
	Average	0.30	1.43	5.78	2.18	1.18	0.87	(0.36)	(0.57)	3.34	1.12	1.92	1.47	1.56
	Wet	(1.54)	1.18	5.57	2.10	2.08	2.55	0.40	(0.59)	5.06	1.30	2.53	2.54	1.93
	Above Normal	1.32	1.31	9.83	5.09	2.36	(0.25)	(2.29)	(1.74)	1.95	1.58	1.22	1.24	1.80
	Below Normal	1.43	0.33	13.27	0.18	(1.59)	(1.19)	(0.53)	(0.30)	2.22	2.21	2.38	2.38	1.73
	Dry	0.59	2.65	0.61	2.53	2.05	1.18	(0.25)	(0.25)	4.77	0.47	(0.03)	0.21	1.21
	Critical	1.55	1.53	1.22	1.27	(0.03)	0.31	(0.04)	(0.14)	0.15	0.01	3.66	0.20	0.81

Percent Difference in Energy generated (GWh) at DCanyon: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	4%	4%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	5%	6%	16%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	1%	15%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	4%	4%	4%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	2%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	5%	5%	4%	5%
1933	Critical	6%	6%	8%	64%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	23%	14%	0%	-2%	-3%	1%	192%	0%
1935	Below Normal	-12%	0%	4%	0%	-1%	-1%	-3%	0%	3%	2%	4%	4%
1936	Below Normal	2%	1%	-1%	-7%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	3%	4%	4%	0%	1%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-3%	-2%	2%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	16%	1%	-12%	-16%	-16%	223%	-2%	191%	-11%
1940	Above Normal	383%	>1,000%	27%	60%	0%	0%	0%	0%	7%	4%	3%	3%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	3%	1%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	5%	0%	-1%	-1%	-1%	-1%	3%	2%	2%	3%
1944	Dry	3%	679%	3%	-2%	-8%	-3%	0%	0%	3%	3%	3%	3%
1945	Below Normal	4%	5%	6%	21%	0%	-4%	0%	0%	4%	4%	4%	4%
1946	Below Normal	4%	4%	4%	3%	0%	0%	-1%	0%	4%	4%	4%	4%
1947	Dry	4%	4%	3%	3%	-2%	0%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-1%	-3%	-2%	0%	0%	0%	1%	1%	1%
1949	Dry	1%	1%	1%	0%	0%	0%	-1%	0%	0%	0%	-9%	0%
1950	Below Normal	0%	8%	424%	0%	0%	0%	0%	0%	27%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	8%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	4%	4%	3%	9%	0%	0%	-16%	-15%	-13%	-13%	-13%
1953	Wet	-13%	-12%	-13%	4%	8%	66%	4%	4%	>1,000%	-4%	-5%	-5%
1954	Above Normal	-1%	0%	4%	88%	34%	11%	-1%	0%	14%	7%	-2%	-2%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	3%	3%	3%	3%	2%	3%
1956	Wet	3%	3%	3%	-3%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	4%	4%	5%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	4%	5%	24%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	764%	6%	6%	0%	0%	0%	0%	70%	1%	1%	1%
1960	Dry	1%	1%	2%	19%	0%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	2%	140%	0%	0%	0%	0%	0%	241%	3%	3%	3%
1963	Wet	4%	4%	5%	4%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	15%	4%	4%	4%
1966	Below Normal	4%	4%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	10%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	-19%	6%	-3%	-8%	-3%	0%	0%	194%	4%	3%	4%
1969	Wet	4%	5%	6%	0%	0%	6%	0%	0%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	1%	9%	0%	7%	0%	4%	4%	4%	4%
1971	Wet	4%	4%	4%	3%	0%	2%	0%	0%	3%	3%	2%	2%
1972	Below Normal	3%	3%	4%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	3%	3%	4%
1974	Wet	4%	4%	4%	3%	4%	3%	0%	0%	3%	3%	3%	3%
1975	Wet	3%	4%	4%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	-2%	0%
1977	Critical	0%	0%	-7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	12%	53%	0%	0%	-7%	-4%	0%	4%	2%	5%	5%
1979	Below Normal	1%	1%	-3%	-15%	-17%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	55%	-1%	0%	-18%	-15%	-13%	-13%	-13%	-13%
1981	Dry	-13%	23%	-16%	27%	68%	62%	10%	10%	>1,000%	-1%	-1%	-1%
1982	Wet	2%	2%	4%	10%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	9%	11%	6%	0%	0%	0%	0%	3%	3%
1984	Wet	0%	0%	12%	0%	8%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	4%	4%	4%	3%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	2%	3%	3%	3%	0%	0%	0%	0%	2%	3%	3%	3%
1987	Dry	3%	764%	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	-1%	-1%	-1%	0%	0%	0%	-11%	2%
1990	Critical	1%	1%	1%	-3%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	11%	1%	-8%	0%	0%	0%	0%	0%	255%	4%	4%	4%
1994	Critical	5%	5%	6%	11%	1%	0%	0%	0%	12%	0%	0%	8%
1995	Wet	0%	-47%	46%	0%	0%	0%	0%	0%	3%	-16%	5%	5%
1996	Wet	-73%	-78%	84%	6%	0%	0%	0%	0%	4%	3%	3%	4%
1997	Wet	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1998	Wet	3%	4%	4%	4%	0%	0%	0%	-1%	-1%	-1%	3%	3%
1999	Wet	3%	3%	8%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	4%	4%	4%	5%	0%	-1%	-1%	0%	4%	3%	4%	4%
2001	Dry	4%	4%	4%	5%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	1%
2003	Above Normal	0%	0%	88%	0%	0%	0%	0%	0%	111%	1%	1%	1%
	Average	5%	28%	12%	6%	2%	2%	0%	0%	16%	1%	6%	2%
	Wet	-1%	-3%	8%	3%	2%	3%	0%	0%	2%	1%	2%	2%
	Above Normal	34%	2%	15%	18%	3%	0%	-2%	-1%	33%	2%	2%	2%
	Below Normal	1%	56%	43%	1%	-3%	-1%	-1%	0%	40%	2%	2%	2%
	Dry	1%	83%	1%	6%	3%	3%	0%	0%	13%	1%	10%	0%
	Critical	2%	2%	2%	8%	1%	1%	0%	0%	1%	0%	16%	1%

Energy generated (GWh) at Mojave Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.82	10.83	9.11	2.44	6.99	7.85	7.46	7.81	7.72	7.88	7.98	7.74	95.63
1923	Below Normal	7.35	6.91	6.93	10.52	9.77	7.80	5.70	7.31	7.24	7.09	7.90	7.61	92.13
1924	Critical	6.31	5.79	5.04	1.74	2.22	2.30	3.67	5.05	5.18	4.49	4.50	4.35	50.64
1925	Dry	2.71	2.15	1.82	0.51	1.09	3.24	6.41	8.36	8.32	7.97	9.22	8.89	60.69
1926	Dry	7.10	6.52	5.35	0.51	1.42	2.91	5.09	6.84	6.83	6.54	7.58	7.29	63.98
1927	Wet	5.82	5.32	4.38	1.02	4.75	8.79	8.13	8.42	8.32	8.56	8.55	8.29	80.35
1928	Above Normal	8.06	7.61	7.77	5.31	6.65	4.31	9.33	9.58	9.44	9.71	9.71	9.42	96.90
1929	Critical	9.17	8.69	8.86	5.66	5.54	3.05	3.39	5.60	5.72	4.97	5.00	0.16	65.81
1930	Dry	2.82	4.09	3.92	0.50	1.35	2.00	5.37	7.08	7.23	6.52	6.97	6.75	54.60
1931	Critical	4.71	4.04	3.38	0.49	1.31	2.20	4.61	6.21	6.35	5.51	5.53	5.35	49.69
1932	Dry	3.38	2.70	2.27	0.68	1.99	3.20	4.83	6.39	6.40	6.09	6.94	6.70	51.57
1933	Critical	5.21	4.73	3.91	0.50	5.76	2.62	5.03	6.93	7.03	6.42	6.93	6.70	61.77
1934	Critical	4.77	4.10	3.43	0.51	1.18	2.33	5.32	7.19	7.35	6.38	2.07	0.16	44.79
1935	Below Normal	7.41	6.19	4.87	0.52	1.86	2.96	8.28	9.06	8.98	9.01	9.41	9.11	77.66
1936	Below Normal	8.30	7.78	7.48	3.96	4.66	11.67	8.72	9.38	9.25	9.51	9.51	9.23	99.45
1937	Below Normal	8.97	8.48	8.65	5.91	9.92	9.23	10.83	11.37	11.20	11.52	11.51	11.18	118.77
1938	Wet	10.91	10.34	10.53	6.53	8.59	11.25	11.46	11.75	11.60	11.90	11.89	11.56	128.31
1939	Dry	11.28	10.69	10.88	6.88	7.57	5.49	6.64	8.41	0.19	8.56	0.22	8.32	85.13
1940	Above Normal	0.01	0.00	6.19	0.49	1.12	3.75	6.47	8.43	4.24	7.62	9.82	9.47	57.61
1941	Wet	7.54	6.91	5.67	3.58	7.39	8.54	9.05	9.33	9.19	9.47	9.46	9.18	95.31
1942	Wet	8.93	8.45	8.62	10.29	9.05	10.48	6.44	7.38	7.32	7.28	7.81	7.53	99.58
1943	Wet	6.58	6.09	5.63	8.14	9.47	8.61	10.06	10.34	10.16	10.48	10.47	10.18	106.21
1944	Dry	9.92	0.00	10.92	4.48	4.37	3.47	5.34	7.03	7.08	6.51	7.10	6.88	73.10
1945	Below Normal	4.97	4.33	3.61	0.96	1.85	11.75	8.66	9.08	8.97	9.23	9.22	8.95	81.58
1946	Below Normal	8.70	8.21	8.38	10.34	8.78	11.65	6.69	7.24	7.15	7.31	7.43	7.19	99.07
1947	Dry	6.78	6.38	6.37	4.77	5.27	3.97	9.29	9.54	9.39	9.65	9.64	9.37	90.42
1948	Below Normal	9.13	8.64	8.81	5.62	5.46	2.98	4.57	0.14	0.18	8.90	10.10	9.76	74.29
1949	Dry	7.71	7.10	5.85	0.87	1.73	2.68	7.31	8.85	8.80	8.55	1.76	10.71	71.92
1950	Below Normal	8.20	0.90	1.59	0.88	1.21	2.29	5.95	7.52	0.17	8.56	9.67	9.35	56.29
1951	Above Normal	7.37	6.77	5.58	9.37	9.67	11.96	7.48	8.21	8.10	8.33	8.33	8.08	99.25
1952	Wet	7.85	7.42	7.57	10.35	8.88	11.54	9.27	10.70	10.50	10.84	10.83	10.52	116.27
1953	Wet	10.28	9.72	9.90	10.09	8.77	5.54	5.39	7.03	0.14	7.63	8.62	8.33	91.44
1954	Above Normal	6.55	5.98	4.92	0.99	5.15	4.08	6.19	7.97	6.93	7.08	8.93	8.62	73.39
1955	Dry	6.85	6.27	5.15	1.01	2.23	3.36	5.58	7.10	7.06	6.79	7.81	7.52	66.73
1956	Wet	5.97	5.45	4.49	6.52	9.83	11.89	8.86	9.31	9.19	9.45	9.44	9.17	99.57
1957	Above Normal	8.92	8.44	8.60	6.80	6.69	6.60	6.42	8.28	2.61	8.15	9.86	9.53	90.90
1958	Wet	7.53	6.93	5.70	1.17	8.35	8.72	11.44	11.80	11.61	11.95	11.95	11.60	108.75
1959	Below Normal	11.34	0.00	10.79	4.92	5.29	4.42	5.49	6.89	0.19	7.88	8.87	8.57	74.65
1960	Dry	6.74	6.17	5.08	0.49	0.91	2.64	7.41	9.01	4.49	9.16	5.55	10.65	68.30
1961	Dry	8.77	8.10	7.01	1.52	2.17	2.28	5.73	7.21	7.22	6.91	4.73	1.54	63.19
1962	Below Normal	0.02	3.59	4.49	0.52	0.97	3.44	6.08	7.77	0.18	8.86	10.03	9.70	55.65
1963	Wet	7.65	7.03	5.78	6.85	7.35	7.23	6.49	7.34	7.25	7.35	7.60	7.36	85.28
1964	Dry	6.76	6.32	6.15	4.97	10.05	7.60	7.36	7.89	7.81	7.91	8.15	7.89	88.86
1965	Wet	7.31	6.84	6.69	7.54	9.77	8.99	6.91	7.55	2.02	8.16	8.49	8.20	88.47
1966	Below Normal	7.44	6.94	6.66	9.73	9.64	7.05	5.90	7.36	7.31	7.14	7.92	7.62	90.71
1967	Wet	6.37	5.85	5.13	2.30	10.03	9.78	11.28	11.68	11.49	11.83	11.83	11.50	109.07
1968	Below Normal	11.22	10.62	10.81	5.44	6.69	4.83	5.59	7.07	0.21	8.07	9.06	8.77	88.38
1969	Wet	6.87	6.29	5.18	6.29	9.50	11.88	10.72	11.23	11.05	11.37	11.37	11.05	112.80
1970	Wet	10.77	10.21	10.39	9.68	8.39	11.48	7.68	8.07	7.97	8.19	8.18	7.93	108.94
1971	Wet	7.71	7.28	7.43	10.37	9.38	8.66	5.91	7.40	7.36	7.22	7.96	7.67	94.35
1972	Below Normal	6.45	5.93	5.26	3.93	8.04	7.00	6.23	7.66	7.63	7.38	8.32	8.02	81.85
1973	Above Normal	6.55	6.01	5.13	1.90	8.56	8.86	7.99	8.68	8.58	8.79	8.79	8.53	88.37
1974	Wet	8.29	7.83	7.99	10.30	9.00	11.27	10.98	8.78	8.69	8.91	8.90	8.65	109.59
1975	Wet	8.42	7.94	8.10	9.10	7.61	10.28	8.32	8.56	8.46	8.68	8.68	8.43	102.58
1976	Critical	8.18	7.73	7.89	5.48	6.06	4.63	6.32	8.05	5.42	7.95	3.69	9.91	81.31
1977	Critical	7.79	7.13	4.14	0.50	0.94	1.30	2.59	0.14	0.00	0.20	0.46	0.18	25.37
1978	Above Normal	0.03	1.04	4.57	0.49	2.30	7.77	7.62	8.56	8.47	8.56	8.83	8.55	66.79
1979	Below Normal	7.97	7.45	7.30	4.74	5.14	10.22	8.63	8.93	8.82	9.05	9.04	8.79	96.08
1980	Above Normal	8.54	8.05	8.22	5.82	9.70	11.82	11.09	11.61	11.43	11.77	11.76	11.43	121.24
1981	Dry	11.17	7.49	11.18	5.39	5.34	4.16	5.78	7.52	0.23	8.56	9.67	9.36	85.85
1982	Wet	7.35	6.75	5.55	5.85	7.64	8.68	11.16	11.50	11.33	11.64	11.63	11.30	110.38
1983	Wet	11.04	10.45	10.64	9.01	10.27	11.92	10.47	10.99	10.82	11.13	11.13	10.82	128.69
1984	Wet	11.32	10.09	11.22	9.83	10.04	11.98	7.37	8.17	8.04	8.30	8.29	8.05	112.70
1985	Dry	7.81	7.39	7.56	10.33	7.10	8.29	7.64	8.06	7.99	8.20	8.18	7.93	96.48
1986	Wet	7.71	7.29	7.44	5.74	6.26	11.22	11.47	11.82	11.62	11.98	11.91	11.55	116.01
1987	Dry	11.38	0.00	10.67	4.53	4.42	2.42	3.53	4.68	4.81	4.17	4.20	4.06	58.87
1988	Critical	2.56	2.02	1.71	0.52	1.56	1.31	2.66	3.65	3.76	3.29	3.28	3.16	29.48
1989	Dry	1.94	1.50	1.29	0.74	1.65	1.98	8.25	9.17	9.06	9.09	8.67	9.37	62.71
1990	Critical	8.47	7.93	7.56	3.72	3.92	2.80	4.04	5.40	5.55	4.81	4.83	4.68	63.71
1991	Critical	2.96	2.35	1.98	0.51	0.95	1.31	2.75	3.63	3.74	3.28	3.27	3.17	29.90
1992	Critical	1.97	1.52	1.31	0.50	0.94	1.30	3.70	4.94	5.05	4.39	4.18	4.35	34.15
1993	Above Normal	1.65	1.37	3.03	0.53	7.47	7.59	6.82	7.81	0.18	8.66	9.32	9.00	63.43
1994	Critical	7.84	7.27	6.67	3.17	3.86	4.34	6.35	8.05	2.35	8.38	0.22	2.37	60.87
1995	Wet	0.02	0.00	7.34	0.51	5.89	5.13	10.48	10.78	10.62	10.93	10.93	10.62	83.25
1996	Wet	10.36	1.53	4.66	4.91	4.50	7.55	7.91	8.09	7.99	8.22	8.22	7.96	81.90
1997	Wet	7.73	7.31	7.46	10.45	8.82	11.60	9.25	9.50	9.35	9.62	9.62	9.34	110.05
1998	Wet	9.09	8.61	8.77	6.72	8.72	11.42	8.73	8.75	8.62	8.91	8.91	8.64	105.89
1999	Wet	8.39	8.12	8.09	10.25	9.69	8.11	7.41	8.13	8.00	8.28	8.28	8.02	100.77
2000	Above Normal	7.79	7.37	7.52	6.10	9.90	7.43	7.12	8.16	8.06	8.08	8.62	8.33	94.48
2001	Dry	7.34	6.84	6.38	3.19	3.47	3.07	5.31	7.20	7.34	6.46	6.61	6.42	69.63
2002	Dry	4.17	3.42	2.86	1.03	2.31	3.34	8.88	9.11	8.97	9.27	2.46	10.19	66.01
2003	Above Normal	0.01	0.00	5.92	1.64	2.68	3.49	5.53	7.02	0.13	8.05	9.04	8.74	52.25
	Average	7.04	6.00	6.45	4.50	5.77	6.47	7.14	8.02	6.81	8.14	7.92	8.04	82.30
	Wet	7.99	7.16	7.32	7.05	8.38	9.71	8.95	9.40	8.80	9.55	9.65	9.36	103.33
	Above Normal	5.61	5.29	6.38	3.49	6.41	7.13	7.46	8.51	6.32	8.56	9.25	8.95	83.35
	Below Normal	7.68	6.14	6.83	4.86	5.66	6.95	6.95	7.63	5.53	8.54	9.14	8.85	84.75
	Dry	6.92	5.17	6.15	2.91	3.58	3.67	6.43	7.75	6.62	7.61	6.41	7.77	71.00
	Critical	5.83	5.28	4.66	1.94	2.85	2.46	4.20	5.40	4.79	5.01	3.66	3.71	49.79

Energy generated (GWh) at Mojave Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	11.82	10.83	9.11	2.44	6.99	7.85	7.46	7.81	8.02	8.19	8.29	8.05	96.86
1923	Below Normal	7.65	7.22	7.24	10.52	9.77	7.74	5.69	7.31	7.55	7.39	8.21	7.92	94.21
1924	Critical	6.61	6.09	5.34	2.01	2.20	2.29	3.68	5.05	5.19	4.50	4.50	4.35	51.81
1925	Dry	2.72	2.15	1.82	0.51	1.09	3.24	6.41	8.37	8.40	8.05	9.30	8.97	61.03
1926	Dry	7.18	6.60	5.43	0.59	1.42	2.91	5.09	6.84	6.83	6.53	7.57	7.28	64.27
1927	Wet	5.82	5.32	4.38	1.02	4.75	8.79	8.13	8.42	8.62	8.87	8.86	8.60	81.58
1928	Above Normal	8.37	7.92	8.08	5.62	6.64	4.31	9.33	9.59	9.62	9.89	9.88	9.60	98.85
1929	Critical	9.35	8.87	9.04	5.83	5.54	3.05	3.39	5.60	5.72	4.97	5.00	0.16	66.52
1930	Dry	2.87	4.16	3.99	0.50	1.35	2.00	5.37	7.08	7.23	6.52	6.97	6.75	54.79
1931	Critical	4.71	4.04	3.38	0.49	1.31	2.20	4.61	6.21	6.34	5.51	5.53	5.35	49.68
1932	Dry	3.38	2.70	2.27	0.68	1.99	3.20	4.83	6.39	6.71	6.40	7.25	7.01	52.81
1933	Critical	5.52	5.04	4.22	0.80	5.52	2.62	5.03	6.93	7.03	6.42	6.93	6.70	62.76
1934	Critical	4.77	4.10	3.43	0.51	1.45	2.71	5.25	7.04	7.14	6.42	5.86	0.16	48.84
1935	Below Normal	6.51	6.20	5.07	0.52	1.83	2.94	8.02	9.03	9.24	9.20	9.76	9.45	77.77
1936	Below Normal	8.43	7.89	7.43	3.67	4.18	11.69	8.72	9.38	9.55	9.82	9.81	9.53	100.10
1937	Below Normal	9.28	8.79	8.96	5.91	10.05	9.23	10.83	11.37	11.51	11.83	11.82	11.49	121.07
1938	Wet	11.22	10.65	10.53	6.35	8.41	11.42	11.67	11.97	11.57	12.30	12.27	11.91	130.27
1939	Dry	11.68	11.09	11.28	7.98	7.63	4.85	5.62	7.09	0.47	8.37	0.51	7.40	83.97
1940	Above Normal	0.30	0.29	7.85	0.77	1.13	3.75	6.47	8.43	4.53	7.89	10.11	9.77	61.29
1941	Wet	7.83	7.20	5.82	3.57	7.39	8.50	9.02	9.30	9.46	9.75	9.73	9.45	97.02
1942	Wet	9.21	8.73	8.74	10.30	9.05	10.44	6.43	7.38	7.63	7.58	8.12	7.84	101.45
1943	Wet	6.89	6.40	5.94	8.14	9.39	8.53	10.01	10.29	10.42	10.74	10.72	10.44	107.91
1944	Dry	10.18	0.31	11.23	4.41	4.03	3.35	5.34	7.02	7.28	6.71	7.30	7.08	74.24
1945	Below Normal	5.16	4.53	3.81	1.16	1.85	11.33	8.68	9.10	9.29	9.55	9.54	9.27	83.27
1946	Below Normal	9.02	8.53	8.70	10.64	8.78	11.60	6.63	7.24	7.45	7.59	7.75	7.51	101.44
1947	Dry	7.04	6.63	6.58	4.93	5.16	3.97	9.32	9.56	9.51	9.77	9.76	9.49	91.72
1948	Below Normal	9.24	8.75	8.93	5.56	5.29	2.92	4.58	0.14	0.18	8.97	10.16	9.82	74.54
1949	Dry	7.75	7.15	5.88	0.87	1.72	2.68	7.27	8.84	8.79	8.53	1.61	10.76	71.85
1950	Below Normal	8.24	0.98	8.21	0.88	1.21	2.29	5.95	7.52	0.20	8.59	9.70	9.38	63.15
1951	Above Normal	7.40	6.80	5.58	9.39	10.43	11.96	7.49	8.22	8.42	8.65	8.64	8.40	101.38
1952	Wet	8.16	7.73	7.88	10.66	9.67	11.54	9.23	9.05	8.92	9.48	9.47	9.21	111.00
1953	Wet	8.98	8.50	8.66	10.48	9.51	9.22	5.60	7.29	7.52	7.32	8.23	7.95	99.26
1954	Above Normal	6.51	5.97	5.10	1.84	6.88	4.52	6.16	7.96	7.89	7.59	8.75	8.43	77.60
1955	Dry	6.72	6.15	5.05	1.02	2.30	3.46	5.72	7.28	7.24	6.96	8.00	7.71	67.61
1956	Wet	6.12	5.59	4.60	6.31	9.85	11.89	8.90	9.34	9.52	9.78	9.77	9.50	101.17
1957	Above Normal	9.25	8.77	8.94	7.12	6.70	6.46	6.42	8.28	2.68	8.42	10.17	9.83	93.04
1958	Wet	7.82	7.22	5.99	1.45	8.34	8.71	11.44	11.80	11.92	12.25	12.25	11.91	111.10
1959	Below Normal	11.65	0.31	11.47	5.24	5.29	4.42	5.49	6.89	0.29	7.97	8.96	8.67	76.65
1960	Dry	6.83	6.26	5.17	0.58	0.92	2.63	7.41	9.01	4.50	9.16	5.61	10.64	68.72
1961	Dry	8.76	8.09	7.00	1.53	2.17	2.28	5.73	7.22	7.22	6.91	4.72	1.55	63.18
1962	Below Normal	0.02	3.67	10.71	0.52	0.97	3.44	6.08	7.77	0.48	9.16	10.33	10.00	63.15
1963	Wet	7.95	7.33	6.08	7.14	7.35	7.23	6.49	7.34	7.56	7.65	7.91	7.67	87.70
1964	Dry	7.07	6.63	6.46	5.29	10.05	7.61	7.36	7.89	7.80	7.91	8.15	7.88	90.10
1965	Wet	7.31	6.84	6.69	7.54	9.77	8.99	6.91	7.55	2.30	8.47	8.80	8.52	89.69
1966	Below Normal	7.75	7.25	6.97	10.03	9.63	7.05	5.90	7.36	7.54	7.37	8.15	7.85	92.85
1967	Wet	6.60	6.08	5.37	2.53	10.03	9.78	11.28	11.68	11.49	12.14	12.14	11.81	110.93
1968	Below Normal	11.53	8.63	11.48	5.30	6.17	4.69	5.62	7.11	0.48	8.38	9.37	9.08	87.84
1969	Wet	7.17	6.60	5.48	6.27	9.51	12.62	10.73	11.24	11.07	11.69	11.69	11.37	115.44
1970	Wet	11.09	10.53	10.71	9.77	9.15	11.53	8.20	8.05	8.26	8.48	8.47	8.22	112.46
1971	Wet	8.00	7.57	7.72	10.68	9.39	8.81	5.92	7.40	7.55	7.42	8.14	7.84	96.44
1972	Below Normal	6.65	6.14	5.48	4.23	8.08	7.02	6.24	7.66	7.63	7.38	8.32	8.01	82.84
1973	Above Normal	6.55	6.01	5.14	1.92	8.56	8.86	7.99	8.68	8.88	9.10	9.09	8.83	89.61
1974	Wet	8.59	8.13	8.29	10.61	9.37	11.59	11.01	8.76	8.97	9.19	9.19	8.93	112.63
1975	Wet	8.70	8.23	8.38	9.47	7.63	10.27	8.31	8.55	8.75	8.97	8.97	8.72	104.95
1976	Critical	8.47	8.02	8.18	5.78	6.06	4.64	6.34	8.07	5.50	7.96	3.63	9.93	82.58
1977	Critical	7.80	7.14	3.86	0.50	0.94	1.30	2.59	0.14	0.00	0.20	0.46	0.18	25.11
1978	Above Normal	0.03	1.17	6.96	0.49	2.30	7.24	7.33	8.55	8.78	8.75	9.29	8.99	69.88
1979	Below Normal	8.05	7.50	7.05	4.02	4.27	9.49	8.27	8.54	8.75	8.97	8.96	8.71	92.58
1980	Above Normal	8.47	8.00	8.16	8.74	9.81	11.86	9.07	9.83	9.98	10.28	10.28	9.99	114.47
1981	Dry	9.75	9.23	9.40	6.83	8.95	6.71	6.34	8.27	6.26	8.45	9.57	9.25	99.01
1982	Wet	7.48	6.89	5.80	6.45	7.90	8.67	11.16	11.50	11.64	11.94	11.93	11.60	112.96
1983	Wet	11.34	10.45	10.63	9.83	11.40	12.62	10.76	10.99	10.54	11.13	11.44	11.13	132.26
1984	Wet	11.32	10.09	12.62	9.83	10.84	11.98	7.37	8.17	8.35	8.61	8.60	8.36	116.14
1985	Dry	8.11	7.69	7.87	10.64	7.10	8.29	7.64	8.06	8.17	8.38	8.37	8.11	98.43
1986	Wet	7.90	7.47	7.63	5.93	6.26	11.24	11.49	11.85	11.91	12.31	12.22	11.86	118.07
1987	Dry	11.73	0.31	11.42	4.83	4.41	2.42	3.52	4.68	4.81	4.17	4.19	4.05	60.54
1988	Critical	2.56	2.02	1.71	0.52	1.56	1.31	2.66	3.70	3.80	3.33	3.32	3.20	29.69
1989	Dry	1.97	1.52	1.31	0.74	1.64	1.96	8.21	9.16	9.06	9.08	7.72	9.53	61.90
1990	Critical	8.58	8.03	7.63	3.62	3.85	2.79	4.07	5.44	5.59	4.85	4.87	4.72	64.04
1991	Critical	2.98	2.37	2.00	0.51	0.95	1.31	2.75	3.63	3.74	3.28	3.27	3.17	29.96
1992	Critical	1.97	1.52	1.31	0.50	0.94	1.30	3.64	4.86	4.97	4.31	4.13	4.27	33.72
1993	Above Normal	1.84	1.38	2.81	0.53	7.48	7.61	6.83	7.81	0.48	9.03	9.68	9.37	64.85
1994	Critical	8.21	7.64	7.05	3.52	3.90	4.34	6.34	8.04	2.64	8.34	0.27	2.54	62.83
1995	Wet	0.02	0.00	10.63	0.51	5.89	5.13	10.48	10.78	10.92	9.23	11.47	11.15	86.21
1996	Wet	2.82	0.31	8.53	5.23	4.49	7.55	7.89	8.07	8.27	8.50	8.50	8.24	78.40
1997	Wet	8.02	7.59	7.75	10.45	8.83	11.60	9.25	9.50	9.65	9.93	9.92	9.65	112.14
1998	Wet	9.40	8.91	9.08	7.02	8.71	11.42	8.74	8.71	8.57	8.86	9.17	8.90	107.49
1999	Wet	8.65	8.39	8.75	10.56	9.69	8.11	7.41	8.13	8.31	8.59	8.59	8.33	103.51
2000	Above Normal	8.10	7.68	7.83	6.41	9.89	7.34	7.08	8.17	8.35	8.36	8.93	8.63	96.77
2001	Dry	7.61	7.10	6.62	3.36	3.37	3.03	5.31	7.19	7.34	6.46	6.62	6.42	70.43
2002	Dry	4.18	3.43	2.87	1.03	2.31	3.34	8.87	9.10	8.96	9.26	2.19	10.25	65.79
2003	Above Normal	0.01	0.00	11.06	1.64	2.68	3.49	5.53	7.02	0.24	8.15	9.14	8.84	57.80
	Average	7.06	6.12	6.95	4.68	5.87	6.55	7.11	7.97	7.10	8.24	8.08	8.16	83.90
	Wet	7.86	7.26	7.80	7.23	8.56	9.93	8.99	9.35	9.22	9.66	9.87	9.58	105.31
	Above Normal	5.72	5.40	7.22	3.91	6.62	7.10	7.26	8.36	6.49	8.69	9.35	9.06	85.20
	Below Normal	7.80	6.17	7.97	4.87	5.53	6.85	6.91	7.60	5.72	8.73	9.35	9.05	86.53
	Dry	6.97	5.40	6.20	3.13	3.76	3.77	6.41	7.73	7.03	7.65	6.41	7.79	72.24
	Critical	5.96	5.41	4.76	2.05	2.85	2.49	4.20	5.39	4.81	5.01	3.98	3.73	50.63

Difference in Energy generated (GWh) at Mojave Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.31	0.31	0.31	0.10
1923	Below Normal	0.30	0.31	0.31	0.00	0.00	(0.06)	(0.01)	0.00	0.31	0.30	0.31	0.31	0.17
1924	Critical	0.30	0.30	0.30	0.27	(0.02)	(0.01)	0.01	0.00	0.01	0.01	0.00	0.00	0.10
1925	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.08	0.08	0.08	0.08	0.03
1926	Dry	0.08	0.08	0.08	0.08	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	0.02
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.31	0.31	0.31	0.10
1928	Above Normal	0.31	0.31	0.31	0.31	(0.01)	0.00	0.00	0.01	0.18	0.18	0.17	0.18	0.16
1929	Critical	0.18	0.18	0.18	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06
1930	Dry	0.05	0.07	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.31	0.31	0.31	0.10
1933	Critical	0.31	0.31	0.31	0.30	(0.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08
1934	Critical	0.00	0.00	0.00	0.00	0.27	0.38	(0.07)	(0.15)	(0.21)	0.04	3.79	0.00	0.34
1935	Below Normal	(0.90)	0.01	0.20	0.00	(0.03)	(0.02)	(0.26)	(0.03)	0.26	0.19	0.35	0.34	0.01
1936	Below Normal	0.13	0.11	(0.05)	(0.29)	(0.48)	0.02	0.00	0.00	0.30	0.31	0.30	0.30	0.05
1937	Below Normal	0.31	0.31	0.31	0.00	0.13	0.00	0.00	0.00	0.31	0.31	0.31	0.31	0.19
1938	Wet	0.31	0.31	0.00	(0.18)	(0.18)	0.17	0.21	0.22	(0.03)	0.40	0.38	0.35	0.16
1939	Dry	0.40	0.40	0.40	1.10	0.06	(0.64)	(1.02)	(1.32)	0.28	(0.19)	0.29	(0.92)	(0.10)
1940	Above Normal	0.29	0.29	1.66	0.28	0.01	0.00	0.00	0.00	0.29	0.27	0.29	0.30	0.31
1941	Wet	0.29	0.29	0.15	(0.01)	0.00	(0.04)	(0.03)	(0.03)	0.27	0.28	0.27	0.27	0.14
1942	Wet	0.28	0.28	0.12	0.01	0.00	(0.04)	(0.01)	0.00	0.31	0.30	0.31	0.31	0.16
1943	Wet	0.31	0.31	0.31	0.00	(0.08)	(0.08)	(0.05)	(0.05)	0.26	0.26	0.25	0.26	0.14
1944	Dry	0.26	0.31	0.31	(0.07)	(0.34)	(0.12)	0.00	(0.01)	0.20	0.20	0.20	0.20	0.10
1945	Below Normal	0.19	0.20	0.20	0.20	0.00	(0.42)	0.02	0.02	0.32	0.32	0.32	0.32	0.14
1946	Below Normal	0.32	0.32	0.32	0.30	0.00	(0.05)	(0.06)	0.00	0.30	0.28	0.32	0.32	0.20
1947	Dry	0.26	0.25	0.21	0.16	(0.11)	0.00	0.03	0.02	0.12	0.12	0.12	0.12	0.11
1948	Below Normal	0.11	0.11	0.12	(0.06)	(0.17)	(0.06)	0.01	0.00	0.00	0.07	0.06	0.06	0.02
1949	Dry	0.04	0.05	0.03	0.00	(0.01)	0.00	(0.04)	(0.01)	(0.01)	(0.02)	(0.15)	0.05	(0.01)
1950	Below Normal	0.04	0.08	6.62	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.57
1951	Above Normal	0.03	0.03	0.00	0.02	0.76	0.00	0.01	0.01	0.32	0.32	0.31	0.32	0.18
1952	Wet	0.31	0.31	0.31	0.31	0.79	0.00	(0.04)	(1.65)	(1.58)	(1.36)	(1.36)	(1.31)	(0.44)
1953	Wet	(1.30)	(1.22)	(1.24)	0.39	0.74	3.68	0.21	0.26	7.38	(0.31)	(0.39)	(0.38)	0.65
1954	Above Normal	(0.04)	(0.01)	0.18	0.85	1.73	0.44	(0.03)	(0.01)	0.96	0.51	(0.18)	(0.19)	0.35
1955	Dry	(0.13)	(0.12)	(0.10)	0.01	0.07	0.10	0.14	0.18	0.18	0.17	0.19	0.19	0.07
1956	Wet	0.15	0.14	0.11	(0.21)	0.02	0.00	0.04	0.03	0.33	0.33	0.33	0.33	0.13
1957	Above Normal	0.33	0.33	0.34	0.32	0.01	(0.14)	0.00	0.00	0.07	0.27	0.31	0.30	0.18
1958	Wet	0.29	0.29	0.29	0.28	(0.01)	(0.01)	0.00	0.00	0.31	0.30	0.30	0.31	0.20
1959	Below Normal	0.31	0.31	0.68	0.32	0.00	0.00	0.00	0.00	0.10	0.09	0.09	0.10	0.17
1960	Dry	0.09	0.09	0.09	0.09	0.01	(0.01)	0.00	0.00	0.01	0.00	0.06	(0.01)	0.04
1961	Dry	(0.01)	(0.01)	(0.01)	0.01	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.01	0.00
1962	Below Normal	0.00	0.08	6.22	0.00	0.00	0.00	0.00	0.00	0.30	0.30	0.30	0.30	0.63
1963	Wet	0.30	0.30	0.30	0.29	0.00	0.00	0.00	0.00	0.31	0.30	0.31	0.31	0.20
1964	Dry	0.31	0.31	0.31	0.32	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.10
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.31	0.31	0.32	0.10
1966	Below Normal	0.31	0.31	0.31	0.30	(0.01)	0.00	0.00	0.00	0.23	0.23	0.23	0.23	0.18
1967	Wet	0.23	0.23	0.24	0.23	0.00	0.00	0.00	0.00	0.00	0.31	0.31	0.31	0.16
1968	Below Normal	0.31	(1.99)	0.67	(0.14)	(0.52)	(0.14)	0.03	0.04	0.27	0.31	0.31	0.31	(0.05)
1969	Wet	0.30	0.31	0.30	(0.02)	0.01	0.74	0.01	0.01	0.02	0.32	0.32	0.32	0.22
1970	Wet	0.32	0.32	0.32	0.09	0.76	0.05	0.52	(0.02)	0.29	0.29	0.29	0.29	0.29
1971	Wet	0.29	0.29	0.29	0.31	0.01	0.15	0.01	0.00	0.19	0.20	0.18	0.17	0.17
1972	Below Normal	0.20	0.21	0.22	0.30	0.04	0.02	0.01	0.00	0.00	0.00	0.00	(0.01)	0.08
1973	Above Normal	0.00	0.00	0.01	0.02	0.00	0.00	0.00	0.00	0.30	0.31	0.30	0.30	0.10
1974	Wet	0.30	0.30	0.30	0.31	0.37	0.32	0.03	(0.02)	0.28	0.28	0.29	0.28	0.25
1975	Wet	0.28	0.29	0.28	0.37	0.02	(0.01)	(0.01)	(0.01)	0.29	0.29	0.29	0.29	0.20
1976	Critical	0.29	0.29	0.29	0.30	0.00	0.01	0.02	0.02	0.08	0.01	(0.06)	0.02	0.11
1977	Critical	0.01	0.01	(0.28)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.13	2.39	0.00	0.00	(0.53)	(0.29)	(0.01)	0.31	0.19	0.46	0.44	0.26
1979	Below Normal	0.08	0.05	(0.25)	(0.72)	(0.87)	(0.73)	(0.36)	(0.39)	(0.07)	(0.08)	(0.08)	(0.08)	(0.29)
1980	Above Normal	(0.07)	(0.05)	(0.06)	2.92	0.11	0.04	(2.02)	(1.78)	(1.45)	(1.49)	(1.48)	(1.44)	(0.56)
1981	Dry	(1.42)	1.74	(1.78)	1.44	3.61	2.55	0.56	0.75	6.03	(0.11)	(0.10)	(0.11)	1.10
1982	Wet	0.13	0.14	0.25	0.60	0.26	(0.01)	0.00	0.00	0.31	0.30	0.30	0.30	0.22
1983	Wet	0.30	0.00	(0.01)	0.82	1.13	0.70	0.29	0.00	(0.28)	0.00	0.31	0.31	0.30
1984	Wet	0.00	0.00	1.40	0.00	0.80	0.00	0.00	0.00	0.31	0.31	0.31	0.31	0.29
1985	Dry	0.30	0.30	0.31	0.31	0.00	0.00	0.00	0.00	0.18	0.18	0.19	0.18	0.16
1986	Wet	0.19	0.18	0.19	0.19	0.00	0.02	0.02	0.03	0.29	0.33	0.31	0.31	0.17
1987	Dry	0.35	0.31	0.75	0.30	(0.01)	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	0.14
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.04	0.04	0.04	0.04	0.02
1989	Dry	0.03	0.02	0.02	0.00	(0.01)	(0.02)	(0.04)	(0.01)	0.00	(0.01)	(0.95)	0.16	(0.07)
1990	Critical	0.11	0.10	0.07	(0.10)	(0.07)	(0.01)	0.03	0.04	0.04	0.04	0.04	0.04	0.03
1991	Critical	0.02	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.08)	(0.08)	(0.08)	(0.05)	(0.08)	(0.04)
1993	Above Normal	0.19	0.01	(0.22)	0.00	0.01	0.02	0.01	0.00	0.30	0.37	0.36	0.37	0.12
1994	Critical	0.37	0.37	0.38	0.35	0.04	0.00	(0.01)	(0.01)	0.29	(0.04)	0.05	0.17	0.16
1995	Wet	0.00	0.00	3.29	0.00	0.00	0.00	0.00	0.00	0.30	(1.70)	0.54	0.53	0.25
1996	Wet	(7.54)	(1.22)	3.87	0.32	(0.01)	0.00	(0.02)	(0.02)	0.28	0.28	0.28	0.28	(0.29)
1997	Wet	0.29	0.28	0.29	0.00	0.01	0.00	0.00	0.00	0.30	0.31	0.30	0.31	0.17
1998	Wet	0.31	0.30	0.31	0.30	(0.01)	0.00	0.01	(0.04)	(0.05)	(0.05)	0.26	0.26	0.13
1999	Wet	0.26	0.27	0.66	0.31	0.00	0.00	0.00	0.00	0.31	0.31	0.31	0.31	0.23
2000	Above Normal	0.31	0.31	0.31	0.31	(0.01)	(0.09)	(0.04)	0.01	0.29	0.28	0.31	0.30	0.19
2001	Dry	0.27	0.26	0.24	0.17	(0.10)	(0.04)	0.00	(0.01)	0.00	0.00	0.01	0.00	0.07
2002	Dry	0.01	0.01	0.01	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.27)	0.06	(0.02)
2003	Above Normal	0.00	0.00	5.14	0.00	0.00	0.00	0.00	0.00	0.11	0.10	0.10	0.10	0.46
	Average	0.03	0.12	0.49	0.18	0.10	0.07	(0.03)	(0.05)	0.28	0.10	0.16	0.13	0.13
	Wet	(0.13)	0.10	0.47	0.18	0.18	0.22	0.05	(0.05)	0.42	0.11	0.22	0.22	0.17
	Above Normal	0.11	0.11	0.84	0.42	0.22	(0.02)	(0.20)	(0.15)	0.17	0.14	0.11	0.11	0.15
	Below Normal	0.12	0.03	1.13	0.01	(0.14)	(0.10)	(0.04)	(0.03)	0.19	0.19	0.20	0.20	0.15
	Dry	0.05	0.23	0.05	0.22	0.18	0.10	(0.02)	(0.02)	0.41	0.04	(0.00)	0.02	0.10
	Critical	0.13	0.13	0.11	0.11	(0.00)	0.03	(0.01)	(0.01)	0.01	0.00	0.32	0.02	0.07

Percent Difference in Energy generated (GWh) at Mojave Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	4%	4%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	5%	6%	16%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	1%	16%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	4%	4%	4%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	2%	2%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	5%	5%	4%	5%
1933	Critical	6%	7%	8%	60%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	23%	16%	-1%	-2%	-3%	1%	183%	0%
1935	Below Normal	-12%	0%	4%	0%	-2%	-1%	-3%	0%	3%	2%	4%	4%
1936	Below Normal	2%	1%	-1%	-7%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	3%	4%	4%	0%	1%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-3%	-2%	2%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	16%	1%	-12%	-15%	-16%	147%	-2%	132%	-11%
1940	Above Normal	>1,000%	-	27%	57%	1%	0%	0%	0%	7%	4%	3%	3%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	3%	1%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	6%	0%	-1%	-1%	0%	0%	3%	2%	2%	3%
1944	Dry	3%	-	3%	-2%	-8%	-3%	0%	0%	3%	3%	3%	3%
1945	Below Normal	4%	5%	6%	21%	0%	-4%	0%	0%	4%	3%	3%	4%
1946	Below Normal	4%	4%	4%	3%	0%	0%	-1%	0%	4%	4%	4%	4%
1947	Dry	4%	4%	3%	3%	-2%	0%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-1%	-3%	-2%	0%	0%	0%	1%	1%	1%
1949	Dry	1%	1%	1%	0%	-1%	0%	-1%	0%	0%	0%	-9%	0%
1950	Below Normal	0%	9%	416%	0%	0%	0%	0%	0%	18%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	8%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	4%	4%	3%	9%	0%	0%	-15%	-15%	-13%	-13%	-12%
1953	Wet	-13%	-13%	-13%	4%	8%	66%	4%	4%	>1,000%	-4%	-5%	-5%
1954	Above Normal	-1%	0%	4%	86%	34%	11%	0%	0%	14%	7%	-2%	-2%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	3%	3%	3%	3%	2%	3%
1956	Wet	3%	3%	2%	-3%	0%	0%	0%	0%	4%	3%	3%	4%
1957	Above Normal	4%	4%	4%	5%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	4%	5%	24%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	-	6%	7%	0%	0%	0%	0%	53%	1%	1%	1%
1960	Dry	1%	1%	2%	18%	1%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	1%
1962	Below Normal	0%	2%	139%	0%	0%	0%	0%	0%	167%	3%	3%	3%
1963	Wet	4%	4%	5%	4%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	14%	4%	4%	4%
1966	Below Normal	4%	4%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	10%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	-19%	6%	-3%	-8%	-3%	1%	1%	129%	4%	3%	4%
1969	Wet	4%	5%	6%	0%	0%	6%	0%	0%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	1%	9%	0%	7%	0%	4%	4%	4%	4%
1971	Wet	4%	4%	4%	3%	0%	2%	0%	0%	3%	3%	2%	2%
1972	Below Normal	3%	4%	4%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	3%	4%	3%	4%
1974	Wet	4%	4%	4%	3%	4%	3%	0%	0%	3%	3%	3%	3%
1975	Wet	3%	4%	3%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	-2%	0%
1977	Critical	0%	0%	-7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	13%	52%	0%	0%	-7%	-4%	0%	4%	2%	5%	5%
1979	Below Normal	1%	1%	-3%	-15%	-17%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	50%	1%	0%	-18%	-15%	-13%	-13%	-13%	-13%
1981	Dry	-13%	23%	-16%	27%	68%	61%	10%	10%	>1,000%	-1%	-1%	-1%
1982	Wet	2%	2%	5%	10%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	9%	11%	6%	3%	0%	-3%	0%	3%	3%
1984	Wet	0%	0%	12%	0%	8%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	4%	4%	4%	3%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	2%	2%	3%	3%	0%	0%	0%	0%	2%	3%	3%	3%
1987	Dry	3%	-	7%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	2%	1%	2%	0%	-1%	-1%	0%	0%	0%	0%	-11%	2%
1990	Critical	1%	1%	1%	-3%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	12%	1%	-7%	0%	0%	0%	0%	0%	167%	4%	4%	4%
1994	Critical	5%	5%	6%	11%	1%	0%	0%	0%	12%	0%	23%	7%
1995	Wet	0%	0%	45%	0%	0%	0%	0%	0%	3%	-16%	5%	5%
1996	Wet	-73%	-80%	83%	7%	0%	0%	0%	0%	4%	3%	3%	4%
1997	Wet	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1998	Wet	3%	3%	4%	4%	0%	0%	0%	0%	-1%	-1%	3%	3%
1999	Wet	3%	3%	8%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	4%	4%	4%	5%	0%	-1%	-1%	0%	4%	3%	4%	4%
2001	Dry	4%	4%	4%	5%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-11%	1%
2003	Above Normal	0%	0%	87%	0%	0%	0%	0%	0%	85%	1%	1%	1%
	Average	1%	1%	12%	6%	2%	2%	0%	0%	11%	1%	5%	2%
	Wet	-1%	-1%	8%	3%	2%	3%	1%	0%	2%	1%	2%	2%
	Above Normal	2%	2%	14%	18%	4%	0%	-2%	-1%	24%	2%	2%	2%
	Below Normal	1%	1%	43%	1%	-3%	-1%	-1%	0%	28%	2%	2%	2%
	Dry	1%	3%	1%	6%	3%	3%	0%	0%	9%	1%	6%	0%
	Critical	2%	2%	2%	8%	1%	1%	0%	0%	1%	0%	17%	1%

Energy generated (GWh) at Oroville Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	164.30	78.63	103.42	49.60	80.06	158.45	119.23	609.34	325.41	387.00	255.99	342.19	2,673.62
1923	Below Normal	131.76	77.46	119.72	49.47	100.47	53.91	85.23	122.17	127.79	377.39	305.46	150.45	1,701.28
1924	Critical	67.43	48.76	50.22	46.48	44.58	69.58	107.18	113.56	130.01	222.08	71.01	40.50	1,011.39
1925	Dry	20.74	20.08	19.29	36.38	19.31	20.02	62.99	94.69	178.39	349.83	179.97	180.42	1,182.11
1926	Dry	59.29	31.47	45.05	22.09	18.05	44.29	47.70	181.42	254.87	357.66	184.14	100.19	1,346.22
1927	Wet	25.98	39.89	112.10	20.09	77.22	238.14	223.49	228.22	165.78	431.79	347.46	362.76	2,272.92
1928	Above Normal	121.32	71.30	79.56	44.97	120.97	260.20	86.67	125.93	263.90	424.32	319.32	266.80	2,185.26
1929	Critical	104.14	40.71	41.44	43.40	50.57	41.64	113.92	129.24	126.82	91.21	75.78	36.32	895.19
1930	Dry	29.84	19.82	113.51	19.77	101.82	19.40	71.41	105.21	246.03	366.97	217.77	166.46	1,478.01
1931	Critical	46.63	21.75	22.01	21.20	20.02	19.75	135.47	100.42	117.50	161.23	85.88	35.72	787.58
1932	Dry	25.29	19.78	104.54	19.00	35.42	76.05	93.38	76.71	171.02	222.95	204.69	64.94	1,113.77
1933	Critical	63.75	46.48	21.96	21.19	19.88	124.92	95.17	114.92	137.15	167.39	70.00	36.91	919.72
1934	Critical	26.83	20.66	63.15	35.07	83.35	24.29	107.91	125.88	134.80	89.98	79.77	39.52	831.21
1935	Below Normal	40.57	19.35	19.67	35.19	19.33	18.95	55.09	119.18	183.58	397.76	321.00	199.54	1,429.21
1936	Below Normal	99.65	68.85	58.74	43.73	54.70	184.17	88.07	119.89	143.61	391.67	325.33	196.14	1,774.55
1937	Below Normal	144.34	76.38	157.42	45.28	39.41	46.68	83.06	121.27	328.35	341.77	279.04	75.95	1,738.95
1938	Wet	61.28	57.15	45.53	49.25	237.06	575.85	480.74	607.94	396.30	253.96	246.16	383.78	3,395.00
1939	Dry	137.08	81.85	159.88	52.70	50.70	53.47	180.70	171.22	180.17	361.87	212.68	97.99	1,740.31
1940	Above Normal	39.82	29.01	28.50	44.30	29.51	571.95	185.71	112.08	204.29	439.91	343.31	295.05	2,323.44
1941	Wet	106.99	67.25	44.86	48.84	446.83	386.35	157.02	383.32	218.32	378.03	183.96	391.08	2,812.85
1942	Wet	133.99	78.52	191.67	482.17	520.62	90.67	381.60	280.65	320.86	329.27	238.32	389.76	3,438.10
1943	Wet	147.04	74.96	50.74	501.32	225.96	547.96	178.59	122.67	169.19	439.22	341.66	365.85	3,165.16
1944	Dry	136.45	77.55	151.64	57.47	54.15	59.63	108.23	115.31	215.13	337.29	180.25	64.76	1,557.86
1945	Below Normal	42.66	38.94	55.33	39.97	39.88	49.07	94.53	105.41	145.36	378.91	297.82	184.02	1,471.90
1946	Below Normal	90.23	41.59	45.19	49.06	46.18	53.12	110.80	139.05	201.08	424.10	340.01	194.98	1,735.39
1947	Dry	119.23	48.33	46.47	49.58	43.29	50.67	93.28	159.93	184.76	366.25	205.26	190.21	1,557.26
1948	Below Normal	40.92	35.69	34.61	46.04	29.25	24.79	43.00	88.35	130.04	408.63	326.47	130.27	1,338.06
1949	Dry	73.23	47.31	45.72	47.64	43.52	48.58	101.64	109.80	213.25	357.42	174.69	177.06	1,439.86
1950	Below Normal	22.24	22.10	27.49	35.61	18.34	19.46	91.54	116.33	130.80	407.74	324.39	170.84	1,386.88
1951	Above Normal	62.97	48.42	386.51	393.69	330.91	155.21	113.33	133.34	218.51	440.33	340.08	291.63	2,914.93
1952	Wet	117.71	69.62	46.81	49.70	317.00	238.57	580.03	609.34	408.64	179.85	122.44	384.49	3,124.20
1953	Wet	160.04	84.77	164.24	580.34	47.35	212.30	206.96	196.77	289.77	442.57	279.09	360.12	3,024.32
1954	Above Normal	134.58	74.63	88.13	87.11	45.60	259.33	243.68	122.04	270.08	439.14	328.52	293.90	2,386.74
1955	Dry	105.17	45.97	43.87	45.32	43.70	49.01	106.71	112.83	159.21	330.96	178.09	67.25	1,288.09
1956	Wet	46.56	41.45	66.04	573.90	355.44	220.97	185.52	463.58	250.65	372.00	235.16	378.27	3,189.54
1957	Above Normal	134.17	81.08	216.18	50.12	107.14	109.39	105.59	112.40	143.67	443.02	326.83	271.27	2,100.86
1958	Wet	50.62	69.53	47.47	48.76	512.41	399.62	286.00	453.99	326.92	249.12	147.98	380.36	2,972.78
1959	Below Normal	158.74	85.60	203.94	48.94	205.87	73.07	143.20	126.73	232.86	412.74	303.86	161.11	2,156.66
1960	Dry	75.81	53.36	30.08	29.09	26.44	25.14	128.84	121.51	221.76	368.86	250.39	205.06	1,536.34
1961	Dry	27.85	36.85	40.73	28.40	24.30	25.40	88.86	112.74	157.21	331.25	148.57	43.48	1,065.64
1962	Below Normal	35.94	21.43	35.24	21.57	16.97	18.32	87.38	192.74	178.09	391.39	293.74	197.50	1,490.31
1963	Wet	30.56	30.75	31.64	32.98	477.30	281.10	462.05	195.80	207.84	452.27	329.38	345.62	2,877.29
1964	Dry	106.08	47.02	45.37	45.68	44.39	48.68	128.21	110.05	150.68	352.19	172.65	200.89	1,451.89
1965	Wet	48.96	44.72	91.88	575.85	144.29	179.55	319.66	215.70	175.61	425.64	240.17	371.12	2,833.15
1966	Below Normal	142.40	71.50	47.38	48.07	46.67	53.03	108.44	114.31	218.61	414.16	314.69	223.17	1,802.43
1967	Wet	86.58	39.82	42.47	46.19	45.53	409.07	93.29	425.32	387.16	157.68	141.35	406.42	2,280.88
1968	Below Normal	160.16	80.56	136.58	61.18	373.53	223.70	131.72	128.74	229.04	427.32	296.02	219.68	2,468.23
1969	Wet	55.20	43.09	44.61	331.23	379.48	217.27	315.66	556.01	224.38	229.51	172.00	396.56	2,965.00
1970	Wet	142.19	79.65	303.50	576.37	322.23	137.74	119.21	124.82	175.38	412.24	311.51	278.36	2,983.20
1971	Wet	116.16	70.29	60.87	64.34	60.00	180.38	217.08	381.54	287.06	424.28	306.45	364.94	2,533.39
1972	Below Normal	139.58	70.60	47.24	47.98	46.26	52.22	118.51	118.26	192.83	395.23	300.27	204.77	1,733.75
1973	Above Normal	48.00	43.30	45.10	48.37	234.03	203.79	98.41	182.66	240.40	392.34	247.47	254.48	2,038.35
1974	Wet	93.65	48.17	230.44	578.66	174.54	582.37	335.60	304.48	254.41	352.63	114.12	375.73	3,444.80
1975	Wet	135.65	77.05	59.57	54.84	172.19	435.61	87.62	393.58	314.87	389.44	145.03	374.98	2,640.43
1976	Critical	53.60	76.56	163.22	49.27	50.42	56.46	121.63	126.87	132.75	319.95	158.87	180.63	1,490.23
1977	Critical	67.58	28.33	30.72	30.19	27.19	25.24	65.22	48.92	95.55	32.25	31.88	30.90	513.97
1978	Above Normal	24.67	18.83	18.50	35.52	22.87	182.50	208.86	129.33	164.40	376.80	299.02	273.21	1,754.51
1979	Below Normal	148.13	73.96	179.56	35.71	30.49	29.49	82.02	127.87	272.42	382.04	273.67	178.51	1,813.87
1980	Above Normal	89.37	48.92	49.13	162.41	539.41	176.62	98.13	119.47	125.88	290.37	174.95	296.55	2,171.21
1981	Dry	151.92	80.54	92.85	51.30	44.81	50.79	87.49	121.45	244.21	379.21	230.38	156.34	1,691.29
1982	Wet	38.39	32.06	509.56	278.01	529.40	456.83	575.19	384.91	233.30	238.35	139.22	220.12	3,635.34
1983	Wet	101.85	289.86	372.49	428.14	521.91	575.85	322.41	515.72	511.46	211.56	137.14	226.64	4,215.03
1984	Wet	196.77	489.14	580.66	185.68	274.46	309.53	107.25	127.12	265.44	434.67	254.48	289.56	3,514.76
1985	Dry	117.91	44.79	46.25	52.33	45.08	50.31	100.17	190.18	214.46	367.95	173.94	166.83	1,570.20
1986	Wet	106.65	30.77	54.14	39.01	483.99	576.42	87.76	124.81	153.61	394.37	284.46	333.51	2,669.50
1987	Dry	136.41	68.40	157.74	44.14	38.97	43.23	81.31	137.17	165.10	93.09	70.95	60.88	1,097.39
1988	Critical	33.78	23.05	41.71	26.64	40.52	43.57	58.30	78.72	119.66	202.25	61.68	54.48	784.36
1989	Dry	28.98	35.75	17.87	17.45	23.67	18.05	87.14	181.86	228.95	353.32	209.05	146.03	1,348.12
1990	Critical	72.43	67.28	130.70	18.38	17.00	16.85	109.41	67.19	108.12	293.92	57.35	64.26	1,022.89
1991	Critical	37.21	16.70	30.49	22.22	24.41	29.17	46.72	60.93	136.29	244.79	56.98	60.07	765.98
1992	Critical	28.46	21.29	31.41	27.13	18.00	15.82	60.68	124.28	170.22	107.13	84.23	89.57	778.22
1993	Above Normal	26.77	18.00	18.15	35.41	18.46	279.89	169.41	347.60	244.46	429.73	342.47	323.41	2,253.76
1994	Critical	132.34	69.26	66.00	33.04	27.88	25.37	109.98	98.12	127.26	303.18	151.44	69.64	1,213.51
1995	Wet	53.63	26.97	42.41	28.71	217.50	575.85	479.60	606.44	467.97	188.51	163.84	226.20	3,077.63
1996	Wet	164.46	83.38	172.83	414.98	538.70	341.08	271.18	428.84	193.09	416.23	225.86	364.74	3,615.37
1997	Wet	131.73	76.91	449.97	575.85	311.49	182.18	120.09	120.38	168.64	393.19	200.57	335.00	3,066.00
1998	Wet	129.00	72.01	60.25	46.56	514.18	478.87	139.98	362.41	500.27	203.25	130.73	221.62	2,859.13
1999	Wet	195.44	280.80	202.74	471.55	501.99	379.33	97.75	120.93	148.20	404.94	190.12	227.22	3,221.01
2000	Above Normal	144.32	75.73	202.86	49.64	243.63	315.72	80.27	132.94	234.94	445.97	322.43	283.10	2,531.55
2001	Dry	114.66	68.61	176.15	43.55	39.55	42.60	80.39	138.68	172.60	182.49	74.50	60.36	1,194.14
2002	Dry	62.54	28.60	41.50	27.00	28.22	23.62	101.52	91.01	135.17	322.52	96.09	150.10	1,107.89
2003	Above Normal	58.91	45.30	57.54	44.20	42.72	49.89	67.69	246.20	174.66	449.17	316.26	314.16	1,866.70
	Average	90.08	62.84	105.03	119.51	151.72	171.63	153.81	199.63	214.26	333.55	215.81	216.89	2,034.75
	Wet	102.96	92.25	156.90	272.44	323.43	354.21	262.74	335.97	277.50	338.64	216.49	336.72	3,070.26
	Above Normal	87.43	52.76	107.80	87.11	151.28	226.91	131.42	197.78	217.55	413.18	301.39	292.15	2,266.74
	Below Normal	99.81	56.00	83.44	43.41	76.24	64.28	94.47	124.31	193.89	396.49	307.27	177.64	1,717.25
	Dry	84.92	47.56	76.58	38.27	40.30	41.61	97.22	129.54	194.05	322.34	175.78	127.74	1,375.91
	Critical	61.18	40.07	57.75	31.18	35.32	41.06	94.30	99.09	128.01	186.28	82.07	61.54	917.85

Energy generated (GWh) at Oroville Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	164.30	78.63	103.42	49.60	80.06	158.45	119.23	609.34	325.41	387.01	255.99	342.19	2,673.63
1923	Below Normal	131.76	77.46	119.72	49.47	100.71	53.91	85.22	122.17	127.78	377.33	305.41	150.05	1,700.99
1924	Critical	67.43	48.77	50.22	46.48	44.58	69.60	107.19	113.36	130.13	222.43	70.79	40.51	1,011.49
1925	Dry	20.75	20.09	19.30	36.39	19.31	20.03	63.00	94.70	178.35	349.88	180.10	180.50	1,182.40
1926	Dry	59.38	31.47	45.05	22.15	18.05	44.32	47.69	181.43	255.00	357.62	184.40	99.70	1,346.26
1927	Wet	25.98	39.89	112.10	20.09	77.22	238.14	223.49	228.22	165.78	431.81	347.47	362.76	2,272.95
1928	Above Normal	121.31	71.30	79.56	44.97	120.97	260.16	86.67	125.93	263.92	424.31	319.33	266.80	2,185.23
1929	Critical	104.11	40.74	41.44	43.37	50.60	41.64	113.92	129.26	126.83	91.22	75.79	36.32	895.24
1930	Dry	29.83	19.82	113.51	19.77	101.82	19.39	71.41	105.21	246.09	366.96	217.76	166.46	1,478.03
1931	Critical	46.64	21.75	22.01	21.20	20.02	19.75	135.47	100.48	117.52	160.93	85.91	35.72	787.40
1932	Dry	25.29	19.78	104.54	19.00	35.42	76.05	93.39	76.70	171.01	223.00	204.77	64.93	1,113.88
1933	Critical	63.82	46.56	21.96	21.19	19.87	124.90	95.16	114.90	137.20	166.95	70.00	36.91	919.42
1934	Critical	26.83	20.66	63.15	35.07	83.38	24.48	108.04	114.97	135.62	90.57	80.92	39.96	823.65
1935	Below Normal	41.43	19.56	19.83	35.40	19.44	19.02	55.23	119.37	183.84	398.60	321.93	200.36	1,434.01
1936	Below Normal	94.59	69.31	57.84	44.06	73.45	184.17	88.07	119.89	143.61	391.70	325.36	196.15	1,788.20
1937	Below Normal	144.34	76.38	157.59	45.27	39.41	46.67	83.05	121.27	330.62	341.56	278.76	75.85	1,740.77
1938	Wet	59.15	57.15	45.53	49.20	237.11	575.85	480.74	607.94	396.30	253.97	246.19	383.77	3,392.90
1939	Dry	137.08	81.85	159.59	52.60	50.55	53.20	201.17	169.91	178.97	358.87	212.33	82.58	1,738.70
1940	Above Normal	39.45	28.77	28.41	44.32	29.52	572.01	185.71	112.08	204.30	439.91	343.47	295.12	2,323.07
1941	Wet	107.06	67.24	44.86	48.84	446.41	386.35	157.02	383.32	218.32	376.31	184.02	391.05	2,810.80
1942	Wet	133.97	78.51	191.54	482.17	520.62	90.67	381.60	280.65	320.86	329.29	238.53	389.74	3,438.15
1943	Wet	147.03	74.95	50.74	501.08	225.96	547.96	178.59	122.66	169.20	444.84	341.21	365.29	3,169.51
1944	Dry	136.15	77.38	151.27	57.34	54.04	59.52	108.05	115.16	211.30	336.85	179.31	67.21	1,553.58
1945	Below Normal	42.58	38.86	55.23	39.90	39.83	49.01	94.46	105.35	145.24	378.84	297.44	183.74	1,470.48
1946	Below Normal	90.23	41.52	45.13	49.02	46.15	53.08	110.73	135.13	207.15	422.86	341.02	194.72	1,736.74
1947	Dry	116.17	48.26	46.41	49.53	43.25	50.64	93.23	159.90	184.68	366.00	204.20	190.46	1,552.73
1948	Below Normal	38.63	35.69	34.61	46.05	29.86	24.78	42.99	88.34	130.02	408.57	326.42	130.21	1,336.17
1949	Dry	73.33	47.30	45.70	47.62	43.51	48.57	101.63	109.79	213.21	357.34	174.47	176.48	1,438.95
1950	Below Normal	22.23	22.09	27.51	35.61	18.34	19.46	91.54	116.33	130.80	407.75	324.39	170.85	1,386.90
1951	Above Normal	62.98	48.42	386.47	393.69	330.91	155.21	113.33	133.34	218.53	440.33	340.10	292.66	2,915.97
1952	Wet	117.65	69.58	46.79	49.69	315.72	238.57	580.03	609.34	408.64	179.85	121.98	383.95	3,121.79
1953	Wet	159.32	84.29	166.54	580.34	47.49	212.16	206.96	196.77	289.77	442.79	279.83	360.45	3,026.71
1954	Above Normal	135.01	74.92	97.27	86.89	45.51	246.45	243.68	122.07	270.07	439.19	328.56	293.91	2,383.53
1955	Dry	103.31	46.05	43.92	45.36	43.75	49.07	106.78	112.92	159.33	331.22	179.31	73.97	1,294.99
1956	Wet	40.06	41.48	66.06	573.90	355.44	220.97	185.52	463.58	250.65	372.02	235.17	378.27	3,183.12
1957	Above Normal	134.17	81.07	216.21	50.11	107.14	109.34	105.59	112.39	143.67	443.02	326.83	271.28	2,100.82
1958	Wet	50.61	69.54	47.47	48.76	512.41	399.62	286.00	453.99	326.92	249.23	147.99	379.92	2,972.46
1959	Below Normal	158.74	85.60	205.26	48.93	204.81	73.07	143.20	126.74	232.94	412.80	303.90	163.80	2,159.79
1960	Dry	75.72	53.30	30.02	29.04	26.40	25.12	128.82	121.43	221.60	368.52	250.31	201.66	1,531.94
1961	Dry	27.85	36.86	40.74	28.40	24.30	25.41	88.86	112.73	157.20	330.93	148.74	43.49	1,065.51
1962	Below Normal	35.94	21.44	35.39	21.42	16.97	18.32	87.39	192.75	178.10	391.42	293.76	197.53	1,490.43
1963	Wet	30.57	30.75	31.64	32.98	477.46	281.10	462.05	195.80	207.85	452.28	329.38	345.63	2,877.49
1964	Dry	106.10	47.02	45.37	45.68	44.39	48.68	128.23	110.04	150.68	352.20	172.63	200.91	1,451.93
1965	Wet	48.86	44.72	91.88	575.85	144.29	179.55	319.66	215.70	175.61	425.48	240.20	371.13	2,832.93
1966	Below Normal	142.41	71.50	47.39	48.07	46.67	53.04	108.44	114.32	218.65	414.16	314.73	223.14	1,802.52
1967	Wet	86.62	39.83	42.47	46.19	45.53	409.14	93.29	425.32	387.16	157.68	141.38	407.71	2,282.32
1968	Below Normal	160.13	80.54	139.36	56.96	373.53	223.70	131.73	128.75	229.06	427.32	296.03	219.68	2,466.79
1969	Wet	55.51	43.09	44.61	330.78	379.48	217.27	315.66	556.01	224.38	233.71	169.54	396.44	2,966.48
1970	Wet	142.14	79.62	301.72	576.37	322.23	137.74	119.21	124.81	175.44	412.20	311.50	284.17	2,987.15
1971	Wet	115.75	69.76	60.70	64.23	59.90	173.04	217.08	381.54	287.06	424.27	306.35	364.96	2,524.64
1972	Below Normal	139.59	70.61	47.24	47.98	46.26	52.22	118.51	118.26	192.84	395.22	300.27	204.80	1,733.80
1973	Above Normal	48.00	43.30	45.10	48.37	234.05	203.79	98.41	182.66	240.41	392.28	247.48	254.49	2,038.34
1974	Wet	93.89	48.17	230.21	578.66	174.54	582.37	335.60	304.48	254.41	352.67	114.11	375.72	3,444.83
1975	Wet	135.63	77.04	59.50	54.84	172.26	435.61	87.62	393.58	314.87	389.43	145.05	374.98	2,640.41
1976	Critical	53.60	76.56	163.22	49.28	50.43	56.46	121.63	126.87	132.76	320.33	158.82	180.59	1,490.55
1977	Critical	67.25	28.34	30.72	30.19	27.19	25.24	65.23	48.93	95.55	32.25	31.88	30.90	513.67
1978	Above Normal	24.67	18.83	18.50	35.52	22.87	182.48	208.86	129.28	164.45	376.87	299.10	273.28	1,754.71
1979	Below Normal	147.99	73.87	133.73	36.34	30.91	29.74	82.73	128.80	273.85	384.94	277.42	181.86	1,782.18
1980	Above Normal	85.31	49.98	50.19	222.41	539.41	176.62	97.92	119.18	125.47	289.24	173.84	260.29	2,189.86
1981	Dry	152.62	80.86	93.16	51.94	45.46	69.52	87.96	122.11	245.29	379.11	240.08	158.40	1,726.51
1982	Wet	40.82	32.48	523.22	278.01	529.40	456.83	575.19	384.91	233.30	238.46	139.22	220.37	3,652.21
1983	Wet	101.49	289.86	372.49	428.14	521.91	575.85	322.41	515.72	511.46	211.56	137.14	226.64	4,214.67
1984	Wet	196.77	489.14	580.66	185.68	274.46	309.52	107.25	127.12	265.45	434.67	254.48	289.57	3,514.77
1985	Dry	117.91	44.79	46.25	52.33	45.08	50.31	100.16	190.19	214.46	367.95	173.93	166.83	1,570.19
1986	Wet	106.60	30.77	54.19	39.01	483.98	576.42	87.76	124.81	153.61	394.38	284.47	333.51	2,669.51
1987	Dry	136.41	68.40	157.84	44.14	38.96	43.23	81.31	137.14	166.43	93.01	70.88	60.81	1,098.56
1988	Critical	33.74	23.03	41.67	26.62	40.49	43.54	58.26	78.69	119.60	200.67	61.68	54.49	782.48
1989	Dry	28.99	35.76	17.87	17.44	23.67	18.04	87.14	181.82	228.93	353.34	206.76	142.97	1,342.73
1990	Critical	72.92	67.45	131.68	18.50	17.05	16.89	109.65	67.34	108.37	295.00	61.71	64.29	1,030.85
1991	Critical	37.22	16.71	30.49	22.22	24.35	29.23	46.72	60.93	136.27	244.98	56.73	60.07	765.92
1992	Critical	28.46	21.29	31.41	27.13	18.00	15.82	60.68	124.26	156.88	120.60	83.97	89.56	778.06
1993	Above Normal	26.76	17.99	18.15	35.42	18.46	280.30	169.41	347.60	244.46	429.57	342.36	323.39	2,253.87
1994	Critical	132.36	69.27	67.90	33.02	27.87	25.36	109.93	98.08	127.20	302.63	151.12	69.59	1,214.33
1995	Wet	53.60	26.95	42.38	28.70	216.41	575.85	479.60	606.44	467.97	188.51	163.84	226.43	3,076.68
1996	Wet	164.46	83.38	172.59	414.98	538.70	341.08	271.18	428.84	193.08	414.01	225.95	364.75	3,613.00
1997	Wet	131.71	76.90	449.85	575.85	311.49	182.18	120.09	120.38	163.86	395.03	200.73	335.34	3,063.41
1998	Wet	129.14	72.09	60.32	46.60	517.33	478.87	139.98	362.41	500.27	203.25	130.73	221.62	2,862.61
1999	Wet	195.44	280.80	202.74	471.55	501.99	379.32	97.75	120.93	148.20	404.95	190.15	227.21	3,221.03
2000	Above Normal	144.32	75.73	202.88	49.64	243.58	315.72	80.26	132.94	234.93	445.96	322.45	283.12	2,531.53
2001	Dry	114.65	68.60	173.79	43.61	39.60	42.66	80.48	138.85	172.81	184.95	74.50	60.36	1,194.86
2002	Dry	62.55	28.60	41.50	27.00	28.21	23.62	101.52	91.00	135.17	322.53	95.05	151.16	1,107.91
2003	Above Normal	58.91	45.29	57.53	44.20	42.72	49.89	67.69	246.20	174.66	449.17	316.27	314.16	1,866.69
	Average	89.81	62.85	104.81	120.19	151.96	171.62	154.07	199.45	214.14	333.80	215.95	216.50	2,035.15
	Wet	102.69	92.23	157.42	272.40	323.45	353.92	262.74	335.97	277.32	338.95	216.41	336.98	3,070.48
	Above Normal	87.10	52.85	108.64	92.10	151.27	225.87	131.40	197.75	217.52	413.07	301.32	289.22	2,268.10
	Below Normal	99.33	56.03	80.42	43.18	77.60	64.30	94.52	124.11	194.61	396.65	307.63	178.05	1,716.41
	Dry	84.67	47.57	76.44	38.30	40.32	42.63	98.38	129.50	193.92	322.24	176.09	127.16	1,377.20
	Critical	61.20	40.09	57.99	31.19	35.32	41.08	94.32	98.17	126.99	187.38	82.44	61.58	917.76

Difference in Energy generated (GWh) at Oroville Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.24	0.00	(0.01)	0.00	(0.01)	(0.06)	(0.05)	(0.40)	(0.02)
1924	Critical	0.00	0.01	0.00	0.00	0.00	0.02	0.01	(0.20)	0.12	0.35	(0.22)	0.01	0.01
1925	Dry	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	(0.04)	0.05	0.13	0.08	0.02
1926	Dry	0.09	0.00	0.00	0.06	0.00	0.03	(0.01)	0.01	0.13	(0.04)	0.26	(0.49)	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	0.00
1928	Above Normal	(0.01)	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	0.02	(0.01)	0.01	0.00	0.00
1929	Critical	(0.03)	0.03	0.00	(0.03)	0.03	0.00	0.00	0.02	0.01	0.01	0.01	0.00	0.00
1930	Dry	(0.01)	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.06	(0.01)	(0.01)	0.00	0.00
1931	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.02	(0.30)	0.03	0.00	(0.01)
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	(0.01)	0.05	0.08	(0.01)	0.01
1933	Critical	0.07	0.08	0.00	0.00	(0.01)	(0.02)	(0.01)	(0.02)	0.05	(0.44)	0.00	0.00	(0.03)
1934	Critical	0.00	0.00	0.00	0.00	0.03	0.19	0.13	(10.91)	0.82	0.59	1.15	0.44	(0.63)
1935	Below Normal	0.86	0.21	0.16	0.21	0.11	0.07	0.14	0.19	0.26	0.84	0.93	0.82	0.40
1936	Below Normal	(5.06)	0.46	(0.90)	0.33	18.75	0.00	0.00	0.00	0.00	0.03	0.03	0.01	1.14
1937	Below Normal	0.00	0.00	0.17	(0.01)	0.00	(0.01)	(0.01)	0.00	2.27	(0.21)	(0.28)	(0.10)	0.15
1938	Wet	(2.13)	0.00	0.00	(0.05)	0.05	0.00	0.00	0.00	0.00	0.01	0.03	(0.01)	(0.17)
1939	Dry	0.00	0.00	(0.29)	(0.10)	(0.15)	(0.27)	20.47	(1.31)	(1.20)	(3.00)	(0.35)	(15.41)	(0.13)
1940	Above Normal	(0.37)	(0.24)	(0.09)	0.02	0.01	0.06	0.00	0.00	0.01	0.00	0.16	0.07	(0.03)
1941	Wet	0.07	(0.01)	0.00	0.00	(0.42)	0.00	0.00	0.00	0.00	(1.72)	0.06	(0.03)	(0.17)
1942	Wet	(0.02)	(0.01)	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.21	(0.02)	0.00
1943	Wet	(0.01)	(0.01)	0.00	(0.24)	0.00	0.00	0.00	(0.01)	0.01	5.62	(0.45)	(0.56)	0.36
1944	Dry	(0.30)	(0.17)	(0.37)	(0.13)	(0.11)	(0.11)	(0.18)	(0.15)	(3.83)	(0.44)	(0.94)	2.45	(0.36)
1945	Below Normal	(0.08)	(0.08)	(0.10)	(0.07)	(0.05)	(0.06)	(0.07)	(0.06)	(0.12)	(0.07)	(0.38)	(0.28)	(0.12)
1946	Below Normal	0.00	(0.07)	(0.06)	(0.04)	(0.03)	(0.04)	(0.07)	(3.92)	6.07	(1.24)	1.01	(0.26)	0.11
1947	Dry	(3.06)	(0.07)	(0.06)	(0.05)	(0.04)	(0.03)	(0.05)	(0.03)	(0.08)	(0.25)	(1.06)	0.25	(0.38)
1948	Below Normal	(2.29)	0.00	0.00	0.01	0.61	(0.01)	(0.01)	(0.01)	(0.02)	(0.06)	(0.05)	(0.06)	(0.16)
1949	Dry	0.10	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)	(0.01)	(0.04)	(0.08)	(0.22)	(0.58)	(0.08)
1950	Below Normal	(0.01)	(0.01)	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1951	Above Normal	0.01	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.02	1.03	0.09
1952	Wet	(0.06)	(0.04)	(0.02)	(0.01)	(1.28)	0.00	0.00	0.00	0.00	0.00	(0.46)	(0.54)	(0.20)
1953	Wet	(0.72)	(0.48)	2.30	0.00	0.14	(0.14)	0.00	0.00	0.00	0.22	0.74	0.33	0.20
1954	Above Normal	0.43	0.29	9.14	(0.22)	(0.09)	(12.88)	0.00	0.03	(0.01)	0.05	0.04	0.01	(0.27)
1955	Dry	(1.86)	0.08	0.05	0.04	0.05	0.06	0.07	0.09	0.12	0.26	1.22	6.72	0.58
1956	Wet	(6.50)	0.03	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.00	(0.54)
1957	Above Normal	0.00	(0.01)	0.03	(0.01)	0.00	(0.05)	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00
1958	Wet	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.01	(0.44)	(0.03)
1959	Below Normal	0.00	0.00	1.32	(0.01)	(1.06)	0.00	0.00	0.01	0.08	0.06	0.04	2.69	0.26
1960	Dry	(0.09)	(0.06)	(0.06)	(0.05)	(0.04)	(0.02)	(0.02)	(0.08)	(0.16)	(0.34)	(0.08)	(3.40)	(0.37)
1961	Dry	0.00	0.01	0.01	0.00	0.00	0.01	0.00	(0.01)	(0.01)	(0.32)	0.17	0.01	(0.01)
1962	Below Normal	0.00	0.01	0.15	(0.15)	0.00	0.00	0.01	0.01	0.01	0.03	0.02	0.03	0.01
1963	Wet	0.01	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.02
1964	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.02	(0.01)	0.00	0.01	(0.02)	0.02	0.00
1965	Wet	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)	0.03	0.01	(0.02)
1966	Below Normal	0.01	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.04	0.00	0.04	(0.03)	0.01
1967	Wet	0.04	0.01	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.03	1.29	0.12
1968	Below Normal	(0.03)	(0.02)	2.78	(4.22)	0.00	0.00	0.01	0.01	0.02	0.00	0.01	0.00	(0.12)
1969	Wet	0.31	0.00	0.00	(0.45)	0.00	0.00	0.00	0.00	0.00	4.20	(2.46)	(0.12)	0.12
1970	Wet	(0.05)	(0.03)	(1.78)	0.00	0.00	0.00	0.00	(0.01)	0.06	(0.04)	(0.01)	5.81	0.33
1971	Wet	(0.41)	(0.53)	(0.17)	(0.11)	(0.10)	(7.34)	0.00	0.00	0.00	(0.01)	(0.10)	0.02	(0.73)
1972	Below Normal	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.03	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.01	(0.06)	0.01	0.01	0.00
1974	Wet	0.24	0.00	(0.23)	0.00	0.00	0.00	0.00	0.00	0.00	0.04	(0.01)	(0.01)	0.00
1975	Wet	(0.02)	(0.01)	(0.07)	0.00	0.07	0.00	0.00	0.00	0.00	(0.01)	0.02	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.01	0.38	(0.05)	(0.04)	0.03
1977	Critical	(0.33)	0.01	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	(0.05)	0.05	0.07	0.08	0.07	0.02
1979	Below Normal	(0.14)	(0.09)	(45.83)	0.63	0.42	0.25	0.71	0.93	1.43	2.90	3.75	3.35	(2.64)
1980	Above Normal	(4.06)	1.06	1.06	60.00	0.00	0.00	(0.21)	(0.29)	(0.41)	(1.13)	(1.11)	(36.26)	1.55
1981	Dry	0.70	0.32	0.31	0.64	0.65	18.73	0.47	0.66	1.08	(0.10)	9.70	2.06	2.94
1982	Wet	2.43	0.42	13.66	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.25	1.41
1983	Wet	(0.36)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1984	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.00	0.00	0.01	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	(0.01)	0.00	0.00
1986	Wet	(0.05)	0.00	0.05	0.00	(0.01)	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00
1987	Dry	0.00	0.00	0.10	0.00	(0.01)	0.00	0.00	(0.03)	1.33	(0.08)	(0.07)	(0.07)	0.10
1988	Critical	(0.04)	(0.02)	(0.04)	(0.02)	(0.03)	(0.03)	(0.04)	(0.03)	(0.06)	(1.58)	0.00	0.01	(0.16)
1989	Dry	0.01	0.01	0.00	(0.01)	0.00	(0.01)	0.00	(0.04)	(0.02)	0.02	(2.29)	(3.06)	(0.45)
1990	Critical	0.49	0.17	0.98	0.12	0.05	0.04	0.24	0.15	0.25	1.08	4.36	0.03	0.66
1991	Critical	0.01	0.01	0.00	0.00	(0.06)	0.06	0.00	0.00	(0.02)	0.19	(0.25)	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(13.34)	13.47	(0.26)	(0.01)	(0.01)
1993	Above Normal	(0.01)	(0.01)	0.00	0.01	0.00	0.41	0.00	0.00	0.00	(0.16)	(0.11)	(0.02)	0.01
1994	Critical	0.02	0.01	1.90	(0.02)	(0.01)	(0.01)	(0.05)	(0.04)	(0.06)	(0.55)	(0.32)	(0.05)	0.07
1995	Wet	(0.03)	(0.02)	(0.03)	(0.01)	(1.09)	0.00	0.00	0.00	0.00	0.00	0.00	0.23	(0.08)
1996	Wet	0.00	0.00	(0.24)	0.00	0.00	0.00	0.00	0.00	(0.01)	(2.22)	0.09	0.01	(0.20)
1997	Wet	(0.02)	(0.01)	(0.12)	0.00	0.00	0.00	0.00	0.00	(4.78)	1.84	0.16	0.34	(0.22)
1998	Wet	0.14	0.08	0.07	0.04	3.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29
1999	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.03	(0.01)	0.00
2000	Above Normal	0.00	0.00	0.02	0.00	(0.05)	0.00	(0.01)	0.00	(0.01)	(0.01)	0.02	0.02	0.00
2001	Dry	(0.01)	(0.01)	(2.36)	0.06	0.05	0.06	0.09	0.17	0.21	2.46	0.00	0.00	0.06
2002	Dry	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.01	(1.04)	1.06	0.00
2003	Above Normal	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
	Average	(0.27)	0.02	(0.23)	0.68	0.24	(0.01)	0.26	(0.18)	(0.12)	0.25	0.15	(0.40)	0.03
	Wet	(0.28)	(0.02)	0.51	(0.03)	0.03	(0.29)	0.00	(0.00)	(0.18)	0.31	(0.08)	0.25	0.02
	Above Normal	(0.33)	0.09	0.84	4.98	(0.01)	(1.04)	(0.02)	(0.03)	(0.03)	(0.10)	(0.07)	(2.92)	0.11
	Below Normal	(0.48)	0.03	(3.02)	(0.24)	1.36	0.02	0.05	(0.20)	0.72	0.16	0.36	0.42	(0.07)
	Dry	(0.24)	0.01	(0.15)	0.03	0.02	1.02	1.16	(0.04)	(0.14)	(0.10)	0.30	(0.58)	0.11
	Critical	0.02	0.03	0.24	0.01	0.00	0.02	0.02	(0.92)	(1.02)	1.10	0.37	0.03	(0.01)

Percent Difference in Energy generated (GWh) at Oroville Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	1%	0%	-9%	1%	1%	1%	1%
1935	Below Normal	2%	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-5%	1%	-2%	1%	34%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1938	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	-1%	11%	-1%	-1%	-1%	0%	-16%
1940	Above Normal	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	-1%	4%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	-3%	3%	0%	0%	0%
1947	Dry	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1948	Below Normal	-6%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	-1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	10%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1955	Dry	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	10%
1956	Wet	-14%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%	2%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	2%	-7%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	2%	-1%	0%
1970	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	2%
1971	Wet	0%	-1%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	-26%	2%	1%	1%	1%	1%	1%	1%	1%	2%
1980	Above Normal	-5%	2%	2%	37%	0%	0%	0%	0%	0%	0%	-1%	-12%
1981	Dry	0%	0%	0%	1%	1%	37%	1%	1%	0%	0%	4%	1%
1982	Wet	6%	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	-2%
1990	Critical	1%	0%	1%	1%	0%	0%	0%	0%	0%	0%	8%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	-8%	13%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Above Normal	0%	0%	1%	3%	0%	0%	0%	0%	0%	0%	0%	-1%
	Below Normal	-1%	0%	-2%	0%	3%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	2%	1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	1%	1%	0%

Energy generated (GWh) at SWP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.14	10.46	0.00	0.00	0.92	0.00	41.49	43.15	0.00	0.00	0.00	0.00	99.16
1923	Below Normal	0.00	2.43	0.00	3.23	1.46	9.19	27.89	38.81	31.14	0.00	0.00	0.00	114.15
1924	Critical	0.00	0.00	0.00	0.00	0.00	14.31	21.06	22.50	30.05	0.00	24.27	11.28	123.47
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.54	51.84	51.27	0.00	24.41	0.00	159.06
1926	Dry	0.00	0.00	0.00	0.00	0.00	18.37	14.31	32.48	17.70	0.00	14.45	0.00	97.31
1927	Wet	6.36	0.00	0.00	0.00	0.00	7.36	53.34	59.54	28.22	0.00	0.00	0.00	154.82
1928	Above Normal	0.49	6.35	0.00	0.00	5.43	0.00	58.65	63.83	30.37	0.00	0.00	0.00	165.12
1929	Critical	1.23	18.74	0.00	0.00	0.00	0.00	0.00	26.96	30.14	31.85	18.82	0.00	127.74
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	17.10	27.36	25.40	0.00	0.00	0.00	69.86
1931	Critical	0.00	0.00	0.00	0.00	0.00	4.00	28.76	34.53	42.51	8.71	30.16	15.14	163.81
1932	Dry	1.13	0.00	0.00	0.00	0.00	0.00	26.76	42.74	40.19	10.80	0.00	3.16	124.78
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	19.77	40.97	60.86	22.22	34.01	22.34	200.17
1934	Critical	7.31	0.00	0.00	0.00	0.00	0.00	34.04	34.87	51.42	39.88	25.69	0.00	193.21
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	53.43	63.54	42.99	0.00	0.00	0.00	159.96
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	53.81	74.09	45.18	0.00	0.00	0.00	173.08
1937	Below Normal	0.00	10.80	0.00	0.00	0.00	0.00	63.62	77.98	28.88	4.10	1.30	19.92	206.60
1938	Wet	5.14	0.00	0.00	0.00	0.00	0.00	48.60	0.02	11.96	12.11	7.99	0.00	85.82
1939	Dry	19.81	49.19	0.00	0.00	0.00	10.41	34.10	34.98	30.77	0.00	0.00	0.00	179.26
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	28.19	37.94	23.16	0.00	0.00	0.00	89.29
1941	Wet	0.00	9.29	0.00	0.00	0.00	0.00	52.03	52.58	21.63	0.00	0.00	0.00	135.53
1942	Wet	14.52	33.22	0.00	0.00	0.00	0.00	28.76	32.58	13.78	0.00	0.00	0.00	122.86
1943	Wet	0.00	21.17	0.00	0.00	0.00	0.00	62.13	66.16	33.36	2.39	0.00	0.00	185.21
1944	Dry	8.51	4.03	0.00	0.00	0.00	0.00	19.11	24.46	23.20	0.00	0.00	2.73	82.04
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	55.48	69.07	44.19	0.00	0.00	0.00	168.74
1946	Below Normal	0.00	0.00	0.00	0.00	22.34	12.70	45.20	51.52	37.07	0.00	0.00	0.00	168.83
1947	Dry	0.00	0.00	0.00	0.00	0.00	7.95	63.51	66.84	40.68	0.00	15.39	0.00	194.37
1948	Below Normal	0.00	0.00	8.50	0.00	10.95	0.00	10.69	16.18	0.00	0.00	0.00	0.00	46.32
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	48.92	53.07	47.77	0.00	3.87	0.00	153.63
1950	Below Normal	13.30	0.00	0.00	0.00	0.00	0.00	27.33	25.69	1.20	0.00	0.00	0.00	67.52
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	47.82	64.53	36.41	0.00	0.00	0.00	148.76
1952	Wet	0.99	0.00	0.00	0.00	9.97	0.00	40.70	55.03	12.15	5.76	0.00	0.00	124.60
1953	Wet	15.44	38.07	0.00	9.17	0.00	0.00	22.98	25.06	13.94	0.00	0.00	0.00	124.66
1954	Above Normal	3.96	18.72	0.00	0.00	0.00	0.00	31.40	35.01	26.72	0.00	0.00	0.00	115.81
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	33.32	45.47	53.61	0.00	14.64	3.25	150.29
1956	Wet	3.18	0.00	0.00	0.00	0.00	0.00	58.45	67.80	24.90	0.00	0.00	0.00	154.33
1957	Above Normal	10.67	34.55	0.00	0.00	8.77	0.00	29.41	30.89	24.60	0.00	0.00	0.00	138.89
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	56.64	74.32	26.37	6.60	5.16	0.00	169.09
1959	Below Normal	7.26	15.46	0.00	0.00	0.00	0.00	17.53	28.61	3.11	0.00	0.00	0.00	71.97
1960	Dry	0.00	0.75	0.00	0.00	0.00	0.00	44.89	37.23	36.35	0.00	0.01	0.00	119.23
1961	Dry	11.08	0.00	0.00	0.00	0.00	0.00	32.04	37.07	49.57	0.00	5.84	0.00	135.60
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.18	28.72	9.35	0.00	0.00	0.00	64.25
1963	Wet	0.00	0.00	0.00	3.93	7.56	0.00	39.56	46.80	27.18	0.00	0.00	0.00	125.03
1964	Dry	0.00	0.00	0.00	0.00	29.09	20.26	49.18	52.59	40.95	0.00	15.46	0.00	207.53
1965	Wet	1.73	0.00	0.00	0.00	0.16	0.00	35.89	43.13	15.34	0.00	0.00	0.00	96.25
1966	Below Normal	9.50	0.00	0.00	0.00	2.94	4.10	32.64	39.79	37.05	0.00	0.00	0.00	126.02
1967	Wet	0.00	0.00	0.00	0.00	3.20	0.00	60.32	63.55	8.10	7.80	5.60	0.00	148.57
1968	Below Normal	7.35	37.90	0.00	0.00	1.80	0.00	19.71	29.86	6.23	0.00	0.00	0.00	102.85
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.92	1.90	13.22	0.00	19.04
1970	Wet	6.14	56.78	0.00	0.00	0.00	0.00	55.68	62.53	42.45	0.00	0.00	0.00	223.58
1971	Wet	2.14	0.00	0.00	7.84	13.34	0.00	28.56	34.52	27.08	0.00	0.00	0.00	113.48
1972	Below Normal	0.00	17.75	0.00	0.00	24.62	14.82	30.87	38.71	37.58	0.00	0.00	0.00	164.35
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	50.15	65.24	34.75	0.00	0.00	0.00	150.14
1974	Wet	0.00	0.00	0.00	0.00	11.73	1.91	68.47	63.26	24.44	0.00	0.00	0.00	169.81
1975	Wet	0.00	22.76	0.00	0.00	0.00	0.00	47.69	44.33	18.14	0.00	0.00	0.00	132.92
1976	Critical	0.00	31.10	0.00	0.00	0.00	0.00	31.79	42.16	46.55	0.00	3.43	0.00	155.03
1977	Critical	5.09	8.16	6.12	0.00	0.00	5.43	8.24	0.00	0.00	0.00	0.00	0.00	33.04
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	23.53	23.39	8.40	0.00	0.00	0.00	55.32
1979	Below Normal	1.32	11.33	0.00	0.00	0.00	0.00	57.72	58.99	35.69	0.00	0.00	0.00	165.05
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	61.68	78.75	40.61	3.46	5.11	0.00	189.61
1981	Dry	8.73	29.76	0.00	0.00	0.00	0.00	20.49	23.33	8.81	0.00	0.86	0.00	91.98
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.22	44.61	8.89	4.84	0.00	128.56
1983	Wet	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	10.63	0.00	10.76
1984	Wet	0.00	0.00	0.00	0.12	0.00	0.00	45.93	64.61	34.76	0.00	0.00	0.00	145.42
1985	Dry	0.00	0.00	0.00	0.14	0.00	10.44	48.02	57.00	40.36	0.00	15.96	0.00	171.92
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	64.61	85.77	47.60	6.77	9.34	0.00	214.09
1987	Dry	11.53	16.41	0.00	0.00	0.00	0.00	13.25	1.83	8.67	17.68	10.75	0.00	80.12
1988	Critical	2.76	0.00	0.00	0.00	0.00	0.00	3.22	6.72	19.96	0.00	16.85	1.09	50.60
1989	Dry	3.27	0.00	0.00	0.00	0.00	0.00	44.78	49.84	40.16	0.00	9.63	0.00	147.68
1990	Critical	0.00	5.93	0.00	0.00	0.00	3.61	15.74	10.31	24.25	0.00	17.64	0.21	77.69
1991	Critical	3.62	0.00	0.00	0.00	0.00	0.00	2.23	7.79	0.46	0.00	13.67	5.01	32.78
1992	Critical	0.00	1.61	0.00	0.00	0.00	0.00	11.78	12.79	8.34	20.02	11.11	0.00	65.65
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	36.21	40.09	0.40	0.00	0.00	0.00	76.70
1994	Critical	0.00	23.93	0.00	0.00	0.00	0.00	33.82	36.11	40.38	0.00	0.00	0.00	134.24
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	47.78	0.00	13.42	3.90	0.00	0.00	65.10
1996	Wet	27.81	20.06	0.00	0.00	0.00	0.00	42.12	40.79	20.59	0.00	0.00	0.00	151.37
1997	Wet	14.98	21.71	0.00	0.00	0.00	0.00	66.86	70.46	48.08	3.44	0.00	0.00	225.53
1998	Wet	8.22	15.79	0.00	0.00	0.00	0.00	37.05	39.58	0.00	0.00	0.00	0.00	100.64
1999	Wet	0.00	0.00	0.00	0.11	0.00	0.00	47.40	61.95	32.18	0.00	0.00	9.72	151.36
2000	Above Normal	11.04	28.69	0.00	0.00	0.00	0.00	44.27	49.58	23.44	0.00	0.00	0.00	157.02
2001	Dry	3.83	24.49	0.00	0.00	0.00	0.00	21.26	32.28	28.14	3.20	31.25	0.00	144.45
2002	Dry	9.33	0.00	0.00	0.00	0.00	0.00	57.14	55.52	44.18	0.00	14.36	0.00	180.53
2003	Above Normal	7.51	0.00	0.00	0.00	0.00	0.00	27.85	24.69	0.00	0.00	0.00	0.00	60.05
	Average	3.41	7.90	0.18	0.30	1.88	1.77	35.91	41.77	26.65	2.70	5.31	1.14	128.92
	Wet	4.10	9.19	0.00	0.82	1.77	0.36	42.75	47.10	22.85	2.29	2.18	0.37	133.79
	Above Normal	3.07	8.23	0.00	0.00	1.26	0.00	40.05	46.42	20.74	0.29	0.43	0.00	120.49
	Below Normal	2.77	6.83	0.61	0.23	4.58	2.92	37.29	45.83	25.69	0.29	0.09	1.42	128.55
	Dry	4.29	6.92	0.00	0.01	1.62	3.75	34.43	40.33	34.88	1.76	9.83	0.51	138.31
	Critical	1.67	7.46	0.51	0.00	0.00	2.28	17.54	22.98	29.58	10.22	16.30	4.59	113.12

Energy generated (GWh) at SWP San Luis: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	3.14	10.46	0.00	0.00	0.90	0.00	41.45	43.08	0.00	0.00	0.00	0.00	99.03
1923	Below Normal	0.00	2.43	0.00	3.92	1.57	8.79	27.72	38.52	30.87	0.00	0.00	0.00	113.82
1924	Critical	0.00	0.00	0.00	0.00	0.00	14.29	21.08	22.66	30.10	0.00	24.30	11.32	123.75
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	31.58	51.89	51.35	0.00	24.41	0.00	159.23
1926	Dry	0.00	0.00	0.00	0.00	0.00	18.35	14.27	32.44	17.62	0.00	14.32	0.00	97.00
1927	Wet	6.35	0.00	0.00	0.00	0.00	7.36	53.35	59.55	28.23	0.00	0.00	0.00	154.84
1928	Above Normal	0.50	6.37	0.00	0.00	5.38	0.00	58.65	63.83	30.36	0.00	0.00	0.00	165.09
1929	Critical	1.24	18.75	0.00	0.00	0.00	0.00	0.00	26.94	30.12	31.84	18.80	0.00	127.69
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	17.10	27.36	25.38	0.00	0.00	0.00	69.84
1931	Critical	0.00	0.00	0.00	0.00	0.00	4.02	28.76	34.53	42.51	8.84	30.14	15.14	163.94
1932	Dry	1.14	0.00	0.00	0.00	0.00	0.00	26.73	42.68	40.11	10.77	0.00	3.15	124.58
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	19.77	40.97	60.86	22.46	34.05	22.37	200.48
1934	Critical	7.33	0.00	0.00	0.00	0.00	0.00	32.77	45.31	56.22	46.36	36.16	0.00	224.15
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	50.90	61.80	42.43	0.00	0.00	0.00	155.13
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	53.80	74.09	45.18	0.00	0.00	0.00	173.07
1937	Below Normal	0.00	10.83	0.00	0.00	0.00	0.00	68.24	79.12	27.41	3.86	1.18	17.39	208.03
1938	Wet	5.07	0.00	0.00	0.00	0.00	0.00	54.52	61.31	13.39	10.94	6.62	0.00	151.85
1939	Dry	14.14	44.47	0.00	0.00	0.00	4.21	14.27	28.42	7.23	0.00	0.20	0.00	112.94
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	28.50	38.75	23.49	0.00	0.00	0.00	90.74
1941	Wet	0.00	9.43	0.00	0.00	0.00	0.00	51.64	51.49	20.16	0.00	0.00	0.00	132.72
1942	Wet	13.85	32.91	0.00	0.00	0.00	0.00	28.65	32.38	13.74	0.00	0.00	0.00	121.53
1943	Wet	0.00	21.16	0.00	0.00	0.00	0.00	61.06	64.51	34.98	0.51	0.00	0.00	182.22
1944	Dry	7.43	2.51	0.00	0.00	0.00	0.00	19.13	24.51	24.36	0.00	0.00	2.67	80.61
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	55.36	68.87	43.82	0.00	0.00	0.00	168.05
1946	Below Normal	0.00	0.00	0.00	0.00	22.28	14.63	44.56	51.07	35.52	0.00	0.00	0.00	168.06
1947	Dry	0.00	0.00	0.00	0.00	0.00	6.35	63.62	67.20	41.03	0.00	15.77	0.00	193.97
1948	Below Normal	0.00	0.00	12.77	0.00	10.22	0.00	10.71	16.37	0.00	0.00	0.00	0.00	50.07
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	48.54	52.81	47.74	0.00	3.78	0.00	152.87
1950	Below Normal	13.29	0.00	0.00	0.00	0.00	0.00	27.35	25.72	1.20	0.00	0.00	0.00	67.56
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	47.88	64.57	36.43	0.00	0.00	0.00	148.88
1952	Wet	1.02	0.00	0.00	0.00	9.89	0.00	40.55	41.76	4.56	0.00	0.00	0.00	97.78
1953	Wet	6.81	29.65	0.00	19.69	7.57	1.62	27.14	33.58	32.78	0.00	0.00	0.00	158.84
1954	Above Normal	3.49	19.36	0.00	0.00	7.92	0.00	31.83	36.53	29.26	0.20	0.00	0.00	128.59
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	34.51	46.97	55.20	0.00	15.40	1.46	153.54
1956	Wet	6.57	0.00	0.00	0.00	0.00	0.00	58.66	67.94	25.00	0.00	0.00	0.00	158.17
1957	Above Normal	10.76	34.55	0.00	0.00	8.73	0.00	29.35	30.74	24.22	0.00	0.00	0.00	138.35
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	57.06	71.63	23.40	8.15	4.21	0.00	164.45
1959	Below Normal	5.63	13.64	0.00	0.00	0.00	0.00	17.79	28.82	3.17	0.00	0.00	0.00	69.05
1960	Dry	0.00	0.75	0.00	0.00	0.00	0.00	44.80	37.11	36.27	0.00	0.01	0.00	118.94
1961	Dry	11.07	0.00	0.00	0.00	0.00	0.00	32.05	37.08	49.57	0.00	5.79	0.00	135.56
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	26.18	28.73	9.34	0.00	0.00	0.00	64.25
1963	Wet	0.00	0.00	0.00	3.93	7.56	0.00	39.51	46.69	26.97	0.00	0.00	0.00	124.66
1964	Dry	0.00	0.00	0.00	0.00	29.10	20.31	49.20	52.63	41.04	0.00	15.49	0.00	207.77
1965	Wet	1.77	0.00	0.00	0.00	0.15	0.00	35.32	41.80	14.91	0.00	0.00	0.00	93.95
1966	Below Normal	9.51	0.00	0.00	0.00	2.91	4.10	32.63	39.77	37.04	0.00	0.00	0.00	125.96
1967	Wet	0.00	0.00	0.00	0.00	3.21	0.00	61.12	63.11	8.98	6.63	4.98	0.00	148.03
1968	Below Normal	8.03	31.11	0.00	0.00	0.00	0.00	19.90	30.06	6.44	0.00	0.00	0.00	95.54
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.70	0.00	3.95	0.00	5.06	0.00	40.71
1970	Wet	7.65	56.06	0.00	0.00	0.00	0.00	58.36	62.11	41.90	0.00	0.00	0.00	226.08
1971	Wet	1.39	0.00	0.00	7.88	13.41	0.00	28.73	34.69	27.09	0.00	0.00	0.00	113.19
1972	Below Normal	0.00	17.99	0.00	0.00	24.78	14.95	30.94	38.78	37.61	0.00	0.00	0.00	165.05
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	50.15	65.24	34.38	0.00	0.00	0.00	149.77
1974	Wet	0.00	0.00	0.00	0.00	11.61	1.84	67.51	62.21	23.29	0.00	0.00	0.00	166.46
1975	Wet	0.00	22.82	0.00	0.00	0.00	0.00	47.72	44.51	18.15	0.00	0.00	0.00	133.20
1976	Critical	0.00	31.07	0.00	0.00	0.00	0.00	31.91	42.31	46.74	0.00	3.42	0.00	155.45
1977	Critical	5.21	8.18	5.74	0.00	0.00	5.44	8.24	0.00	0.00	0.00	0.00	0.00	32.81
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	22.69	23.68	9.15	0.00	0.00	0.00	55.52
1979	Below Normal	0.40	11.86	0.00	0.00	0.00	0.00	53.66	54.46	32.03	0.00	0.00	0.00	152.41
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	45.71	65.85	29.30	0.00	0.00	0.00	140.86
1981	Dry	2.04	28.06	0.00	0.00	2.67	7.83	27.50	35.64	35.46	0.00	0.62	0.00	139.82
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.03	43.57	8.35	4.27	0.00	131.22
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.63	0.00	10.63
1984	Wet	0.00	0.00	0.00	0.12	0.00	0.00	45.90	64.61	34.77	0.00	0.00	0.00	145.40
1985	Dry	0.00	0.00	0.00	0.14	0.00	10.44	48.02	57.00	40.36	0.00	15.96	0.00	171.92
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	69.16	85.56	46.94	6.67	8.82	0.00	217.15
1987	Dry	11.27	12.86	0.00	0.00	0.00	0.00	13.07	1.79	7.97	17.46	10.59	0.00	75.01
1988	Critical	2.79	0.00	0.00	0.00	0.00	0.00	3.23	6.94	20.26	0.00	17.03	1.23	51.48
1989	Dry	3.32	0.00	0.00	0.00	0.00	0.00	44.40	49.59	40.16	0.00	9.19	0.00	146.66
1990	Critical	0.00	6.09	0.00	0.00	0.00	3.58	15.79	15.47	24.24	0.00	16.49	0.12	81.78
1991	Critical	3.52	0.00	0.00	0.00	0.00	0.00	2.16	7.72	0.46	0.00	13.48	4.92	32.26
1992	Critical	0.00	1.59	0.00	0.00	0.00	0.00	11.42	12.34	13.10	15.51	10.89	0.00	64.85
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	36.21	40.07	0.65	0.00	0.00	0.00	76.93
1994	Critical	0.00	24.01	0.00	0.00	0.00	0.00	33.85	36.23	40.94	0.00	0.00	0.00	135.03
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	48.26	35.65	12.83	0.24	0.00	0.00	96.98
1996	Wet	8.32	0.00	0.00	0.00	0.00	0.00	40.92	38.63	19.78	0.00	0.00	0.00	107.65
1997	Wet	14.92	21.79	0.00	0.00	0.00	0.00	66.45	70.49	48.56	3.14	0.00	0.00	225.35
1998	Wet	8.23	15.84	0.00	0.00	0.00	0.00	38.32	39.22	0.00	0.00	0.00	0.00	101.61
1999	Wet	0.00	0.00	0.00	0.11	0.00	0.00	47.44	62.03	32.25	0.00	0.00	9.72	151.55
2000	Above Normal	11.04	28.68	0.00	0.00	0.00	0.00	43.84	49.23	23.20	0.00	0.00	0.00	155.99
2001	Dry	3.70	24.20	0.00	0.00	0.00	0.00	21.28	32.28	28.10	2.47	31.32	0.00	143.35
2002	Dry	9.35	0.00	0.00	0.00	0.00	0.00	57.02	55.38	44.07	0.00	14.27	0.00	180.09
2003	Above Normal	7.98	0.00	0.00	0.00	0.00	0.00	27.84	24.66	0.00	0.00	0.00	0.00	60.48
	Average	2.92	7.31	0.23	0.44	2.07	1.81	36.08	42.89	26.72	2.49	5.22	1.09	129.27
	Wet	3.15	8.06	0.00	1.22	2.05	0.42	44.58	50.40	23.08	1.72	1.72	0.37	136.78
	Above Normal	3.08	8.29	0.00	0.00	1.91	0.00	38.68	45.52	20.04	0.02	0.00	0.00	117.52
	Below Normal	2.63	6.28	0.91	0.28	4.41	3.03	37.12	45.44	25.15	0.28	0.08	1.24	126.86
	Dry	3.53	6.27	0.00	0.01	1.77	3.75	33.73	40.71	35.17	1.71	9.84	0.40	136.87
	Critical	1.67	7.47	0.48	0.00	0.00	2.28	17.42	24.29	30.46	10.42	17.06	4.59	116.14

Difference in Energy generated (GWh) at SWP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	(0.04)	(0.07)	0.00	0.00	0.00	0.00	(0.01)
1923	Below Normal	0.00	0.00	0.00	0.69	0.11	(0.40)	(0.17)	(0.29)	(0.27)	0.00	0.00	0.00	(0.03)
1924	Critical	0.00	0.00	0.00	0.00	0.00	(0.02)	0.02	0.16	0.05	0.00	0.03	0.04	0.02
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.05	0.08	0.00	0.00	0.00	0.01
1926	Dry	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.04)	(0.04)	(0.08)	0.00	(0.13)	0.00	(0.03)
1927	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.00
1928	Above Normal	0.01	0.02	0.00	0.00	(0.05)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1929	Critical	0.01	0.01	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.02)	(0.01)	(0.02)	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.13	(0.02)	0.00	0.01
1932	Dry	0.01	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.06)	(0.08)	(0.03)	0.00	(0.01)	(0.02)
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.04	0.03	0.03
1934	Critical	0.02	0.00	0.00	0.00	0.00	0.00	(1.27)	10.44	4.80	6.48	10.47	0.00	2.58
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(2.53)	(1.74)	(0.56)	0.00	0.00	0.00	(0.40)
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.03	0.00	0.00	0.00	0.00	4.62	1.14	(1.47)	(0.24)	(0.12)	(2.53)	0.12
1938	Wet	(0.07)	0.00	0.00	0.00	0.00	0.00	5.92	61.29	1.43	(1.17)	(1.37)	0.00	5.50
1939	Dry	(5.67)	(4.72)	0.00	0.00	0.00	(6.20)	(19.83)	(6.56)	(23.54)	0.00	0.20	0.00	(5.53)
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.31	0.81	0.33	0.00	0.00	0.00	0.12
1941	Wet	0.00	0.14	0.00	0.00	0.00	0.00	(0.39)	(1.09)	(1.47)	0.00	0.00	0.00	(0.23)
1942	Wet	(0.67)	(0.31)	0.00	0.00	0.00	0.00	(0.11)	(0.20)	(0.04)	0.00	0.00	0.00	(0.11)
1943	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	(1.07)	(1.65)	1.62	(1.88)	0.00	0.00	(0.25)
1944	Dry	(1.08)	(1.52)	0.00	0.00	0.00	0.00	0.02	0.05	1.16	0.00	0.00	(0.06)	(0.12)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.20)	(0.37)	0.00	0.00	0.00	(0.06)
1946	Below Normal	0.00	0.00	0.00	0.00	(0.06)	1.93	(0.64)	(0.45)	(1.55)	0.00	0.00	0.00	(0.06)
1947	Dry	0.00	0.00	0.00	0.00	0.00	(1.60)	0.11	0.36	0.35	0.00	0.38	0.00	(0.03)
1948	Below Normal	0.00	0.00	4.27	0.00	(0.73)	0.00	0.02	0.19	0.00	0.00	0.00	0.00	0.31
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.38)	(0.26)	(0.03)	0.00	(0.09)	0.00	(0.06)
1950	Below Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	0.03	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.04	0.02	0.00	0.00	0.00	0.01
1952	Wet	0.03	0.00	0.00	0.00	(0.08)	0.00	(0.15)	(13.27)	(7.59)	(5.76)	0.00	0.00	(2.24)
1953	Wet	(8.63)	(8.42)	0.00	10.52	7.57	1.62	4.16	8.52	18.84	0.00	0.00	0.00	2.85
1954	Above Normal	(0.47)	0.64	0.00	0.00	7.92	0.00	0.43	1.52	2.54	0.20	0.00	0.00	1.07
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1.50	1.59	0.00	0.76	(1.79)	0.27
1956	Wet	3.39	0.00	0.00	0.00	0.00	0.00	0.21	0.14	0.10	0.00	0.00	0.00	0.32
1957	Above Normal	0.09	0.00	0.00	0.00	(0.04)	0.00	(0.06)	(0.15)	(0.38)	0.00	0.00	0.00	(0.05)
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.42	(2.69)	(2.97)	1.55	(0.95)	0.00	(0.39)
1959	Below Normal	(1.63)	(1.82)	0.00	0.00	0.00	0.00	0.26	0.21	0.06	0.00	0.00	0.00	(0.24)
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.12)	(0.08)	0.00	0.00	0.00	(0.02)
1961	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	(0.05)	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.05)	(0.11)	(0.21)	0.00	0.00	0.00	(0.03)
1964	Dry	0.00	0.00	0.00	0.00	0.01	0.05	0.02	0.04	0.09	0.00	0.03	0.00	0.02
1965	Wet	0.04	0.00	0.00	0.00	(0.01)	0.00	(0.57)	(1.33)	(0.43)	0.00	0.00	0.00	(0.19)
1966	Below Normal	0.01	0.00	0.00	0.00	(0.03)	0.00	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.01	0.00	0.80	(0.44)	0.88	(1.17)	(0.62)	0.00	(0.04)
1968	Below Normal	0.68	(6.79)	0.00	0.00	(1.80)	0.00	0.19	0.20	0.21	0.00	0.00	0.00	(0.61)
1969	Wet	0.00	0.00	0.00	0.00	0.00	0.00	31.70	0.00	0.03	(1.90)	(8.16)	0.00	1.81
1970	Wet	1.51	(0.72)	0.00	0.00	0.00	0.00	2.68	(0.42)	(0.55)	0.00	0.00	0.00	0.21
1971	Wet	(0.75)	0.00	0.00	0.04	0.07	0.00	0.17	0.17	0.01	0.00	0.00	0.00	(0.02)
1972	Below Normal	0.00	0.24	0.00	0.00	0.16	0.13	0.07	0.07	0.03	0.00	0.00	0.00	0.06
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.37)	0.00	0.00	0.00	(0.03)
1974	Wet	0.00	0.00	0.00	0.00	(0.12)	(0.07)	(0.96)	(1.05)	(1.15)	0.00	0.00	0.00	(0.28)
1975	Wet	0.00	0.06	0.00	0.00	0.00	0.00	0.03	0.18	0.01	0.00	0.00	0.00	0.02
1976	Critical	0.00	(0.03)	0.00	0.00	0.00	0.00	0.12	0.15	0.19	0.00	(0.01)	0.00	0.04
1977	Critical	0.12	0.02	(0.38)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.84)	0.29	0.75	0.00	0.00	0.00	0.02
1979	Below Normal	(0.92)	0.53	0.00	0.00	0.00	0.00	(4.06)	(4.53)	(3.66)	0.00	0.00	0.00	(1.05)
1980	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(15.97)	(12.90)	(11.31)	(3.46)	(5.11)	0.00	(4.06)
1981	Dry	(6.69)	(1.70)	0.00	0.00	2.67	7.83	7.01	12.31	26.65	0.00	(0.24)	0.00	3.99
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.81	(1.04)	(0.54)	(0.57)	0.00	0.22
1983	Wet	0.00	0.00	0.00	(0.13)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.01	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	4.55	(0.21)	(0.66)	(0.10)	(0.52)	0.00	0.26
1987	Dry	(0.26)	(3.55)	0.00	0.00	0.00	0.00	(0.18)	(0.04)	(0.70)	(0.22)	(0.16)	0.00	(0.43)
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.22	0.30	0.00	0.18	0.14	0.07
1989	Dry	0.05	0.00	0.00	0.00	0.00	0.00	(0.38)	(0.25)	0.00	0.00	(0.44)	0.00	(0.09)
1990	Critical	0.00	0.16	0.00	0.00	0.00	(0.03)	0.05	5.16	(0.01)	0.00	(1.15)	(0.09)	0.34
1991	Critical	(0.10)	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.07)	0.00	0.00	(0.19)	(0.09)	(0.04)
1992	Critical	0.00	(0.02)	0.00	0.00	0.00	0.00	(0.36)	(0.45)	4.76	(4.51)	(0.22)	0.00	(0.07)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	0.25	0.00	0.00	0.00	0.02
1994	Critical	0.00	0.08	0.00	0.00	0.00	0.00	0.03	0.12	0.56	0.00	0.00	0.00	0.07
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.48	35.65	(0.59)	(3.66)	0.00	0.00	2.66
1996	Wet	(19.49)	(20.06)	0.00	0.00	0.00	0.00	(1.20)	(2.16)	(0.81)	0.00	0.00	0.00	(3.64)
1997	Wet	(0.06)	0.08	0.00	0.00	0.00	0.00	(0.41)	0.03	0.48	(0.30)	0.00	0.00	(0.01)
1998	Wet	0.01	0.05	0.00	0.00	0.00	0.00	1.27	(0.36)	0.00	0.00	0.00	0.00	0.08
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.08	0.07	0.00	0.00	0.00	0.02
2000	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.43)	(0.35)	(0.24)	0.00	0.00	0.00	(0.09)
2001	Dry	(0.13)	(0.29)	0.00	0.00	0.00	0.00	0.02	0.00	(0.04)	(0.73)	0.07	0.00	(0.09)
2002	Dry	0.02	0.00	0.00	0.00	0.00	0.00	(0.12)	(0.14)	(0.11)	0.00	(0.09)	0.00	(0.04)
2003	Above Normal	0.47	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)	0.00	0.00	0.00	0.00	0.04
	Average	(0.49)	(0.58)	0.05	0.14	0.19	0.04	0.18	1.12	0.07	(0.21)	(0.10)	(0.05)	0.03
	Wet	(0.95)	(1.12)	0.00	0.40	0.29	0.06	1.83	3.30	0.23	(0.57)	(0.47)	0.00	0.25
	Above Normal	0.01	0.05	0.00	0.00	0.65	0.00	(1.38)	(0.91)	(0.70)	(0.27)	(0.43)	0.00	(0.25)
	Below Normal	(0.13)	(0.56)	0.31	0.05	(0.17)	0.12	(0.17)	(0.38)	(0.54)	(0.02)	(0.01)	(0.18)	(0.14)
	Dry	(0.76)	(0.65)	0.00	0.00	0.15	0.00	(0.70)	0.38	0.29	(0.05)	0.01	(0.10)	(0.12)
	Critical	0.01	0.02	(0.03)	0.00	0.00	(0.00)	(0.12)	1.31	0.89	0.19	0.76	0.00	0.25

Percent Difference in Energy generated (GWh) at SWP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	21%	8%	-4%	-1%	-1%	-1%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	2%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1932	Dry	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	-4%	30%	9%	16%	41%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	-5%	-3%	-1%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	7%	1%	-5%	-6%	-9%	-13%
1938	Wet	-1%	0%	0%	0%	0%	0%	12%	>1,000%	12%	-10%	-17%	0%
1939	Dry	-29%	-10%	0%	0%	0%	-60%	-58%	-19%	-77%	0%	-	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	1%	2%	1%	0%	0%	0%
1941	Wet	0%	2%	0%	0%	0%	0%	-1%	-2%	-7%	0%	0%	0%
1942	Wet	-5%	-1%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	-2%	-2%	5%	-79%	0%	0%
1944	Dry	-13%	-38%	0%	0%	0%	0%	0%	0%	5%	0%	0%	-2%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	15%	-1%	-1%	-4%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	0%	-20%	0%	1%	1%	0%	2%	0%
1948	Below Normal	0%	0%	50%	0%	-7%	0%	0%	1%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	-2%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	3%	0%	0%	0%	-1%	0%	0%	-24%	-62%	-100%	0%	0%
1953	Wet	-56%	-22%	0%	115%	-	-	18%	34%	135%	0%	0%	0%
1954	Above Normal	-12%	3%	0%	0%	-	0%	1%	4%	10%	-	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	4%	3%	3%	0%	5%	-55%
1956	Wet	107%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	1%	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	1%	-4%	-11%	23%	-18%	0%
1959	Below Normal	-22%	-12%	0%	0%	0%	0%	1%	1%	2%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	2%	0%	0%	0%	-6%	0%	-2%	-3%	-3%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	1%	-1%	11%	-15%	-11%	0%
1968	Below Normal	9%	-18%	0%	0%	-100%	0%	1%	1%	3%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	0%	0%	-	0%	1%	-100%	-62%	0%
1970	Wet	25%	-1%	0%	0%	0%	0%	5%	-1%	-1%	0%	0%	0%
1971	Wet	-35%	0%	0%	1%	1%	0%	1%	0%	0%	0%	0%	0%
1972	Below Normal	0%	1%	0%	0%	1%	1%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	-1%	-4%	-1%	-2%	-5%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	2%	0%	-6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	-4%	1%	9%	0%	0%	0%
1979	Below Normal	-70%	5%	0%	0%	0%	0%	-7%	-8%	-10%	0%	0%	0%
1980	Above Normal	0%	0%	0%	0%	0%	0%	-26%	-16%	-28%	-100%	-100%	0%
1981	Dry	-77%	-6%	0%	0%	-	-	34%	53%	302%	0%	-28%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	7%	-2%	-6%	-12%	0%
1983	Wet	0%	0%	0%	-100%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	7%	0%	-1%	-1%	-6%	0%
1987	Dry	-2%	-22%	0%	0%	0%	0%	-1%	-2%	-8%	-1%	-1%	0%
1988	Critical	1%	0%	0%	0%	0%	0%	0%	3%	2%	0%	1%	13%
1989	Dry	2%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	-5%	0%
1990	Critical	0%	3%	0%	0%	0%	-1%	0%	50%	0%	0%	-7%	-43%
1991	Critical	-3%	0%	0%	0%	0%	0%	-3%	-1%	0%	0%	-1%	-2%
1992	Critical	0%	-1%	0%	0%	0%	0%	-3%	-4%	57%	-23%	-2%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	63%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	1%	-	-4%	-94%	0%	0%
1996	Wet	-70%	-100%	0%	0%	0%	0%	-3%	-5%	-4%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	-1%	0%	1%	-9%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	3%	-1%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%
2001	Dry	-3%	-1%	0%	0%	0%	0%	0%	0%	0%	-23%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2003	Above Normal	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-3%	-3%	1%	0%	-1%	-1%	0%	1%	5%	-6%	-3%	-1%
	Wet	-1%	-5%	0%	1%	0%	0%	2%	0%	2%	-15%	-5%	0%
	Above Normal	0%	0%	0%	0%	0%	0%	-2%	-1%	4%	-8%	-8%	0%
	Below Normal	-6%	-2%	4%	2%	-7%	1%	0%	-1%	-1%	0%	-1%	-1%
	Dry	-7%	-4%	0%	0%	0%	-4%	-1%	2%	13%	-1%	-2%	-3%
	Critical	0%	0%	-1%	0%	0%	0%	-1%	7%	6%	0%	3%	-3%

Energy generated (GWh) at Syst. Tot.: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	476.99	374.89	330.14	107.98	271.41	390.81	365.76	941.25	551.88	629.84	484.06	579.07	5,504.08
1923	Below Normal	323.93	253.13	292.86	301.95	367.86	279.89	291.15	363.03	354.41	622.60	549.73	357.41	4,357.95
1924	Critical	225.87	194.37	168.06	105.41	108.11	163.19	234.79	263.94	288.89	370.03	206.28	146.07	2,475.01
1925	Dry	65.68	56.30	49.77	51.75	55.09	145.27	273.71	376.52	464.39	628.60	467.04	423.43	3,057.55
1926	Dry	238.93	193.05	169.52	50.25	61.00	157.31	195.07	415.89	478.72	596.90	421.06	292.30	3,270.00
1927	Wet	172.97	168.68	224.24	51.54	205.90	512.55	513.08	525.39	411.61	693.20	601.74	618.49	4,699.39
1928	Above Normal	330.75	267.23	267.30	182.35	307.89	425.77	391.51	439.38	552.95	715.64	600.86	538.68	5,020.31
1929	Critical	341.81	272.06	251.26	183.22	182.80	131.64	213.58	294.86	295.74	254.49	210.43	49.36	2,681.25
1930	Dry	90.27	97.29	195.13	47.21	157.57	84.35	237.97	306.80	463.49	584.13	408.39	334.69	3,007.29
1931	Critical	142.98	101.92	80.18	48.43	60.57	93.26	297.60	287.13	313.44	334.30	250.43	163.97	2,174.21
1932	Dry	84.13	63.79	159.64	45.92	87.18	257.11	254.42	295.52	392.84	436.39	412.55	233.74	2,723.23
1933	Critical	192.00	163.34	104.47	48.63	234.78	220.10	232.01	335.77	376.29	383.09	272.78	209.34	2,772.60
1934	Critical	132.18	104.54	133.34	63.01	134.14	98.35	289.45	338.61	365.21	302.32	198.16	50.38	2,209.69
1935	Below Normal	188.55	137.40	105.50	63.42	71.69	110.80	337.51	422.85	464.83	678.55	598.00	448.44	3,627.54
1936	Below Normal	312.01	265.22	238.14	148.26	176.84	516.55	354.19	438.64	425.51	669.31	598.30	445.76	4,588.73
1937	Below Normal	375.19	298.08	380.89	191.97	314.42	330.59	408.63	490.02	669.51	669.39	600.88	374.71	5,104.28
1938	Wet	337.52	308.25	294.56	214.78	527.16	966.65	885.08	991.63	733.36	578.77	568.93	716.12	7,122.81
1939	Dry	442.84	394.67	434.04	231.29	245.38	225.74	428.88	450.52	267.44	673.13	337.65	368.20	4,499.78
1940	Above Normal	95.13	76.00	270.81	72.92	67.55	768.98	428.38	382.94	407.90	731.15	645.67	568.39	4,515.82
1941	Wet	308.05	256.38	178.81	134.20	702.83	669.77	462.56	718.10	483.49	651.47	432.90	667.85	5,666.41
1942	Wet	379.18	322.40	417.02	799.30	856.28	375.08	645.17	539.16	553.83	560.72	463.04	626.05	6,537.23
1943	Wet	322.44	251.84	182.30	762.42	495.16	856.56	519.68	456.03	463.53	749.20	640.22	665.92	6,365.30
1944	Dry	398.85	96.07	477.59	174.41	164.41	162.45	285.42	321.15	429.87	558.03	377.96	224.43	3,670.64
1945	Below Normal	151.05	133.33	125.67	87.78	95.30	362.98	361.18	412.00	419.79	651.89	564.15	428.92	3,794.04
1946	Below Normal	311.12	241.99	242.50	303.39	331.94	370.25	343.73	388.25	434.27	660.66	569.84	398.00	4,595.94
1947	Dry	294.81	204.62	195.11	172.47	180.68	181.36	402.08	481.21	473.21	649.80	484.81	448.71	4,168.87
1948	Below Normal	267.11	245.84	250.13	182.69	168.96	109.71	175.91	202.80	140.49	716.70	632.41	381.14	3,473.89
1949	Dry	270.63	228.13	183.82	93.52	96.89	135.36	370.04	405.01	510.13	647.34	341.71	461.76	3,744.34
1950	Below Normal	244.41	125.77	163.30	71.49	56.53	90.58	304.34	351.18	141.79	708.29	621.42	420.51	3,299.61
1951	Above Normal	253.24	221.88	569.63	728.77	647.00	488.98	344.33	419.00	474.73	699.34	589.91	532.43	5,969.24
1952	Wet	322.88	254.71	224.57	301.30	637.76	580.31	948.19	1,023.95	725.10	464.20	395.31	689.47	6,567.75
1953	Wet	437.68	363.69	415.25	927.62	272.21	399.94	418.23	431.22	401.25	719.34	541.02	613.78	5,941.23
1954	Above Normal	317.41	250.48	210.44	137.00	179.83	415.07	493.86	378.56	518.80	711.07	606.87	546.95	4,766.34
1955	Dry	285.81	205.20	164.43	83.99	101.97	156.38	319.14	357.68	413.09	575.77	423.08	261.13	3,347.67
1956	Wet	201.78	179.08	169.58	836.26	680.58	562.96	471.67	825.31	525.68	645.96	492.85	655.11	6,246.82
1957	Above Normal	375.49	326.17	446.22	223.34	296.14	304.91	334.30	372.95	315.18	739.32	623.81	543.18	4,901.01
1958	Wet	240.49	248.06	180.94	79.31	802.45	689.51	670.96	877.85	671.30	568.21	454.51	710.01	6,193.60
1959	Below Normal	453.11	199.06	532.21	180.91	365.58	210.92	337.85	349.97	261.42	698.01	581.70	399.00	4,569.74
1960	Dry	250.91	214.46	147.90	57.76	59.86	106.03	402.01	405.61	450.37	675.87	486.54	496.52	3,753.84
1961	Dry	259.88	241.48	207.82	78.97	84.08	97.09	301.07	352.52	411.71	581.13	338.90	158.18	3,112.83
1962	Below Normal	42.27	203.51	242.06	49.79	49.98	122.15	301.64	449.11	205.75	701.41	598.83	463.76	3,430.26
1963	Wet	223.52	208.61	166.75	194.50	743.10	516.57	747.94	451.56	433.34	694.57	560.73	575.38	5,516.57
1964	Dry	282.64	203.13	189.02	169.66	342.85	280.60	383.41	374.16	400.47	601.83	414.63	427.37	4,069.77
1965	Wet	235.46	213.51	254.48	837.76	415.20	442.95	583.89	475.20	316.97	687.36	482.41	623.18	5,568.37
1966	Below Normal	347.18	246.68	203.72	275.25	295.35	254.30	322.38	356.81	466.43	668.35	564.09	444.19	4,444.73
1967	Wet	251.75	186.71	162.16	105.53	306.30	725.17	451.00	829.35	719.58	462.46	444.42	736.65	5,381.08
1968	Below Normal	451.89	380.50	405.13	203.26	593.93	394.18	332.57	357.90	261.03	719.45	577.06	466.98	5,143.88
1969	Wet	232.99	205.66	168.05	524.25	698.65	559.27	615.31	896.85	518.90	529.79	478.10	717.02	6,144.84
1970	Wet	422.37	388.76	587.59	918.10	622.20	463.41	384.13	400.84	430.21	665.65	555.37	516.12	6,354.75
1971	Wet	318.87	252.94	237.76	326.20	339.05	438.24	441.36	658.62	534.60	677.10	550.28	604.14	5,379.16
1972	Below Normal	312.63	241.27	170.11	143.64	281.04	263.21	339.39	368.69	446.75	655.91	557.41	430.56	4,210.61
1973	Above Normal	212.28	194.64	164.51	96.45	500.46	469.95	344.10	484.52	509.22	655.81	493.63	499.59	4,625.16
1974	Wet	304.70	239.40	445.83	914.20	471.43	975.25	730.40	623.44	517.10	613.31	340.97	637.25	6,813.28
1975	Wet	353.83	298.03	251.60	273.66	384.55	766.02	357.82	701.24	574.40	648.25	371.86	632.67	5,613.93
1976	Critical	254.03	300.45	366.26	192.53	203.45	196.45	350.16	393.19	362.62	593.06	347.38	451.61	4,011.19
1977	Critical	276.04	215.18	148.62	59.39	61.15	80.42	149.44	65.78	111.43	47.78	45.88	42.95	1,304.06
1978	Above Normal	31.43	102.97	178.65	62.51	78.81	416.09	466.89	379.75	394.04	637.67	554.29	521.06	3,824.16
1979	Below Normal	356.91	272.35	372.62	160.05	156.82	297.65	369.04	420.31	551.56	649.93	530.89	417.51	4,555.64
1980	Above Normal	305.46	245.31	242.45	387.90	894.11	512.04	428.13	495.14	452.31	611.17	483.72	613.31	5,671.05
1981	Dry	443.89	330.95	381.73	191.19	183.72	178.79	288.80	354.30	280.38	678.40	516.23	406.32	4,234.70
1982	Wet	225.06	203.12	712.01	450.78	803.14	753.81	945.19	785.03	574.60	551.12	436.77	521.53	6,962.16
1983	Wet	376.35	578.48	671.75	744.93	863.00	972.21	622.58	846.44	836.31	499.72	428.90	517.56	7,958.23
1984	Wet	494.98	811.34	970.53	464.63	589.22	666.12	333.77	408.08	526.12	693.10	491.80	529.46	6,979.15
1985	Dry	321.24	225.23	273.36	254.79	249.25	271.87	353.76	470.44	472.36	617.88	413.80	390.36	4,314.34
1986	Wet	306.27	208.59	228.52	180.54	741.12	966.06	424.37	511.47	493.86	738.42	619.02	665.80	6,084.04
1987	Dry	435.38	177.26	483.00	159.66	147.71	120.11	192.68	257.79	296.17	223.72	179.99	147.60	2,821.07
1988	Critical	80.03	58.89	72.12	41.73	90.48	95.31	138.52	180.05	236.57	319.79	159.17	126.27	1,598.93
1989	Dry	65.55	62.81	40.83	32.48	72.63	82.69	361.09	482.11	518.18	633.95	472.60	400.53	3,225.45
1990	Critical	287.20	273.95	326.56	113.33	111.72	101.62	236.31	204.65	259.47	455.37	187.02	163.59	2,720.79
1991	Critical	90.55	55.67	64.96	38.84	57.16	78.03	128.08	158.44	236.42	365.30	152.81	136.12	1,562.38
1992	Critical	62.06	51.20	54.62	38.82	44.12	64.87	173.29	258.67	308.51	247.67	196.54	186.58	1,686.95
1993	Above Normal	57.39	43.51	65.30	61.93	211.14	525.49	415.37	633.97	331.17	713.17	621.44	586.24	4,266.12
1994	Critical	339.30	278.44	226.80	121.16	125.52	154.11	341.20	357.84	310.22	589.04	205.14	238.13	3,286.90
1995	Wet	65.89	177.59	299.80	58.16	398.05	806.15	858.85	967.60	797.15	472.69	443.69	508.87	5,854.49
1996	Wet	456.08	233.07	407.20	585.91	731.13	593.92	553.96	731.85	424.88	665.94	452.10	609.66	6,445.70
1997	Wet	347.78	280.85	687.26	905.75	614.27	515.31	429.43	438.54	460.59	680.81	460.75	613.22	6,434.56
1998	Wet	371.77	302.33	270.22	218.52	843.44	851.82	419.21	674.04	771.69	437.10	357.57	458.25	5,975.96
1999	Wet	419.06	538.45	440.89	789.31	842.58	680.76	326.72	398.29	389.57	657.32	415.11	463.15	6,361.21
2000	Above Normal	358.21	288.33	403.41	207.55	522.69	560.99	329.51	405.71	485.31	715.84	582.68	527.65	5,387.88
2001	Dry	312.91	267.24	349.86	131.41	128.56	134.61	243.23	345.40	381.51	374.03	258.72	195.60	3,123.08
2002	Dry	154.78	89.79	87.92	53.79	86.30	126.85	394.40	385.30	411.39	595.13	254.78	421.68	3,062.11
2003	Above Normal	123.41	129.76	298.21	84.96	111.04	160.59	270.39	487.67	189.20	740.26	597.13	573.27	3,765.89
	Average	272.29	230.09	275.72	249.41	328.30	376.11	395.42	467.76	435.31	589.89	450.63	444.59	4,515.52
	Wet	312.68	295.41	355.76	484.59	599.49	665.63	567.71	661.04	549.58	615.61	480.01	611.26	6,198.77
	Above Normal	244.77	210.10	287.26	196.14	340.67	453.31	384.38	485.07	431.89	691.69	573.67	552.49	4,851.42
	Below Normal	295.53	231.72	266.06	168.85	237.59	265.27	327.11	383.68	374.54	676.46	581.77	419.78	4,228.35
	Dry	261.06	186.19	232.81	115.58	139.17	161.33	315.95	379.89	417.54	574.00	389.47	338.48	3,511.48
	Critical	202.00	172.50	166.44	87.88	117.83	123.11	232.04	261.58	288.73	355.19	202.67	163.70	2,373.66

Energy generated (GWh) at Syst. Tot.: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	476.99	374.89	330.14	107.98	271.40	390.81	365.72	941.18	559.68	637.64	491.86	586.87	5,535.16
1923	Below Normal	331.73	260.94	300.68	302.63	368.14	277.98	290.96	362.86	361.97	630.41	557.61	364.75	4,410.66
1924	Critical	233.51	201.99	175.48	112.42	107.53	163.00	234.86	263.91	289.11	370.44	206.12	146.16	2,504.53
1925	Dry	65.71	56.32	49.78	51.76	55.06	144.41	273.87	376.71	466.39	630.73	469.17	425.48	3,065.39
1926	Dry	241.09	195.11	171.54	52.25	60.95	156.56	194.88	415.73	478.68	596.74	421.12	291.60	3,276.25
1927	Wet	172.86	168.59	224.16	51.55	205.80	512.56	513.09	525.40	419.02	700.64	609.16	625.96	4,728.79
1928	Above Normal	338.56	275.06	275.14	190.16	307.66	425.73	391.52	439.38	557.25	719.94	605.18	542.99	5,068.57
1929	Critical	346.09	276.40	255.82	187.72	182.83	131.62	213.54	294.82	295.67	254.42	210.38	46.98	2,696.29
1930	Dry	90.85	97.83	195.82	47.21	157.56	84.34	237.96	306.80	463.54	584.12	408.37	334.68	3,009.08
1931	Critical	142.97	101.89	80.15	48.43	60.56	93.28	297.55	287.13	313.42	334.02	250.41	163.93	2,173.74
1932	Dry	84.11	63.77	159.63	45.89	87.19	261.00	254.39	295.46	400.55	444.20	420.43	241.50	2,758.12
1933	Critical	199.87	171.37	112.28	56.45	231.50	220.08	232.00	335.75	376.35	382.80	272.83	209.37	2,800.65
1934	Critical	132.20	104.54	133.35	63.01	140.09	129.46	272.63	341.60	374.51	317.27	272.19	50.82	2,331.67
1935	Below Normal	185.21	149.34	117.06	63.60	71.50	109.99	332.19	422.02	472.72	689.00	609.24	457.13	3,679.00
1936	Below Normal	310.18	269.56	236.13	144.05	187.22	516.80	354.19	438.64	432.90	676.74	605.73	453.15	4,625.29
1937	Below Normal	382.60	305.69	388.94	191.95	314.00	330.57	413.24	491.15	678.09	676.34	607.89	379.48	5,159.94
1938	Wet	342.32	315.67	294.56	211.49	524.94	968.89	898.76	1,058.37	735.13	587.02	576.82	724.93	7,238.90
1939	Dry	446.80	399.52	443.33	253.03	238.17	197.25	403.48	407.90	213.17	653.31	359.47	313.80	4,329.23
1940	Above Normal	111.18	80.65	294.68	80.19	67.66	769.03	428.70	383.75	415.70	738.20	652.89	575.50	4,598.13
1941	Wet	315.55	263.91	182.57	134.14	702.34	669.00	461.49	716.28	488.69	656.17	439.69	674.50	5,704.33
1942	Wet	385.19	329.08	420.01	799.26	856.29	374.27	645.03	538.96	561.59	568.56	471.11	633.83	6,583.18
1943	Wet	330.20	259.60	190.04	761.98	493.27	854.75	517.38	453.08	471.29	759.89	645.85	671.49	6,408.82
1944	Dry	403.61	102.03	483.37	174.10	157.16	160.02	285.23	321.01	431.66	562.60	382.41	231.86	3,695.06
1945	Below Normal	156.04	138.33	130.66	92.84	95.25	340.24	361.30	412.06	427.02	659.58	571.47	436.34	3,821.13
1946	Below Normal	318.88	250.05	250.59	310.73	331.86	373.41	342.34	383.56	447.64	667.62	579.59	405.62	4,661.89
1947	Dry	298.13	211.31	200.63	176.44	181.76	175.45	402.76	482.19	476.24	652.32	486.75	451.81	4,195.79
1948	Below Normal	267.11	248.57	257.27	182.67	165.97	108.61	175.97	199.85	140.46	717.55	633.18	381.80	3,479.01
1949	Dry	271.39	228.76	184.25	93.36	96.75	135.19	369.12	404.72	510.14	647.55	339.73	461.75	3,742.71
1950	Below Normal	244.69	126.45	147.84	71.49	56.53	90.58	304.35	351.22	142.58	709.05	622.18	421.27	3,288.23
1951	Above Normal	254.04	222.67	569.59	729.04	644.39	488.56	344.59	419.22	482.62	707.23	597.79	541.58	6,001.32
1952	Wet	330.82	262.65	232.54	308.71	633.49	580.32	947.04	972.19	680.69	427.10	363.46	658.52	6,397.53
1953	Wet	398.01	325.91	388.31	947.20	317.38	490.37	428.33	445.13	549.27	705.36	528.52	604.22	6,128.01
1954	Above Normal	313.80	249.04	224.57	154.50	233.61	410.83	493.35	379.78	534.41	716.54	601.49	542.01	4,853.93
1955	Dry	279.45	201.43	161.41	82.63	103.37	158.77	324.33	363.93	419.51	581.06	430.42	272.01	3,378.32
1956	Wet	201.32	182.78	172.51	802.99	680.88	563.01	472.58	826.07	533.78	653.99	500.88	663.11	6,253.90
1957	Above Normal	383.57	334.47	454.69	231.33	296.06	301.80	334.20	372.70	318.92	746.30	631.19	550.50	4,955.73
1958	Wet	248.09	255.70	188.43	86.43	802.31	689.38	671.26	875.05	675.61	577.15	460.53	716.84	6,246.78
1959	Below Normal	458.75	195.74	544.62	188.91	364.39	210.97	338.12	350.18	263.90	700.41	583.96	404.41	4,604.36
1960	Dry	253.17	216.68	150.19	60.07	59.83	105.74	401.95	405.45	450.37	675.51	487.27	492.25	3,758.48
1961	Dry	259.65	241.29	207.70	79.05	84.15	97.13	301.10	352.52	411.73	580.77	339.00	158.25	3,112.34
1962	Below Normal	42.28	202.85	223.75	49.64	49.98	122.18	301.65	449.13	213.27	708.55	605.97	470.90	3,440.15
1963	Wet	231.03	216.13	174.29	202.05	743.27	516.57	747.83	451.45	440.93	702.37	568.53	583.18	5,577.63
1964	Dry	290.46	210.95	196.85	177.73	342.87	280.74	383.45	374.15	400.52	601.78	414.57	427.35	4,101.42
1965	Wet	235.36	213.50	254.49	837.86	415.20	442.38	583.28	473.88	324.00	695.07	490.09	631.03	5,596.14
1966	Below Normal	355.02	254.52	211.52	282.57	295.21	254.32	322.39	356.79	472.30	674.19	569.96	450.00	4,498.79
1967	Wet	257.65	192.58	168.06	111.47	306.32	725.32	451.80	828.91	720.46	468.69	451.23	745.54	5,428.03
1968	Below Normal	459.94	349.62	435.27	194.52	578.54	390.58	333.49	358.98	268.11	727.08	584.64	474.44	5,155.21
1969	Wet	241.07	213.33	175.56	523.18	698.86	568.70	639.77	904.83	519.20	540.38	474.82	724.57	6,224.27
1970	Wet	431.51	395.69	593.25	918.21	619.95	464.06	400.44	399.97	437.08	672.95	562.71	530.37	6,426.19
1971	Wet	325.07	259.82	245.01	333.50	339.04	432.55	441.58	658.47	539.13	681.46	554.43	608.72	5,418.78
1972	Below Normal	317.66	246.59	175.73	151.15	282.04	264.01	339.54	368.77	446.78	655.87	557.35	430.59	4,236.08
1973	Above Normal	212.37	194.73	164.72	96.84	500.49	469.95	344.10	484.52	516.09	662.99	500.88	506.85	4,654.53
1974	Wet	312.62	247.05	453.23	921.48	462.40	979.26	727.35	621.77	522.73	620.13	347.73	644.04	6,859.79
1975	Wet	360.98	305.29	258.74	282.29	385.04	765.71	357.52	701.08	581.40	655.23	378.85	639.66	5,671.79
1976	Critical	261.41	307.82	373.68	200.08	203.41	196.70	350.71	393.85	364.07	593.89	346.72	452.35	4,044.69
1977	Critical	276.38	215.79	144.79	59.40	61.15	80.42	149.45	65.76	111.43	47.77	45.88	42.96	1,301.18
1978	Above Normal	31.43	102.33	171.75	62.51	78.81	402.95	463.35	382.21	405.43	650.80	568.65	531.20	3,851.42
1979	Below Normal	359.51	275.82	313.90	147.09	137.74	281.48	356.99	407.57	547.69	650.95	532.92	419.36	4,431.02
1980	Above Normal	298.83	245.27	242.35	459.48	893.34	512.57	364.86	440.51	407.07	572.08	442.99	538.10	5,417.45
1981	Dry	404.73	338.44	322.96	228.51	273.14	269.68	312.78	386.41	496.85	671.21	521.47	405.16	4,631.34
1982	Wet	228.68	204.90	732.57	465.50	809.34	753.63	945.11	789.77	580.89	558.03	443.52	529.13	7,041.07
1983	Wet	383.26	578.41	671.68	741.87	891.17	981.12	639.99	836.62	828.97	499.72	436.30	524.99	8,014.10
1984	Wet	494.98	811.34	985.67	464.63	587.18	666.11	333.75	408.10	533.90	700.88	499.57	537.28	7,023.39
1985	Dry	329.05	233.05	281.15	262.14	249.25	271.86	353.76	470.45	477.07	622.59	418.51	395.06	4,363.94
1986	Wet	310.94	213.30	233.30	185.26	704.91	966.72	445.98	511.93	500.61	746.29	626.27	673.61	6,119.12
1987	Dry	443.69	143.64	494.83	167.39	147.62	120.08	192.46	257.67	297.01	223.39	179.72	147.50	2,815.00
1988	Critical	80.00	58.85	72.07	41.69	90.49	95.29	138.49	181.20	237.81	318.92	160.23	127.19	1,602.23
1989	Dry	65.97	63.11	41.07	32.40	72.58	82.34	360.26	482.00	518.46	634.50	457.29	400.77	3,210.75
1990	Critical	290.98	277.27	329.55	111.39	110.31	101.44	237.30	210.88	260.69	457.45	191.92	164.28	2,743.46
1991	Critical	90.92	55.95	65.18	39.04	57.10	78.09	128.01	158.37	236.39	365.53	152.33	136.02	1,562.93
1992	Critical	62.06	51.09	54.62	38.82	44.12	64.87	171.57	256.45	295.55	257.38	194.74	184.98	1,676.25
1993	Above Normal	59.74	43.56	62.16	60.03	211.44	526.54	415.50	633.83	338.55	719.92	628.11	593.18	4,292.56
1994	Critical	347.24	286.69	237.68	130.07	126.44	154.27	340.98	357.67	314.51	587.26	196.39	239.19	3,318.39
1995	Wet	65.82	175.68	297.94	58.15	396.80	806.15	859.32	1,003.24	803.94	450.81	456.89	522.15	5,896.89
1996	Wet	340.85	104.58	321.48	593.91	731.05	593.86	552.13	729.04	431.22	670.43	459.34	616.86	6,144.75
1997	Wet	354.86	288.12	694.34	905.69	614.27	515.96	426.68	438.54	462.95	689.94	468.27	620.93	6,480.55
1998	Wet	379.31	309.95	278.09	226.17	847.05	851.89	420.63	672.61	769.29	436.02	364.94	464.59	6,020.54
1999	Wet	425.75	545.19	446.05	796.60	842.58	680.75	326.76	398.36	397.43	665.12	422.90	470.93	6,418.42
2000	Above Normal	366.01	296.13	411.25	215.38	522.56	558.73	328.72	405.67	492.57	723.78	590.42	535.04	5,446.26
2001	Dry	319.66	273.77	353.01	136.23	126.52	133.97	243.47	345.66	381.73	376.33	259.04	195.85	3,145.24
2002	Dry	155.13	90.14	88.05	53.95	86.28	126.84	394.03	384.89	411.01	594.87	249.70	423.44	3,058.33
2003	Above Normal	130.65	122.10	291.11	84.96	111.04	160.59	270.38	487.65	191.80	742.86	599.61	575.75	3,768.50
	Average	273.62	230.86	277.11	253.42	329.80	377.72	395.40	467.60	441.69	592.58	454.63	446.88	4,541.33
	Wet	311.70	293.80	356.80	487.37	600.43	669.74	571.34	663.04	558.05	618.82	484.71	616.96	6,232.76
	Above Normal	248.10	211.74	291.01	206.03	344.87	451.51	378.75	480.87	435.01	694.86	575.92	551.63	4,870.30
	Below Normal	299.26	233.86	266.71	169.56	235.60	262.27	326.19	382.34	379.67	681.67	587.26	424.95	4,249.34
	Dry	261.26	187.06	232.53	120.79	143.35	164.52	316.07	379.65	428.04	574.09	391.36	337.23	3,535.93
	Critical	205.30	175.80	169.55	90.71	117.96	125.71	230.59	262.28	289.13	357.26	208.35	163.69	2,396.33

Difference in Energy generated (GWh) at Syst. Tot.: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.04)	(0.07)	7.80	7.80	7.80	7.80	2.59
1923	Below Normal	7.80	7.81	7.82	0.68	0.28	(1.91)	(0.19)	(0.17)	7.56	7.81	7.88	7.34	4.39
1924	Critical	7.64	7.62	7.42	7.01	(0.58)	(0.19)	0.07	(0.03)	0.22	0.41	(0.16)	0.09	2.46
1925	Dry	0.03	0.02	0.01	0.01	(0.03)	(0.86)	0.16	0.19	2.00	2.13	2.13	2.05	0.65
1926	Dry	2.16	2.06	2.02	2.00	(0.05)	(0.75)	(0.19)	(0.16)	(0.04)	(0.16)	0.06	(0.70)	0.52
1927	Wet	(0.11)	(0.09)	(0.08)	0.01	(0.10)	0.01	0.01	0.01	7.41	7.44	7.42	7.47	2.45
1928	Above Normal	7.81	7.83	7.84	7.81	(0.23)	(0.04)	0.01	0.00	4.30	4.30	4.32	4.31	4.02
1929	Critical	4.28	4.34	4.56	4.50	0.03	(0.02)	(0.04)	(0.04)	(0.07)	(0.07)	(0.05)	(2.38)	1.25
1930	Dry	0.58	0.54	0.69	0.00	(0.01)	(0.01)	(0.01)	0.00	0.05	(0.01)	(0.02)	(0.01)	0.15
1931	Critical	(0.01)	(0.03)	(0.03)	0.00	(0.01)	0.02	(0.05)	0.00	(0.02)	(0.28)	(0.02)	(0.04)	(0.04)
1932	Dry	(0.02)	(0.02)	(0.01)	(0.03)	0.01	3.89	(0.03)	(0.06)	7.71	7.81	7.88	7.76	2.91
1933	Critical	7.87	8.03	7.81	7.82	(3.28)	(0.02)	(0.01)	(0.02)	0.06	(0.29)	0.05	0.03	2.34
1934	Critical	0.02	0.00	0.01	0.00	5.95	31.11	(16.82)	2.99	9.30	14.95	74.03	0.44	10.17
1935	Below Normal	(3.34)	11.94	11.56	0.18	(0.19)	(0.81)	(5.32)	(0.83)	7.89	10.45	11.24	8.69	4.29
1936	Below Normal	(1.83)	4.34	(2.01)	(4.21)	10.38	0.25	0.00	0.00	7.39	7.43	7.43	7.39	3.05
1937	Below Normal	7.41	7.61	8.05	(0.02)	(0.42)	(0.02)	4.61	1.13	8.58	6.95	7.01	4.77	4.64
1938	Wet	4.80	7.42	0.00	(3.29)	(2.22)	2.24	13.68	66.74	1.77	8.25	7.89	8.81	9.67
1939	Dry	3.96	4.85	9.29	21.74	(7.21)	(28.49)	(25.40)	(42.62)	(54.27)	(19.82)	21.82	(54.40)	(14.21)
1940	Above Normal	16.05	4.65	23.87	7.27	0.11	0.05	0.32	0.81	7.80	7.05	7.22	7.11	6.86
1941	Wet	7.50	7.53	3.76	(0.06)	(0.49)	(0.77)	(1.07)	(1.82)	5.20	4.70	6.79	6.65	3.16
1942	Wet	6.01	6.68	2.99	(0.04)	0.01	(0.81)	(0.14)	(0.20)	7.76	7.84	8.07	7.78	3.83
1943	Wet	7.76	7.76	7.74	(0.44)	(1.89)	(1.81)	(2.30)	(2.95)	7.76	10.69	5.63	5.57	3.63
1944	Dry	4.76	5.96	5.78	(0.31)	(7.25)	(2.43)	(0.19)	(0.14)	1.79	4.57	4.45	7.43	2.04
1945	Below Normal	4.99	5.00	4.99	5.06	(0.05)	(22.74)	0.12	0.06	7.23	7.69	7.32	7.42	2.26
1946	Below Normal	7.76	8.06	8.09	7.34	(0.08)	3.16	(1.39)	(4.69)	13.37	6.96	9.75	7.62	5.50
1947	Dry	3.32	6.69	5.52	3.97	1.08	(5.91)	0.68	0.98	3.03	2.52	1.94	3.10	2.24
1948	Below Normal	0.00	2.73	7.14	(0.02)	(2.99)	(1.10)	0.06	(2.95)	(0.03)	0.85	0.77	0.66	0.43
1949	Dry	0.76	0.63	0.43	(0.16)	(0.14)	(0.17)	(0.92)	(0.29)	0.01	0.21	(1.98)	(0.01)	(0.14)
1950	Below Normal	0.28	0.68	(15.46)	0.00	0.00	0.00	0.01	0.04	0.79	0.76	0.76	0.76	(0.95)
1951	Above Normal	0.80	0.79	(0.04)	0.27	(2.61)	(0.42)	0.26	0.22	7.89	7.89	7.88	9.15	2.67
1952	Wet	7.94	7.94	7.97	7.41	(4.27)	0.01	(1.15)	(51.76)	(44.41)	(37.10)	(31.85)	(30.95)	(14.19)
1953	Wet	(39.67)	(37.78)	(26.94)	19.58	45.17	90.43	10.10	13.91	148.02	(13.98)	(12.50)	(9.56)	15.57
1954	Above Normal	(3.61)	(1.44)	14.13	17.50	53.78	(4.24)	(0.51)	1.22	15.61	5.47	(5.38)	(4.94)	7.30
1955	Dry	(6.36)	(3.77)	(3.02)	(1.36)	1.40	2.39	5.19	6.25	6.42	5.29	7.34	10.88	2.55
1956	Wet	(0.46)	3.70	2.93	(33.27)	0.30	0.05	0.91	0.76	8.10	8.03	8.03	8.00	0.59
1957	Above Normal	8.08	8.30	8.47	7.99	(0.08)	(3.11)	(0.10)	(0.25)	3.74	6.98	7.38	7.32	4.56
1958	Wet	7.60	7.64	7.49	7.12	(0.14)	(0.13)	0.30	(2.80)	4.31	8.94	6.02	6.83	4.43
1959	Below Normal	5.64	(3.32)	12.41	8.00	(1.19)	0.05	0.27	0.21	2.48	2.40	2.26	5.41	2.88
1960	Dry	2.26	2.22	2.29	2.31	(0.03)	(0.29)	(0.06)	(0.16)	0.00	(0.36)	0.73	(4.27)	0.39
1961	Dry	(0.23)	(0.19)	(0.12)	0.08	0.07	0.04	0.03	0.00	0.02	(0.36)	0.10	0.07	(0.04)
1962	Below Normal	0.01	(0.66)	(18.31)	(0.15)	0.00	0.03	0.01	0.02	7.52	7.14	7.14	7.14	0.82
1963	Wet	7.51	7.52	7.54	7.55	0.17	0.00	(0.11)	(0.11)	7.59	7.80	7.80	7.80	5.09
1964	Dry	7.82	7.82	7.83	8.07	0.02	0.14	0.04	(0.01)	0.05	(0.05)	(0.06)	(0.02)	2.64
1965	Wet	(0.10)	(0.01)	0.01	0.10	0.00	(0.57)	(0.61)	(1.32)	7.03	7.71	7.68	7.85	2.31
1966	Below Normal	7.84	7.84	7.80	7.32	(0.14)	0.02	0.01	(0.02)	5.87	5.84	5.87	5.81	4.51
1967	Wet	5.90	5.87	5.90	5.94	0.02	0.15	0.80	(0.44)	0.88	6.23	6.81	8.89	3.91
1968	Below Normal	8.05	(30.88)	30.14	(8.74)	(15.39)	(3.60)	0.92	1.08	7.08	7.63	7.58	7.46	0.94
1969	Wet	8.08	7.67	7.51	(1.07)	0.21	9.43	24.46	7.98	0.30	10.59	(3.28)	7.55	6.62
1970	Wet	9.14	6.93	5.66	0.11	(2.25)	0.65	16.31	(0.87)	6.87	7.30	7.34	14.25	5.95
1971	Wet	6.20	6.88	7.25	7.30	(0.01)	(5.69)	0.22	(0.15)	4.53	4.36	4.15	4.58	3.30
1972	Below Normal	5.03	5.32	5.62	7.51	1.00	0.80	0.15	0.08	0.03	(0.04)	(0.06)	0.03	2.12
1973	Above Normal	0.09	0.09	0.21	0.39	0.03	0.00	0.00	0.00	6.87	7.18	7.25	7.26	2.45
1974	Wet	7.92	7.65	7.40	7.28	(9.03)	4.01	(3.05)	(1.67)	5.63	6.82	6.76	6.79	3.88
1975	Wet	7.15	7.26	7.14	8.63	0.49	(0.31)	(0.30)	(0.16)	7.00	6.98	6.99	6.99	4.82
1976	Critical	7.38	7.37	7.42	7.55	(0.04)	0.25	0.55	0.66	1.45	0.83	(0.66)	0.74	2.79
1977	Critical	0.34	0.61	(3.83)	0.01	0.00	0.00	0.01	(0.02)	0.00	(0.01)	0.00	0.01	(0.24)
1978	Above Normal	0.00	(0.64)	(6.90)	0.00	0.00	(13.14)	(3.54)	2.46	11.39	13.13	14.36	10.14	2.27
1979	Below Normal	2.60	3.47	(58.72)	(12.96)	(19.08)	(16.17)	(12.05)	(12.74)	(3.87)	1.02	2.03	1.85	(10.39)
1980	Above Normal	(6.63)	(0.04)	(0.10)	71.58	(0.77)	0.53	(63.27)	(54.63)	(45.24)	(39.09)	(40.73)	(75.21)	(21.13)
1981	Dry	(39.16)	7.49	(58.77)	37.32	89.42	90.89	23.98	32.11	216.47	(7.19)	5.24	(1.16)	33.05
1982	Wet	3.62	1.78	20.56	14.72	6.20	(0.18)	(0.08)	4.74	6.29	6.91	6.75	7.60	6.58
1983	Wet	6.91	(0.07)	(0.07)	(3.06)	28.17	8.91	17.41	(9.82)	(7.34)	0.00	7.40	7.43	4.66
1984	Wet	0.00	0.00	15.14	0.00	(2.04)	(0.01)	(0.02)	0.02	7.78	7.78	7.77	7.82	3.69
1985	Dry	7.81	7.82	7.79	7.35	0.00	(0.01)	0.00	0.01	4.71	4.71	4.71	4.70	4.13
1986	Wet	4.67	4.71	4.78	4.72	(36.21)	0.66	21.61	0.46	6.75	7.87	7.25	7.81	2.92
1987	Dry	8.31	(33.62)	11.83	7.73	(0.09)	(0.03)	(0.22)	(0.12)	0.84	(0.33)	(0.27)	(0.10)	(0.51)
1988	Critical	(0.03)	(0.04)	(0.05)	(0.04)	0.01	(0.02)	(0.03)	1.15	1.24	(0.87)	1.06	0.92	0.27
1989	Dry	0.42	0.30	0.24	(0.08)	(0.05)	(0.35)	(0.83)	(0.11)	0.28	0.55	(15.31)	0.24	(1.22)
1990	Critical	3.78	3.32	2.99	(1.94)	(1.41)	(0.18)	0.99	6.23	1.22	2.08	4.90	0.69	1.89
1991	Critical	0.37	0.28	0.22	0.20	(0.06)	0.06	(0.07)	(0.07)	(0.03)	0.23	(0.48)	(0.10)	0.05
1992	Critical	0.00	(0.11)	0.00	0.00	0.00	0.00	(1.72)	(2.22)	(12.96)	9.71	(1.80)	(1.60)	(0.89)
1993	Above Normal	2.35	0.05	(3.14)	(1.90)	0.30	1.05	0.13	(0.14)	7.38	6.75	6.67	6.94	2.20
1994	Critical	7.94	8.25	10.88	8.91	0.92	0.16	(0.22)	(0.17)	4.29	(1.78)	(8.75)	1.06	2.62
1995	Wet	(0.07)	(1.91)	(1.86)	(0.01)	(1.25)	0.00	0.47	35.64	6.79	(21.88)	13.20	13.28	3.53
1996	Wet	(115.23)	(128.49)	(85.72)	8.00	(0.08)	(0.06)	(1.83)	(2.81)	6.34	4.49	7.24	7.20	(25.08)
1997	Wet	7.08	7.27	7.08	(0.06)	0.00	0.65	(2.75)	0.00	2.36	9.13	7.52	7.71	3.83
1998	Wet	7.54	7.62	7.87	7.65	3.61	0.07	1.42	(1.43)	(2.40)	(1.08)	7.37	6.34	3.71
1999	Wet	6.69	6.74	5.16	7.29	0.00	(0.01)	0.04	0.07	7.86	7.80	7.79	7.78	4.77
2000	Above Normal	7.80	7.80	7.84	7.83	(0.13)	(2.26)	(0.79)	(0.04)	7.26	7.94	7.74	7.39	4.86
2001	Dry	6.75	6.53	3.15	4.82	(2.04)	(0.64)	0.24	0.26	0.22	2.30	0.32	0.25	1.85
2002	Dry	0.35	0.35	0.13	0.16	(0.02)	(0.01)	(0.37)	(0.41)	(0.38)	(0.26)	(5.08)	1.76	(0.32)
2003	Above Normal	7.24	(7.66)	(7.10)	0.00	0.00	0.00	(0.01)	(0.02)	2.60	2.60	2.48	2.48	0.22
	Average	1.34	0.77	1.39	4.01	1.51	1.61	(0.02)	(0.16)	6.38	2.69	4.00	2.29	2.15
	Wet	(0.99)	(1.61)	1.05	2.77	0.94	4.11	3.63	2.00	8.47	3.22	4.69	5.70	2.83
	Above Normal	3.33	1.64	3.76	9.90	4.20	(1.80)	(5.63)	(4.20)	3.12	3.17	2.25	(0.85)	1.57
	Below Normal	3.73	2.14	0.65	0.71	(1.99)	(3.00)	(0.91)	(1.34)	5.14	5.21	5.50	5.17	1.75
	Dry	0.20	0.87	(0.27)	5.20	4.17	3.19	0.12	(0.24)	10.50	0.09	1.89	(1.25)	2.04
	Critical	3.30	3.30	3.12	2.84	0.13	2.60	(1.45)	0.71	0.39	2.08	5.68	(0.01)	1.89

Percent Difference in Energy generated (GWh) at Syst. Tot.: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	2%	1%
1923	Below Normal	2%	3%	3%	0%	0%	-1%	0%	0%	2%	1%	1%	2%
1924	Critical	3%	4%	4%	7%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1926	Dry	1%	1%	1%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	2%	1%	1%	1%
1928	Above Normal	2%	3%	3%	4%	0%	0%	0%	0%	1%	1%	1%	1%
1929	Critical	1%	2%	2%	2%	0%	0%	0%	0%	0%	0%	0%	-5%
1930	Dry	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	2%	2%	2%	3%
1933	Critical	4%	5%	7%	16%	-1%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	4%	32%	-6%	1%	3%	5%	37%	1%
1935	Below Normal	-2%	9%	11%	0%	0%	-1%	-2%	0%	2%	2%	2%	2%
1936	Below Normal	-1%	2%	-1%	-3%	6%	0%	0%	0%	2%	1%	1%	2%
1937	Below Normal	2%	3%	2%	0%	0%	0%	1%	0%	1%	1%	1%	1%
1938	Wet	1%	2%	0%	-2%	0%	0%	2%	7%	0%	1%	1%	1%
1939	Dry	1%	1%	2%	9%	-3%	-13%	-6%	-9%	-20%	-3%	6%	-15%
1940	Above Normal	17%	6%	9%	10%	0%	0%	0%	0%	2%	1%	1%	1%
1941	Wet	2%	3%	2%	0%	0%	0%	0%	0%	1%	1%	2%	1%
1942	Wet	2%	2%	1%	0%	0%	0%	0%	0%	1%	1%	2%	1%
1943	Wet	2%	3%	4%	0%	0%	0%	0%	-1%	2%	1%	1%	1%
1944	Dry	1%	6%	1%	0%	-4%	-1%	0%	0%	0%	1%	1%	3%
1945	Below Normal	3%	4%	4%	6%	0%	-6%	0%	0%	2%	1%	1%	2%
1946	Below Normal	2%	3%	3%	2%	0%	1%	0%	-1%	3%	1%	2%	2%
1947	Dry	1%	3%	3%	2%	1%	-3%	0%	0%	1%	0%	0%	1%
1948	Below Normal	0%	1%	3%	0%	-2%	-1%	0%	-1%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	-9%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	2%	1%	1%	2%
1952	Wet	2%	3%	4%	2%	-1%	0%	0%	-5%	-6%	-8%	-8%	-4%
1953	Wet	-9%	-10%	-6%	2%	17%	23%	2%	3%	37%	-2%	-2%	-2%
1954	Above Normal	-1%	-1%	7%	13%	30%	-1%	0%	0%	3%	1%	-1%	-1%
1955	Dry	-2%	-2%	-2%	-2%	1%	2%	2%	2%	2%	1%	2%	4%
1956	Wet	0%	2%	2%	-4%	0%	0%	0%	0%	2%	1%	2%	1%
1957	Above Normal	2%	3%	2%	4%	0%	-1%	0%	0%	1%	1%	1%	1%
1958	Wet	3%	3%	4%	9%	0%	0%	0%	0%	1%	2%	1%	1%
1959	Below Normal	1%	-2%	2%	4%	0%	0%	0%	0%	1%	0%	0%	1%
1960	Dry	1%	1%	2%	4%	0%	0%	0%	0%	0%	0%	0%	-1%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	-8%	0%	0%	0%	0%	0%	4%	1%	1%	2%
1963	Wet	3%	4%	5%	4%	0%	0%	0%	0%	2%	1%	1%	1%
1964	Dry	3%	4%	4%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	2%	1%	2%	1%
1966	Below Normal	2%	3%	4%	3%	0%	0%	0%	0%	1%	1%	1%	1%
1967	Wet	2%	3%	4%	6%	0%	0%	0%	0%	0%	1%	2%	1%
1968	Below Normal	2%	-8%	7%	-4%	-3%	-1%	0%	0%	3%	1%	1%	2%
1969	Wet	3%	4%	4%	0%	0%	2%	4%	1%	0%	2%	-1%	1%
1970	Wet	2%	2%	1%	0%	0%	0%	4%	0%	2%	1%	1%	3%
1971	Wet	2%	3%	3%	2%	0%	-1%	0%	0%	1%	1%	1%	1%
1972	Below Normal	2%	2%	3%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1974	Wet	3%	3%	2%	1%	-2%	0%	0%	0%	1%	1%	2%	1%
1975	Wet	2%	2%	3%	3%	0%	0%	0%	0%	1%	1%	2%	1%
1976	Critical	3%	2%	2%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-1%	-4%	0%	0%	-3%	-1%	1%	3%	2%	3%	2%
1979	Below Normal	1%	1%	-16%	-8%	-12%	-5%	-3%	-3%	-1%	0%	0%	0%
1980	Above Normal	-2%	0%	0%	18%	0%	0%	-15%	-11%	-10%	-6%	-8%	-12%
1981	Dry	-9%	2%	-15%	20%	49%	51%	8%	9%	77%	-1%	1%	0%
1982	Wet	2%	1%	3%	3%	1%	0%	0%	1%	1%	1%	2%	1%
1983	Wet	2%	0%	0%	0%	3%	1%	3%	-1%	-1%	0%	2%	1%
1984	Wet	0%	0%	2%	0%	0%	0%	0%	0%	1%	1%	2%	1%
1985	Dry	2%	3%	3%	3%	0%	0%	0%	0%	1%	1%	1%	1%
1986	Wet	2%	2%	2%	3%	-5%	0%	5%	0%	1%	1%	1%	1%
1987	Dry	2%	-19%	2%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	1%	1%
1989	Dry	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1990	Critical	1%	1%	1%	-2%	-1%	0%	0%	3%	0%	0%	3%	0%
1991	Critical	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-4%	4%	-1%	-1%
1993	Above Normal	4%	0%	-5%	-3%	0%	0%	0%	0%	2%	1%	1%	1%
1994	Critical	2%	3%	5%	7%	1%	0%	0%	0%	1%	0%	-4%	0%
1995	Wet	0%	-1%	-1%	0%	0%	0%	0%	4%	1%	-5%	3%	3%
1996	Wet	-25%	-55%	-21%	1%	0%	0%	0%	0%	1%	1%	2%	1%
1997	Wet	2%	3%	1%	0%	0%	0%	-1%	0%	1%	1%	2%	1%
1998	Wet	2%	3%	3%	4%	0%	0%	0%	0%	0%	0%	2%	1%
1999	Wet	2%	1%	1%	1%	0%	0%	0%	0%	2%	1%	2%	2%
2000	Above Normal	2%	3%	2%	4%	0%	0%	0%	0%	1%	1%	1%	1%
2001	Dry	2%	2%	1%	4%	-2%	0%	0%	0%	0%	1%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	6%	-6%	-2%	0%	0%	0%	0%	0%	1%	0%	0%	0%
	Average	1%	0%	1%	2%	1%	1%	0%	0%	2%	0%	1%	0%
	Wet	0%	-1%	1%	1%	0%	1%	1%	0%	2%	0%	1%	1%
	Above Normal	3%	1%	1%	4%	2%	0%	-1%	-1%	1%	0%	0%	0%
	Below Normal	1%	2%	1%	0%	-1%	-1%	0%	0%	1%	1%	1%	1%
	Dry	0%	0%	0%	3%	2%	2%	0%	0%	4%	0%	0%	0%
	Critical	1%	1%	2%	3%	0%	3%	-1%	0%	0%	1%	3%	0%

Energy generated (GWh) at Thermalito Dam: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.48	12.39	16.56	8.71	13.03	24.48	6.51	86.00	32.47	42.67	27.73	44.33	335.36
1923	Below Normal	20.48	12.39	19.50	8.71	16.39	8.88	4.96	5.12	4.96	42.23	37.20	18.82	199.64
1924	Critical	9.06	8.42	9.02	8.71	8.14	12.26	9.88	12.18	14.76	35.53	10.94	6.48	145.38
1925	Dry	4.61	4.46	4.71	4.61	4.16	4.10	3.72	3.84	13.65	42.14	20.17	25.69	135.86
1926	Dry	10.36	6.02	8.68	4.61	4.16	8.30	3.72	15.51	24.55	45.25	22.58	13.59	167.33
1927	Wet	4.61	4.46	21.22	4.61	13.18	36.29	23.76	20.76	10.18	48.53	41.73	49.56	278.89
1928	Above Normal	20.48	12.39	14.08	8.71	21.09	41.74	4.96	5.12	24.57	51.21	41.61	38.99	284.95
1929	Critical	20.48	8.42	8.71	8.71	7.86	8.71	9.41	11.37	12.97	7.15	4.95	3.83	112.57
1930	Dry	4.61	4.46	20.34	4.61	18.45	4.10	3.72	3.84	22.93	45.26	27.18	23.35	182.85
1931	Critical	6.40	4.46	4.61	4.61	4.16	4.10	15.23	11.82	13.98	26.32	11.68	5.55	112.92
1932	Dry	4.61	4.46	23.04	4.61	4.31	14.48	5.56	3.84	14.10	24.57	26.66	3.83	134.07
1933	Critical	9.31	9.11	4.61	4.61	4.16	24.04	3.88	10.55	11.05	21.67	3.84	3.83	110.66
1934	Critical	4.61	4.46	13.74	4.61	17.15	5.42	12.49	16.31	17.33	12.80	10.26	6.29	125.47
1935	Below Normal	8.42	4.46	4.61	4.61	4.30	4.10	4.96	5.12	11.29	44.73	39.34	24.49	160.43
1936	Below Normal	15.68	12.39	11.17	8.71	9.52	28.29	4.96	5.84	8.01	42.87	38.56	22.13	208.13
1937	Below Normal	20.48	12.39	28.28	8.71	7.86	8.71	4.96	5.12	37.46	41.58	38.95	5.38	219.88
1938	Wet	14.76	8.42	8.71	8.71	36.96	89.10	65.00	88.76	40.65	21.36	23.81	49.56	455.80
1939	Dry	20.48	12.39	25.34	8.71	8.22	8.71	13.33	16.29	14.59	47.05	28.85	15.73	219.69
1940	Above Normal	6.14	5.95	6.14	6.14	5.75	89.10	19.09	5.12	14.72	51.21	43.02	41.01	293.39
1941	Wet	18.77	12.39	8.71	8.71	68.71	58.61	18.83	43.66	15.33	39.01	14.92	49.56	357.21
1942	Wet	20.48	12.39	30.41	73.60	80.48	14.27	52.35	29.96	30.08	32.34	23.16	49.56	449.08
1943	Wet	20.48	12.39	8.71	76.72	34.68	82.32	20.91	5.12	9.80	49.58	40.81	49.56	411.08
1944	Dry	20.48	13.30	27.47	11.18	10.46	11.18	8.97	7.78	21.04	44.77	26.79	4.96	208.38
1945	Below Normal	8.71	8.42	8.71	8.71	7.86	8.71	4.96	5.38	7.90	44.73	38.56	23.77	176.42
1946	Below Normal	16.89	8.42	8.71	8.71	7.86	8.71	4.96	8.44	15.62	49.80	42.70	23.76	204.58
1947	Dry	17.49	8.42	8.71	8.71	7.86	8.71	4.96	11.12	14.78	44.88	25.64	26.78	188.06
1948	Below Normal	11.39	7.17	7.16	6.60	5.95	5.12	4.96	5.12	4.96	45.48	39.57	11.97	155.45
1949	Dry	10.09	8.42	8.71	8.71	7.86	8.71	6.84	6.21	19.18	45.61	20.93	25.45	176.72
1950	Below Normal	4.61	4.46	5.69	4.61	4.16	4.10	4.96	5.12	4.96	46.87	40.31	19.58	149.43
1951	Above Normal	10.86	8.42	59.53	59.83	50.17	23.64	4.96	9.10	17.11	51.21	42.21	39.36	376.40
1952	Wet	20.48	12.39	8.71	8.71	48.77	36.28	86.23	89.10	44.98	12.05	6.63	46.30	420.63
1953	Wet	20.48	12.39	25.24	89.10	7.86	32.01	22.57	16.94	27.57	49.86	31.52	47.26	382.80
1954	Above Normal	20.48	12.39	15.23	14.93	7.86	39.67	30.92	5.12	24.38	51.21	41.44	40.59	304.22
1955	Dry	16.16	8.42	8.71	8.71	7.86	8.71	8.16	5.57	11.78	43.06	22.99	5.34	155.47
1956	Wet	10.77	8.42	8.71	89.10	54.34	32.84	16.07	55.50	21.66	39.71	23.77	49.56	410.45
1957	Above Normal	20.48	12.39	35.32	8.71	17.71	17.27	4.96	5.12	4.96	49.54	38.34	39.98	254.78
1958	Wet	8.71	11.77	8.71	8.71	80.48	61.00	38.05	53.61	33.11	20.37	9.24	46.01	379.77
1959	Below Normal	20.48	12.39	31.65	8.71	31.93	11.91	9.35	6.11	20.16	50.45	40.40	25.04	268.58
1960	Dry	11.23	10.11	6.14	6.14	5.75	5.12	12.86	7.23	19.23	45.12	32.50	30.05	191.48
1961	Dry	6.14	5.95	7.06	6.14	5.55	5.30	6.05	6.28	12.99	44.89	18.57	3.83	128.75
1962	Below Normal	4.61	4.46	4.61	4.61	4.16	4.10	3.85	16.64	13.26	47.67	39.18	27.85	175.00
1963	Wet	6.14	5.95	6.14	6.14	71.63	42.54	65.00	16.18	13.80	50.34	38.17	46.72	368.75
1964	Dry	18.37	8.78	8.71	8.71	8.14	8.71	6.91	5.12	10.61	43.71	19.65	30.16	177.58
1965	Wet	12.86	8.42	13.99	89.10	22.52	27.41	38.73	17.97	10.88	48.09	27.30	49.56	366.83
1966	Below Normal	20.48	12.39	8.71	8.71	7.86	8.71	4.96	5.12	19.25	51.21	42.21	32.53	222.14
1967	Wet	14.53	8.42	8.71	8.71	7.86	62.21	10.71	47.30	42.08	7.26	7.95	49.04	274.78
1968	Below Normal	20.48	12.39	21.42	10.29	56.50	34.05	9.87	5.96	20.27	51.21	38.13	29.44	310.01
1969	Wet	9.79	8.42	8.71	53.45	57.71	33.06	37.46	65.67	18.54	19.27	14.01	49.56	375.65
1970	Wet	20.48	12.39	46.73	89.10	49.31	21.11	7.36	5.12	13.18	49.01	39.89	40.04	393.72
1971	Wet	20.48	13.49	11.38	11.38	10.28	27.47	19.10	44.00	27.94	48.66	36.05	49.56	319.79
1972	Below Normal	20.48	12.39	8.71	8.71	8.14	8.71	4.96	5.12	15.01	46.47	38.10	28.09	204.89
1973	Above Normal	8.71	8.42	8.71	8.71	36.36	31.30	4.96	13.42	20.36	44.72	27.67	33.12	246.46
1974	Wet	16.62	8.42	36.09	89.10	26.80	89.10	41.92	29.65	21.70	38.84	5.29	46.40	449.93
1975	Wet	20.48	12.39	9.76	8.71	26.73	66.14	4.96	42.97	30.48	42.79	11.04	48.18	324.63
1976	Critical	8.71	12.39	26.11	8.71	8.14	8.71	4.96	5.78	5.63	36.47	17.75	30.44	173.80
1977	Critical	15.13	5.95	6.14	6.14	5.55	5.12	4.40	4.96	12.44	7.60	7.58	7.38	88.39
1978	Above Normal	4.86	4.46	4.61	4.61	4.16	27.71	25.29	5.12	7.90	39.64	33.19	36.58	198.13
1979	Below Normal	20.48	12.39	30.16	6.14	5.55	5.12	4.96	5.12	24.73	43.95	33.59	21.79	213.98
1980	Above Normal	16.25	8.42	8.71	26.86	83.35	27.22	4.96	5.12	4.96	28.99	15.62	36.87	267.33
1981	Dry	20.48	12.39	15.65	8.71	7.86	8.71	4.96	5.12	21.48	44.92	27.69	19.34	197.31
1982	Wet	7.08	5.95	78.90	42.72	80.48	68.65	86.23	41.00	18.50	18.70	7.90	24.76	480.87
1983	Wet	14.95	43.07	56.25	64.97	80.48	89.10	43.40	60.79	57.89	14.65	7.49	25.01	558.05
1984	Wet	25.80	72.10	89.10	28.69	41.20	46.28	4.96	5.12	24.46	51.21	30.43	39.14	458.49
1985	Dry	20.48	8.42	8.71	8.71	7.86	8.71	4.96	14.93	18.05	45.56	19.97	25.78	192.14
1986	Wet	19.43	8.42	8.71	8.71	80.48	89.10	4.96	5.12	8.09	45.26	34.05	49.53	361.86
1987	Dry	20.48	12.39	30.00	8.71	7.86	8.71	4.96	10.88	16.56	8.98	5.12	4.96	139.61
1988	Critical	6.14	5.95	6.14	6.14	8.15	6.42	3.72	8.24	13.81	34.76	7.27	6.46	113.20
1989	Dry	4.61	4.46	4.61	4.61	5.52	4.10	3.72	12.39	19.39	40.73	23.58	23.83	151.55
1990	Critical	13.21	12.39	25.35	4.61	4.16	4.10	6.13	3.95	5.15	41.03	4.80	4.96	129.84
1991	Critical	4.94	4.46	6.52	4.61	4.16	4.10	3.72	3.84	16.90	38.26	9.06	6.79	107.36
1992	Critical	4.61	5.43	4.61	4.61	4.31	4.10	3.72	8.32	18.77	10.92	6.44	9.49	85.33
1993	Above Normal	5.23	4.46	4.61	4.61	4.16	44.09	17.80	39.81	22.18	47.29	40.17	41.22	275.63
1994	Critical	20.48	12.39	12.10	6.14	5.55	5.12	4.96	5.12	7.17	39.39	18.66	8.57	145.65
1995	Wet	10.00	5.95	6.14	6.14	34.18	89.10	63.90	89.10	54.36	12.17	11.75	22.26	405.05
1996	Wet	20.48	12.39	25.99	62.66	83.35	51.96	33.27	53.35	11.75	44.94	21.68	46.66	468.48
1997	Wet	20.48	12.39	71.00	89.10	47.60	27.11	4.96	5.12	11.72	46.05	22.18	47.02	404.73
1998	Wet	20.48	12.39	11.20	8.71	78.94	73.13	14.63	47.13	56.67	12.86	5.91	22.31	364.36
1999	Wet	26.95	41.87	30.90	71.12	76.67	58.12	4.96	5.12	8.66	45.87	18.51	26.09	414.84
2000	Above Normal	20.48	12.39	32.72	8.71	38.34	48.10	4.96	7.86	19.20	51.21	39.03	38.45	321.45
2001	Dry	20.48	12.39	32.23	8.71	7.86	8.71	4.96	10.63	17.27	25.50	5.12	4.96	158.82
2002	Dry	12.37	5.95	6.14	6.14	6.11	5.12	4.96	5.12	8.80	42.93	7.90	23.59	135.13
2003	Above Normal	9.06	9.94	8.71	8.71	7.86	8.71	4.96	24.43	10.31	51.21	38.54	41.97	224.41
	Average	14.27	10.74	17.63	19.34	24.23	26.94	15.10	18.77	18.61	38.48	24.70	28.26	257.06
	Wet	16.41	14.90	24.96	42.56	50.06	54.01	31.93	37.85	25.54	34.95	21.35	43.03	397.56
	Above Normal	13.63	9.34	17.91	14.10	24.15	35.25	11.19	17.61	16.93	46.68	35.71	39.37	281.88
	Below Normal	15.26	9.75	14.22	7.61	12.72	10.66	5.55	6.38	14.85	46.38	39.06	22.47	204.90
	Dry	13.53	8.40	14.16	7.28	7.55	7.79	6.30	8.43	16.72	40.27	21.22	17.29	168.93
	Critical	10.26	7.82	10.64	6.02	6.79	7.68	6.88	8.54	12.50	25.99	9.44	8.34	120.88

Energy generated (GWh) at Thermalito Dam: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	20.48	12.39	16.56	8.71	13.03	24.48	6.51	86.00	32.47	42.67	27.73	44.33	335.36
1923	Below Normal	20.48	12.39	19.50	8.71	16.43	8.71	4.96	5.12	4.96	42.22	37.20	18.75	199.43
1924	Critical	9.06	8.42	9.02	8.71	8.14	12.26	9.88	12.14	14.77	35.55	10.94	6.48	145.37
1925	Dry	4.61	4.46	4.71	4.61	4.16	4.10	3.72	3.84	13.64	42.14	20.19	25.70	135.88
1926	Dry	10.38	6.03	8.68	4.61	4.16	7.61	3.72	15.51	24.57	45.25	22.63	13.49	166.64
1927	Wet	4.61	4.46	21.22	4.61	13.18	36.29	23.76	20.76	10.18	48.54	41.73	49.56	278.90
1928	Above Normal	20.48	12.39	14.09	8.71	21.09	41.73	4.96	5.12	24.57	51.21	41.61	39.00	284.96
1929	Critical	20.48	8.42	8.71	8.71	7.86	8.71	9.41	11.38	12.97	7.15	4.95	3.83	112.58
1930	Dry	4.61	4.46	20.34	4.61	18.45	4.10	3.72	3.84	22.94	45.26	27.18	23.35	182.86
1931	Critical	6.40	4.46	4.61	4.61	4.16	4.10	15.23	11.84	13.98	26.26	11.69	5.55	112.89
1932	Dry	4.61	4.46	23.04	4.61	4.31	14.48	5.56	3.84	14.10	24.58	26.68	3.83	134.10
1933	Critical	9.33	9.27	4.61	4.61	4.16	24.04	3.88	10.55	11.06	21.59	3.84	3.83	110.77
1934	Critical	4.61	4.46	13.74	4.61	17.15	5.25	12.51	14.24	17.30	12.78	10.35	6.29	123.29
1935	Below Normal	8.51	4.46	4.61	4.61	4.30	4.10	4.96	5.12	11.29	44.75	39.36	24.52	160.59
1936	Below Normal	14.70	12.39	10.87	8.71	12.44	28.29	4.96	5.84	8.01	42.87	38.57	22.13	209.78
1937	Below Normal	20.48	12.39	28.32	8.71	7.86	8.71	4.96	5.12	37.82	41.59	38.96	5.38	220.30
1938	Wet	14.35	8.42	8.71	8.71	36.97	89.10	65.00	88.76	40.65	21.36	23.81	49.56	455.40
1939	Dry	20.48	12.39	25.29	8.71	7.98	8.71	16.50	16.23	14.57	46.96	29.17	12.87	219.86
1940	Above Normal	6.14	5.95	6.14	6.14	5.75	89.10	19.09	5.12	14.72	51.21	43.05	41.03	293.44
1941	Wet	18.78	12.39	8.71	8.71	68.65	58.61	18.83	43.66	15.33	38.77	14.98	49.56	356.98
1942	Wet	20.48	12.39	30.39	73.60	80.48	14.27	52.35	29.96	30.08	32.34	23.20	49.56	449.10
1943	Wet	20.48	12.39	8.71	76.68	34.68	82.33	20.91	5.12	9.81	50.42	40.80	49.56	411.89
1944	Dry	20.48	13.30	27.46	11.19	10.46	11.19	8.97	7.78	20.45	44.72	27.13	4.96	208.09
1945	Below Normal	8.71	8.42	8.71	8.71	7.86	8.71	4.96	5.38	7.90	44.77	38.56	23.76	176.45
1946	Below Normal	16.92	8.42	8.71	8.71	7.86	8.71	4.96	7.89	16.49	49.67	42.92	23.78	205.04
1947	Dry	17.01	8.42	8.71	8.71	7.86	8.71	4.96	11.13	14.79	44.89	25.49	26.87	187.55
1948	Below Normal	10.93	7.17	7.16	6.60	6.06	5.12	4.96	5.12	4.96	45.48	39.57	11.96	155.09
1949	Dry	10.11	8.42	8.71	8.71	7.86	8.71	6.84	6.22	19.18	45.62	20.91	25.35	176.64
1950	Below Normal	4.61	4.46	5.70	4.61	4.16	4.10	4.96	5.12	4.96	46.87	40.31	19.58	149.44
1951	Above Normal	10.86	8.42	59.53	59.83	50.17	23.24	4.96	9.10	17.12	51.21	42.22	39.54	376.20
1952	Wet	20.48	12.39	8.71	8.71	48.58	36.28	86.23	89.10	45.03	12.11	6.63	46.32	420.57
1953	Wet	20.48	12.39	25.61	89.10	7.86	31.58	22.56	16.91	27.53	49.85	31.59	47.25	382.71
1954	Above Normal	20.48	12.39	16.72	14.93	7.86	37.78	30.92	5.12	24.38	51.21	41.44	40.59	303.82
1955	Dry	15.81	8.42	8.71	8.71	7.86	8.71	8.16	5.57	11.78	43.06	23.19	6.67	156.65
1956	Wet	9.48	8.42	8.71	89.10	54.34	32.97	16.07	55.50	21.66	39.71	23.77	49.56	409.29
1957	Above Normal	20.48	12.39	35.33	8.71	17.71	17.27	4.96	5.12	4.96	49.54	38.35	39.99	254.81
1958	Wet	8.71	11.84	8.71	8.71	80.48	61.00	38.05	53.61	33.11	20.39	8.95	45.94	379.50
1959	Below Normal	20.48	12.39	31.85	8.71	31.77	11.91	9.36	6.11	20.17	50.46	40.41	25.55	269.17
1960	Dry	11.24	10.04	6.14	6.14	5.75	5.12	12.87	7.23	19.23	45.12	32.55	29.44	190.87
1961	Dry	6.14	5.95	7.06	6.14	5.55	5.31	6.05	6.28	12.99	44.83	18.60	3.83	128.73
1962	Below Normal	4.61	4.46	4.61	4.61	4.16	4.10	3.85	16.64	13.26	47.67	39.18	27.86	175.01
1963	Wet	6.14	5.95	6.14	6.14	71.65	42.54	64.95	16.18	13.80	50.34	38.18	46.73	368.74
1964	Dry	18.38	8.78	8.71	8.71	8.14	8.71	6.91	5.12	10.61	43.72	19.65	30.17	177.61
1965	Wet	12.84	8.42	13.99	89.10	22.52	26.83	38.73	17.97	10.88	48.06	27.30	49.56	366.20
1966	Below Normal	20.48	12.39	8.71	8.71	7.86	8.71	4.96	5.12	19.26	51.21	42.22	32.53	222.16
1967	Wet	14.54	8.42	8.71	8.71	7.86	62.22	10.71	47.30	42.08	7.26	7.96	49.23	275.00
1968	Below Normal	20.48	12.39	21.84	9.66	56.50	34.05	9.87	5.96	20.28	51.21	38.13	29.44	309.81
1969	Wet	9.85	8.42	8.71	53.38	57.71	33.06	37.46	65.67	18.54	19.88	13.67	49.56	375.91
1970	Wet	20.48	12.39	46.47	89.10	49.32	21.11	7.35	5.12	13.19	49.01	39.89	41.12	394.55
1971	Wet	20.48	13.49	11.38	11.38	10.28	26.40	19.10	44.00	27.94	48.65	36.03	49.56	318.69
1972	Below Normal	20.48	12.39	8.71	8.71	8.14	8.71	4.96	5.12	15.01	46.47	38.10	28.10	204.90
1973	Above Normal	8.71	8.42	8.71	8.71	36.36	31.30	4.96	13.42	20.36	44.71	27.67	33.12	246.45
1974	Wet	16.66	8.42	36.06	89.10	26.80	89.10	41.92	29.65	21.70	38.85	5.29	46.41	449.96
1975	Wet	20.48	12.39	9.75	8.71	26.74	66.14	4.96	42.97	30.48	42.79	11.04	48.18	324.63
1976	Critical	8.71	12.39	26.12	8.71	8.14	8.71	4.96	5.78	5.63	36.54	17.75	30.44	173.88
1977	Critical	15.06	5.95	6.14	6.14	5.55	5.12	4.40	4.96	12.44	7.60	7.58	7.38	88.32
1978	Above Normal	4.86	4.46	4.61	4.61	4.16	27.71	25.30	5.12	7.92	39.66	33.22	36.61	198.24
1979	Below Normal	20.48	12.39	22.27	6.14	5.55	5.12	4.96	5.12	24.64	43.79	33.60	21.80	205.86
1980	Above Normal	15.21	8.42	8.71	36.12	83.35	27.22	4.96	5.12	4.96	28.89	15.51	31.28	269.75
1981	Dry	20.48	12.39	15.58	8.71	7.86	11.39	4.96	5.12	21.45	44.53	28.97	19.44	200.88
1982	Wet	7.41	5.95	80.86	42.72	80.48	68.65	86.23	41.00	18.50	18.71	7.90	24.80	483.21
1983	Wet	14.90	43.07	56.25	64.97	80.48	89.10	43.40	60.79	57.89	14.65	7.49	25.04	558.03
1984	Wet	25.80	72.10	89.10	28.69	41.20	46.28	4.96	5.12	24.46	51.21	30.43	39.14	458.49
1985	Dry	20.48	8.42	8.71	8.71	7.86	8.71	4.96	14.93	18.05	45.56	19.97	25.79	192.15
1986	Wet	19.43	8.42	8.71	8.71	80.48	89.10	4.96	5.12	8.10	45.26	34.05	49.53	361.87
1987	Dry	20.48	12.39	30.02	8.71	7.86	8.71	4.96	10.87	16.82	8.98	5.12	4.96	139.88
1988	Critical	6.14	5.95	6.14	6.14	8.15	6.42	3.72	8.24	13.81	34.47	7.27	6.46	112.91
1989	Dry	4.61	4.46	4.61	4.61	5.52	4.10	3.72	12.38	19.39	40.73	23.18	23.16	150.47
1990	Critical	13.26	12.39	25.36	4.61	4.16	4.10	6.14	3.95	5.16	41.08	5.65	4.97	130.83
1991	Critical	4.94	4.46	6.52	4.61	4.16	4.10	3.72	3.84	16.90	38.30	9.01	6.79	107.35
1992	Critical	4.61	5.33	4.61	4.61	4.31	4.10	3.72	8.32	16.23	13.46	6.38	9.49	85.17
1993	Above Normal	5.23	4.46	4.61	4.61	4.16	44.15	17.80	39.81	22.18	47.27	40.15	41.21	275.64
1994	Critical	20.48	12.39	12.42	6.14	5.55	5.12	4.96	5.12	7.17	39.32	18.61	8.57	145.85
1995	Wet	10.00	5.95	6.14	6.14	34.01	89.10	63.90	89.10	54.36	12.17	11.75	22.29	404.91
1996	Wet	20.48	12.39	25.96	62.66	83.35	51.96	33.27	53.35	11.75	44.52	21.70	46.71	468.10
1997	Wet	20.48	12.39	70.98	89.10	47.60	27.83	4.96	5.12	11.02	46.28	22.18	47.02	404.96
1998	Wet	20.48	12.39	11.21	8.71	79.39	73.13	14.63	47.13	55.33	12.87	6.96	22.31	364.54
1999	Wet	26.96	41.87	30.90	71.12	76.67	58.12	4.96	5.12	8.66	45.88	18.51	26.09	414.86
2000	Above Normal	20.48	12.39	32.72	8.71	38.33	48.10	4.96	7.86	19.20	51.21	39.03	38.46	321.45
2001	Dry	20.48	12.39	31.78	8.71	7.86	8.71	4.96	10.64	17.27	25.95	5.12	4.96	158.83
2002	Dry	12.37	5.95	6.14	6.14	6.10	5.12	4.96	5.12	8.80	42.93	7.70	23.79	135.12
2003	Above Normal	9.06	9.94	8.71	8.71	7.86	8.71	4.96	24.43	10.31	51.21	38.54	41.97	224.41
	Average	14.22	10.74	17.58	19.44	24.26	26.92	15.14	18.73	18.56	38.51	24.74	28.18	257.03
	Wet	16.36	14.90	25.03	42.55	50.07	53.97	31.93	37.85	25.46	35.00	21.38	43.08	397.58
	Above Normal	13.54	9.34	18.04	14.88	24.15	35.07	11.20	17.61	16.93	46.67	35.71	38.93	282.04
	Below Normal	15.17	9.75	13.68	7.57	12.93	10.65	5.55	6.34	14.93	46.36	39.08	22.51	204.50
	Dry	13.49	8.40	14.13	7.28	7.53	7.90	6.47	8.43	16.70	40.27	21.30	17.15	169.05
	Critical	10.26	7.82	10.67	6.02	6.79	7.67	6.88	8.36	12.29	26.18	9.50	8.34	120.77

Difference in Energy generated (GWh) at Thermalito Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.04	(0.17)	0.00	0.00	0.00	(0.01)	0.00	(0.07)	(0.02)
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.01	0.02	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.02	0.01	0.00
1926	Dry	0.02	0.01	0.00	0.00	0.00	(0.69)	0.00	0.00	0.02	0.00	0.05	(0.10)	(0.06)
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	(0.06)	0.01	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.00
1933	Critical	0.02	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.08)	0.00	0.00	0.01
1934	Critical	0.00	0.00	0.00	0.00	0.00	(0.17)	0.02	(2.07)	(0.03)	(0.02)	0.09	0.00	(0.18)
1935	Below Normal	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.03	0.01
1936	Below Normal	(0.98)	0.00	(0.30)	0.00	2.92	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.14
1937	Below Normal	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.36	0.01	0.01	0.00	0.04
1938	Wet	(0.41)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1939	Dry	0.00	0.00	(0.05)	0.00	(0.24)	0.00	3.17	(0.06)	(0.02)	(0.09)	0.32	(2.86)	0.01
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.00
1941	Wet	0.01	0.00	0.00	0.00	(0.06)	0.00	0.00	0.00	0.00	(0.24)	0.06	0.00	(0.02)
1942	Wet	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00
1943	Wet	0.00	0.00	0.00	(0.04)	0.00	0.01	0.00	0.00	0.01	0.84	(0.01)	0.00	0.07
1944	Dry	0.00	0.00	(0.01)	0.01	0.00	0.01	0.00	0.00	(0.59)	(0.05)	0.34	0.00	(0.02)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	(0.01)	0.00
1946	Below Normal	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.55)	0.87	(0.13)	0.22	0.02	0.04
1947	Dry	(0.48)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	(0.15)	0.09	(0.04)
1948	Below Normal	(0.46)	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.03)
1949	Dry	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	(0.02)	(0.10)	(0.01)
1950	Below Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.40)	0.00	0.00	0.01	0.00	0.01	0.18	(0.02)
1952	Wet	0.00	0.00	0.00	0.00	(0.19)	0.00	0.00	0.00	0.05	0.06	0.00	0.02	0.00
1953	Wet	0.00	0.00	0.37	0.00	0.00	(0.43)	(0.01)	(0.03)	(0.04)	(0.01)	0.07	(0.01)	(0.01)
1954	Above Normal	0.00	0.00	1.49	0.00	0.00	(1.89)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1955	Dry	(0.35)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	1.33	0.10
1956	Wet	(1.29)	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)
1957	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00
1958	Wet	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	(0.29)	(0.07)	(0.02)
1959	Below Normal	0.00	0.00	0.20	0.00	(0.16)	0.00	0.01	0.00	0.01	0.01	0.01	0.51	0.05
1960	Dry	0.01	(0.07)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.05	(0.61)	(0.05)
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.06)	0.03	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.02	0.00	(0.05)	0.00	0.00	0.00	0.01	0.01	0.00
1964	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1965	Wet	(0.02)	0.00	0.00	0.00	0.00	(0.58)	0.00	0.00	0.00	(0.03)	0.00	0.00	(0.05)
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00
1967	Wet	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.19	0.02
1968	Below Normal	0.00	0.00	0.42	(0.63)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.02)
1969	Wet	0.06	0.00	0.00	(0.07)	0.00	0.00	0.00	0.00	0.00	0.61	(0.34)	0.00	0.02
1970	Wet	0.00	0.00	(0.26)	0.00	0.01	0.00	(0.01)	0.00	0.01	0.00	0.00	1.08	0.07
1971	Wet	0.00	0.00	0.00	0.00	0.00	(1.07)	0.00	0.00	0.00	(0.01)	(0.02)	0.00	(0.09)
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1974	Wet	0.04	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1975	Wet	0.00	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.01
1977	Critical	(0.07)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.02	0.02	0.03	0.03	0.01
1979	Below Normal	0.00	0.00	(7.89)	0.00	0.00	0.00	0.00	0.00	(0.09)	(0.16)	0.01	0.01	(0.68)
1980	Above Normal	(1.04)	0.00	0.00	9.26	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.11)	(5.59)	0.20
1981	Dry	0.00	0.00	(0.07)	0.00	0.00	2.68	0.00	0.00	(0.03)	(0.39)	1.28	0.10	0.30
1982	Wet	0.33	0.00	1.96	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.04	0.20
1983	Wet	(0.05)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.02	0.00	0.00	0.00	0.00	(0.01)	0.26	0.00	0.00	0.00	0.02
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.29)	0.00	0.00	(0.02)
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.40)	(0.67)	(0.09)
1990	Critical	0.05	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.05	0.85	0.01	0.08
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	(0.05)	0.00	0.00
1992	Critical	0.00	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	(2.54)	2.54	(0.06)	0.00	(0.01)
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	(0.02)	(0.02)	(0.01)	0.00
1994	Critical	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.05)	0.00	0.02
1995	Wet	0.00	0.00	0.00	0.00	(0.17)	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.01)
1996	Wet	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.42)	0.02	0.05	(0.03)
1997	Wet	0.00	0.00	(0.02)	0.00	0.00	0.72	0.00	0.00	(0.70)	0.23	0.00	0.00	0.02
1998	Wet	0.00	0.00	0.01	0.00	0.45	0.00	0.00	0.00	(1.34)	0.01	1.05	0.00	0.02
1999	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
2001	Dry	0.00	0.00	(0.45)	0.00	0.00	0.00	0.00	0.01	0.00	0.45	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.20)	0.20	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.05)	0.00	(0.05)	0.10	0.03	(0.02)	0.04	(0.03)	(0.04)	0.04	0.04	(0.07)	(0.00)
	Wet	(0.05)	0.00	0.08	(0.00)	0.00	(0.05)	(0.00)	(0.00)	(0.08)	0.04	0.02	0.05	0.00
	Above Normal	(0.09)	0.00	0.13	0.77	(0.00)	(0.19)	0.00	0.00	0.00	(0.01)	(0.00)	(0.44)	0.01
	Below Normal	(0.09)	0.00	(0.54)	(0.04)	0.21	(0.01)	0.00	(0.04)	0.08	(0.02)	0.02	0.04	(0.03)
	Dry	(0.04)	(0.00)	(0.03)	0.00	(0.01)	0.11	0.18	(0.00)	(0.02)	(0.01)	0.09	(0.14)	0.01
	Critical	(0.00)	0.01	0.03	0.00	0.00	(0.01)	0.00	(0.17)	(0.21)	0.18	0.07	0.00	(0.01)

Percent Difference in Energy generated (GWh) at Thermalito Dam: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	-8%	0%	0%	0%	0%	0%	-1%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	-3%	0%	-13%	0%	0%	1%	0%
1935	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-6%	0%	-3%	0%	31%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1938	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	-3%	0%	24%	0%	0%	0%	1%	-18%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%	1%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	-7%	6%	0%	1%	0%
1947	Dry	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1948	Below Normal	-4%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	1%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	10%	0%	0%	-5%	0%	0%	0%	0%	0%	0%
1955	Dry	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	25%
1956	Wet	-12%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	0%
1959	Below Normal	0%	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%	2%
1960	Dry	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	2%	-6%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	0%	0%	0%	0%	0%	3%	-2%	0%
1970	Wet	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	3%
1971	Wet	0%	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	-26%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	-6%	0%	0%	34%	0%	0%	0%	0%	0%	0%	-1%	-15%
1981	Dry	0%	0%	0%	0%	0%	31%	0%	0%	0%	-1%	5%	1%
1982	Wet	5%	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	2%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	-3%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	18%	0%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1992	Critical	0%	-2%	0%	0%	0%	0%	0%	0%	-14%	23%	-1%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	3%	0%	0%	-6%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	1%	0%	0%	0%	-2%	0%	18%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	2%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%
	Above Normal	-1%	0%	1%	3%	0%	-1%	0%	0%	0%	0%	0%	-1%
	Below Normal	-1%	0%	-2%	0%	2%	0%	0%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	2%	1%	0%

Energy generated (GWh) at Warne: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	55.10	46.70	30.94	5.84	29.63	36.82	36.37	35.58	32.92	34.60	34.10	32.38	410.98
1923	Below Normal	25.87	23.80	21.28	35.55	42.87	37.10	36.18	36.00	33.95	39.72	37.06	31.38	400.76
1924	Critical	22.90	20.97	14.26	9.59	9.12	13.20	18.25	17.57	16.31	19.46	14.77	10.83	187.23
1925	Dry	0.87	0.48	0.14	1.38	6.16	29.37	32.52	41.45	39.94	47.65	43.77	35.79	279.52
1926	Dry	26.20	24.06	15.17	6.09	7.14	17.23	23.16	34.56	32.93	39.20	35.99	29.42	291.15
1927	Wet	20.48	18.61	11.01	4.67	18.31	40.42	38.14	37.61	34.80	35.85	35.72	34.58	330.20
1928	Above Normal	28.43	26.22	24.38	19.97	25.01	23.91	43.07	42.40	39.44	40.56	40.48	39.20	393.07
1929	Critical	33.06	30.69	28.85	19.13	17.38	14.62	17.18	19.01	17.83	21.41	16.21	2.97	238.34
1930	Dry	6.16	5.90	2.56	5.94	6.94	12.48	27.76	27.25	26.24	31.14	25.59	19.68	197.64
1931	Critical	9.00	7.12	2.34	5.88	6.80	13.13	21.46	20.76	19.69	23.76	17.86	13.01	160.81
1932	Dry	2.18	0.54	0.17	4.80	7.37	46.55	23.22	31.56	29.86	35.56	32.31	26.27	240.39
1933	Critical	17.22	15.48	8.58	5.92	49.77	13.08	16.49	27.66	26.44	31.60	26.37	20.45	259.06
1934	Critical	10.08	8.15	3.15	6.05	6.43	13.72	24.07	23.55	22.77	27.32	20.65	1.44	167.38
1935	Below Normal	13.54	10.16	4.94	6.12	8.32	17.47	41.67	41.30	39.07	42.40	41.04	37.47	303.50
1936	Below Normal	30.20	27.94	23.73	14.92	17.60	55.10	32.50	41.24	38.35	39.51	39.37	38.11	398.57
1937	Below Normal	31.96	29.61	27.76	20.34	49.77	55.10	40.97	49.29	46.32	47.66	47.52	46.06	492.36
1938	Wet	39.94	37.22	35.46	24.02	49.77	55.10	51.47	50.96	48.14	49.41	49.26	47.82	538.57
1939	Dry	41.63	38.78	37.01	27.01	29.77	28.56	41.66	41.90	15.01	55.10	35.14	52.47	444.04
1940	Above Normal	17.90	15.26	55.10	5.84	6.25	20.94	40.48	41.79	40.34	50.71	47.26	38.60	380.47
1941	Wet	28.80	26.45	17.06	9.89	31.20	39.57	41.85	41.32	38.39	39.61	39.46	38.24	391.84
1942	Wet	32.07	29.70	27.89	37.73	48.37	47.00	35.77	35.24	33.11	37.35	35.47	31.27	430.97
1943	Wet	23.60	21.62	16.47	26.03	38.72	39.78	45.88	45.35	42.31	43.64	43.54	42.27	429.21
1944	Dry	36.08	0.29	55.10	16.15	14.56	16.34	29.06	28.82	27.35	32.65	27.67	21.67	305.74
1945	Below Normal	11.37	9.45	4.18	9.58	8.15	55.10	32.33	40.09	37.29	38.43	38.25	37.05	321.27
1946	Below Normal	30.91	28.58	26.75	38.32	49.77	51.02	34.63	33.46	30.79	32.59	32.06	30.28	419.16
1947	Dry	23.70	21.75	19.07	17.45	20.69	22.04	42.95	42.22	39.27	40.28	40.23	39.01	368.66
1948	Below Normal	32.87	30.49	28.66	19.19	17.44	14.42	21.25	34.25	1.56	52.84	48.56	39.72	341.25
1949	Dry	29.81	27.28	17.62	9.31	8.02	15.33	42.56	42.65	40.99	47.71	44.40	42.83	368.51
1950	Below Normal	33.54	31.89	39.68	7.08	6.44	13.27	37.63	37.61	1.52	51.17	46.97	38.39	345.19
1951	Above Normal	28.59	26.24	16.92	55.10	49.77	55.10	27.91	36.96	34.17	35.14	35.05	33.97	434.92
1952	Wet	27.75	25.58	23.70	37.20	51.55	55.10	43.30	46.83	43.73	45.16	45.04	43.70	488.64
1953	Wet	37.55	34.86	33.06	40.69	35.47	29.31	35.01	35.74	25.56	45.86	42.09	34.47	429.67
1954	Above Normal	25.02	22.81	14.18	7.87	20.26	22.19	39.19	39.90	38.16	46.36	43.05	35.23	354.22
1955	Dry	25.70	23.57	14.75	5.89	7.24	19.47	35.87	35.93	34.16	40.79	37.61	30.75	311.73
1956	Wet	21.65	19.74	11.92	30.56	51.55	55.10	33.38	41.37	38.56	39.65	39.53	38.36	421.37
1957	Above Normal	32.13	29.74	27.88	25.54	25.53	32.29	40.35	41.22	39.81	50.53	46.75	38.24	430.01
1958	Wet	28.42	26.12	16.72	2.08	34.79	40.13	51.35	51.12	48.12	49.47	49.43	47.94	445.69
1959	Below Normal	41.82	31.34	55.10	20.36	20.20	24.15	35.35	34.99	1.65	47.45	43.54	35.60	391.55
1960	Dry	26.06	23.87	15.04	5.85	5.60	14.70	43.01	43.28	41.78	51.39	47.75	43.94	362.27
1961	Dry	34.55	31.91	23.05	8.56	8.97	13.08	36.41	36.25	34.75	41.37	38.01	33.78	340.69
1962	Below Normal	0.52	47.19	51.41	6.11	5.74	19.46	38.35	38.80	1.58	52.99	48.69	39.82	350.66
1963	Wet	29.84	27.46	17.79	20.64	31.19	34.49	35.01	34.26	31.72	34.32	33.40	30.80	360.92
1964	Dry	23.87	21.89	18.29	16.84	45.76	36.31	37.18	36.46	34.00	36.61	35.64	33.01	375.86
1965	Wet	26.17	24.03	20.63	24.83	42.40	41.41	35.94	35.28	32.77	38.22	36.95	33.67	392.30
1966	Below Normal	26.58	24.45	20.34	31.11	39.18	33.77	36.42	36.07	34.10	39.50	37.01	31.44	389.97
1967	Wet	23.08	21.13	14.59	6.83	41.76	44.34	50.64	50.66	47.69	49.14	49.02	47.54	446.42
1968	Below Normal	41.36	38.49	36.66	20.85	25.68	25.96	36.06	35.91	1.70	48.71	44.68	36.55	392.61
1969	Wet	26.89	24.67	15.62	19.11	49.77	55.10	43.57	46.09	46.00	47.36	47.24	45.83	467.25
1970	Wet	39.60	36.84	35.07	43.97	49.77	55.10	36.49	36.39	33.62	34.64	34.46	33.36	469.31
1971	Wet	27.17	25.00	23.14	37.04	46.88	41.03	36.40	36.10	34.18	39.51	37.02	31.66	415.13
1972	Below Normal	23.37	21.44	15.12	11.82	33.29	33.71	37.88	37.85	36.12	42.41	39.32	32.83	365.16
1973	Above Normal	23.98	21.98	14.47	4.73	41.55	42.64	29.87	38.78	36.02	36.93	36.82	35.65	363.42
1974	Wet	29.48	27.20	25.36	38.76	49.77	55.10	51.31	39.29	36.57	37.55	37.43	36.29	464.11
1975	Wet	30.09	27.74	25.86	30.95	29.32	45.81	38.96	38.27	35.50	36.43	36.32	35.20	410.45
1976	Critical	29.00	26.78	24.94	21.29	22.28	24.94	39.86	40.23	38.62	47.81	43.86	39.62	399.23
1977	Critical	29.78	27.28	17.66	5.97	5.74	10.04	14.56	4.17	0.00	3.71	1.81	1.45	122.17
1978	Above Normal	0.56	23.88	33.84	5.83	7.42	36.49	39.56	38.84	36.36	38.95	37.96	35.22	334.91
1979	Below Normal	28.43	26.17	22.72	19.14	18.18	45.66	40.05	39.50	36.72	37.66	37.54	36.38	388.15
1980	Above Normal	30.23	27.92	26.16	44.46	51.55	55.10	42.18	50.42	47.46	48.91	48.78	47.34	520.51
1981	Dry	41.20	38.31	44.61	20.92	21.14	23.01	36.82	37.76	1.81	51.39	47.20	38.59	402.76
1982	Wet	28.69	26.38	16.99	17.88	32.17	40.16	50.29	49.98	47.04	48.36	48.21	46.76	452.91
1983	Wet	40.60	37.77	35.95	46.82	44.69	55.10	42.63	45.21	45.17	46.38	46.39	45.03	531.74
1984	Wet	44.57	41.80	55.10	41.89	51.55	55.10	27.43	36.85	33.93	35.10	34.96	33.88	492.16
1985	Dry	27.63	25.49	42.51	18.98	36.19	32.50	36.34	36.30	33.65	34.57	34.41	33.32	391.89
1986	Wet	27.15	25.01	23.09	19.31	33.22	55.10	42.58	50.92	48.02	49.26	49.25	47.76	470.67
1987	Dry	41.72	29.27	55.10	16.33	14.71	13.02	17.74	16.55	15.19	17.98	13.76	10.10	261.47
1988	Critical	0.62	0.46	0.16	0.68	7.54	10.28	14.77	13.77	12.10	14.62	11.15	8.22	94.37
1989	Dry	0.60	0.43	0.16	0.09	7.64	12.49	42.48	41.92	39.60	43.46	41.84	38.54	269.25
1990	Critical	31.14	28.81	24.14	14.14	13.30	14.33	19.50	18.48	17.35	20.79	15.70	11.50	229.18
1991	Critical	1.32	0.48	0.11	1.89	5.77	10.03	15.01	13.67	12.05	14.49	11.05	8.19	94.06
1992	Critical	0.62	0.42	0.17	0.09	3.31	10.20	18.32	17.28	15.89	18.96	14.44	10.75	110.45
1993	Above Normal	0.87	0.50	0.15	5.44	31.24	35.82	37.32	36.99	23.23	44.12	41.93	36.92	294.53
1994	Critical	28.89	26.54	20.67	13.90	14.19	23.73	40.01	40.20	38.63	49.30	12.36	47.89	356.31
1995	Wet	0.51	53.33	55.10	6.03	23.83	26.11	47.43	46.95	44.02	45.28	45.25	43.87	437.71
1996	Wet	37.73	35.07	53.03	14.72	17.26	35.76	37.38	36.37	33.55	34.57	34.47	33.34	403.25
1997	Wet	27.17	25.06	23.23	35.97	49.44	55.10	42.06	42.09	39.13	40.26	40.20	39.00	458.71
1998	Wet	32.78	30.37	28.50	25.45	48.13	53.61	40.68	38.85	35.96	37.21	37.16	35.96	444.66
1999	Wet	29.75	38.96	35.40	38.58	49.77	48.85	27.58	36.59	33.72	34.94	34.89	33.76	442.79
2000	Above Normal	27.54	25.40	23.48	23.52	38.85	35.00	38.69	38.28	36.03	40.44	38.65	34.37	400.25
2001	Dry	26.67	24.58	19.44	12.72	12.16	15.28	24.55	24.19	23.35	28.09	21.63	15.98	248.64
2002	Dry	4.55	2.70	0.12	2.35	7.41	19.34	41.20	40.41	37.47	38.74	38.69	41.18	274.16
2003	Above Normal	17.42	27.33	55.10	3.45	8.63	20.01	35.73	35.65	1.35	48.46	44.58	36.43	334.14
	Average	25.05	24.11	23.46	17.69	26.32	32.38	35.23	36.52	31.00	39.15	36.43	33.29	360.62
	Wet	29.29	29.53	26.84	26.22	40.41	46.11	40.87	41.76	38.90	41.33	40.85	38.94	441.03
	Above Normal	23.98	24.50	26.88	17.30	27.97	34.69	37.56	39.73	33.77	42.98	41.28	36.96	387.62
	Below Normal	26.60	27.21	27.02	18.61	24.47	34.38	35.81	38.31	24.34	43.79	41.54	36.51	378.58
	Dry	23.29	18.95	21.11	10.93	14.86	21.51	34.14	35.53	30.41	39.65	35.65	32.57	318.58
	Critical	17.80	16.10	12.09	8.71	13.47	14.28	21.62	21.36	19.81	24.44	17.19	14.69	201.55

Energy generated (GWh) at Warne: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	55.10	46.70	30.94	5.84	29.63	36.82	36.37	35.58	34.23	35.91	35.41	33.69	416.22
1923	Below Normal	27.18	25.11	22.59	35.55	42.83	36.89	36.21	36.04	35.28	41.09	38.41	32.68	409.86
1924	Critical	24.18	22.25	15.50	10.79	9.04	13.18	18.25	17.58	16.32	19.47	14.77	10.83	192.16
1925	Dry	0.88	0.48	0.14	1.39	6.16	29.06	32.54	41.47	40.29	48.01	44.13	36.14	280.69
1926	Dry	26.54	24.40	15.51	6.41	7.13	17.22	23.13	34.54	32.91	39.18	35.97	29.40	292.34
1927	Wet	20.46	18.59	10.99	4.68	18.29	40.42	38.14	37.61	36.11	37.15	37.02	35.88	335.34
1928	Above Normal	29.74	27.53	25.68	21.28	24.98	23.91	43.07	42.40	40.20	41.32	41.24	39.96	401.31
1929	Critical	33.82	31.45	29.61	19.89	17.38	14.61	17.17	19.00	17.82	21.40	16.20	2.13	240.48
1930	Dry	6.11	5.68	2.46	5.94	6.94	12.48	27.76	27.25	26.24	31.14	25.59	19.68	197.27
1931	Critical	9.00	7.12	2.34	5.88	6.80	13.13	21.46	20.75	19.68	23.75	17.85	13.01	160.77
1932	Dry	2.18	0.53	0.17	4.79	7.38	48.00	23.22	31.56	31.16	36.87	33.62	27.58	247.06
1933	Critical	18.53	16.78	9.88	7.23	49.77	13.08	16.49	27.66	26.44	31.60	26.36	20.45	264.27
1934	Critical	10.08	8.15	3.15	6.05	7.24	23.69	18.31	26.39	25.17	30.03	24.36	1.44	184.06
1935	Below Normal	16.56	14.48	8.12	6.11	8.32	17.25	41.93	41.71	40.87	45.09	43.24	38.78	322.46
1936	Below Normal	31.08	28.83	23.70	14.74	15.93	55.10	32.50	41.24	39.66	40.82	40.67	39.42	403.69
1937	Below Normal	33.27	30.92	29.07	20.33	49.03	55.10	40.97	49.29	47.63	48.97	48.83	47.36	500.77
1938	Wet	41.25	38.53	35.46	23.75	49.77	55.10	53.33	51.93	48.41	51.04	50.90	49.45	548.92
1939	Dry	43.31	40.45	38.68	29.45	26.98	23.71	36.03	35.83	2.82	49.73	41.51	43.71	412.21
1940	Above Normal	22.42	15.45	55.10	7.05	6.26	20.94	40.48	41.79	41.58	51.94	48.50	39.84	391.35
1941	Wet	30.04	27.69	17.69	9.88	31.20	39.45	41.74	41.20	39.57	40.79	40.64	39.43	399.32
1942	Wet	33.25	30.89	28.42	37.70	48.34	46.87	35.77	35.25	34.43	38.67	36.79	32.57	438.95
1943	Wet	24.90	22.93	17.77	26.00	38.41	39.49	45.67	45.12	43.39	44.72	44.62	43.36	436.38
1944	Dry	37.17	1.60	55.10	16.47	13.67	16.05	29.06	28.82	28.20	33.50	28.52	22.52	310.68
1945	Below Normal	12.22	10.30	5.03	10.45	8.16	48.65	32.38	40.15	38.65	39.79	39.61	38.41	323.80
1946	Below Normal	32.27	29.94	28.11	39.60	49.77	51.71	34.68	33.57	32.20	34.24	33.59	31.58	431.26
1947	Dry	24.90	22.96	20.04	18.11	21.71	20.49	43.06	42.33	39.76	40.77	40.72	39.49	374.34
1948	Below Normal	33.36	30.97	29.14	19.60	17.26	14.35	21.26	32.95	1.56	52.89	48.56	39.69	341.59
1949	Dry	29.82	27.32	17.64	9.28	8.00	15.29	42.59	42.70	41.06	47.91	44.53	42.85	368.99
1950	Below Normal	33.47	31.78	0.15	7.08	6.44	13.27	37.63	37.61	1.65	51.31	47.10	38.52	306.01
1951	Above Normal	28.72	26.37	16.92	55.10	45.24	55.10	27.94	36.99	35.51	36.47	36.39	35.30	436.05
1952	Wet	29.09	26.91	25.03	38.51	46.86	55.10	43.12	40.27	37.41	39.82	39.70	38.53	460.35
1953	Wet	32.37	29.99	28.15	42.24	45.94	43.58	36.13	36.38	35.70	42.15	39.05	32.74	444.42
1954	Above Normal	23.91	21.98	14.58	10.00	28.31	23.84	39.01	39.84	38.10	45.65	41.92	34.31	361.45
1955	Dry	24.85	22.79	14.14	5.34	7.38	19.85	36.63	36.75	35.00	41.79	38.53	31.50	314.55
1956	Wet	22.33	20.38	12.41	19.16	51.55	55.10	33.50	41.47	39.96	41.05	40.94	39.76	417.61
1957	Above Normal	33.54	31.14	29.28	26.85	25.46	31.84	40.34	41.21	40.99	51.85	48.08	39.54	440.12
1958	Wet	29.72	27.40	17.98	3.28	34.77	40.10	51.33	51.10	49.40	50.75	50.72	49.22	455.77
1959	Below Normal	43.10	29.03	55.10	21.69	20.21	24.16	35.35	34.99	2.04	47.84	43.93	35.99	393.43
1960	Dry	26.45	24.26	15.43	6.25	5.60	14.65	43.02	43.28	41.78	51.38	47.74	43.89	363.73
1961	Dry	34.51	31.87	23.02	8.57	8.98	13.08	36.41	36.25	34.76	41.37	38.02	33.79	340.63
1962	Below Normal	0.52	46.53	13.61	6.11	5.74	19.47	38.35	38.79	2.84	54.24	49.95	41.08	317.23
1963	Wet	31.10	28.71	19.05	21.90	31.19	34.49	35.01	34.26	33.03	35.62	34.70	32.11	371.17
1964	Dry	25.18	23.19	19.59	18.18	45.77	36.32	37.17	36.45	33.99	36.59	35.63	33.00	381.06
1965	Wet	26.17	24.03	20.63	24.85	42.40	41.41	35.94	35.28	34.08	39.56	38.28	34.99	397.62
1966	Below Normal	27.90	25.76	21.64	32.40	39.16	33.77	36.42	36.06	35.08	40.47	37.98	32.42	399.06
1967	Wet	24.06	22.12	15.58	7.83	41.77	44.35	50.64	50.66	47.69	50.44	50.33	48.85	454.32
1968	Below Normal	42.67	38.96	43.48	20.12	23.34	25.35	36.20	36.05	2.85	50.07	46.03	37.86	402.98
1969	Wet	28.19	25.96	16.88	19.04	49.77	55.10	40.75	49.01	46.04	48.71	48.59	47.18	475.22
1970	Wet	40.95	38.19	36.42	43.63	45.40	55.10	38.87	36.31	34.85	35.87	35.69	34.58	475.86
1971	Wet	28.39	26.23	24.38	38.31	46.86	41.27	36.33	36.01	34.89	40.13	37.69	32.43	422.92
1972	Below Normal	24.20	22.27	16.05	13.05	33.40	33.81	37.87	37.84	36.10	42.38	39.30	32.83	369.10
1973	Above Normal	24.00	22.00	14.51	4.80	41.55	42.64	29.87	38.78	37.30	38.21	38.10	36.93	368.69
1974	Wet	30.76	28.48	26.65	40.04	44.76	55.10	50.43	39.19	37.78	38.75	38.63	37.49	468.06
1975	Wet	31.29	28.95	27.07	32.41	29.39	45.76	38.91	38.21	36.73	37.66	37.56	36.43	420.37
1976	Critical	30.24	28.02	26.18	22.55	22.29	24.98	39.94	40.32	38.71	47.88	43.93	39.81	404.85
1977	Critical	29.95	27.44	17.78	5.97	5.74	10.04	14.56	4.17	0.00	3.71	1.81	1.45	122.62
1978	Above Normal	0.56	22.98	19.06	5.83	7.42	34.40	40.06	39.71	38.83	42.97	41.14	36.89	329.85
1979	Below Normal	29.35	27.10	22.09	17.86	15.49	42.98	38.60	37.96	36.49	37.40	37.28	36.16	378.76
1980	Above Normal	30.01	27.77	26.00	29.22	51.55	55.10	34.16	43.35	41.75	43.06	42.93	41.67	466.57
1981	Dry	35.51	32.97	31.15	26.57	34.67	32.69	40.04	40.96	40.73	49.39	45.63	37.86	448.17
1982	Wet	28.39	26.20	17.61	20.20	33.15	40.13	50.27	49.96	48.33	49.66	49.50	48.05	461.45
1983	Wet	41.89	37.76	35.94	41.89	49.77	55.10	51.22	41.45	40.32	46.38	47.70	46.34	535.76
1984	Wet	44.57	41.80	55.10	41.89	47.03	55.10	27.43	36.85	35.24	36.41	36.27	35.19	492.88
1985	Dry	28.93	26.80	43.82	20.29	36.19	32.50	36.34	36.30	34.44	35.35	35.20	34.11	400.27
1986	Wet	27.94	25.80	23.88	20.10	19.57	55.10	48.81	51.03	49.44	50.70	50.70	49.23	472.30
1987	Dry	43.23	16.34	55.10	17.62	14.70	13.01	17.74	16.54	15.18	17.97	13.76	10.10	251.29
1988	Critical	0.62	0.46	0.16	0.68	7.54	10.28	14.77	13.90	12.24	14.78	11.27	8.30	95.00
1989	Dry	0.60	0.43	0.16	0.09	7.68	12.44	42.53	42.00	39.71	43.72	42.02	39.26	270.64
1990	Critical	31.78	29.41	24.54	13.89	13.13	14.31	19.60	18.60	17.48	20.95	15.82	11.59	231.10
1991	Critical	1.37	0.49	0.11	1.97	5.77	10.03	15.01	13.67	12.05	14.49	11.05	8.19	94.20
1992	Critical	0.62	0.42	0.17	0.09	3.31	10.20	18.12	17.06	15.65	18.66	14.23	10.58	109.11
1993	Above Normal	0.77	0.46	0.15	4.72	31.29	35.92	37.29	36.95	24.19	44.93	42.76	37.81	297.24
1994	Critical	29.93	27.67	21.94	15.37	14.32	23.76	39.97	40.15	38.59	49.05	8.98	47.38	357.11
1995	Wet	0.51	52.79	38.29	6.03	23.83	26.11	47.43	46.95	45.33	46.58	47.63	46.21	427.69
1996	Wet	40.11	1.60	1.53	16.05	17.25	35.75	37.28	36.26	34.75	35.77	35.67	34.54	326.56
1997	Wet	28.37	26.27	24.44	35.94	49.39	55.10	41.20	42.08	40.43	41.56	41.50	40.30	466.58
1998	Wet	34.08	31.67	29.80	26.74	48.14	53.63	40.71	38.66	35.78	37.02	38.28	37.09	451.60
1999	Wet	30.88	40.10	33.94	39.83	49.77	48.85	27.58	36.59	35.03	36.24	36.20	35.07	450.08
2000	Above Normal	28.85	26.71	24.79	24.83	38.84	34.66	38.77	38.39	37.39	41.97	40.09	35.63	410.92
2001	Dry	27.85	25.77	20.46	13.63	11.91	15.20	24.60	24.24	23.39	28.14	21.70	16.04	252.93
2002	Dry	4.62	2.78	0.12	2.41	7.41	19.34	41.16	40.36	37.42	38.69	38.64	41.06	274.01
2003	Above Normal	19.93	24.28	27.26	3.45	8.63	20.01	35.73	35.65	1.78	48.90	45.02	36.87	307.51
	Average	25.71	23.97	21.55	17.89	26.21	32.59	35.22	36.35	31.93	39.64	37.07	33.72	361.85
	Wet	30.04	28.85	24.66	26.23	39.79	46.64	41.44	41.50	39.77	42.05	41.74	39.89	442.60
	Above Normal	24.80	24.45	23.69	16.58	28.26	34.60	36.92	39.22	34.32	43.60	41.80	37.37	385.61
	Below Normal	27.65	28.00	22.71	18.91	23.93	33.70	35.74	38.16	25.21	44.76	42.46	37.34	378.57
	Dry	23.48	18.37	20.71	11.71	15.46	21.74	34.06	35.42	32.16	39.53	36.19	32.33	321.16
	Critical	18.34	16.64	12.61	9.20	13.53	15.11	21.14	21.60	20.01	24.65	17.22	14.60	204.64

Difference in Energy generated (GWh) at Warne: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1.31	1.31	1.31	0.44
1923	Below Normal	1.31	1.31	1.31	0.00	(0.04)	(0.21)	0.03	0.04	1.33	1.37	1.35	1.30	0.76
1924	Critical	1.28	1.28	1.24	1.20	(0.08)	(0.02)	0.00	0.01	0.01	0.01	0.00	0.00	0.41
1925	Dry	0.01	0.00	0.00	0.01	0.00	(0.31)	0.02	0.02	0.35	0.36	0.36	0.35	0.10
1926	Dry	0.34	0.34	0.34	0.32	(0.01)	(0.01)	(0.03)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	0.10
1927	Wet	(0.02)	(0.02)	(0.02)	0.01	(0.02)	0.00	0.00	0.00	1.31	1.30	1.30	1.30	0.43
1928	Above Normal	1.31	1.31	1.30	1.31	(0.03)	0.00	0.00	0.00	0.76	0.76	0.76	0.76	0.69
1929	Critical	0.76	0.76	0.76	0.76	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.84)	0.18
1930	Dry	(0.05)	(0.22)	(0.10)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1932	Dry	0.00	(0.01)	0.00	(0.01)	0.01	1.45	0.00	0.00	1.30	1.31	1.31	1.31	0.56
1933	Critical	1.31	1.30	1.30	1.31	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.43
1934	Critical	0.00	0.00	0.00	0.00	0.81	9.97	(5.76)	2.84	2.40	2.71	3.71	0.00	1.39
1935	Below Normal	3.02	4.32	3.18	(0.01)	0.00	(0.22)	0.26	0.41	1.80	2.69	2.20	1.31	1.58
1936	Below Normal	0.88	0.89	(0.03)	(0.18)	(1.67)	0.00	0.00	0.00	1.31	1.31	1.30	1.31	0.43
1937	Below Normal	1.31	1.31	1.31	(0.01)	(0.74)	0.00	0.00	0.00	1.31	1.31	1.31	1.30	0.70
1938	Wet	1.31	1.31	0.00	(0.27)	0.00	0.00	1.86	0.97	0.27	1.63	1.64	1.63	0.86
1939	Dry	1.68	1.67	1.67	2.44	(2.79)	(4.85)	(5.63)	(6.07)	(12.19)	(5.37)	6.37	(8.76)	(2.65)
1940	Above Normal	4.52	0.19	0.00	1.21	0.01	0.00	0.00	0.00	1.24	1.23	1.24	1.24	0.91
1941	Wet	1.24	1.24	0.63	(0.01)	0.00	(0.12)	(0.11)	(0.12)	1.18	1.18	1.18	1.19	0.62
1942	Wet	1.18	1.19	0.53	(0.03)	(0.03)	(0.13)	0.00	0.01	1.32	1.32	1.32	1.30	0.67
1943	Wet	1.30	1.31	1.30	(0.03)	(0.31)	(0.29)	(0.21)	(0.23)	1.08	1.08	1.08	1.09	0.60
1944	Dry	1.09	1.31	0.00	0.32	(0.89)	(0.29)	0.00	0.00	0.85	0.85	0.85	0.85	0.41
1945	Below Normal	0.85	0.85	0.85	0.87	0.01	(6.45)	0.05	0.06	1.36	1.36	1.36	1.36	0.21
1946	Below Normal	1.36	1.36	1.36	1.28	0.00	0.69	0.05	0.11	1.41	1.65	1.53	1.30	1.01
1947	Dry	1.20	1.21	0.97	0.66	1.02	(1.55)	0.11	0.11	0.49	0.49	0.49	0.48	0.47
1948	Below Normal	0.49	0.48	0.48	0.41	(0.18)	(0.07)	0.01	(1.30)	0.00	0.05	0.00	(0.03)	0.03
1949	Dry	0.01	0.04	0.02	(0.03)	(0.02)	(0.04)	0.03	0.05	0.07	0.20	0.13	0.02	0.04
1950	Below Normal	(0.07)	(0.11)	(39.53)	0.00	0.00	0.00	0.00	0.00	0.13	0.14	0.13	0.13	(3.27)
1951	Above Normal	0.13	0.13	0.00	0.00	(4.53)	0.00	0.03	0.03	1.34	1.33	1.34	1.33	0.09
1952	Wet	1.34	1.33	1.33	1.31	(4.69)	0.00	(0.18)	(6.56)	(6.32)	(5.34)	(5.34)	(5.17)	(2.36)
1953	Wet	(5.18)	(4.87)	(4.91)	1.55	10.47	14.27	1.12	0.64	10.14	(3.71)	(3.04)	(1.73)	1.23
1954	Above Normal	(1.11)	(0.83)	0.40	2.13	8.05	1.65	(0.18)	(0.06)	(0.06)	(0.71)	(1.13)	(0.92)	0.60
1955	Dry	(0.85)	(0.78)	(0.61)	(0.55)	0.14	0.38	0.76	0.82	0.84	1.00	0.92	0.75	0.24
1956	Wet	0.68	0.64	0.49	(11.40)	0.00	0.00	0.12	0.10	1.40	1.40	1.41	1.40	(0.31)
1957	Above Normal	1.41	1.40	1.40	1.31	(0.07)	(0.45)	(0.01)	(0.01)	1.18	1.32	1.33	1.30	0.84
1958	Wet	1.30	1.28	1.26	1.20	(0.02)	(0.03)	(0.02)	(0.02)	1.28	1.28	1.29	1.28	0.84
1959	Below Normal	1.28	(2.31)	0.00	1.33	0.01	0.01	0.00	0.00	0.39	0.39	0.39	0.39	0.16
1960	Dry	0.39	0.39	0.39	0.40	0.00	(0.05)	0.01	0.00	0.00	(0.01)	(0.01)	(0.05)	0.12
1961	Dry	(0.04)	(0.04)	(0.03)	0.01	0.01	0.00	0.00	0.00	0.01	0.00	0.01	0.01	0.00
1962	Below Normal	0.00	(0.66)	(37.80)	0.00	0.00	0.01	0.00	(0.01)	1.26	1.25	1.26	1.26	(2.79)
1963	Wet	1.26	1.25	1.26	1.26	0.00	0.00	0.00	0.00	1.31	1.30	1.30	1.31	0.85
1964	Dry	1.31	1.30	1.30	1.34	0.01	0.01	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	0.43
1965	Wet	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	1.31	1.34	1.33	1.32	0.44
1966	Below Normal	1.32	1.31	1.30	1.29	(0.02)	0.00	0.00	(0.01)	0.98	0.97	0.97	0.98	0.76
1967	Wet	0.98	0.99	0.99	1.00	0.01	0.01	0.00	0.00	0.00	1.30	1.31	1.31	0.66
1968	Below Normal	1.31	0.47	6.82	(0.73)	(2.34)	(0.61)	0.14	0.14	1.15	1.36	1.35	1.31	0.86
1969	Wet	1.30	1.29	1.26	(0.07)	0.00	0.00	(2.82)	2.92	0.04	1.35	1.35	1.35	0.66
1970	Wet	1.35	1.35	1.35	(0.34)	(4.37)	0.00	2.38	(0.08)	1.23	1.23	1.23	1.22	0.55
1971	Wet	1.22	1.23	1.24	1.27	(0.02)	0.24	(0.07)	(0.09)	0.71	0.62	0.67	0.77	0.65
1972	Below Normal	0.83	0.83	0.93	1.23	0.11	0.10	(0.01)	(0.01)	(0.02)	(0.03)	(0.02)	0.00	0.33
1973	Above Normal	0.02	0.02	0.04	0.07	0.00	0.00	0.00	0.00	1.28	1.28	1.28	1.28	0.44
1974	Wet	1.28	1.28	1.29	1.28	(5.01)	0.00	(0.88)	(0.10)	1.21	1.20	1.20	1.20	0.33
1975	Wet	1.20	1.21	1.21	1.46	0.07	(0.05)	(0.05)	(0.06)	1.23	1.23	1.24	1.23	0.83
1976	Critical	1.24	1.24	1.24	1.26	0.01	0.04	0.08	0.09	0.09	0.07	0.07	0.19	0.47
1977	Critical	0.17	0.16	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1978	Above Normal	0.00	(0.90)	(14.78)	0.00	0.00	(2.09)	0.50	0.87	2.47	4.02	3.18	1.67	(0.42)
1979	Below Normal	0.92	0.93	(0.63)	(1.28)	(2.69)	(2.68)	(1.45)	(1.54)	(0.23)	(0.26)	(0.26)	(0.22)	(0.78)
1980	Above Normal	(0.22)	(0.15)	(0.16)	(15.24)	0.00	0.00	(8.02)	(7.07)	(5.71)	(5.85)	(5.85)	(5.67)	(4.50)
1981	Dry	(5.69)	(5.34)	(13.46)	5.65	13.53	9.68	3.22	3.20	38.92	(2.00)	(1.57)	(0.73)	3.78
1982	Wet	(0.30)	(0.18)	0.62	2.32	0.98	(0.03)	(0.02)	(0.02)	1.29	1.30	1.29	1.29	0.71
1983	Wet	1.29	(0.01)	(0.01)	(4.93)	5.08	0.00	8.59	(3.76)	(4.85)	0.00	1.31	1.31	0.34
1984	Wet	0.00	0.00	0.00	0.00	(4.52)	0.00	0.00	0.00	1.31	1.31	1.31	1.31	0.06
1985	Dry	1.30	1.31	1.31	1.31	0.00	0.00	0.00	0.00	0.79	0.78	0.79	0.79	0.70
1986	Wet	0.79	0.79	0.79	0.79	(13.65)	0.00	6.23	0.11	1.42	1.44	1.45	1.47	0.14
1987	Dry	1.51	(12.93)	0.00	1.29	(0.01)	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00	(0.85)
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.14	0.16	0.12	0.08	0.05
1989	Dry	0.00	0.00	0.00	0.00	0.04	(0.05)	0.05	0.08	0.11	0.26	0.18	0.72	0.12
1990	Critical	0.64	0.60	0.40	(0.25)	(0.17)	(0.02)	0.10	0.12	0.13	0.16	0.12	0.09	0.16
1991	Critical	0.05	0.01	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.20)	(0.22)	(0.24)	(0.30)	(0.21)	(0.17)	(0.11)
1993	Above Normal	(0.10)	(0.04)	0.00	(0.72)	0.05	0.10	(0.03)	(0.04)	0.96	0.81	0.83	0.89	0.23
1994	Critical	1.04	1.13	1.27	1.47	0.13	0.03	(0.04)	(0.05)	(0.04)	(0.25)	(3.38)	(0.51)	0.07
1995	Wet	0.00	(0.54)	(16.81)	0.00	0.00	0.00	0.00	0.00	1.31	1.30	2.38	2.34	(0.84)
1996	Wet	2.38	(33.47)	(51.50)	1.33	(0.01)	(0.01)	(0.10)	(0.11)	1.20	1.20	1.20	1.20	(6.39)
1997	Wet	1.20	1.21	1.21	(0.03)	(0.05)	0.00	(0.86)	(0.01)	1.30	1.30	1.30	1.30	0.66
1998	Wet	1.30	1.30	1.30	1.29	0.01	0.02	0.03	(0.19)	(0.18)	(0.19)	1.12	1.13	0.58
1999	Wet	1.13	1.14	(1.46)	1.25	0.00	0.00	0.00	0.00	1.31	1.30	1.31	1.31	0.61
2000	Above Normal	1.31	1.31	1.31	1.31	(0.01)	(0.34)	0.08	0.11	1.36	1.53	1.44	1.26	0.89
2001	Dry	1.18	1.19	1.02	0.91	(0.25)	(0.08)	0.05	0.05	0.04	0.05	0.07	0.06	0.36
2002	Dry	0.07	0.08	0.00	0.06	0.00	0.00	(0.04)	(0.05)	(0.05)	(0.05)	(0.05)	(0.12)	(0.01)
2003	Above Normal	2.51	(3.05)	(27.84)	0.00	0.00	0.00	0.00	0.00	0.43	0.44	0.44	0.44	(2.22)
	Average	0.66	(0.14)	(1.91)	0.19	(0.11)	0.21	(0.01)	(0.17)	0.92	0.49	0.64	0.44	0.10
	Wet	0.75	(0.68)	(2.18)	0.01	(0.62)	0.53	0.58	(0.25)	0.88	0.72	0.89	0.95	0.13
	Above Normal	0.82	(0.05)	(3.19)	(0.72)	0.29	(0.09)	(0.64)	(0.51)	0.55	0.62	0.51	0.41	(0.17)
	Below Normal	1.06	0.78	(4.32)	0.30	(0.54)	(0.67)	(0.07)	(0.15)	0.87	0.97	0.92	0.84	(0.00)
	Dry	0.19	(0.58)	(0.40)	0.79	0.60	0.24	(0.08)	(0.10)	1.75	(0.12)	0.55	(0.24)	0.22
	Critical	0.54	0.54	0.53	0.49	0.06	0.83	(0.49)	0.24	0.21	0.21	0.03	(0.10)	0.26

Percent Difference in Energy generated (GWh) at Warne: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	5%	6%	6%	0%	0%	-1%	0%	0%	4%	3%	4%	4%
1924	Critical	6%	6%	9%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	1%	0%	0%	1%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	5%	5%	5%	7%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	3%	4%	0%	0%	0%	0%	0%	0%	0%	-28%
1930	Dry	-1%	-4%	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	-2%	0%	0%	0%	3%	0%	0%	4%	4%	4%	5%
1933	Critical	8%	8%	15%	22%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	13%	73%	-24%	12%	11%	10%	18%	0%
1935	Below Normal	22%	43%	64%	0%	0%	-1%	1%	1%	5%	6%	5%	3%
1936	Below Normal	3%	3%	0%	-1%	-9%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	5%	0%	-1%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	4%	0%	-1%	0%	0%	4%	2%	1%	3%	3%	3%
1939	Dry	4%	4%	5%	9%	-9%	-17%	-14%	-14%	-81%	-10%	18%	-17%
1940	Above Normal	25%	1%	0%	21%	0%	0%	0%	0%	3%	2%	3%	3%
1941	Wet	4%	5%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	4%	4%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	6%	6%	8%	0%	-1%	-1%	0%	-1%	3%	2%	2%	3%
1944	Dry	3%	452%	0%	2%	-6%	-2%	0%	0%	3%	3%	3%	4%
1945	Below Normal	7%	9%	20%	9%	0%	-12%	0%	0%	4%	4%	4%	4%
1946	Below Normal	4%	5%	5%	3%	0%	1%	0%	0%	5%	5%	5%	4%
1947	Dry	5%	6%	5%	4%	5%	-7%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	2%	2%	2%	-1%	0%	0%	-4%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-100%	0%	0%	0%	0%	0%	9%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	-9%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	5%	5%	6%	4%	-9%	0%	0%	-14%	-14%	-12%	-12%	-12%
1953	Wet	-14%	-14%	-15%	4%	30%	49%	3%	2%	40%	-8%	-7%	-5%
1954	Above Normal	-4%	-4%	3%	27%	40%	7%	0%	0%	0%	-2%	-3%	-3%
1955	Dry	-3%	-3%	-4%	-9%	2%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	4%	-37%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	3%	3%	3%	3%
1958	Wet	5%	5%	8%	58%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	-7%	0%	7%	0%	0%	0%	0%	24%	1%	1%	1%
1960	Dry	1%	2%	3%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	-1%	-74%	0%	0%	0%	0%	0%	80%	2%	3%	3%
1963	Wet	4%	5%	7%	6%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	6%	7%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1966	Below Normal	5%	5%	6%	4%	0%	0%	0%	0%	3%	2%	3%	3%
1967	Wet	4%	5%	7%	15%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	1%	19%	-4%	-9%	-2%	0%	0%	68%	3%	3%	4%
1969	Wet	5%	5%	8%	0%	0%	0%	-6%	6%	0%	3%	3%	3%
1970	Wet	3%	4%	4%	-1%	-9%	0%	7%	0%	4%	4%	4%	4%
1971	Wet	4%	5%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	4%	4%	6%	10%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	3%	3%	4%
1974	Wet	4%	5%	5%	3%	-10%	0%	-2%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	5%	5%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-4%	-44%	0%	0%	-6%	1%	2%	7%	10%	8%	5%
1979	Below Normal	3%	4%	-3%	-7%	-15%	-6%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	-34%	0%	0%	-19%	-14%	-12%	-12%	-12%	-12%
1981	Dry	-14%	-14%	-30%	27%	64%	42%	9%	8%	>1,000%	-4%	-3%	-2%
1982	Wet	-1%	-1%	4%	13%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	-11%	11%	0%	20%	-8%	-11%	0%	3%	3%
1984	Wet	0%	0%	0%	0%	-9%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	5%	5%	3%	7%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	4%	-41%	0%	15%	0%	3%	3%	3%	3%
1987	Dry	4%	-44%	0%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	0%	0%	0%	0%	1%	0%	0%	0%	0%	1%	0%	2%
1990	Critical	2%	2%	2%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	4%	2%	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-1%	-2%
1993	Above Normal	-11%	-8%	0%	-13%	0%	0%	0%	0%	4%	2%	2%	2%
1994	Critical	4%	4%	6%	11%	1%	0%	0%	0%	0%	-1%	-27%	-1%
1995	Wet	0%	-1%	-31%	0%	0%	0%	0%	0%	3%	3%	5%	5%
1996	Wet	6%	-95%	-97%	9%	0%	0%	0%	0%	4%	3%	3%	4%
1997	Wet	4%	5%	5%	0%	0%	0%	-2%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	5%	5%	0%	0%	0%	0%	-1%	-1%	3%	3%
1999	Wet	4%	3%	-4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	5%	5%	6%	6%	0%	-1%	0%	0%	4%	4%	4%	4%
2001	Dry	4%	5%	5%	7%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	2%	3%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	14%	-11%	-51%	0%	0%	0%	0%	0%	32%	1%	1%	1%
	Average	3%	6%	-2%	3%	0%	1%	0%	0%	3%	1%	2%	1%
	Wet	3%	-1%	-2%	3%	-1%	2%	1%	-1%	3%	2%	2%	3%
	Above Normal	3%	-1%	-6%	2%	3%	0%	-2%	-1%	4%	2%	2%	1%
	Below Normal	5%	5%	-3%	2%	-3%	-1%	0%	0%	15%	2%	2%	2%
	Dry	1%	23%	0%	4%	3%	1%	0%	0%	-4%	0%	2%	0%
	Critical	2%	3%	3%	5%	1%	6%	-2%	1%	1%	1%	-1%	-2%

Energy Use (GWh) At Pumping Plant at Badger Hill: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.88	1.40	1.25	0.66	0.98	1.61	1.87	2.41	2.97	3.08	2.65	1.97	22.73
1923	Below Normal	1.30	1.10	0.90	1.23	0.98	1.25	1.55	2.57	3.14	3.28	2.77	2.04	22.11
1924	Critical	1.08	0.83	0.72	0.19	0.20	0.37	0.64	0.81	1.53	1.59	1.40	0.70	10.06
1925	Dry	0.43	0.37	0.39	0.17	0.19	0.77	1.71	2.82	3.41	3.56	3.00	2.21	19.03
1926	Dry	1.13	0.85	0.76	0.17	0.24	0.54	0.91	2.33	2.81	2.94	2.47	1.81	16.96
1927	Wet	0.93	0.70	0.63	0.39	0.76	1.77	1.99	2.50	3.09	3.20	2.77	2.07	20.80
1928	Above Normal	1.41	1.21	0.99	0.44	0.56	0.54	2.22	2.76	3.39	3.50	3.04	2.28	22.34
1929	Critical	1.56	1.34	1.10	0.17	0.16	0.24	0.59	0.90	1.67	1.74	1.53	0.77	11.77
1930	Dry	0.48	0.41	0.44	0.17	0.23	0.36	1.11	1.58	2.40	2.50	2.16	1.30	13.14
1931	Critical	0.74	0.59	0.59	0.16	0.22	0.40	0.81	1.01	1.88	1.96	1.73	0.87	10.96
1932	Dry	0.54	0.46	0.49	0.23	0.38	0.76	1.26	2.05	2.55	2.67	2.25	1.62	15.26
1933	Critical	0.83	0.62	0.56	0.17	0.53	0.68	1.00	1.65	2.42	2.53	2.18	1.34	14.51
1934	Critical	0.75	0.59	0.58	0.17	0.20	0.42	0.95	1.19	2.19	2.28	2.01	0.68	12.01
1935	Below Normal	0.76	0.65	0.68	0.17	0.32	0.55	2.04	2.76	3.37	3.50	3.00	2.24	20.04
1936	Below Normal	1.41	1.17	0.98	0.17	0.40	2.01	2.16	2.75	3.39	3.50	3.04	2.28	23.26
1937	Below Normal	1.56	1.34	1.10	0.20	0.48	0.94	2.67	3.31	4.07	4.21	3.65	2.75	26.28
1938	Wet	1.89	1.62	1.34	0.56	1.20	2.16	2.83	3.53	4.36	4.51	3.90	2.92	30.82
1939	Dry	1.99	1.70	1.39	0.41	0.47	0.66	1.69	2.81	3.40	3.55	2.99	2.20	23.26
1940	Above Normal	1.11	0.83	0.74	0.16	0.19	0.70	1.68	2.84	3.44	3.59	3.02	2.23	20.53
1941	Wet	1.14	0.85	0.77	0.77	1.04	1.76	2.27	2.84	3.51	3.64	3.15	2.34	24.08
1942	Wet	1.59	1.36	1.11	1.09	0.99	1.44	1.70	2.49	3.06	3.18	2.71	2.00	22.72
1943	Wet	1.15	0.92	0.78	1.02	1.07	1.66	2.54	3.17	3.92	4.06	3.51	2.62	26.42
1944	Dry	1.78	1.52	1.24	0.16	0.15	0.42	1.17	1.73	2.47	2.58	2.21	1.40	16.83
1945	Below Normal	0.78	0.61	0.60	0.33	0.33	1.98	2.15	2.68	3.30	3.41	2.96	2.22	21.35
1946	Below Normal	1.52	1.30	1.07	1.24	1.11	1.59	1.75	2.33	2.89	2.99	2.57	1.90	22.26
1947	Dry	1.23	1.03	0.84	0.46	0.41	0.73	2.21	2.74	3.38	3.49	3.02	2.27	21.81
1948	Below Normal	1.55	1.33	1.10	0.17	0.16	0.23	0.80	2.40	2.90	3.02	2.55	1.87	18.08
1949	Dry	0.97	0.73	0.66	0.30	0.30	0.50	1.86	2.89	3.50	3.65	3.09	2.28	20.73
1950	Below Normal	1.24	0.97	0.84	0.17	0.17	0.42	1.53	2.51	2.38	3.29	2.79	2.08	18.39
1951	Above Normal	1.12	0.86	0.77	1.46	1.35	1.91	1.97	2.58	3.19	3.30	2.85	2.12	23.48
1952	Wet	1.43	1.22	0.99	1.14	1.20	1.75	2.19	3.29	4.07	4.21	3.64	2.71	27.84
1953	Wet	1.84	1.57	1.28	1.12	0.57	0.65	1.41	2.45	2.98	3.11	2.61	1.92	21.51
1954	Above Normal	0.95	0.70	0.63	0.36	0.80	0.79	1.63	2.75	3.34	3.49	2.93	2.16	20.53
1955	Dry	1.08	0.81	0.72	0.38	0.44	0.62	1.43	2.38	2.89	3.02	2.54	1.86	18.17
1956	Wet	0.94	0.70	0.62	1.12	1.52	2.18	2.33	2.92	3.61	3.74	3.23	2.40	25.31
1957	Above Normal	1.62	1.38	1.12	0.35	0.39	0.94	1.67	2.80	3.40	3.55	2.99	2.20	22.41
1958	Wet	1.11	0.83	0.74	0.46	1.17	1.78	2.84	3.54	4.36	4.51	3.91	2.93	28.18
1959	Below Normal	1.99	1.71	1.40	0.33	0.48	0.64	1.41	2.33	2.24	3.07	2.59	1.93	20.12
1960	Dry	1.01	0.77	0.69	0.16	0.16	0.48	1.89	2.93	3.55	3.70	3.13	2.32	20.79
1961	Dry	1.27	0.98	0.86	0.17	0.21	0.37	1.47	2.42	2.92	3.05	2.57	1.89	18.18
1962	Below Normal	0.97	0.73	0.65	0.17	0.16	0.64	1.57	2.63	3.18	3.32	2.79	2.06	18.87
1963	Wet	1.05	0.79	0.71	1.18	1.05	1.52	1.72	2.40	2.96	3.07	2.63	1.94	21.02
1964	Dry	1.21	1.00	0.83	0.60	1.19	1.19	1.86	2.48	3.06	3.17	2.72	2.02	21.33
1965	Wet	1.28	1.06	0.88	0.83	1.06	1.55	1.78	2.44	3.01	3.13	2.68	1.98	21.68
1966	Below Normal	1.22	1.00	0.83	1.15	0.99	1.28	1.59	2.56	3.14	3.27	2.77	2.04	21.84
1967	Wet	1.09	0.85	0.73	0.47	1.29	1.92	2.82	3.52	4.34	4.49	3.89	2.91	28.32
1968	Below Normal	1.98	1.70	1.39	0.46	0.57	0.65	1.42	2.36	2.87	2.99	2.52	1.85	20.76
1969	Wet	0.92	0.69	0.61	1.08	1.23	1.99	2.77	3.46	4.27	4.42	3.83	2.85	28.12
1970	Wet	1.93	1.65	1.35	1.24	1.13	1.91	1.98	2.53	3.13	3.24	2.80	2.08	24.97
1971	Wet	1.40	1.19	0.97	1.14	1.00	1.20	1.60	2.57	3.14	3.28	2.77	2.04	22.30
1972	Below Normal	1.11	0.87	0.74	0.67	0.96	1.35	1.64	2.64	3.22	3.36	2.83	2.09	21.48
1973	Above Normal	1.09	0.83	0.72	0.51	1.20	1.77	2.04	2.63	3.25	3.36	2.91	2.17	22.48
1974	Wet	1.47	1.26	1.03	1.24	1.28	1.90	2.20	2.76	3.42	3.54	3.06	2.27	25.43
1975	Wet	1.53	1.30	1.06	0.82	0.60	1.72	2.04	2.54	3.14	3.24	2.81	2.09	22.89
1976	Critical	1.42	1.22	1.00	0.39	0.37	0.59	1.62	2.69	3.26	3.40	2.86	2.10	20.92
1977	Critical	1.07	0.80	0.71	0.17	0.16	0.23	0.43	0.53	0.00	0.00	0.00	2.11	6.21
1978	Above Normal	0.86	0.64	0.61	0.16	0.46	1.54	1.90	2.59	3.17	3.29	2.83	2.11	20.16
1979	Below Normal	1.36	1.14	0.95	0.30	0.36	1.82	2.10	2.63	3.24	3.34	2.90	2.17	22.31
1980	Above Normal	1.49	1.28	1.05	0.53	1.33	2.03	2.81	3.51	4.33	4.48	3.88	2.90	29.62
1981	Dry	1.97	1.69	1.38	0.29	0.40	0.57	1.49	2.53	3.07	3.20	2.69	1.98	21.26
1982	Wet	1.00	0.75	0.67	1.01	1.09	1.81	2.81	3.51	4.33	4.48	3.88	2.90	28.24
1983	Wet	1.97	1.69	1.38	1.41	1.30	1.96	2.73	3.41	4.23	4.37	3.78	2.81	31.04
1984	Wet	2.10	1.82	1.52	1.61	1.34	1.90	1.96	2.57	3.19	3.30	2.85	2.11	26.27
1985	Dry	1.42	1.21	0.98	1.17	1.01	1.73	1.95	2.52	3.12	3.23	2.79	2.07	23.20
1986	Wet	1.40	1.19	0.97	0.16	0.27	2.15	2.80	3.48	4.28	4.43	3.84	2.89	27.86
1987	Dry	1.98	1.70	1.40	0.16	0.15	0.22	0.60	0.75	1.40	1.46	1.29	0.65	11.76
1988	Critical	0.40	0.34	0.37	0.17	0.27	0.24	0.45	0.59	1.11	1.15	1.02	0.50	6.61
1989	Dry	0.31	0.26	0.28	0.25	0.29	0.36	2.02	2.79	3.41	3.54	3.04	2.26	18.81
1990	Critical	1.41	1.16	0.98	0.16	0.18	0.31	0.70	0.87	1.63	1.70	1.50	0.75	11.35
1991	Critical	0.47	0.40	0.43	0.17	0.16	0.23	0.47	0.58	1.09	1.14	1.00	0.50	6.64
1992	Critical	0.31	0.26	0.28	0.17	0.16	0.23	0.64	0.79	1.48	1.54	1.36	0.68	7.90
1993	Above Normal	0.43	0.36	0.39	0.18	1.06	1.57	1.78	2.59	3.17	3.29	2.81	2.07	19.70
1994	Critical	1.21	0.97	0.82	0.37	0.36	0.70	1.64	2.71	3.29	3.43	2.89	2.12	20.51
1995	Wet	1.07	0.80	0.72	0.17	0.88	1.02	2.58	3.21	3.96	4.09	3.55	2.66	24.71
1996	Wet	1.82	1.56	1.28	0.87	0.71	1.53	1.95	2.43	3.01	3.11	2.69	2.00	22.96
1997	Wet	1.36	1.16	0.95	1.15	1.16	2.02	2.36	2.95	3.65	3.78	3.26	2.43	26.23
1998	Wet	1.64	1.40	1.14	0.35	1.03	1.69	2.11	2.67	3.30	3.41	2.95	2.20	23.89
1999	Wet	1.50	1.48	1.25	1.34	1.34	1.91	1.96	2.56	3.18	3.29	2.84	2.11	24.76
2000	Above Normal	1.42	1.21	0.98	0.35	0.86	1.18	1.83	2.63	3.22	3.34	2.85	2.11	21.98
2001	Dry	1.26	1.02	0.86	0.16	0.18	0.41	0.99	1.27	2.24	2.34	2.05	1.08	13.86
2002	Dry	0.66	0.55	0.58	0.40	0.46	0.61	2.12	2.63	3.24	3.35	2.90	2.18	19.68
2003	Above Normal	1.49	1.28	1.06	0.53	0.49	0.64	1.41	2.34	2.84	2.97	2.49	1.83	19.37
	Average	1.25	1.03	0.88	0.54	0.66	1.11	1.75	2.45	3.06	3.20	2.74	2.00	20.66
	Wet	1.41	1.17	0.98	0.91	1.05	1.73	2.24	2.91	3.60	3.72	3.21	2.39	25.32
	Above Normal	1.24	1.00	0.86	0.47	0.81	1.27	1.90	2.70	3.31	3.44	2.94	2.18	22.11
	Below Normal	1.34	1.12	0.95	0.48	0.53	1.10	1.74	2.60	3.10	3.33	2.84	2.11	21.23
	Dry	1.15	0.95	0.82	0.32	0.38	0.63	1.54	2.31	2.93	3.06	2.61	1.86	18.56
	Critical	0.94	0.76	0.68	0.21	0.25	0.39	0.83	1.19	1.80	1.87	1.62	1.09	11.62

Energy Use (GWh) At Pumping Plant at Badger Hill: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1.88	1.40	1.25	0.66	0.98	1.61	1.87	2.41	2.97	3.08	2.65	1.97	22.73
1923	Below Normal	1.30	1.10	0.90	1.23	0.98	1.24	1.55	2.57	3.15	3.28	2.77	2.04	22.11
1924	Critical	1.08	0.83	0.72	0.19	0.20	0.37	0.64	0.82	1.53	1.59	1.40	0.70	10.07
1925	Dry	0.43	0.37	0.39	0.17	0.19	0.77	1.71	2.82	3.41	3.56	3.00	2.21	19.03
1926	Dry	1.13	0.85	0.76	0.17	0.24	0.54	0.90	2.33	2.81	2.93	2.47	1.81	16.94
1927	Wet	0.93	0.70	0.63	0.39	0.76	1.77	1.99	2.50	3.09	3.20	2.77	2.07	20.80
1928	Above Normal	1.41	1.21	0.99	0.44	0.56	0.54	2.22	2.76	3.39	3.50	3.04	2.28	22.34
1929	Critical	1.56	1.34	1.10	0.17	0.16	0.24	0.59	0.90	1.67	1.74	1.53	0.77	11.77
1930	Dry	0.48	0.41	0.44	0.17	0.23	0.36	1.11	1.58	2.40	2.50	2.16	1.30	13.14
1931	Critical	0.74	0.59	0.59	0.16	0.22	0.40	0.81	1.01	1.88	1.96	1.72	0.87	10.95
1932	Dry	0.54	0.46	0.49	0.23	0.38	0.76	1.26	2.05	2.55	2.67	2.25	1.62	15.26
1933	Critical	0.83	0.62	0.56	0.17	0.53	0.68	1.00	1.65	2.42	2.53	2.18	1.34	14.51
1934	Critical	0.75	0.59	0.58	0.17	0.25	0.49	1.07	1.49	2.34	2.44	2.12	0.77	13.06
1935	Below Normal	0.87	0.73	0.72	0.17	0.32	0.55	1.99	2.80	3.41	3.54	3.03	2.25	20.38
1936	Below Normal	1.37	1.12	0.95	0.18	0.41	2.00	2.16	2.75	3.38	3.50	3.04	2.28	23.14
1937	Below Normal	1.56	1.34	1.10	0.20	0.48	0.94	2.67	3.31	4.07	4.21	3.65	2.75	26.28
1938	Wet	1.89	1.62	1.34	0.51	1.17	2.11	2.85	3.55	4.38	4.53	3.92	2.93	30.80
1939	Dry	2.00	1.71	1.40	0.35	0.36	0.51	1.44	2.38	2.28	3.13	2.65	1.97	20.18
1940	Above Normal	1.04	0.80	0.72	0.16	0.19	0.70	1.68	2.84	3.44	3.59	3.02	2.23	20.41
1941	Wet	1.14	0.85	0.77	0.77	1.04	1.75	2.27	2.83	3.50	3.62	3.14	2.34	24.02
1942	Wet	1.59	1.36	1.11	1.10	0.99	1.43	1.70	2.49	3.06	3.18	2.71	2.00	22.72
1943	Wet	1.15	0.92	0.78	1.02	1.06	1.65	2.53	3.15	3.90	4.03	3.49	2.60	26.28
1944	Dry	1.77	0.69	2.06	0.16	0.15	0.42	1.17	1.73	2.47	2.58	2.21	1.40	16.81
1945	Below Normal	0.78	0.61	0.60	0.33	0.33	1.95	2.15	2.68	3.30	3.41	2.96	2.22	21.32
1946	Below Normal	1.52	1.30	1.07	1.24	1.11	1.59	1.74	2.34	2.90	3.01	2.58	1.91	22.31
1947	Dry	1.22	1.02	0.84	0.46	0.41	0.73	2.21	2.75	3.39	3.50	3.03	2.27	21.83
1948	Below Normal	1.56	1.34	1.10	0.17	0.16	0.23	0.80	2.40	2.90	3.03	2.55	1.88	18.12
1949	Dry	0.97	0.73	0.66	0.30	0.30	0.50	1.85	2.89	3.51	3.66	3.10	2.29	20.76
1950	Below Normal	1.24	0.96	0.84	0.17	0.17	0.42	1.53	2.51	2.38	3.29	2.79	2.08	18.38
1951	Above Normal	1.12	0.86	0.77	1.44	1.35	1.91	1.97	2.58	3.19	3.31	2.85	2.12	23.47
1952	Wet	1.43	1.22	0.99	1.14	1.19	1.74	2.19	2.82	3.49	3.61	3.12	2.32	25.26
1953	Wet	1.57	1.34	1.09	1.28	0.96	1.08	1.53	2.60	3.18	3.33	2.80	2.06	22.82
1954	Above Normal	1.05	0.80	0.70	0.37	0.93	0.88	1.63	2.78	3.37	3.53	2.96	2.18	21.18
1955	Dry	1.09	0.81	0.73	0.38	0.46	0.64	1.47	2.44	2.96	3.09	2.60	1.91	18.58
1956	Wet	0.96	0.72	0.64	1.09	1.50	2.19	2.33	2.92	3.62	3.74	3.24	2.40	25.35
1957	Above Normal	1.63	1.39	1.13	0.35	0.39	0.91	1.67	2.80	3.40	3.55	2.99	2.20	22.41
1958	Wet	1.11	0.83	0.74	0.46	1.17	1.78	2.84	3.54	4.36	4.51	3.91	2.92	28.17
1959	Below Normal	1.99	1.71	1.40	0.33	0.48	0.64	1.41	2.33	2.24	3.07	2.59	1.93	20.12
1960	Dry	1.01	0.77	0.69	0.16	0.16	0.48	1.89	2.93	3.55	3.70	3.13	2.32	20.79
1961	Dry	1.27	0.99	0.86	0.17	0.21	0.37	1.47	2.42	2.92	3.05	2.57	1.89	18.19
1962	Below Normal	0.85	0.79	0.71	0.17	0.16	0.65	1.57	2.63	3.18	3.32	2.79	2.06	18.88
1963	Wet	1.05	0.79	0.71	1.18	1.05	1.52	1.72	2.40	2.96	3.07	2.63	1.94	21.02
1964	Dry	1.21	1.00	0.83	0.60	1.19	1.19	1.86	2.48	3.06	3.17	2.72	2.02	21.33
1965	Wet	1.28	1.06	0.88	0.83	1.06	1.55	1.78	2.45	3.01	3.13	2.68	1.98	21.69
1966	Below Normal	1.22	1.00	0.83	1.15	0.99	1.28	1.59	2.56	3.14	3.27	2.77	2.04	21.84
1967	Wet	1.09	0.85	0.73	0.47	1.29	1.92	2.82	3.52	4.34	4.49	3.89	2.91	28.32
1968	Below Normal	1.98	1.70	1.39	0.46	0.55	0.65	1.42	2.37	2.88	3.00	2.52	1.85	20.77
1969	Wet	0.93	0.69	0.61	1.08	1.22	2.00	2.77	3.46	4.28	4.43	3.83	2.85	28.15
1970	Wet	1.94	1.66	1.35	1.21	1.11	1.88	1.98	2.52	3.12	3.23	2.79	2.07	24.86
1971	Wet	1.40	1.19	0.97	1.15	1.00	1.22	1.60	2.56	3.14	3.27	2.77	2.04	22.31
1972	Below Normal	1.12	0.87	0.75	0.68	0.96	1.35	1.64	2.64	3.22	3.36	2.83	2.09	21.51
1973	Above Normal	1.09	0.83	0.73	0.51	1.20	1.77	2.04	2.63	3.25	3.36	2.91	2.17	22.49
1974	Wet	1.47	1.26	1.03	1.24	1.28	1.89	2.20	2.75	3.41	3.53	3.05	2.26	25.37
1975	Wet	1.53	1.30	1.06	0.83	0.60	1.72	2.03	2.54	3.13	3.24	2.80	2.09	22.87
1976	Critical	1.42	1.22	1.00	0.39	0.37	0.60	1.63	2.69	3.27	3.41	2.87	2.11	20.98
1977	Critical	1.07	0.80	0.71	0.17	0.16	0.23	0.43	0.53	0.00	0.00	0.00	2.11	6.21
1978	Above Normal	0.60	0.78	0.74	0.16	0.46	1.43	1.85	2.67	3.26	3.39	2.89	2.15	20.38
1979	Below Normal	1.30	1.06	0.90	0.30	0.36	1.74	2.01	2.51	3.09	3.20	2.77	2.08	21.32
1980	Above Normal	1.42	1.22	1.00	0.86	1.30	2.01	2.35	3.04	3.76	3.89	3.36	2.50	26.71
1981	Dry	1.70	1.45	1.18	0.38	0.70	0.96	1.65	2.79	3.39	3.54	2.99	2.20	22.93
1982	Wet	1.13	0.85	0.75	1.01	1.09	1.81	2.81	3.51	4.33	4.48	3.88	2.90	28.55
1983	Wet	1.97	1.68	1.38	1.41	1.30	1.96	2.73	3.41	4.23	4.37	3.78	2.81	31.03
1984	Wet	2.10	1.82	1.52	1.61	1.34	1.90	1.96	2.57	3.19	3.30	2.85	2.11	26.27
1985	Dry	1.42	1.21	0.98	1.17	1.01	1.73	1.95	2.52	3.12	3.23	2.79	2.07	23.20
1986	Wet	1.40	1.19	0.97	0.16	0.27	2.10	2.80	3.49	4.29	4.43	3.85	2.89	27.84
1987	Dry	1.99	1.71	1.40	0.16	0.15	0.22	0.60	0.75	1.40	1.46	1.29	0.65	11.78
1988	Critical	0.40	0.34	0.37	0.17	0.27	0.24	0.45	0.59	1.12	1.17	1.03	0.51	6.66
1989	Dry	0.31	0.26	0.28	0.25	0.28	0.36	2.02	2.80	3.42	3.55	3.04	2.27	18.84
1990	Critical	1.40	1.15	0.97	0.16	0.18	0.32	0.71	0.88	1.64	1.71	1.51	0.76	11.39
1991	Critical	0.47	0.40	0.43	0.17	0.16	0.23	0.47	0.58	1.09	1.14	1.00	0.50	6.64
1992	Critical	0.31	0.26	0.28	0.17	0.16	0.23	0.63	0.78	1.45	1.51	1.33	0.67	7.78
1993	Above Normal	0.42	0.35	0.38	0.18	1.06	1.57	1.78	2.58	3.16	3.29	2.80	2.07	19.64
1994	Critical	1.21	0.97	0.82	0.37	0.36	0.70	1.64	2.71	3.28	3.43	2.89	2.12	20.50
1995	Wet	1.07	0.80	0.72	0.17	0.88	1.02	2.58	3.21	3.96	4.09	3.55	2.66	24.71
1996	Wet	1.82	0.43	2.42	0.87	0.71	1.53	1.94	2.42	3.00	3.10	2.68	2.00	22.92
1997	Wet	1.36	1.16	0.95	1.15	1.16	2.03	2.36	2.95	3.65	3.77	3.26	2.43	26.23
1998	Wet	1.64	1.40	1.14	0.36	1.03	1.69	2.11	2.66	3.28	3.39	2.94	2.19	23.83
1999	Wet	1.49	1.48	1.24	1.34	1.34	1.91	1.96	2.56	3.18	3.29	2.84	2.11	24.74
2000	Above Normal	1.42	1.21	0.98	0.35	0.86	1.16	1.82	2.64	3.23	3.36	2.86	2.12	22.01
2001	Dry	1.25	1.01	0.86	0.16	0.18	0.41	0.99	1.28	2.24	2.34	2.05	1.08	13.85
2002	Dry	0.66	0.55	0.58	0.40	0.46	0.61	2.12	2.63	3.24	3.35	2.90	2.17	19.67
2003	Above Normal	1.49	1.28	1.05	0.53	0.49	0.64	1.41	2.34	2.84	2.97	2.49	1.83	19.36
	Average	1.24	1.00	0.90	0.55	0.67	1.12	1.74	2.44	3.04	3.19	2.73	2.00	20.61
	Wet	1.40	1.12	1.02	0.92	1.06	1.74	2.25	2.90	3.58	3.71	3.20	2.38	25.27
	Above Normal	1.21	1.01	0.87	0.50	0.81	1.26	1.86	2.67	3.27	3.40	2.90	2.15	21.93
	Below Normal	1.33	1.12	0.95	0.48	0.53	1.09	1.73	2.60	3.09	3.32	2.83	2.10	21.18
	Dry	1.14	0.89	0.86	0.32	0.39	0.64	1.54	2.31	2.90	3.06	2.61	1.86	18.51
	Critical	0.94	0.76	0.68	0.21	0.25	0.39	0.84	1.22	1.81	1.89	1.63	1.10	11.71

Difference in Energy Use (GWh) At Pumping Plant at Badger Hill: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.05	0.07	0.12	0.30	0.15	0.16	0.11	0.09	0.09
1935	Below Normal	0.11	0.08	0.04	0.00	0.00	0.00	(0.05)	0.04	0.04	0.04	0.03	0.01	0.03
1936	Below Normal	(0.04)	(0.05)	(0.03)	0.01	0.01	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	(0.05)	(0.03)	(0.05)	0.02	0.02	0.02	0.02	0.02	0.01	0.00
1939	Dry	0.01	0.01	0.01	(0.06)	(0.11)	(0.15)	(0.25)	(0.43)	(1.12)	(0.42)	(0.34)	(0.23)	(0.26)
1940	Above Normal	(0.07)	(0.03)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1941	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.02)	(0.03)	(0.02)	(0.02)	(0.01)
1944	Dry	(0.01)	(0.83)	0.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01	0.01	0.02	0.01	0.01	0.00
1947	Dry	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.00	0.00
1948	Below Normal	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.01	0.01	0.01	0.00
1950	Below Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.47)	(0.58)	(0.60)	(0.52)	(0.39)	(0.22)
1953	Wet	(0.27)	(0.23)	(0.19)	0.16	0.39	0.43	0.12	0.15	0.20	0.22	0.19	0.14	0.11
1954	Above Normal	0.10	0.10	0.07	0.01	0.13	0.09	0.00	0.03	0.03	0.04	0.03	0.02	0.05
1955	Dry	0.01	0.00	0.01	0.00	0.02	0.02	0.04	0.06	0.07	0.07	0.06	0.05	0.03
1956	Wet	0.02	0.02	0.02	(0.03)	(0.02)	0.01	0.00	0.00	0.01	0.00	0.01	0.00	0.00
1957	Above Normal	0.01	0.01	0.01	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	(0.12)	0.06	0.06	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
1969	Wet	0.01	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1970	Wet	0.01	0.01	0.00	(0.03)	(0.02)	(0.03)	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1971	Wet	0.00	0.00	0.00	0.01	0.00	0.02	0.00	(0.01)	0.00	(0.01)	0.00	0.00	0.00
1972	Below Normal	0.01	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1975	Wet	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.01
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	(0.26)	0.14	0.13	0.00	0.00	(0.11)	(0.05)	0.08	0.09	0.10	0.06	0.04	0.02
1979	Below Normal	(0.06)	(0.08)	(0.05)	0.00	0.00	(0.08)	(0.09)	(0.12)	(0.15)	(0.14)	(0.13)	(0.09)	(0.08)
1980	Above Normal	(0.07)	(0.06)	(0.05)	0.33	(0.03)	(0.02)	(0.46)	(0.47)	(0.57)	(0.59)	(0.52)	(0.40)	(0.24)
1981	Dry	(0.27)	(0.24)	(0.20)	0.09	0.30	0.39	0.16	0.26	0.32	0.34	0.30	0.22	0.14
1982	Wet	0.13	0.10	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03
1983	Wet	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	(0.05)	0.00	0.01	0.01	0.00	0.01	0.00	0.00
1987	Dry	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.01	0.00
1989	Dry	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01	0.01	0.01	0.00	0.01	0.00
1990	Critical	(0.01)	(0.01)	(0.01)	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.03)	(0.03)	(0.03)	(0.01)	(0.01)
1993	Above Normal	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	(1.13)	1.14	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)
1999	Wet	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.01)	0.01	0.01	0.02	0.01	0.01	0.00
2001	Dry	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
2003	Above Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.01)	(0.03)	0.02	0.01	0.01	0.01	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	(0.00)
	Wet	(0.00)	(0.05)	0.04	0.00	0.01	0.01	0.00	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.00)
	Above Normal	(0.03)	0.01	0.01	0.03	0.01	(0.01)	(0.04)	(0.03)	(0.04)	(0.04)	(0.04)	(0.03)	(0.02)
	Below Normal	(0.01)	0.00	0.00	0.00	(0.00)	(0.01)	(0.01)	(0.00)	(0.01)	(0.00)	(0.01)	(0.00)	(0.00)
	Dry	(0.02)	(0.06)	0.04	0.00	0.01	0.01	(0.00)	(0.00)	(0.04)	0.00	0.00	0.00	(0.01)
	Critical	(0.00)	(0.00)	(0.00)	0.00	0.00	0.01	0.01	0.03	0.01	0.01	0.01	0.01	0.01

Percent Difference in Energy Use (GWh) At Pumping Plant at Badger Hill: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	25%	17%	13%	25%	7%	7%	5%	13%
1935	Below Normal	14%	12%	6%	0%	0%	0%	-2%	1%	1%	1%	1%	0%
1936	Below Normal	-3%	-4%	-3%	6%	2%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-9%	-3%	-2%	1%	1%	0%	0%	1%	0%
1939	Dry	1%	1%	1%	-15%	-23%	-23%	-15%	-15%	-33%	-12%	-11%	-10%
1940	Above Normal	-6%	-4%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	-1%	0%	0%
1942	Wet	0%	0%	0%	1%	0%	-1%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	-1%	-1%	0%	-1%	-1%	-1%	-1%	-1%
1944	Dry	-1%	-55%	66%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	1%	0%	1%
1947	Dry	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1948	Below Normal	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1949	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	-1%	-1%	0%	-14%	-14%	-14%	-14%	-14%
1953	Wet	-15%	-15%	-15%	14%	68%	66%	9%	6%	7%	7%	7%	7%
1954	Above Normal	11%	14%	11%	3%	16%	11%	0%	1%	1%	1%	1%	1%
1955	Dry	1%	0%	1%	0%	5%	3%	3%	3%	2%	2%	2%	3%
1956	Wet	2%	3%	3%	-3%	-1%	0%	0%	0%	0%	0%	0%	0%
1957	Above Normal	1%	1%	1%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-12%	8%	9%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	-4%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	1%	0%	0%	0%	-1%	1%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	1%	0%	-2%	-2%	-2%	0%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	1%	0%	2%	0%	0%	0%	0%	0%	0%
1972	Below Normal	1%	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	2%	1%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	-30%	22%	21%	0%	0%	-7%	-3%	3%	3%	3%	2%	2%
1979	Below Normal	-4%	-7%	-5%	0%	0%	-4%	-4%	-5%	-5%	-4%	-4%	-4%
1980	Above Normal	-5%	-5%	-5%	62%	-2%	-1%	-16%	-13%	-13%	-13%	-13%	-14%
1981	Dry	-14%	-14%	-14%	31%	75%	68%	11%	10%	10%	11%	11%	11%
1982	Wet	13%	13%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%
1987	Dry	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	1%	2%	1%	2%
1989	Dry	0%	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	-1%	-1%	-1%	0%	0%	3%	1%	1%	1%	1%	1%	1%
1991	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-1%	-2%	-2%	-2%	-1%
1993	Above Normal	-2%	-3%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-72%	89%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	3%	0%	0%	0%	0%	-1%	-1%	0%	0%
1999	Wet	-1%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-2%	-1%	0%	0%	1%	0%	0%
2001	Dry	-1%	-1%	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	-1%	-1%	2%	1%	2%	2%	0%	0%	0%	0%	0%	0%
	Wet	0%	-3%	3%	0%	2%	2%	0%	0%	0%	0%	0%	0%
	Above Normal	-3%	2%	2%	5%	1%	0%	-2%	-1%	-1%	-1%	-1%	-1%
	Below Normal	0%	1%	1%	1%	0%	0%	-1%	0%	0%	0%	0%	0%
	Dry	-1%	-4%	3%	1%	3%	3%	0%	0%	-1%	0%	0%	0%
	Critical	0%	0%	0%	0%	2%	2%	1%	2%	1%	1%	0%	1%

Energy Use (GWh) At Pumping Plant at Buena Vista: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	60.12	51.69	41.64	10.19	33.84	38.87	38.65	39.86	39.25	40.70	40.43	37.80	473.04
1923	Below Normal	33.50	30.30	29.02	48.17	48.25	38.85	33.92	39.20	39.18	41.80	42.19	37.23	461.61
1924	Critical	29.45	25.96	21.43	9.75	10.40	12.46	19.07	23.32	23.72	23.74	21.42	18.21	238.93
1925	Dry	9.43	7.12	6.08	2.32	5.87	22.52	34.66	44.87	45.33	48.42	49.39	42.88	318.89
1926	Dry	33.23	29.44	23.28	4.47	7.21	16.21	25.47	37.12	37.41	39.91	40.71	35.31	329.77
1927	Wet	26.90	23.66	18.51	5.49	22.09	43.32	41.34	42.56	41.75	43.13	42.80	40.42	391.97
1928	Above Normal	36.72	33.44	32.63	25.79	31.02	23.04	47.01	48.08	47.03	48.58	48.33	45.75	467.42
1929	Critical	41.98	38.53	37.68	25.95	24.25	15.07	17.77	25.57	26.01	26.10	23.60	4.05	306.56
1930	Dry	12.22	14.57	12.70	4.19	6.93	11.34	28.57	34.04	34.84	35.71	34.05	29.24	258.40
1931	Critical	18.91	15.34	11.78	4.20	6.76	12.21	23.26	28.25	28.82	28.95	26.11	22.15	226.74
1932	Dry	12.10	8.83	7.52	4.28	9.04	29.66	25.62	34.28	34.50	36.70	37.03	32.11	271.67
1933	Critical	23.71	20.66	16.03	4.30	36.44	13.71	22.72	33.84	34.47	35.69	34.31	29.48	305.36
1934	Critical	19.52	15.96	12.30	4.33	6.25	12.82	26.55	32.44	33.29	33.36	19.11	1.47	217.40
1935	Below Normal	29.05	22.81	17.11	4.34	8.95	16.49	43.55	46.29	46.02	47.97	48.08	44.12	374.78
1936	Below Normal	38.27	34.69	32.15	18.89	21.69	57.48	40.88	47.06	46.15	47.69	47.38	44.78	477.11
1937	Below Normal	40.98	37.48	36.63	27.26	49.39	49.08	50.90	56.61	55.57	57.40	57.12	54.09	572.51
1938	Wet	50.19	46.18	45.30	31.44	49.55	57.70	57.19	58.54	57.86	59.58	59.17	55.98	628.68
1939	Dry	51.99	47.61	46.79	33.88	36.21	29.14	39.04	45.14	12.44	53.32	21.57	48.91	466.04
1940	Above Normal	11.06	8.41	45.31	4.28	6.00	20.32	38.10	45.23	35.15	48.89	52.44	45.60	360.79
1941	Wet	35.48	31.48	24.93	15.49	35.83	42.10	45.79	46.96	46.13	47.69	47.29	44.66	463.83
1942	Wet	40.87	37.27	36.49	48.89	49.52	50.16	35.65	38.84	38.73	40.87	40.97	36.85	495.11
1943	Wet	30.43	27.06	23.75	36.41	45.16	42.12	50.58	51.83	50.94	52.68	52.28	49.43	512.67
1944	Dry	45.56	0.97	56.81	19.15	18.15	16.96	29.17	34.66	35.06	36.46	35.39	30.53	358.87
1945	Below Normal	20.60	17.09	13.25	7.22	8.89	57.45	40.66	45.69	44.86	46.36	46.01	43.51	391.59
1946	Below Normal	39.73	36.27	35.43	49.35	49.54	55.20	35.70	37.28	36.68	38.15	37.89	35.27	486.49
1947	Dry	30.92	27.84	26.46	22.98	25.01	21.46	46.84	47.84	46.80	48.27	48.03	45.52	437.97
1948	Below Normal	41.76	38.31	37.46	24.08	22.61	14.72	23.06	19.26	5.00	52.63	53.37	46.54	378.80
1949	Dry	36.15	32.29	25.73	6.89	8.46	14.64	41.43	46.74	47.07	49.93	30.70	50.65	390.68
1950	Below Normal	39.35	18.63	24.09	5.71	6.29	12.51	35.21	40.52	1.57	52.30	52.69	45.68	334.55
1951	Above Normal	35.34	31.23	24.84	51.12	49.55	57.36	35.20	41.67	41.00	42.27	41.89	39.52	490.99
1952	Wet	35.79	32.45	31.69	48.73	51.32	57.16	46.74	53.57	52.67	54.48	54.07	51.09	569.76
1953	Wet	47.25	43.09	42.30	50.18	41.71	29.00	32.35	38.26	16.50	45.92	46.31	40.32	473.19
1954	Above Normal	30.86	27.24	21.42	6.70	24.16	21.86	36.70	43.05	40.84	45.37	48.11	41.82	388.13
1955	Dry	32.26	28.49	22.41	5.98	9.72	18.55	33.32	38.48	38.65	41.38	42.12	36.57	347.93
1956	Wet	27.86	24.53	19.23	33.10	51.34	57.73	41.77	46.98	46.33	47.76	47.34	44.71	488.68
1957	Above Normal	40.88	37.19	36.41	32.39	31.52	33.35	37.93	44.60	30.76	50.11	52.30	45.55	472.99
1958	Wet	35.26	31.35	24.80	4.91	40.22	42.84	57.12	58.76	57.90	59.73	59.40	56.15	528.44
1959	Below Normal	52.25	16.28	55.23	22.31	23.47	23.43	32.78	37.46	1.69	48.40	48.65	42.16	404.11
1960	Dry	32.37	28.50	22.54	4.26	5.13	14.18	41.92	47.47	36.50	53.13	41.88	51.02	378.90
1961	Dry	41.27	36.99	30.92	8.65	10.15	12.35	33.97	38.99	39.42	42.05	34.56	22.69	352.01
1962	Below Normal	0.58	33.06	37.56	4.46	5.47	18.76	35.94	41.87	3.80	53.42	54.04	47.01	335.97
1963	Wet	36.48	32.44	25.82	29.90	35.44	35.97	35.40	38.05	37.57	39.27	39.15	36.04	421.53
1964	Dry	30.98	27.76	25.67	23.24	50.85	37.54	38.75	40.58	40.14	41.87	41.73	38.51	437.62
1965	Wet	33.56	30.19	28.23	34.31	48.19	43.74	36.98	39.18	24.88	43.21	43.12	39.53	445.12
1966	Below Normal	33.94	30.50	27.97	43.50	45.91	35.01	34.56	39.33	39.39	41.79	42.20	37.27	451.37
1967	Wet	29.68	26.20	21.80	10.55	48.32	47.62	56.35	58.19	57.37	59.24	58.87	55.67	529.86
1968	Below Normal	51.69	47.29	46.45	24.20	29.72	25.30	33.39	38.36	1.89	49.47	49.65	43.10	440.51
1969	Wet	33.08	29.17	23.06	27.56	49.57	57.50	51.76	54.92	55.38	57.13	56.72	53.60	549.45
1970	Wet	49.61	45.34	44.55	51.12	49.55	57.36	39.33	40.97	40.32	41.58	41.17	38.80	539.70
1971	Wet	35.11	31.80	31.05	48.67	49.52	42.61	34.57	39.45	39.52	41.95	42.27	37.47	473.99
1972	Below Normal	30.01	26.56	22.34	17.63	38.52	34.96	36.17	41.13	41.41	44.05	44.58	39.06	416.42
1973	Above Normal	30.63	27.05	21.95	8.39	43.70	44.23	37.54	43.83	43.15	44.38	44.03	41.56	430.44
1974	Wet	37.83	34.39	33.61	49.55	49.58	57.37	54.48	44.45	43.88	45.16	44.75	42.25	537.30
1975	Wet	38.48	34.88	34.11	41.93	35.90	49.76	42.29	43.24	42.49	43.77	43.45	41.08	491.38
1976	Critical	37.31	34.00	33.21	26.75	28.02	24.89	37.35	43.34	37.11	48.11	35.04	46.90	432.03
1977	Critical	36.34	32.26	21.09	4.38	5.27	8.25	14.19	3.41	0.00	2.66	2.41	2.68	132.94
1978	Above Normal	0.63	18.58	30.90	4.11	9.99	38.66	40.75	43.66	43.17	44.92	44.86	41.48	361.71
1979	Below Normal	36.50	32.97	30.99	23.09	23.27	49.62	43.72	44.94	44.14	45.46	45.15	42.72	462.57
1980	Above Normal	38.95	35.52	34.72	37.64	51.34	57.56	52.28	57.89	57.09	58.97	58.56	55.39	595.91
1981	Dry	51.47	39.20	50.73	23.73	23.92	22.11	34.33	40.61	3.39	51.91	52.40	45.55	439.35
1982	Wet	35.17	31.19	24.78	25.69	36.77	42.68	55.84	57.38	56.63	58.36	57.94	54.75	537.18
1983	Wet	50.83	46.47	45.65	51.12	49.58	57.46	50.63	53.82	54.34	56.00	55.63	52.57	624.10
1984	Wet	53.26	47.28	55.31	51.12	51.31	57.35	34.67	41.51	40.73	42.16	41.75	39.39	555.84
1985	Dry	35.60	32.31	39.61	41.09	36.79	38.30	39.11	40.92	40.36	41.57	41.16	38.78	465.60
1986	Wet	35.12	31.86	31.07	26.30	33.37	57.71	53.50	58.79	57.83	59.72	59.27	56.03	560.57
1987	Dry	52.37	15.44	55.18	19.34	18.35	12.50	18.38	21.74	22.02	22.00	19.95	16.97	294.24
1988	Critical	8.79	6.68	5.72	2.04	7.77	8.39	14.51	17.46	17.46	17.69	15.89	13.49	135.89
1989	Dry	6.84	5.10	4.40	2.48	8.09	11.29	43.86	46.94	46.60	48.80	46.67	45.31	316.38
1990	Critical	39.16	35.44	32.57	17.81	17.46	14.57	20.70	24.78	25.28	25.35	22.88	19.46	295.46
1991	Critical	10.36	7.70	6.56	2.51	5.30	8.28	14.90	17.33	17.37	17.56	15.81	13.49	137.17
1992	Critical	6.89	5.15	4.45	1.73	4.24	8.31	19.15	22.84	23.10	23.14	20.36	18.09	157.45
1993	Above Normal	6.65	5.10	9.14	4.08	36.10	37.72	37.49	40.92	16.00	47.68	47.99	43.28	332.15
1994	Critical	36.13	32.39	28.54	16.16	17.61	23.11	37.52	43.36	29.35	49.90	11.65	31.44	357.16
1995	Wet	2.87	25.53	47.13	4.42	28.12	26.55	52.47	53.81	52.87	54.61	54.35	51.44	454.17
1996	Wet	47.58	22.53	37.54	21.28	20.76	37.59	40.36	40.99	40.20	41.53	41.20	38.87	430.43
1997	Wet	35.18	32.02	31.25	48.23	49.55	57.51	46.50	47.85	47.05	48.55	48.17	45.50	537.36
1998	Wet	41.66	37.95	37.16	32.17	49.52	56.44	44.16	44.14	43.29	44.89	44.58	42.08	518.04
1999	Wet	38.27	40.20	38.44	49.61	49.55	44.86	34.86	41.27	40.52	42.02	41.67	39.25	500.52
2000	Above Normal	35.52	32.23	31.45	29.35	46.90	36.81	38.98	42.47	42.20	44.59	44.79	40.51	465.80
2001	Dry	34.00	30.53	27.27	15.59	15.58	15.44	26.80	32.80	33.62	33.98	31.19	26.62	323.42
2002	Dry	15.53	11.83	9.31	4.43	10.02	18.44	44.87	45.79	44.73	46.41	28.84	48.33	328.53
2003	Above Normal	11.20	13.92	42.73	6.68	11.58	19.17	33.08	38.10	1.41	49.30	49.54	42.95	319.66
	Average	32.48	28.23	29.28	21.78	28.71	32.86	37.32	41.14	36.13	44.00	41.85	39.20	413.00
	Wet	37.07	33.71	32.98	33.78	43.13	48.16	45.10	47.47	45.53	48.88	48.60	45.54	509.96
	Above Normal	28.21	26.80	31.10	18.39	31.31	35.75	39.48	44.11	36.42	47.15	47.77	43.43	429.92
	Below Normal	34.87	30.16	31.83	22.87	27.28	34.92	37.17	41.07	29.10	47.64	47.79	43.04	427.74
	Dry	31.35	23.60	27.41	13.72	16.97	20.15	34.78	39.95	35.49	42.88	37.63	38.08	362.02
	Critical	25.71	22.51	19.28	9.99	14.15	13.51	22.31	26.33	24.67	27.69	20.72	18.41	245.26

Energy Use (GWh) At Pumping Plant at Buena Vista: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	60.12	51.69	41.64	10.19	33.84	38.87	38.65	39.86	40.72	42.18	41.90	39.27	478.93
1923	Below Normal	34.97	31.77	30.49	48.17	48.23	38.61	33.92	39.23	40.66	43.30	43.69	38.70	471.74
1924	Critical	30.89	27.40	22.83	11.06	10.28	12.43	19.08	23.33	23.73	23.75	21.43	18.21	244.42
1925	Dry	9.44	7.12	6.09	2.32	5.87	22.39	34.68	44.90	45.72	48.81	49.79	43.27	320.40
1926	Dry	33.62	29.83	23.67	4.83	7.20	16.20	25.44	37.10	37.38	39.88	40.69	35.29	331.13
1927	Wet	26.88	23.65	18.50	5.49	22.07	43.32	41.35	42.56	43.22	44.60	44.27	41.89	397.80
1928	Above Normal	38.19	34.91	34.11	27.26	30.98	23.04	47.01	48.08	47.88	49.44	49.19	46.60	476.69
1929	Critical	42.84	39.39	38.54	26.80	24.24	15.07	17.76	25.56	26.00	26.08	23.59	4.04	309.91
1930	Dry	12.21	14.56	12.71	4.19	6.93	11.34	28.57	34.04	34.84	35.71	34.05	29.24	258.39
1931	Critical	18.90	15.34	11.78	4.20	6.76	12.21	23.25	28.24	28.81	28.94	26.10	22.14	226.67
1932	Dry	12.10	8.82	7.51	4.27	9.04	30.28	25.62	34.28	35.97	38.17	38.50	33.58	278.14
1933	Critical	25.18	22.13	17.50	5.77	35.83	13.71	22.72	33.84	34.47	35.69	34.31	29.48	310.63
1934	Critical	19.52	15.96	12.30	4.33	7.35	18.17	24.19	33.47	34.07	34.88	30.59	1.47	236.30
1935	Below Normal	28.22	24.78	19.23	4.37	8.88	16.32	43.00	46.49	47.77	49.96	50.22	45.71	384.95
1936	Below Normal	39.08	35.42	32.18	17.89	19.49	57.48	40.87	47.06	47.62	49.16	48.84	46.24	481.33
1937	Below Normal	42.45	38.95	38.11	27.26	49.39	49.07	50.90	56.61	57.04	58.88	58.60	55.56	582.82
1938	Wet	51.67	47.65	45.30	30.77	49.54	57.63	58.57	59.57	57.93	61.45	61.01	57.73	638.82
1939	Dry	53.90	49.50	48.68	37.74	34.95	25.03	33.49	38.42	3.02	50.92	26.77	42.84	445.26
1940	Above Normal	14.64	10.14	47.23	5.62	6.02	20.32	38.10	45.23	36.56	50.22	53.83	47.00	374.91
1941	Wet	36.87	32.87	25.64	15.48	35.83	41.95	45.65	46.81	47.45	49.01	48.61	45.98	472.15
1942	Wet	42.20	38.60	37.08	48.88	49.52	50.01	35.64	38.84	40.20	42.34	42.45	38.32	504.08
1943	Wet	31.90	28.53	25.21	36.38	44.77	41.78	50.33	51.56	52.15	53.87	53.48	50.64	520.60
1944	Dry	46.78	1.83	58.86	19.18	16.86	16.55	29.17	34.65	36.01	37.41	36.34	31.48	365.12
1945	Below Normal	21.56	18.05	14.21	8.18	8.89	53.59	40.72	45.75	46.40	47.89	47.55	45.04	397.83
1946	Below Normal	41.26	37.80	36.97	50.81	49.54	55.10	35.57	37.35	38.22	39.76	39.53	36.77	498.68
1947	Dry	32.22	29.12	27.55	23.71	25.08	20.79	46.96	47.97	47.35	48.83	48.59	46.07	444.24
1948	Below Normal	42.31	38.85	38.00	23.56	21.77	14.41	23.07	19.53	4.96	52.66	53.37	46.62	379.11
1949	Dry	36.20	32.32	25.62	6.87	8.44	14.61	41.33	46.75	47.11	50.00	30.42	50.79	390.46
1950	Below Normal	39.41	18.76	24.26	5.71	6.29	12.51	35.21	40.52	1.72	52.45	52.84	45.83	335.51
1951	Above Normal	35.48	31.38	24.84	51.12	49.55	57.36	35.23	41.70	42.51	43.78	43.39	41.02	497.36
1952	Wet	37.29	33.96	33.19	50.20	51.32	57.16	46.55	45.66	44.98	47.84	47.44	44.86	540.45
1953	Wet	41.13	37.48	36.72	52.00	49.52	45.06	33.63	39.42	40.91	43.73	44.16	38.84	502.60
1954	Above Normal	30.49	26.96	21.90	10.26	32.83	23.78	36.53	43.02	43.29	46.42	47.18	40.97	403.63
1955	Dry	31.57	27.84	21.85	5.78	9.98	18.99	34.07	39.39	39.60	42.39	43.15	37.46	352.07
1956	Wet	28.61	25.21	19.79	27.64	51.34	57.73	41.92	47.11	47.93	49.36	48.94	46.30	491.88
1957	Above Normal	42.47	38.77	37.99	33.89	31.51	32.78	37.92	44.58	31.54	51.47	53.75	46.99	483.66
1958	Wet	36.68	32.76	26.20	6.25	40.19	42.81	57.09	58.74	59.34	61.18	60.85	57.61	539.70
1959	Below Normal	53.69	17.21	56.66	23.82	23.47	23.44	32.78	37.46	2.13	48.84	49.09	42.60	411.19
1960	Dry	32.81	28.94	22.98	4.71	5.14	14.13	41.93	47.48	36.54	53.13	42.02	50.97	380.78
1961	Dry	41.23	36.96	30.90	8.67	10.17	12.35	33.97	38.99	39.43	42.05	34.55	22.70	351.97
1962	Below Normal	0.58	32.99	37.45	4.46	5.47	18.77	35.94	41.87	5.21	54.84	55.46	48.43	341.47
1963	Wet	37.90	33.85	27.24	31.32	35.44	35.97	35.40	38.05	39.04	40.74	40.62	37.51	433.08
1964	Dry	32.45	29.23	27.15	24.76	50.85	37.55	38.75	40.58	40.13	41.86	41.72	38.51	443.54
1965	Wet	33.55	30.19	28.23	34.33	48.19	43.75	36.98	39.18	26.29	44.70	44.61	41.01	451.01
1966	Below Normal	35.42	31.97	29.44	44.94	45.89	35.02	34.56	39.33	40.49	42.89	43.30	38.37	461.62
1967	Wet	30.78	27.30	22.91	11.67	48.32	47.63	56.35	58.19	57.37	60.71	60.34	57.14	538.71
1968	Below Normal	53.16	42.47	51.17	23.60	27.28	24.67	33.53	38.53	3.45	50.89	51.09	44.54	444.38
1969	Wet	34.50	30.60	24.47	27.45	49.56	57.50	50.60	56.20	55.43	58.66	58.25	55.13	558.35
1970	Wet	51.14	46.87	46.07	51.12	49.54	57.31	41.69	40.88	41.70	42.96	42.55	40.18	552.01
1971	Wet	36.49	33.20	32.45	50.13	49.52	42.94	34.58	39.37	40.36	42.77	43.06	38.32	483.19
1972	Below Normal	30.96	27.52	23.37	19.06	38.70	35.08	36.19	41.13	41.41	44.04	44.56	39.06	421.08
1973	Above Normal	30.65	27.07	21.98	8.47	43.70	44.23	37.54	43.83	44.59	45.82	45.47	43.00	436.35
1974	Wet	39.27	35.83	35.06	50.99	49.58	57.36	54.15	44.32	45.23	46.50	46.09	43.59	547.97
1975	Wet	39.83	36.24	35.47	43.64	35.98	49.70	42.22	43.18	43.88	45.15	44.83	42.47	502.59
1976	Critical	38.70	35.39	34.60	28.18	28.02	24.94	37.44	43.44	37.35	48.19	34.93	47.05	438.23
1977	Critical	36.45	32.36	20.46	4.38	5.27	8.25	14.19	3.35	0.00	2.65	2.41	2.67	132.44
1978	Above Normal	0.63	18.57	30.79	4.11	9.99	36.16	40.25	44.22	45.50	47.66	47.86	43.54	369.28
1979	Below Normal	37.22	33.54	30.38	20.29	19.42	46.36	41.98	43.08	43.74	45.01	44.71	42.38	448.11
1980	Above Normal	38.63	35.33	34.54	39.96	51.33	57.52	42.71	49.40	50.12	51.77	51.36	48.59	551.26
1981	Dry	44.80	40.89	40.11	33.19	42.32	33.85	37.56	44.39	40.46	50.38	51.07	44.76	503.78
1982	Wet	35.24	31.39	25.47	28.55	37.90	42.65	55.83	57.37	58.09	59.82	59.39	56.21	547.91
1983	Wet	52.29	46.46	45.63	51.12	49.58	57.46	54.98	52.23	51.56	56.00	57.10	54.04	628.45
1984	Wet	53.26	47.28	43.47	51.12	51.31	57.35	34.67	41.51	42.21	43.63	43.23	40.86	549.90
1985	Dry	37.08	33.79	41.06	42.57	36.79	38.29	39.11	40.92	41.25	42.46	42.04	39.67	475.03
1986	Wet	36.01	32.75	31.96	27.18	27.60	57.64	56.21	58.92	59.30	61.31	60.81	57.58	567.27
1987	Dry	54.06	12.03	56.65	20.80	18.33	12.49	18.38	21.73	22.02	21.99	19.94	16.96	295.38
1988	Critical	8.78	6.67	5.72	2.04	7.78	8.39	14.51	17.65	17.66	17.89	16.07	13.64	136.80
1989	Dry	6.93	5.17	4.46	2.46	8.08	11.22	43.78	46.99	46.68	48.92	44.36	46.03	315.08
1990	Critical	39.70	35.94	32.91	17.40	17.17	14.52	20.83	24.97	25.48	25.54	23.05	19.61	297.12
1991	Critical	10.46	7.77	6.61	2.54	5.30	8.28	14.90	17.33	17.37	17.56	15.81	13.49	137.42
1992	Critical	6.89	5.15	4.45	1.73	4.24	8.31	18.89	22.49	22.73	22.77	20.09	17.78	155.52
1993	Above Normal	7.06	5.10	8.54	3.78	36.16	37.83	37.51	40.89	17.94	48.97	49.25	44.64	337.67
1994	Critical	37.58	33.85	30.02	17.84	17.79	23.13	37.48	43.31	30.04	49.69	11.65	31.44	363.82
1995	Wet	2.79	25.50	47.16	4.42	28.12	26.55	52.47	53.81	54.34	50.95	56.86	53.92	456.89
1996	Wet	29.50	1.83	29.34	22.79	20.74	37.57	40.24	40.87	41.54	42.87	42.55	40.22	390.06
1997	Wet	36.53	33.37	32.61	48.22	49.55	57.51	46.13	47.84	48.51	50.02	49.64	46.97	546.90
1998	Wet	43.13	39.41	38.62	33.60	49.52	56.45	44.19	43.92	43.07	44.66	45.83	43.33	525.73
1999	Wet	39.53	41.47	39.59	51.06	49.55	44.86	34.86	41.26	41.99	43.49	43.14	40.73	511.53
2000	Above Normal	36.99	33.70	32.92	30.82	46.88	36.39	38.91	42.54	43.68	46.11	46.35	41.96	477.25
2001	Dry	35.31	31.82	28.43	16.46	15.16	15.32	26.82	32.81	33.64	34.00	31.24	26.66	327.67
2002	Dry	15.59	11.88	9.34	4.46	10.02	18.44	44.82	45.74	44.67	46.35	28.15	48.44	327.90
2003	Above Normal	12.26	13.93	42.75	6.68	11.58	19.17	33.08	38.10	1.90	49.79	50.04	43.45	322.73
	Average	32.89	28.55	29.58	22.43	28.93	33.08	37.24	40.94	37.32	44.51	42.63	39.76	417.86
	Wet	37.11	33.63	32.82	34.30	43.23	48.76	45.47	47.21	47.08	49.55	49.62	46.59	515.37
	Above Normal	28.97	27.30	31.60	19.35	32.03	35.62	38.62	43.45	37.19	47.80	48.30	43.92	434.14
	Below Normal	35.74	30.72	32.99	23.01	26.62	34.32	37.02	41.00	30.06	48.61	48.78	43.99	432.84
	Dry	31.57	23.98	27.42	14.83	17.85	20.55	34.69	39.84	37.32	42.96	37.97	38.04	367.02
	Critical	26.32	23.11	19.81	10.52	14.17	13.95	22.10	26.42	24.81	27.80	21.67	18.42	249.11

Difference in Energy Use (GWh) At Pumping Plant at Buena Vista: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.47	1.48	1.47	1.47	0.49
1923	Below Normal	1.47	1.47	1.47	0.00	(0.02)	(0.24)	0.00	0.03	1.48	1.50	1.50	1.47	0.84
1924	Critical	1.44	1.44	1.40	1.31	(0.12)	(0.03)	0.01	0.01	0.01	0.01	0.01	0.00	0.46
1925	Dry	0.01	0.00	0.01	0.00	0.00	(0.13)	0.02	0.03	0.39	0.39	0.40	0.39	0.13
1926	Dry	0.39	0.39	0.39	0.36	(0.01)	(0.01)	(0.03)	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	0.11
1927	Wet	(0.02)	(0.01)	(0.01)	0.00	(0.02)	0.00	0.01	0.00	1.47	1.47	1.47	1.47	0.49
1928	Above Normal	1.47	1.47	1.48	1.47	(0.04)	0.00	0.00	0.00	0.85	0.86	0.86	0.85	0.77
1929	Critical	0.86	0.86	0.86	0.85	(0.01)	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	0.28
1930	Dry	(0.01)	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1932	Dry	0.00	(0.01)	(0.01)	(0.01)	0.00	0.62	0.00	0.00	1.47	1.47	1.47	1.47	0.54
1933	Critical	1.47	1.47	1.47	1.47	(0.61)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44
1934	Critical	0.00	0.00	0.00	0.00	1.10	5.35	(2.36)	1.03	0.78	1.52	11.48	0.00	1.58
1935	Below Normal	(0.83)	1.97	2.12	0.03	(0.07)	(0.17)	(0.55)	0.20	1.75	1.99	2.14	1.59	0.85
1936	Below Normal	0.81	0.73	0.03	(1.00)	(2.20)	0.00	(0.01)	0.00	1.47	1.47	1.46	1.46	0.35
1937	Below Normal	1.47	1.47	1.48	0.00	0.00	(0.01)	0.00	0.00	1.47	1.48	1.48	1.47	0.86
1938	Wet	1.48	1.47	0.00	(0.67)	(0.01)	(0.07)	1.38	1.03	0.07	1.87	1.84	1.75	0.85
1939	Dry	1.91	1.89	1.89	3.86	(1.26)	(4.11)	(5.55)	(6.72)	(9.42)	(2.40)	5.20	(6.07)	(1.73)
1940	Above Normal	3.58	1.73	1.92	1.34	0.02	0.00	0.00	0.00	1.41	1.33	1.39	1.40	1.18
1941	Wet	1.39	1.39	0.71	(0.01)	0.00	(0.15)	(0.14)	(0.15)	1.32	1.32	1.32	1.32	0.69
1942	Wet	1.33	1.33	0.59	(0.01)	0.00	(0.15)	(0.01)	0.00	1.47	1.47	1.48	1.47	0.75
1943	Wet	1.47	1.47	1.46	(0.03)	(0.39)	(0.34)	(0.25)	(0.27)	1.21	1.19	1.20	1.21	0.66
1944	Dry	1.22	0.86	2.05	0.03	(1.29)	(0.41)	0.00	(0.01)	0.95	0.95	0.95	0.95	0.52
1945	Below Normal	0.96	0.96	0.96	0.96	0.00	(3.86)	0.06	0.06	1.54	1.53	1.54	1.53	0.52
1946	Below Normal	1.53	1.53	1.54	1.46	0.00	(0.10)	(0.13)	0.07	1.54	1.61	1.64	1.50	1.02
1947	Dry	1.30	1.28	1.09	0.73	0.07	(0.67)	0.12	0.13	0.55	0.56	0.56	0.55	0.52
1948	Below Normal	0.55	0.54	0.54	(0.52)	(0.84)	(0.31)	0.01	0.27	(0.04)	0.03	0.00	0.08	0.03
1949	Dry	0.05	0.03	(0.11)	(0.02)	(0.02)	(0.03)	(0.10)	0.01	0.04	0.07	(0.28)	0.14	(0.02)
1950	Below Normal	0.06	0.13	0.17	0.00	0.00	0.00	0.00	0.00	0.15	0.15	0.15	0.15	0.08
1951	Above Normal	0.14	0.15	0.00	0.00	0.00	0.00	0.03	0.03	1.51	1.51	1.50	1.50	0.53
1952	Wet	1.50	1.51	1.50	1.47	0.00	0.00	(0.19)	(7.91)	(7.69)	(6.64)	(6.63)	(6.23)	(2.44)
1953	Wet	(6.12)	(5.61)	(5.58)	1.82	7.81	16.06	1.28	1.16	24.41	(2.19)	(2.15)	(1.48)	2.45
1954	Above Normal	(0.37)	(0.28)	0.48	3.56	8.67	1.92	(0.17)	(0.03)	2.45	1.05	(0.93)	(0.85)	1.29
1955	Dry	(0.69)	(0.65)	(0.56)	(0.20)	0.26	0.44	0.75	0.91	0.95	1.01	1.03	0.89	0.35
1956	Wet	0.75	0.68	0.56	(5.46)	0.00	0.00	0.15	0.13	1.60	1.60	1.60	1.59	0.27
1957	Above Normal	1.59	1.58	1.58	1.50	(0.01)	(0.57)	(0.01)	(0.02)	0.78	1.36	1.45	1.44	0.89
1958	Wet	1.42	1.41	1.40	1.34	(0.03)	(0.03)	(0.03)	(0.02)	1.44	1.45	1.45	1.46	0.94
1959	Below Normal	1.44	0.93	1.43	1.51	0.00	0.01	0.00	0.00	0.44	0.44	0.44	0.44	0.59
1960	Dry	0.44	0.44	0.44	0.45	0.01	(0.05)	0.01	0.01	0.04	0.00	0.14	(0.05)	0.16
1961	Dry	(0.04)	(0.03)	(0.02)	0.02	0.02	0.00	0.00	0.00	0.01	0.00	(0.01)	0.01	0.00
1962	Below Normal	0.00	(0.07)	(0.11)	0.00	0.00	0.01	0.00	0.00	1.41	1.42	1.42	1.42	0.46
1963	Wet	1.42	1.41	1.42	1.42	0.00	0.00	0.00	0.00	1.47	1.47	1.47	1.47	0.96
1964	Dry	1.47	1.47	1.48	1.52	0.00	0.01	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.49
1965	Wet	(0.01)	0.00	0.00	0.02	0.00	0.01	0.00	0.00	1.41	1.49	1.49	1.48	0.49
1966	Below Normal	1.48	1.47	1.47	1.44	(0.02)	0.01	0.00	0.00	1.10	1.10	1.10	1.10	0.85
1967	Wet	1.10	1.10	1.11	1.12	0.00	0.01	0.00	0.00	0.00	1.47	1.47	1.47	0.74
1968	Below Normal	1.47	(4.82)	4.72	(0.60)	(2.44)	(0.63)	0.14	0.17	1.56	1.42	1.44	1.44	0.32
1969	Wet	1.42	1.43	1.41	(0.11)	(0.01)	0.00	(1.16)	1.28	0.05	1.53	1.53	1.53	0.74
1970	Wet	1.53	1.53	1.52	0.00	(0.01)	(0.05)	2.36	(0.09)	1.38	1.38	1.38	1.38	1.03
1971	Wet	1.38	1.40	1.40	1.46	0.00	0.33	0.01	(0.08)	0.84	0.82	0.79	0.85	0.77
1972	Below Normal	0.95	0.96	1.03	1.43	0.18	0.12	0.02	0.00	0.00	(0.01)	(0.02)	0.00	0.39
1973	Above Normal	0.02	0.02	0.03	0.08	0.00	0.00	0.00	0.00	1.44	1.44	1.44	1.44	0.49
1974	Wet	1.44	1.44	1.45	1.44	0.00	(0.01)	(0.33)	(0.13)	1.35	1.34	1.34	1.34	0.89
1975	Wet	1.35	1.36	1.36	1.71	0.08	(0.06)	(0.07)	(0.06)	1.39	1.38	1.38	1.39	0.93
1976	Critical	1.39	1.39	1.39	1.43	0.00	0.05	0.09	0.10	0.24	0.08	(0.11)	0.15	0.52
1977	Critical	0.11	0.10	(0.63)	0.00	0.00	0.00	0.00	(0.06)	0.00	(0.01)	0.00	(0.01)	(0.04)
1978	Above Normal	0.00	(0.01)	(0.11)	0.00	0.00	(2.50)	(0.50)	0.56	2.33	2.74	3.00	2.06	0.63
1979	Below Normal	0.72	0.57	(0.61)	(2.80)	(3.85)	(3.26)	(1.74)	(1.86)	(0.40)	(0.45)	(0.44)	(0.34)	(1.21)
1980	Above Normal	(0.32)	(0.19)	(0.18)	2.32	(0.01)	(0.04)	(9.57)	(8.49)	(6.97)	(7.20)	(7.20)	(6.80)	(3.72)
1981	Dry	(6.67)	1.69	(10.62)	9.46	18.40	11.74	3.23	3.78	37.07	(1.53)	(1.33)	(0.79)	5.37
1982	Wet	0.07	0.20	0.69	2.86	1.13	(0.03)	(0.01)	(0.01)	1.46	1.46	1.45	1.46	0.89
1983	Wet	1.46	(0.01)	(0.02)	0.00	0.00	0.00	4.35	(1.59)	(2.78)	0.00	1.47	1.47	0.36
1984	Wet	0.00	0.00	(11.84)	0.00	0.00	0.00	0.00	0.00	1.48	1.47	1.48	1.47	(0.50)
1985	Dry	1.48	1.48	1.45	1.48	0.00	(0.01)	0.00	0.00	0.89	0.89	0.88	0.89	0.79
1986	Wet	0.89	0.89	0.89	0.88	(5.77)	(0.07)	2.71	0.13	1.47	1.59	1.54	1.55	0.56
1987	Dry	1.69	(3.41)	1.47	1.46	(0.02)	(0.01)	0.00	(0.01)	0.00	(0.01)	(0.01)	(0.01)	0.10
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.19	0.20	0.20	0.18	0.15	0.08
1989	Dry	0.09	0.07	0.06	(0.02)	(0.01)	(0.07)	(0.08)	0.05	0.08	0.12	(2.31)	0.72	(0.11)
1990	Critical	0.54	0.50	0.34	(0.41)	(0.29)	(0.05)	0.13	0.19	0.20	0.19	0.17	0.15	0.14
1991	Critical	0.10	0.07	0.05	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.26)	(0.35)	(0.37)	(0.37)	(0.27)	(0.31)	(0.16)
1993	Above Normal	0.41	0.00	(0.60)	(0.30)	0.06	0.11	0.02	(0.03)	1.94	1.29	1.26	1.36	0.46
1994	Critical	1.45	1.46	1.48	1.68	0.18	0.02	(0.04)	(0.05)	0.69	(0.21)	0.00	0.00	0.55
1995	Wet	(0.08)	(0.03)	0.03	0.00	0.00	0.00	0.00	0.00	1.47	(3.66)	2.51	2.48	0.23
1996	Wet	(18.08)	(20.70)	(8.20)	1.51	(0.02)	(0.02)	(0.12)	(0.12)	1.34	1.34	1.35	1.35	(3.36)
1997	Wet	1.35	1.35	1.36	(0.01)	0.00	0.00	(0.37)	(0.01)	1.46	1.47	1.47	1.47	0.80
1998	Wet	1.47	1.46	1.46	1.43	0.00	0.01	0.03	(0.22)	(0.22)	(0.23)	1.25	1.25	0.64
1999	Wet	1.26	1.27	1.15	1.45	0.00	0.00	0.00	(0.01)	1.47	1.47	1.47	1.48	0.92
2000	Above Normal	1.47	1.47	1.47	1.47	(0.02)	(0.42)	(0.07)	0.07	1.48	1.52	1.56	1.45	0.95
2001	Dry	1.31	1.29	1.16	0.87	(0.42)	(0.12)	0.02	0.01	0.02	0.02	0.05	0.04	0.35
2002	Dry	0.06	0.05	0.03	0.03	0.00	0.00	(0.05)	(0.05)	(0.06)	(0.06)	(0.69)	0.11	(0.05)
2003	Above Normal	1.06	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.49	0.49	0.50	0.50	0.26
	Average	0.41	0.31	0.30	0.65	0.22	0.22	(0.09)	(0.20)	1.19	0.51	0.78	0.56	0.41
	Wet	0.05	(0.09)	(0.16)	0.52	0.11	0.59	0.37	(0.27)	1.55	0.67	1.02	1.06	0.45
	Above Normal	0.75	0.50	0.51	0.95	0.72	(0.13)	(0.86)	(0.66)	0.76	0.66	0.53	0.49	0.35
	Below Normal	0.86	0.56	1.16	0.14	(0.66)	(0.60)	(0.16)	(0.08)	0.96	0.98	0.99	0.95	0.43
	Dry	0.22	0.38	0.01	1.11	0.87	0.40	(0.09)	(0.10)	1.83	0.08	0.33	(0.04)	0.42
	Critical	0.61	0.61	0.53	0.53	0.02	0.45	(0.20)	0.09	0.14	0.12	0.95	0.01	0.32

Percent Difference in Energy Use (GWh) At Pumping Plant at Buena Vista: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	5%	5%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	6%	7%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	3%	3%	4%
1928	Above Normal	4%	4%	5%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	4%	4%	4%	5%
1933	Critical	6%	7%	9%	34%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	42%	-9%	3%	2%	5%	60%	0%
1935	Below Normal	-3%	9%	12%	1%	-1%	-1%	-1%	0%	4%	4%	4%	4%
1936	Below Normal	2%	2%	0%	-5%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-2%	0%	0%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	11%	-3%	-14%	-14%	-15%	-76%	-5%	24%	-12%
1940	Above Normal	32%	21%	4%	31%	0%	0%	0%	0%	4%	3%	3%	3%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	4%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	6%	0%	-1%	-1%	0%	-1%	2%	2%	2%	2%
1944	Dry	3%	89%	4%	0%	-7%	-2%	0%	0%	3%	3%	3%	3%
1945	Below Normal	5%	6%	7%	13%	0%	-7%	0%	0%	3%	3%	3%	4%
1946	Below Normal	4%	4%	4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
1947	Dry	4%	5%	4%	3%	0%	-3%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-2%	-4%	-2%	0%	1%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	10%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	5%	5%	3%	0%	0%	0%	-15%	-15%	-12%	-12%	-12%
1953	Wet	-13%	-13%	-13%	4%	19%	55%	4%	3%	148%	-5%	-5%	-4%
1954	Above Normal	-1%	-1%	2%	53%	36%	9%	0%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-2%	-3%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-16%	0%	0%	0%	0%	3%	3%	3%	4%
1957	Above Normal	4%	4%	4%	5%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	4%	6%	27%	0%	0%	0%	0%	2%	2%	2%	3%
1959	Below Normal	3%	6%	3%	7%	0%	0%	0%	0%	26%	1%	1%	1%
1960	Dry	1%	2%	2%	11%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	37%	3%	3%	3%
1963	Wet	4%	4%	5%	5%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	6%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	6%	3%	3%	4%
1966	Below Normal	4%	5%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	11%	0%	0%	0%	0%	0%	2%	2%	3%
1968	Below Normal	3%	-10%	10%	-2%	-8%	-2%	0%	0%	83%	3%	3%	3%
1969	Wet	4%	5%	6%	0%	0%	0%	-2%	2%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	0%	0%	0%	6%	0%	3%	3%	3%	4%
1971	Wet	4%	4%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	3%	4%	5%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	3%	3%	3%	3%
1974	Wet	4%	4%	4%	3%	0%	0%	-1%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	4%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-2%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	-6%	-1%	1%	5%	6%	7%	5%
1979	Below Normal	2%	2%	-2%	-12%	-17%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	6%	0%	0%	-18%	-15%	-12%	-12%	-12%	-12%
1981	Dry	-13%	4%	-21%	40%	77%	53%	9%	9%	>1,000%	-3%	-3%	-2%
1982	Wet	0%	1%	3%	11%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	0%	0%	0%	9%	-3%	-5%	0%	3%	3%
1984	Wet	0%	0%	-21%	0%	0%	0%	0%	0%	4%	3%	4%	4%
1985	Dry	4%	5%	4%	4%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	3%	-17%	0%	5%	0%	3%	3%	3%	3%
1987	Dry	3%	-22%	3%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	6%	0%	-7%	-7%	0%	0%	0%	0%	12%	3%	3%	3%
1994	Critical	4%	5%	5%	10%	1%	0%	0%	0%	2%	0%	0%	0%
1995	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	3%	-7%	5%	5%
1996	Wet	-38%	-92%	-22%	7%	0%	0%	0%	0%	3%	3%	3%	3%
1997	Wet	4%	4%	4%	0%	0%	0%	-1%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	4%	4%	0%	0%	0%	0%	-1%	-1%	3%	3%
1999	Wet	3%	3%	3%	3%	0%	0%	0%	0%	4%	3%	4%	4%
2000	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	4%	3%	3%	4%
2001	Dry	4%	4%	4%	6%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	9%	0%	0%	0%	0%	0%	0%	0%	35%	1%	1%	1%
	Average	2%	2%	1%	4%	1%	1%	0%	0%	5%	1%	2%	1%
	Wet	1%	-1%	1%	3%	0%	2%	1%	0%	7%	1%	2%	2%
	Above Normal	5%	3%	1%	8%	3%	0%	-2%	-1%	6%	2%	1%	1%
	Below Normal	2%	3%	4%	1%	-3%	-1%	0%	0%	13%	2%	2%	2%
	Dry	1%	5%	1%	5%	4%	2%	0%	0%	-3%	0%	1%	0%
	Critical	2%	2%	2%	5%	1%	3%	-1%	0%	0%	0%	5%	0%

Energy Use (GWh) At Pumping Plant at Chrisman: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	153.98	134.87	108.71	26.62	88.69	101.12	99.38	101.54	98.38	101.94	102.14	97.37	1,214.74
1923	Below Normal	86.38	79.35	76.04	127.05	126.72	100.90	85.70	98.14	96.56	103.27	105.56	94.62	1,180.29
1924	Critical	75.02	67.60	55.84	25.52	27.17	31.95	48.57	58.15	58.25	57.89	52.52	45.96	604.44
1925	Dry	23.60	18.28	15.73	5.90	15.21	57.78	87.73	112.71	112.47	120.43	124.34	109.22	803.40
1926	Dry	84.86	76.71	60.70	11.57	18.70	41.25	64.84	93.18	92.74	99.17	102.42	89.87	836.01
1927	Wet	68.61	61.60	48.22	14.20	57.64	112.79	106.60	108.82	105.08	108.42	108.44	104.40	1,004.82
1928	Above Normal	94.94	87.66	85.59	67.81	81.23	59.18	121.47	123.30	118.91	122.70	122.95	118.42	1,204.16
1929	Critical	108.79	101.10	98.91	68.29	63.75	39.11	45.26	63.82	63.97	63.74	57.97	8.43	783.14
1930	Dry	30.89	37.95	33.18	10.85	17.98	29.01	72.70	85.13	85.97	87.83	84.52	74.19	650.20
1931	Critical	47.94	39.79	30.61	10.86	17.54	31.22	59.24	70.46	70.84	70.67	64.08	56.00	569.25
1932	Dry	30.42	22.72	19.48	11.04	23.37	76.64	64.74	86.00	85.44	91.06	92.97	81.68	685.56
1933	Critical	60.39	53.75	41.73	11.12	95.82	34.96	57.42	84.63	85.04	87.87	85.28	74.81	772.82
1934	Critical	49.53	41.40	31.96	11.22	16.19	32.79	67.60	80.94	81.90	81.50	44.94	3.49	543.46
1935	Below Normal	73.30	59.11	44.47	11.23	23.25	41.89	112.02	117.96	115.69	120.58	121.92	113.63	955.05
1936	Below Normal	98.77	90.86	84.25	49.64	56.76	150.17	105.21	120.46	116.36	120.10	120.22	115.76	1,228.56
1937	Below Normal	106.06	98.29	96.12	71.75	130.07	127.44	131.29	145.22	140.56	145.05	145.37	140.08	1,477.30
1938	Wet	130.14	121.21	118.95	82.68	130.07	150.57	147.44	149.69	145.68	149.82	149.96	144.68	1,620.89
1939	Dry	134.55	124.90	122.79	89.18	95.00	74.99	99.28	113.36	25.56	133.32	50.83	125.12	1,188.88
1940	Above Normal	26.29	21.17	118.86	11.08	15.54	51.63	96.89	113.61	85.54	121.62	132.34	116.39	910.96
1941	Wet	90.78	82.08	65.05	40.67	93.91	109.51	117.93	119.93	115.91	119.70	119.67	115.28	1,190.42
1942	Wet	105.63	97.70	95.70	128.96	130.07	130.93	90.85	97.78	95.95	101.36	102.76	94.07	1,271.76
1943	Wet	77.87	70.62	62.03	96.01	118.52	109.62	130.27	132.33	127.96	132.17	132.25	127.62	1,317.27
1944	Dry	117.77	1.79	149.30	50.35	47.66	43.74	74.22	86.77	86.59	89.91	88.16	77.53	913.79
1945	Below Normal	52.33	44.38	34.46	18.77	23.06	150.11	104.64	116.90	113.06	116.68	116.72	112.46	1,003.57
1946	Below Normal	102.79	95.10	92.96	130.17	130.07	144.20	91.37	94.70	91.59	95.19	95.41	90.65	1,254.20
1947	Dry	79.56	72.84	69.27	60.37	65.49	54.52	121.05	122.74	118.38	121.98	122.24	117.86	1,126.30
1948	Below Normal	108.24	100.52	98.34	63.36	59.42	38.18	58.72	45.83	6.92	132.53	135.63	119.40	967.09
1949	Dry	92.95	84.35	67.24	17.92	21.98	37.31	105.71	117.86	117.21	124.53	75.07	129.96	992.09
1950	Below Normal	101.10	48.21	62.85	14.86	16.33	32.00	89.54	101.73	3.71	129.26	131.89	115.89	847.37
1951	Above Normal	89.88	81.28	64.69	134.85	130.07	149.81	90.23	106.19	102.72	105.75	105.70	101.85	1,263.02
1952	Wet	92.33	85.03	83.06	128.53	134.71	149.27	120.47	136.77	132.26	136.68	136.75	131.90	1,467.76
1953	Wet	122.13	113.00	110.97	132.36	109.46	74.53	82.01	95.67	36.88	114.40	116.67	102.77	1,210.85
1954	Above Normal	78.82	70.98	55.83	17.40	63.12	55.60	93.16	107.87	100.58	112.35	120.95	106.42	983.08
1955	Dry	82.30	74.21	58.39	15.51	25.07	47.12	84.71	96.60	95.82	102.86	105.98	93.08	881.65
1956	Wet	71.06	63.87	50.09	87.24	134.71	150.56	107.20	119.80	116.18	119.61	119.54	115.31	1,255.17
1957	Above Normal	105.55	97.47	95.46	85.23	82.72	86.04	96.37	111.90	73.88	124.77	131.94	116.23	1,207.56
1958	Wet	90.19	81.74	64.69	12.67	105.45	111.46	147.25	150.28	145.80	150.24	150.59	145.15	1,355.51
1959	Below Normal	135.24	42.17	145.08	58.62	61.36	59.95	83.36	94.02	4.02	119.56	121.71	106.91	1,032.00
1960	Dry	82.29	74.13	58.66	11.04	13.29	36.23	106.98	119.75	89.21	132.91	104.52	130.88	959.89
1961	Dry	106.12	96.69	80.88	22.62	26.49	31.64	86.38	97.87	97.75	104.51	85.91	56.38	893.24
1962	Below Normal	1.26	85.09	97.49	11.54	14.16	47.66	91.42	105.15	3.86	133.91	136.84	120.29	848.67
1963	Wet	93.54	84.66	67.43	78.82	92.87	93.48	90.35	96.39	93.59	97.80	98.49	92.44	1,079.86
1964	Dry	79.59	72.58	67.16	61.06	133.50	97.36	99.51	103.18	100.47	104.78	105.39	99.04	1,123.62
1965	Wet	86.44	79.02	73.93	90.38	126.53	114.01	94.68	99.18	59.88	108.02	108.82	101.52	1,142.41
1966	Below Normal	87.34	79.77	73.22	114.71	120.54	90.79	87.50	98.55	97.19	103.30	105.63	94.79	1,153.33
1967	Wet	75.66	68.23	56.82	27.56	126.77	123.98	145.24	148.78	144.41	148.96	149.20	143.88	1,359.49
1968	Below Normal	133.77	124.07	121.90	63.60	77.80	64.84	84.91	96.31	4.16	122.38	124.34	109.37	1,127.45
1969	Wet	84.15	75.91	60.04	72.62	130.07	149.96	133.09	140.13	139.11	143.34	143.48	138.40	1,410.30
1970	Wet	128.26	118.91	116.87	134.85	130.07	149.81	101.14	104.40	101.02	104.03	103.88	99.99	1,393.23
1971	Wet	90.57	83.31	81.38	128.37	130.07	110.79	87.55	98.98	97.67	103.86	105.91	95.40	1,213.86
1972	Below Normal	76.59	69.23	58.25	46.27	101.05	90.68	91.79	102.98	102.21	108.96	111.68	99.28	1,058.97
1973	Above Normal	78.05	70.44	57.18	21.85	114.62	115.14	96.45	111.96	108.47	111.41	111.41	107.28	1,104.26
1974	Wet	97.76	90.14	88.15	130.68	130.07	149.68	140.89	113.29	109.97	113.00	112.95	108.92	1,385.50
1975	Wet	99.32	91.42	89.43	110.49	94.12	129.81	109.00	110.54	106.93	109.98	110.05	106.09	1,267.18
1976	Critical	96.46	89.13	87.09	70.36	73.51	63.94	94.98	108.85	91.00	119.85	86.63	119.98	1,101.78
1977	Critical	93.16	84.19	54.94	11.33	13.65	21.11	36.16	6.60	0.00	6.52	5.95	3.64	337.25
1978	Above Normal	1.40	44.51	78.82	10.64	25.78	100.55	104.52	111.32	108.48	112.82	113.64	106.88	919.36
1979	Below Normal	94.20	86.34	81.20	60.70	60.99	129.40	112.79	114.99	111.23	114.41	114.51	110.41	1,191.17
1980	Above Normal	100.76	93.13	91.08	99.07	134.71	150.13	134.48	147.98	143.66	148.24	148.39	143.15	1,534.78
1981	Dry	133.18	102.70	133.19	62.39	62.63	56.68	87.28	101.95	4.43	129.60	132.23	116.25	1,122.51
1982	Wet	89.96	81.33	64.66	67.70	96.35	110.99	143.85	146.58	142.37	146.54	146.66	141.42	1,378.41
1983	Wet	131.46	121.90	119.77	134.85	130.07	149.86	130.11	137.22	136.38	140.36	140.62	135.69	1,608.29
1984	Wet	137.90	124.04	145.29	134.85	134.71	149.77	88.84	105.75	101.99	105.44	105.32	101.51	1,435.41
1985	Dry	91.85	84.65	103.96	108.37	96.44	99.46	100.61	104.31	101.17	104.04	103.88	99.97	1,198.71
1986	Wet	90.62	83.47	81.44	69.21	87.75	150.50	137.82	150.52	145.85	150.47	150.46	144.93	1,443.04
1987	Dry	135.64	39.98	144.96	50.86	48.17	32.34	46.84	54.23	54.12	53.65	48.96	42.85	752.60
1988	Critical	21.99	17.15	14.78	5.17	20.18	21.46	36.97	43.48	42.77	43.06	38.90	33.97	339.88
1989	Dry	17.04	13.04	11.34	6.28	21.01	28.86	112.66	119.47	117.00	122.53	118.00	116.64	803.87
1990	Critical	101.01	92.80	85.33	46.81	45.82	37.62	52.72	61.80	62.14	61.86	56.15	49.17	753.23
1991	Critical	25.99	19.81	16.97	6.40	13.73	21.17	37.95	43.19	42.59	42.78	38.74	33.98	343.30
1992	Critical	17.19	13.17	11.45	4.35	10.92	21.27	48.79	56.97	56.76	56.45	49.85	45.72	392.89
1993	Above Normal	16.28	12.97	23.81	10.54	94.63	98.14	95.70	103.23	35.88	119.28	121.25	111.01	842.72
1994	Critical	92.90	84.68	74.66	42.37	46.02	58.95	95.41	108.87	70.47	124.55	24.86	79.13	902.87
1995	Wet	4.78	66.41	123.67	11.46	73.58	68.18	135.43	137.82	133.42	137.68	138.05	133.08	1,163.56
1996	Wet	123.23	58.78	98.45	56.01	54.13	97.77	103.99	104.71	101.03	104.26	104.28	100.32	1,106.96
1997	Wet	90.89	83.91	81.93	127.21	130.07	150.12	119.65	122.06	118.03	121.66	121.72	117.39	1,384.64
1998	Wet	107.61	99.47	97.44	84.64	130.07	147.46	113.88	112.75	108.83	112.72	112.87	108.64	1,336.38
1999	Wet	98.92	105.49	100.89	130.86	130.07	116.80	89.34	105.14	101.45	105.10	105.13	101.17	1,290.36
2000	Above Normal	91.64	84.43	82.43	77.21	123.16	95.39	99.70	107.57	105.34	111.40	113.03	103.88	1,195.18
2001	Dry	87.38	79.80	71.35	40.95	40.86	39.75	68.21	81.86	82.75	83.14	76.83	67.41	820.29
2002	Dry	39.21	30.57	24.16	11.41	25.86	46.84	115.94	117.43	113.08	117.23	71.71	125.34	838.78
2003	Above Normal	27.62	36.12	112.27	17.33	29.94	48.69	84.11	95.65	3.28	121.84	124.00	108.96	809.81
	Average	83.44	73.70	76.63	57.28	75.25	85.23	95.59	104.18	89.78	109.82	105.24	100.50	1,056.63
	Wet	95.38	88.20	86.40	89.00	113.15	125.47	115.96	120.97	113.99	122.52	122.87	117.38	1,311.28
	Above Normal	72.10	69.59	81.23	48.30	82.02	92.62	101.04	111.84	90.43	117.84	120.65	111.49	1,099.14
	Below Normal	89.81	78.75	83.33	60.16	71.54	90.59	95.02	103.78	71.94	118.94	120.53	110.25	1,094.64
	Dry	80.51	61.55	71.76	35.98	44.37	51.75	88.86	100.80	87.79	106.86	94.11	97.40	921.74
	Critical	65.86	58.71	50.36	26.15	37.03	34.63	56.76	65.65	60.48	68.06	50.49	46.19	620.36

Energy Use (GWh) At Pumping Plant at Chrisman: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	153.98	134.87	108.71	26.62	88.69	101.12	99.38	101.54	102.27	105.82	106.02	101.25	1,230.27
1923	Below Normal	90.27	83.23	79.92	127.05	126.67	100.25	85.68	98.20	100.46	107.20	109.51	98.51	1,206.95
1924	Critical	78.81	71.39	59.54	28.98	26.85	31.87	48.59	58.17	58.28	57.92	52.54	45.98	618.92
1925	Dry	23.61	18.29	15.73	5.91	15.20	57.42	87.79	112.77	113.50	121.46	125.38	110.25	807.31
1926	Dry	85.88	77.73	61.71	12.54	18.68	41.22	64.77	93.13	92.68	99.11	102.36	89.81	839.62
1927	Wet	68.56	61.56	48.18	14.20	57.59	112.79	106.60	108.82	108.97	112.31	112.33	108.29	1,020.20
1928	Above Normal	98.83	91.54	89.48	71.69	81.14	59.18	121.47	123.31	121.17	124.96	125.21	120.68	1,228.66
1929	Critical	111.05	103.36	101.17	70.54	63.75	39.10	45.24	63.80	63.94	63.71	57.95	8.41	792.02
1930	Dry	30.86	37.90	33.21	10.85	17.98	29.00	72.69	85.12	85.97	87.82	84.51	74.19	650.10
1931	Critical	47.93	39.78	30.60	10.86	17.53	31.22	59.22	70.43	70.81	70.65	64.06	55.97	569.06
1932	Dry	30.40	22.71	19.47	11.03	23.37	78.26	64.74	86.00	89.33	94.94	96.85	85.57	702.67
1933	Critical	64.26	57.63	45.61	15.01	94.21	34.96	57.42	84.63	85.04	87.87	85.28	74.81	786.73
1934	Critical	49.53	41.40	31.96	11.22	19.08	46.72	61.19	83.66	83.98	85.66	75.41	3.49	593.30
1935	Below Normal	70.89	64.20	49.96	11.30	23.08	41.47	110.37	118.18	120.01	125.52	127.31	117.61	979.90
1936	Below Normal	100.78	92.72	84.31	47.02	50.94	150.17	105.21	120.45	120.23	123.97	124.09	119.63	1,239.52
1937	Below Normal	109.94	102.18	100.00	71.74	130.07	127.43	131.30	145.22	144.45	148.94	149.26	143.97	1,504.50
1938	Wet	134.03	125.10	118.95	80.93	130.07	150.41	151.07	152.38	145.85	154.75	154.82	149.31	1,647.67
1939	Dry	139.58	129.90	127.79	99.35	91.83	64.62	85.15	96.43	7.54	126.01	63.77	108.60	1,140.57
1940	Above Normal	35.38	25.63	123.83	14.62	15.59	51.63	96.89	113.62	89.27	125.14	136.03	120.07	947.70
1941	Wet	94.46	85.76	66.91	40.65	93.91	109.13	117.57	119.55	119.42	123.20	123.16	118.79	1,212.51
1942	Wet	109.14	101.24	97.27	128.93	130.07	130.51	90.83	97.78	99.84	105.25	106.66	97.96	1,295.48
1943	Wet	81.74	74.49	65.88	95.92	117.51	108.73	129.62	131.66	131.18	135.37	135.45	130.84	1,338.39
1944	Dry	121.00	4.63	154.17	50.43	44.25	42.63	74.20	86.76	89.10	92.43	90.68	80.05	930.33
1945	Below Normal	54.85	46.90	36.98	21.32	23.06	139.93	104.80	117.07	117.11	120.74	120.77	116.51	1,020.04
1946	Below Normal	106.84	99.15	97.00	134.03	130.07	143.94	90.98	94.79	95.56	99.34	99.67	94.54	1,285.91
1947	Dry	82.96	76.21	72.15	62.30	65.66	52.74	121.38	123.08	119.82	123.43	123.69	119.30	1,142.72
1948	Below Normal	109.68	101.94	99.76	61.98	57.21	37.37	58.74	46.54	6.81	132.60	135.64	119.61	967.88
1949	Dry	93.06	84.44	66.96	17.85	21.91	37.24	105.42	117.83	117.25	124.66	74.28	130.29	991.19
1950	Below Normal	101.22	48.55	63.29	14.86	16.33	32.00	89.54	101.73	4.10	129.65	132.29	116.29	849.85
1951	Above Normal	90.28	81.67	64.69	134.85	130.07	149.81	90.34	106.28	106.70	109.73	109.68	105.83	1,279.93
1952	Wet	96.30	89.00	87.03	132.42	134.71	149.26	119.98	116.44	112.82	120.03	119.99	115.80	1,393.78
1953	Wet	106.29	98.27	96.30	137.16	130.07	117.14	84.93	98.44	100.85	108.10	110.57	98.68	1,286.80
1954	Above Normal	77.65	70.20	57.06	26.81	86.03	60.76	92.66	107.67	106.90	114.96	118.35	104.09	1,023.14
1955	Dry	80.41	72.46	56.91	14.96	25.76	48.24	86.63	98.91	98.17	105.37	108.57	95.37	891.76
1956	Wet	72.99	65.64	51.56	72.85	134.71	150.58	107.58	120.13	120.38	123.83	123.77	119.53	1,263.55
1957	Above Normal	109.76	101.66	99.65	89.18	82.71	84.52	96.35	111.85	75.97	128.40	135.78	120.04	1,235.87
1958	Wet	93.95	85.48	68.39	16.20	105.38	111.39	147.19	150.22	149.62	154.06	154.41	149.00	1,385.29
1959	Below Normal	139.05	44.65	148.85	62.60	61.37	59.97	83.36	94.01	5.18	120.73	122.87	108.08	1,050.72
1960	Dry	83.45	75.29	59.82	12.21	13.29	36.11	107.00	119.76	89.33	132.89	104.89	130.75	964.79
1961	Dry	106.02	96.60	80.82	22.66	26.53	31.66	86.39	97.88	97.76	104.52	85.89	56.41	893.14
1962	Below Normal	1.26	84.90	97.21	11.54	14.16	47.68	91.41	105.14	7.61	137.64	140.58	124.03	863.16
1963	Wet	97.28	88.40	71.17	82.56	92.87	93.48	90.35	96.39	97.48	101.68	102.37	96.33	1,110.36
1964	Dry	83.48	76.47	71.05	65.08	133.50	97.41	99.50	103.16	100.45	104.75	105.37	99.02	1,139.24
1965	Wet	86.43	79.01	73.94	90.43	126.53	114.02	94.67	99.18	63.60	111.96	112.76	105.44	1,157.97
1966	Below Normal	91.23	83.67	77.09	118.53	120.47	90.80	87.50	98.54	100.10	106.21	108.54	97.70	1,180.38
1967	Wet	78.58	71.15	59.75	30.51	126.79	124.02	145.24	148.78	144.41	152.85	153.08	147.77	1,382.93
1968	Below Normal	137.65	111.33	134.36	62.01	71.35	63.17	85.27	96.74	7.57	126.35	128.33	113.29	1,137.42
1969	Wet	87.99	79.71	63.79	72.34	130.07	149.96	130.04	143.48	139.25	147.38	147.52	142.43	1,433.96
1970	Wet	132.29	122.94	120.90	134.85	130.07	149.72	107.36	104.19	104.68	107.69	107.54	103.66	1,425.89
1971	Wet	94.25	87.01	85.07	132.23	130.07	111.67	87.59	98.83	99.93	106.04	108.03	97.68	1,238.40
1972	Below Normal	79.10	71.75	60.99	50.05	101.51	91.00	91.83	102.99	102.20	108.93	111.64	99.28	1,071.27
1973	Above Normal	78.10	70.49	57.28	22.05	114.62	115.14	96.45	111.96	112.28	115.21	115.22	111.09	1,119.89
1974	Wet	101.57	93.94	91.95	134.49	130.07	149.67	140.03	112.96	113.54	116.56	116.51	112.48	1,413.77
1975	Wet	102.89	95.01	93.02	115.02	94.32	129.63	108.83	110.36	110.60	113.65	113.71	109.76	1,296.80
1976	Critical	100.13	92.81	90.77	74.12	73.49	64.06	95.19	109.10	91.62	120.05	86.35	120.36	1,118.05
1977	Critical	93.44	84.45	53.25	11.33	13.65	21.11	36.16	6.45	0.00	6.49	5.95	3.67	335.95
1978	Above Normal	1.40	44.45	78.51	10.64	25.78	93.85	102.96	112.24	114.08	119.54	121.16	111.91	936.52
1979	Below Normal	95.88	87.75	79.54	53.29	50.83	120.84	108.29	110.22	110.40	113.46	113.54	109.59	1,153.63
1980	Above Normal	100.01	92.65	90.62	105.30	134.71	150.02	109.68	126.09	126.02	130.01	130.02	125.49	1,420.62
1981	Dry	115.85	107.23	105.22	87.36	111.06	87.39	95.35	111.44	99.57	125.57	128.73	114.23	1,289.00
1982	Wet	90.15	81.86	66.46	75.23	99.35	110.91	143.81	146.54	146.22	150.38	150.51	145.27	1,406.69
1983	Wet	135.31	121.86	119.73	134.85	130.07	149.86	141.61	133.03	129.05	140.36	144.51	139.57	1,619.81
1984	Wet	137.90	124.04	114.03	134.85	134.71	149.77	88.84	105.76	105.88	109.33	109.22	105.40	1,419.73
1985	Dry	95.74	88.55	107.81	112.25	96.44	99.46	100.61	104.31	103.52	106.39	106.23	102.32	1,223.63
1986	Wet	92.96	85.81	83.79	71.56	72.52	150.36	144.98	150.86	149.73	154.64	154.52	149.01	1,460.74
1987	Dry	140.10	30.98	148.85	54.70	48.13	32.33	46.83	54.21	54.10	53.63	48.94	42.83	755.63
1988	Critical	21.98	17.14	14.77	5.16	20.20	21.46	36.97	43.96	43.27	43.55	39.34	34.36	342.16
1989	Dry	17.25	13.21	11.48	6.23	20.97	28.69	112.41	119.54	117.16	122.80	111.85	118.50	800.09
1990	Critical	102.43	94.10	86.24	45.72	45.04	37.49	53.07	62.26	62.62	62.34	56.58	49.55	757.44
1991	Critical	26.24	19.97	17.10	6.48	13.73	21.17	37.95	43.19	42.59	42.78	38.74	33.98	343.92
1992	Critical	17.19	13.17	11.46	4.35	10.92	21.27	48.12	56.11	55.85	55.55	49.20	44.92	388.11
1993	Above Normal	17.39	12.96	22.23	9.75	94.78	98.43	95.78	103.18	41.05	122.73	124.60	114.62	857.50
1994	Critical	96.71	88.54	78.58	46.82	46.51	59.03	95.31	108.75	72.31	124.00	24.86	79.13	920.55
1995	Wet	4.56	66.34	123.76	11.46	73.58	68.18	135.43	137.82	137.31	128.02	144.68	139.62	1,170.76
1996	Wet	75.51	4.63	76.30	59.98	54.09	97.74	103.68	104.38	104.60	107.81	107.83	103.88	1,000.43
1997	Wet	94.46	87.50	85.52	127.17	130.07	150.12	118.68	122.04	121.90	125.53	125.59	121.26	1,409.84
1998	Wet	111.48	103.34	101.31	88.43	130.07	147.50	113.95	112.18	108.27	112.15	116.18	111.97	1,356.83
1999	Wet	102.25	108.85	103.92	134.68	130.07	116.79	89.34	105.13	105.33	108.98	109.01	105.05	1,319.40
2000	Above Normal	95.52	88.32	86.32	81.10	123.13	94.27	99.49	107.70	109.18	115.36	117.09	107.67	1,225.15
2001	Dry	90.80	83.19	74.39	43.24	39.75	39.42	68.27	81.90	82.78	83.21	76.96	67.52	831.43
2002	Dry	39.36	30.72	24.23	11.48	25.85	46.83	115.81	117.30	112.95	117.09	69.88	125.63	837.13
2003	Above Normal	30.42	36.15	112.31	17.33	29.94	48.69	84.11	95.65	4.58	123.14	125.30	110.25	817.87
	Average	84.51	74.53	77.41	59.00	75.84	85.82	95.35	103.64	92.97	111.16	107.30	101.97	1,069.50
	Wet	95.51	88.00	85.96	90.38	113.44	127.05	116.92	120.28	118.10	124.30	125.57	120.18	1,325.69
	Above Normal	74.06	70.88	82.56	50.83	83.93	92.29	98.80	110.09	92.46	119.58	122.04	112.75	1,110.26
	Below Normal	92.05	80.21	86.38	60.52	69.79	89.00	94.59	103.56	74.41	121.52	123.15	112.76	1,107.94
	Dry	81.10	62.58	71.77	38.91	46.68	52.82	88.61	100.53	92.83	107.00	94.94	97.26	935.02
	Critical	67.48	60.31	51.75	27.55	37.08	35.79	56.20	65.88	60.86	68.38	53.02	46.22	630.52

Difference in Energy Use (GWh) At Pumping Plant at Chrisman: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.89	3.88	3.88	3.88	1.29
1923	Below Normal	3.89	3.88	3.88	0.00	(0.05)	(0.65)	(0.02)	0.06	3.90	3.93	3.95	3.89	2.22
1924	Critical	3.79	3.79	3.70	3.46	(0.32)	(0.08)	0.02	0.02	0.03	0.03	0.02	0.02	1.21
1925	Dry	0.01	0.01	0.00	0.01	(0.01)	(0.36)	0.06	0.06	1.03	1.03	1.04	1.03	0.33
1926	Dry	1.02	1.02	1.01	0.97	(0.02)	(0.03)	(0.07)	(0.05)	(0.06)	(0.06)	(0.06)	(0.06)	0.30
1927	Wet	(0.05)	(0.04)	(0.04)	0.00	(0.05)	0.00	0.00	0.00	3.89	3.89	3.89	3.89	1.28
1928	Above Normal	3.89	3.88	3.89	3.88	(0.09)	0.00	0.00	0.01	2.26	2.26	2.26	2.26	2.04
1929	Critical	2.26	2.26	2.26	2.25	0.00	(0.01)	(0.02)	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	0.74
1930	Dry	(0.03)	(0.05)	0.03	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00	(0.01)
1931	Critical	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.02)	(0.03)	(0.03)	(0.02)	(0.02)	(0.03)	(0.02)
1932	Dry	(0.02)	(0.01)	(0.01)	(0.01)	0.00	1.62	0.00	0.00	3.89	3.88	3.88	3.89	1.43
1933	Critical	3.87	3.88	3.88	3.89	(1.61)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.16
1934	Critical	0.00	0.00	0.00	0.00	2.89	13.93	(6.41)	2.72	2.08	4.16	30.47	0.00	4.15
1935	Below Normal	(2.41)	5.09	5.49	0.07	(0.17)	(0.42)	(1.65)	0.22	4.32	4.94	5.39	3.98	2.07
1936	Below Normal	2.01	1.86	0.06	(2.62)	(5.82)	0.00	0.00	(0.01)	3.87	3.87	3.87	3.87	0.91
1937	Below Normal	3.88	3.89	3.88	(0.01)	0.00	(0.01)	0.01	0.00	3.89	3.89	3.89	3.89	2.27
1938	Wet	3.89	3.89	0.00	(1.75)	0.00	(0.16)	3.63	2.69	0.17	4.93	4.86	4.63	2.23
1939	Dry	5.03	5.00	5.00	10.17	(3.17)	(10.37)	(14.13)	(16.93)	(18.02)	(7.31)	12.94	(16.52)	(4.03)
1940	Above Normal	9.09	4.46	4.97	3.54	0.05	0.00	0.00	0.01	3.73	3.52	3.69	3.68	3.06
1941	Wet	3.68	3.68	1.86	(0.02)	0.00	(0.38)	(0.36)	(0.38)	3.51	3.50	3.49	3.51	1.84
1942	Wet	3.51	3.54	1.57	(0.03)	0.00	(0.42)	(0.02)	0.00	3.89	3.89	3.90	3.89	1.98
1943	Wet	3.87	3.87	3.85	(0.09)	(1.01)	(0.89)	(0.65)	(0.67)	3.22	3.20	3.20	3.22	1.76
1944	Dry	3.23	2.84	4.87	0.08	(3.41)	(1.11)	(0.02)	(0.01)	2.51	2.52	2.52	2.52	1.38
1945	Below Normal	2.52	2.52	2.52	2.55	0.00	(10.18)	0.16	0.17	4.05	4.06	4.05	4.05	1.37
1946	Below Normal	4.05	4.05	4.04	3.86	0.00	(0.26)	(0.39)	0.09	3.97	4.15	4.26	3.89	2.64
1947	Dry	3.40	3.37	2.88	1.93	0.17	(1.78)	0.33	0.34	1.44	1.45	1.45	1.44	1.37
1948	Below Normal	1.44	1.42	1.42	(1.38)	(2.21)	(0.81)	0.02	0.71	(0.11)	0.07	0.01	0.21	0.07
1949	Dry	0.11	0.09	(0.28)	(0.07)	(0.07)	(0.07)	(0.29)	(0.03)	0.04	0.13	(0.79)	0.33	(0.07)
1950	Below Normal	0.12	0.34	0.44	0.00	0.00	0.00	0.00	0.00	0.39	0.39	0.40	0.40	0.21
1951	Above Normal	0.40	0.39	0.00	0.00	0.00	0.00	0.11	0.09	3.98	3.98	3.98	3.98	1.41
1952	Wet	3.97	3.97	3.97	3.89	0.00	(0.01)	(0.49)	(20.33)	(19.44)	(16.65)	(16.76)	(16.10)	(6.17)
1953	Wet	(15.84)	(14.73)	(14.67)	4.80	20.61	42.61	2.92	2.77	63.97	(6.30)	(6.10)	(4.09)	6.33
1954	Above Normal	(1.17)	(0.78)	1.23	9.41	22.91	5.16	(0.50)	(0.20)	6.32	2.61	(2.60)	(2.33)	3.34
1955	Dry	(1.89)	(1.75)	(1.48)	(0.55)	0.69	1.12	1.92	2.31	2.35	2.51	2.59	2.29	0.84
1956	Wet	1.93	1.77	1.47	(14.39)	0.00	0.02	0.38	0.33	4.20	4.22	4.23	4.22	0.70
1957	Above Normal	4.21	4.19	4.19	3.95	(0.01)	(1.52)	(0.02)	(0.05)	2.09	3.63	3.84	3.81	2.36
1958	Wet	3.76	3.74	3.70	3.53	(0.07)	(0.07)	(0.06)	(0.06)	3.82	3.82	3.82	3.85	2.48
1959	Below Normal	3.81	2.48	3.77	3.98	0.01	0.02	0.00	(0.01)	1.16	1.17	1.16	1.17	1.56
1960	Dry	1.16	1.16	1.16	1.17	0.00	(0.12)	0.02	0.01	0.12	(0.02)	0.37	(0.13)	0.41
1961	Dry	(0.10)	(0.09)	(0.06)	0.04	0.04	0.02	0.01	0.01	0.01	0.01	(0.02)	0.03	(0.01)
1962	Below Normal	0.00	(0.19)	(0.28)	0.00	0.00	0.02	(0.01)	(0.01)	3.75	3.73	3.74	3.74	1.21
1963	Wet	3.74	3.74	3.74	3.74	0.00	0.00	0.00	0.00	3.89	3.88	3.88	3.89	2.54
1964	Dry	3.89	3.89	3.89	4.02	0.00	0.05	(0.01)	(0.02)	(0.02)	(0.03)	(0.02)	(0.02)	1.30
1965	Wet	(0.01)	(0.01)	0.01	0.05	0.00	0.01	(0.01)	0.00	3.72	3.94	3.94	3.92	1.30
1966	Below Normal	3.89	3.90	3.87	3.82	(0.07)	0.01	0.00	(0.01)	2.91	2.91	2.91	2.91	2.25
1967	Wet	2.92	2.92	2.93	2.95	0.02	0.04	0.00	0.00	0.00	3.89	3.88	3.89	1.95
1968	Below Normal	3.88	(12.74)	12.46	(1.59)	(6.45)	(1.67)	0.36	0.43	3.41	3.97	3.99	3.92	0.83
1969	Wet	3.84	3.80	3.75	(0.28)	0.00	0.00	(3.05)	3.35	0.14	4.04	4.04	4.03	1.97
1970	Wet	4.03	4.03	4.03	0.00	0.00	(0.09)	6.22	(0.21)	3.66	3.66	3.66	3.67	2.72
1971	Wet	3.68	3.70	3.69	3.86	0.00	0.88	0.04	(0.15)	2.26	2.18	2.12	2.28	2.05
1972	Below Normal	2.51	2.52	2.74	3.78	0.46	0.32	0.04	0.01	(0.01)	(0.03)	(0.04)	0.00	1.03
1973	Above Normal	0.05	0.05	0.10	0.20	0.00	0.00	0.00	0.00	3.81	3.80	3.81	3.81	1.30
1974	Wet	3.81	3.80	3.80	3.81	0.00	(0.01)	(0.86)	(0.33)	3.57	3.56	3.56	3.56	2.36
1975	Wet	3.57	3.59	3.59	4.53	0.20	(0.18)	(0.17)	(0.18)	3.67	3.67	3.66	3.67	2.47
1976	Critical	3.67	3.68	3.68	3.76	(0.02)	0.12	0.21	0.25	0.62	0.20	(0.28)	0.38	1.36
1977	Critical	0.28	0.26	(1.69)	0.00	0.00	0.00	0.00	(0.15)	0.00	(0.03)	0.00	0.03	(0.11)
1978	Above Normal	0.00	(0.06)	(0.31)	0.00	0.00	(6.70)	(1.56)	0.92	5.60	6.72	7.52	5.03	1.43
1979	Below Normal	1.68	1.41	(1.66)	(7.41)	(10.16)	(8.56)	(4.50)	(4.77)	(0.83)	(0.95)	(0.97)	(0.82)	(3.13)
1980	Above Normal	(0.75)	(0.48)	(0.46)	6.23	0.00	(0.11)	(24.80)	(21.89)	(17.64)	(18.23)	(18.37)	(17.66)	(9.51)
1981	Dry	(17.33)	4.53	(27.97)	24.97	48.43	30.71	8.07	9.49	95.14	(4.03)	(3.50)	(2.02)	13.87
1982	Wet	0.19	0.53	1.80	7.53	3.00	(0.08)	(0.04)	(0.04)	3.85	3.84	3.85	3.85	2.36
1983	Wet	3.85	(0.04)	(0.04)	0.00	0.00	0.00	11.50	(4.19)	(7.33)	0.00	3.89	3.88	0.96
1984	Wet	0.00	0.00	(31.26)	0.00	0.00	0.00	0.00	0.01	3.89	3.89	3.90	3.89	(1.31)
1985	Dry	3.89	3.90	3.85	3.88	0.00	0.00	0.00	0.00	2.35	2.35	2.35	2.35	2.08
1986	Wet	2.34	2.34	2.35	2.35	(15.23)	(0.14)	7.16	0.34	3.88	4.17	4.06	4.08	1.48
1987	Dry	4.46	(9.00)	3.89	3.84	(0.04)	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	0.25
1988	Critical	(0.01)	(0.01)	(0.01)	(0.01)	0.02	0.00	0.00	0.48	0.50	0.49	0.44	0.39	0.19
1989	Dry	0.21	0.17	0.14	(0.05)	(0.04)	(0.17)	(0.25)	0.07	0.16	0.27	(6.15)	1.86	(0.32)
1990	Critical	1.42	1.30	0.91	(1.09)	(0.78)	(0.13)	0.35	0.46	0.48	0.48	0.43	0.38	0.35
1991	Critical	0.25	0.16	0.13	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05
1992	Critical	0.00	0.00	0.01	0.00	0.00	0.00	(0.67)	(0.86)	(0.91)	(0.90)	(0.65)	(0.80)	(0.40)
1993	Above Normal	1.11	(0.01)	(1.58)	(0.79)	0.15	0.29	0.08	(0.05)	5.17	3.45	3.35	3.61	1.23
1994	Critical	3.81	3.86	3.92	4.45	0.49	0.08	(0.10)	(0.12)	1.84	(0.55)	0.00	0.00	1.47
1995	Wet	(0.22)	(0.07)	0.09	0.00	0.00	0.00	0.00	0.00	3.89	(9.66)	6.63	6.54	0.60
1996	Wet	(47.72)	(54.15)	(22.15)	3.97	(0.04)	(0.03)	(0.31)	(0.33)	3.57	3.55	3.55	3.56	(8.88)
1997	Wet	3.57	3.59	3.59	(0.04)	0.00	0.00	(0.97)	(0.02)	3.87	3.87	3.87	3.87	2.10
1998	Wet	3.87	3.87	3.87	3.79	0.00	0.04	0.07	(0.57)	(0.56)	(0.57)	3.31	3.33	1.70
1999	Wet	3.33	3.36	3.03	3.82	0.00	(0.01)	0.00	(0.01)	3.88	3.88	3.88	3.88	2.42
2000	Above Normal	3.88	3.89	3.89	3.89	(0.03)	(1.12)	(0.21)	0.13	3.84	3.96	4.06	3.79	2.50
2001	Dry	3.42	3.39	3.04	2.29	(1.11)	(0.33)	0.06	0.04	0.03	0.07	0.13	0.11	0.93
2002	Dry	0.15	0.15	0.07	0.07	(0.01)	(0.01)	(0.13)	(0.13)	(0.13)	(0.14)	(1.83)	0.29	(0.14)
2003	Above Normal	2.80	0.03	0.04	0.00	0.00	0.00	0.00	0.00	1.30	1.30	1.30	1.29	0.67
	Average	1.08	0.84	0.78	1.72	0.59	0.59	(0.23)	(0.54)	3.19	1.34	2.06	1.47	1.07
	Wet	0.14	(0.20)	(0.44)	1.39	0.29	1.58	0.96	(0.69)	4.12	1.78	2.70	2.80	1.20
	Above Normal	1.96	1.30	1.33	2.53	1.92	(0.33)	(2.24)	(1.75)	2.03	1.74	1.39	1.26	0.93
	Below Normal	2.23	1.46	3.05	0.36	(1.75)	(1.59)	(0.43)	(0.22)	2.48	2.58	2.62	2.51	1.11
	Dry	0.59	1.03	0.00	2.93	2.30	1.06	(0.25)	(0.27)	5.05	0.14	0.83	(0.15)	1.11
	Critical	1.61	1.60	1.40	1.40	0.05	1.16	(0.55)	0.23	0.38	0.32	2.53	0.03	0.85

Percent Difference in Energy Use (GWh) At Pumping Plant at Chrisman: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	5%	5%	5%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	6%	7%	14%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	4%	4%	5%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	5%	4%	4%	5%
1933	Critical	6%	7%	9%	35%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	42%	-9%	3%	3%	5%	68%	0%
1935	Below Normal	-3%	9%	12%	1%	-1%	-1%	-1%	0%	4%	4%	4%	4%
1936	Below Normal	2%	2%	0%	-5%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-2%	0%	0%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	11%	-3%	-14%	-14%	-15%	-71%	-5%	25%	-13%
1940	Above Normal	35%	21%	4%	32%	0%	0%	0%	0%	4%	3%	3%	3%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	4%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	6%	0%	-1%	-1%	0%	-1%	3%	2%	2%	3%
1944	Dry	3%	159%	3%	0%	-7%	-3%	0%	0%	3%	3%	3%	3%
1945	Below Normal	5%	6%	7%	14%	0%	-7%	0%	0%	4%	3%	3%	4%
1946	Below Normal	4%	4%	4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
1947	Dry	4%	5%	4%	3%	0%	-3%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-2%	-4%	-2%	0%	2%	-2%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	11%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	5%	5%	3%	0%	0%	0%	-15%	-15%	-12%	-12%	-12%
1953	Wet	-13%	-13%	-13%	4%	19%	57%	4%	3%	173%	-6%	-5%	-4%
1954	Above Normal	-1%	-1%	2%	54%	36%	9%	-1%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-3%	-4%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-16%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	4%	4%	5%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	5%	6%	28%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	6%	3%	7%	0%	0%	0%	0%	29%	1%	1%	1%
1960	Dry	1%	2%	2%	11%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	97%	3%	3%	3%
1963	Wet	4%	4%	6%	5%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	6%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	6%	4%	4%	4%
1966	Below Normal	4%	5%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	11%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	-10%	10%	-3%	-8%	-3%	0%	0%	82%	3%	3%	4%
1969	Wet	5%	5%	6%	0%	0%	0%	-2%	2%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	0%	0%	0%	6%	0%	4%	4%	4%	4%
1971	Wet	4%	4%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	3%	4%	5%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	3%	3%	4%
1974	Wet	4%	4%	4%	3%	0%	0%	-1%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	4%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-2%	0%	0%	0%	1%
1978	Above Normal	0%	0%	0%	0%	0%	-7%	-1%	1%	5%	6%	7%	5%
1979	Below Normal	2%	2%	-2%	-12%	-17%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	6%	0%	0%	-18%	-15%	-12%	-12%	-12%	-12%
1981	Dry	-13%	4%	-21%	40%	77%	54%	9%	9%	>1,000%	-3%	-3%	-2%
1982	Wet	0%	1%	3%	11%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	0%	0%	0%	9%	-3%	-5%	0%	3%	3%
1984	Wet	0%	0%	-22%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	4%	5%	4%	4%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	3%	-17%	0%	5%	0%	3%	3%	3%	3%
1987	Dry	3%	-23%	3%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	7%	0%	-7%	-7%	0%	0%	0%	0%	14%	3%	3%	3%
1994	Critical	4%	5%	5%	11%	1%	0%	0%	0%	3%	0%	0%	0%
1995	Wet	-5%	0%	0%	0%	0%	0%	0%	0%	3%	-7%	5%	5%
1996	Wet	-39%	-92%	-22%	7%	0%	0%	0%	0%	4%	3%	3%	4%
1997	Wet	4%	4%	4%	0%	0%	0%	-1%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	4%	4%	0%	0%	0%	-1%	-1%	-1%	3%	3%
1999	Wet	3%	3%	3%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	4%	4%	4%	4%
2001	Dry	4%	4%	4%	6%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	-3%	0%
2003	Above Normal	10%	0%	0%	0%	0%	0%	0%	0%	40%	1%	1%	1%
	Average	2%	3%	1%	4%	1%	1%	0%	0%	6%	1%	2%	1%
	Wet	1%	-1%	1%	3%	0%	2%	1%	0%	8%	2%	2%	2%
	Above Normal	5%	3%	1%	8%	3%	0%	-2%	-1%	6%	2%	2%	2%
	Below Normal	2%	3%	4%	1%	-3%	-1%	0%	0%	17%	2%	2%	2%
	Dry	1%	9%	1%	5%	4%	2%	0%	0%	-3%	0%	2%	0%
	Critical	2%	2%	2%	6%	1%	4%	-1%	0%	1%	0%	6%	0%

Energy Use (GWh) At Pumping Plant at Del Valle: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.17	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.61
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.85	0.03	0.05	0.07	0.08	0.07	0.04	1.19
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.05	0.07	0.08	0.07	0.04	1.45
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.06	0.04	1.41
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.07	0.07	0.04	1.41
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.06	0.09	0.07	0.04	1.45
1932	Dry	0.00	0.00	0.00	0.00	0.00	1.07	0.03	0.05	0.07	0.07	0.07	0.05	1.41
1933	Critical	0.00	0.00	0.00	0.00	1.08	0.01	0.03	0.04	0.06	0.08	0.07	0.05	1.42
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.06	0.07	0.08	0.07	0.05	1.47
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.85	0.28	0.05	0.06	0.08	0.07	0.05	1.44
1937	Below Normal	0.00	0.00	0.00	0.00	1.08	0.02	0.03	0.05	0.06	0.08	0.07	0.05	1.44
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.79	0.33	0.05	0.07	0.08	0.07	0.05	1.44
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.07	0.07	0.05	1.44
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.88	0.25	0.05	0.07	0.08	0.07	0.05	1.45
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1947	Dry	0.00	0.00	0.00	0.00	0.82	0.00	0.40	0.06	0.07	0.07	0.07	0.05	1.54
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.08	0.07	0.05	1.44
1951	Above Normal	0.00	0.00	0.00	0.86	0.22	0.01	0.03	0.05	0.06	0.07	0.07	0.05	1.42
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.08	0.06	0.05	1.45
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1956	Wet	0.00	0.00	0.00	0.97	0.11	0.01	0.03	0.05	0.07	0.08	0.07	0.05	1.44
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.08	0.06	1.47
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.08	0.08	0.07	0.05	1.45
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.08	0.07	0.05	1.43
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.07	0.07	0.04	1.42
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.04	1.41
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.07	0.07	0.05	1.44
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.37	0.05	0.06	0.08	0.08	0.05	1.42
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1969	Wet	0.00	0.00	0.00	0.00	0.73	0.36	0.03	0.06	0.07	0.08	0.07	0.05	1.45
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.98	0.14	0.06	0.07	0.08	0.07	0.05	1.45
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.05	0.07	0.08	0.07	0.05	1.45
1973	Above Normal	0.00	0.00	0.00	0.24	0.76	0.10	0.04	0.06	0.07	0.08	0.07	0.05	1.47
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.06	0.07	0.07	0.07	0.05	1.43
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.06	0.05	1.44
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.04	0.00	0.15	0.07	0.04	1.43
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1980	Above Normal	0.00	0.00	0.00	1.08	0.00	0.01	0.03	0.05	0.06	0.08	0.06	0.05	1.42
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.08	0.08	0.07	0.05	1.46
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1983	Wet	0.00	0.00	0.76	0.32	0.00	0.01	0.03	0.05	0.06	0.07	0.07	0.05	1.42
1984	Wet	0.03	0.01	0.00	0.00	0.00	0.02	0.03	0.06	0.07	0.08	0.07	0.06	0.43
1985	Dry	0.00	0.00	1.08	0.00	0.02	0.00	0.40	0.05	0.07	0.08	0.07	0.04	1.81
1986	Wet	0.00	0.00	0.00	0.00	1.08	0.02	0.03	0.05	0.07	0.08	0.07	0.04	1.44
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.47	0.39	0.05	0.07	0.08	0.07	0.05	1.18
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.35	0.40	0.05	0.07	0.08	0.07	0.05	1.07
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.53	0.39	0.05	0.06	0.08	0.07	0.05	1.23
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.40	0.06	0.07	0.08	0.07	0.05	1.03
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.92	0.21	0.06	0.07	0.08	0.07	0.05	1.46
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1999	Wet	0.00	0.73	0.00	0.00	0.00	0.01	0.03	0.05	0.07	0.07	0.07	0.05	1.08
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.07	0.07	0.08	0.07	0.05	1.47
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
	Average	0.00	0.01	0.02	0.04	0.07	0.62	0.33	0.05	0.07	0.08	0.07	0.05	1.41
	Wet	0.00	0.03	0.03	0.05	0.07	0.60	0.29	0.05	0.07	0.08	0.07	0.05	1.38
	Above Normal	0.01	0.00	0.00	0.18	0.08	0.56	0.30	0.05	0.07	0.08	0.07	0.05	1.46
	Below Normal	0.00	0.00	0.00	0.00	0.08	0.70	0.35	0.05	0.07	0.08	0.07	0.05	1.44
	Dry	0.00	0.00	0.06	0.00	0.05	0.65	0.35	0.05	0.07	0.08	0.07	0.05	1.43
	Critical	0.00	0.00	0.00	0.00	0.09	0.60	0.36	0.05	0.06	0.09	0.07	0.05	1.37

Energy Use (GWh) At Pumping Plant at Del Valle: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.17	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.61
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.85	0.03	0.05	0.07	0.08	0.07	0.04	1.19
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.05	0.07	0.08	0.07	0.04	1.45
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.06	0.04	1.41
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.07	0.07	0.04	1.41
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.06	0.09	0.07	0.04	1.45
1932	Dry	0.00	0.00	0.00	0.00	0.00	1.07	0.03	0.05	0.07	0.07	0.07	0.05	1.41
1933	Critical	0.00	0.00	0.00	0.00	1.08	0.01	0.03	0.04	0.06	0.08	0.07	0.05	1.42
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.74	0.40	0.06	0.07	0.08	0.07	0.05	1.47
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.85	0.28	0.05	0.06	0.08	0.07	0.05	1.44
1937	Below Normal	0.00	0.00	0.00	0.00	1.08	0.02	0.03	0.05	0.06	0.08	0.07	0.05	1.44
1938	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.07	0.07	0.05	1.44
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.89	0.23	0.05	0.07	0.08	0.07	0.05	1.44
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1947	Dry	0.00	0.00	0.00	0.00	1.08	0.00	0.35	0.06	0.07	0.07	0.07	0.05	1.75
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.08	0.07	0.05	1.42
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.08	0.07	0.05	1.44
1951	Above Normal	0.00	0.00	0.00	0.88	0.20	0.01	0.03	0.05	0.06	0.07	0.07	0.05	1.42
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.06	0.08	0.07	0.05	1.44
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.08	0.06	0.05	1.45
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1956	Wet	0.00	0.00	0.00	0.00	0.77	0.32	0.03	0.05	0.07	0.08	0.07	0.05	1.44
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.08	0.06	1.47
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.08	0.08	0.07	0.05	1.45
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.07	0.08	0.07	0.05	1.43
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.06	0.07	0.07	0.04	1.42
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.05	0.06	0.07	0.07	0.05	1.41
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.04	1.41
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.07	0.07	0.05	1.44
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.37	0.05	0.06	0.08	0.08	0.05	1.42
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1969	Wet	0.00	0.00	0.00	0.00	0.74	1.61	0.00	0.06	0.07	0.08	0.07	0.05	2.68
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.99	0.13	0.06	0.07	0.08	0.07	0.05	1.45
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.05	0.07	0.08	0.07	0.05	1.45
1973	Above Normal	0.00	0.00	0.00	0.24	0.76	0.10	0.04	0.06	0.07	0.08	0.07	0.05	1.47
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.38	0.06	0.07	0.07	0.07	0.05	1.43
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.06	0.05	1.44
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.04	0.00	0.15	0.07	0.04	1.43
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.07	0.08	0.07	0.05	1.45
1980	Above Normal	0.00	0.00	0.00	0.19	0.76	0.15	0.03	0.05	0.06	0.08	0.06	0.05	1.43
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.06	0.08	0.08	0.07	0.05	1.46
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.07	0.07	0.05	1.42
1983	Wet	0.00	0.00	0.00	0.70	1.45	1.61	0.04	0.00	0.00	0.00	0.07	0.05	3.92
1984	Wet	0.03	0.02	1.61	0.00	0.00	0.00	0.03	0.06	0.07	0.08	0.07	0.06	2.03
1985	Dry	0.00	0.00	1.08	0.00	0.02	0.00	0.40	0.05	0.07	0.08	0.07	0.04	1.81
1986	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.04	1.43
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.47	0.39	0.05	0.07	0.08	0.07	0.05	1.18
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.35	0.40	0.05	0.07	0.08	0.07	0.05	1.07
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.54	0.39	0.05	0.06	0.08	0.07	0.05	1.24
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.30	0.40	0.06	0.07	0.08	0.07	0.05	1.03
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.07	0.07	0.05	1.43
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.06	0.08	0.07	0.05	1.43
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.05	0.07	0.08	0.07	0.05	1.45
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.92	0.21	0.06	0.07	0.08	0.07	0.05	1.46
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.04	0.06	0.08	0.07	0.05	1.42
1999	Wet	0.00	0.73	0.00	0.00	0.00	0.01	0.03	0.05	0.07	0.07	0.07	0.05	1.08
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.40	0.06	0.07	0.07	0.07	0.05	1.45
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.74	0.39	0.07	0.07	0.08	0.07	0.05	1.47
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.73	0.39	0.05	0.07	0.08	0.07	0.05	1.44
	Average	0.00	0.01	0.03	0.02	0.10	0.67	0.33	0.05	0.07	0.08	0.07	0.05	1.48
	Wet	0.00	0.03	0.06	0.03	0.11	0.74	0.30	0.05	0.06	0.08	0.07	0.05	1.59
	Above Normal	0.01	0.00	0.00	0.11	0.14	0.57	0.30	0.05	0.07	0.08	0.07	0.05	1.46
	Below Normal	0.00	0.00	0.00	0.00	0.08	0.70	0.35	0.05	0.07	0.08	0.07	0.05	1.44
	Dry	0.00	0.00	0.06	0.00	0.06	0.65	0.35	0.05	0.07	0.08	0.07	0.05	1.44
	Critical	0.00	0.00	0.00	0.00	0.09	0.60	0.36	0.05	0.06	0.09	0.07	0.05	1.37

Difference in Energy Use (GWh) At Pumping Plant at Del Valle: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1935	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1936	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	0.00	0.00	(0.06)	0.06	0.00	0.00	0.00	0.00	0.00	0.00
1939	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1940	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1944	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.01	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1947	Dry	0.00	0.00	0.00	0.00	0.26	0.00	(0.05)	0.00	0.00	0.00	0.00	0.00	0.02
1948	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	0.02	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1953	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1954	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1955	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1956	Wet	0.00	0.00	0.00	(0.97)	0.66	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1957	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1969	Wet	0.00	0.00	0.00	0.00	0.01	1.25	(0.03)	0.00	0.00	0.00	0.00	0.00	0.10
1970	Wet	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1972	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1979	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1980	Above Normal	0.00	0.00	0.00	(0.89)	0.76	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1981	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1982	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1983	Wet	0.00	0.00	(0.76)	0.38	1.45	1.60	0.01	(0.05)	(0.06)	(0.07)	0.00	0.00	0.21
1984	Wet	0.00	0.01	1.61	0.00	0.00	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.13
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(1.08)	0.71	0.36	0.00	0.00	0.00	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1990	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1997	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	0.00	0.00	0.01	(0.02)	0.02	0.05	0.00	(0.00)	(0.00)	(0.00)	0.00	0.00	0.01
	Wet	0.00	0.00	0.03	(0.02)	0.04	0.15	0.02	(0.00)	(0.00)	(0.00)	0.00	0.00	0.02
	Above Normal	0.00	0.00	0.00	(0.07)	0.06	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00
	Dry	0.00	0.00	0.00	0.00	0.01	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.00
	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Del Valle: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	0%	0%	-8%	18%	0%	0%	0%	0%	0%
1939	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1940	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1944	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	1%	-8%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1947	Dry	0%	0%	0%	0%	32%	0%	-13%	0%	0%	0%	0%	0%
1948	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	2%	-9%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1953	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1956	Wet	0%	0%	0%	-100%	600%	>1,000%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	0%	1%	347%	-100%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	0%	0%	1%	-7%	0%	0%	0%	0%	0%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1979	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1980	Above Normal	0%	0%	0%	-82%	-	>1,000%	0%	0%	0%	0%	0%	0%
1981	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1982	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	-100%	119%	-	>1,000%	33%	-100%	-100%	-100%	0%	0%
1984	Wet	0%	100%	-	0%	0%	-100%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-100%	>1,000%	>1,000%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1991	Critical	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	1%	-1%	-1%	7%	3%	-1%	-1%	-1%	-1%	0%	0%
	Wet	0%	4%	-4%	1%	19%	9%	-2%	-4%	-4%	-4%	0%	0%
	Above Normal	0%	0%	0%	-7%	-1%	0%	0%	0%	0%	0%	0%	0%
	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
	Dry	0%	0%	0%	0%	2%	0%	-1%	0%	0%	0%	0%	0%
	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at Edmonston: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	538.81	471.93	380.40	93.16	310.36	353.83	347.77	355.31	344.26	356.69	357.40	340.70	4,250.62
1923	Below Normal	302.27	277.65	266.10	444.57	443.43	353.07	299.88	343.43	337.89	361.37	369.37	331.09	4,130.12
1924	Critical	262.50	236.56	195.39	89.31	95.06	111.81	169.96	203.47	203.84	202.58	183.78	160.84	2,115.10
1925	Dry	82.59	63.98	55.03	20.65	53.23	202.19	306.99	394.38	393.55	421.40	435.10	382.18	2,811.27
1926	Dry	296.93	268.44	212.41	40.49	65.45	144.33	226.89	326.07	324.50	347.01	358.41	314.47	2,925.40
1927	Wet	240.06	215.56	168.72	49.68	201.71	394.68	373.00	380.78	367.71	379.40	379.47	365.32	3,516.09
1928	Above Normal	332.22	306.73	299.50	237.29	284.24	207.10	425.05	431.45	416.09	429.35	430.24	414.37	4,213.63
1929	Critical	380.67	353.77	346.10	238.95	223.07	136.85	158.38	223.33	223.84	223.03	202.86	29.50	2,740.35
1930	Dry	108.08	132.78	116.12	37.97	62.92	101.50	254.38	297.87	300.82	307.33	295.76	259.62	2,275.15
1931	Critical	167.76	139.23	107.11	38.02	61.36	109.23	207.28	246.54	247.89	247.30	224.25	195.94	1,991.91
1932	Dry	106.43	79.52	68.15	38.65	81.79	268.18	226.54	300.94	298.98	318.64	325.32	285.83	2,398.97
1933	Critical	211.30	188.08	146.01	38.92	335.28	122.33	200.92	296.14	297.57	307.48	298.42	261.78	2,704.23
1934	Critical	173.32	144.87	111.84	39.27	56.67	114.74	236.54	283.23	286.59	285.18	157.24	12.20	1,901.69
1935	Below Normal	256.49	206.82	155.60	39.29	81.36	146.57	391.97	412.76	404.83	421.94	426.61	397.63	3,341.87
1936	Below Normal	345.61	317.93	294.81	173.71	198.61	525.49	368.16	421.50	407.15	420.24	420.66	405.06	4,298.93
1937	Below Normal	371.11	343.95	336.33	251.06	455.14	445.96	459.43	508.15	491.84	507.55	508.69	490.17	5,169.38
1938	Wet	455.40	424.16	416.23	289.32	455.14	526.88	515.91	523.80	509.75	524.24	524.74	506.28	5,671.85
1939	Dry	470.81	437.05	429.67	312.06	332.43	262.41	347.39	396.69	89.44	466.50	177.86	437.81	4,160.12
1940	Above Normal	91.98	74.07	415.93	38.76	54.38	180.65	339.05	397.56	299.34	425.58	463.10	407.26	3,187.66
1941	Wet	317.65	287.23	227.61	142.32	328.60	383.21	412.68	419.68	405.61	418.87	418.74	403.40	4,165.60
1942	Wet	369.62	341.88	334.88	451.26	455.14	458.16	317.89	342.17	335.75	354.67	359.59	329.18	4,450.19
1943	Wet	272.48	247.12	217.04	335.95	414.71	383.60	455.84	463.06	447.77	462.51	462.77	446.58	4,609.43
1944	Dry	412.10	6.28	522.45	176.20	166.76	153.06	259.70	303.63	302.99	314.63	308.50	271.29	3,197.59
1945	Below Normal	183.11	155.30	120.57	65.69	80.70	525.27	366.14	409.06	395.61	408.29	408.42	393.51	3,511.67
1946	Below Normal	359.70	332.79	325.29	455.50	455.14	504.60	319.71	331.37	320.49	333.09	333.88	317.19	4,388.75
1947	Dry	278.40	254.90	242.40	211.25	229.15	190.78	423.59	429.48	414.23	426.82	427.74	412.42	3,941.16
1948	Below Normal	378.77	351.74	344.12	221.71	207.93	133.61	205.48	160.36	24.20	463.74	474.62	417.81	3,384.09
1949	Dry	325.24	295.16	235.30	62.70	76.91	130.57	369.91	412.42	410.13	435.75	262.69	454.75	3,471.53
1950	Below Normal	353.76	168.71	219.94	52.01	57.16	111.96	313.33	355.98	12.97	452.30	461.53	405.53	2,965.18
1951	Above Normal	314.52	284.41	226.38	471.87	455.14	524.22	315.75	371.58	359.45	370.06	369.88	356.41	4,419.67
1952	Wet	323.09	297.53	290.65	449.75	471.39	522.31	421.54	478.58	462.82	478.27	478.52	461.56	5,136.01
1953	Wet	427.36	395.43	388.31	463.15	383.02	260.79	286.96	334.77	129.05	400.29	408.26	359.61	4,237.00
1954	Above Normal	275.82	248.36	195.35	60.90	220.88	194.55	326.00	377.45	351.96	393.14	423.25	372.40	3,440.06
1955	Dry	288.00	259.69	204.30	54.26	87.74	164.90	296.42	338.03	335.29	359.92	370.84	325.72	3,085.11
1956	Wet	248.65	223.48	175.28	305.29	471.39	526.85	375.13	419.20	406.52	418.53	418.31	403.50	4,392.13
1957	Above Normal	369.34	341.06	334.03	298.23	289.47	301.07	337.20	391.55	258.51	436.61	461.70	406.72	4,225.49
1958	Wet	315.58	286.03	226.36	44.33	369.00	390.02	515.27	525.87	510.19	525.73	526.96	507.90	4,743.24
1959	Below Normal	473.24	147.58	507.67	205.13	214.73	209.77	291.68	328.98	14.07	418.38	425.88	374.12	3,611.23
1960	Dry	287.94	259.39	205.26	38.63	46.49	126.78	374.33	419.02	312.16	465.07	365.74	457.97	3,358.78
1961	Dry	371.33	338.33	283.01	79.16	92.70	110.72	302.26	342.45	342.05	365.69	300.63	197.30	3,125.63
1962	Below Normal	4.39	297.75	341.13	40.40	49.54	166.79	319.90	367.93	13.51	468.57	478.85	420.93	2,969.69
1963	Wet	327.33	296.24	235.94	275.80	324.96	327.11	316.15	337.29	327.50	342.22	344.63	323.48	3,778.65
1964	Dry	278.51	253.98	235.02	213.68	467.13	340.68	348.21	361.04	351.57	366.65	368.80	346.56	3,931.83
1965	Wet	302.48	276.50	258.71	316.26	442.74	398.96	331.31	347.04	209.54	378.00	380.80	355.24	3,997.58
1966	Below Normal	305.60	279.15	256.22	401.38	421.78	317.69	306.16	344.84	340.08	361.46	369.62	331.68	4,035.66
1967	Wet	264.75	238.76	198.83	96.45	443.61	433.84	508.21	520.62	505.33	521.25	522.07	503.47	4,757.19
1968	Below Normal	468.08	434.15	426.54	222.57	272.25	226.90	297.11	337.01	14.55	428.24	435.09	382.72	3,945.21
1969	Wet	294.46	265.62	210.11	254.13	455.14	524.73	465.70	490.33	486.77	501.57	502.06	484.29	4,934.91
1970	Wet	448.81	416.10	408.97	471.87	455.14	524.21	353.93	365.33	353.49	364.02	363.50	349.89	4,875.26
1971	Wet	316.94	291.51	284.75	449.20	455.14	387.69	306.35	346.34	341.78	363.43	370.61	333.81	4,247.55
1972	Below Normal	268.00	242.24	203.83	161.91	353.61	317.32	321.20	360.36	357.66	381.26	390.79	347.41	3,705.59
1973	Above Normal	273.12	246.49	200.10	76.45	401.09	402.89	337.49	391.76	379.56	389.84	389.86	375.40	3,864.05
1974	Wet	342.08	315.41	308.45	457.28	455.14	523.77	493.01	396.42	384.82	395.40	395.24	381.13	4,848.15
1975	Wet	347.56	319.88	312.93	386.63	329.35	454.22	381.40	386.79	374.17	384.86	385.09	371.23	4,434.11
1976	Critical	337.54	311.88	304.75	246.21	257.24	223.75	332.34	380.88	318.44	419.39	303.15	419.84	3,855.41
1977	Critical	325.97	294.59	192.24	39.65	47.76	73.88	126.54	23.09	0.00	22.83	20.80	12.73	1,180.08
1978	Above Normal	4.90	155.74	275.82	37.23	90.21	351.85	365.74	389.52	379.60	394.79	397.66	374.00	3,217.06
1979	Below Normal	329.61	302.12	284.15	212.40	213.43	452.81	394.67	402.39	389.22	400.35	400.71	386.36	4,168.22
1980	Above Normal	352.58	325.89	318.70	346.68	471.39	525.35	470.56	517.82	502.71	518.71	519.23	500.90	5,370.52
1981	Dry	466.04	359.37	466.04	218.32	219.15	198.33	305.42	356.75	15.51	453.48	462.70	406.77	3,927.88
1982	Wet	314.80	284.60	226.25	236.89	337.14	388.39	503.36	512.93	498.19	512.78	513.21	494.86	4,823.40
1983	Wet	460.01	426.54	419.10	471.87	455.14	524.39	455.27	480.15	477.21	491.15	492.06	474.80	5,627.69
1984	Wet	482.55	434.04	508.39	471.87	471.39	524.09	310.86	370.04	356.89	368.95	368.55	355.21	5,022.83
1985	Dry	321.39	296.23	363.79	379.19	337.47	348.05	352.05	365.00	354.03	364.06	363.51	349.82	4,194.59
1986	Wet	317.09	292.06	284.99	242.20	307.06	526.63	482.27	526.69	510.36	526.52	526.49	507.14	5,049.50
1987	Dry	474.62	139.88	507.24	177.95	168.57	113.16	163.91	189.76	189.38	187.73	171.31	149.94	2,633.45
1988	Critical	76.93	60.00	51.71	18.08	70.60	75.09	129.36	152.15	149.66	150.69	136.11	118.86	1,189.24
1989	Dry	59.64	45.64	39.68	21.97	73.50	100.98	394.22	418.04	409.42	428.77	412.90	408.15	2,812.91
1990	Critical	353.46	324.73	298.59	163.81	160.34	131.64	184.47	216.27	217.43	216.47	196.49	172.07	2,635.77
1991	Critical	90.95	69.33	59.38	22.40	48.05	74.09	132.79	151.12	149.02	149.71	135.54	118.91	1,201.29
1992	Critical	60.14	46.07	40.08	15.23	38.19	74.44	170.72	199.37	198.62	197.52	174.44	159.98	1,374.80
1993	Above Normal	56.97	45.39	83.31	36.87	331.14	343.42	334.88	361.21	125.55	417.40	424.29	388.46	2,948.89
1994	Critical	325.06	296.31	261.27	148.25	161.04	206.29	333.85	380.96	246.60	435.84	87.01	276.88	3,159.36
1995	Wet	16.72	232.37	432.77	40.09	257.48	238.56	473.89	482.27	466.87	481.78	483.06	465.66	4,071.52
1996	Wet	431.21	205.68	344.49	195.98	189.41	342.11	363.88	366.40	353.53	364.82	364.90	351.05	3,873.46
1997	Wet	318.03	293.62	286.71	445.14	455.14	525.31	418.69	427.11	413.02	425.71	425.93	410.76	4,845.17
1998	Wet	376.54	348.08	340.96	296.18	455.14	516.01	398.47	394.54	380.82	394.45	394.95	380.17	4,676.31
1999	Wet	346.14	369.12	353.03	457.90	455.14	408.69	312.62	367.89	354.99	367.76	367.86	354.01	4,515.15
2000	Above Normal	320.66	295.45	288.45	270.18	430.98	333.80	348.87	376.40	368.59	389.80	395.53	363.51	4,182.22
2001	Dry	305.76	279.23	249.65	143.29	142.96	139.08	238.69	286.43	289.57	290.91	268.85	235.87	2,870.29
2002	Dry	137.20	106.96	84.53	39.94	90.48	163.89	405.70	410.93	395.69	410.21	250.94	438.59	2,935.06
2003	Above Normal	96.64	126.41	392.86	60.64	104.76	170.39	294.32	334.69	11.47	426.34	433.92	381.26	2,833.70
	Average	291.97	257.89	268.15	200.45	263.33	298.24	334.47	364.54	314.15	384.28	368.25	351.67	3,697.38
	Wet	333.75	308.64	302.33	311.42	395.94	439.05	405.75	423.31	398.86	428.74	429.94	410.75	4,588.46
	Above Normal	252.30	243.49	284.24	169.02	287.00	324.09	353.56	391.36	316.42	412.36	422.17	390.12	3,846.13
	Below Normal	314.27	275.56	291.59	210.52	250.34	316.99	332.49	363.15	251.72	416.20	421.77	385.80	3,830.40
	Dry	281.72	215.38	251.11	125.91	155.27	181.09	310.92	352.72	307.18	373.92	329.31	340.84	3,225.37
	Critical	230.47	205.45	176.21	91.51	129.56	121.18	198.60	229.71	211.63	238.17	176.67	161.63	2,170.77

Energy Use (GWh) At Pumping Plant at Edmonston: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	538.81	471.93	380.40	93.16	310.36	353.84	347.76	355.31	357.86	370.30	371.00	354.30	4,305.03
1923	Below Normal	315.86	291.24	279.67	444.56	443.24	350.78	299.82	343.64	351.55	375.13	383.22	344.70	4,223.41
1924	Critical	275.79	249.82	208.35	101.41	93.96	111.51	170.01	203.54	203.92	202.66	183.85	160.90	2,165.72
1925	Dry	82.63	64.00	55.05	20.66	53.18	200.93	307.19	394.62	397.16	425.02	438.74	385.79	2,824.97
1926	Dry	300.50	272.00	215.94	43.86	65.36	144.23	226.64	325.87	324.30	346.80	358.18	314.27	2,937.95
1927	Wet	239.89	215.40	168.59	49.69	201.53	394.69	373.01	380.79	381.31	393.00	393.07	378.92	3,569.89
1928	Above Normal	345.82	320.33	313.10	250.87	283.92	207.10	425.07	431.47	424.00	437.26	438.15	422.28	4,299.37
1929	Critical	388.59	361.69	354.02	246.84	223.06	136.81	158.31	223.24	223.75	222.94	202.77	29.43	2,771.45
1930	Dry	107.99	132.63	116.23	37.97	62.90	101.47	254.37	297.87	300.81	307.32	295.73	259.60	2,274.89
1931	Critical	167.72	139.20	107.08	38.02	61.34	109.24	207.21	246.45	247.80	247.21	224.16	195.87	1,991.30
1932	Dry	106.38	79.47	68.12	38.60	81.79	273.83	226.54	300.94	312.58	332.23	338.91	299.41	2,458.80
1933	Critical	224.88	201.65	159.58	52.52	329.68	122.32	200.92	296.14	297.58	307.48	298.43	261.78	2,752.96
1934	Critical	173.32	144.87	111.85	39.27	66.77	163.48	214.13	292.74	293.86	299.76	263.88	12.20	2,076.13
1935	Below Normal	248.05	224.65	174.81	39.56	80.76	145.11	386.20	413.53	419.95	439.24	445.49	411.53	3,428.88
1936	Below Normal	352.65	324.43	295.00	164.52	178.24	525.48	368.15	421.48	420.72	433.81	434.23	418.63	4,337.34
1937	Below Normal	384.70	357.55	349.94	251.04	455.14	445.91	459.44	508.16	505.45	521.16	522.30	503.78	5,264.57
1938	Wet	469.01	437.76	416.24	283.19	455.14	526.33	528.62	533.22	510.36	541.52	541.73	522.48	5,765.60
1939	Dry	488.44	454.55	447.18	347.65	321.32	226.12	297.97	337.44	26.37	440.94	223.16	380.03	3,991.17
1940	Above Normal	123.82	89.67	433.31	51.14	54.54	180.65	339.05	397.56	312.36	437.89	476.01	420.16	3,316.16
1941	Wet	330.54	300.11	234.15	142.23	328.59	381.88	411.42	418.34	417.88	431.11	430.97	415.67	4,242.89
1942	Wet	381.92	354.26	340.39	451.17	455.14	456.69	317.83	342.17	349.36	368.31	373.23	342.78	4,533.25
1943	Wet	286.02	260.66	230.51	335.64	411.18	380.49	453.57	460.69	459.02	473.70	473.95	457.84	4,683.27
1944	Dry	423.39	16.21	539.48	176.45	154.85	149.18	259.65	303.57	311.79	323.43	317.30	280.10	3,255.40
1945	Below Normal	191.93	164.13	129.40	74.59	80.69	489.64	366.71	409.65	409.78	422.48	422.61	407.68	3,569.29
1946	Below Normal	373.87	346.94	339.44	469.01	455.14	503.69	318.35	331.70	334.40	347.62	348.76	330.83	4,499.75
1947	Dry	290.29	266.67	252.48	217.99	229.75	184.55	424.73	430.67	419.29	431.91	432.83	417.47	3,998.63
1948	Below Normal	383.81	356.72	349.09	216.90	200.17	130.76	205.56	162.85	23.84	463.98	474.62	418.55	3,386.85
1949	Dry	325.65	295.47	234.30	62.47	76.68	130.30	368.90	412.33	410.27	436.20	259.93	455.91	3,468.41
1950	Below Normal	354.21	169.88	221.48	52.01	57.16	111.96	313.33	355.98	14.35	453.68	462.91	406.91	2,973.86
1951	Above Normal	315.90	285.79	226.38	471.87	455.14	524.23	316.10	371.90	373.36	383.97	383.80	370.32	4,478.76
1952	Wet	336.99	311.42	304.53	463.36	471.39	522.28	419.83	407.47	394.80	420.00	419.89	405.22	4,877.18
1953	Wet	371.94	343.89	336.98	479.96	455.14	409.89	297.17	344.46	352.91	378.27	386.89	345.30	4,502.80
1954	Above Normal	271.73	245.64	199.68	93.82	301.04	212.61	324.23	376.76	374.05	402.26	414.14	364.25	3,580.21
1955	Dry	281.37	253.56	199.13	52.36	90.13	168.82	303.15	346.09	343.52	368.71	379.91	333.71	3,120.46
1956	Wet	255.39	229.70	180.40	254.92	471.39	526.90	376.44	420.37	421.25	433.29	433.09	418.25	4,421.39
1957	Above Normal	384.06	355.74	348.70	312.08	289.41	295.76	337.15	391.39	265.82	449.29	475.12	420.04	4,324.56
1958	Wet	328.73	299.11	239.32	56.69	368.74	389.79	515.05	525.64	523.56	539.10	540.32	521.40	4,847.45
1959	Below Normal	486.57	156.23	520.87	219.03	214.75	209.86	291.68	328.98	18.14	422.45	429.96	378.19	3,676.71
1960	Dry	292.02	263.47	209.33	42.72	46.51	126.35	374.41	419.07	312.59	465.03	367.05	457.53	3,376.08
1961	Dry	371.00	338.03	282.81	79.30	92.84	110.78	302.29	342.49	342.09	365.73	300.54	197.40	3,125.30
1962	Below Normal	4.39	297.07	340.15	40.40	49.53	166.84	319.88	367.92	26.61	481.64	491.92	434.01	3,020.36
1963	Wet	340.41	309.33	249.03	288.91	324.96	327.12	316.15	337.29	341.09	355.81	358.22	337.08	3,885.40
1964	Dry	292.11	267.58	248.63	227.73	467.14	340.86	348.18	360.97	351.49	366.55	368.70	346.49	3,986.43
1965	Wet	302.45	276.47	258.72	316.45	442.76	398.98	331.26	347.05	222.57	391.76	394.57	368.95	4,051.99
1966	Below Normal	319.24	292.78	269.77	414.77	421.56	317.72	306.17	344.83	350.26	371.64	379.79	341.87	4,130.40
1967	Wet	274.97	248.98	209.08	106.78	443.65	433.97	508.22	520.62	505.34	534.85	535.67	517.07	4,839.20
1968	Below Normal	481.68	389.58	470.16	216.99	249.65	221.03	298.37	338.51	26.49	442.13	449.04	396.42	3,980.05
1969	Wet	307.89	278.94	223.21	253.13	455.14	524.75	455.03	502.08	487.28	515.70	516.19	498.40	5,017.74
1970	Wet	462.92	430.20	423.06	471.87	455.14	523.90	375.69	364.57	366.30	376.82	376.32	362.73	4,989.52
1971	Wet	329.79	304.45	297.68	462.69	455.14	390.75	306.51	345.83	349.67	371.06	378.03	341.81	4,333.41
1972	Below Normal	276.78	251.08	213.40	175.13	355.21	318.42	321.35	360.37	357.64	381.19	390.67	347.40	3,748.64
1973	Above Normal	273.27	246.65	200.42	77.16	401.09	402.89	337.49	391.77	392.89	403.16	403.18	388.72	3,918.69
1974	Wet	355.40	328.73	321.77	470.60	455.14	523.73	489.98	395.28	397.29	407.85	407.68	393.60	4,947.05
1975	Wet	360.05	332.44	325.49	402.50	330.05	453.62	380.83	386.19	387.01	397.69	397.91	384.07	4,537.85
1976	Critical	350.39	324.76	317.63	259.35	257.17	224.16	333.08	381.76	320.58	420.08	302.16	421.15	3,912.27
1977	Critical	326.95	295.50	186.34	39.66	47.76	73.88	126.55	22.57	0.00	22.70	20.80	12.85	1,175.56
1978	Above Normal	4.90	155.53	274.71	37.23	90.20	328.41	360.26	392.75	399.20	418.29	423.95	391.60	3,277.03
1979	Below Normal	335.51	307.06	278.32	186.48	177.85	422.85	378.92	385.67	386.31	397.02	397.30	383.48	4,036.77
1980	Above Normal	349.95	324.22	317.09	368.48	471.39	524.94	383.78	441.22	440.96	454.94	454.99	439.11	4,971.07
1981	Dry	405.38	375.22	368.20	305.70	388.63	305.81	333.66	389.95	348.41	439.41	450.44	399.70	4,510.51
1982	Wet	315.46	286.46	232.56	263.25	347.65	388.08	503.22	512.78	511.64	526.23	526.65	508.32	4,922.30
1983	Wet	473.47	426.40	418.97	471.87	455.14	524.39	495.52	465.50	451.57	491.15	505.66	488.40	5,668.04
1984	Wet	482.55	434.04	399.02	471.87	471.39	524.09	310.86	370.06	370.51	382.57	382.17	368.82	4,967.95
1985	Dry	335.01	309.84	377.25	392.79	337.48	348.04	352.05	365.00	362.24	372.27	371.72	358.03	4,281.72
1986	Wet	325.30	300.27	293.20	250.41	253.77	526.14	507.32	527.91	523.95	541.12	540.71	521.43	5,111.53
1987	Dry	490.24	108.41	520.87	191.39	168.43	113.11	163.85	189.69	189.30	187.65	171.24	149.87	2,644.05
1988	Critical	76.90	59.97	51.69	18.06	70.67	75.08	129.35	153.82	151.42	152.41	137.67	120.23	1,197.27
1989	Dry	60.36	46.23	40.17	21.81	73.36	100.38	393.34	418.30	409.96	429.69	391.39	414.66	2,799.65
1990	Critical	358.42	329.29	301.77	159.99	157.59	131.20	185.70	217.87	219.12	218.13	197.99	173.39	2,650.46
1991	Critical	91.82	69.89	59.84	22.69	48.05	74.10	132.79	151.12	149.02	149.71	135.55	118.91	1,203.49
1992	Critical	60.14	46.07	40.08	15.23	38.19	74.44	168.38	196.32	195.42	194.39	172.16	157.19	1,358.01
1993	Above Normal	60.84	45.35	77.80	34.13	331.66	344.42	335.15	361.04	143.63	429.46	435.99	401.07	3,000.54
1994	Critical	338.42	309.83	274.96	163.85	162.74	206.57	333.50	380.54	253.02	433.90	86.97	276.88	3,221.18
1995	Wet	15.96	232.16	433.05	40.09	257.46	238.56	473.89	482.27	480.47	447.97	506.26	488.57	4,096.71
1996	Wet	264.22	16.21	266.98	209.89	189.28	342.01	362.78	365.25	366.00	377.26	377.33	363.52	3,500.73
1997	Wet	330.52	306.17	299.26	445.01	455.14	525.32	415.28	427.06	426.56	439.25	439.47	424.30	4,933.34
1998	Wet	390.09	361.62	354.50	309.44	455.14	516.12	398.75	392.55	378.86	392.43	406.52	391.81	4,747.83
1999	Wet	357.81	380.89	363.64	471.26	455.14	408.69	312.61	367.89	368.58	381.35	381.45	367.60	4,616.91
2000	Above Normal	334.25	309.04	302.04	283.78	430.84	329.86	348.13	376.87	382.05	403.68	409.73	376.76	4,287.03
2001	Dry	317.73	291.10	260.32	151.30	139.09	137.93	238.91	286.58	289.68	291.16	269.30	236.28	2,909.38
2002	Dry	137.71	107.50	84.77	40.17	90.47	163.86	405.25	410.45	395.22	409.73	244.53	439.60	2,929.26
2003	Above Normal	106.43	126.51	393.01	60.64	104.76	170.39	294.32	334.69	16.01	430.88	438.46	385.80	2,861.90
	Average	295.73	260.81	270.88	206.46	265.37	300.29	333.66	362.65	325.31	388.96	375.45	356.82	3,742.41
	Wet	334.22	307.93	300.78	316.26	396.94	444.58	409.11	420.90	413.27	434.97	439.38	420.55	4,638.89
	Above Normal	259.15	248.03	288.89	177.86	293.70	322.93	345.71	385.23	323.52	418.45	427.04	394.53	3,885.03
	Below Normal	322.09	280.67	302.25	211.79	244.22	311.43	331.00	362.38	260.39	425.23	430.92	394.57	3,876.92
	Dry	283.79	219.00	251.13	136.16	163.33	184.81	310.06	351.77	324.84	374.43	332.20	340.33	3,271.84
	Critical	236.11	211.05	181.10	96.41	129.75	125.23	196.66	230.51	212.96	239.28	185.53	161.73	2,206.32

Difference in Energy Use (GWh) At Pumping Plant at Edmonston: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	(0.01)	0.00	13.60	13.61	13.60	13.60	4.53
1923	Below Normal	13.59	13.59	13.57	(0.01)	(0.19)	(2.29)	(0.06)	0.21	13.66	13.76	13.85	13.61	7.77
1924	Critical	13.29	13.26	12.96	12.10	(1.10)	(0.30)	0.05	0.07	0.08	0.08	0.07	0.06	4.22
1925	Dry	0.04	0.02	0.02	0.01	(0.05)	(1.26)	0.20	0.24	3.61	3.62	3.64	3.61	1.14
1926	Dry	3.57	3.56	3.53	3.37	(0.09)	(0.10)	(0.25)	(0.20)	(0.20)	(0.21)	(0.23)	(0.20)	1.05
1927	Wet	(0.17)	(0.16)	(0.13)	0.01	(0.18)	0.01	0.01	0.01	13.60	13.60	13.60	13.60	4.48
1928	Above Normal	13.60	13.60	13.60	13.58	(0.32)	0.00	0.02	0.02	7.91	7.91	7.91	7.91	7.14
1929	Critical	7.92	7.92	7.92	7.89	(0.01)	(0.04)	(0.07)	(0.09)	(0.09)	(0.09)	(0.09)	(0.07)	2.59
1930	Dry	(0.09)	(0.15)	0.11	0.00	(0.02)	(0.03)	(0.01)	0.00	(0.01)	(0.01)	(0.03)	(0.02)	(0.02)
1931	Critical	(0.04)	(0.03)	(0.03)	0.00	(0.02)	0.01	(0.07)	(0.09)	(0.09)	(0.09)	(0.09)	(0.07)	(0.05)
1932	Dry	(0.05)	(0.05)	(0.03)	(0.05)	0.00	5.65	0.00	0.00	13.60	13.59	13.59	13.58	4.99
1933	Critical	13.58	13.57	13.57	13.60	(5.60)	(0.01)	0.00	0.00	0.01	0.00	0.01	0.00	4.06
1934	Critical	0.00	0.00	0.01	0.00	10.10	48.74	(22.41)	9.51	7.27	14.58	106.64	0.00	14.54
1935	Below Normal	(8.44)	17.83	19.21	0.27	(0.60)	(1.46)	(5.77)	0.77	15.12	17.30	18.88	13.90	7.25
1936	Below Normal	7.04	6.50	0.19	(9.19)	(20.37)	(0.01)	(0.01)	(0.02)	13.57	13.57	13.57	13.57	3.20
1937	Below Normal	13.59	13.60	13.61	(0.02)	0.00	(0.05)	0.01	0.01	13.61	13.61	13.61	13.61	7.93
1938	Wet	13.61	13.60	0.01	(6.13)	0.00	(0.55)	12.71	9.42	0.61	17.28	16.99	16.20	7.81
1939	Dry	17.63	17.50	17.51	35.59	(11.11)	(36.29)	(49.42)	(59.25)	(63.07)	(25.56)	45.30	(57.78)	(14.08)
1940	Above Normal	31.84	15.60	17.38	12.38	0.16	0.00	0.00	0.00	13.02	12.31	12.91	12.90	10.71
1941	Wet	12.89	12.88	6.54	(0.09)	(0.01)	(1.33)	(1.26)	(1.34)	12.27	12.24	12.23	12.27	6.44
1942	Wet	12.30	12.38	5.51	(0.09)	0.00	(1.47)	(0.06)	0.00	13.61	13.64	13.64	13.60	6.92
1943	Wet	13.54	13.54	13.47	(0.31)	(3.53)	(3.11)	(2.27)	(2.37)	11.25	11.19	11.18	11.26	6.15
1944	Dry	11.29	9.93	17.03	0.25	(11.91)	(3.88)	(0.05)	(0.06)	8.80	8.80	8.80	8.81	4.82
1945	Below Normal	8.82	8.83	8.83	8.90	(0.01)	(35.63)	0.57	0.59	14.17	14.19	14.19	14.17	4.80
1946	Below Normal	14.17	14.15	14.15	13.51	0.00	(0.91)	(1.36)	0.33	13.91	14.53	14.88	13.64	9.25
1947	Dry	11.89	11.77	10.08	6.74	0.60	(6.23)	1.14	1.19	5.06	5.09	5.09	5.05	4.79
1948	Below Normal	5.04	4.98	4.97	(4.81)	(7.76)	(2.85)	0.08	2.49	(0.36)	0.24	0.00	0.74	0.23
1949	Dry	0.41	0.31	(1.00)	(0.23)	(0.23)	(0.27)	(1.01)	(0.09)	0.14	0.45	(2.76)	1.16	(0.26)
1950	Below Normal	0.45	1.17	1.54	0.00	0.00	0.00	0.00	0.00	1.38	1.38	1.38	1.38	0.72
1951	Above Normal	1.38	1.38	0.00	0.00	0.00	0.01	0.35	0.32	13.91	13.91	13.92	13.91	4.92
1952	Wet	13.90	13.89	13.88	13.61	0.00	(0.03)	(1.71)	(71.11)	(68.02)	(58.27)	(58.63)	(56.34)	(21.57)
1953	Wet	(55.42)	(51.54)	(51.33)	16.81	72.12	149.10	10.21	9.69	223.86	(22.02)	(21.37)	(14.31)	22.15
1954	Above Normal	(4.09)	(2.72)	4.33	32.92	80.16	18.06	(1.77)	(0.69)	22.09	9.12	(9.11)	(8.15)	11.68
1955	Dry	(6.63)	(6.13)	(5.17)	(1.90)	2.39	3.92	6.73	8.06	8.23	8.79	9.07	7.99	2.95
1956	Wet	6.74	6.22	5.12	(50.37)	0.00	0.05	1.31	1.17	14.73	14.76	14.78	14.75	2.44
1957	Above Normal	14.72	14.68	14.67	13.85	(0.06)	(5.31)	(0.05)	(0.16)	7.31	12.68	13.42	13.32	8.26
1958	Wet	13.15	13.08	12.96	12.36	(0.26)	(0.23)	(0.22)	(0.23)	13.37	13.37	13.36	13.50	8.68
1959	Below Normal	13.33	8.65	13.20	13.90	0.02	0.09	0.00	0.00	4.07	4.07	4.08	4.07	5.46
1960	Dry	4.08	4.08	4.07	4.09	0.02	(0.43)	0.08	0.05	0.43	(0.04)	1.31	(0.44)	1.44
1961	Dry	(0.33)	(0.30)	(0.20)	0.14	0.14	0.06	0.03	0.04	0.04	0.04	(0.09)	0.10	(0.03)
1962	Below Normal	0.00	(0.68)	(0.98)	0.00	(0.01)	0.05	(0.02)	(0.01)	13.10	13.07	13.07	13.08	4.22
1963	Wet	13.08	13.09	13.09	13.11	0.00	0.01	0.00	0.00	13.59	13.59	13.59	13.60	8.90
1964	Dry	13.60	13.60	13.61	14.05	0.01	0.18	(0.03)	(0.07)	(0.08)	(0.10)	(0.10)	(0.07)	4.55
1965	Wet	(0.03)	(0.03)	0.01	0.19	0.02	0.02	(0.05)	0.01	13.03	13.76	13.77	13.71	4.53
1966	Below Normal	13.64	13.63	13.55	13.39	(0.22)	0.03	0.01	(0.01)	10.18	10.18	10.17	10.19	7.90
1967	Wet	10.22	10.22	10.25	10.33	0.04	0.13	0.01	0.00	0.01	13.60	13.60	13.60	6.83
1968	Below Normal	13.60	(44.57)	43.62	(5.58)	(22.60)	(5.87)	1.26	1.50	11.94	13.89	13.95	13.70	2.90
1969	Wet	13.43	13.32	13.10	(1.00)	0.00	0.02	(10.67)	11.75	0.51	14.13	14.13	14.11	6.90
1970	Wet	14.11	14.10	14.09	0.00	0.00	(0.31)	21.76	(0.76)	12.81	12.80	12.82	12.84	9.52
1971	Wet	12.85	12.94	12.93	13.49	0.00	3.06	0.16	(0.51)	7.89	7.63	7.42	8.00	7.16
1972	Below Normal	8.78	8.84	9.57	13.22	1.60	1.10	0.15	0.01	(0.02)	(0.07)	(0.12)	(0.01)	3.59
1973	Above Normal	0.15	0.16	0.32	0.71	0.00	0.00	0.00	0.01	13.33	13.32	13.32	13.32	4.55
1974	Wet	13.32	13.32	13.32	13.32	0.00	(0.04)	(3.03)	(1.14)	12.47	12.45	12.44	12.47	8.24
1975	Wet	12.49	12.56	12.56	15.87	0.70	(0.60)	(0.57)	(0.60)	12.84	12.83	12.82	12.84	8.65
1976	Critical	12.85	12.88	12.88	13.14	(0.07)	0.41	0.74	0.88	2.14	0.69	(0.99)	1.31	4.74
1977	Critical	0.98	0.91	(5.90)	0.01	0.00	0.00	0.01	(0.52)	0.00	(0.13)	0.00	0.12	(0.38)
1978	Above Normal	0.00	(0.21)	(1.11)	0.00	(0.01)	(23.44)	(5.48)	3.23	19.60	23.50	26.29	17.60	5.00
1979	Below Normal	5.90	4.94	(5.83)	(25.92)	(35.58)	(29.96)	(15.75)	(16.72)	(2.91)	(3.33)	(3.41)	(2.88)	(10.95)
1980	Above Normal	(2.63)	(1.67)	(1.61)	21.80	0.00	(0.41)	(86.78)	(76.60)	(61.75)	(63.77)	(64.24)	(61.79)	(33.29)
1981	Dry	(60.66)	15.85	(97.84)	87.38	169.48	107.48	28.24	33.20	332.90	(14.07)	(12.26)	(7.07)	48.55
1982	Wet	0.66	1.86	6.31	26.36	10.51	(0.31)	(0.14)	(0.15)	13.45	13.45	13.44	13.46	8.24
1983	Wet	13.46	(0.14)	(0.13)	0.00	0.00	0.00	40.25	(14.65)	(25.64)	0.00	13.60	13.60	3.36
1984	Wet	0.00	0.00	(109.37)	0.00	0.00	0.00	0.00	0.02	13.62	13.62	13.62	13.61	(4.57)
1985	Dry	13.62	13.61	13.46	13.60	0.01	(0.01)	0.00	0.00	8.21	8.21	8.21	8.21	7.26
1986	Wet	8.21	8.21	8.21	8.21	(53.29)	(0.49)	25.05	1.22	13.59	14.60	14.22	14.29	5.17
1987	Dry	15.62	(31.47)	13.63	13.44	(0.14)	(0.05)	(0.06)	(0.07)	(0.08)	(0.08)	(0.07)	(0.07)	0.88
1988	Critical	(0.03)	(0.03)	(0.02)	(0.02)	0.07	(0.01)	(0.01)	1.67	1.76	1.72	1.56	1.37	0.67
1989	Dry	0.72	0.59	0.49	(0.16)	(0.14)	(0.60)	(0.88)	0.26	0.54	0.92	(21.51)	6.51	(1.11)
1990	Critical	4.96	4.56	3.18	(3.82)	(2.75)	(0.44)	1.23	1.60	1.69	1.66	1.50	1.32	1.22
1991	Critical	0.87	0.56	0.46	0.29	0.00	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.18
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(2.34)	(3.05)	(3.20)	(3.13)	(2.28)	(2.79)	(1.40)
1993	Above Normal	3.87	(0.04)	(5.51)	(2.74)	0.52	1.00	0.27	(0.17)	18.08	12.06	11.70	12.61	4.30
1994	Critical	13.36	13.52	13.69	15.60	1.70	0.28	(0.35)	(0.42)	6.42	(1.94)	(0.04)	0.00	5.15
1995	Wet	(0.76)	(0.21)	0.28	0.00	(0.02)	0.00	0.00	0.00	13.60	(33.81)	23.20	22.91	2.10
1996	Wet	(166.99)	(189.47)	(77.51)	13.91	(0.13)	(0.10)	(1.10)	(1.15)	12.47	12.44	12.43	12.47	(31.06)
1997	Wet	12.49	12.55	12.55	(0.13)	0.00	0.01	(3.41)	(0.05)	13.54	13.54	13.54	13.54	7.35
1998	Wet	13.55	13.54	13.54	13.26	0.00	0.11	0.28	(1.99)	(1.96)	(2.02)	11.57	11.64	5.96
1999	Wet	11.67	11.77	10.61	13.36	0.00	0.00	(0.01)	0.00	13.59	13.59	13.59	13.59	8.48
2000	Above Normal	13.59	13.59	13.59	13.60	(0.14)	(3.94)	(0.74)	0.47	13.46	13.88	14.20	13.25	8.73
2001	Dry	11.97	11.87	10.67	8.01	(3.87)	(1.15)	0.22	0.15	0.11	0.25	0.45	0.41	3.26
2002	Dry	0.51	0.54	0.24	0.23	(0.01)	(0.03)	(0.45)	(0.48)	(0.47)	(0.48)	(6.41)	1.01	(0.48)
2003	Above Normal	9.79	0.10	0.15	0.00	0.00	0.00	0.00	0.00	4.54	4.54	4.54	4.54	2.35
	Average	3.77	2.92	2.73	6.01	2.05	2.05	(0.81)	(1.89)	11.16	4.68	7.20	5.15	3.75
	Wet	0.47	(0.71)	(1.54)	4.85	1.00	5.54	3.36	(2.41)	14.41	6.23	9.45	9.80	4.20
	Above Normal	6.85	4.54	4.65	8.84	6.69	(1.17)	(7.85)	(6.13)	7.09	6.09	4.87	4.42	3.24
	Below Normal	7.82	5.10	10.66	1.26	(6.12)	(5.55)	(1.49)	(0.78)	8.67	9.03	9.15	8.77	3.88
	Dry	2.07	3.62	0.01	10.25	8.06	3.72	(0.86)	(0.95)	17.65	0.51	2.89	(0.51)	3.87
	Critical	5.65	5.59	4.89	4.90	0.19	4.05	(1.94)	0.80	1.33	1.11	8.86	0.10	2.96

Percent Difference in Energy Use (GWh) At Pumping Plant at Edmonston: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	5%	5%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	6%	7%	14%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	4%	4%	5%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	5%	4%	4%	5%
1933	Critical	6%	7%	9%	35%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	42%	-9%	3%	3%	5%	68%	0%
1935	Below Normal	-3%	9%	12%	1%	-1%	-1%	-1%	0%	4%	4%	4%	3%
1936	Below Normal	2%	2%	0%	-5%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-2%	0%	0%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	11%	-3%	-14%	-14%	-15%	-71%	-5%	25%	-13%
1940	Above Normal	35%	21%	4%	32%	0%	0%	0%	0%	4%	3%	3%	3%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	4%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	6%	0%	-1%	-1%	0%	-1%	3%	2%	2%	3%
1944	Dry	3%	158%	3%	0%	-7%	-3%	0%	0%	3%	3%	3%	3%
1945	Below Normal	5%	6%	7%	14%	0%	-7%	0%	0%	4%	3%	3%	4%
1946	Below Normal	4%	4%	4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
1947	Dry	4%	5%	4%	3%	0%	-3%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-2%	-4%	-2%	0%	2%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	11%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	5%	5%	3%	0%	0%	0%	-15%	-15%	-12%	-12%	-12%
1953	Wet	-13%	-13%	-13%	4%	19%	57%	4%	3%	173%	-6%	-5%	-4%
1954	Above Normal	-1%	-1%	2%	54%	36%	9%	-1%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-3%	-4%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-16%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	4%	4%	5%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	5%	6%	28%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	6%	3%	7%	0%	0%	0%	0%	29%	1%	1%	1%
1960	Dry	1%	2%	2%	11%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	97%	3%	3%	3%
1963	Wet	4%	4%	6%	5%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	6%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	6%	4%	4%	4%
1966	Below Normal	4%	5%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	11%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	-10%	10%	-3%	-8%	-3%	0%	0%	82%	3%	3%	4%
1969	Wet	5%	5%	6%	0%	0%	0%	-2%	2%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	0%	0%	0%	6%	0%	4%	4%	4%	4%
1971	Wet	4%	4%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	3%	4%	5%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	3%	3%	4%
1974	Wet	4%	4%	4%	3%	0%	0%	-1%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	4%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-2%	0%	-1%	0%	1%
1978	Above Normal	0%	0%	0%	0%	0%	-7%	-1%	1%	5%	6%	7%	5%
1979	Below Normal	2%	2%	-2%	-12%	-17%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	6%	0%	0%	-18%	-15%	-12%	-12%	-12%	-12%
1981	Dry	-13%	4%	-21%	40%	77%	54%	9%	9%	>1,000%	-3%	-3%	-2%
1982	Wet	0%	1%	3%	11%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	0%	0%	0%	9%	-3%	-5%	0%	3%	3%
1984	Wet	0%	0%	-22%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	4%	5%	4%	4%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	3%	-17%	0%	5%	0%	3%	3%	3%	3%
1987	Dry	3%	-22%	3%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	7%	0%	-7%	-7%	0%	0%	0%	0%	14%	3%	3%	3%
1994	Critical	4%	5%	5%	11%	1%	0%	0%	0%	3%	0%	0%	0%
1995	Wet	-5%	0%	0%	0%	0%	0%	0%	0%	3%	-7%	5%	5%
1996	Wet	-39%	-92%	-22%	7%	0%	0%	0%	0%	4%	3%	3%	4%
1997	Wet	4%	4%	4%	0%	0%	0%	-1%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	4%	4%	0%	0%	0%	-1%	-1%	-1%	3%	3%
1999	Wet	3%	3%	3%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	4%	4%	4%	4%
2001	Dry	4%	4%	4%	6%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	1%	0%	1%	0%	0%	0%	0%	0%	0%	-3%	0%
2003	Above Normal	10%	0%	0%	0%	0%	0%	0%	0%	40%	1%	1%	1%
	Average	2%	3%	1%	4%	1%	1%	0%	0%	6%	1%	2%	1%
	Wet	1%	-1%	1%	3%	0%	2%	1%	0%	8%	2%	2%	2%
	Above Normal	5%	3%	1%	8%	3%	0%	-2%	-1%	6%	2%	1%	2%
	Below Normal	2%	3%	4%	1%	-3%	-1%	0%	0%	17%	2%	2%	2%
	Dry	1%	9%	1%	5%	4%	2%	0%	0%	-3%	0%	2%	0%
	Critical	2%	2%	2%	6%	1%	4%	-1%	0%	1%	0%	6%	0%

Energy Use (GWh) At Pumping Plant at Las Perillas: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.72	0.54	0.48	0.25	0.38	0.62	0.72	0.93	1.14	1.18	1.02	0.76	8.74
1923	Below Normal	0.50	0.42	0.35	0.47	0.38	0.48	0.60	0.99	1.21	1.26	1.07	0.79	8.52
1924	Critical	0.42	0.32	0.28	0.07	0.08	0.14	0.25	0.31	0.59	0.61	0.54	0.27	3.88
1925	Dry	0.17	0.14	0.15	0.07	0.07	0.30	0.66	1.08	1.31	1.37	1.15	0.85	7.32
1926	Dry	0.43	0.33	0.29	0.07	0.09	0.21	0.35	0.90	1.08	1.13	0.95	0.70	6.53
1927	Wet	0.36	0.27	0.24	0.15	0.29	0.68	0.77	0.96	1.19	1.23	1.07	0.80	8.01
1928	Above Normal	0.54	0.46	0.38	0.17	0.22	0.21	0.85	1.06	1.31	1.35	1.17	0.88	8.60
1929	Critical	0.60	0.52	0.42	0.06	0.06	0.09	0.23	0.35	0.64	0.67	0.59	0.30	4.53
1930	Dry	0.19	0.16	0.17	0.06	0.09	0.14	0.43	0.61	0.92	0.96	0.83	0.50	5.06
1931	Critical	0.28	0.23	0.23	0.06	0.09	0.15	0.31	0.39	0.72	0.75	0.66	0.33	4.20
1932	Dry	0.21	0.18	0.19	0.09	0.15	0.29	0.48	0.79	0.98	1.03	0.87	0.62	5.88
1933	Critical	0.32	0.24	0.22	0.06	0.20	0.26	0.38	0.63	0.93	0.97	0.84	0.52	5.57
1934	Critical	0.29	0.23	0.23	0.07	0.08	0.16	0.37	0.46	0.84	0.88	0.77	0.26	4.64
1935	Below Normal	0.29	0.25	0.26	0.07	0.12	0.21	0.78	1.06	1.30	1.35	1.16	0.86	7.71
1936	Below Normal	0.54	0.45	0.38	0.07	0.15	0.77	0.83	1.06	1.30	1.35	1.17	0.88	8.95
1937	Below Normal	0.60	0.52	0.42	0.08	0.19	0.36	1.03	1.28	1.57	1.62	1.41	1.06	10.14
1938	Wet	0.73	0.63	0.52	0.21	0.46	0.83	1.09	1.36	1.68	1.74	1.50	1.12	11.87
1939	Dry	0.77	0.66	0.54	0.16	0.18	0.25	0.65	1.08	1.31	1.37	1.15	0.85	8.97
1940	Above Normal	0.43	0.32	0.28	0.06	0.07	0.27	0.65	1.09	1.32	1.38	1.16	0.86	7.89
1941	Wet	0.44	0.33	0.29	0.30	0.40	0.68	0.87	1.09	1.35	1.40	1.21	0.90	9.26
1942	Wet	0.61	0.52	0.43	0.42	0.38	0.55	0.66	0.96	1.18	1.22	1.04	0.77	8.74
1943	Wet	0.44	0.36	0.30	0.39	0.41	0.64	0.98	1.22	1.51	1.56	1.35	1.01	10.17
1944	Dry	0.68	0.58	0.48	0.06	0.06	0.16	0.45	0.67	0.95	0.99	0.85	0.54	6.47
1945	Below Normal	0.30	0.24	0.23	0.13	0.13	0.76	0.83	1.03	1.27	1.31	1.14	0.85	8.22
1946	Below Normal	0.58	0.50	0.41	0.48	0.43	0.61	0.67	0.90	1.11	1.15	0.99	0.73	8.56
1947	Dry	0.47	0.40	0.33	0.18	0.16	0.28	0.85	1.06	1.30	1.34	1.16	0.87	8.40
1948	Below Normal	0.60	0.51	0.42	0.07	0.06	0.09	0.31	0.92	1.12	1.16	0.98	0.72	6.96
1949	Dry	0.37	0.28	0.25	0.12	0.11	0.19	0.72	1.11	1.35	1.41	1.19	0.88	7.98
1950	Below Normal	0.48	0.37	0.33	0.07	0.06	0.16	0.59	0.97	0.92	1.27	1.08	0.80	7.10
1951	Above Normal	0.43	0.33	0.30	0.56	0.52	0.74	0.76	0.99	1.23	1.27	1.10	0.81	9.04
1952	Wet	0.55	0.47	0.38	0.44	0.46	0.67	0.84	1.27	1.57	1.62	1.40	1.05	10.72
1953	Wet	0.71	0.61	0.49	0.43	0.22	0.25	0.54	0.94	1.15	1.20	1.01	0.74	8.29
1954	Above Normal	0.37	0.27	0.24	0.14	0.31	0.30	0.63	1.06	1.29	1.34	1.13	0.83	7.91
1955	Dry	0.42	0.31	0.28	0.14	0.17	0.24	0.55	0.92	1.11	1.16	0.98	0.72	7.00
1956	Wet	0.36	0.27	0.24	0.43	0.59	0.84	0.90	1.12	1.39	1.44	1.24	0.92	9.74
1957	Above Normal	0.62	0.53	0.43	0.13	0.15	0.36	0.64	1.08	1.31	1.37	1.15	0.85	8.62
1958	Wet	0.43	0.32	0.29	0.18	0.45	0.69	1.09	1.36	1.68	1.74	1.51	1.13	10.87
1959	Below Normal	0.77	0.66	0.54	0.13	0.19	0.25	0.54	0.90	0.86	1.18	1.00	0.74	7.76
1960	Dry	0.39	0.30	0.27	0.06	0.06	0.19	0.73	1.13	1.37	1.42	1.21	0.89	8.02
1961	Dry	0.49	0.38	0.33	0.06	0.08	0.14	0.57	0.93	1.13	1.18	0.99	0.73	7.01
1962	Below Normal	0.37	0.28	0.25	0.07	0.06	0.25	0.61	1.01	1.22	1.28	1.08	0.79	7.27
1963	Wet	0.40	0.30	0.27	0.45	0.40	0.59	0.66	0.92	1.14	1.18	1.01	0.75	8.07
1964	Dry	0.47	0.39	0.32	0.23	0.46	0.46	0.72	0.96	1.18	1.22	1.05	0.78	8.24
1965	Wet	0.49	0.41	0.34	0.32	0.41	0.60	0.69	0.94	1.16	1.20	1.03	0.76	8.35
1966	Below Normal	0.47	0.39	0.32	0.44	0.38	0.49	0.61	0.99	1.21	1.26	1.07	0.78	8.41
1967	Wet	0.42	0.33	0.28	0.18	0.50	0.74	1.09	1.36	1.67	1.73	1.50	1.12	10.92
1968	Below Normal	0.76	0.65	0.53	0.18	0.22	0.25	0.55	0.91	1.10	1.15	0.97	0.71	7.98
1969	Wet	0.36	0.26	0.24	0.42	0.47	0.77	1.07	1.33	1.65	1.70	1.47	1.10	10.84
1970	Wet	0.74	0.64	0.52	0.48	0.43	0.74	0.76	0.97	1.21	1.25	1.08	0.80	9.62
1971	Wet	0.54	0.46	0.37	0.44	0.39	0.46	0.62	0.99	1.21	1.26	1.07	0.79	8.60
1972	Below Normal	0.43	0.33	0.29	0.26	0.37	0.52	0.63	1.02	1.24	1.29	1.09	0.80	8.27
1973	Above Normal	0.42	0.32	0.28	0.20	0.46	0.68	0.79	1.01	1.25	1.30	1.12	0.83	8.66
1974	Wet	0.57	0.48	0.40	0.48	0.49	0.73	0.85	1.06	1.32	1.36	1.18	0.87	9.79
1975	Wet	0.59	0.50	0.41	0.32	0.23	0.66	0.78	0.98	1.21	1.25	1.08	0.81	8.82
1976	Critical	0.55	0.47	0.38	0.15	0.14	0.23	0.63	1.03	1.25	1.31	1.10	0.81	8.05
1977	Critical	0.41	0.31	0.27	0.06	0.06	0.09	0.16	0.21	0.00	0.00	0.00	0.81	2.38
1978	Above Normal	0.33	0.25	0.24	0.06	0.18	0.59	0.73	1.00	1.22	1.27	1.09	0.81	7.77
1979	Below Normal	0.52	0.44	0.37	0.11	0.14	0.70	0.81	1.01	1.25	1.29	1.12	0.84	8.60
1980	Above Normal	0.57	0.49	0.40	0.20	0.51	0.78	1.08	1.35	1.67	1.73	1.49	1.12	11.39
1981	Dry	0.76	0.65	0.53	0.11	0.15	0.22	0.57	0.97	1.18	1.23	1.04	0.76	8.17
1982	Wet	0.39	0.29	0.26	0.39	0.42	0.70	1.08	1.35	1.67	1.73	1.49	1.12	10.89
1983	Wet	0.76	0.65	0.53	0.54	0.50	0.76	1.05	1.31	1.63	1.68	1.46	1.08	11.95
1984	Wet	0.81	0.70	0.59	0.62	0.52	0.73	0.75	0.99	1.23	1.27	1.10	0.81	10.12
1985	Dry	0.55	0.47	0.38	0.45	0.39	0.67	0.75	0.97	1.20	1.24	1.07	0.80	8.94
1986	Wet	0.54	0.46	0.37	0.06	0.10	0.83	1.08	1.34	1.65	1.70	1.48	1.11	10.72
1987	Dry	0.76	0.66	0.54	0.06	0.06	0.09	0.23	0.29	0.54	0.56	0.50	0.25	4.54
1988	Critical	0.16	0.13	0.14	0.07	0.10	0.09	0.17	0.23	0.43	0.44	0.39	0.19	2.54
1989	Dry	0.12	0.10	0.11	0.10	0.11	0.14	0.78	1.07	1.31	1.36	1.17	0.87	7.24
1990	Critical	0.54	0.45	0.38	0.06	0.07	0.12	0.27	0.34	0.63	0.65	0.58	0.29	4.38
1991	Critical	0.18	0.15	0.16	0.07	0.06	0.09	0.18	0.22	0.42	0.44	0.39	0.19	2.55
1992	Critical	0.12	0.10	0.11	0.06	0.06	0.09	0.25	0.31	0.57	0.59	0.52	0.26	3.04
1993	Above Normal	0.16	0.14	0.15	0.07	0.41	0.60	0.69	1.00	1.22	1.27	1.08	0.80	7.59
1994	Critical	0.46	0.37	0.32	0.14	0.14	0.27	0.63	1.04	1.27	1.32	1.11	0.82	7.89
1995	Wet	0.41	0.31	0.28	0.07	0.34	0.39	0.99	1.24	1.52	1.57	1.37	1.02	9.51
1996	Wet	0.70	0.60	0.49	0.34	0.27	0.59	0.75	0.94	1.16	1.20	1.04	0.77	8.85
1997	Wet	0.52	0.45	0.37	0.44	0.45	0.78	0.91	1.13	1.40	1.45	1.26	0.93	10.09
1998	Wet	0.63	0.54	0.44	0.14	0.40	0.65	0.81	1.03	1.27	1.31	1.14	0.85	9.21
1999	Wet	0.58	0.57	0.48	0.52	0.52	0.73	0.76	0.99	1.22	1.27	1.09	0.81	9.54
2000	Above Normal	0.55	0.47	0.38	0.14	0.33	0.46	0.70	1.01	1.24	1.29	1.10	0.81	8.48
2001	Dry	0.48	0.39	0.33	0.06	0.07	0.16	0.38	0.49	0.86	0.90	0.79	0.42	5.33
2002	Dry	0.25	0.21	0.22	0.15	0.18	0.24	0.82	1.01	1.25	1.29	1.12	0.84	7.58
2003	Above Normal	0.57	0.49	0.41	0.20	0.19	0.25	0.54	0.90	1.09	1.14	0.96	0.70	7.44
	Average	0.48	0.40	0.34	0.21	0.25	0.43	0.67	0.94	1.18	1.23	1.06	0.77	7.96
	Wet	0.54	0.45	0.38	0.35	0.40	0.66	0.86	1.12	1.39	1.43	1.24	0.92	9.75
	Above Normal	0.48	0.38	0.33	0.18	0.31	0.49	0.73	1.04	1.27	1.32	1.13	0.84	8.51
	Below Normal	0.52	0.43	0.36	0.19	0.21	0.42	0.67	1.00	1.19	1.28	1.10	0.81	8.18
	Dry	0.44	0.37	0.32	0.12	0.15	0.24	0.59	0.89	1.13	1.18	1.00	0.72	7.15
	Critical	0.36	0.29	0.26	0.08	0.10	0.15	0.32	0.46	0.69	0.72	0.62	0.42	4.47

Energy Use (GWh) At Pumping Plant at Las Perillas: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.72	0.54	0.48	0.25	0.38	0.62	0.72	0.93	1.14	1.18	1.02	0.76	8.74
1923	Below Normal	0.50	0.42	0.35	0.47	0.38	0.48	0.60	0.99	1.21	1.26	1.07	0.79	8.52
1924	Critical	0.42	0.32	0.28	0.07	0.08	0.14	0.25	0.31	0.59	0.61	0.54	0.27	3.88
1925	Dry	0.17	0.14	0.15	0.07	0.07	0.30	0.66	1.08	1.31	1.37	1.15	0.85	7.32
1926	Dry	0.44	0.33	0.29	0.07	0.09	0.21	0.35	0.90	1.08	1.13	0.95	0.70	6.54
1927	Wet	0.36	0.27	0.24	0.15	0.29	0.68	0.77	0.96	1.19	1.23	1.07	0.80	8.01
1928	Above Normal	0.54	0.46	0.38	0.17	0.22	0.21	0.85	1.06	1.31	1.35	1.17	0.88	8.60
1929	Critical	0.60	0.52	0.42	0.06	0.06	0.09	0.23	0.35	0.64	0.67	0.59	0.30	4.53
1930	Dry	0.19	0.16	0.17	0.06	0.09	0.14	0.43	0.61	0.92	0.96	0.83	0.50	5.06
1931	Critical	0.28	0.23	0.23	0.06	0.09	0.15	0.31	0.39	0.72	0.75	0.66	0.33	4.20
1932	Dry	0.21	0.18	0.19	0.09	0.15	0.29	0.48	0.79	0.98	1.03	0.87	0.62	5.88
1933	Critical	0.32	0.24	0.22	0.06	0.20	0.26	0.38	0.63	0.93	0.97	0.84	0.52	5.57
1934	Critical	0.29	0.23	0.23	0.07	0.10	0.19	0.41	0.58	0.90	0.94	0.82	0.30	5.06
1935	Below Normal	0.34	0.28	0.28	0.07	0.12	0.21	0.77	1.08	1.31	1.36	1.17	0.87	7.86
1936	Below Normal	0.53	0.43	0.37	0.07	0.16	0.77	0.83	1.06	1.30	1.35	1.17	0.88	8.92
1937	Below Normal	0.60	0.52	0.42	0.08	0.19	0.36	1.03	1.28	1.57	1.62	1.41	1.06	10.14
1938	Wet	0.73	0.63	0.52	0.20	0.45	0.81	1.10	1.37	1.69	1.74	1.51	1.13	11.88
1939	Dry	0.77	0.66	0.54	0.13	0.14	0.20	0.55	0.92	0.88	1.20	1.02	0.76	7.77
1940	Above Normal	0.40	0.31	0.28	0.06	0.07	0.27	0.65	1.09	1.32	1.38	1.16	0.86	7.85
1941	Wet	0.44	0.33	0.29	0.30	0.40	0.67	0.87	1.09	1.35	1.40	1.21	0.90	9.25
1942	Wet	0.61	0.52	0.43	0.42	0.38	0.55	0.66	0.96	1.18	1.23	1.04	0.77	8.75
1943	Wet	0.44	0.36	0.30	0.39	0.41	0.63	0.97	1.21	1.50	1.55	1.34	1.00	10.10
1944	Dry	0.68	0.26	0.79	0.06	0.06	0.16	0.45	0.67	0.95	0.99	0.85	0.54	6.46
1945	Below Normal	0.30	0.24	0.23	0.13	0.13	0.75	0.83	1.03	1.27	1.31	1.14	0.85	8.21
1946	Below Normal	0.58	0.50	0.41	0.48	0.43	0.61	0.67	0.90	1.12	1.16	0.99	0.73	8.58
1947	Dry	0.47	0.39	0.32	0.18	0.16	0.28	0.85	1.06	1.30	1.35	1.17	0.88	8.41
1948	Below Normal	0.60	0.52	0.42	0.07	0.06	0.09	0.31	0.93	1.12	1.17	0.98	0.72	6.99
1949	Dry	0.37	0.28	0.25	0.11	0.11	0.19	0.71	1.11	1.35	1.41	1.19	0.88	7.96
1950	Below Normal	0.48	0.37	0.32	0.07	0.06	0.16	0.59	0.97	0.92	1.27	1.08	0.80	7.09
1951	Above Normal	0.43	0.33	0.30	0.55	0.52	0.74	0.76	0.99	1.23	1.27	1.10	0.82	9.04
1952	Wet	0.55	0.47	0.38	0.44	0.46	0.67	0.84	1.08	1.34	1.39	1.20	0.89	9.71
1953	Wet	0.60	0.51	0.42	0.49	0.37	0.42	0.59	1.00	1.23	1.28	1.08	0.79	8.78
1954	Above Normal	0.41	0.31	0.27	0.14	0.36	0.34	0.63	1.07	1.30	1.36	1.14	0.84	8.17
1955	Dry	0.42	0.31	0.28	0.15	0.18	0.25	0.57	0.94	1.14	1.19	1.00	0.73	7.16
1956	Wet	0.37	0.28	0.25	0.42	0.58	0.84	0.90	1.13	1.39	1.44	1.25	0.93	9.78
1957	Above Normal	0.63	0.53	0.43	0.13	0.15	0.35	0.64	1.08	1.31	1.37	1.15	0.85	8.62
1958	Wet	0.43	0.32	0.29	0.18	0.45	0.69	1.09	1.36	1.68	1.74	1.50	1.13	10.86
1959	Below Normal	0.77	0.66	0.54	0.13	0.19	0.25	0.54	0.90	0.86	1.18	1.00	0.74	7.76
1960	Dry	0.39	0.30	0.27	0.06	0.06	0.19	0.73	1.13	1.37	1.42	1.21	0.89	8.02
1961	Dry	0.49	0.38	0.33	0.06	0.08	0.14	0.57	0.93	1.13	1.18	0.99	0.73	7.01
1962	Below Normal	0.33	0.30	0.27	0.07	0.06	0.25	0.61	1.01	1.22	1.28	1.08	0.79	7.27
1963	Wet	0.40	0.30	0.27	0.45	0.40	0.59	0.66	0.92	1.14	1.18	1.01	0.75	8.07
1964	Dry	0.47	0.39	0.32	0.23	0.46	0.46	0.72	0.96	1.18	1.22	1.05	0.78	8.24
1965	Wet	0.49	0.41	0.34	0.32	0.41	0.60	0.69	0.94	1.16	1.20	1.03	0.76	8.35
1966	Below Normal	0.47	0.39	0.32	0.44	0.38	0.49	0.61	0.99	1.21	1.26	1.06	0.78	8.40
1967	Wet	0.42	0.33	0.28	0.18	0.50	0.74	1.09	1.36	1.67	1.73	1.50	1.12	10.92
1968	Below Normal	0.76	0.65	0.53	0.18	0.21	0.25	0.55	0.91	1.11	1.16	0.97	0.71	7.99
1969	Wet	0.36	0.27	0.24	0.42	0.47	0.77	1.07	1.33	1.65	1.70	1.47	1.10	10.85
1970	Wet	0.75	0.64	0.52	0.47	0.43	0.72	0.76	0.97	1.20	1.24	1.07	0.80	9.57
1971	Wet	0.54	0.46	0.37	0.44	0.39	0.47	0.62	0.98	1.21	1.26	1.07	0.78	8.59
1972	Below Normal	0.43	0.34	0.29	0.26	0.37	0.52	0.63	1.01	1.24	1.29	1.09	0.80	8.27
1973	Above Normal	0.42	0.32	0.28	0.20	0.46	0.68	0.79	1.01	1.25	1.30	1.12	0.83	8.66
1974	Wet	0.57	0.48	0.40	0.48	0.49	0.73	0.85	1.06	1.31	1.36	1.17	0.87	9.77
1975	Wet	0.59	0.50	0.41	0.32	0.23	0.66	0.78	0.98	1.21	1.25	1.08	0.81	8.82
1976	Critical	0.55	0.47	0.38	0.15	0.14	0.23	0.63	1.04	1.26	1.31	1.10	0.81	8.07
1977	Critical	0.41	0.31	0.27	0.06	0.06	0.09	0.16	0.21	0.00	0.00	0.00	0.81	2.38
1978	Above Normal	0.23	0.30	0.28	0.06	0.18	0.55	0.71	1.03	1.25	1.30	1.11	0.83	7.83
1979	Below Normal	0.50	0.41	0.35	0.11	0.14	0.67	0.77	0.97	1.19	1.23	1.07	0.80	8.21
1980	Above Normal	0.55	0.47	0.39	0.33	0.50	0.77	0.91	1.17	1.45	1.50	1.29	0.96	10.29
1981	Dry	0.65	0.56	0.45	0.15	0.27	0.37	0.64	1.08	1.31	1.36	1.15	0.85	8.84
1982	Wet	0.43	0.33	0.29	0.39	0.42	0.70	1.08	1.35	1.67	1.73	1.49	1.12	11.00
1983	Wet	0.76	0.65	0.53	0.54	0.50	0.76	1.05	1.31	1.63	1.68	1.46	1.08	11.95
1984	Wet	0.81	0.70	0.59	0.62	0.52	0.73	0.75	0.99	1.23	1.27	1.10	0.81	10.12
1985	Dry	0.55	0.47	0.38	0.45	0.39	0.67	0.75	0.97	1.20	1.24	1.07	0.80	8.94
1986	Wet	0.54	0.46	0.37	0.06	0.10	0.81	1.08	1.34	1.65	1.71	1.48	1.11	10.71
1987	Dry	0.76	0.66	0.54	0.06	0.06	0.09	0.23	0.29	0.54	0.56	0.50	0.25	4.54
1988	Critical	0.16	0.13	0.14	0.07	0.10	0.09	0.17	0.23	0.43	0.45	0.40	0.20	2.57
1989	Dry	0.12	0.10	0.11	0.10	0.11	0.14	0.78	1.08	1.32	1.37	1.17	0.87	7.27
1990	Critical	0.54	0.44	0.37	0.06	0.07	0.12	0.27	0.34	0.63	0.66	0.58	0.29	4.37
1991	Critical	0.18	0.15	0.17	0.07	0.06	0.09	0.18	0.22	0.42	0.44	0.39	0.19	2.56
1992	Critical	0.12	0.10	0.11	0.06	0.06	0.09	0.24	0.30	0.56	0.58	0.51	0.26	2.99
1993	Above Normal	0.16	0.14	0.15	0.07	0.41	0.61	0.69	0.99	1.22	1.27	1.08	0.80	7.59
1994	Critical	0.47	0.37	0.32	0.14	0.14	0.27	0.63	1.04	1.26	1.32	1.11	0.82	7.89
1995	Wet	0.41	0.31	0.28	0.07	0.34	0.39	0.99	1.24	1.52	1.57	1.37	1.02	9.51
1996	Wet	0.70	0.16	0.93	0.34	0.27	0.59	0.75	0.93	1.15	1.19	1.03	0.77	8.81
1997	Wet	0.52	0.45	0.36	0.44	0.45	0.78	0.91	1.13	1.40	1.45	1.26	0.93	10.08
1998	Wet	0.63	0.54	0.44	0.14	0.40	0.65	0.81	1.02	1.26	1.31	1.13	0.84	9.17
1999	Wet	0.57	0.57	0.48	0.52	0.52	0.73	0.76	0.99	1.22	1.27	1.09	0.81	9.53
2000	Above Normal	0.55	0.47	0.38	0.14	0.33	0.45	0.70	1.02	1.24	1.29	1.10	0.82	8.49
2001	Dry	0.48	0.39	0.33	0.06	0.07	0.16	0.38	0.49	0.86	0.90	0.79	0.42	5.33
2002	Dry	0.25	0.21	0.22	0.15	0.18	0.24	0.81	1.01	1.25	1.29	1.12	0.84	7.57
2003	Above Normal	0.57	0.49	0.41	0.20	0.19	0.25	0.54	0.90	1.09	1.14	0.96	0.70	7.44
	Average	0.48	0.39	0.35	0.21	0.26	0.43	0.67	0.94	1.17	1.23	1.05	0.77	7.94
	Wet	0.54	0.43	0.39	0.35	0.41	0.67	0.87	1.12	1.38	1.43	1.23	0.92	9.73
	Above Normal	0.47	0.39	0.34	0.19	0.31	0.49	0.72	1.03	1.26	1.31	1.12	0.83	8.44
	Below Normal	0.51	0.43	0.36	0.19	0.21	0.42	0.67	1.00	1.19	1.28	1.09	0.81	8.16
	Dry	0.44	0.34	0.33	0.12	0.15	0.25	0.59	0.89	1.12	1.18	1.00	0.72	7.13
	Critical	0.36	0.29	0.26	0.08	0.10	0.15	0.32	0.47	0.70	0.73	0.63	0.43	4.51

Difference in Energy Use (GWh) At Pumping Plant at Las Perillas: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1924	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1926	Dry	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1927	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1933	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.02	0.03	0.04	0.12	0.06	0.06	0.05	0.04	0.04
1935	Below Normal	0.05	0.03	0.02	0.00	0.00	0.00	(0.01)	0.02	0.01	0.01	0.01	0.01	0.01
1936	Below Normal	(0.01)	(0.02)	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	0.01	0.01	0.01	0.00	0.01	0.01	0.00
1939	Dry	0.00	0.00	0.00	(0.03)	(0.04)	(0.05)	(0.10)	(0.16)	(0.43)	(0.17)	(0.13)	(0.09)	(0.10)
1940	Above Normal	(0.03)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1941	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1942	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1943	Wet	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)
1944	Dry	0.00	(0.32)	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1946	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1947	Dry	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1948	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00
1949	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1950	Below Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1952	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.19)	(0.23)	(0.23)	(0.20)	(0.16)	(0.08)
1953	Wet	(0.11)	(0.10)	(0.07)	0.06	0.15	0.17	0.05	0.06	0.08	0.08	0.07	0.05	0.04
1954	Above Normal	0.04	0.04	0.03	0.00	0.05	0.04	0.00	0.01	0.01	0.02	0.01	0.01	0.02
1955	Dry	0.00	0.00	0.00	0.01	0.01	0.01	0.02	0.02	0.03	0.03	0.02	0.01	0.01
1956	Wet	0.01	0.01	0.01	(0.01)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.00
1957	Above Normal	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1959	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1962	Below Normal	(0.04)	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
1969	Wet	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1970	Wet	0.01	0.00	0.00	(0.01)	0.00	(0.02)	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	0.00
1971	Wet	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.00
1972	Below Normal	0.00	0.01	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1975	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1976	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1977	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1978	Above Normal	(0.10)	0.05	0.04	0.00	0.00	(0.04)	(0.02)	0.03	0.03	0.03	0.02	0.02	0.01
1979	Below Normal	(0.02)	(0.03)	(0.02)	0.00	0.00	(0.03)	(0.04)	(0.04)	(0.06)	(0.06)	(0.05)	(0.04)	(0.03)
1980	Above Normal	(0.02)	(0.02)	(0.01)	0.13	(0.01)	(0.01)	(0.17)	(0.18)	(0.22)	(0.23)	(0.20)	(0.16)	(0.09)
1981	Dry	(0.11)	(0.09)	(0.08)	0.04	0.12	0.15	0.07	0.11	0.13	0.13	0.11	0.09	0.06
1982	Wet	0.04	0.04	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1983	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1987	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00
1989	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.00	0.00	0.00
1990	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
1991	Critical	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1993	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00
1994	Critical	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1995	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	(0.44)	0.44	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00	0.00
1997	Wet	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	(0.01)	0.00
1999	Wet	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.01	0.00
2001	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2002	Dry	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.00)	(0.01)	0.01	0.00	0.00	0.00	(0.00)	(0.00)	(0.01)	(0.00)	(0.00)	(0.00)	(0.00)
	Wet	(0.00)	(0.02)	0.02	0.00	0.01	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.00)	(0.00)
	Above Normal	(0.01)	0.00	0.01	0.01	0.00	(0.00)	(0.02)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)
	Below Normal	(0.00)	0.00	0.00	0.00	0.00	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)	(0.00)
	Dry	(0.01)	(0.02)	0.01	0.00	0.01	0.01	(0.00)	(0.00)	(0.01)	0.00	0.00	0.00	(0.00)
	Critical	0.00	(0.00)	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00

Percent Difference in Energy Use (GWh) At Pumping Plant at Las Perillas: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	25%	19%	11%	26%	7%	7%	6%	15%
1935	Below Normal	17%	12%	8%	0%	0%	0%	-1%	2%	1%	1%	1%	1%
1936	Below Normal	-2%	-4%	-3%	0%	7%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-5%	-2%	-2%	1%	1%	1%	0%	1%	1%
1939	Dry	0%	0%	0%	-19%	-22%	-20%	-15%	-15%	-33%	-12%	-11%	-11%
1940	Above Normal	-7%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1942	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%
1943	Wet	0%	0%	0%	0%	0%	-2%	-1%	-1%	-1%	-1%	-1%	-1%
1944	Dry	0%	-55%	65%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	0%
1947	Dry	0%	-3%	-3%	0%	0%	0%	0%	0%	0%	1%	1%	1%
1948	Below Normal	0%	2%	0%	0%	0%	0%	0%	1%	0%	1%	0%	0%
1949	Dry	0%	0%	0%	-8%	0%	0%	-1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	1%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-15%	-14%	-14%	-15%
1953	Wet	-15%	-16%	-14%	14%	68%	68%	9%	6%	7%	7%	7%	7%
1954	Above Normal	11%	15%	13%	0%	16%	13%	0%	1%	1%	1%	1%	1%
1955	Dry	0%	0%	0%	7%	6%	4%	4%	2%	3%	3%	2%	1%
1956	Wet	3%	4%	4%	-2%	-2%	0%	0%	1%	0%	0%	1%	1%
1957	Above Normal	2%	0%	0%	0%	0%	-3%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-11%	7%	8%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	0%	-5%	0%	0%	0%	1%	1%	0%	0%
1969	Wet	0%	4%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1970	Wet	1%	0%	0%	-2%	0%	-3%	0%	0%	-1%	-1%	-1%	0%
1971	Wet	0%	0%	0%	0%	0%	2%	0%	-1%	0%	0%	0%	-1%
1972	Below Normal	0%	3%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	0%	0%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	-30%	20%	17%	0%	0%	-7%	-3%	3%	2%	2%	2%	2%
1979	Below Normal	-4%	-7%	-5%	0%	0%	-4%	-5%	-4%	-5%	-5%	-4%	-5%
1980	Above Normal	-4%	-4%	-3%	65%	-2%	-1%	-16%	-13%	-13%	-13%	-13%	-14%
1981	Dry	-14%	-14%	-15%	36%	80%	68%	12%	11%	11%	11%	11%	12%
1982	Wet	10%	14%	12%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	0%	-2%	0%	0%	0%	1%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	2%	3%	5%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	0%	0%
1990	Critical	0%	-2%	-3%	0%	0%	0%	0%	0%	0%	2%	0%	0%
1991	Critical	0%	0%	6%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-4%	-3%	-2%	-2%	-2%	0%
1993	Above Normal	0%	0%	0%	0%	0%	2%	0%	-1%	0%	0%	0%	0%
1994	Critical	2%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-73%	90%	0%	0%	0%	0%	-1%	-1%	-1%	-1%	0%
1997	Wet	0%	0%	-3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	-1%	-1%
1999	Wet	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-2%	0%	1%	0%	0%	0%	1%
2001	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	2%	1%	2%	2%	0%	0%	0%	0%	0%	0%
	Wet	0%	-3%	3%	0%	2%	2%	0%	0%	0%	0%	0%	0%
	Above Normal	-2%	2%	2%	5%	1%	0%	-2%	-1%	-1%	-1%	-1%	-1%
	Below Normal	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Dry	-1%	-4%	3%	1%	4%	3%	0%	0%	-1%	0%	0%	0%
	Critical	0%	0%	0%	0%	2%	2%	1%	2%	0%	1%	1%	2%

Energy Use (GWh) At Pumping Plant at Oso: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	26.99	22.85	15.14	2.88	14.50	18.02	17.81	17.44	16.15	16.99	16.73	15.89	201.39
1923	Below Normal	12.69	11.66	10.42	17.39	20.97	18.16	17.72	17.65	16.66	19.48	18.17	15.39	196.36
1924	Critical	11.23	10.28	6.99	4.71	4.48	6.48	8.95	8.64	8.04	9.59	7.28	5.35	92.02
1925	Dry	0.47	0.26	0.09	0.70	3.04	14.38	15.93	20.31	19.59	23.36	21.45	17.55	137.13
1926	Dry	12.84	11.79	7.44	3.00	3.51	8.45	11.35	16.94	16.16	19.23	17.65	14.44	142.80
1927	Wet	10.05	9.13	5.40	2.31	8.97	19.78	18.67	18.43	17.07	17.59	17.52	16.96	161.88
1928	Above Normal	13.93	12.85	11.93	9.78	12.25	11.71	21.08	20.77	19.34	19.90	19.84	19.21	192.59
1929	Critical	16.20	15.03	14.12	9.37	8.52	7.17	8.43	9.34	8.78	10.54	7.98	1.51	116.99
1930	Dry	3.05	2.92	1.27	2.92	3.42	6.13	13.60	13.37	12.89	15.29	12.57	9.68	97.11
1931	Critical	4.44	3.51	1.17	2.90	3.35	6.44	10.52	10.20	9.69	11.69	8.79	6.42	79.12
1932	Dry	1.11	0.29	0.11	2.37	3.63	22.77	11.39	15.48	14.66	17.46	15.85	12.90	118.02
1933	Critical	8.46	7.60	4.21	2.92	24.36	6.42	8.09	13.57	12.98	15.52	12.95	10.05	127.13
1934	Critical	4.97	4.02	1.56	2.98	3.17	6.73	11.80	11.56	11.19	13.43	10.15	0.76	82.32
1935	Below Normal	6.66	5.00	2.44	3.02	4.09	8.56	20.40	20.24	19.16	20.80	20.12	18.37	148.86
1936	Below Normal	14.80	13.69	11.62	7.31	8.63	26.97	15.92	20.21	18.81	19.39	19.30	18.68	195.33
1937	Below Normal	15.66	14.50	13.59	9.96	24.36	26.97	20.06	24.14	22.70	23.37	23.29	22.57	241.17
1938	Wet	19.56	18.22	17.35	11.76	24.36	26.97	25.19	24.96	23.59	24.22	24.14	23.43	263.75
1939	Dry	20.39	18.98	18.11	13.22	14.57	13.98	20.39	20.53	7.40	27.02	17.24	25.70	217.53
1940	Above Normal	8.79	7.49	26.97	2.87	3.08	10.26	19.82	20.48	19.78	24.86	23.16	18.92	186.48
1941	Wet	14.11	12.96	8.36	4.85	15.27	19.36	20.49	20.25	18.82	19.43	19.35	18.75	192.00
1942	Wet	15.71	14.55	13.65	18.46	23.66	22.99	17.52	17.28	16.25	18.33	17.40	15.34	211.14
1943	Wet	11.57	10.60	8.07	12.74	18.94	19.47	22.46	22.21	20.74	21.40	21.34	20.72	210.26
1944	Dry	17.67	0.17	26.97	7.92	7.14	8.01	14.24	14.14	13.43	16.03	13.59	10.65	149.96
1945	Below Normal	5.60	4.65	2.07	4.71	4.01	26.97	15.83	19.65	18.29	18.86	18.75	18.17	157.56
1946	Below Normal	15.15	14.00	13.09	18.75	24.36	24.96	16.96	16.41	15.11	16.00	15.73	14.86	205.38
1947	Dry	11.62	10.66	9.34	8.55	10.14	10.80	21.02	20.68	19.26	19.76	19.72	19.12	180.67
1948	Below Normal	16.11	14.93	14.03	9.40	8.55	7.07	10.42	16.79	0.83	25.90	23.79	19.47	167.29
1949	Dry	14.61	13.37	8.63	4.57	3.94	7.52	20.83	20.89	20.10	23.39	21.76	20.99	180.60
1950	Below Normal	16.43	15.62	19.41	3.48	3.17	6.51	18.43	18.44	0.81	25.08	23.02	18.82	169.22
1951	Above Normal	14.01	12.85	8.29	26.97	24.36	26.97	13.67	18.12	16.77	17.25	17.19	16.66	213.11
1952	Wet	13.60	12.53	11.60	18.20	25.23	26.97	21.20	22.94	21.44	22.14	22.07	21.42	239.34
1953	Wet	18.39	17.07	16.18	19.91	17.36	14.35	17.15	17.52	12.56	22.49	20.63	16.90	210.51
1954	Above Normal	12.27	11.18	6.95	3.87	9.92	10.87	19.19	19.55	18.71	22.73	21.10	17.28	173.62
1955	Dry	12.60	11.55	7.23	2.90	3.56	9.54	17.57	17.61	16.76	20.01	18.44	15.09	152.86
1956	Wet	10.62	9.68	5.85	14.96	25.23	26.97	16.35	20.27	18.91	19.45	19.38	18.81	206.48
1957	Above Normal	15.74	14.57	13.65	12.50	12.50	15.81	19.75	20.20	19.52	24.77	22.91	18.75	210.67
1958	Wet	13.93	12.79	8.19	1.04	17.02	19.64	25.13	25.04	23.58	24.25	24.22	23.49	218.32
1959	Below Normal	20.48	15.35	26.97	9.97	9.89	11.83	17.31	17.15	0.87	23.26	21.34	17.46	191.88
1960	Dry	12.78	11.70	7.37	2.88	2.76	7.21	21.06	21.20	20.48	25.19	23.40	21.53	177.56
1961	Dry	16.93	15.62	11.29	4.21	4.41	6.42	17.83	17.77	17.05	20.29	18.64	16.57	167.03
1962	Below Normal	0.29	23.09	25.15	3.01	2.83	9.54	18.78	19.01	0.84	25.97	23.86	19.52	171.89
1963	Wet	14.62	13.45	8.72	10.11	15.26	16.88	17.15	16.80	15.57	16.85	16.38	15.11	176.90
1964	Dry	11.70	10.73	8.96	8.25	22.39	17.77	18.21	17.87	16.68	17.97	17.48	16.19	184.20
1965	Wet	12.83	11.78	10.10	12.16	20.74	20.26	17.60	17.29	16.08	18.75	18.12	16.51	192.22
1966	Below Normal	13.03	11.98	9.96	15.22	19.17	16.53	17.84	17.68	16.73	19.38	18.15	15.43	191.10
1967	Wet	11.32	10.36	7.15	3.36	20.43	21.69	24.78	24.81	23.37	24.09	24.02	23.29	218.67
1968	Below Normal	20.25	18.84	17.94	10.21	12.57	12.71	17.66	17.60	0.90	23.88	21.90	17.92	192.38
1969	Wet	13.18	12.09	7.66	9.36	24.36	26.97	21.33	22.58	22.54	23.22	23.15	22.45	228.89
1970	Wet	19.39	18.04	17.16	21.51	24.36	26.97	17.87	17.84	16.50	17.00	16.90	16.36	229.90
1971	Wet	13.32	12.25	11.33	18.12	22.93	20.08	17.82	17.70	16.77	19.38	18.15	15.53	203.38
1972	Below Normal	11.46	10.51	7.41	5.80	16.29	16.50	18.55	18.55	17.72	20.80	19.28	16.11	178.98
1973	Above Normal	11.76	10.78	7.10	2.34	20.33	20.86	14.63	19.01	17.67	18.12	18.05	17.48	178.13
1974	Wet	14.45	13.32	12.42	18.96	24.36	26.97	25.11	19.26	17.94	18.43	18.35	17.80	227.37
1975	Wet	14.74	13.59	12.66	15.14	14.35	22.41	19.07	18.75	17.41	17.88	17.81	17.26	201.07
1976	Critical	14.21	13.12	12.21	10.43	10.91	12.22	19.51	19.72	18.94	23.44	21.49	19.42	195.62
1977	Critical	14.60	13.37	8.65	2.94	2.83	4.93	7.15	2.09	0.00	1.89	0.95	0.77	60.17
1978	Above Normal	0.32	11.70	16.56	2.87	3.65	17.86	19.37	19.04	17.83	19.11	18.61	17.27	164.19
1979	Below Normal	13.93	12.82	11.13	9.37	8.91	22.34	19.61	19.36	18.01	18.48	18.41	17.84	190.21
1980	Above Normal	14.81	13.67	12.80	21.75	25.23	26.97	20.65	24.69	23.26	23.98	23.90	23.20	254.91
1981	Dry	20.17	18.75	21.82	10.24	10.35	11.27	18.03	18.51	0.95	25.19	23.13	18.92	197.33
1982	Wet	14.06	12.92	8.33	8.76	15.75	19.65	24.61	24.48	23.05	23.71	23.62	22.91	221.85
1983	Wet	19.88	18.49	17.59	22.90	21.86	26.97	20.87	22.15	22.14	22.74	22.73	22.07	260.39
1984	Wet	21.82	20.46	26.97	20.49	25.23	26.97	13.44	18.06	16.65	17.23	17.15	16.62	241.09
1985	Dry	13.54	12.49	20.80	9.30	17.71	15.91	17.79	17.79	16.51	16.97	16.88	16.34	192.03
1986	Wet	13.31	12.26	11.31	9.46	16.26	26.97	20.84	24.94	23.53	24.15	24.13	23.40	230.56
1987	Dry	20.43	14.34	26.97	8.00	7.21	6.39	8.71	8.14	7.49	8.86	6.79	5.00	128.33
1988	Critical	0.35	0.26	0.10	0.36	3.71	5.05	7.26	6.79	5.98	7.22	5.51	4.08	46.67
1989	Dry	0.33	0.24	0.10	0.07	3.76	6.13	20.79	20.54	19.42	21.31	20.51	18.89	132.09
1990	Critical	15.26	14.11	11.82	6.93	6.52	7.03	9.56	9.08	8.54	10.24	7.74	5.68	112.51
1991	Critical	0.68	0.27	0.08	0.95	2.84	4.93	7.37	6.74	5.95	7.16	5.46	4.06	46.49
1992	Critical	0.34	0.24	0.11	0.07	1.64	5.01	8.99	8.50	7.83	9.34	7.12	5.32	54.51
1993	Above Normal	0.47	0.28	0.10	2.68	15.29	17.53	18.27	18.13	11.42	21.64	20.55	18.10	144.46
1994	Critical	14.16	13.00	10.12	6.81	6.96	11.62	19.59	19.70	18.94	24.17	6.11	23.46	174.64
1995	Wet	0.29	26.11	26.97	2.97	11.67	12.79	23.22	23.00	21.58	22.20	22.18	21.50	214.48
1996	Wet	18.48	17.17	25.93	7.22	8.46	17.50	18.30	17.83	16.46	16.97	16.91	16.35	197.58
1997	Wet	13.32	12.28	11.38	17.60	24.18	26.97	20.59	20.62	19.19	19.75	19.71	19.12	224.71
1998	Wet	16.06	14.87	13.95	12.46	23.54	26.22	19.92	19.04	17.64	18.26	18.22	17.63	217.81
1999	Wet	14.58	19.07	17.32	18.88	24.36	23.90	13.52	17.94	16.55	17.15	17.11	16.56	216.94
2000	Above Normal	13.50	12.44	11.50	11.52	19.01	17.13	18.95	18.76	17.67	19.84	18.95	16.85	196.12
2001	Dry	13.07	12.04	9.53	6.24	5.97	7.50	12.03	11.87	11.48	13.81	10.64	7.87	122.05
2002	Dry	2.26	1.35	0.08	1.17	3.65	9.48	20.17	19.80	18.37	19.01	18.97	20.18	134.49
2003	Above Normal	8.55	13.39	26.97	1.71	4.24	9.81	17.50	17.48	0.73	23.76	21.85	17.86	163.85
	Average	12.28	11.81	11.49	8.67	12.89	15.85	17.25	17.90	15.22	19.21	17.86	16.33	176.76
	Wet	14.35	14.46	13.14	12.83	19.77	22.56	20.01	20.46	19.07	20.27	20.03	19.09	216.06
	Above Normal	11.76	12.00	13.16	8.48	13.70	16.98	18.39	19.47	16.57	21.08	20.24	18.12	189.96
	Below Normal	13.04	13.33	13.23	9.11	11.99	16.83	17.54	18.78	11.96	21.48	20.37	17.90	185.54
	Dry	11.42	9.29	10.34	5.36	7.29	10.54	16.72	17.41	14.93	19.45	17.48	15.98	156.21
	Critical	8.74	7.90	5.93	4.28	6.61	7.00	10.60	10.49	9.74	12.02	8.46	7.24	99.02

Energy Use (GWh) At Pumping Plant at Oso: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	26.99	22.85	15.14	2.88	14.50	18.02	17.81	17.44	16.79	17.63	17.37	16.52	203.94
1923	Below Normal	13.32	12.30	11.06	17.39	20.95	18.05	17.73	17.66	17.31	20.15	18.83	16.03	200.78
1924	Critical	11.86	10.90	7.60	5.30	4.44	6.47	8.96	8.64	8.04	9.59	7.28	5.36	94.44
1925	Dry	0.47	0.26	0.09	0.70	3.03	14.23	15.94	20.32	19.76	23.54	21.63	17.72	137.69
1926	Dry	13.01	11.96	7.60	3.16	3.51	8.44	11.34	16.93	16.15	19.22	17.64	14.43	143.39
1927	Wet	10.04	9.12	5.40	2.31	8.96	19.78	18.67	18.43	17.71	18.23	18.16	17.60	164.41
1928	Above Normal	14.57	13.49	12.57	10.42	12.23	11.71	21.08	20.77	19.71	20.27	20.21	19.59	196.62
1929	Critical	16.57	15.40	14.49	9.74	8.52	7.17	8.43	9.34	8.77	10.53	7.98	1.10	118.04
1930	Dry	3.03	2.81	1.22	2.92	3.41	6.13	13.60	13.37	12.89	15.29	12.57	9.68	96.92
1931	Critical	4.44	3.51	1.17	2.90	3.35	6.44	10.52	10.20	9.68	11.68	8.79	6.42	79.10
1932	Dry	1.11	0.29	0.11	2.36	3.63	23.48	11.38	15.47	15.29	18.09	16.49	13.54	121.24
1933	Critical	9.09	8.23	4.85	3.56	24.36	6.42	8.09	13.57	12.98	15.52	12.95	10.05	129.67
1934	Critical	4.97	4.02	1.56	2.98	3.56	11.60	8.99	12.95	12.37	14.75	11.97	0.76	90.48
1935	Below Normal	8.13	7.11	3.99	3.01	4.09	8.46	20.53	20.43	20.04	22.11	21.19	19.01	158.10
1936	Below Normal	15.23	14.12	11.61	7.23	7.81	26.97	15.92	20.21	19.45	20.02	19.94	19.32	197.83
1937	Below Normal	16.30	15.14	14.23	9.96	23.98	26.97	20.06	24.14	23.34	24.01	23.93	23.21	245.27
1938	Wet	20.20	18.86	17.35	11.63	24.36	26.97	26.11	25.43	23.72	25.02	24.94	24.23	268.82
1939	Dry	21.21	19.80	18.93	14.41	13.21	11.62	17.64	17.56	1.45	24.38	20.35	21.42	201.98
1940	Above Normal	11.00	7.58	27.56	3.47	3.08	10.26	19.82	20.48	20.38	25.46	23.76	19.53	192.38
1941	Wet	14.72	13.56	8.67	4.85	15.27	19.30	20.43	20.19	19.40	20.01	19.92	19.33	195.65
1942	Wet	16.29	15.13	13.91	18.45	23.65	22.93	17.52	17.28	16.89	18.97	18.04	15.98	215.04
1943	Wet	12.21	11.24	8.71	12.73	18.79	19.32	22.35	22.11	21.27	21.93	21.87	21.25	213.78
1944	Dry	18.20	0.81	27.61	8.07	6.71	7.87	14.24	14.14	13.85	16.45	14.00	11.07	153.02
1945	Below Normal	6.01	5.07	2.48	5.13	4.01	23.80	15.86	19.67	18.95	19.52	19.42	18.83	158.75
1946	Below Normal	15.81	14.66	13.76	19.37	24.36	25.29	16.99	16.46	15.80	16.81	16.48	15.49	211.28
1947	Dry	12.21	11.25	9.82	8.87	10.63	10.04	21.08	20.74	19.49	20.00	19.96	19.36	183.45
1948	Below Normal	16.34	15.17	14.26	9.60	8.46	7.04	10.43	16.15	0.83	25.92	23.79	19.46	167.45
1949	Dry	14.61	13.38	8.64	4.55	3.93	7.50	20.85	20.92	20.13	23.49	21.82	21.00	180.82
1950	Below Normal	16.40	15.56	0.10	3.48	3.17	6.51	18.43	18.44	0.87	25.15	23.08	18.88	150.07
1951	Above Normal	14.08	12.92	8.29	26.97	22.13	26.97	13.69	18.13	17.42	17.90	17.84	17.31	213.65
1952	Wet	14.26	13.18	12.25	18.84	22.92	26.97	21.11	19.73	18.35	19.53	19.46	18.89	225.49
1953	Wet	15.86	14.69	13.78	20.66	22.47	21.32	17.69	17.83	17.51	20.67	19.15	16.06	217.69
1954	Above Normal	11.72	10.77	7.15	4.91	13.86	11.68	19.10	19.52	18.68	22.38	20.55	16.83	177.15
1955	Dry	12.19	11.17	6.93	2.63	3.63	9.73	17.93	18.01	17.17	20.50	18.89	15.45	154.23
1956	Wet	10.95	9.99	6.09	9.39	25.23	26.97	16.40	20.32	19.59	20.14	20.07	19.49	204.63
1957	Above Normal	16.43	15.25	14.33	13.14	12.47	15.59	19.75	20.19	20.10	25.41	23.56	19.38	215.60
1958	Wet	14.56	13.42	8.81	1.62	17.01	19.63	25.12	25.02	24.21	24.88	24.85	24.11	223.24
1959	Below Normal	21.10	14.22	27.61	10.62	9.90	11.83	17.31	17.15	1.06	23.45	21.53	17.65	193.43
1960	Dry	12.97	11.89	7.57	3.07	2.76	7.19	21.06	21.20	20.48	25.18	23.39	21.51	178.27
1961	Dry	16.90	15.60	11.27	4.21	4.41	6.42	17.83	17.77	17.05	20.29	18.64	16.57	166.96
1962	Below Normal	0.29	22.77	6.68	3.01	2.83	9.54	18.78	19.01	1.45	26.58	24.47	20.14	155.55
1963	Wet	15.24	14.06	9.33	10.73	15.26	16.88	17.15	16.80	16.21	17.49	17.02	15.75	181.92
1964	Dry	12.34	11.37	9.60	8.91	22.39	17.78	18.20	17.87	16.68	17.96	17.48	16.19	186.77
1965	Wet	12.83	11.78	10.10	12.16	20.74	20.26	17.60	17.30	16.72	19.41	18.77	17.16	194.83
1966	Below Normal	13.68	12.62	10.60	15.85	19.16	16.53	17.83	17.68	17.21	19.85	18.62	15.90	195.53
1967	Wet	11.80	10.84	7.64	3.85	20.43	21.70	24.78	24.81	23.37	24.73	24.66	23.93	222.54
1968	Below Normal	20.89	19.07	21.27	9.85	11.43	12.41	17.72	17.67	1.46	24.55	22.55	18.56	197.43
1969	Wet	13.82	12.72	8.27	9.32	24.36	26.97	19.95	24.00	22.57	23.88	23.81	23.12	232.79
1970	Wet	20.05	18.70	17.82	21.34	22.21	26.97	19.03	17.80	17.10	17.60	17.50	16.96	233.08
1971	Wet	13.92	12.85	11.94	18.74	22.92	20.19	17.79	17.65	17.12	19.69	18.48	15.91	207.20
1972	Below Normal	11.87	10.91	7.87	6.40	16.35	16.55	18.54	18.54	17.71	20.78	19.27	16.11	180.90
1973	Above Normal	11.77	10.78	7.11	2.37	20.33	20.86	14.63	19.01	18.30	18.75	18.68	18.11	180.70
1974	Wet	15.07	13.95	13.04	19.59	21.90	26.97	24.68	19.20	18.53	19.01	18.94	18.38	229.26
1975	Wet	15.33	14.18	13.25	15.86	14.39	22.39	19.05	18.73	18.02	18.48	18.42	17.87	205.97
1976	Critical	14.82	13.73	12.82	11.04	10.92	12.24	19.55	19.76	18.98	23.47	21.53	19.51	198.37
1977	Critical	14.68	13.44	8.71	2.94	2.83	4.93	7.15	2.09	0.00	1.89	0.95	0.77	60.38
1978	Above Normal	0.32	11.26	9.34	2.87	3.65	16.84	19.61	19.46	19.04	21.07	20.17	18.09	161.72
1979	Below Normal	14.38	13.27	10.82	8.75	7.59	21.03	18.90	18.61	17.90	18.35	18.28	17.73	185.61
1980	Above Normal	14.71	13.60	12.73	14.30	25.23	26.97	16.73	21.24	20.47	21.12	21.04	20.42	228.56
1981	Dry	17.40	16.14	15.24	13.01	16.97	16.00	19.60	20.07	19.97	24.21	22.36	18.56	219.53
1982	Wet	13.91	12.84	8.63	9.89	16.22	19.64	24.60	24.47	23.69	24.34	24.25	23.54	226.02
1983	Wet	20.51	18.48	17.59	20.49	24.36	26.97	25.07	20.31	19.77	22.74	23.37	22.71	262.37
1984	Wet	21.82	20.46	26.97	20.49	23.01	26.97	13.44	18.06	17.29	17.87	17.79	17.26	241.43
1985	Dry	14.18	13.13	21.44	9.94	17.71	15.91	17.79	17.79	16.89	17.35	17.27	16.73	196.13
1986	Wet	13.69	12.64	11.69	9.84	9.59	26.97	23.89	24.99	24.23	24.85	24.84	24.12	231.34
1987	Dry	21.17	8.02	27.61	8.63	7.21	6.39	8.71	8.14	7.49	8.86	6.79	5.00	124.02
1988	Critical	0.35	0.26	0.10	0.35	3.71	5.05	7.26	6.85	6.05	7.30	5.57	4.12	46.97
1989	Dry	0.34	0.24	0.10	0.07	3.78	6.11	20.82	20.58	19.47	21.44	20.59	19.24	132.78
1990	Critical	15.57	14.41	12.01	6.81	6.44	7.02	9.62	9.14	8.61	10.31	7.79	5.72	113.45
1991	Critical	0.71	0.27	0.08	0.98	2.84	4.93	7.37	6.74	5.95	7.16	5.46	4.06	46.55
1992	Critical	0.34	0.24	0.11	0.07	1.64	5.01	8.89	8.39	7.71	9.20	7.01	5.23	53.84
1993	Above Normal	0.42	0.26	0.10	2.33	15.32	17.58	18.26	18.11	11.89	22.03	20.96	18.54	145.80
1994	Critical	14.67	13.55	10.75	7.53	7.02	11.64	19.57	19.68	18.92	24.05	4.45	23.21	175.04
1995	Wet	0.29	25.83	18.73	2.97	11.67	12.79	23.22	23.00	22.22	22.84	23.34	22.64	209.54
1996	Wet	19.64	0.81	0.77	7.87	8.45	17.50	18.25	17.78	17.05	17.56	17.49	16.94	160.11
1997	Wet	13.91	12.87	11.97	17.58	24.16	26.97	20.17	20.62	19.82	20.39	20.34	19.75	228.55
1998	Wet	16.70	15.51	14.59	13.09	23.55	26.24	19.93	18.95	17.55	18.17	18.77	18.19	221.24
1999	Wet	15.13	19.63	16.61	19.48	24.36	23.90	13.52	17.94	17.18	17.79	17.75	17.20	220.49
2000	Above Normal	14.14	13.08	12.14	12.16	19.00	16.96	18.98	18.82	18.34	20.59	19.65	17.47	201.33
2001	Dry	13.65	12.62	10.02	6.68	5.84	7.46	12.06	11.90	11.50	13.83	10.67	7.90	124.13
2002	Dry	2.30	1.39	0.08	1.20	3.65	9.48	20.15	19.78	18.35	18.98	18.95	20.12	134.43
2003	Above Normal	9.78	11.90	13.34	1.71	4.24	9.81	17.50	17.48	0.94	23.97	22.06	18.08	150.81
	Average	12.61	11.75	10.59	8.76	12.83	15.96	17.25	17.82	15.67	19.45	18.18	16.54	177.39
	Wet	14.72	14.13	12.07	12.84	19.47	22.83	20.29	20.34	19.50	20.62	20.46	19.55	216.82
	Above Normal	12.16	11.98	11.65	8.13	13.84	16.94	18.08	19.22	16.84	21.38	20.49	18.32	189.02
	Below Normal	13.55	13.71	11.17	9.26	11.72	16.50	17.50	18.70	12.38	21.95	20.81	18.31	185.57
	Dry	11.52	9.01	10.22	5.74	7.58	10.65	16.68	17.36	15.78	19.39	17.75	15.86	157.54
	Critical	9.01	8.16	6.19	4.52	6.64	7.41	10.37	10.61	9.84	12.12	8.48	7.19	100.53

Difference in Energy Use (GWh) At Pumping Plant at Oso: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.64	0.64	0.63	0.21
1923	Below Normal	0.63	0.64	0.64	0.00	(0.02)	(0.11)	0.01	0.01	0.65	0.67	0.66	0.64	0.37
1924	Critical	0.63	0.62	0.61	0.59	(0.04)	(0.01)	0.01	0.00	0.00	0.00	0.00	0.01	0.20
1925	Dry	0.00	0.00	0.00	0.00	(0.01)	(0.15)	0.01	0.01	0.17	0.18	0.18	0.17	0.05
1926	Dry	0.17	0.17	0.16	0.16	0.00	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	(0.01)	0.05
1927	Wet	(0.01)	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.64	0.64	0.64	0.64	0.21
1928	Above Normal	0.64	0.64	0.64	0.64	(0.02)	0.00	0.00	0.00	0.37	0.37	0.37	0.38	0.34
1929	Critical	0.37	0.37	0.37	0.37	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.41)	0.09
1930	Dry	(0.02)	(0.11)	(0.05)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	(0.01)	0.00	0.71	(0.01)	(0.01)	0.63	0.63	0.64	0.64	0.27
1933	Critical	0.63	0.63	0.64	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.21
1934	Critical	0.00	0.00	0.00	0.00	0.39	4.87	(2.81)	1.39	1.18	1.32	1.82	0.00	0.68
1935	Below Normal	1.47	2.11	1.55	(0.01)	0.00	(0.10)	0.13	0.19	0.88	1.31	1.07	0.64	0.77
1936	Below Normal	0.43	0.43	(0.01)	(0.08)	(0.82)	0.00	0.00	0.00	0.64	0.63	0.64	0.64	0.21
1937	Below Normal	0.64	0.64	0.64	0.00	(0.38)	0.00	0.00	0.00	0.64	0.64	0.64	0.64	0.34
1938	Wet	0.64	0.64	0.00	(0.13)	0.00	0.00	0.92	0.47	0.13	0.80	0.80	0.80	0.42
1939	Dry	0.82	0.82	0.82	1.19	(1.36)	(2.36)	(2.75)	(2.97)	(5.95)	(2.64)	3.11	(4.28)	(1.30)
1940	Above Normal	2.21	0.09	0.59	0.60	0.00	0.00	0.00	0.00	0.60	0.60	0.60	0.61	0.49
1941	Wet	0.61	0.60	0.31	0.00	0.00	(0.06)	(0.06)	(0.06)	0.58	0.58	0.57	0.58	0.30
1942	Wet	0.58	0.58	0.26	(0.01)	(0.01)	(0.06)	0.00	0.00	0.64	0.64	0.64	0.64	0.33
1943	Wet	0.64	0.64	0.64	(0.01)	(0.15)	(0.15)	(0.11)	(0.10)	0.53	0.53	0.53	0.53	0.29
1944	Dry	0.53	0.64	0.64	0.15	(0.43)	(0.14)	0.00	0.00	0.42	0.42	0.41	0.42	0.26
1945	Below Normal	0.41	0.42	0.41	0.42	0.00	(3.17)	0.03	0.02	0.66	0.66	0.67	0.66	0.10
1946	Below Normal	0.66	0.66	0.67	0.62	0.00	0.33	0.03	0.05	0.69	0.81	0.75	0.63	0.49
1947	Dry	0.59	0.59	0.48	0.32	0.49	(0.76)	0.06	0.06	0.23	0.24	0.24	0.24	0.23
1948	Below Normal	0.23	0.24	0.23	0.20	(0.09)	(0.03)	0.01	(0.64)	0.00	0.02	0.00	(0.01)	0.01
1949	Dry	0.00	0.01	0.01	(0.02)	(0.01)	(0.02)	0.02	0.03	0.03	0.10	0.06	0.01	0.02
1950	Below Normal	(0.03)	(0.06)	(19.31)	0.00	0.00	0.00	0.00	0.00	0.06	0.07	0.06	0.06	(1.60)
1951	Above Normal	0.07	0.07	0.00	0.00	(2.23)	0.00	0.02	0.01	0.65	0.65	0.65	0.65	0.04
1952	Wet	0.66	0.65	0.65	0.64	(2.31)	0.00	(0.09)	(3.21)	(3.09)	(2.61)	(2.61)	(2.53)	(1.15)
1953	Wet	(2.53)	(2.38)	(2.40)	0.75	5.11	6.97	0.54	0.31	4.95	(1.82)	(1.48)	(0.84)	0.60
1954	Above Normal	(0.55)	(0.41)	0.20	1.04	3.94	0.81	(0.09)	(0.03)	(0.03)	(0.35)	(0.55)	(0.45)	0.29
1955	Dry	(0.41)	(0.38)	(0.30)	(0.27)	0.07	0.19	0.36	0.40	0.41	0.49	0.45	0.36	0.11
1956	Wet	0.33	0.31	0.24	(5.57)	0.00	0.00	0.05	0.05	0.68	0.69	0.69	0.68	(0.15)
1957	Above Normal	0.69	0.68	0.68	0.64	(0.03)	(0.22)	0.00	(0.01)	0.58	0.64	0.65	0.63	0.41
1958	Wet	0.63	0.63	0.62	0.58	(0.01)	(0.01)	(0.01)	(0.02)	0.63	0.63	0.63	0.62	0.41
1959	Below Normal	0.62	(1.13)	0.64	0.65	0.01	0.00	0.00	0.00	0.19	0.19	0.19	0.19	0.13
1960	Dry	0.19	0.19	0.20	0.19	0.00	(0.02)	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	0.06
1961	Dry	(0.03)	(0.02)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1962	Below Normal	0.00	(0.32)	(18.47)	0.00	0.00	0.00	0.00	0.00	0.61	0.61	0.61	0.62	(1.36)
1963	Wet	0.62	0.61	0.61	0.62	0.00	0.00	0.00	0.00	0.64	0.64	0.64	0.64	0.42
1964	Dry	0.64	0.64	0.64	0.66	0.00	0.01	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.21
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.64	0.66	0.65	0.65	0.22
1966	Below Normal	0.65	0.64	0.64	0.63	(0.01)	0.00	(0.01)	0.00	0.48	0.47	0.47	0.47	0.37
1967	Wet	0.48	0.48	0.49	0.49	0.00	0.01	0.00	0.00	0.00	0.64	0.64	0.64	0.32
1968	Below Normal	0.64	0.23	3.33	(0.36)	(1.14)	(0.30)	0.06	0.07	0.56	0.67	0.65	0.64	0.42
1969	Wet	0.64	0.63	0.61	(0.04)	0.00	0.00	(1.38)	1.42	0.03	0.66	0.66	0.67	0.33
1970	Wet	0.66	0.66	0.66	(0.17)	(2.15)	0.00	1.16	(0.04)	0.60	0.60	0.60	0.60	0.27
1971	Wet	0.60	0.60	0.61	0.62	(0.01)	0.11	(0.03)	(0.05)	0.35	0.31	0.33	0.38	0.32
1972	Below Normal	0.41	0.40	0.46	0.60	0.06	0.05	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	0.00	0.16
1973	Above Normal	0.01	0.00	0.01	0.03	0.00	0.00	0.00	0.00	0.63	0.63	0.63	0.63	0.21
1974	Wet	0.62	0.63	0.62	0.63	(2.46)	0.00	(0.43)	(0.06)	0.59	0.58	0.59	0.58	0.16
1975	Wet	0.59	0.59	0.59	0.72	0.04	(0.02)	(0.02)	(0.02)	0.61	0.60	0.61	0.61	0.41
1976	Critical	0.61	0.61	0.61	0.61	0.01	0.02	0.04	0.04	0.04	0.03	0.04	0.09	0.23
1977	Critical	0.08	0.07	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1978	Above Normal	0.00	(0.44)	(7.22)	0.00	0.00	(1.02)	0.24	0.42	1.21	1.96	1.56	0.82	(0.21)
1979	Below Normal	0.45	0.45	(0.31)	(0.62)	(1.32)	(1.31)	(0.71)	(0.75)	(0.11)	(0.13)	(0.13)	(0.11)	(0.38)
1980	Above Normal	(0.10)	(0.07)	(0.07)	(7.45)	0.00	0.00	(3.92)	(3.45)	(2.79)	(2.86)	(2.86)	(2.78)	(2.20)
1981	Dry	(2.77)	(2.61)	(6.58)	2.77	6.62	4.73	1.57	1.56	19.02	(0.98)	(0.77)	(0.36)	1.85
1982	Wet	(0.15)	(0.08)	0.30	1.13	0.47	(0.01)	(0.01)	(0.01)	0.64	0.63	0.63	0.63	0.35
1983	Wet	0.63	(0.01)	0.00	(2.41)	2.50	0.00	4.20	(1.84)	(2.37)	0.00	0.64	0.64	0.17
1984	Wet	0.00	0.00	0.00	0.00	(2.22)	0.00	0.00	0.00	0.64	0.64	0.64	0.64	0.03
1985	Dry	0.64	0.64	0.64	0.64	0.00	0.00	0.00	0.00	0.38	0.38	0.39	0.39	0.34
1986	Wet	0.38	0.38	0.38	0.38	(6.67)	0.00	3.05	0.05	0.70	0.70	0.71	0.72	0.06
1987	Dry	0.74	(6.32)	0.64	0.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.36)
1988	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.06	0.07	0.08	0.06	0.04	0.03
1989	Dry	0.01	0.00	0.00	0.00	0.02	(0.02)	0.03	0.04	0.05	0.13	0.08	0.35	0.06
1990	Critical	0.31	0.30	0.19	(0.12)	(0.08)	(0.01)	0.06	0.06	0.07	0.07	0.05	0.04	0.08
1991	Critical	0.03	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)	(0.11)	(0.12)	(0.14)	(0.11)	(0.09)	(0.06)
1993	Above Normal	(0.05)	(0.02)	0.00	(0.35)	0.03	0.05	(0.01)	(0.02)	0.47	0.39	0.41	0.44	0.11
1994	Critical	0.51	0.55	0.63	0.72	0.06	0.02	(0.02)	(0.02)	(0.02)	(0.12)	(1.66)	(0.25)	0.03
1995	Wet	0.00	(0.28)	(8.24)	0.00	0.00	0.00	0.00	0.00	0.64	0.64	1.16	1.14	(0.41)
1996	Wet	1.16	(16.36)	(25.16)	0.65	(0.01)	0.00	(0.05)	(0.05)	0.59	0.59	0.58	0.59	(3.12)
1997	Wet	0.59	0.59	0.59	(0.02)	(0.02)	0.00	(0.42)	0.00	0.63	0.64	0.63	0.63	0.32
1998	Wet	0.64	0.64	0.64	0.63	0.01	0.02	0.01	(0.09)	(0.09)	(0.09)	0.55	0.56	0.29
1999	Wet	0.55	0.56	(0.71)	0.60	0.00	0.00	0.00	0.00	0.63	0.64	0.64	0.64	0.30
2000	Above Normal	0.64	0.64	0.64	0.64	(0.01)	(0.17)	0.03	0.06	0.67	0.75	0.70	0.62	0.43
2001	Dry	0.58	0.58	0.49	0.44	(0.13)	(0.04)	0.03	0.03	0.02	0.02	0.03	0.03	0.17
2002	Dry	0.04	0.04	0.00	0.03	0.00	0.00	(0.02)	(0.02)	(0.02)	(0.03)	(0.02)	(0.06)	(0.01)
2003	Above Normal	1.23	(1.49)	(13.63)	0.00	0.00	0.00	0.00	0.00	0.21	0.21	0.21	0.22	(1.09)
	Average	0.32	(0.07)	(0.90)	0.09	(0.05)	0.11	(0.00)	(0.08)	0.45	0.24	0.31	0.21	0.05
	Wet	0.37	(0.33)	(1.07)	0.00	(0.30)	0.26	0.28	(0.12)	0.43	0.35	0.44	0.46	0.07
	Above Normal	0.40	(0.03)	(1.51)	(0.35)	0.14	(0.05)	(0.31)	(0.25)	0.27	0.30	0.25	0.20	(0.08)
	Below Normal	0.52	0.38	(2.06)	0.15	(0.27)	(0.33)	(0.03)	(0.08)	0.42	0.47	0.45	0.41	0.00
	Dry	0.10	(0.28)	(0.12)	0.38	0.29	0.12	(0.04)	(0.05)	0.85	(0.06)	0.27	(0.12)	0.11
	Critical	0.26	0.26	0.26	0.24	0.03	0.41	(0.24)	0.12	0.10	0.10	0.02	(0.05)	0.13

Percent Difference in Energy Use (GWh) At Pumping Plant at Oso: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	5%	5%	6%	0%	0%	-1%	0%	0%	4%	3%	4%	4%
1924	Critical	6%	6%	9%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	5%	5%	5%	7%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	3%	4%	0%	0%	0%	0%	0%	0%	0%	-27%
1930	Dry	-1%	-4%	-4%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	3%	0%	0%	4%	4%	4%	5%
1933	Critical	7%	8%	15%	22%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	12%	72%	-24%	12%	11%	10%	18%	0%
1935	Below Normal	22%	42%	64%	0%	0%	-1%	1%	1%	5%	6%	5%	3%
1936	Below Normal	3%	3%	0%	-1%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	5%	0%	-2%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	4%	0%	-1%	0%	0%	4%	2%	1%	3%	3%	3%
1939	Dry	4%	4%	5%	9%	-9%	-17%	-13%	-14%	-80%	-10%	18%	-17%
1940	Above Normal	25%	1%	2%	21%	0%	0%	0%	0%	3%	2%	3%	3%
1941	Wet	4%	5%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	4%	4%	2%	0%	0%	0%	0%	0%	4%	3%	4%	4%
1943	Wet	6%	6%	8%	0%	-1%	-1%	0%	0%	3%	2%	2%	3%
1944	Dry	3%	376%	2%	2%	-6%	-2%	0%	0%	3%	3%	3%	4%
1945	Below Normal	7%	9%	20%	9%	0%	-12%	0%	0%	4%	3%	4%	4%
1946	Below Normal	4%	5%	5%	3%	0%	1%	0%	0%	5%	5%	5%	4%
1947	Dry	5%	6%	5%	4%	5%	-7%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	2%	2%	2%	-1%	0%	0%	-4%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	-99%	0%	0%	0%	0%	0%	7%	0%	0%	0%
1951	Above Normal	0%	1%	0%	0%	-9%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	5%	5%	6%	4%	-9%	0%	0%	-14%	-14%	-12%	-12%	-12%
1953	Wet	-14%	-14%	-15%	4%	29%	49%	3%	2%	39%	-8%	-7%	-5%
1954	Above Normal	-4%	-4%	3%	27%	40%	7%	0%	0%	0%	-2%	-3%	-3%
1955	Dry	-3%	-3%	-4%	-9%	2%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	4%	-37%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	3%	3%	3%	3%
1958	Wet	5%	5%	8%	56%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	-7%	2%	7%	0%	0%	0%	0%	22%	1%	1%	1%
1960	Dry	1%	2%	3%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	-1%	-73%	0%	0%	0%	0%	0%	73%	2%	3%	3%
1963	Wet	4%	5%	7%	6%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	6%	7%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1966	Below Normal	5%	5%	6%	4%	0%	0%	0%	0%	3%	2%	3%	3%
1967	Wet	4%	5%	7%	15%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	1%	19%	-4%	-9%	-2%	0%	0%	62%	3%	3%	4%
1969	Wet	5%	5%	8%	0%	0%	0%	-6%	6%	0%	3%	3%	3%
1970	Wet	3%	4%	4%	-1%	-9%	0%	6%	0%	4%	4%	4%	4%
1971	Wet	5%	5%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	4%	4%	6%	10%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	3%	3%	4%
1974	Wet	4%	5%	5%	3%	-10%	0%	-2%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	5%	5%	0%	0%	0%	0%	4%	3%	3%	4%
1976	Critical	4%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	-4%	-44%	0%	0%	-6%	1%	2%	7%	10%	8%	5%
1979	Below Normal	3%	4%	-3%	-7%	-15%	-6%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	-34%	0%	0%	-19%	-14%	-12%	-12%	-12%	-12%
1981	Dry	-14%	-14%	-30%	27%	64%	42%	9%	8%	>1,000%	-4%	-3%	-2%
1982	Wet	-1%	-1%	4%	13%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	-11%	11%	0%	20%	-8%	-11%	0%	3%	3%
1984	Wet	0%	0%	0%	0%	-9%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	5%	5%	3%	7%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	4%	-41%	0%	15%	0%	3%	3%	3%	3%
1987	Dry	4%	-44%	2%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	-3%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	3%	0%	0%	0%	1%	0%	0%	0%	0%	1%	0%	2%
1990	Critical	2%	2%	2%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	4%	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-1%	-2%	-2%
1993	Above Normal	-11%	-7%	0%	-13%	0%	0%	0%	0%	4%	2%	2%	2%
1994	Critical	4%	4%	6%	11%	1%	0%	0%	0%	0%	0%	-27%	-1%
1995	Wet	0%	-1%	-31%	0%	0%	0%	0%	0%	3%	3%	5%	5%
1996	Wet	6%	-95%	-97%	9%	0%	0%	0%	0%	4%	3%	3%	4%
1997	Wet	4%	5%	5%	0%	0%	0%	-2%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	5%	5%	0%	0%	0%	0%	-1%	0%	3%	3%
1999	Wet	4%	3%	-4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	5%	5%	6%	6%	0%	-1%	0%	0%	4%	4%	4%	4%
2001	Dry	4%	5%	5%	7%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	2%	3%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	14%	-11%	-51%	0%	0%	0%	0%	0%	29%	1%	1%	1%
	Average	3%	5%	-2%	3%	0%	1%	0%	0%	3%	1%	2%	1%
	Wet	3%	-1%	-2%	3%	-1%	2%	1%	-1%	3%	2%	2%	3%
	Above Normal	3%	-1%	-6%	2%	3%	0%	-1%	-1%	4%	2%	2%	1%
	Below Normal	5%	5%	-3%	2%	-3%	-1%	0%	0%	14%	2%	2%	2%
	Dry	1%	19%	0%	4%	3%	1%	0%	0%	-4%	0%	2%	0%
	Critical	3%	2%	3%	4%	1%	6%	-2%	1%	1%	1%	-1%	-2%

Energy Use (GWh) At Pumping Plant at Pearblossom: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	90.99	83.96	75.54	20.02	56.56	60.87	56.41	59.32	58.22	59.82	60.81	58.69	741.21
1923	Below Normal	55.65	52.83	52.80	90.68	82.18	61.47	44.35	56.13	56.00	55.12	61.18	57.84	726.23
1924	Critical	48.21	44.47	40.30	15.83	18.09	17.82	28.48	38.71	39.88	34.84	34.85	33.43	394.91
1925	Dry	21.90	17.50	15.45	4.33	8.59	24.89	50.48	64.93	65.50	63.15	72.56	67.87	477.15
1926	Dry	54.74	50.58	44.51	4.80	11.13	22.44	39.45	53.23	53.87	51.86	59.69	55.73	502.03
1927	Wet	44.91	41.32	36.47	8.93	37.97	68.76	61.41	64.13	62.54	64.84	65.14	63.06	619.48
1928	Above Normal	61.23	58.50	59.02	48.96	57.09	33.89	70.76	73.31	71.11	73.81	74.32	71.96	753.96
1929	Critical	70.01	67.28	67.70	51.20	48.27	24.25	26.33	42.91	44.00	38.51	38.71	1.50	520.67
1930	Dry	23.19	32.32	31.56	4.20	10.60	15.46	41.78	54.52	55.97	50.82	54.21	51.61	426.24
1931	Critical	37.13	31.97	28.24	4.29	10.30	17.02	35.69	47.62	48.78	42.65	42.82	41.05	387.56
1932	Dry	27.19	21.91	19.20	5.71	15.62	24.57	38.06	49.63	50.31	48.22	54.60	51.22	406.24
1933	Critical	40.35	36.84	32.58	4.52	43.44	20.24	39.14	53.38	54.60	50.17	53.98	51.25	480.49
1934	Critical	37.49	32.44	28.69	4.46	9.31	17.96	41.22	55.08	56.45	49.34	17.48	1.51	351.43
1935	Below Normal	57.80	48.38	39.39	4.37	14.54	22.76	63.45	69.55	68.79	69.46	72.79	69.49	600.77
1936	Below Normal	63.43	60.08	58.57	35.84	39.75	90.99	66.06	71.57	69.60	72.19	72.63	70.32	771.03
1937	Below Normal	68.31	65.48	65.93	53.48	81.23	69.41	82.27	87.05	84.38	87.59	88.23	85.47	918.83
1938	Wet	83.34	80.21	80.55	60.06	76.32	90.99	86.43	89.22	87.03	89.94	90.39	87.70	1,002.18
1939	Dry	85.50	81.93	82.49	63.90	66.70	45.25	51.96	65.10	1.73	67.85	1.97	64.62	679.00
1940	Above Normal	0.32	0.17	59.38	4.58	8.84	28.78	50.89	65.44	35.31	60.61	77.00	72.24	463.56
1941	Wet	58.01	53.52	46.94	29.70	60.10	66.29	68.24	70.80	68.96	71.54	71.80	69.54	735.44
1942	Wet	67.63	64.66	65.26	90.68	79.06	81.76	49.27	56.36	56.08	56.00	60.09	57.12	783.97
1943	Wet	50.05	46.64	44.03	69.09	77.84	66.48	75.82	78.44	76.26	79.16	79.48	77.14	820.43
1944	Dry	75.12	0.17	84.64	35.14	34.05	26.82	41.67	54.19	55.05	50.98	55.40	52.63	565.86
1945	Below Normal	38.91	34.07	30.12	8.18	14.50	90.99	65.64	69.30	67.52	70.02	70.40	68.21	627.86
1946	Below Normal	66.23	63.38	63.83	90.68	76.75	90.96	50.63	54.82	53.85	55.33	56.36	54.31	777.13
1947	Dry	51.21	48.47	48.32	43.82	45.50	30.50	70.48	72.95	70.77	73.40	73.87	71.61	700.90
1948	Below Normal	69.67	66.90	67.31	45.71	43.44	23.49	35.42	1.31	1.66	70.60	79.61	74.61	579.73
1949	Dry	59.52	55.23	48.89	7.64	13.55	20.68	56.97	68.44	68.70	67.10	17.06	81.38	565.16
1950	Below Normal	62.85	9.07	16.28	7.20	9.52	17.67	46.80	58.37	1.60	67.71	76.13	71.38	444.58
1951	Above Normal	56.84	52.60	46.47	75.11	76.59	90.99	56.26	62.07	60.77	62.82	62.99	61.05	764.56
1952	Wet	59.23	56.42	57.09	90.68	79.32	90.99	69.68	81.07	78.77	81.78	82.13	79.67	906.83
1953	Wet	77.73	74.27	74.88	90.68	75.18	43.86	42.15	54.39	1.42	60.26	67.71	63.61	726.14
1954	Above Normal	50.47	46.41	40.87	8.68	41.28	31.36	48.54	61.76	54.90	56.17	70.04	65.75	576.23
1955	Dry	52.74	48.56	42.58	8.93	17.46	25.84	43.91	55.13	55.57	53.76	61.41	57.49	523.38
1956	Wet	46.04	42.34	37.34	53.46	78.76	90.99	66.68	70.43	68.88	71.22	71.41	69.28	766.83
1957	Above Normal	67.33	64.26	64.93	61.65	58.61	51.94	50.46	64.31	23.20	64.38	77.26	72.58	720.91
1958	Wet	57.87	53.58	46.99	10.20	67.82	67.64	86.38	89.67	87.19	90.32	90.87	88.06	836.59
1959	Below Normal	86.04	0.17	84.64	38.81	41.41	34.13	43.15	53.56	1.79	62.36	69.87	65.51	581.44
1960	Dry	52.02	47.93	42.38	4.52	7.22	20.39	57.78	69.68	36.86	71.70	45.26	80.97	536.71
1961	Dry	67.10	62.36	56.49	13.93	17.50	17.61	45.02	56.05	56.86	54.74	38.72	13.28	499.66
1962	Below Normal	0.36	29.12	38.58	4.75	7.99	26.41	47.84	60.39	1.69	70.14	79.02	74.12	440.41
1963	Wet	59.06	54.65	48.25	56.12	58.95	55.64	49.42	55.76	54.94	55.91	57.98	55.68	662.36
1964	Dry	51.19	48.14	47.10	44.81	85.12	58.71	55.83	60.08	59.23	60.33	62.36	59.79	692.69
1965	Wet	55.49	52.30	51.42	65.61	82.18	69.62	52.54	57.51	16.48	62.19	64.82	62.06	692.22
1966	Below Normal	56.36	52.91	51.26	82.87	79.86	54.35	45.76	56.44	56.45	55.41	61.31	57.90	710.88
1967	Wet	48.62	44.90	40.93	20.74	82.18	75.84	85.09	88.66	86.26	89.39	89.91	87.21	839.73
1968	Below Normal	85.03	81.41	81.97	43.21	52.47	37.27	43.94	54.91	1.87	63.83	71.28	66.99	684.18
1969	Wet	53.01	48.87	43.16	51.60	76.22	90.99	80.76	85.10	82.90	85.79	86.21	83.65	868.26
1970	Wet	81.46	77.99	78.60	88.90	76.69	90.99	57.72	60.97	59.74	61.71	61.89	59.92	856.58
1971	Wet	58.16	55.34	56.01	90.68	80.85	67.70	45.81	56.76	56.79	55.95	61.54	58.20	743.79
1972	Below Normal	49.17	45.53	41.77	34.17	65.79	54.02	48.39	59.04	59.38	57.74	64.82	61.01	640.83
1973	Above Normal	50.16	46.32	41.53	16.94	69.48	68.62	60.24	65.81	64.41	66.43	66.70	64.59	681.23
1974	Wet	62.74	59.83	60.43	90.68	75.99	90.99	82.28	66.38	65.10	67.13	67.35	65.34	854.24
1975	Wet	63.49	60.41	61.08	80.34	65.68	81.01	62.85	65.12	63.62	65.75	66.07	64.07	799.49
1976	Critical	62.12	59.37	59.92	50.30	52.52	37.71	49.68	62.50	43.88	62.75	31.39	75.35	647.49
1977	Critical	59.72	55.01	35.25	4.68	7.44	10.09	20.07	1.33	0.00	1.91	3.73	1.65	200.88
1978	Above Normal	0.47	10.77	37.80	4.10	17.99	60.79	58.45	65.50	64.47	65.62	67.91	65.08	518.95
1979	Below Normal	60.70	57.36	56.49	42.65	43.83	80.42	65.36	68.10	66.41	68.66	69.05	66.96	745.99
1980	Above Normal	64.98	62.13	62.59	53.12	78.67	90.99	83.66	88.10	85.74	88.90	89.34	86.67	934.89
1981	Dry	84.61	58.13	84.64	42.34	41.83	32.17	45.41	58.38	2.04	67.72	76.14	71.46	664.87
1982	Wet	56.74	52.44	46.31	48.02	61.40	67.07	84.18	87.26	85.01	87.88	88.32	85.64	850.27
1983	Wet	83.59	80.01	80.60	84.64	82.18	90.99	78.82	83.18	81.12	83.93	84.32	81.83	995.21
1984	Wet	85.44	76.96	84.64	90.68	79.54	90.99	55.38	61.75	60.28	62.55	62.71	60.80	871.72
1985	Dry	58.87	56.15	57.02	90.68	56.91	64.01	57.42	60.99	59.90	61.83	61.97	59.95	745.70
1986	Wet	58.24	55.51	56.16	52.01	55.04	90.99	86.82	90.22	87.39	90.86	90.99	88.06	902.29
1987	Dry	86.61	0.17	84.64	35.47	34.43	18.81	27.33	35.93	37.02	32.35	32.52	31.18	456.46
1988	Critical	20.65	16.42	14.51	4.38	12.21	10.15	20.61	28.10	28.99	25.63	25.45	24.33	231.43
1989	Dry	15.73	12.26	11.00	6.21	12.97	15.29	63.37	70.40	69.53	70.17	67.37	71.42	485.72
1990	Critical	64.74	61.16	59.28	33.70	33.53	22.80	31.30	41.42	42.66	37.30	37.43	35.93	501.25
1991	Critical	23.81	19.06	16.76	4.26	7.50	10.17	21.35	27.94	28.89	25.52	25.44	24.42	235.12
1992	Critical	15.89	12.42	11.13	4.22	7.42	10.07	28.65	37.89	38.88	34.02	32.46	33.38	266.43
1993	Above Normal	13.94	11.69	24.38	4.44	60.79	58.94	52.32	59.80	1.66	66.89	71.98	68.40	495.23
1994	Critical	59.76	55.86	52.60	28.69	32.23	33.41	49.91	62.50	21.18	65.99	1.98	20.18	484.29
1995	Wet	0.34	2.31	63.98	4.74	47.86	39.65	79.31	82.23	79.86	82.91	83.46	80.90	647.55
1996	Wet	78.86	14.43	36.70	39.92	35.68	58.69	59.73	61.49	60.02	62.22	62.50	60.45	630.69
1997	Wet	58.64	56.03	56.61	90.68	76.98	90.99	69.60	71.93	70.10	72.61	72.87	70.68	857.72
1998	Wet	68.70	65.64	66.28	61.09	79.14	90.99	65.85	66.47	64.74	67.39	67.73	65.57	829.59
1999	Wet	63.57	62.20	61.36	90.68	76.61	62.41	55.71	61.41	59.97	62.40	62.61	60.60	779.53
2000	Above Normal	58.77	56.02	56.70	55.29	84.11	58.14	54.76	62.61	61.97	62.40	66.63	63.33	740.73
2001	Dry	56.04	52.62	50.19	29.00	29.46	23.75	41.20	55.17	56.51	50.01	51.19	49.16	544.30
2002	Dry	33.34	27.47	24.07	8.66	18.08	25.70	67.39	69.73	67.59	70.50	20.60	77.56	510.69
2003	Above Normal	0.28	0.17	50.38	13.51	21.00	26.84	43.49	54.53	1.34	63.60	71.09	66.73	412.96
	Average	53.83	46.42	50.89	39.32	47.79	50.42	54.65	61.39	52.03	62.61	61.12	61.22	641.68
	Wet	60.81	55.11	57.00	61.95	70.21	75.90	67.61	71.41	66.21	72.37	73.47	70.99	803.04
	Above Normal	42.98	41.08	51.63	30.53	52.58	55.18	57.19	65.21	48.59	65.95	71.34	68.09	650.37
	Below Normal	58.61	47.62	53.50	41.61	46.66	53.88	53.50	58.61	42.21	66.15	70.91	67.44	660.71
	Dry	53.15	40.11	48.62	25.23	29.26	28.49	49.75	59.70	51.28	59.25	50.38	59.39	554.60
	Critical	44.99	41.03	37.25	17.54	23.52	19.31	32.70	41.62	37.35	39.05	28.81	28.67	391.83

Energy Use (GWh) At Pumping Plant at Pearblossom: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	90.99	83.96	75.54	20.02	56.56	60.87	56.40	59.32	60.62	62.22	63.20	61.08	750.78
1923	Below Normal	58.04	55.22	55.18	90.68	82.18	61.04	44.31	56.16	58.40	57.49	63.60	60.24	742.54
1924	Critical	50.55	46.80	42.59	17.88	17.83	17.75	28.49	38.73	39.90	34.85	34.86	33.45	403.68
1925	Dry	21.90	17.50	15.45	4.33	8.58	24.88	50.51	64.97	66.14	63.78	73.20	68.51	479.75
1926	Dry	55.37	51.21	45.13	5.39	11.11	22.43	39.40	53.19	53.83	51.83	59.65	55.69	504.23
1927	Wet	44.88	41.29	36.45	8.93	37.93	68.76	61.41	64.13	64.94	67.24	67.54	65.45	628.95
1928	Above Normal	63.62	60.89	61.41	51.34	57.03	33.89	70.76	73.32	72.51	75.21	75.71	73.35	769.04
1929	Critical	71.40	68.67	69.09	52.59	48.27	24.24	26.32	42.89	43.98	38.49	38.70	2.51	527.15
1930	Dry	23.23	32.54	31.72	4.20	10.60	15.46	41.78	54.53	55.97	50.82	54.21	51.61	426.67
1931	Critical	37.13	31.97	28.23	4.29	10.29	17.02	35.68	47.60	48.76	42.63	42.80	41.03	387.43
1932	Dry	27.18	21.90	19.19	5.71	15.62	24.57	38.06	49.63	52.71	50.62	56.99	53.61	415.79
1933	Critical	42.74	39.23	34.98	6.91	41.69	20.24	39.14	53.38	54.60	50.17	53.98	51.25	488.31
1934	Critical	37.49	32.44	28.69	4.47	11.41	20.87	40.84	54.12	55.26	50.00	45.89	1.51	382.99
1935	Below Normal	50.89	48.34	41.21	4.47	14.35	22.60	61.74	69.44	71.21	71.26	75.72	72.10	603.33
1936	Below Normal	64.54	60.96	58.61	32.91	35.36	90.99	66.06	71.56	71.99	74.58	75.02	72.71	775.29
1937	Below Normal	70.71	67.88	68.33	53.48	82.18	69.40	82.27	87.05	86.78	89.98	90.63	87.86	936.55
1938	Wet	85.74	82.60	80.55	58.60	76.49	90.99	88.06	90.94	86.82	93.02	93.38	90.45	1,017.64
1939	Dry	88.65	85.08	85.63	72.11	66.94	40.31	44.19	55.06	3.95	66.18	8.16	56.99	673.25
1940	Above Normal	4.51	4.56	63.07	6.73	8.87	28.78	50.89	65.44	37.63	62.71	79.27	74.51	486.97
1941	Wet	60.27	55.78	48.08	29.68	60.10	66.04	68.02	70.56	71.13	73.70	73.95	71.70	749.01
1942	Wet	69.79	66.84	66.23	90.68	79.08	81.47	49.25	56.36	58.47	58.39	62.48	59.52	798.56
1943	Wet	52.43	49.02	46.40	69.02	77.16	65.91	75.42	78.03	78.25	81.14	81.46	79.13	833.37
1944	Dry	77.12	2.56	87.03	34.56	31.40	25.94	41.66	54.18	56.59	52.53	56.95	54.17	574.69
1945	Below Normal	40.46	35.62	31.67	9.74	14.49	87.82	65.74	69.41	70.02	72.52	72.90	70.71	641.10
1946	Below Normal	68.73	65.88	66.33	93.08	76.75	89.84	50.24	54.84	56.25	57.58	58.89	56.77	795.18
1947	Dry	53.27	50.48	50.08	44.85	44.43	30.45	70.68	73.16	71.66	74.29	74.77	72.50	710.62
1948	Below Normal	70.56	67.79	68.20	43.61	41.22	22.68	35.43	3.68	1.66	70.58	79.56	74.84	579.81
1949	Dry	59.61	55.27	48.53	7.61	13.50	20.65	56.69	68.38	68.68	66.98	16.03	81.75	563.68
1950	Below Normal	63.12	9.61	65.29	7.20	9.52	17.67	46.80	58.37	1.84	67.95	76.37	71.63	495.37
1951	Above Normal	57.08	52.85	46.47	75.19	82.18	90.99	56.33	62.13	63.22	65.28	65.45	63.51	780.68
1952	Wet	61.68	58.88	59.54	93.08	85.12	90.99	69.38	68.45	66.94	71.58	71.81	69.69	867.14
1953	Wet	67.90	64.80	65.45	93.08	82.18	71.94	43.71	56.13	58.47	57.19	64.02	60.51	785.38
1954	Above Normal	49.82	45.98	41.17	16.13	55.66	34.74	48.22	61.61	61.91	59.90	68.56	64.30	608.00
1955	Dry	51.69	47.58	41.69	8.99	18.01	26.56	44.98	56.51	56.95	55.08	62.93	58.92	529.89
1956	Wet	47.21	43.42	38.28	51.76	78.84	90.99	66.93	70.66	71.48	73.84	74.03	71.90	779.34
1957	Above Normal	69.94	66.87	67.53	64.12	58.68	50.91	50.45	64.28	23.80	66.50	79.60	74.92	737.60
1958	Wet	60.16	55.86	49.26	12.37	67.77	67.59	86.34	89.64	89.55	92.68	93.23	90.45	854.90
1959	Below Normal	88.38	5.33	87.03	41.27	41.40	34.15	43.15	53.56	2.51	63.08	70.58	66.23	596.67
1960	Dry	52.74	48.65	43.10	5.24	7.23	20.33	57.79	69.69	36.99	71.70	45.68	80.89	540.03
1961	Dry	67.04	62.31	56.46	13.96	17.54	17.63	45.02	56.06	56.87	54.75	38.68	13.30	499.62
1962	Below Normal	0.36	29.72	84.64	4.75	7.99	26.42	47.84	60.39	4.00	72.45	81.33	76.42	496.31
1963	Wet	61.36	56.95	50.56	58.42	58.95	55.64	49.42	55.76	57.33	58.31	60.37	58.07	681.14
1964	Dry	53.58	50.54	49.50	47.30	85.12	58.75	55.83	60.07	59.22	60.32	62.34	59.78	702.35
1965	Wet	55.49	52.30	51.42	65.64	82.18	69.62	52.53	57.51	18.69	64.60	67.24	64.48	701.70
1966	Below Normal	58.76	55.30	53.65	85.22	79.81	54.36	45.77	56.44	58.25	57.21	63.10	59.69	727.56
1967	Wet	50.42	46.70	42.73	22.56	82.18	75.87	85.09	88.66	86.26	91.79	92.31	89.60	854.17
1968	Below Normal	87.42	66.72	87.03	42.08	48.32	36.18	44.14	55.17	3.97	66.23	73.73	69.41	680.40
1969	Wet	55.37	51.22	45.48	51.39	76.28	90.99	80.85	85.21	83.00	88.28	88.71	86.14	882.92
1970	Wet	83.95	80.48	81.09	89.42	82.18	90.99	61.60	60.86	62.02	63.99	64.17	62.20	882.95
1971	Wet	60.44	57.64	58.31	93.08	80.86	68.30	45.91	56.69	58.20	57.43	62.88	59.58	759.32
1972	Below Normal	50.72	47.10	43.44	36.61	66.17	54.23	48.43	59.05	59.38	57.75	64.81	61.00	648.69
1973	Above Normal	50.19	46.35	41.58	17.09	69.48	68.62	60.24	65.81	66.75	68.78	69.04	66.94	690.87
1974	Wet	65.09	62.17	62.78	93.03	82.18	90.99	82.43	66.18	67.30	69.32	69.54	67.54	878.55
1975	Wet	65.69	62.61	63.29	83.20	65.80	80.89	62.75	65.01	65.88	68.00	68.32	66.33	817.77
1976	Critical	64.38	61.63	62.18	52.61	52.48	37.78	49.80	62.65	44.42	62.85	30.98	75.51	657.27
1977	Critical	59.81	55.10	33.24	4.68	7.44	10.09	20.07	1.33	0.00	1.87	3.73	1.69	199.05
1978	Above Normal	0.47	11.73	55.50	4.10	17.99	56.36	56.62	65.69	67.54	67.66	71.92	68.48	544.06
1979	Below Normal	61.54	57.80	55.50	35.79	35.92	74.54	62.59	65.15	65.95	68.10	68.47	66.46	717.81
1980	Above Normal	64.51	61.76	62.22	76.47	78.83	90.99	68.27	74.42	74.97	77.66	77.95	75.65	883.70
1981	Dry	73.79	70.47	71.10	62.30	77.06	52.87	49.80	64.08	50.03	66.46	74.88	70.54	783.38
1982	Wet	57.52	53.28	47.50	53.18	63.50	67.01	84.15	87.23	87.38	90.25	90.69	88.01	869.70
1983	Wet	85.95	79.98	80.57	90.68	75.92	90.99	80.93	83.18	79.02	83.93	86.71	84.22	1,002.08
1984	Wet	85.44	76.96	50.25	90.68	85.12	90.99	55.38	61.76	62.68	64.95	65.11	63.20	852.52
1985	Dry	61.27	58.54	59.37	93.08	56.91	64.01	57.42	61.00	61.34	63.28	63.41	61.40	761.03
1986	Wet	59.69	56.95	57.61	53.46	55.04	90.99	87.04	90.45	89.63	93.38	93.38	90.45	918.07
1987	Dry	89.37	5.85	87.03	37.83	34.39	18.80	27.32	35.91	37.00	32.34	32.51	31.16	469.51
1988	Critical	20.64	16.41	14.51	4.38	12.23	10.15	20.61	28.45	29.34	25.93	25.76	24.63	233.04
1989	Dry	15.93	12.43	11.14	6.16	12.88	15.17	63.10	70.41	69.58	70.12	60.38	72.61	479.91
1990	Critical	65.56	61.89	59.83	32.81	32.87	22.66	31.54	41.75	43.00	37.59	37.72	36.21	503.43
1991	Critical	24.00	19.21	16.90	4.26	7.50	10.17	21.35	27.94	28.89	25.52	25.44	24.42	235.60
1992	Critical	15.89	12.42	11.13	4.22	7.42	10.07	28.19	37.26	38.24	33.47	32.08	32.77	263.16
1993	Above Normal	15.33	11.75	22.67	4.47	60.89	59.13	52.41	59.79	5.89	69.41	74.37	70.99	507.10
1994	Critical	62.39	58.43	55.05	31.51	32.60	33.46	49.86	62.42	23.27	65.69	6.13	20.81	501.62
1995	Wet	0.34	2.83	84.64	4.74	47.86	39.65	79.31	82.23	82.25	70.40	87.56	84.94	666.75
1996	Wet	23.16	2.56	68.33	42.38	35.66	58.67	59.53	61.29	62.22	64.41	64.68	62.65	605.54
1997	Wet	60.84	58.23	58.81	90.68	77.04	90.99	69.59	71.92	72.48	74.99	75.25	73.06	873.88
1998	Wet	71.08	68.02	68.66	63.39	79.12	90.99	65.89	66.12	64.40	67.04	69.77	67.61	842.09
1999	Wet	65.62	64.26	66.28	93.08	76.61	62.40	55.71	61.41	62.36	64.79	65.01	62.99	800.52
2000	Above Normal	61.16	58.42	59.09	57.68	84.09	57.39	54.51	62.65	64.29	64.61	69.06	65.70	758.65
2001	Dry	58.13	54.67	52.08	30.14	28.55	23.49	41.20	55.15	56.49	50.02	51.24	49.21	550.37
2002	Dry	33.40	27.54	24.14	8.66	18.08	25.69	67.31	69.64	67.50	70.41	18.66	78.03	509.06
2003	Above Normal	0.28	3.95	84.64	13.51	21.00	26.84	43.49	54.53	2.14	64.40	71.89	67.53	454.20
	Average	54.08	47.48	53.78	40.82	48.51	50.79	54.44	61.05	54.29	63.37	62.48	62.19	653.28
	Wet	59.90	55.83	58.79	63.32	71.20	76.95	67.95	71.01	69.51	73.26	75.14	72.69	815.54
	Above Normal	43.99	42.42	56.74	33.90	54.27	54.96	55.72	64.08	50.11	67.03	72.17	68.91	664.30
	Below Normal	59.59	48.09	61.87	41.49	45.40	52.99	53.18	58.59	43.73	67.63	72.48	69.01	674.04
	Dry	53.52	41.95	48.80	27.36	31.00	29.33	49.60	59.53	54.53	59.53	50.59	59.48	565.21
	Critical	46.00	42.02	38.04	18.38	23.50	19.54	32.66	41.54	37.47	39.09	31.51	28.82	398.56

Difference in Energy Use (GWh) At Pumping Plant at Pearblossom: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	2.40	2.40	2.39	2.39	0.80
1923	Below Normal	2.39	2.39	2.38	0.00	0.00	(0.43)	(0.04)	0.03	2.40	2.37	2.42	2.40	1.36
1924	Critical	2.34	2.33	2.29	2.05	(0.26)	(0.07)	0.01	0.02	0.02	0.01	0.01	0.02	0.73
1925	Dry	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.03	0.04	0.64	0.63	0.64	0.64	0.22
1926	Dry	0.63	0.63	0.62	0.59	(0.02)	(0.01)	(0.05)	(0.04)	(0.04)	(0.03)	(0.04)	(0.04)	0.18
1927	Wet	(0.03)	(0.03)	(0.02)	0.00	(0.04)	0.00	0.00	0.00	2.40	2.40	2.40	2.39	0.79
1928	Above Normal	2.39	2.39	2.39	2.38	(0.06)	0.00	0.00	0.01	1.40	1.40	1.39	1.39	1.26
1929	Critical	1.39	1.39	1.39	1.39	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.01)	1.01	0.54
1930	Dry	0.04	0.22	0.16	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.04
1931	Critical	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	(0.02)	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)
1932	Dry	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	2.40	2.40	2.39	2.39	0.80
1933	Critical	2.39	2.39	2.40	2.39	(1.75)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65
1934	Critical	0.00	0.00	0.00	0.01	2.10	2.91	(0.38)	(0.96)	(1.19)	0.66	28.41	0.00	2.63
1935	Below Normal	(6.91)	(0.04)	1.82	0.10	(0.19)	(0.16)	(1.71)	(0.11)	2.42	1.80	2.93	2.61	0.21
1936	Below Normal	1.11	0.88	0.04	(2.93)	(4.39)	0.00	0.00	(0.01)	2.39	2.39	2.39	2.39	0.36
1937	Below Normal	2.40	2.40	2.40	0.00	0.95	(0.01)	0.00	0.00	2.40	2.39	2.40	2.39	1.48
1938	Wet	2.40	2.39	0.00	(1.46)	0.17	0.00	1.63	1.72	(0.21)	3.08	2.99	2.75	1.29
1939	Dry	3.15	3.15	3.14	8.21	0.24	(4.94)	(7.77)	(10.04)	2.22	(1.67)	6.19	(7.63)	(0.48)
1940	Above Normal	4.19	4.39	3.69	2.15	0.03	0.00	0.00	0.00	2.32	2.10	2.27	2.27	1.95
1941	Wet	2.26	2.26	1.14	(0.02)	0.00	(0.25)	(0.22)	(0.24)	2.17	2.16	2.15	2.16	1.13
1942	Wet	2.16	2.18	0.97	0.00	0.02	(0.29)	(0.02)	0.00	2.39	2.39	2.39	2.40	1.22
1943	Wet	2.38	2.38	2.37	(0.07)	(0.68)	(0.57)	(0.40)	(0.41)	1.99	1.98	1.98	1.99	1.08
1944	Dry	2.00	2.39	2.39	(0.58)	(2.65)	(0.88)	(0.01)	(0.01)	1.54	1.55	1.55	1.54	0.74
1945	Below Normal	1.55	1.55	1.55	1.56	(0.01)	(3.17)	0.10	0.11	2.50	2.50	2.50	2.50	1.10
1946	Below Normal	2.50	2.50	2.50	2.40	0.00	(1.12)	(0.39)	0.02	2.40	2.25	2.53	2.46	1.50
1947	Dry	2.06	2.01	1.76	1.03	(1.07)	(0.05)	0.20	0.21	0.89	0.89	0.90	0.89	0.81
1948	Below Normal	0.89	0.89	0.89	(2.10)	(2.22)	(0.81)	0.01	2.37	0.00	(0.02)	(0.05)	0.23	0.01
1949	Dry	0.09	0.04	(0.36)	(0.03)	(0.05)	(0.03)	(0.28)	(0.06)	(0.02)	(0.12)	(1.03)	0.37	(0.12)
1950	Below Normal	0.27	0.54	49.01	0.00	0.00	0.00	0.00	0.00	0.24	0.24	0.24	0.25	4.23
1951	Above Normal	0.24	0.25	0.00	0.08	5.59	0.00	0.07	0.06	2.45	2.46	2.46	2.46	1.34
1952	Wet	2.45	2.46	2.45	2.40	5.80	0.00	(0.30)	(12.62)	(11.83)	(10.20)	(10.32)	(9.98)	(3.31)
1953	Wet	(9.83)	(9.47)	(9.43)	2.40	7.00	28.08	1.56	1.74	57.05	(3.07)	(3.69)	(3.10)	4.94
1954	Above Normal	(0.65)	(0.43)	0.30	7.45	14.38	3.38	(0.32)	(0.15)	7.01	3.73	(1.48)	(1.45)	2.65
1955	Dry	(1.05)	(0.98)	(0.89)	0.06	0.55	0.72	1.07	1.38	1.38	1.32	1.52	1.43	0.54
1956	Wet	1.17	1.08	0.94	(1.70)	0.08	0.00	0.25	0.23	2.60	2.62	2.62	2.62	1.04
1957	Above Normal	2.61	2.61	2.60	2.47	0.07	(1.03)	(0.01)	(0.03)	0.60	2.12	2.34	2.34	1.39
1958	Wet	2.29	2.28	2.27	2.17	(0.05)	(0.05)	(0.04)	(0.03)	2.36	2.36	2.36	2.39	1.53
1959	Below Normal	2.34	5.16	2.39	2.46	(0.01)	0.02	0.00	0.00	0.72	0.72	0.71	0.72	1.27
1960	Dry	0.72	0.72	0.72	0.72	0.01	(0.06)	0.01	0.01	0.13	0.00	0.42	(0.08)	0.28
1961	Dry	(0.06)	(0.05)	(0.03)	0.03	0.04	0.02	0.00	0.01	0.01	0.01	(0.04)	0.02	0.00
1962	Below Normal	0.00	0.60	46.06	0.00	0.00	0.01	0.00	0.00	2.31	2.31	2.31	2.30	4.66
1963	Wet	2.30	2.30	2.31	2.30	0.00	0.00	0.00	0.00	2.39	2.40	2.39	2.39	1.57
1964	Dry	2.39	2.40	2.40	2.49	0.00	0.04	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	0.81
1965	Wet	0.00	0.00	0.00	0.03	0.00	0.00	(0.01)	0.00	2.21	2.41	2.42	2.42	0.79
1966	Below Normal	2.40	2.39	2.39	2.35	(0.05)	0.01	0.01	0.00	1.80	1.80	1.79	1.79	1.39
1967	Wet	1.80	1.80	1.80	1.82	0.00	0.03	0.00	0.00	0.00	2.40	2.40	2.39	1.20
1968	Below Normal	2.39	(14.69)	5.06	(1.13)	(4.15)	(1.09)	0.20	0.26	2.10	2.40	2.45	2.42	(0.31)
1969	Wet	2.36	2.35	2.32	(0.21)	0.06	0.00	0.09	0.11	0.10	2.49	2.50	2.49	1.22
1970	Wet	2.49	2.49	2.49	0.52	5.49	0.00	3.88	(0.11)	2.28	2.28	2.28	2.28	2.20
1971	Wet	2.28	2.30	2.30	2.40	0.01	0.60	0.10	(0.07)	1.41	1.48	1.34	1.38	1.29
1972	Below Normal	1.55	1.57	1.67	2.44	0.38	0.21	0.04	0.01	0.00	0.01	(0.01)	(0.01)	0.65
1973	Above Normal	0.03	0.03	0.05	0.15	0.00	0.00	0.00	0.00	2.34	2.35	2.34	2.35	0.80
1974	Wet	2.35	2.34	2.35	2.35	6.19	0.00	0.15	(0.20)	2.20	2.19	2.19	2.20	2.03
1975	Wet	2.20	2.20	2.21	2.86	0.12	(0.12)	(0.10)	(0.11)	2.26	2.25	2.25	2.26	1.52
1976	Critical	2.26	2.26	2.26	2.31	(0.04)	0.07	0.12	0.15	0.54	0.10	(0.41)	0.16	0.82
1977	Critical	0.09	0.09	(2.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.04	(0.15)
1978	Above Normal	0.00	0.96	17.70	0.00	0.00	(4.43)	(1.83)	0.19	3.07	2.04	4.01	3.40	2.09
1979	Below Normal	0.84	0.44	(0.99)	(6.86)	(7.91)	(5.88)	(2.77)	(2.95)	(0.46)	(0.56)	(0.58)	(0.50)	(2.35)
1980	Above Normal	(0.47)	(0.37)	(0.37)	23.35	0.16	0.00	(15.39)	(13.68)	(10.77)	(11.24)	(11.39)	(11.02)	(4.27)
1981	Dry	(10.82)	12.34	(13.54)	19.96	35.23	20.70	4.39	5.70	47.99	(1.26)	(1.26)	(0.92)	9.88
1982	Wet	0.78	0.84	1.19	5.16	2.10	(0.06)	(0.03)	(0.03)	2.37	2.37	2.37	2.37	1.62
1983	Wet	2.36	(0.03)	(0.03)	6.04	(6.26)	0.00	2.11	0.00	(2.10)	0.00	2.39	2.39	0.57
1984	Wet	0.00	0.00	(34.39)	0.00	5.58	0.00	0.00	0.01	2.40	2.40	2.40	2.40	(1.60)
1985	Dry	2.40	2.39	2.35	2.40	0.00	0.00	0.00	0.01	1.44	1.45	1.44	1.45	1.28
1986	Wet	1.45	1.44	1.45	1.45	0.00	0.00	0.22	0.23	2.24	2.52	2.39	2.39	1.32
1987	Dry	2.76	5.68	2.39	2.36	(0.04)	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.02)	1.09
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.02	0.00	0.00	0.35	0.35	0.30	0.31	0.30	0.13
1989	Dry	0.20	0.17	0.14	(0.05)	(0.09)	(0.12)	(0.27)	0.01	0.05	(0.05)	(6.99)	1.19	(0.48)
1990	Critical	0.82	0.73	0.55	(0.89)	(0.66)	(0.14)	0.24	0.33	0.34	0.29	0.29	0.28	0.18
1991	Critical	0.19	0.15	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.46)	(0.63)	(0.64)	(0.55)	(0.38)	(0.61)	(0.27)
1993	Above Normal	1.39	0.06	(1.71)	0.03	0.10	0.19	0.09	(0.01)	4.23	2.52	2.39	2.59	0.99
1994	Critical	2.63	2.57	2.45	2.82	0.37	0.05	(0.05)	(0.08)	2.09	(0.30)	4.15	0.63	1.44
1995	Wet	0.00	0.52	20.66	0.00	0.00	0.00	0.00	0.00	2.39	(12.51)	4.10	4.04	1.60
1996	Wet	(55.70)	(11.87)	31.63	2.46	(0.02)	(0.02)	(0.20)	(0.20)	2.20	2.19	2.18	2.20	(2.10)
1997	Wet	2.20	2.20	2.20	0.00	0.06	0.00	(0.01)	(0.01)	2.38	2.38	2.38	2.38	1.35
1998	Wet	2.38	2.38	2.38	2.30	(0.02)	0.00	0.04	(0.35)	(0.34)	(0.35)	2.04	2.04	1.04
1999	Wet	2.05	2.06	4.92	2.40	0.00	(0.01)	0.00	0.00	2.39	2.39	2.40	2.39	1.75
2000	Above Normal	2.39	2.40	2.39	2.39	(0.02)	(0.75)	(0.25)	0.04	2.32	2.21	2.43	2.37	1.49
2001	Dry	2.09	2.05	1.89	1.14	(0.91)	(0.26)	0.00	(0.02)	(0.02)	0.01	0.05	0.05	0.51
2002	Dry	0.06	0.07	0.07	0.00	0.00	(0.01)	(0.08)	(0.09)	(0.09)	(0.09)	(1.94)	0.47	(0.14)
2003	Above Normal	0.00	3.78	34.26	0.00	0.00	0.00	0.00	0.00	0.80	0.80	0.80	0.80	3.44
	Average	0.26	1.06	2.90	1.50	0.72	0.37	(0.21)	(0.34)	2.26	0.76	1.36	0.97	0.97
	Wet	(0.90)	0.73	1.79	1.37	0.99	1.05	0.33	(0.40)	3.30	0.89	1.67	1.69	1.04
	Above Normal	1.01	1.34	5.11	3.37	1.69	(0.22)	(1.47)	(1.13)	1.51	1.07	0.83	0.82	1.16
	Below Normal	0.98	0.47	8.37	(0.12)	(1.26)	(0.89)	(0.33)	(0.02)	1.52	1.47	1.57	1.57	1.11
	Dry	0.37	1.85	0.18	2.13	1.74	0.84	(0.15)	(0.16)	3.25	0.28	0.21	0.10	0.89
	Critical	1.01	0.99	0.79	0.84	(0.02)	0.23	(0.04)	(0.07)	0.12	0.04	2.70	0.15	0.56

Percent Difference in Energy Use (GWh) At Pumping Plant at Pearblossom: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	5%	5%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	5%	6%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	1%	12%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1928	Above Normal	4%	4%	4%	5%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	67%
1930	Dry	0%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	5%	5%	4%	5%
1933	Critical	6%	6%	7%	53%	-4%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	23%	16%	-1%	-2%	-2%	1%	163%	0%
1935	Below Normal	-12%	0%	5%	2%	-1%	-1%	-3%	0%	4%	3%	4%	4%
1936	Below Normal	2%	1%	0%	-8%	-11%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	4%	0%	1%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-2%	0%	0%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	13%	0%	-11%	-15%	-15%	128%	-2%	314%	-12%
1940	Above Normal	>1,000%	>1,000%	6%	47%	0%	0%	0%	0%	7%	3%	3%	3%
1941	Wet	4%	4%	2%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	3%	1%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	5%	0%	-1%	-1%	-1%	-1%	3%	3%	2%	3%
1944	Dry	3%	>1,000%	3%	-2%	-8%	-3%	0%	0%	3%	3%	3%	3%
1945	Below Normal	4%	5%	5%	19%	0%	-3%	0%	0%	4%	4%	4%	4%
1946	Below Normal	4%	4%	4%	3%	0%	-1%	-1%	0%	4%	4%	4%	5%
1947	Dry	4%	4%	4%	2%	-2%	0%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-5%	-5%	-3%	0%	181%	0%	0%	0%	0%
1949	Dry	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%	-6%	0%
1950	Below Normal	0%	6%	301%	0%	0%	0%	0%	0%	15%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	7%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	4%	4%	3%	7%	0%	0%	-16%	-15%	-12%	-13%	-13%
1953	Wet	-13%	-13%	-13%	3%	9%	64%	4%	3%	>1,000%	-5%	-5%	-5%
1954	Above Normal	-1%	-1%	1%	86%	35%	11%	-1%	0%	13%	7%	-2%	-2%
1955	Dry	-2%	-2%	-2%	1%	3%	3%	2%	3%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-3%	0%	0%	0%	0%	4%	4%	4%	4%
1957	Above Normal	4%	4%	4%	4%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	4%	5%	21%	0%	0%	0%	0%	3%	3%	3%	3%
1959	Below Normal	3%	>1,000%	3%	6%	0%	0%	0%	0%	40%	1%	1%	1%
1960	Dry	1%	2%	2%	16%	0%	0%	0%	0%	0%	0%	1%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	2%	119%	0%	0%	0%	0%	0%	137%	3%	3%	3%
1963	Wet	4%	4%	5%	4%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	5%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	13%	4%	4%	4%
1966	Below Normal	4%	5%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	4%	9%	0%	0%	0%	0%	0%	3%	3%	3%
1968	Below Normal	3%	-18%	6%	-3%	-8%	-3%	0%	0%	112%	4%	3%	4%
1969	Wet	4%	5%	5%	0%	0%	0%	0%	0%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	1%	7%	0%	7%	0%	4%	4%	4%	4%
1971	Wet	4%	4%	4%	3%	0%	1%	0%	0%	2%	3%	2%	2%
1972	Below Normal	3%	3%	4%	7%	1%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	4%	4%	4%	4%
1974	Wet	4%	4%	4%	3%	8%	0%	0%	0%	3%	3%	3%	3%
1975	Wet	3%	4%	4%	4%	0%	0%	0%	0%	4%	3%	3%	4%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	-1%	0%
1977	Critical	0%	0%	-6%	0%	0%	0%	0%	0%	0%	-2%	0%	2%
1978	Above Normal	0%	9%	47%	0%	0%	-7%	-3%	0%	5%	3%	6%	5%
1979	Below Normal	1%	1%	-2%	-16%	-18%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	44%	0%	0%	-18%	-16%	-13%	-13%	-13%	-13%
1981	Dry	-13%	21%	-16%	47%	84%	64%	10%	10%	>1,000%	-2%	-2%	-1%
1982	Wet	1%	2%	3%	11%	3%	0%	0%	0%	3%	3%	3%	3%
1983	Wet	3%	0%	0%	7%	-8%	0%	3%	0%	-3%	0%	3%	3%
1984	Wet	0%	0%	-41%	0%	7%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	4%	4%	4%	3%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	2%	3%	3%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1987	Dry	3%	>1,000%	3%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	-1%	-1%	0%	0%	0%	0%	-10%	2%
1990	Critical	1%	1%	1%	-3%	-2%	-1%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-2%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	10%	1%	-7%	1%	0%	0%	0%	0%	255%	4%	3%	4%
1994	Critical	4%	5%	5%	10%	1%	0%	0%	0%	10%	0%	210%	3%
1995	Wet	0%	23%	32%	0%	0%	0%	0%	0%	3%	-15%	5%	5%
1996	Wet	-71%	-82%	86%	6%	0%	0%	0%	0%	4%	4%	3%	4%
1997	Wet	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1998	Wet	3%	4%	4%	4%	0%	0%	0%	-1%	-1%	-1%	3%	3%
1999	Wet	3%	3%	8%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	4%	4%	4%	4%	0%	-1%	0%	0%	4%	4%	4%	4%
2001	Dry	4%	4%	4%	4%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-9%	1%
2003	Above Normal	0%	>1,000%	68%	0%	0%	0%	0%	0%	60%	1%	1%	1%
	Average	1%	1%	9%	6%	2%	1%	0%	2%	11%	1%	10%	2%
	Wet	-1%	0%	5%	3%	1%	2%	1%	0%	2%	1%	2%	2%
	Above Normal	2%	2%	11%	16%	4%	0%	-2%	-1%	29%	2%	2%	2%
	Below Normal	2%	1%	33%	1%	-3%	-1%	-1%	13%	23%	2%	2%	2%
	Dry	1%	3%	1%	6%	4%	3%	0%	0%	8%	1%	17%	0%
	Critical	2%	2%	2%	7%	1%	1%	0%	0%	1%	0%	31%	6%

Energy Use (GWh) At Pumping Plant at South Bay: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	21.07	9.69	10.53	2.74	8.69	17.92	14.15	12.52	13.37	13.45	12.77	12.99	149.89
1923	Below Normal	3.69	5.15	8.08	11.40	8.81	15.11	9.62	9.51	11.56	13.28	12.76	11.86	120.83
1924	Critical	2.25	3.19	5.66	0.85	1.32	10.21	6.93	4.98	5.93	6.68	6.72	6.32	61.04
1925	Dry	1.27	0.94	0.47	0.03	0.03	16.91	6.91	10.52	13.26	15.62	14.78	13.46	94.20
1926	Dry	3.82	3.97	6.13	0.77	1.04	10.82	8.06	8.77	11.04	12.93	12.22	11.10	90.67
1927	Wet	2.05	2.27	5.01	1.01	4.98	19.24	15.47	13.88	14.43	14.22	13.45	13.98	119.99
1928	Above Normal	4.81	6.26	9.22	1.27	2.44	10.95	17.29	15.83	16.15	15.77	14.93	15.81	130.73
1929	Critical	6.55	7.75	10.67	0.89	1.22	9.63	6.64	5.35	6.41	7.23	7.27	4.00	73.61
1930	Dry	1.35	1.00	0.50	0.14	0.99	10.08	8.68	7.40	9.16	10.49	10.32	9.55	69.66
1931	Critical	1.87	1.21	2.42	0.45	0.97	10.29	7.67	6.04	7.10	8.13	8.12	7.59	61.86
1932	Dry	1.55	1.15	0.57	0.04	0.04	19.31	5.23	8.07	10.13	11.87	11.31	10.39	79.66
1933	Critical	1.88	1.16	4.57	0.63	18.08	7.49	4.34	7.47	9.23	10.77	10.48	9.67	85.77
1934	Critical	1.89	1.19	2.74	0.49	0.88	10.44	8.22	6.87	8.18	9.23	9.32	2.47	61.92
1935	Below Normal	1.79	3.02	4.97	0.33	1.34	10.74	14.93	13.80	15.06	15.60	14.79	14.82	111.19
1936	Below Normal	5.44	6.27	8.93	0.86	1.76	21.07	15.33	15.36	15.83	15.59	14.78	15.44	136.66
1937	Below Normal	6.17	7.37	10.27	0.97	18.47	8.50	15.73	18.60	18.96	18.56	17.57	18.62	159.79
1938	Wet	9.21	9.92	12.66	1.70	11.35	21.07	19.30	19.08	19.79	19.40	18.44	19.24	181.16
1939	Dry	9.61	10.16	12.77	1.44	2.16	11.57	11.03	10.65	12.99	15.80	15.00	13.76	126.94
1940	Above Normal	4.03	4.10	6.24	0.77	0.83	11.48	10.81	10.67	13.41	15.65	14.90	13.62	106.51
1941	Wet	3.95	4.04	6.19	5.28	9.55	18.91	16.62	15.18	15.84	15.62	14.82	15.33	141.33
1942	Wet	5.98	7.19	10.03	10.33	9.07	16.58	11.49	10.32	12.09	13.19	12.59	11.97	130.83
1943	Wet	2.57	3.67	6.32	9.57	9.64	18.04	17.89	16.67	17.32	17.11	16.25	16.85	151.90
1944	Dry	7.34	3.37	13.99	1.02	1.30	10.61	8.82	7.73	9.44	10.94	10.67	9.95	95.18
1945	Below Normal	1.89	1.15	3.18	0.81	1.33	21.07	14.96	14.91	15.49	15.21	14.39	15.08	119.47
1946	Below Normal	5.81	7.08	10.01	11.54	10.04	17.50	12.47	11.43	12.38	12.59	11.98	12.00	134.83
1947	Dry	2.75	4.35	7.28	1.27	10.87	2.59	17.33	15.80	16.09	15.70	14.86	15.82	124.71
1948	Below Normal	6.50	7.71	10.63	0.91	1.23	9.56	7.50	8.95	11.28	13.23	12.54	11.45	101.49
1949	Dry	2.09	2.63	5.16	0.93	1.27	10.68	12.34	11.87	14.27	16.15	15.28	14.38	107.05
1950	Below Normal	4.72	4.90	7.11	0.48	0.83	10.33	10.23	9.47	11.84	14.00	13.28	12.12	99.31
1951	Above Normal	2.59	3.13	5.47	21.07	16.99	14.93	10.57	13.32	14.04	13.83	13.20	13.53	142.67
1952	Wet	4.24	5.73	8.64	10.65	10.79	18.50	15.85	17.21	17.86	17.68	16.80	17.43	161.38
1953	Wet	7.90	8.70	11.39	10.65	2.84	11.31	9.43	8.60	10.91	13.00	12.40	11.40	118.53
1954	Above Normal	1.79	2.60	5.02	1.06	5.67	11.91	10.54	10.14	12.72	15.05	14.26	13.08	103.84
1955	Dry	3.39	3.68	5.88	1.10	1.37	11.14	9.86	9.15	11.44	13.46	12.82	11.73	95.02
1956	Wet	2.24	2.86	5.26	21.07	17.33	16.61	12.54	15.10	15.91	15.65	14.90	15.32	154.79
1957	Above Normal	5.90	7.09	9.88	1.32	1.90	13.36	10.79	10.51	13.32	15.60	14.80	13.58	118.05
1958	Wet	3.83	3.98	6.13	1.19	10.43	19.06	20.06	19.15	19.81	19.43	18.56	19.34	160.97
1959	Below Normal	9.72	10.22	12.82	1.42	2.19	11.53	9.94	8.97	11.31	13.31	12.57	11.48	115.48
1960	Dry	2.08	2.73	5.15	0.70	0.68	10.70	12.33	11.91	14.45	16.30	15.41	14.43	106.87
1961	Dry	4.80	4.93	7.15	0.80	1.36	10.21	9.97	9.04	2.14	15.53	14.85	13.49	94.27
1962	Below Normal	0.00	6.04	7.67	0.71	1.06	11.16	10.41	9.82	12.37	14.54	13.81	12.61	100.20
1963	Wet	3.06	3.45	5.72	10.85	8.96	16.92	11.74	11.12	12.37	12.82	12.27	12.08	121.36
1964	Dry	2.79	4.18	7.00	2.27	11.04	14.91	13.78	12.25	13.36	13.78	13.11	13.08	121.55
1965	Wet	3.84	5.07	7.88	6.50	9.69	17.54	12.76	11.31	12.58	13.25	12.68	12.30	125.40
1966	Below Normal	3.07	4.32	7.07	10.72	8.90	15.28	10.11	9.68	11.75	13.24	12.80	11.90	118.84
1967	Wet	2.34	3.27	5.76	1.23	11.93	20.01	19.70	18.94	19.62	19.34	18.43	19.17	159.74
1968	Below Normal	9.54	10.10	12.69	1.52	2.72	11.57	9.94	9.06	11.45	13.43	12.71	11.67	116.40
1969	Wet	2.17	2.82	5.21	9.98	19.03	15.78	15.08	18.10	18.86	18.55	17.70	18.29	161.57
1970	Wet	8.65	9.35	11.97	11.73	10.34	21.07	11.83	13.11	13.81	13.64	12.95	13.26	151.71
1971	Wet	4.00	5.55	8.48	10.70	9.08	14.75	10.05	9.85	11.89	13.42	12.89	12.05	122.71
1972	Below Normal	2.49	3.42	5.93	3.57	8.87	16.23	10.64	9.86	12.16	14.02	13.46	12.40	113.05
1973	Above Normal	2.77	3.44	5.82	3.97	19.03	12.72	11.58	14.31	14.94	14.64	13.91	14.37	131.50
1974	Wet	5.12	6.48	9.40	11.57	11.54	19.40	15.76	14.23	15.05	14.80	14.11	14.47	151.93
1975	Wet	5.13	6.41	9.27	6.33	3.13	19.05	15.57	14.00	14.54	14.24	13.54	14.11	135.32
1976	Critical	4.84	6.28	9.24	1.23	1.82	11.19	10.60	10.25	12.00	15.22	14.40	13.22	110.29
1977	Critical	3.59	3.80	6.02	0.75	0.70	9.36	6.14	3.36	0.00	1.69	0.82	4.50	40.73
1978	Above Normal	0.00	2.01	4.38	0.31	1.41	17.86	13.70	13.47	14.45	14.79	14.03	14.16	110.57
1979	Below Normal	4.90	5.94	8.71	1.10	1.80	19.89	16.22	14.74	15.21	14.91	14.12	14.82	132.36
1980	Above Normal	5.54	6.86	9.81	13.37	11.89	12.67	15.85	18.85	19.54	19.23	18.28	19.03	170.92
1981	Dry	9.47	10.03	12.63	1.35	1.98	11.12	10.13	9.67	12.20	14.21	13.48	12.33	118.60
1982	Wet	2.76	3.26	5.56	9.31	9.33	18.77	19.35	18.44	19.15	18.83	17.95	18.61	161.32
1983	Wet	9.02	9.63	20.67	16.83	11.72	11.59	14.66	17.65	18.43	18.16	17.38	17.93	183.67
1984	Wet	20.26	16.94	16.45	18.07	14.96	14.82	10.42	13.31	14.00	13.85	13.17	13.51	179.76
1985	Dry	4.14	5.65	20.53	10.74	8.88	6.31	14.56	13.06	13.88	13.65	12.93	13.21	137.54
1986	Wet	4.02	5.54	8.50	0.91	13.64	14.04	16.15	19.16	19.75	19.31	18.35	19.18	158.55
1987	Dry	9.73	10.29	12.93	1.06	1.35	9.58	6.88	4.69	5.57	6.17	6.25	5.86	80.36
1988	Critical	1.15	0.85	0.42	0.03	0.04	6.52	6.21	3.73	4.52	5.20	5.13	4.78	38.58
1989	Dry	0.93	0.69	0.34	0.04	0.04	5.85	14.62	13.69	15.09	15.81	14.93	14.88	96.91
1990	Critical	5.50	6.24	8.83	0.84	1.24	9.99	7.27	5.25	6.30	7.14	7.17	6.74	72.51
1991	Critical	1.35	0.99	0.49	0.03	0.03	7.18	6.24	3.70	4.46	5.11	5.05	4.78	39.41
1992	Critical	0.91	0.67	0.33	0.03	0.02	4.54	7.00	4.95	5.80	6.54	6.60	6.17	43.56
1993	Above Normal	1.22	0.90	0.45	0.03	5.73	17.71	12.24	11.14	12.93	14.06	13.44	12.84	102.69
1994	Critical	3.37	4.26	6.83	1.16	1.77	11.67	10.72	10.27	10.01	15.74	14.96	13.72	104.48
1995	Wet	2.40	5.04	6.96	0.77	7.26	13.68	18.86	17.63	18.15	17.80	16.90	17.77	143.22
1996	Wet	8.34	9.18	11.92	6.82	4.33	17.50	15.05	13.22	13.81	13.62	12.95	13.33	140.07
1997	Wet	4.15	5.70	8.69	10.72	10.46	21.07	14.78	15.43	16.12	15.84	15.11	15.59	153.66
1998	Wet	6.12	7.28	10.06	1.33	9.83	18.74	15.91	14.35	15.01	14.84	14.14	14.63	142.24
1999	Wet	5.31	20.39	14.35	13.16	14.54	14.83	10.49	13.24	13.96	13.70	13.13	13.45	160.55
2000	Above Normal	4.19	5.66	8.57	1.25	7.13	15.06	12.92	12.16	13.78	14.67	13.98	13.61	122.98
2001	Dry	4.15	4.97	7.56	0.82	1.24	10.50	8.25	7.15	8.48	9.52	9.56	9.01	81.21
2002	Dry	1.81	1.30	0.87	0.68	1.42	11.11	16.79	15.12	15.51	15.16	14.31	15.19	109.27
2003	Above Normal	5.94	7.26	10.21	1.00	1.63	11.27	9.82	9.06	11.40	13.45	12.71	11.65	105.40
	Average	4.54	5.23	7.65	4.21	6.02	13.64	12.06	11.75	12.88	13.84	13.20	12.94	117.96
	Wet	5.33	6.68	9.17	8.39	10.22	17.26	14.88	14.93	15.81	15.82	15.07	15.41	148.99
	Above Normal	4.99	4.92	7.13	4.01	6.95	13.99	12.52	12.67	14.17	15.02	14.27	14.02	124.65
	Below Normal	4.70	5.91	8.43	3.31	4.95	14.25	12.00	11.73	13.33	14.39	13.68	13.31	119.99
	Dry	4.06	4.22	7.05	1.40	2.61	10.78	10.87	10.36	11.58	13.51	12.89	12.31	101.65
	Critical	2.93	3.13	4.85	0.62	2.34	9.04	7.33	6.02	6.66	8.22	8.00	7.00	66.15

Energy Use (GWh) At Pumping Plant at South Bay: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	21.07	9.69	10.53	2.74	8.69	17.92	14.15	12.52	13.37	13.45	12.77	12.99	149.89
1923	Below Normal	3.69	5.15	8.08	11.40	8.80	15.04	9.60	9.50	11.55	13.28	12.77	11.86	120.72
1924	Critical	2.25	3.18	5.65	0.85	1.32	10.21	6.93	4.98	5.93	6.68	6.72	6.33	61.03
1925	Dry	1.27	0.94	0.47	0.03	0.03	16.91	6.91	10.53	13.26	15.62	14.79	13.46	94.22
1926	Dry	3.82	3.97	6.14	0.77	1.04	10.82	8.05	8.77	11.03	12.93	12.21	11.09	90.64
1927	Wet	2.05	2.26	5.00	1.01	4.97	19.24	15.48	13.88	14.43	14.22	13.45	13.98	119.97
1928	Above Normal	4.81	6.26	9.22	1.27	2.43	10.95	17.29	15.83	16.15	15.77	14.93	15.81	130.72
1929	Critical	6.55	7.75	10.67	0.89	1.22	9.62	6.64	5.35	6.41	7.22	7.27	4.00	73.59
1930	Dry	1.35	1.00	0.50	0.13	0.99	10.08	8.68	7.40	9.16	10.49	10.32	9.55	69.65
1931	Critical	1.87	1.21	2.42	0.45	0.97	10.29	7.67	6.04	7.10	8.12	8.12	7.59	61.85
1932	Dry	1.55	1.15	0.57	0.04	0.04	19.30	5.23	8.07	10.12	11.87	11.31	10.39	79.64
1933	Critical	1.88	1.15	4.57	0.63	18.08	7.49	4.34	7.47	9.23	10.77	10.48	9.67	85.76
1934	Critical	1.89	1.19	2.74	0.49	1.07	10.71	8.62	7.35	8.91	10.21	10.09	1.31	64.58
1935	Below Normal	3.11	4.24	5.77	0.44	1.33	10.74	14.20	13.33	14.91	15.80	14.98	14.73	113.58
1936	Below Normal	5.29	5.92	8.47	0.86	1.73	21.07	15.33	15.36	15.83	15.59	14.78	15.44	135.67
1937	Below Normal	6.17	7.37	10.27	0.97	18.47	8.50	15.73	18.61	18.96	18.56	17.57	18.62	159.80
1938	Wet	9.21	9.92	12.66	1.50	11.03	20.07	20.06	19.18	19.89	19.50	18.53	19.35	180.90
1939	Dry	9.71	10.25	12.85	1.43	2.02	10.98	10.01	9.10	11.39	13.42	12.73	11.65	115.54
1940	Above Normal	2.16	2.82	5.23	0.70	0.84	11.48	10.81	10.67	13.41	15.66	14.90	13.62	102.30
1941	Wet	3.95	4.04	6.19	5.28	9.55	18.87	16.58	15.13	15.79	15.57	14.78	15.28	141.01
1942	Wet	5.93	7.15	9.99	10.34	9.08	16.54	11.48	10.31	12.08	13.19	12.59	11.97	130.65
1943	Wet	2.57	3.67	6.31	9.57	9.54	17.95	17.82	16.59	17.23	17.02	16.17	16.76	151.20
1944	Dry	7.26	3.35	13.97	1.02	1.30	10.62	8.82	7.73	9.44	10.94	10.67	9.95	95.07
1945	Below Normal	1.89	1.15	3.18	0.81	1.33	21.07	14.83	14.93	15.51	15.23	14.40	15.10	119.43
1946	Below Normal	5.83	7.09	10.03	11.53	10.03	17.49	12.29	11.30	12.33	12.63	12.02	11.98	134.55
1947	Dry	2.71	4.26	7.16	1.27	13.72	0.30	16.82	15.84	16.13	15.74	14.90	15.86	124.71
1948	Below Normal	6.54	7.74	10.67	0.91	1.23	9.56	7.50	8.95	11.29	13.25	12.55	11.46	101.65
1949	Dry	2.09	2.65	5.17	0.92	1.26	10.68	12.23	11.78	14.23	16.16	15.29	14.35	106.81
1950	Below Normal	4.68	4.85	7.04	0.48	0.83	10.33	10.23	9.47	11.84	14.00	13.28	12.12	99.15
1951	Above Normal	2.59	3.13	5.47	21.07	16.85	14.94	10.58	13.33	14.06	13.84	13.21	13.54	142.61
1952	Wet	4.25	5.74	8.66	10.65	10.78	18.48	15.83	14.65	15.29	15.19	14.44	14.87	148.83
1953	Wet	5.50	6.73	9.58	12.03	8.74	13.88	9.46	9.08	11.37	13.32	12.77	11.84	124.30
1954	Above Normal	2.14	2.98	5.41	1.13	8.19	12.53	10.45	10.05	12.63	14.95	14.20	13.02	107.68
1955	Dry	3.30	3.63	5.84	1.11	1.41	11.22	10.00	9.36	11.71	13.77	13.12	12.01	96.48
1956	Wet	2.49	3.03	5.39	10.02	19.71	20.09	12.59	15.15	15.95	15.69	14.94	15.37	150.42
1957	Above Normal	5.95	7.12	9.91	1.32	1.91	13.16	10.80	10.51	13.32	15.61	14.80	13.58	117.99
1958	Wet	3.84	3.98	6.13	1.19	10.42	19.05	20.06	19.15	19.80	19.42	18.55	19.33	160.92
1959	Below Normal	9.71	10.22	12.82	1.42	2.18	11.53	9.94	8.97	11.31	13.31	12.57	11.48	115.46
1960	Dry	2.08	2.73	5.15	0.70	0.68	10.69	12.33	11.92	14.46	16.30	15.41	14.43	106.88
1961	Dry	4.80	4.94	7.15	0.80	1.36	10.22	9.97	9.05	1.75	15.62	14.91	13.56	94.13
1962	Below Normal	0.00	6.14	7.75	0.71	1.06	11.16	10.41	9.82	12.37	14.54	13.81	12.61	100.38
1963	Wet	3.06	3.45	5.72	10.85	8.96	16.92	11.74	11.12	12.37	12.82	12.27	12.08	121.36
1964	Dry	2.79	4.18	7.00	2.29	11.04	14.91	13.78	12.25	13.36	13.77	13.11	13.08	121.56
1965	Wet	3.84	5.07	7.88	6.50	9.69	17.54	12.75	11.31	12.58	13.25	12.68	12.30	125.39
1966	Below Normal	3.07	4.32	7.07	10.73	8.90	15.29	10.11	9.68	11.75	13.24	12.79	11.90	118.85
1967	Wet	2.34	3.27	5.76	1.23	11.93	20.01	19.70	18.94	19.62	19.34	18.43	19.17	159.74
1968	Below Normal	9.54	10.10	12.69	1.51	2.52	11.57	9.97	9.11	11.50	13.49	12.77	11.72	116.49
1969	Wet	2.22	2.85	5.24	9.94	19.03	15.68	1.25	18.11	18.87	18.57	17.71	18.31	147.78
1970	Wet	8.67	9.36	11.98	11.54	10.17	21.07	11.70	13.08	13.78	13.60	12.91	13.23	151.09
1971	Wet	3.97	5.53	8.46	10.72	9.10	14.89	10.10	9.89	11.91	13.40	12.87	12.04	122.88
1972	Below Normal	2.49	3.45	5.97	3.64	8.83	16.23	10.66	9.88	12.17	14.02	13.46	12.40	113.20
1973	Above Normal	2.77	3.45	5.83	3.98	19.03	12.72	11.58	14.31	14.94	14.64	13.91	14.37	131.53
1974	Wet	5.12	6.48	9.40	11.57	11.51	19.37	15.73	14.19	15.01	14.75	14.07	14.43	151.63
1975	Wet	5.09	6.38	9.24	6.45	3.17	19.03	15.55	13.98	14.51	14.22	13.52	14.08	135.22
1976	Critical	4.82	6.26	9.23	1.23	1.82	11.19	10.61	10.27	12.00	15.26	14.44	13.25	110.38
1977	Critical	3.63	3.82	6.03	0.75	0.70	9.36	6.14	3.36	0.00	1.69	0.82	4.50	40.80
1978	Above Normal	0.44	1.72	4.23	0.31	1.41	16.96	12.87	12.71	14.22	15.16	14.39	14.07	108.49
1979	Below Normal	4.69	5.40	7.98	1.09	1.78	19.38	15.71	14.13	14.58	14.31	13.54	14.20	126.79
1980	Above Normal	4.97	6.40	9.39	9.04	19.71	13.64	12.89	15.94	16.66	16.45	15.64	16.14	156.87
1981	Dry	6.75	7.78	10.54	1.35	4.72	13.50	10.63	10.71	13.38	15.46	14.70	13.55	123.07
1982	Wet	3.83	4.09	6.27	9.42	9.52	18.76	19.35	18.43	19.15	18.82	17.95	18.60	164.19
1983	Wet	9.01	9.63	12.25	21.07	15.98	0.00	0.15	2.37	3.56	17.20	17.38	17.93	126.53
1984	Wet	20.26	16.94	16.31	3.40	0.82	10.88	10.35	13.31	14.00	13.85	13.17	13.51	146.80
1985	Dry	4.14	5.65	20.53	10.74	8.88	6.31	14.56	13.06	13.88	13.65	12.93	13.21	137.54
1986	Wet	4.02	5.54	8.50	0.91	1.68	21.07	20.20	19.25	19.84	19.40	18.44	19.26	158.11
1987	Dry	9.81	10.35	12.98	1.06	1.35	9.58	6.88	4.68	5.57	6.17	6.25	5.85	80.53
1988	Critical	1.15	0.85	0.42	0.03	0.04	6.52	6.21	3.77	4.56	5.25	5.18	4.83	38.81
1989	Dry	0.94	0.69	0.35	0.04	0.04	5.89	14.50	13.62	15.07	15.85	14.97	14.87	96.83
1990	Critical	5.48	6.18	8.75	0.84	1.25	10.01	7.29	5.29	6.34	7.20	7.22	6.79	72.64
1991	Critical	1.36	1.00	0.50	0.03	0.03	7.25	6.24	3.70	4.46	5.11	5.05	4.78	39.51
1992	Critical	0.91	0.67	0.33	0.03	0.02	4.54	6.96	4.87	5.72	6.44	6.50	6.08	43.07
1993	Above Normal	1.20	0.88	0.44	0.03	5.62	17.74	12.29	11.17	12.94	14.05	13.43	12.85	102.64
1994	Critical	3.38	4.28	6.86	1.16	1.77	11.66	10.71	10.26	10.01	15.72	14.94	13.70	104.45
1995	Wet	2.40	5.02	6.95	0.77	7.25	13.68	18.86	17.63	18.15	17.80	16.90	17.77	143.18
1996	Wet	8.34	3.82	14.49	6.84	4.33	17.50	15.02	13.18	13.77	13.58	12.91	13.29	137.07
1997	Wet	4.11	5.67	8.67	10.72	10.46	21.07	14.79	15.43	16.12	15.84	15.11	15.58	153.57
1998	Wet	6.12	7.28	10.06	1.33	9.83	18.74	15.91	14.28	14.93	14.77	14.08	14.56	141.89
1999	Wet	5.24	20.39	14.30	13.24	14.54	14.83	10.49	13.24	13.96	13.70	13.13	13.45	160.51
2000	Above Normal	4.19	5.66	8.57	1.25	7.13	14.91	12.80	12.08	13.76	14.71	14.02	13.61	122.69
2001	Dry	4.14	4.92	7.48	0.82	1.24	10.51	8.26	7.16	8.49	9.53	9.57	9.02	81.14
2002	Dry	1.82	1.30	0.90	0.68	1.42	11.11	16.77	15.10	15.49	15.14	14.30	15.17	109.20
2003	Above Normal	5.93	7.24	10.20	1.00	1.63	11.27	9.82	9.06	11.40	13.45	12.71	11.65	105.36
	Average	4.49	5.11	7.52	3.91	6.04	13.60	11.69	11.47	12.63	13.77	13.15	12.84	116.22
	Wet	5.29	6.43	8.90	7.62	9.68	17.12	13.96	14.26	15.15	15.69	14.99	15.32	144.43
	Above Normal	4.85	4.78	7.04	3.65	7.79	14.02	12.19	12.35	13.91	14.81	14.08	13.77	123.23
	Below Normal	4.76	5.94	8.41	3.32	4.93	14.21	11.89	11.65	13.28	14.38	13.66	13.26	119.69
	Dry	3.91	4.10	6.93	1.40	2.92	10.76	10.80	10.34	11.55	13.47	12.86	12.28	101.31
	Critical	2.93	3.13	4.85	0.62	2.36	9.07	7.36	6.06	6.72	8.31	8.07	6.90	66.37

Difference in Energy Use (GWh) At Pumping Plant at South Bay: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	0.00	0.00	0.00	0.00	(0.01)	(0.07)	(0.02)	(0.01)	(0.01)	0.00	0.01	0.00	(0.01)
1924	Critical	0.00	(0.01)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1925	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00
1926	Dry	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	(0.01)	0.00
1927	Wet	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
1928	Above Normal	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1930	Dry	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1931	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1932	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00
1933	Critical	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	0.00	0.00	0.00	0.19	0.27	0.40	0.48	0.73	0.98	0.77	(1.16)	0.22
1935	Below Normal	1.32	1.22	0.80	0.11	(0.01)	0.00	(0.73)	(0.47)	(0.15)	0.20	0.19	(0.09)	0.20
1936	Below Normal	(0.15)	(0.35)	(0.46)	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.08)
1937	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	0.00	0.00	(0.20)	(0.32)	(1.00)	0.76	0.10	0.10	0.10	0.09	0.11	(0.02)
1939	Dry	0.10	0.09	0.08	(0.01)	(0.14)	(0.59)	(1.02)	(1.55)	(1.60)	(2.38)	(2.27)	(2.11)	(0.95)
1940	Above Normal	(1.87)	(1.28)	(1.01)	(0.07)	0.01	0.00	0.00	0.00	0.00	0.01	0.00	0.00	(0.35)
1941	Wet	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.04)	(0.05)	(0.05)	(0.05)	(0.04)	(0.05)	(0.03)
1942	Wet	(0.05)	(0.04)	(0.04)	0.01	0.01	(0.04)	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)
1943	Wet	0.00	0.00	(0.01)	0.00	(0.10)	(0.09)	(0.07)	(0.08)	(0.09)	(0.09)	(0.08)	(0.09)	(0.06)
1944	Dry	(0.08)	(0.02)	(0.02)	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1945	Below Normal	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	0.02	0.02	0.02	0.01	0.02	0.00
1946	Below Normal	0.02	0.01	0.02	(0.01)	(0.01)	(0.01)	(0.18)	(0.13)	(0.05)	0.04	0.04	(0.02)	(0.02)
1947	Dry	(0.04)	(0.09)	(0.12)	0.00	2.85	(2.29)	(0.51)	0.04	0.04	0.04	0.04	0.04	0.00
1948	Below Normal	0.04	0.03	0.04	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.01	0.01	0.01
1949	Dry	0.00	0.02	0.01	(0.01)	(0.01)	0.00	(0.11)	(0.09)	(0.04)	0.01	0.01	(0.03)	(0.02)
1950	Below Normal	(0.04)	(0.05)	(0.07)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1951	Above Normal	0.00	0.00	0.00	0.00	(0.14)	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.00
1952	Wet	0.01	0.01	0.02	0.00	(0.01)	(0.02)	(0.02)	(2.56)	(2.57)	(2.49)	(2.36)	(2.56)	(1.05)
1953	Wet	(2.40)	(1.97)	(1.81)	1.38	5.90	2.57	0.03	0.48	0.46	0.32	0.37	0.44	0.48
1954	Above Normal	0.35	0.38	0.39	0.07	2.52	0.62	(0.09)	(0.09)	(0.09)	(0.10)	(0.06)	(0.06)	0.32
1955	Dry	(0.09)	(0.05)	(0.04)	0.01	0.04	0.08	0.14	0.21	0.27	0.31	0.30	0.28	0.12
1956	Wet	0.25	0.17	0.13	(11.05)	2.38	3.48	0.05	0.05	0.04	0.04	0.04	0.05	(0.36)
1957	Above Normal	0.05	0.03	0.03	0.00	0.01	(0.20)	0.01	0.00	0.00	0.01	0.00	0.00	0.00
1958	Wet	0.01	0.00	0.00	0.00	(0.01)	(0.01)	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.01)	0.00
1959	Below Normal	(0.01)	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1960	Dry	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01	0.01	0.00	0.00	0.00	0.00
1961	Dry	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.01	(0.39)	0.09	0.06	0.07	(0.01)
1962	Below Normal	0.00	0.10	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1964	Dry	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1965	Wet	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00
1966	Below Normal	0.00	0.00	0.00	0.01	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1967	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1968	Below Normal	0.00	0.00	0.00	(0.01)	(0.20)	0.00	0.03	0.05	0.05	0.06	0.06	0.05	0.01
1969	Wet	0.05	0.03	0.03	(0.04)	0.00	(0.10)	(13.83)	0.01	0.01	0.02	0.01	0.02	(1.15)
1970	Wet	0.02	0.01	0.01	(0.19)	(0.17)	0.00	(0.13)	(0.03)	(0.03)	(0.04)	(0.04)	(0.03)	(0.05)
1971	Wet	(0.03)	(0.02)	(0.02)	0.02	0.02	0.14	0.05	0.04	0.02	(0.02)	(0.02)	(0.01)	0.01
1972	Below Normal	0.00	0.03	0.04	0.07	(0.04)	0.00	0.02	0.02	0.01	0.00	0.00	0.00	0.01
1973	Above Normal	0.00	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	0.00	(0.03)	(0.03)	(0.03)	(0.04)	(0.04)	(0.05)	(0.04)	(0.04)	(0.02)
1975	Wet	(0.04)	(0.03)	(0.03)	0.12	0.04	(0.02)	(0.02)	(0.02)	(0.03)	(0.02)	(0.02)	(0.03)	(0.01)
1976	Critical	(0.02)	(0.02)	(0.01)	0.00	0.00	0.00	0.01	0.02	0.00	0.04	0.04	0.03	0.01
1977	Critical	0.04	0.02	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1978	Above Normal	0.44	(0.29)	(0.15)	0.00	0.00	(0.90)	(0.83)	(0.76)	(0.23)	0.37	0.36	(0.09)	(0.17)
1979	Below Normal	(0.21)	(0.54)	(0.73)	(0.01)	(0.02)	(0.51)	(0.51)	(0.61)	(0.63)	(0.60)	(0.58)	(0.62)	(0.46)
1980	Above Normal	(0.57)	(0.46)	(0.42)	(4.33)	7.82	0.97	(2.96)	(2.91)	(2.88)	(2.78)	(2.64)	(2.89)	(1.17)
1981	Dry	(2.72)	(2.25)	(2.09)	0.00	2.74	2.38	0.50	1.04	1.18	1.25	1.22	1.22	0.37
1982	Wet	1.07	0.83	0.71	0.11	0.19	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	(0.01)	0.24
1983	Wet	(0.01)	0.00	(8.42)	4.24	4.26	(11.59)	(14.51)	(15.28)	(14.87)	(0.96)	0.00	0.00	(4.76)
1984	Wet	0.00	0.00	(0.14)	(14.67)	(14.14)	(3.94)	(0.07)	0.00	0.00	0.00	0.00	0.00	(2.75)
1985	Dry	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	0.00	0.00	0.00	(11.96)	7.03	4.05	0.09	0.09	0.09	0.09	0.08	(0.04)
1987	Dry	0.08	0.06	0.05	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.01)	0.01
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.05	0.05	0.05	0.02
1989	Dry	0.01	0.00	0.01	0.00	0.00	0.04	(0.12)	(0.07)	(0.02)	0.04	0.04	(0.01)	(0.01)
1990	Critical	(0.02)	(0.06)	(0.08)	0.00	0.01	0.02	0.02	0.04	0.04	0.06	0.05	0.05	0.01
1991	Critical	0.01	0.01	0.01	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.04)	(0.08)	(0.08)	(0.10)	(0.10)	(0.09)	(0.04)
1993	Above Normal	(0.02)	(0.02)	(0.01)	0.00	(0.11)	0.03	0.05	0.03	0.01	(0.01)	(0.01)	0.01	0.00
1994	Critical	0.01	0.02	0.03	0.00	0.00	(0.01)	(0.01)	(0.01)	0.00	(0.02)	(0.02)	(0.02)	0.00
1995	Wet	0.00	(0.02)	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1996	Wet	0.00	(5.36)	2.57	0.02	0.00	0.00	(0.03)	(0.04)	(0.04)	(0.04)	(0.04)	(0.04)	(0.25)
1997	Wet	(0.04)	(0.03)	(0.02)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	(0.01)	(0.01)
1998	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	(0.08)	(0.07)	(0.06)	(0.07)	(0.03)
1999	Wet	(0.07)	0.00	(0.05)	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.15)	(0.12)	(0.08)	(0.02)	0.04	0.04	0.00	(0.02)
2001	Dry	(0.01)	(0.05)	(0.08)	0.00	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	(0.01)
2002	Dry	0.01	0.00	0.03	0.00	0.00	0.00	(0.02)	(0.02)	(0.02)	(0.02)	(0.01)	(0.02)	(0.01)
2003	Above Normal	(0.01)	(0.02)	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.06)	(0.12)	(0.13)	(0.30)	0.02	(0.05)	(0.37)	(0.27)	(0.25)	(0.07)	(0.05)	(0.09)	(0.14)
	Wet	(0.05)	(0.25)	(0.27)	(0.78)	(0.54)	(0.14)	(0.92)	(0.67)	(0.66)	(0.13)	(0.08)	(0.09)	(0.38)
	Above Normal	(0.14)	(0.14)	(0.10)	(0.36)	0.84	0.03	(0.33)	(0.32)	(0.27)	(0.20)	(0.19)	(0.25)	(0.12)
	Below Normal	0.07	0.03	(0.02)	0.01	(0.02)	(0.04)	(0.11)	(0.08)	(0.05)	(0.02)	(0.02)	(0.05)	(0.02)
	Dry	(0.15)	(0.13)	(0.12)	0.00	0.30	(0.02)	(0.06)	(0.02)	(0.03)	(0.04)	(0.03)	(0.03)	(0.03)
	Critical	0.00	(0.00)	(0.00)	0.00	0.02	0.03	0.03	0.04	0.06	0.08	0.07	(0.09)	0.02

Percent Difference in Energy Use (GWh) At Pumping Plant at South Bay: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	-7%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	22%	3%	5%	7%	9%	11%	8%	-47%
1935	Below Normal	74%	40%	16%	33%	-1%	0%	-5%	-3%	-1%	1%	1%	-1%
1936	Below Normal	-3%	-6%	-5%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	0%	0%	-12%	-3%	-5%	4%	1%	1%	1%	0%	1%
1939	Dry	1%	1%	1%	-1%	-6%	-5%	-9%	-15%	-12%	-15%	-15%	-15%
1940	Above Normal	-46%	-31%	-16%	-9%	1%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	0%	-1%	0%	0%	0%	-1%	-1%	0%	-1%
1944	Dry	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1945	Below Normal	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	0%	-1%	-1%	0%	0%	0%	0%
1947	Dry	-1%	-2%	-2%	0%	26%	-88%	-3%	0%	0%	0%	0%	0%
1948	Below Normal	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	1%	0%	-1%	-1%	0%	-1%	-1%	0%	0%	0%	0%
1950	Below Normal	-1%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1952	Wet	0%	0%	0%	0%	0%	0%	0%	-15%	-14%	-14%	-14%	-15%
1953	Wet	-30%	-23%	-16%	13%	208%	23%	0%	6%	4%	2%	3%	4%
1954	Above Normal	20%	15%	8%	7%	44%	5%	-1%	-1%	-1%	-1%	0%	0%
1955	Dry	-3%	-1%	-1%	1%	3%	1%	1%	2%	2%	2%	2%	2%
1956	Wet	11%	6%	2%	-52%	14%	21%	0%	0%	0%	0%	0%	0%
1957	Above Normal	1%	0%	0%	0%	1%	-1%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	-18%	1%	0%	1%
1962	Below Normal	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1968	Below Normal	0%	0%	0%	-1%	-7%	0%	0%	1%	0%	0%	0%	0%
1969	Wet	2%	1%	1%	0%	0%	-1%	-92%	0%	0%	0%	0%	0%
1970	Wet	0%	0%	0%	-2%	-2%	0%	-1%	0%	0%	0%	0%	0%
1971	Wet	-1%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	1%	1%	2%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	-1%	0%	0%	2%	1%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	-	-14%	-3%	0%	0%	-5%	-6%	-6%	-2%	3%	3%	-1%
1979	Below Normal	-4%	-9%	-8%	-1%	-1%	-3%	-3%	-4%	-4%	-4%	-4%	-4%
1980	Above Normal	-10%	-7%	-4%	-32%	66%	8%	-19%	-15%	-15%	-14%	-14%	-15%
1981	Dry	-29%	-22%	-17%	0%	138%	21%	5%	11%	10%	9%	9%	10%
1982	Wet	39%	25%	13%	1%	2%	0%	0%	0%	0%	0%	0%	0%
1983	Wet	0%	0%	-41%	25%	36%	-100%	-99%	-87%	-81%	-5%	0%	0%
1984	Wet	0%	0%	-1%	-81%	-95%	-27%	-1%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-88%	50%	25%	0%	0%	0%	0%	0%
1987	Dry	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	0%	3%	0%	0%	1%	-1%	-1%	0%	0%	0%	0%
1990	Critical	0%	-1%	-1%	0%	1%	0%	0%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	2%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-1%	-2%	-2%	-1%
1993	Above Normal	-2%	-2%	-2%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1996	Wet	0%	-58%	22%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1997	Wet	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%
1999	Wet	-1%	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	0%	-1%	-1%	-1%	0%	0%	0%	0%
2001	Dry	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2002	Dry	1%	0%	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	-1%	-1%	-1%	4%	-1%	-2%	-1%	-2%	0%	0%	-1%
	Wet	1%	-2%	-1%	-4%	3%	-1%	-6%	-4%	-4%	-1%	0%	0%
	Above Normal	-3%	-3%	-1%	-3%	9%	0%	-2%	-2%	-1%	-1%	-1%	-1%
	Below Normal	5%	2%	0%	2%	-1%	0%	-1%	-1%	0%	0%	0%	0%
	Dry	-2%	-1%	-1%	0%	9%	-4%	0%	0%	-1%	0%	0%	0%
	Critical	0%	0%	0%	0%	2%	0%	0%	1%	1%	1%	1%	-4%

Energy Use (GWh) At Pumping Plant at SWP Banks: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	87.18	57.23	131.51	65.35	52.77	82.34	20.96	18.13	112.99	121.99	121.99	118.05	990.49
1923	Below Normal	66.93	45.13	78.24	67.67	69.92	51.72	19.78	12.78	42.16	121.99	121.99	118.05	816.36
1924	Critical	53.58	42.01	47.83	48.27	35.92	5.48	5.30	8.93	4.83	85.04	5.48	9.14	351.81
1925	Dry	43.77	52.81	70.14	58.77	38.45	74.06	21.18	17.42	30.26	121.99	52.29	118.05	699.19
1926	Dry	50.11	42.92	52.51	58.78	28.47	5.48	21.67	15.75	46.48	121.99	56.30	70.03	570.49
1927	Wet	27.82	118.05	68.27	43.32	65.01	67.44	17.71	12.78	50.86	121.99	121.99	117.43	832.67
1928	Above Normal	57.62	43.29	129.98	63.18	37.07	72.07	19.62	12.78	45.20	112.85	121.99	118.05	833.70
1929	Critical	64.41	28.06	89.19	60.18	54.14	52.69	29.87	5.48	5.30	5.48	12.82	10.23	417.85
1930	Dry	19.31	21.00	57.69	43.96	41.33	54.73	25.00	21.64	37.24	121.99	67.68	118.05	629.62
1931	Critical	29.61	27.65	26.19	59.63	38.17	17.59	5.30	5.48	5.30	45.90	5.48	7.00	273.30
1932	Dry	16.98	30.61	130.94	62.37	109.84	72.55	13.09	12.78	31.59	61.74	86.27	48.96	677.72
1933	Critical	36.20	30.07	61.05	107.67	91.79	31.23	15.54	12.78	5.30	49.67	20.57	9.11	470.98
1934	Critical	18.11	27.06	84.71	108.52	72.64	26.54	5.30	12.86	5.30	5.48	5.48	9.01	381.01
1935	Below Normal	41.55	53.90	73.58	74.15	81.72	63.59	18.22	12.78	42.12	121.99	121.99	118.05	823.64
1936	Below Normal	73.70	58.28	74.54	46.98	144.14	131.57	21.03	12.78	49.72	121.99	121.99	118.05	974.77
1937	Below Normal	82.47	47.08	122.33	82.32	133.66	111.60	27.88	20.01	86.81	121.99	121.99	58.57	1,016.71
1938	Wet	69.80	118.05	104.67	135.16	140.20	138.07	44.83	112.80	118.05	121.99	121.99	112.79	1,338.40
1939	Dry	57.49	5.30	129.89	62.25	48.16	32.24	17.10	19.63	5.30	121.99	70.98	76.16	646.49
1940	Above Normal	22.23	16.75	63.83	47.45	56.57	97.86	23.18	12.80	48.50	114.01	121.99	118.05	743.22
1941	Wet	52.83	24.50	76.54	72.49	140.20	138.07	28.25	24.65	70.72	121.99	121.99	107.02	979.25
1942	Wet	41.47	5.30	77.34	84.72	84.24	90.50	25.27	22.28	70.35	121.99	121.99	108.03	853.48
1943	Wet	51.12	5.30	73.65	94.33	98.64	138.07	25.13	14.52	51.08	121.70	121.99	112.56	908.09
1944	Dry	48.50	5.30	130.10	62.19	62.87	44.28	18.66	12.78	35.14	121.99	73.94	43.05	658.80
1945	Below Normal	37.49	118.05	69.63	62.65	64.31	122.22	18.39	12.78	36.52	121.99	121.99	118.05	904.07
1946	Below Normal	84.42	118.05	101.07	73.84	50.99	74.58	14.89	12.78	24.34	121.65	121.99	118.05	916.65
1947	Dry	66.82	70.90	85.48	55.27	58.04	24.35	15.91	12.78	29.82	121.99	66.94	118.05	726.35
1948	Below Normal	74.80	62.61	44.21	37.07	6.56	46.18	12.72	12.78	47.34	121.99	121.99	118.05	706.30
1949	Dry	52.04	46.42	78.18	58.85	54.74	35.25	12.37	12.78	30.63	121.99	53.42	118.05	674.72
1950	Below Normal	17.97	31.24	40.03	39.60	42.39	62.73	15.08	12.78	32.86	121.99	121.99	118.05	656.71
1951	Above Normal	90.37	118.05	140.22	130.18	110.66	121.60	17.00	12.78	47.61	106.44	121.99	115.85	1,132.75
1952	Wet	55.50	70.61	71.79	86.76	66.44	138.07	29.83	38.63	104.02	121.99	121.99	118.05	1,023.68
1953	Wet	50.96	5.30	130.01	57.99	63.18	67.48	18.21	15.32	34.25	121.99	121.99	118.05	804.73
1954	Above Normal	37.45	5.30	75.67	38.01	41.22	62.93	16.56	12.78	46.33	105.65	121.99	118.05	681.94
1955	Dry	48.53	56.76	128.60	65.51	50.60	42.85	16.70	12.78	5.30	121.99	60.27	54.47	664.36
1956	Wet	35.06	69.66	109.29	155.23	115.36	124.03	17.74	18.48	76.45	121.99	121.99	112.35	1,077.63
1957	Above Normal	48.49	5.30	128.81	60.30	30.88	53.32	18.33	14.94	32.88	120.54	121.99	118.05	753.83
1958	Wet	118.83	42.47	67.55	46.67	67.30	130.13	43.89	31.77	92.23	121.99	121.99	118.05	1,002.87
1959	Below Normal	68.14	5.30	129.52	40.05	49.83	64.28	21.53	16.66	29.40	121.99	121.99	118.05	786.74
1960	Dry	47.77	39.06	36.14	59.36	38.12	44.43	9.91	21.53	26.79	121.99	95.99	118.05	659.14
1961	Dry	24.61	71.77	127.92	60.61	33.13	60.25	15.50	15.03	1.08	113.24	36.98	43.14	603.26
1962	Below Normal	6.08	47.66	54.47	47.09	51.99	69.81	19.44	12.78	30.06	120.48	121.99	118.05	699.90
1963	Wet	121.99	118.05	65.01	44.24	47.89	65.31	16.38	12.78	35.67	121.99	121.99	118.05	889.35
1964	Dry	64.07	75.53	93.77	61.85	46.16	39.55	14.17	12.78	5.30	121.99	53.85	118.05	707.07
1965	Wet	48.76	55.94	73.20	95.94	72.38	83.18	22.41	12.78	50.46	121.63	121.99	115.44	874.11
1966	Below Normal	33.24	70.09	137.18	71.47	65.41	54.75	16.31	12.78	29.78	121.68	121.99	118.05	852.73
1967	Wet	51.13	66.87	71.54	68.43	59.77	77.12	37.36	32.64	118.05	121.99	121.99	118.05	944.94
1968	Below Normal	70.23	5.30	128.90	62.32	38.80	63.42	20.78	17.61	29.35	119.68	121.99	118.05	796.43
1969	Wet	48.27	72.78	128.95	77.24	119.88	81.55	86.46	105.07	118.05	121.99	121.99	110.58	1,192.81
1970	Wet	72.69	5.30	75.33	155.23	88.43	116.38	14.09	12.78	32.56	121.99	121.99	82.55	899.32
1971	Wet	48.50	98.34	72.53	60.72	55.53	71.05	18.68	15.04	46.80	121.99	121.99	117.04	848.21
1972	Below Normal	51.14	5.30	128.83	58.35	30.82	42.79	20.06	12.78	29.07	121.99	121.99	118.05	741.17
1973	Above Normal	67.04	118.05	69.47	53.24	71.82	74.65	17.22	12.78	50.43	121.99	121.99	111.94	890.62
1974	Wet	82.16	118.05	80.90	79.42	64.35	91.95	20.39	12.78	62.21	121.99	121.99	118.05	974.24
1975	Wet	77.55	5.30	130.54	61.70	51.99	102.01	18.11	12.78	68.04	121.99	121.99	118.05	890.05
1976	Critical	86.64	5.30	129.02	55.28	38.33	49.19	21.99	20.38	4.93	115.82	74.08	118.05	719.01
1977	Critical	39.64	26.07	21.29	30.89	13.24	5.64	5.30	10.93	1.05	5.48	5.48	24.80	189.81
1978	Above Normal	5.48	34.60	51.37	52.50	80.36	90.35	30.38	26.68	77.83	121.99	121.99	118.05	811.58
1979	Below Normal	54.66	30.11	124.96	71.49	86.11	87.83	17.86	20.49	48.86	121.99	121.99	118.05	904.40
1980	Above Normal	82.80	61.41	129.40	90.58	79.70	84.55	19.81	18.22	78.29	121.99	121.99	118.05	1,006.79
1981	Dry	66.11	6.00	129.42	62.48	56.26	44.38	23.31	18.48	29.16	121.99	91.35	93.86	742.80
1982	Wet	51.15	118.05	67.34	68.71	131.06	138.07	108.25	44.08	86.04	121.99	121.99	118.05	1,174.78
1983	Wet	121.99	118.05	140.22	69.61	61.29	70.59	77.32	79.55	90.99	93.10	121.99	107.94	1,152.64
1984	Wet	121.99	118.05	126.73	119.29	113.03	121.60	18.27	12.78	50.52	116.83	121.99	81.15	1,122.23
1985	Dry	74.50	118.05	128.71	62.37	58.06	53.24	20.88	16.27	29.62	121.99	62.39	118.05	864.13
1986	Wet	77.50	93.17	78.14	39.35	131.70	91.37	30.34	23.92	65.95	121.99	121.99	118.05	993.47
1987	Dry	63.45	5.30	129.51	60.33	55.25	42.86	10.89	32.35	28.81	16.69	10.45	37.30	493.19
1988	Critical	6.59	15.60	60.67	43.49	6.24	30.34	18.65	17.10	5.30	75.47	5.48	20.79	305.72
1989	Dry	5.48	58.87	51.50	58.05	13.48	22.07	21.75	16.90	41.69	113.55	70.15	118.05	591.54
1990	Critical	73.73	42.33	85.57	56.53	38.20	18.48	5.30	15.49	3.92	117.10	5.48	31.59	493.72
1991	Critical	5.48	14.05	18.03	11.70	23.16	23.66	19.03	14.96	36.49	86.57	5.48	10.74	269.35
1992	Critical	17.25	5.30	31.27	20.49	28.87	43.63	12.37	12.78	35.05	7.61	5.48	37.22	257.32
1993	Above Normal	5.48	9.12	66.11	59.08	67.90	71.61	12.37	12.78	66.02	121.99	121.99	118.05	732.50
1994	Critical	60.56	5.30	113.14	58.47	55.01	42.04	16.42	17.81	4.18	113.10	52.72	56.94	595.69
1995	Wet	11.38	37.94	66.14	54.99	59.88	138.07	32.00	112.80	105.99	121.99	121.99	118.05	981.22
1996	Wet	29.17	5.30	67.62	51.78	131.88	119.97	21.27	17.40	60.24	121.99	121.99	118.05	866.66
1997	Wet	26.70	9.74	140.22	155.23	140.20	131.52	15.27	14.31	28.81	110.87	121.99	118.05	1,012.91
1998	Wet	36.54	17.49	128.99	55.02	140.20	138.07	35.61	35.75	118.05	121.99	121.99	118.05	1,067.75
1999	Wet	121.99	118.05	73.62	74.81	109.68	89.84	15.89	12.78	50.77	121.67	121.99	51.38	962.47
2000	Above Normal	38.86	5.30	127.91	41.31	92.26	103.26	15.74	12.78	45.82	110.57	121.99	118.05	833.85
2001	Dry	45.89	5.30	128.21	63.18	50.02	52.87	18.14	13.06	28.56	66.17	5.48	53.09	529.97
2002	Dry	5.48	59.20	71.80	48.75	62.95	47.33	14.78	12.78	29.60	121.99	25.97	104.86	605.49
2003	Above Normal	5.48	31.73	70.45	42.04	55.44	61.06	12.37	12.78	42.22	120.12	121.99	118.05	693.73
	Average	51.91	47.32	90.08	66.01	67.25	72.21	21.93	20.69	45.11	108.53	92.54	94.96	778.53
	Wet	63.57	62.91	91.01	81.09	93.07	106.14	32.27	33.13	71.43	120.22	121.99	110.42	987.23
	Above Normal	45.71	42.18	98.73	61.94	64.72	81.30	18.63	15.02	57.84	116.68	121.99	117.36	842.08
	Below Normal	54.49	49.86	93.39	59.65	65.48	74.79	18.86	14.47	39.89	121.67	121.99	113.80	828.33
	Dry	44.50	42.84	97.81	59.16	50.33	44.04	17.28	16.53	26.24	108.74	57.82	87.18	652.46
	Critical	40.98	22.40	64.00	55.09	41.31	28.88	13.36	12.92	9.75	59.39	17.00	28.72	393.80

Energy Use (GWh) At Pumping Plant at SWP Banks: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	87.18	57.23	131.51	65.35	52.79	82.31	20.96	18.13	112.99	121.99	121.99	118.05	990.48
1923	Below Normal	66.92	45.12	78.24	66.77	69.74	51.72	19.78	12.78	42.43	121.99	121.99	118.05	815.53
1924	Critical	53.59	42.00	47.83	48.28	35.92	5.48	5.30	8.75	4.83	85.05	5.48	9.08	351.59
1925	Dry	43.70	52.75	70.11	58.77	38.45	74.10	21.18	17.42	30.22	121.99	52.34	118.05	699.08
1926	Dry	50.15	42.95	52.49	58.78	28.47	5.48	21.67	15.75	46.55	121.99	56.49	69.69	570.46
1927	Wet	27.80	118.05	68.27	43.32	65.01	67.44	17.71	12.78	50.86	121.99	121.99	117.42	832.64
1928	Above Normal	57.61	43.25	129.98	63.18	37.07	72.07	19.62	12.78	45.20	112.85	121.99	118.05	833.65
1929	Critical	64.40	28.05	89.17	60.18	54.14	52.69	29.87	5.48	5.30	5.48	12.81	10.22	417.79
1930	Dry	19.29	20.98	57.68	43.96	41.33	54.75	25.00	21.64	37.28	121.99	67.68	118.05	629.63
1931	Critical	29.61	27.63	26.17	59.63	38.16	17.58	5.30	5.48	5.30	45.66	5.48	6.98	272.98
1932	Dry	16.95	30.60	130.94	62.37	109.93	74.11	13.09	12.78	31.59	61.73	86.28	48.96	679.33
1933	Critical	36.20	30.07	59.53	107.69	91.80	31.23	15.54	12.78	5.30	49.34	20.52	9.03	469.03
1934	Critical	18.06	26.97	128.55	108.52	72.64	26.51	5.30	5.48	5.30	5.48	5.48	8.98	417.27
1935	Below Normal	41.88	53.96	73.50	70.17	81.72	63.59	18.22	12.78	42.12	121.99	121.99	118.05	819.97
1936	Below Normal	70.13	58.22	67.63	54.85	144.14	129.65	21.03	12.78	49.72	121.99	121.99	118.05	970.18
1937	Below Normal	82.43	47.04	122.40	82.51	133.42	111.60	22.94	18.17	87.76	121.99	121.99	58.57	1,010.82
1938	Wet	68.29	118.05	91.95	130.26	140.20	138.07	40.54	46.22	115.20	121.99	121.99	112.77	1,245.53
1939	Dry	58.34	5.30	129.89	62.25	48.15	32.24	28.96	19.61	5.30	121.99	72.17	66.12	650.32
1940	Above Normal	24.13	16.70	63.80	47.45	56.57	97.86	23.18	12.80	48.50	113.94	121.99	118.05	744.97
1941	Wet	52.84	24.50	76.54	72.49	137.96	138.07	28.25	24.65	70.72	121.99	121.99	107.00	977.00
1942	Wet	41.99	5.30	77.34	84.67	82.87	90.50	25.27	22.28	70.35	121.99	121.99	108.02	852.57
1943	Wet	51.10	5.30	73.65	87.61	99.07	138.07	25.13	14.52	43.46	121.70	121.99	111.85	893.45
1944	Dry	50.38	5.30	130.10	62.19	62.87	44.28	18.66	12.78	33.01	121.99	75.15	43.00	659.71
1945	Below Normal	37.46	118.05	69.63	62.65	59.86	113.03	18.39	12.78	36.52	121.99	121.99	118.05	890.40
1946	Below Normal	84.51	118.05	101.07	73.84	50.98	72.35	14.89	12.78	26.67	121.65	121.99	118.05	916.83
1947	Dry	65.83	70.91	85.55	55.26	58.04	24.35	15.91	12.78	29.82	121.99	66.34	118.05	724.83
1948	Below Normal	73.19	62.60	44.24	37.07	6.95	46.18	12.72	12.78	47.34	121.99	121.99	118.05	705.10
1949	Dry	52.10	46.15	77.76	58.85	54.74	35.25	12.37	12.78	30.63	121.99	53.31	118.05	673.98
1950	Below Normal	17.95	31.23	40.04	39.60	42.39	62.73	15.08	12.78	32.86	121.99	121.99	118.05	656.69
1951	Above Normal	90.37	118.05	128.61	141.67	110.61	121.61	17.00	12.78	47.61	106.44	121.99	116.49	1,133.23
1952	Wet	55.49	70.60	71.79	85.49	66.51	138.07	28.67	36.38	95.49	121.99	121.99	118.05	1,010.52
1953	Wet	51.25	5.30	130.01	49.75	63.18	67.48	18.21	15.32	34.25	121.99	121.99	118.05	796.78
1954	Above Normal	37.61	5.30	81.01	38.01	41.22	62.93	16.56	12.78	46.33	105.62	121.99	118.05	687.41
1955	Dry	47.71	56.76	128.60	65.51	50.44	42.85	16.70	12.78	5.30	121.99	60.98	59.24	668.86
1956	Wet	29.71	69.63	94.75	155.23	116.87	125.35	17.74	18.48	76.45	121.99	121.99	112.34	1,060.53
1957	Above Normal	48.48	5.30	128.81	60.30	30.88	53.32	18.33	14.94	32.88	120.54	121.99	118.05	753.82
1958	Wet	118.80	42.44	67.55	46.67	67.30	130.13	42.94	31.76	92.22	121.99	121.99	118.05	1,001.84
1959	Below Normal	68.42	5.30	129.52	40.05	49.83	64.25	21.53	16.66	29.40	121.99	121.99	118.05	786.99
1960	Dry	47.77	39.06	36.15	59.36	38.12	44.43	9.95	21.53	26.79	121.99	96.16	118.05	659.36
1961	Dry	24.57	71.78	127.92	60.61	33.13	60.25	15.50	15.03	1.09	113.04	37.10	43.16	603.18
1962	Below Normal	6.07	47.63	54.43	47.09	51.99	69.81	19.44	12.78	30.06	120.48	121.99	118.05	699.82
1963	Wet	121.99	118.05	65.01	44.24	47.89	65.31	16.38	12.78	35.83	121.99	121.99	118.05	889.51
1964	Dry	64.07	75.54	93.78	61.85	46.16	39.54	14.17	12.78	5.30	121.99	53.83	118.05	707.06
1965	Wet	48.69	55.94	73.20	95.83	72.38	83.18	22.41	12.78	50.46	121.63	121.99	115.47	873.96
1966	Below Normal	33.26	70.08	137.18	71.47	65.41	54.75	16.31	12.78	29.78	121.68	121.99	118.05	852.74
1967	Wet	51.14	66.87	71.54	68.43	59.77	77.12	35.94	31.07	116.01	121.99	121.99	118.05	939.92
1968	Below Normal	66.93	5.30	128.90	62.32	38.80	63.42	20.78	17.61	29.35	119.68	121.99	118.05	793.13
1969	Wet	48.46	72.75	128.95	69.63	128.46	81.52	45.85	112.80	118.05	121.99	121.99	111.95	1,162.40
1970	Wet	70.94	5.30	75.33	155.23	88.43	118.80	14.09	12.78	32.56	121.99	121.99	85.72	903.16
1971	Wet	48.45	98.35	72.53	60.72	55.53	71.05	18.68	15.04	46.80	121.99	121.99	117.05	848.18
1972	Below Normal	51.28	5.30	128.83	58.35	30.82	42.79	20.06	12.78	29.07	121.99	121.99	118.05	741.31
1973	Above Normal	67.04	118.05	69.47	53.24	71.82	74.65	17.22	12.78	50.43	121.99	121.99	111.94	890.62
1974	Wet	82.16	118.05	80.90	77.45	64.35	91.95	20.39	12.78	62.21	121.99	121.99	118.05	972.27
1975	Wet	77.54	5.30	130.54	61.70	51.99	101.63	18.11	12.78	68.04	121.99	121.99	118.05	889.66
1976	Critical	86.63	5.30	129.02	55.28	38.32	49.20	21.99	20.38	4.92	116.05	74.06	118.05	719.20
1977	Critical	39.40	26.05	21.29	30.88	13.24	5.64	5.30	10.88	1.05	5.48	5.48	24.79	189.48
1978	Above Normal	5.48	34.57	51.26	52.50	70.64	81.52	27.59	21.81	74.30	121.99	121.99	118.05	781.70
1979	Below Normal	54.55	30.04	104.04	71.57	85.03	86.23	17.85	20.49	49.04	121.99	121.99	118.05	880.87
1980	Above Normal	79.06	70.74	129.40	81.76	82.39	84.71	19.81	18.22	78.28	121.99	121.99	97.97	986.32
1981	Dry	65.68	6.31	129.42	62.48	56.26	44.38	23.31	18.48	29.16	121.99	95.79	94.41	747.67
1982	Wet	52.16	118.05	67.34	68.71	131.06	138.07	108.25	38.64	86.04	121.99	121.99	118.05	1,170.35
1983	Wet	121.99	118.05	140.22	73.37	62.88	66.27	71.91	68.50	82.04	92.74	121.99	107.94	1,127.90
1984	Wet	121.99	118.05	126.67	113.82	107.76	120.13	18.27	12.78	50.52	116.83	121.99	81.16	1,109.97
1985	Dry	74.49	118.05	128.71	62.37	58.06	53.24	20.88	16.27	29.62	121.99	62.38	118.05	864.11
1986	Wet	77.51	93.17	78.14	39.35	102.22	111.46	30.34	23.92	65.95	121.99	121.99	118.05	984.09
1987	Dry	63.44	5.30	129.51	60.33	55.25	42.86	10.91	32.35	29.74	16.72	10.68	37.25	494.34
1988	Critical	6.62	15.60	60.67	43.49	6.24	30.34	18.65	17.10	5.30	74.45	5.48	20.79	304.73
1989	Dry	5.48	58.78	51.52	58.05	13.47	22.07	21.75	16.90	41.69	113.57	68.81	118.05	590.14
1990	Critical	73.91	42.31	85.54	56.53	38.19	18.48	5.30	15.49	3.92	117.29	5.48	32.01	494.45
1991	Critical	5.48	14.13	17.91	11.41	23.17	23.66	19.03	14.96	36.47	86.70	5.48	10.70	269.10
1992	Critical	17.14	5.30	31.23	20.10	28.87	43.63	12.37	12.78	26.03	16.61	5.48	37.20	256.74
1993	Above Normal	5.48	9.08	66.10	59.08	67.90	71.57	12.37	12.78	66.02	121.99	121.99	118.05	732.41
1994	Critical	60.56	5.30	113.87	58.47	55.01	42.04	16.42	17.82	4.18	112.85	52.59	56.91	596.02
1995	Wet	11.27	37.90	66.17	54.99	59.88	138.07	28.75	46.44	104.18	121.99	121.99	118.05	909.68
1996	Wet	29.15	5.30	67.62	51.78	131.88	118.43	21.27	17.40	60.23	121.99	121.99	118.05	865.09
1997	Wet	26.69	9.42	140.22	155.23	140.20	130.60	15.27	14.31	27.94	111.41	121.99	118.05	1,011.33
1998	Wet	36.52	17.46	128.99	55.02	140.20	138.07	33.39	34.01	118.05	121.99	121.99	118.05	1,063.74
1999	Wet	121.99	118.05	73.62	74.81	109.68	89.84	15.89	12.78	50.77	121.67	121.99	51.37	962.46
2000	Above Normal	38.86	5.30	127.91	41.31	90.22	102.40	15.74	12.78	45.82	110.57	121.99	118.05	830.95
2001	Dry	45.87	5.30	125.87	63.18	50.02	52.87	18.14	13.06	28.56	67.76	5.48	53.08	529.19
2002	Dry	5.48	59.23	71.80	48.75	62.94	47.33	14.78	12.78	29.60	121.99	25.97	105.55	606.20
2003	Above Normal	5.48	31.72	70.45	42.04	55.44	61.06	12.37	12.78	42.22	120.11	121.99	118.05	693.71
	Average	51.71	47.42	89.82	65.68	66.75	72.12	21.25	18.72	44.59	108.64	92.61	94.71	774.02
	Wet	63.30	62.89	89.96	79.84	92.06	106.72	29.99	27.46	70.18	120.22	121.99	110.57	975.17
	Above Normal	45.57	42.94	98.19	62.16	63.96	80.50	18.40	14.61	57.55	116.67	121.99	115.74	838.27
	Below Normal	53.93	49.85	91.40	59.88	65.08	73.72	18.50	14.34	40.15	121.67	121.99	113.80	824.31
	Dry	44.52	42.84	97.66	59.16	50.32	44.13	17.94	16.53	26.18	108.82	58.16	86.94	653.19
	Critical	40.97	22.39	67.57	55.04	41.31	28.87	13.36	12.28	8.99	60.04	16.99	28.73	396.53

Difference in Energy Use (GWh) At Pumping Plant at SWP Banks: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.02	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1923	Below Normal	(0.01)	(0.01)	0.00	(0.90)	(0.18)	0.00	0.00	0.00	0.27	0.00	0.00	0.00	(0.07)
1924	Critical	0.01	(0.01)	0.00	0.01	0.00	0.00	0.00	(0.18)	0.00	0.01	0.00	(0.06)	(0.02)
1925	Dry	(0.07)	(0.06)	(0.03)	0.00	0.00	0.04	0.00	0.00	(0.04)	0.00	0.05	0.00	(0.01)
1926	Dry	0.04	0.03	(0.02)	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.19	(0.34)	0.00
1927	Wet	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
1928	Above Normal	(0.01)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1929	Critical	(0.01)	(0.01)	(0.02)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	0.00
1930	Dry	(0.02)	(0.02)	(0.01)	0.00	0.00	0.02	0.00	0.00	0.04	0.00	0.00	0.00	0.00
1931	Critical	0.00	(0.02)	(0.02)	0.00	(0.01)	(0.01)	0.00	0.00	0.00	(0.24)	0.00	(0.02)	(0.03)
1932	Dry	(0.03)	(0.01)	0.00	0.00	0.09	1.56	0.00	0.00	0.00	(0.01)	0.01	0.00	0.13
1933	Critical	0.00	0.00	(1.52)	0.02	0.01	0.00	0.00	0.00	0.00	(0.33)	(0.05)	(0.08)	(0.16)
1934	Critical	(0.05)	(0.09)	43.84	0.00	0.00	(0.03)	0.00	(7.38)	0.00	0.00	0.00	(0.03)	3.02
1935	Below Normal	0.33	0.06	(0.08)	(3.98)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.31)
1936	Below Normal	(3.57)	(0.06)	(6.91)	7.87	0.00	(1.92)	0.00	0.00	0.00	0.00	0.00	0.00	(0.38)
1937	Below Normal	(0.04)	(0.04)	0.07	0.19	(0.24)	0.00	(4.94)	(1.84)	0.95	0.00	0.00	0.00	(0.49)
1938	Wet	(1.51)	0.00	(12.72)	(4.90)	0.00	0.00	(4.29)	(66.58)	(2.85)	0.00	0.00	(0.02)	(7.74)
1939	Dry	0.85	0.00	0.00	0.00	(0.01)	0.00	11.86	(0.02)	0.00	0.00	1.19	(10.04)	0.32
1940	Above Normal	1.90	(0.05)	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	(0.07)	0.00	0.00	0.15
1941	Wet	0.01	0.00	0.00	0.00	(2.24)	0.00	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.19)
1942	Wet	0.52	0.00	0.00	(0.05)	(1.37)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.08)
1943	Wet	(0.02)	0.00	0.00	(6.72)	0.43	0.00	0.00	0.00	(7.62)	0.00	0.00	(0.71)	(1.22)
1944	Dry	1.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(2.13)	0.00	1.21	(0.05)	0.08
1945	Below Normal	(0.03)	0.00	0.00	0.00	(4.45)	(9.19)	0.00	0.00	0.00	0.00	0.00	0.00	(1.14)
1946	Below Normal	0.09	0.00	0.00	0.00	(0.01)	(2.23)	0.00	0.00	2.33	0.00	0.00	0.00	0.01
1947	Dry	(0.99)	0.01	0.07	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.60)	0.00	(0.13)
1948	Below Normal	(1.61)	(0.01)	0.03	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.10)
1949	Dry	0.06	(0.27)	(0.42)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.11)	0.00	(0.06)
1950	Below Normal	(0.02)	(0.01)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1951	Above Normal	0.00	0.00	(11.61)	11.49	(0.05)	0.01	0.00	0.00	0.00	0.00	0.00	0.64	0.04
1952	Wet	(0.01)	(0.01)	0.00	(1.27)	0.07	0.00	(1.16)	(2.25)	(8.53)	0.00	0.00	0.00	(1.10)
1953	Wet	0.29	0.00	0.00	(8.24)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.66)
1954	Above Normal	0.16	0.00	5.34	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.46
1955	Dry	(0.82)	0.00	0.00	0.00	(0.16)	0.00	0.00	0.00	0.00	0.00	0.71	4.77	0.37
1956	Wet	(5.35)	(0.03)	(14.54)	0.00	1.51	1.32	0.00	0.00	0.00	0.00	0.00	(0.01)	(1.43)
1957	Above Normal	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1958	Wet	(0.03)	(0.03)	0.00	0.00	0.00	0.00	(0.95)	(0.01)	(0.01)	0.00	0.00	0.00	(0.09)
1959	Below Normal	0.28	0.00	0.00	0.00	0.00	(0.03)	0.00	0.00	0.00	0.00	0.00	0.00	0.02
1960	Dry	0.00	0.00	0.01	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.17	0.00	0.02
1961	Dry	(0.04)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.20)	0.12	0.02	(0.01)
1962	Below Normal	(0.01)	(0.03)	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1963	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.00	0.00	0.00	0.01
1964	Dry	0.00	0.01	0.01	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	(0.02)	0.00	0.00
1965	Wet	(0.07)	0.00	0.00	(0.11)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	(0.01)
1966	Below Normal	0.02	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1967	Wet	0.01	0.00	0.00	0.00	0.00	0.00	(1.42)	(1.57)	(2.04)	0.00	0.00	0.00	(0.42)
1968	Below Normal	(3.30)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.28)
1969	Wet	0.19	(0.03)	0.00	(7.61)	8.58	(0.03)	(40.61)	7.73	0.00	0.00	0.00	1.37	(2.53)
1970	Wet	(1.75)	0.00	0.00	0.00	0.00	2.42	0.00	0.00	0.00	0.00	0.00	3.17	0.32
1971	Wet	(0.05)	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1972	Below Normal	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
1973	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1974	Wet	0.00	0.00	0.00	(1.97)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.16)
1975	Wet	(0.01)	0.00	0.00	0.00	0.00	(0.38)	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)
1976	Critical	(0.01)	0.00	0.00	0.00	(0.01)	0.01	0.00	0.00	(0.01)	0.23	(0.02)	0.00	0.02
1977	Critical	(0.24)	(0.02)	0.00	(0.01)	0.00	0.00	0.00	(0.05)	0.00	0.00	0.00	(0.01)	(0.03)
1978	Above Normal	0.00	(0.03)	(0.11)	0.00	(9.72)	(8.83)	(2.79)	(4.87)	(3.53)	0.00	0.00	0.00	(2.49)
1979	Below Normal	(0.11)	(0.07)	(20.92)	0.08	(1.08)	(1.60)	(0.01)	0.00	0.18	0.00	0.00	0.00	(1.96)
1980	Above Normal	(3.74)	9.33	0.00	(8.82)	2.69	0.16	0.00	0.00	(0.01)	0.00	0.00	(20.08)	(1.71)
1981	Dry	(0.43)	0.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.44	0.55	0.41
1982	Wet	1.01	0.00	0.00	0.00	0.00	0.00	0.00	(5.44)	0.00	0.00	0.00	0.00	(0.37)
1983	Wet	0.00	0.00	0.00	3.76	1.59	(4.32)	(5.41)	(11.05)	(8.95)	(0.36)	0.00	0.00	(2.06)
1984	Wet	0.00	0.00	(0.06)	(5.47)	(5.27)	(1.47)	0.00	0.00	0.00	0.00	0.00	0.01	(1.02)
1985	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00
1986	Wet	0.01	0.00	0.00	0.00	(29.48)	20.09	0.00	0.00	0.00	0.00	0.00	0.00	(0.78)
1987	Dry	(0.01)	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.93	0.03	0.23	(0.05)	0.10
1988	Critical	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(1.02)	0.00	0.00	(0.08)
1989	Dry	0.00	(0.09)	0.02	0.00	(0.01)	0.00	0.00	0.00	0.00	0.02	(1.34)	0.00	(0.12)
1990	Critical	0.18	(0.02)	(0.03)	0.00	(0.01)	0.00	0.00	0.00	0.00	0.19	0.00	0.42	0.06
1991	Critical	0.00	0.08	(0.12)	(0.29)	0.01	0.00	0.00	0.00	(0.02)	0.13	0.00	(0.04)	(0.02)
1992	Critical	(0.11)	0.00	(0.04)	(0.39)	0.00	0.00	0.00	0.00	(9.02)	9.00	0.00	(0.02)	(0.05)
1993	Above Normal	0.00	(0.04)	(0.01)	0.00	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)
1994	Critical	0.00	0.00	0.73	0.00	0.00	0.00	0.00	0.01	0.00	(0.25)	(0.13)	(0.03)	0.03
1995	Wet	(0.11)	(0.04)	0.03	0.00	0.00	0.00	(3.25)	(66.36)	(1.81)	0.00	0.00	0.00	(5.96)
1996	Wet	(0.02)	0.00	0.00	0.00	0.00	(1.54)	0.00	0.00	(0.01)	0.00	0.00	0.00	(0.13)
1997	Wet	(0.01)	(0.32)	0.00	0.00	0.00	(0.92)	0.00	0.00	(0.87)	0.54	0.00	0.00	(0.13)
1998	Wet	(0.02)	(0.03)	0.00	0.00	0.00	0.00	(2.22)	(1.74)	0.00	0.00	0.00	0.00	(0.33)
1999	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00
2000	Above Normal	0.00	0.00	0.00	0.00	(2.04)	(0.86)	0.00	0.00	0.00	0.00	0.00	0.00	(0.24)
2001	Dry	(0.02)	0.00	(2.34)	0.00	0.00	0.00	0.00	0.00	0.00	1.59	0.00	(0.01)	(0.07)
2002	Dry	0.00	0.03	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.06
2003	Above Normal	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
	Average	(0.20)	0.10	(0.26)	(0.33)	(0.50)	(0.10)	(0.67)	(1.97)	(0.52)	0.11	0.07	(0.24)	(0.38)
	Wet	(0.27)	(0.02)	(1.05)	(1.25)	(1.01)	0.58	(2.28)	(5.66)	(1.25)	0.01	0.00	0.15	(1.00)
	Above Normal	(0.14)	0.76	(0.53)	0.22	(0.76)	(0.80)	(0.23)	(0.41)	(0.30)	(0.01)	0.00	(1.62)	(0.32)
	Below Normal	(0.56)	(0.01)	(1.99)	0.23	(0.40)	(1.07)	(0.35)	(0.13)	0.27	0.00	0.00	0.00	(0.34)
	Dry	0.02	(0.00)	(0.15)	(0.00)	(0.01)	0.09	0.66	(0.00)	(0.06)	0.08	0.35	(0.25)	0.06
	Critical	(0.02)	(0.01)	3.57	(0.06)	(0.00)	(0.00)	0.00	(0.63)	(0.75)	0.64	(0.02)	0.01	0.23

Percent Difference in Energy Use (GWh) At Pumping Plant at SWP Banks: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1923	Below Normal	0%	0%	0%	-1%	0%	0%	0%	0%	1%	0%	0%	0%
1924	Critical	0%	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	-1%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%
1933	Critical	0%	0%	-2%	0%	0%	0%	0%	0%	0%	-1%	0%	-1%
1934	Critical	0%	0%	52%	0%	0%	0%	0%	-57%	0%	0%	0%	0%
1935	Below Normal	1%	0%	0%	-5%	0%	0%	0%	0%	0%	0%	0%	0%
1936	Below Normal	-5%	0%	-9%	17%	0%	-1%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	0%	0%	-18%	-9%	1%	0%	0%	0%
1938	Wet	-2%	0%	-12%	-4%	0%	0%	-10%	-59%	-2%	0%	0%	0%
1939	Dry	1%	0%	0%	0%	0%	0%	69%	0%	0%	0%	2%	-13%
1940	Above Normal	9%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1941	Wet	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1942	Wet	1%	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-7%	0%	0%	0%	0%	-15%	0%	0%	-1%
1944	Dry	4%	0%	0%	0%	0%	0%	0%	0%	-6%	0%	2%	0%
1945	Below Normal	0%	0%	0%	0%	-7%	-8%	0%	0%	0%	0%	0%	0%
1946	Below Normal	0%	0%	0%	0%	0%	-3%	0%	0%	10%	0%	0%	0%
1947	Dry	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1948	Below Normal	-2%	0%	0%	0%	6%	0%	0%	0%	0%	0%	0%	0%
1949	Dry	0%	-1%	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-8%	9%	0%	0%	0%	0%	0%	0%	0%	1%
1952	Wet	0%	0%	0%	-1%	0%	0%	-4%	-6%	-8%	0%	0%	0%
1953	Wet	1%	0%	0%	-14%	0%	0%	0%	0%	0%	0%	0%	0%
1954	Above Normal	0%	0%	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1955	Dry	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	9%
1956	Wet	-15%	0%	-13%	0%	1%	1%	0%	0%	0%	0%	0%	0%
1957	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	0%	0%	0%	0%	0%	-2%	0%	0%	0%	0%	0%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	-4%	-5%	-2%	0%	0%	0%
1968	Below Normal	-5%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1969	Wet	0%	0%	0%	-10%	7%	0%	-47%	7%	0%	0%	0%	1%
1970	Wet	-2%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	4%
1971	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1972	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1974	Wet	0%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1975	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1976	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	-1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1978	Above Normal	0%	0%	0%	0%	-12%	-10%	-9%	-18%	-5%	0%	0%	0%
1979	Below Normal	0%	0%	-17%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%
1980	Above Normal	-5%	15%	0%	-10%	3%	0%	0%	0%	0%	0%	0%	-17%
1981	Dry	-1%	5%	0%	0%	0%	0%	0%	0%	0%	0%	5%	1%
1982	Wet	2%	0%	0%	0%	0%	0%	0%	-12%	0%	0%	0%	0%
1983	Wet	0%	0%	0%	5%	3%	-6%	-7%	-14%	-10%	0%	0%	0%
1984	Wet	0%	0%	0%	-5%	-5%	-1%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-22%	22%	0%	0%	0%	0%	0%	0%
1987	Dry	0%	0%	0%	0%	0%	0%	0%	0%	3%	0%	2%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1989	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
1990	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
1991	Critical	0%	1%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	-1%	0%	0%	-2%	0%	0%	0%	0%	-26%	118%	0%	0%
1993	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1994	Critical	0%	0%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1995	Wet	-1%	0%	0%	0%	0%	0%	-10%	-59%	-2%	0%	0%	0%
1996	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1997	Wet	0%	-3%	0%	0%	0%	-1%	0%	0%	-3%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	0%	-6%	-5%	0%	0%	0%	0%
1999	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	-2%	-1%	0%	0%	0%	0%	0%	0%
2001	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	2%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	0%	0%	0%	0%	0%	0%	-1%	-3%	-1%	1%	0%	0%
	Wet	-1%	0%	-1%	-1%	-1%	1%	-3%	-6%	-2%	0%	0%	0%
	Above Normal	0%	1%	0%	0%	-1%	-1%	-1%	-2%	0%	0%	0%	-1%
	Below Normal	-1%	0%	-2%	1%	0%	-1%	-1%	-1%	1%	0%	0%	0%
	Dry	0%	0%	0%	0%	0%	0%	4%	0%	0%	0%	1%	0%
	Critical	0%	0%	4%	0%	0%	0%	0%	-5%	-2%	10%	0%	0%

Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	39.31	50.83	28.41	7.41	23.39	28.39	30.34	35.89	41.67	42.77	42.18	29.83	400.42
1923	Below Normal	27.99	33.52	22.47	31.25	31.64	26.95	23.59	31.96	41.49	45.83	42.12	27.65	386.46
1924	Critical	28.39	17.72	15.80	6.09	6.79	8.28	12.77	16.66	22.32	25.21	19.67	12.92	192.62
1925	Dry	6.82	5.29	4.79	1.81	4.15	17.79	24.16	34.40	45.69	51.27	56.13	30.54	282.84
1926	Dry	22.08	19.18	16.20	3.04	5.12	10.98	17.11	28.47	37.56	42.07	41.38	25.25	268.44
1927	Wet	17.99	15.53	13.02	4.00	15.50	31.47	32.67	38.60	43.98	44.64	44.56	31.97	333.93
1928	Above Normal	26.32	34.23	25.16	15.64	19.59	14.91	36.78	42.93	48.63	49.39	49.37	35.72	398.67
1929	Critical	29.75	35.30	28.53	15.26	14.53	9.43	11.90	18.28	24.33	25.89	21.47	5.12	239.79
1930	Dry	8.56	9.69	8.73	2.87	4.92	7.64	19.32	25.03	33.64	36.55	34.64	20.73	212.32
1931	Critical	12.99	10.55	8.77	2.87	4.80	8.23	15.60	20.12	27.13	30.62	23.96	15.61	181.25
1932	Dry	8.59	6.45	5.83	3.06	6.52	26.01	17.93	26.14	34.71	41.63	34.98	22.92	234.77
1933	Critical	15.91	13.61	11.35	2.92	36.48	12.80	15.76	24.96	33.54	37.54	31.91	20.85	257.63
1934	Critical	13.31	10.83	9.02	2.96	4.43	8.64	17.84	23.11	31.35	35.19	21.42	3.46	181.56
1935	Below Normal	18.77	14.84	11.72	2.97	6.39	11.19	32.86	39.51	47.13	49.42	47.83	33.53	316.16
1936	Below Normal	31.17	24.45	23.94	11.26	13.74	46.29	33.05	42.36	48.16	48.90	48.85	35.17	407.34
1937	Below Normal	36.09	27.27	27.98	16.08	44.42	49.91	40.86	46.46	53.49	58.40	58.40	48.09	507.45
1938	Wet	35.48	33.23	34.13	19.09	33.23	46.49	40.72	49.07	57.05	61.89	61.84	44.14	516.36
1939	Dry	42.70	46.55	35.67	20.19	22.22	18.73	26.66	34.59	27.13	54.30	36.13	34.00	398.87
1940	Above Normal	9.45	7.18	28.75	2.91	4.24	13.81	26.05	34.68	40.08	51.76	48.46	32.14	299.51
1941	Wet	25.21	26.78	17.16	10.94	24.78	30.81	36.49	38.81	45.15	49.91	49.81	35.49	391.34
1942	Wet	38.77	31.75	28.03	31.26	32.41	34.21	26.53	33.02	41.13	44.19	41.67	28.09	411.06
1943	Wet	28.97	26.93	17.98	23.94	30.23	30.50	40.39	43.31	50.37	55.23	55.15	39.26	442.26
1944	Dry	38.15	15.77	40.51	11.37	11.02	10.99	19.78	25.73	34.25	37.60	36.78	21.68	303.63
1945	Below Normal	14.04	11.59	9.69	4.94	6.35	49.95	32.91	41.21	46.91	47.63	47.56	34.22	347.00
1946	Below Normal	39.52	26.44	27.13	31.95	32.92	37.71	27.68	34.03	39.84	41.04	40.34	28.15	406.75
1947	Dry	33.38	20.59	20.80	14.07	15.65	14.58	36.66	42.76	48.45	49.17	56.41	35.57	388.09
1948	Below Normal	29.61	27.69	28.39	14.21	13.60	9.20	15.47	18.47	19.42	49.70	45.74	31.77	303.27
1949	Dry	28.67	20.50	17.18	4.69	6.04	9.92	29.25	37.03	47.68	52.47	47.36	35.85	336.64
1950	Below Normal	26.19	13.76	17.55	3.75	4.32	8.45	24.02	31.04	14.06	52.99	48.07	32.01	276.21
1951	Above Normal	28.43	19.33	16.14	51.73	48.26	53.44	29.23	38.58	44.33	44.94	44.83	31.75	450.99
1952	Wet	29.07	32.08	24.42	31.29	34.25	39.41	31.37	44.93	52.25	57.16	57.08	40.58	473.89
1953	Wet	38.50	44.50	32.52	32.07	25.78	18.66	22.20	29.66	27.11	47.28	42.79	28.43	389.50
1954	Above Normal	22.83	22.74	14.83	4.67	16.91	15.04	25.15	33.22	42.88	49.25	45.59	29.84	322.95
1955	Dry	25.50	22.03	15.65	4.27	7.05	12.59	22.76	29.55	39.14	43.98	45.74	26.15	294.41
1956	Wet	18.61	16.08	13.52	22.34	50.39	54.27	34.52	43.46	50.02	50.71	50.60	35.82	440.34
1957	Above Normal	37.76	33.68	28.34	19.30	19.33	22.24	25.94	34.25	37.50	52.38	48.32	32.07	391.11
1958	Wet	23.24	26.12	17.07	3.77	27.77	31.30	45.35	53.29	57.01	61.92	61.91	44.22	452.97
1959	Below Normal	37.17	34.09	40.46	13.54	15.00	15.43	22.38	28.82	15.08	48.69	44.17	29.55	344.38
1960	Dry	27.36	18.42	15.46	2.90	3.62	9.59	29.55	37.51	41.82	54.52	49.17	36.10	326.02
1961	Dry	27.30	24.23	21.44	5.41	6.69	8.23	23.17	29.88	39.57	48.39	39.93	18.28	292.52
1962	Below Normal	2.68	21.20	24.16	3.03	3.85	12.74	24.55	32.14	20.74	52.58	48.00	32.54	278.21
1963	Wet	23.75	20.75	17.48	20.69	24.62	26.49	26.84	33.89	40.51	42.35	41.04	28.30	346.71
1964	Dry	22.18	28.91	19.94	14.60	33.91	25.84	29.92	35.79	42.43	44.20	49.41	29.99	377.12
1965	Wet	23.84	21.79	21.63	21.95	31.89	31.00	28.33	34.26	33.32	45.03	43.25	30.17	366.46
1966	Below Normal	35.56	23.60	21.07	28.36	30.34	24.86	24.35	32.19	41.60	45.68	42.15	27.76	377.52
1967	Wet	28.78	17.95	9.91	7.00	27.21	28.73	44.88	48.78	56.64	61.58	61.54	43.91	436.91
1968	Below Normal	37.71	51.12	35.44	14.77	18.87	16.53	22.77	29.45	18.14	48.53	44.09	29.85	367.27
1969	Wet	28.08	18.71	15.69	19.07	27.74	34.71	36.72	44.60	53.12	53.85	59.99	42.58	434.86
1970	Wet	36.29	50.04	32.03	32.95	32.97	49.23	31.60	37.94	43.59	44.19	44.06	31.19	466.08
1971	Wet	28.71	31.36	24.35	31.27	32.45	28.86	24.40	32.54	41.82	45.78	42.39	28.03	391.96
1972	Below Normal	25.99	19.06	16.59	11.73	25.97	25.10	25.47	32.68	42.86	47.53	43.44	28.52	344.94
1973	Above Normal	28.07	18.13	15.84	5.85	29.87	32.07	30.78	40.04	45.83	46.41	46.32	33.05	372.26
1974	Wet	27.21	25.30	26.04	32.06	33.62	40.10	41.25	41.19	47.45	48.06	47.95	33.92	444.15
1975	Wet	27.85	40.99	26.67	26.22	22.59	35.01	33.46	39.25	44.79	45.39	45.32	32.49	420.03
1976	Critical	26.74	36.03	25.60	16.12	17.32	16.12	25.51	33.20	40.32	51.58	37.77	32.62	358.93
1977	Critical	23.74	20.70	14.85	2.97	3.72	5.51	9.43	4.34	0.10	3.17	1.72	10.44	100.69
1978	Above Normal	2.31	15.75	23.21	2.81	7.24	27.89	24.72	24.59	39.47	46.60	45.49	32.00	292.08
1979	Below Normal	32.35	34.64	23.46	13.91	14.59	35.20	34.43	40.52	46.12	46.74	46.69	33.62	402.27
1980	Above Normal	36.80	25.92	26.61	22.56	34.76	36.64	36.34	47.63	59.37	58.66	61.36	43.74	490.39
1981	Dry	36.69	44.06	37.87	14.27	15.02	14.45	23.44	31.17	19.96	51.07	53.86	31.54	373.40
1982	Wet	22.92	19.98	16.81	17.78	25.51	31.36	43.60	51.85	60.17	61.03	60.96	43.37	455.34
1983	Wet	36.31	33.86	33.43	29.35	26.25	30.34	32.66	32.92	37.71	51.67	58.48	43.79	446.77
1984	Wet	52.56	51.89	56.16	52.20	49.72	53.41	28.89	38.50	44.20	44.90	44.78	31.72	548.93
1985	Dry	25.84	24.01	29.34	27.05	25.24	28.59	31.33	37.83	43.49	44.07	53.32	31.14	401.25
1986	Wet	25.45	23.64	24.33	15.46	20.12	39.50	42.46	52.89	60.03	61.24	61.16	43.89	470.17
1987	Dry	37.10	27.08	40.26	11.49	11.14	7.90	12.28	15.61	20.68	25.79	18.22	12.16	239.71
1988	Critical	6.42	5.05	4.58	1.66	5.53	5.60	9.66	12.61	16.49	17.63	14.57	9.80	109.60
1989	Dry	5.10	3.99	3.64	2.08	5.78	7.60	32.67	39.73	47.62	54.16	48.65	34.15	285.17
1990	Critical	27.14	24.76	24.05	10.62	10.73	9.33	13.86	17.77	23.78	25.33	20.96	13.86	222.19
1991	Critical	7.48	5.76	5.21	1.91	3.74	5.53	9.94	12.44	16.34	20.06	14.47	9.69	112.57
1992	Critical	5.07	3.93	3.59	1.47	3.13	5.54	12.80	16.29	21.66	26.89	18.80	12.79	131.96
1993	Above Normal	5.20	4.12	6.50	2.82	24.94	27.54	27.77	34.35	28.58	48.58	46.03	31.87	288.30
1994	Critical	30.10	27.64	20.75	10.07	11.38	15.40	25.65	33.20	36.04	54.67	31.39	23.76	320.05
1995	Wet	4.64	16.80	29.63	3.01	19.55	17.23	40.90	48.55	55.06	56.21	56.21	40.39	388.18
1996	Wet	41.20	28.61	29.51	14.70	14.54	27.39	31.97	37.36	42.62	43.26	43.18	30.87	385.21
1997	Wet	38.13	23.56	24.21	31.04	33.11	43.28	37.32	44.07	50.58	51.32	51.24	36.34	464.20
1998	Wet	31.98	39.79	28.82	19.18	32.52	38.68	34.81	40.32	46.05	46.83	46.78	33.42	439.18
1999	Wet	27.51	29.37	31.88	32.39	48.25	38.75	29.01	38.31	43.99	44.88	44.64	36.99	445.97
2000	Above Normal	29.86	23.95	24.67	17.57	30.15	25.34	28.85	35.92	44.05	47.14	44.85	30.68	383.03
2001	Dry	28.54	25.82	20.39	9.35	9.66	10.09	18.06	23.59	31.89	40.12	28.66	18.78	264.95
2002	Dry	10.87	8.44	7.18	3.40	7.27	12.51	35.13	40.97	46.38	47.22	44.04	36.80	300.21
2003	Above Normal	11.98	13.57	31.12	4.91	8.26	13.00	22.57	29.25	17.01	49.08	44.20	29.84	274.79
	Average	25.57	23.94	21.70	14.34	19.87	23.85	27.54	34.05	38.85	45.90	43.48	29.96	349.05
	Wet	29.27	28.75	24.86	22.50	29.88	35.05	34.59	41.21	47.14	50.79	50.71	36.13	430.88
	Above Normal	23.19	22.45	22.47	13.18	22.25	25.86	28.71	35.94	40.78	48.91	47.25	32.71	363.71
	Below Normal	28.20	25.95	23.58	14.41	18.71	26.39	27.46	34.35	35.36	48.83	46.25	32.32	361.80
	Dry	24.19	20.61	20.05	8.66	11.17	14.11	24.95	31.99	37.89	45.48	43.05	27.87	310.02
	Critical	18.92	17.66	14.34	6.24	10.22	9.20	15.06	19.42	24.45	29.48	21.51	14.24	200.74

Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	39.31	50.83	28.41	7.41	23.39	28.40	30.34	35.89	42.51	43.61	43.02	30.66	403.78
1923	Below Normal	28.83	34.32	23.30	31.24	31.62	26.76	23.56	31.95	42.34	46.71	42.97	28.47	392.07
1924	Critical	29.10	18.52	16.58	6.84	6.73	8.27	12.77	16.66	22.33	25.23	19.68	12.92	195.63
1925	Dry	6.83	5.29	4.79	1.81	4.15	17.64	24.17	34.42	45.93	51.51	56.38	30.77	283.69
1926	Dry	22.31	19.40	16.41	3.24	5.11	10.97	17.09	28.45	37.54	42.04	41.34	25.23	269.13
1927	Wet	17.98	15.52	13.01	4.00	15.49	31.47	32.67	38.60	44.82	45.48	45.40	32.80	337.24
1928	Above Normal	27.16	35.08	26.00	16.48	19.56	14.91	36.78	42.93	49.12	49.88	49.86	36.21	403.97
1929	Critical	30.24	35.78	29.02	15.75	14.53	9.42	11.89	18.27	24.31	25.88	21.46	5.11	241.66
1930	Dry	8.56	9.68	8.73	2.87	4.92	7.63	19.31	25.03	33.63	36.55	34.63	20.73	212.27
1931	Critical	12.98	10.55	8.77	2.87	4.80	8.23	15.60	20.11	27.12	30.60	23.95	15.60	181.18
1932	Dry	8.59	6.45	5.83	3.05	6.52	26.71	17.93	26.14	35.55	42.46	35.81	23.75	238.79
1933	Critical	16.75	14.45	12.19	3.76	35.78	12.80	15.76	24.97	33.54	37.53	31.91	20.85	260.29
1934	Critical	13.31	10.83	9.02	2.96	5.23	11.88	16.73	24.41	32.84	37.38	29.22	3.64	197.45
1935	Below Normal	18.69	16.08	13.14	2.98	6.34	11.07	31.90	38.96	48.17	51.10	48.90	34.10	321.43
1936	Below Normal	31.35	24.48	23.51	10.70	12.50	45.37	33.05	42.36	48.99	49.74	49.69	36.00	407.74
1937	Below Normal	36.91	28.10	28.81	16.08	44.42	49.91	40.86	46.46	54.33	59.24	59.24	48.91	513.27
1938	Wet	36.31	34.07	34.13	18.60	32.67	36.30	41.55	49.71	57.17	63.04	62.97	45.18	511.70
1939	Dry	43.82	47.65	36.78	22.35	21.26	15.92	22.85	29.49	9.38	53.70	38.69	30.49	372.38
1940	Above Normal	11.43	8.16	29.69	3.67	4.26	13.81	26.05	34.68	40.88	52.52	49.25	32.94	307.34
1941	Wet	26.03	27.86	17.56	10.94	24.78	30.70	36.38	38.68	45.83	50.59	50.49	36.22	396.06
1942	Wet	39.84	32.07	28.35	31.26	32.42	34.10	26.52	33.01	41.97	45.03	42.51	28.93	416.01
1943	Wet	29.80	27.66	18.81	23.92	29.97	30.25	40.18	43.06	50.92	55.78	55.70	39.89	445.94
1944	Dry	37.05	16.33	43.19	11.39	10.29	10.76	19.78	25.73	34.79	38.15	37.40	22.22	307.08
1945	Below Normal	14.58	12.14	10.24	5.49	6.35	43.14	32.96	41.26	47.80	48.52	48.45	35.11	346.04
1946	Below Normal	40.20	27.32	28.01	32.78	32.92	37.65	27.44	33.88	40.73	42.10	41.23	28.91	413.17
1947	Dry	34.05	21.22	21.30	14.49	15.70	14.19	36.76	42.88	48.83	49.54	56.84	35.91	391.71
1948	Below Normal	29.94	28.01	28.72	13.91	13.12	9.03	15.47	18.64	19.42	49.73	45.76	31.82	303.57
1949	Dry	28.69	20.52	17.12	4.67	6.02	9.90	29.09	36.92	47.69	52.58	47.14	35.87	336.21
1950	Below Normal	26.17	13.77	17.57	3.75	4.32	8.45	24.02	31.04	14.14	53.08	48.16	32.09	276.56
1951	Above Normal	28.52	19.42	16.14	51.67	48.26	53.44	29.25	38.61	45.20	45.81	45.70	32.61	454.63
1952	Wet	29.93	32.93	25.27	32.13	34.24	39.39	31.25	37.97	44.39	49.90	49.79	35.55	442.74
1953	Wet	33.97	40.51	28.25	33.60	32.29	29.72	23.22	31.52	42.44	47.30	43.05	28.27	414.14
1954	Above Normal	22.71	22.97	15.69	6.71	22.51	16.56	25.08	33.28	44.45	50.04	45.21	29.40	334.61
1955	Dry	25.32	21.57	15.36	4.16	7.24	12.89	23.28	30.24	40.09	45.04	46.67	26.78	298.64
1956	Wet	19.10	16.51	13.89	19.13	44.92	54.28	34.62	43.54	50.94	51.64	51.53	36.74	436.84
1957	Above Normal	38.68	34.59	29.25	20.15	19.33	21.80	25.94	34.23	37.94	53.15	49.13	32.89	397.08
1958	Wet	24.05	26.93	17.86	4.53	27.75	31.29	45.33	53.27	57.82	62.73	62.72	45.05	459.33
1959	Below Normal	37.98	33.78	41.27	14.40	15.00	15.44	22.38	28.82	15.32	48.94	44.42	29.80	347.55
1960	Dry	27.80	18.68	15.72	3.15	3.62	9.55	29.56	37.51	41.85	54.52	49.23	36.07	327.26
1961	Dry	27.28	24.21	21.43	5.42	6.70	8.23	23.17	29.89	39.58	48.49	39.83	18.29	292.52
1962	Below Normal	2.64	21.17	24.13	3.03	3.85	12.75	24.55	32.14	21.55	53.39	48.81	33.35	281.36
1963	Wet	24.56	21.56	18.28	21.50	24.62	26.49	26.84	33.89	41.35	43.19	41.87	29.14	353.29
1964	Dry	23.02	29.68	20.78	15.47	33.91	25.85	29.92	35.79	42.42	44.19	49.41	29.99	380.43
1965	Wet	23.84	21.79	21.63	21.96	31.89	31.00	28.32	34.26	34.12	45.89	44.10	31.01	369.81
1966	Below Normal	36.39	24.18	21.90	29.18	30.33	24.86	24.35	32.20	42.23	46.31	42.78	28.39	383.10
1967	Wet	29.40	18.58	10.55	7.64	27.22	28.74	44.88	48.78	56.64	62.42	62.38	44.75	441.98
1968	Below Normal	40.07	46.86	38.13	14.42	17.41	16.17	22.86	29.57	19.08	49.41	44.97	30.69	369.64
1969	Wet	28.90	19.53	16.50	18.99	27.68	34.72	36.07	45.33	53.16	54.74	60.88	43.46	439.96
1970	Wet	37.74	50.33	32.90	32.89	32.89	44.32	32.96	37.83	44.29	44.89	44.76	31.95	467.75
1971	Wet	29.49	32.13	25.12	32.11	32.46	29.14	24.47	32.58	42.29	46.17	42.85	28.55	397.36
1972	Below Normal	26.49	19.69	17.23	12.56	26.06	25.17	25.49	32.70	42.86	47.51	43.44	28.53	347.73
1973	Above Normal	28.09	18.15	15.87	5.89	29.87	32.07	30.78	40.04	46.65	47.23	47.14	33.87	375.65
1974	Wet	28.03	26.12	26.86	32.89	33.60	40.08	41.03	41.08	48.16	48.76	48.65	34.66	449.92
1975	Wet	28.60	41.36	27.42	27.23	22.65	34.97	33.42	39.20	45.56	46.16	46.09	33.27	425.93
1976	Critical	27.53	36.89	26.39	16.93	17.32	16.15	25.57	33.28	40.50	51.57	37.84	32.72	362.69
1977	Critical	23.81	20.76	14.49	2.97	3.72	5.51	9.43	4.31	0.10	3.16	1.72	10.43	100.41
1978	Above Normal	2.23	15.79	23.18	2.81	7.24	25.99	23.64	23.75	40.87	49.12	46.95	32.60	294.17
1979	Below Normal	32.51	33.69	22.34	12.32	12.41	33.04	33.04	38.84	45.01	45.61	45.54	33.05	387.40
1980	Above Normal	34.95	25.59	26.23	25.27	34.65	36.55	28.94	40.33	51.90	51.06	53.73	38.39	447.59
1981	Dry	31.98	44.14	30.72	19.78	26.74	22.67	25.71	34.53	43.19	52.49	55.17	31.83	418.95
1982	Wet	23.37	20.47	17.69	19.42	26.17	31.34	43.59	51.84	61.00	61.86	61.79	44.19	462.73
1983	Wet	37.14	33.85	33.42	29.35	26.25	30.34	32.66	30.43	36.12	51.83	59.32	44.46	445.17
1984	Wet	52.56	51.89	56.16	52.20	49.72	53.41	28.89	38.51	45.05	45.75	45.62	32.56	552.32
1985	Dry	26.68	24.85	30.17	27.89	25.24	28.59	31.33	37.83	44.00	44.57	53.82	31.64	406.61
1986	Wet	25.96	24.15	24.84	15.96	16.83	39.28	44.02	52.99	60.90	62.18	62.07	44.79	473.97
1987	Dry	38.07	25.15	41.11	12.32	11.14	7.90	12.27	15.60	20.67	25.72	18.22	12.15	240.32
1988	Critical	6.42	5.05	4.58	1.66	5.53	5.60	9.66	12.74	16.67	17.82	14.73	9.91	110.37
1989	Dry	5.16	4.03	3.68	2.06	5.76	7.56	32.52	39.64	47.67	54.32	47.28	34.50	284.18
1990	Critical	27.41	24.98	24.17	10.39	10.57	9.32	13.95	17.90	23.97	25.53	21.12	13.97	223.28
1991	Critical	7.54	5.80	5.24	1.93	3.74	5.53	9.94	12.44	16.34	20.05	14.47	9.69	112.71
1992	Critical	5.07	3.93	3.59	1.47	3.13	5.54	12.62	16.05	21.32	26.47	18.54	12.58	130.31
1993	Above Normal	5.42	4.10	6.15	2.66	24.98	27.62	27.83	34.38	29.68	49.28	46.76	32.67	291.53
1994	Critical	30.94	28.41	21.63	11.03	11.48	15.41	25.62	33.16	36.41	54.64	31.28	23.75	323.76
1995	Wet	4.59	16.78	29.64	3.01	19.54	17.23	40.90	48.55	55.90	54.12	57.64	41.80	389.70
1996	Wet	30.89	10.75	29.90	15.56	14.53	27.38	31.88	37.25	43.33	43.97	43.89	31.62	360.95
1997	Wet	38.25	24.33	24.96	31.04	33.11	42.99	37.11	44.06	51.41	52.15	52.07	37.18	468.66
1998	Wet	32.87	40.57	29.65	20.00	32.52	38.69	34.83	40.12	45.82	46.61	47.39	34.09	443.16
1999	Wet	28.20	29.72	32.58	33.22	48.25	38.75	29.01	38.31	44.83	45.72	45.48	37.81	451.88
2000	Above Normal	30.76	24.78	25.51	18.41	30.14	25.01	28.69	35.84	44.91	48.12	45.72	31.44	389.33
2001	Dry	29.22	26.49	20.96	9.84	9.42	10.02	18.08	23.62	31.92	40.16	28.71	18.81	267.25
2002	Dry	10.91	8.48	7.20	3.41	7.26	12.50	35.09	40.92	46.33	47.16	43.62	36.85	299.73
2003	Above Normal	12.58	13.57	31.12	4.91	8.26	13.00	22.57	29.25	17.29	49.38	44.48	30.12	276.53
	Average	25.76	23.96	22.00	14.73	19.96	23.75	27.41	33.85	39.34	46.19	43.88	30.24	351.08
	Wet	29.28	28.38	25.20	22.81	29.79	34.86	34.72	40.94	47.93	51.07	51.19	36.69	432.87
	Above Normal	23.49	22.75	22.77	13.84	22.70	25.76	27.99	35.27	40.95	49.10	47.25	32.82	364.68
	Below Normal	28.77	25.97	24.16	14.49	18.33	25.63	27.28	34.20	35.86	49.39	46.74	32.80	363.62
	Dry	24.19	20.77	20.07	9.30	11.72	14.42	24.88	31.92	38.39	45.73	43.34	27.88	312.62
	Critical	19.26	18.00	14.64	6.55	10.21	9.47	14.96	19.53	24.62	29.66	22.16	14.26	203.31

Difference in Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.84	0.84	0.84	0.83	0.28
1923	Below Normal	0.84	0.80	0.83	(0.01)	(0.02)	(0.19)	(0.03)	(0.01)	0.85	0.88	0.85	0.82	0.47
1924	Critical	0.71	0.80	0.78	0.75	(0.06)	(0.01)	0.00	0.00	0.01	0.02	0.01	0.00	0.25
1925	Dry	0.01	0.00	0.00	0.00	0.00	(0.15)	0.01	0.02	0.24	0.24	0.25	0.23	0.07
1926	Dry	0.23	0.22	0.21	0.20	(0.01)	(0.01)	(0.02)	(0.02)	(0.02)	(0.03)	(0.04)	(0.02)	0.06
1927	Wet	(0.01)	(0.01)	(0.01)	0.00	(0.01)	0.00	0.00	0.00	0.84	0.84	0.84	0.83	0.28
1928	Above Normal	0.84	0.85	0.84	0.84	(0.03)	0.00	0.00	0.00	0.49	0.49	0.49	0.49	0.44
1929	Critical	0.49	0.48	0.49	0.49	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	0.16
1930	Dry	0.00	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	0.00	(0.01)	0.00	(0.01)	0.00	0.00
1931	Critical	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)
1932	Dry	0.00	0.00	0.00	(0.01)	0.00	0.70	0.00	0.00	0.84	0.83	0.83	0.83	0.34
1933	Critical	0.84	0.84	0.84	0.84	(0.70)	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.22
1934	Critical	0.00	0.00	0.00	0.00	0.80	3.24	(1.11)	1.30	1.49	2.19	7.80	0.18	1.32
1935	Below Normal	(0.08)	1.24	1.42	0.01	(0.05)	(0.12)	(0.96)	(0.55)	1.04	1.68	1.07	0.57	0.44
1936	Below Normal	0.18	0.03	(0.43)	(0.56)	(1.24)	(0.92)	0.00	0.00	0.83	0.84	0.84	0.83	0.03
1937	Below Normal	0.82	0.83	0.83	0.00	0.00	0.00	0.00	0.00	0.84	0.84	0.84	0.82	0.48
1938	Wet	0.83	0.84	0.00	(0.49)	(0.56)	(10.19)	0.83	0.64	0.12	1.15	1.13	1.04	(0.39)
1939	Dry	1.12	1.10	1.11	2.16	(0.96)	(2.81)	(3.81)	(5.10)	(17.75)	(0.60)	2.56	(3.51)	(2.21)
1940	Above Normal	1.98	0.98	0.94	0.76	0.02	0.00	0.00	0.00	0.80	0.76	0.79	0.80	0.65
1941	Wet	0.82	1.08	0.40	0.00	0.00	(0.11)	(0.11)	(0.13)	0.68	0.68	0.68	0.73	0.39
1942	Wet	1.07	0.32	0.32	0.00	0.01	(0.11)	(0.01)	(0.01)	0.84	0.84	0.84	0.84	0.41
1943	Wet	0.83	0.73	0.83	(0.02)	(0.26)	(0.25)	(0.21)	(0.25)	0.55	0.55	0.55	0.63	0.31
1944	Dry	(1.10)	0.56	2.68	0.02	(0.73)	(0.23)	0.00	0.00	0.54	0.55	0.62	0.54	0.29
1945	Below Normal	0.54	0.55	0.55	0.55	0.00	(6.81)	0.05	0.05	0.89	0.89	0.89	0.89	(0.08)
1946	Below Normal	0.68	0.88	0.88	0.83	0.00	(0.06)	(0.24)	(0.15)	0.89	1.06	0.89	0.76	0.54
1947	Dry	0.67	0.63	0.50	0.42	0.05	(0.39)	0.10	0.12	0.38	0.37	0.43	0.34	0.30
1948	Below Normal	0.33	0.32	0.33	(0.30)	(0.48)	(0.17)	0.00	0.17	0.00	0.03	0.02	0.05	0.02
1949	Dry	0.02	0.02	(0.06)	(0.02)	(0.02)	(0.02)	(0.16)	(0.11)	0.01	0.11	(0.22)	0.02	(0.04)
1950	Below Normal	(0.02)	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.08	0.09	0.09	0.08	0.03
1951	Above Normal	0.09	0.09	0.00	(0.06)	0.00	0.00	0.02	0.03	0.87	0.87	0.87	0.86	0.30
1952	Wet	0.86	0.85	0.85	0.84	(0.01)	(0.02)	(0.12)	(6.96)	(7.86)	(7.26)	(7.29)	(5.03)	(2.60)
1953	Wet	(4.53)	(3.99)	(4.27)	1.53	6.51	11.06	1.02	1.86	15.33	0.02	0.26	(0.16)	2.05
1954	Above Normal	(0.12)	0.23	0.86	2.04	5.60	1.52	(0.07)	0.06	1.57	0.79	(0.38)	(0.44)	0.97
1955	Dry	(0.18)	(0.46)	(0.29)	(0.11)	0.19	0.30	0.52	0.69	0.95	1.06	0.93	0.63	0.35
1956	Wet	0.49	0.43	0.37	(3.21)	(5.47)	0.01	0.10	0.08	0.92	0.93	0.93	0.92	(0.29)
1957	Above Normal	0.92	0.91	0.91	0.85	0.00	(0.44)	0.00	(0.02)	0.44	0.77	0.81	0.82	0.50
1958	Wet	0.81	0.81	0.79	0.76	(0.02)	(0.01)	(0.02)	(0.02)	0.81	0.81	0.81	0.83	0.53
1959	Below Normal	0.81	(0.31)	0.81	0.86	0.00	0.01	0.00	0.00	0.24	0.25	0.25	0.25	0.26
1960	Dry	0.44	0.26	0.26	0.25	0.00	(0.04)	0.01	0.00	0.03	0.00	0.06	(0.03)	0.10
1961	Dry	(0.02)	(0.02)	(0.01)	0.01	0.01	0.00	0.00	0.01	0.01	0.10	(0.10)	0.01	0.00
1962	Below Normal	(0.04)	(0.03)	(0.03)	0.00	0.00	0.01	0.00	0.00	0.81	0.81	0.81	0.81	0.26
1963	Wet	0.81	0.81	0.80	0.81	0.00	0.00	0.00	0.00	0.84	0.84	0.83	0.84	0.55
1964	Dry	0.84	0.77	0.84	0.87	0.00	0.01	0.00	0.00	(0.01)	(0.01)	0.00	0.00	0.28
1965	Wet	0.00	0.00	0.00	0.01	0.00	0.00	(0.01)	0.00	0.80	0.86	0.85	0.84	0.28
1966	Below Normal	0.83	0.58	0.83	0.82	(0.01)	0.00	0.00	0.01	0.63	0.63	0.63	0.63	0.47
1967	Wet	0.62	0.63	0.64	0.64	0.01	0.01	0.00	0.00	0.00	0.84	0.84	0.84	0.42
1968	Below Normal	2.36	(4.26)	2.69	(0.35)	(1.46)	(0.36)	0.09	0.12	0.94	0.88	0.88	0.84	0.20
1969	Wet	0.82	0.82	0.81	(0.08)	(0.06)	0.01	(0.65)	0.73	0.04	0.89	0.89	0.88	0.43
1970	Wet	1.45	0.29	0.87	(0.06)	(0.08)	(4.91)	1.36	(0.11)	0.70	0.70	0.70	0.76	0.14
1971	Wet	0.78	0.77	0.77	0.84	0.01	0.28	0.07	0.04	0.47	0.39	0.46	0.52	0.45
1972	Below Normal	0.50	0.63	0.64	0.83	0.09	0.07	0.02	0.02	0.00	(0.02)	0.00	0.01	0.23
1973	Above Normal	0.02	0.02	0.03	0.04	0.00	0.00	0.00	0.00	0.82	0.82	0.82	0.82	0.28
1974	Wet	0.82	0.82	0.82	0.83	(0.02)	(0.02)	(0.22)	(0.11)	0.71	0.70	0.70	0.74	0.48
1975	Wet	0.75	0.37	0.75	1.01	0.06	(0.04)	(0.04)	(0.05)	0.77	0.77	0.77	0.78	0.49
1976	Critical	0.79	0.86	0.79	0.81	0.00	0.03	0.06	0.08	0.18	(0.01)	0.07	0.10	0.31
1977	Critical	0.07	0.06	(0.36)	0.00	0.00	0.00	0.00	(0.03)	0.00	(0.01)	0.00	(0.01)	(0.02)
1978	Above Normal	(0.08)	0.04	(0.03)	0.00	0.00	(1.90)	(1.08)	(0.84)	1.40	2.52	1.46	0.60	0.17
1979	Below Normal	0.16	(0.95)	(1.12)	(1.59)	(2.18)	(2.16)	(1.39)	(1.68)	(1.11)	(1.13)	(1.15)	(0.57)	(1.24)
1980	Above Normal	(1.85)	(0.33)	(0.38)	2.71	(0.11)	(0.09)	(7.40)	(7.30)	(7.47)	(7.60)	(7.63)	(5.35)	(3.57)
1981	Dry	(4.71)	0.08	(7.15)	5.51	11.72	8.22	2.27	3.36	23.23	1.42	1.31	0.29	3.80
1982	Wet	0.45	0.49	0.88	1.64	0.66	(0.02)	(0.01)	(0.01)	0.83	0.83	0.83	0.82	0.62
1983	Wet	0.83	(0.01)	(0.01)	0.00	0.00	0.00	0.00	(2.49)	(1.59)	0.16	0.84	0.67	(0.13)
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.85	0.85	0.84	0.84	0.28
1985	Dry	0.84	0.84	0.83	0.84	0.00	0.00	0.00	0.00	0.51	0.50	0.50	0.50	0.45
1986	Wet	0.51	0.51	0.51	0.50	(3.29)	(0.22)	1.56	0.10	0.87	0.94	0.91	0.90	0.32
1987	Dry	0.97	(1.93)	0.85	0.83	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.07)	0.00	(0.01)	0.05
1988	Critical	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.18	0.19	0.16	0.11	0.06
1989	Dry	0.06	0.04	0.04	(0.02)	(0.02)	(0.04)	(0.15)	(0.09)	0.05	0.16	(1.37)	0.35	(0.08)
1990	Critical	0.27	0.22	0.12	(0.23)	(0.16)	(0.01)	0.09	0.13	0.19	0.20	0.16	0.11	0.09
1991	Critical	0.06	0.04	0.03	0.02	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.01
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.18)	(0.24)	(0.34)	(0.42)	(0.26)	(0.21)	(0.14)
1993	Above Normal	0.22	(0.02)	(0.35)	(0.16)	0.04	0.08	0.06	0.03	1.10	0.70	0.73	0.80	0.27
1994	Critical	0.84	0.77	0.88	0.96	0.10	0.01	(0.03)	(0.04)	0.37	(0.03)	(0.11)	(0.01)	0.31
1995	Wet	(0.05)	(0.02)	0.01	0.00	(0.01)	0.00	0.00	0.00	0.84	(2.09)	1.43	1.41	0.13
1996	Wet	(10.31)	(17.86)	0.39	0.86	(0.01)	(0.01)	(0.09)	(0.11)	0.71	0.71	0.71	0.75	(2.02)
1997	Wet	0.12	0.77	0.75	0.00	0.00	(0.29)	(0.21)	(0.01)	0.83	0.83	0.83	0.84	0.37
1998	Wet	0.89	0.78	0.83	0.82	0.00	0.01	0.02	(0.20)	(0.23)	(0.22)	0.61	0.67	0.33
1999	Wet	0.69	0.35	0.70	0.83	0.00	0.00	0.00	0.00	0.84	0.84	0.84	0.82	0.49
2000	Above Normal	0.90	0.83	0.84	0.84	(0.01)	(0.33)	(0.16)	(0.08)	0.86	0.98	0.87	0.76	0.53
2001	Dry	0.68	0.67	0.57	0.49	(0.24)	(0.07)	0.02	0.03	0.03	0.04	0.05	0.03	0.19
2002	Dry	0.04	0.04	0.02	0.01	(0.01)	(0.01)	(0.04)	(0.05)	(0.05)	(0.06)	(0.42)	0.05	(0.04)
2003	Above Normal	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.28	0.30	0.28	0.28	0.15
	Average	0.19	0.02	0.30	0.39	0.09	(0.10)	(0.13)	(0.21)	0.49	0.29	0.40	0.28	0.17
	Wet	0.01	(0.36)	0.34	0.31	(0.10)	(0.19)	0.13	(0.27)	0.79	0.28	0.49	0.56	0.17
	Above Normal	0.29	0.30	0.31	0.66	0.46	(0.10)	(0.72)	(0.68)	0.17	0.19	(0.00)	0.11	0.08
	Below Normal	0.56	0.02	0.59	0.08	(0.38)	(0.76)	(0.18)	(0.14)	0.49	0.55	0.49	0.49	0.15
	Dry	(0.01)	0.16	0.02	0.64	0.55	0.30	(0.07)	(0.06)	0.50	0.26	0.30	0.01	0.22
	Critical	0.34	0.34	0.30	0.30	(0.00)	0.27	(0.10)	0.11	0.17	0.17	0.65	0.02	0.21

Percent Difference in Energy Use (GWh) At Pumping Plant at SWP Dos Amigos: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	3%
1923	Below Normal	3%	2%	4%	0%	0%	-1%	0%	0%	2%	2%	2%	3%
1924	Critical	3%	5%	5%	12%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	0%	0%	1%
1926	Dry	1%	1%	1%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	3%
1928	Above Normal	3%	2%	3%	5%	0%	0%	0%	0%	1%	1%	1%	1%
1929	Critical	2%	1%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	3%	0%	0%	2%	2%	2%	4%
1933	Critical	5%	6%	7%	29%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	38%	-6%	6%	5%	6%	36%	5%
1935	Below Normal	0%	8%	12%	0%	-1%	-1%	-3%	-1%	2%	3%	2%	2%
1936	Below Normal	1%	0%	-2%	-5%	-9%	-2%	0%	0%	2%	2%	2%	2%
1937	Below Normal	2%	3%	3%	0%	0%	0%	0%	0%	2%	1%	1%	2%
1938	Wet	2%	3%	0%	-3%	-2%	-22%	2%	1%	0%	2%	2%	2%
1939	Dry	3%	2%	3%	11%	-4%	-15%	-14%	-15%	-65%	-1%	7%	-10%
1940	Above Normal	21%	14%	3%	26%	0%	0%	0%	0%	2%	1%	2%	2%
1941	Wet	3%	4%	2%	0%	0%	0%	0%	0%	2%	1%	1%	2%
1942	Wet	3%	1%	1%	0%	0%	0%	0%	0%	2%	2%	2%	3%
1943	Wet	3%	3%	5%	0%	-1%	-1%	-1%	-1%	1%	1%	1%	2%
1944	Dry	-3%	4%	7%	0%	-7%	-2%	0%	0%	2%	1%	2%	2%
1945	Below Normal	4%	5%	6%	11%	0%	-14%	0%	0%	2%	2%	2%	3%
1946	Below Normal	2%	3%	3%	3%	0%	0%	-1%	0%	2%	3%	2%	3%
1947	Dry	2%	3%	2%	3%	0%	-3%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-2%	-4%	-2%	0%	1%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	3%
1952	Wet	3%	3%	3%	3%	0%	0%	0%	-15%	-15%	-13%	-13%	-12%
1953	Wet	-12%	-9%	-13%	5%	25%	59%	5%	6%	57%	0%	1%	-1%
1954	Above Normal	-1%	1%	6%	44%	33%	10%	0%	0%	4%	2%	-1%	-1%
1955	Dry	-1%	-2%	-2%	-3%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-14%	-11%	0%	0%	0%	2%	2%	2%	3%
1957	Above Normal	2%	3%	3%	4%	0%	-2%	0%	0%	1%	1%	2%	3%
1958	Wet	3%	3%	5%	20%	0%	0%	0%	0%	1%	1%	1%	2%
1959	Below Normal	2%	-1%	2%	6%	0%	0%	0%	0%	2%	1%	1%	1%
1960	Dry	2%	1%	2%	9%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	0%	0%	0%	0%	0%	0%	0%	4%	2%	2%	2%
1963	Wet	3%	4%	5%	4%	0%	0%	0%	0%	2%	2%	2%	3%
1964	Dry	4%	3%	4%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	3%
1966	Below Normal	2%	2%	4%	3%	0%	0%	0%	0%	2%	1%	1%	2%
1967	Wet	2%	4%	6%	9%	0%	0%	0%	0%	0%	1%	1%	2%
1968	Below Normal	6%	-8%	8%	-2%	-8%	-2%	0%	0%	5%	2%	2%	3%
1969	Wet	3%	4%	5%	0%	0%	0%	-2%	2%	0%	2%	1%	2%
1970	Wet	4%	1%	3%	0%	0%	-10%	4%	0%	2%	2%	2%	2%
1971	Wet	3%	2%	3%	3%	0%	1%	0%	0%	1%	1%	1%	2%
1972	Below Normal	2%	3%	4%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	2%	2%	2%	2%
1974	Wet	3%	3%	3%	3%	0%	0%	-1%	0%	1%	1%	1%	2%
1975	Wet	3%	1%	3%	4%	0%	0%	0%	0%	2%	2%	2%	2%
1976	Critical	3%	2%	3%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1977	Critical	0%	0%	-2%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1978	Above Normal	-3%	0%	0%	0%	0%	-7%	-4%	-3%	4%	5%	3%	2%
1979	Below Normal	0%	-3%	-5%	-11%	-15%	-6%	-4%	-4%	-2%	-2%	-2%	-2%
1980	Above Normal	-5%	-1%	-1%	12%	0%	0%	-20%	-15%	-13%	-13%	-12%	-12%
1981	Dry	-13%	0%	-19%	39%	78%	57%	10%	11%	116%	3%	2%	1%
1982	Wet	2%	2%	5%	9%	3%	0%	0%	0%	1%	1%	1%	2%
1983	Wet	2%	0%	0%	0%	0%	0%	0%	-8%	-4%	0%	1%	2%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	2%	2%	2%	3%
1985	Dry	3%	3%	3%	3%	0%	0%	0%	0%	1%	1%	1%	2%
1986	Wet	2%	2%	2%	3%	-16%	-1%	4%	0%	1%	2%	1%	2%
1987	Dry	3%	-7%	2%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-3%	1%
1990	Critical	1%	1%	0%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-1%	-2%	-2%	-1%	-2%
1993	Above Normal	4%	0%	-5%	-6%	0%	0%	0%	0%	4%	1%	2%	3%
1994	Critical	3%	3%	4%	10%	1%	0%	0%	0%	1%	0%	0%	0%
1995	Wet	-1%	0%	0%	0%	0%	0%	0%	0%	2%	-4%	3%	3%
1996	Wet	-25%	-62%	1%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1997	Wet	0%	3%	3%	0%	0%	-1%	-1%	0%	2%	2%	2%	2%
1998	Wet	3%	2%	3%	4%	0%	0%	0%	0%	0%	0%	1%	2%
1999	Wet	3%	1%	2%	3%	0%	0%	0%	0%	2%	2%	2%	2%
2000	Above Normal	3%	3%	3%	5%	0%	-1%	-1%	0%	2%	2%	2%	2%
2001	Dry	2%	3%	3%	5%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
2003	Above Normal	5%	0%	0%	0%	0%	0%	0%	0%	2%	1%	1%	1%
	Average	1%	1%	2%	4%	1%	1%	0%	0%	2%	1%	1%	1%
	Wet	1%	-1%	2%	2%	0%	1%	0%	-1%	3%	1%	1%	2%
	Above Normal	3%	2%	1%	8%	3%	0%	-2%	-2%	1%	1%	0%	1%
	Below Normal	2%	1%	3%	1%	-3%	-2%	-1%	0%	2%	1%	1%	2%
	Dry	0%	1%	0%	5%	4%	2%	0%	0%	3%	1%	1%	0%
	Critical	1%	2%	2%	5%	1%	3%	-1%	0%	1%	1%	3%	0%

Energy Use (GWh) At Pumping Plant at SWP San Luis: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	58.18	45.80	0.00	14.46	0.00	0.00	14.97	21.37	22.23	33.84	210.85
1923	Below Normal	11.59	0.00	25.03	0.00	0.00	0.00	0.00	0.00	0.00	14.29	21.29	37.63	109.83
1924	Critical	8.86	2.64	11.23	34.36	21.62	0.00	0.00	0.00	0.00	26.04	0.00	0.00	104.75
1925	Dry	19.31	34.77	54.12	55.13	32.11	33.67	0.00	0.00	0.00	11.94	0.00	33.33	274.38
1926	Dry	0.90	0.41	14.12	49.63	16.95	0.00	0.00	0.00	0.00	21.12	0.00	9.84	112.97
1927	Wet	0.00	71.32	36.42	34.66	32.28	0.00	0.00	0.00	0.00	19.06	21.47	36.72	251.93
1928	Above Normal	0.00	0.00	66.39	29.05	0.00	38.53	0.00	0.00	0.00	4.72	6.31	22.52	167.52
1929	Critical	0.00	0.00	18.87	23.64	20.64	27.82	1.33	0.00	0.00	0.00	0.00	0.34	92.64
1930	Dry	0.22	0.06	33.25	34.05	29.18	34.92	0.00	0.00	0.00	36.84	3.51	59.94	231.97
1931	Critical	0.82	4.38	6.46	54.20	30.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	96.18
1932	Dry	0.00	11.07	104.92	57.05	110.45	11.07	0.00	0.00	0.00	0.00	8.59	0.00	303.15
1933	Critical	1.06	0.50	37.17	117.68	7.70	0.68	0.00	0.00	0.00	0.00	0.00	0.00	164.79
1934	Critical	0.00	3.14	61.69	106.65	71.62	9.95	0.00	0.00	0.00	0.00	0.00	0.39	253.44
1935	Below Normal	0.23	15.59	41.19	66.04	72.24	39.93	0.00	0.00	0.00	12.54	18.28	34.42	300.46
1936	Below Normal	13.66	3.35	19.79	23.25	129.21	28.97	0.00	0.00	0.00	14.01	17.02	32.43	281.69
1937	Below Normal	17.15	0.00	60.46	54.05	37.63	0.72	0.00	0.00	0.00	0.00	0.00	0.00	170.01
1938	Wet	0.00	38.32	26.04	99.30	74.41	36.27	0.00	0.00	0.00	0.00	0.00	10.21	284.55
1939	Dry	0.00	0.00	44.15	17.43	0.49	0.00	0.00	0.00	0.00	0.49	0.43	0.32	63.31
1940	Above Normal	0.18	0.05	0.01	27.02	40.05	58.97	0.00	0.00	0.00	0.47	6.02	24.03	156.80
1941	Wet	0.54	0.00	25.03	40.63	80.84	71.22	0.00	0.00	0.00	11.44	12.38	18.09	260.17
1942	Wet	0.00	0.00	11.49	11.82	10.15	10.18	0.00	0.00	0.00	15.85	20.05	25.41	104.95
1943	Wet	2.68	0.00	27.92	35.37	29.10	70.66	0.00	0.00	0.00	0.00	2.92	11.91	180.56
1944	Dry	0.00	0.00	23.76	31.32	34.08	15.09	0.00	0.00	0.00	23.63	4.17	0.00	132.05
1945	Below Normal	3.69	67.83	43.73	51.83	55.92	7.78	0.00	0.00	0.00	12.20	15.10	28.53	286.61
1946	Below Normal	20.52	54.08	40.22	0.53	0.00	0.00	0.00	0.00	0.00	21.16	22.73	40.99	200.23
1947	Dry	23.54	23.29	38.66	26.67	23.38	0.00	0.00	0.00	0.00	8.83	0.00	22.16	166.53
1948	Below Normal	5.13	0.27	0.00	5.01	0.00	19.02	0.00	0.00	0.42	8.12	14.80	26.87	79.64
1949	Dry	1.56	1.38	35.55	47.32	43.86	10.70	0.00	0.00	0.00	3.54	0.00	22.32	166.23
1950	Below Normal	0.00	0.06	0.00	26.02	28.02	36.47	0.00	0.00	0.00	4.31	12.29	27.38	134.55
1951	Above Normal	34.05	68.80	110.47	12.84	0.11	0.71	0.00	0.00	0.00	5.43	13.67	32.70	278.78
1952	Wet	0.00	14.73	15.10	14.94	0.00	51.08	0.00	0.00	0.00	0.00	0.83	19.04	115.72
1953	Wet	0.00	0.00	47.17	0.00	5.59	20.83	0.00	0.00	0.00	11.06	18.48	31.96	135.09
1954	Above Normal	0.00	0.00	36.93	24.63	2.24	24.65	0.00	0.00	0.00	0.52	12.85	27.10	128.92
1955	Dry	0.59	13.50	82.32	55.76	37.91	12.89	0.00	0.00	0.00	21.70	0.00	0.00	224.67
1956	Wet	0.00	25.73	71.42	105.70	0.09	0.71	0.00	0.00	0.00	9.96	11.02	21.57	246.20
1957	Above Normal	0.00	0.00	56.14	16.85	0.00	0.08	0.00	0.00	0.00	0.50	11.07	24.16	108.80
1958	Wet	44.35	4.20	26.31	36.95	3.43	61.39	0.00	0.00	0.00	0.00	0.00	9.08	185.71
1959	Below Normal	0.00	0.00	24.83	8.48	13.89	22.93	0.00	0.00	0.00	8.47	14.03	31.48	124.11
1960	Dry	1.84	0.00	1.14	46.82	28.28	19.17	0.00	0.00	0.00	0.97	0.00	21.15	119.37
1961	Dry	0.00	10.16	62.04	44.45	17.47	39.15	0.00	0.00	0.00	9.95	0.00	0.28	183.50
1962	Below Normal	0.18	0.05	0.00	27.91	37.11	34.61	0.00	0.00	0.00	6.21	11.72	24.37	142.16
1963	Wet	48.86	64.74	25.26	0.00	0.00	1.70	0.00	0.00	0.00	21.29	26.37	44.59	232.81
1964	Dry	13.30	29.30	49.07	32.56	0.00	0.00	0.00	0.00	0.00	15.06	0.00	29.01	168.30
1965	Wet	0.00	4.40	17.13	40.56	0.00	9.62	0.00	0.00	0.00	14.06	17.73	26.59	130.09
1966	Below Normal	0.00	15.08	79.73	6.00	0.00	0.00	0.00	0.00	0.00	12.15	16.99	36.44	166.39
1967	Wet	4.65	23.41	44.58	53.51	0.00	8.30	0.00	0.00	0.00	0.00	0.00	11.08	145.53
1968	Below Normal	0.00	0.00	32.25	25.44	0.00	20.45	0.00	0.00	0.00	7.28	14.11	31.02	130.55
1969	Wet	0.62	24.56	85.80	33.55	61.48	0.65	1.54	2.78	0.00	0.00	0.00	12.66	223.64
1970	Wet	0.00	0.00	2.22	85.35	15.67	2.60	0.00	0.00	0.00	21.37	19.43	7.79	154.43
1971	Wet	0.00	38.84	15.44	0.00	0.00	2.92	0.00	0.00	0.00	13.74	21.02	38.10	130.06
1972	Below Normal	4.68	0.00	82.64	31.95	0.00	0.00	0.00	0.00	0.00	9.76	17.65	36.41	183.09
1973	Above Normal	21.73	69.08	33.00	41.44	0.12	0.56	0.00	0.00	0.00	14.68	16.96	29.98	227.55
1974	Wet	18.62	56.23	21.89	6.31	0.00	0.00	0.00	0.00	0.00	11.74	13.04	25.47	153.30
1975	Wet	11.67	0.00	61.62	2.48	1.82	19.13	0.00	0.00	0.00	13.24	15.22	25.47	150.65
1976	Critical	19.32	0.00	61.63	18.84	0.07	10.36	0.00	0.00	0.00	6.25	0.00	25.81	142.28
1977	Critical	0.00	0.00	0.00	16.62	4.01	0.00	0.00	0.19	0.52	0.50	0.45	0.30	22.59
1978	Above Normal	0.19	0.05	0.01	32.49	57.09	23.06	0.00	0.00	0.00	18.01	20.81	36.78	188.49
1979	Below Normal	0.00	0.00	65.11	40.25	57.44	4.88	0.00	0.00	0.00	17.42	20.51	34.30	239.91
1980	Above Normal	19.53	3.07	69.03	41.75	0.13	0.65	0.00	0.00	0.00	0.00	0.00	10.78	144.94
1981	Dry	0.00	0.00	28.88	26.57	20.43	8.02	0.00	0.00	0.00	5.56	0.00	13.17	102.63
1982	Wet	0.39	48.54	25.67	24.88	74.67	73.35	8.13	0.00	0.00	0.00	0.00	15.41	271.04
1983	Wet	36.53	41.30	67.41	0.00	0.12	0.67	1.24	2.54	2.78	3.45	0.00	18.34	174.38
1984	Wet	1.41	0.35	0.04	0.00	0.10	0.84	0.00	0.00	0.00	12.13	20.50	6.76	42.13
1985	Dry	14.87	59.26	60.23	0.00	0.11	0.00	0.00	0.00	0.00	17.82	0.00	30.02	182.31
1986	Wet	16.50	35.68	21.97	5.52	90.82	0.81	0.00	0.00	0.00	0.00	0.00	12.93	184.23
1987	Dry	0.00	0.00	24.61	29.71	27.19	20.42	0.00	0.00	0.00	0.00	0.00	5.79	107.72
1988	Critical	0.00	2.81	38.24	34.93	2.38	14.07	0.00	0.00	0.00	24.55	0.00	0.00	116.98
1989	Dry	0.00	39.80	39.25	52.17	5.83	3.34	0.00	0.00	0.00	1.60	0.00	25.67	167.66
1990	Critical	7.42	0.00	20.24	28.12	12.72	0.00	0.00	0.00	0.00	37.12	0.00	0.00	105.62
1991	Critical	0.00	0.91	4.32	5.02	11.43	7.39	0.00	0.00	0.00	36.17	0.00	0.00	65.24
1992	Critical	3.35	0.00	16.21	14.37	18.85	26.48	0.00	0.00	0.00	0.00	0.00	3.93	83.19
1993	Above Normal	0.00	0.05	30.34	44.39	10.56	5.02	0.00	0.00	0.00	9.20	14.03	25.25	138.84
1994	Critical	3.83	0.00	57.22	33.28	28.88	4.19	0.00	0.00	0.00	1.52	0.00	0.32	129.24
1995	Wet	0.18	0.03	0.00	31.09	12.48	87.48	0.00	1.52	0.00	0.00	2.38	19.04	154.20
1996	Wet	0.00	0.00	0.01	11.68	84.97	52.13	0.00	0.00	0.00	15.91	17.84	27.69	210.23
1997	Wet	0.00	0.00	72.09	80.87	71.06	36.20	0.00	0.00	0.00	0.00	6.39	19.37	285.98
1998	Wet	0.00	0.00	37.75	10.09	58.27	46.10	0.00	0.00	11.09	15.06	20.33	34.30	232.99
1999	Wet	53.72	45.74	0.00	0.00	0.06	0.56	0.00	0.00	0.00	21.34	24.71	0.00	146.13
2000	Above Normal	0.00	0.00	62.17	2.53	23.39	44.47	0.00	0.00	0.00	6.33	14.56	28.88	182.33
2001	Dry	0.00	0.00	71.73	40.49	29.01	28.73	0.00	0.00	0.00	0.00	0.00	8.48	178.44
2002	Dry	0.00	28.20	49.26	38.86	49.40	17.02	0.00	0.00	0.00	10.26	0.00	12.76	205.76
2003	Above Normal	0.00	0.06	0.01	25.93	32.33	26.41	0.00	0.00	0.48	8.55	16.77	29.19	139.73
	Average	6.27	13.43	36.27	32.32	24.89	17.97	0.15	0.09	0.37	9.63	8.31	19.54	169.24
	Wet	9.26	20.70	30.22	29.43	27.21	25.59	0.42	0.26	0.53	8.87	11.24	20.37	184.10
	Above Normal	6.31	11.76	43.56	28.73	13.84	19.80	0.00	0.00	1.29	7.48	12.94	27.10	172.80
	Below Normal	5.49	11.17	36.78	26.20	30.82	15.41	0.00	0.00	0.03	10.57	15.47	30.16	182.09
	Dry	4.23	13.96	45.39	38.11	28.12	14.12	0.00	0.00	0.00	10.52	0.93	16.35	171.72
	Critical	3.72	1.20	27.77	40.64	19.19	8.41	0.11	0.02	0.04	11.01	0.04	2.59	114.75

Energy Use (GWh) At Pumping Plant at SWP San Luis: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	0.00	0.00	58.18	45.80	0.00	14.42	0.00	0.00	14.93	20.83	22.00	33.80	209.96
1923	Below Normal	11.59	0.00	25.04	0.00	0.00	0.00	0.00	0.00	0.00	14.16	21.20	37.52	109.51
1924	Critical	8.89	2.68	11.33	34.53	21.78	0.00	0.00	0.00	0.00	26.03	0.00	0.00	105.24
1925	Dry	19.28	34.73	54.09	55.13	32.12	34.09	0.00	0.00	0.00	11.88	0.00	33.27	274.59
1926	Dry	0.90	0.41	14.08	49.61	16.96	0.00	0.00	0.00	0.00	21.16	0.00	9.65	112.77
1927	Wet	0.00	71.34	36.44	34.66	32.31	0.00	0.00	0.00	0.00	19.06	21.47	36.71	251.99
1928	Above Normal	0.00	0.00	66.38	29.05	0.00	38.53	0.00	0.00	0.00	4.71	6.31	22.51	167.49
1929	Critical	0.00	0.00	18.84	23.64	20.64	27.82	1.35	0.00	0.00	0.00	0.00	0.34	92.63
1930	Dry	0.22	0.06	33.23	34.05	29.18	34.95	0.00	0.00	0.00	36.85	3.51	59.95	232.00
1931	Critical	0.82	4.36	6.45	54.21	30.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	96.15
1932	Dry	0.00	11.06	104.92	57.05	110.56	11.13	0.00	0.00	0.00	0.00	8.58	0.00	303.30
1933	Critical	1.05	0.50	35.51	117.50	9.55	0.68	0.00	0.00	0.00	0.00	0.00	0.00	164.79
1934	Critical	0.00	3.06	105.88	111.72	72.84	1.70	0.00	0.00	0.00	0.00	0.00	0.39	295.59
1935	Below Normal	0.23	13.00	37.88	61.40	71.55	39.77	0.00	0.00	0.00	10.77	17.61	34.62	286.83
1936	Below Normal	11.58	4.86	15.59	34.38	132.06	29.05	0.00	0.00	0.00	14.02	17.03	32.44	291.01
1937	Below Normal	17.12	0.00	60.55	54.28	37.35	0.72	0.00	0.00	0.00	0.00	0.00	0.00	170.02
1938	Wet	0.00	37.54	13.37	92.89	74.06	62.77	0.00	0.00	0.00	0.00	0.00	8.77	289.40
1939	Dry	0.00	0.00	36.24	13.19	2.33	0.00	0.00	0.00	0.00	2.56	0.00	0.32	54.64
1940	Above Normal	0.18	0.05	0.01	27.44	40.20	59.34	0.00	0.00	0.00	0.48	6.02	24.03	157.75
1941	Wet	0.54	0.00	25.34	40.76	78.77	71.34	0.00	0.00	0.00	10.92	12.05	17.70	257.42
1942	Wet	0.00	0.00	11.68	11.79	8.83	10.40	0.00	0.00	0.00	15.81	20.04	25.41	103.96
1943	Wet	2.68	0.00	27.95	29.22	29.86	70.45	0.00	0.00	0.00	0.00	3.27	11.74	175.17
1944	Dry	0.00	0.00	21.20	32.76	35.46	15.55	0.00	0.00	0.00	23.58	4.74	0.00	133.29
1945	Below Normal	3.67	67.52	43.68	51.75	50.37	14.24	0.00	0.00	0.00	12.02	14.97	28.42	286.64
1946	Below Normal	20.52	54.01	40.12	0.55	0.00	0.00	0.00	0.00	0.00	20.60	22.41	40.81	199.02
1947	Dry	22.96	23.68	39.45	27.63	22.03	0.00	0.00	0.00	0.00	8.63	0.00	22.03	166.41
1948	Below Normal	4.03	0.14	0.00	5.98	0.00	19.33	0.00	0.00	0.42	8.07	14.77	26.79	79.53
1949	Dry	1.56	1.10	35.25	47.29	43.85	10.74	0.00	0.00	0.00	3.40	0.00	22.31	165.50
1950	Below Normal	0.00	0.06	0.00	26.02	28.02	36.48	0.00	0.00	0.00	4.31	12.29	27.39	134.57
1951	Above Normal	34.05	68.80	97.53	26.65	0.11	0.71	0.00	0.00	0.00	5.37	13.62	33.15	279.99
1952	Wet	0.00	14.68	15.06	13.68	0.00	50.48	0.00	0.00	0.00	8.60	16.53	32.26	151.29
1953	Wet	0.00	0.00	61.91	0.00	0.00	0.00	0.00	0.00	0.00	12.10	19.55	35.04	128.60
1954	Above Normal	0.00	0.00	41.93	22.70	0.00	21.55	0.00	0.00	0.00	0.00	13.31	27.81	127.30
1955	Dry	0.61	14.26	83.29	56.35	37.50	12.17	0.00	0.00	0.00	19.66	0.00	0.00	223.84
1956	Wet	0.00	24.18	56.50	114.44	14.85	0.71	0.00	0.00	0.00	9.78	10.83	21.33	252.62
1957	Above Normal	0.00	0.00	55.91	16.79	0.00	1.04	0.00	0.00	0.00	0.50	11.02	24.09	109.35
1958	Wet	44.23	4.11	26.24	36.94	3.47	61.41	0.00	0.00	0.00	0.00	0.00	8.61	185.01
1959	Below Normal	0.00	0.00	24.91	8.46	13.93	22.96	0.00	0.00	0.00	8.48	14.03	31.48	124.25
1960	Dry	1.84	0.00	1.14	46.79	28.26	19.23	0.00	0.00	0.00	0.97	0.00	21.18	119.41
1961	Dry	0.00	10.18	62.03	44.43	17.45	39.14	0.00	0.00	0.00	9.84	0.00	0.28	183.35
1962	Below Normal	0.18	0.05	0.00	27.92	37.11	34.60	0.00	0.00	0.00	6.21	11.72	24.37	142.16
1963	Wet	48.87	64.74	25.26	0.00	0.00	1.70	0.00	0.00	0.00	21.26	26.36	44.59	232.78
1964	Dry	13.31	29.31	49.09	32.49	0.00	0.00	0.00	0.00	0.00	15.08	0.00	29.02	168.30
1965	Wet	0.00	4.40	17.13	40.39	0.00	9.50	0.00	0.00	0.00	13.87	17.64	26.62	129.55
1966	Below Normal	0.00	15.09	79.75	6.02	0.00	0.00	0.00	0.00	0.00	12.15	16.99	36.45	166.45
1967	Wet	4.66	23.40	44.57	53.50	0.00	8.26	0.00	0.00	0.00	0.00	0.00	9.79	144.18
1968	Below Normal	0.00	0.00	29.22	27.55	0.07	21.14	0.00	0.00	0.00	7.10	13.93	30.84	129.85
1969	Wet	0.62	24.27	85.54	25.56	71.00	0.65	0.00	10.04	0.00	4.32	0.00	13.85	235.85
1970	Wet	0.00	0.00	2.12	84.68	15.80	18.49	0.00	0.00	0.00	21.41	19.51	10.27	172.28
1971	Wet	0.00	39.02	15.60	0.00	0.00	2.30	0.00	0.00	0.00	13.96	21.19	38.36	130.43
1972	Below Normal	4.73	0.00	82.52	31.30	0.00	0.00	0.00	0.00	0.00	9.78	17.66	36.42	182.41
1973	Above Normal	21.73	69.05	32.93	41.34	0.12	0.56	0.00	0.00	0.00	14.62	15.64	29.91	225.90
1974	Wet	18.62	56.23	21.89	4.14	0.00	0.00	0.00	0.00	0.00	11.68	13.13	25.63	151.32
1975	Wet	11.86	0.00	61.82	2.09	1.69	18.87	0.00	0.00	0.00	13.32	15.30	25.55	150.50
1976	Critical	19.41	0.00	61.75	18.89	0.08	10.29	0.00	0.00	0.00	6.25	0.00	25.67	142.34
1977	Critical	0.00	0.00	0.00	16.61	4.01	0.00	0.00	0.20	0.52	0.50	0.45	0.29	22.58
1978	Above Normal	0.19	0.05	0.01	32.36	47.96	18.25	0.00	0.00	0.00	11.54	14.96	26.73	152.05
1979	Below Normal	0.00	0.00	49.20	43.94	59.39	8.35	0.00	0.00	0.00	21.26	24.52	37.75	244.41
1980	Above Normal	19.23	14.69	75.80	28.20	0.13	0.65	0.00	0.00	0.00	11.18	8.97	9.52	168.37
1981	Dry	0.00	0.00	53.98	19.85	0.00	0.00	0.00	0.00	0.00	4.54	0.00	14.45	92.82
1982	Wet	1.10	49.27	25.30	23.14	72.97	72.96	8.13	0.00	0.00	0.00	0.00	15.10	267.97
1983	Wet	35.35	39.44	67.61	2.42	0.12	0.67	1.24	2.54	2.78	3.45	0.00	18.35	173.97
1984	Wet	1.41	0.35	0.04	0.00	0.10	0.84	0.00	0.00	0.00	12.12	20.50	6.76	42.12
1985	Dry	14.86	59.26	60.25	0.00	0.11	0.00	0.00	0.00	0.00	17.82	0.00	30.02	182.32
1986	Wet	16.50	35.67	21.97	5.52	70.27	22.22	0.00	0.00	0.00	0.00	0.00	12.09	184.24
1987	Dry	0.00	0.00	24.21	29.62	27.09	20.33	0.00	0.00	0.00	0.00	0.00	5.77	107.02
1988	Critical	0.00	2.83	38.48	34.98	2.37	14.10	0.00	0.00	0.00	23.56	0.00	0.00	116.32
1989	Dry	0.00	39.39	39.14	52.12	5.85	3.42	0.00	0.00	0.00	1.39	0.00	25.26	166.57
1990	Critical	7.20	0.00	19.94	28.52	12.99	0.00	0.00	0.00	0.00	36.84	0.00	0.00	105.49
1991	Critical	0.00	0.90	4.16	4.73	11.24	7.35	0.00	0.00	0.00	35.91	0.00	0.00	64.29
1992	Critical	3.27	0.00	16.03	14.02	18.81	26.40	0.00	0.00	0.00	0.00	0.00	4.18	82.71
1993	Above Normal	0.00	0.05	30.81	44.73	10.53	4.80	0.00	0.00	0.00	9.37	14.16	25.33	139.78
1994	Critical	3.84	0.00	57.80	33.08	28.71	4.17	0.00	0.00	0.00	1.56	0.00	0.32	129.48
1995	Wet	0.18	0.03	0.00	31.06	12.45	86.51	0.00	0.00	0.00	0.00	0.88	12.94	144.05
1996	Wet	0.00	0.07	0.01	11.72	85.24	50.39	0.00	0.00	0.00	15.95	17.97	27.86	209.21
1997	Wet	0.00	0.00	72.20	80.76	71.03	35.84	0.00	0.00	0.00	0.00	6.39	19.38	285.60
1998	Wet	0.00	0.00	37.77	10.13	58.09	45.73	0.00	0.00	11.43	15.40	20.69	34.54	233.78
1999	Wet	53.90	46.67	0.00	0.00	0.06	0.56	0.00	0.00	0.00	21.35	24.72	0.00	147.26
2000	Above Normal	0.00	0.00	62.17	2.53	21.43	44.27	0.00	0.00	0.00	6.04	14.40	28.73	179.57
2001	Dry	0.00	0.00	70.63	41.02	29.48	28.85	0.00	0.00	0.00	0.00	0.00	8.42	178.40
2002	Dry	0.00	28.11	49.19	38.81	49.35	17.01	0.00	0.00	0.00	10.33	0.00	13.45	206.25
2003	Above Normal	0.00	0.06	0.01	25.93	32.33	26.41	0.00	0.00	0.48	8.55	16.77	29.19	139.73
	Average	6.21	13.52	36.48	32.23	24.45	18.28	0.13	0.16	0.37	9.81	8.56	19.58	169.79
	Wet	9.25	20.59	29.74	28.83	26.96	27.04	0.36	0.48	0.55	9.40	11.85	20.74	185.79
	Above Normal	6.28	12.73	43.47	28.63	12.73	19.21	0.00	0.00	1.28	7.77	13.10	26.23	171.44
	Below Normal	5.26	11.05	34.89	27.11	30.70	16.19	0.00	0.00	0.03	10.64	15.65	30.38	181.90
	Dry	4.20	13.98	46.19	37.68	27.09	13.70	0.00	0.00	0.00	10.43	0.94	16.41	170.60
	Critical	3.71	1.19	31.35	41.04	19.44	7.71	0.11	0.02	0.04	10.89	0.04	2.60	118.13

Difference in Energy Use (GWh) At Pumping Plant at SWP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	(0.04)	0.00	0.00	(0.04)	(0.54)	(0.23)	(0.04)	(0.07)
1923	Below Normal	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	(0.13)	(0.09)	(0.11)	(0.03)
1924	Critical	0.03	0.04	0.10	0.17	0.16	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.04
1925	Dry	(0.03)	(0.04)	(0.03)	0.00	0.01	0.42	0.00	0.00	0.00	(0.06)	0.00	(0.06)	0.02
1926	Dry	0.00	0.00	(0.04)	(0.02)	0.01	0.00	0.00	0.00	0.00	0.04	0.00	(0.19)	(0.02)
1927	Wet	0.00	0.02	0.02	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.01
1928	Above Normal	0.00	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00
1929	Critical	0.00	0.00	(0.03)	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00
1930	Dry	0.00	0.00	(0.02)	0.00	0.00	0.03	0.00	0.00	0.00	0.01	0.00	0.01	0.00
1931	Critical	0.00	(0.02)	(0.01)	0.01	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1932	Dry	0.00	(0.01)	0.00	0.00	0.11	0.06	0.00	0.00	0.00	0.00	(0.01)	0.00	0.01
1933	Critical	(0.01)	0.00	(1.66)	(0.18)	1.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1934	Critical	0.00	(0.08)	44.19	5.07	1.22	(8.25)	0.00	0.00	0.00	0.00	0.00	0.00	3.51
1935	Below Normal	0.00	(2.59)	(3.31)	(4.64)	(0.69)	(0.16)	0.00	0.00	0.00	(1.77)	(0.67)	0.20	(1.14)
1936	Below Normal	(2.08)	1.51	(4.20)	11.13	2.85	0.08	0.00	0.00	0.00	0.01	0.01	0.01	0.78
1937	Below Normal	(0.03)	0.00	0.09	0.23	(0.28)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1938	Wet	0.00	(0.78)	(12.67)	(6.41)	(0.35)	26.50	0.00	0.00	0.00	0.00	0.00	(1.44)	0.40
1939	Dry	0.00	0.00	(7.91)	(4.24)	1.84	0.00	0.00	0.00	0.00	2.07	(0.43)	0.00	(0.72)
1940	Above Normal	0.00	0.00	0.00	0.42	0.15	0.37	0.00	0.00	0.00	0.01	0.00	0.00	0.08
1941	Wet	0.00	0.00	0.31	0.13	(2.07)	0.12	0.00	0.00	0.00	(0.52)	(0.33)	(0.39)	(0.23)
1942	Wet	0.00	0.00	0.19	(0.03)	(1.32)	0.22	0.00	0.00	0.00	(0.04)	(0.01)	0.00	(0.08)
1943	Wet	0.00	0.00	0.03	(6.15)	0.76	(0.21)	0.00	0.00	0.00	0.00	0.35	(0.17)	(0.45)
1944	Dry	0.00	0.00	(2.56)	1.44	1.38	0.46	0.00	0.00	0.00	(0.05)	0.57	0.00	0.10
1945	Below Normal	(0.02)	(0.31)	(0.05)	(0.08)	(5.55)	6.46	0.00	0.00	0.00	(0.18)	(0.13)	(0.11)	0.00
1946	Below Normal	0.00	(0.07)	(0.10)	0.02	0.00	0.00	0.00	0.00	0.00	(0.56)	(0.32)	(0.18)	(0.10)
1947	Dry	(0.58)	0.39	0.79	0.96	(1.35)	0.00	0.00	0.00	0.00	(0.20)	0.00	(0.13)	(0.01)
1948	Below Normal	(1.10)	(0.13)	0.00	0.97	0.00	0.31	0.00	0.00	0.00	(0.05)	(0.03)	(0.08)	(0.01)
1949	Dry	0.00	(0.28)	(0.30)	(0.03)	(0.01)	0.04	0.00	0.00	0.00	(0.14)	0.00	(0.01)	(0.06)
1950	Below Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00
1951	Above Normal	0.00	0.00	(12.94)	13.81	0.00	0.00	0.00	0.00	0.00	(0.06)	(0.05)	0.45	0.10
1952	Wet	0.00	(0.05)	(0.04)	(1.26)	0.00	(0.60)	0.00	0.00	0.00	8.60	15.70	13.22	2.96
1953	Wet	0.00	0.00	14.74	0.00	(5.59)	(20.83)	0.00	0.00	0.00	1.04	1.07	3.08	(0.54)
1954	Above Normal	0.00	0.00	5.00	(1.93)	(2.24)	(3.10)	0.00	0.00	0.00	(0.52)	0.46	0.71	(0.14)
1955	Dry	0.02	0.76	0.97	0.59	(0.41)	(0.72)	0.00	0.00	0.00	(2.04)	0.00	0.00	(0.07)
1956	Wet	0.00	(1.55)	(14.92)	8.74	14.76	0.00	0.00	0.00	0.00	(0.18)	(0.19)	(0.24)	0.53
1957	Above Normal	0.00	0.00	(0.23)	(0.06)	0.00	0.96	0.00	0.00	0.00	0.00	(0.05)	(0.07)	0.05
1958	Wet	(0.12)	(0.09)	(0.07)	(0.01)	0.04	0.02	0.00	0.00	0.00	0.00	0.00	(0.47)	(0.06)
1959	Below Normal	0.00	0.00	0.08	(0.02)	0.04	0.03	0.00	0.00	0.00	0.01	0.00	0.00	0.01
1960	Dry	0.00	0.00	0.00	(0.03)	(0.02)	0.06	0.00	0.00	0.00	0.00	0.00	0.03	0.00
1961	Dry	0.00	0.02	(0.01)	(0.02)	(0.02)	(0.01)	0.00	0.00	0.00	(0.11)	0.00	0.00	(0.01)
1962	Below Normal	0.00	0.00	0.00	0.01	0.00	(0.01)	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1963	Wet	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.03)	(0.01)	0.00	0.00
1964	Dry	0.01	0.01	0.02	(0.07)	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.01	0.00
1965	Wet	0.00	0.00	0.00	(0.17)	0.00	(0.12)	0.00	0.00	0.00	(0.19)	(0.09)	0.03	(0.05)
1966	Below Normal	0.00	0.01	0.02	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
1967	Wet	0.01	(0.01)	(0.01)	(0.01)	0.00	(0.04)	0.00	0.00	0.00	0.00	0.00	(1.29)	(0.11)
1968	Below Normal	0.00	0.00	(3.03)	2.11	0.07	0.69	0.00	0.00	0.00	(0.18)	(0.18)	(0.18)	(0.06)
1969	Wet	0.00	(0.29)	(0.26)	(7.99)	9.52	0.00	(1.54)	7.26	0.00	4.32	0.00	1.19	1.02
1970	Wet	0.00	0.00	(0.10)	(0.67)	0.13	15.89	0.00	0.00	0.00	0.04	0.08	2.48	1.49
1971	Wet	0.00	0.18	0.16	0.00	0.00	(0.62)	0.00	0.00	0.00	0.22	0.17	0.26	0.03
1972	Below Normal	0.05	0.00	(0.12)	(0.65)	0.00	0.00	0.00	0.00	0.00	0.02	0.01	0.01	(0.06)
1973	Above Normal	0.00	(0.03)	(0.07)	(0.10)	0.00	0.00	0.00	0.00	0.00	(0.06)	(1.32)	(0.07)	(0.14)
1974	Wet	0.00	0.00	0.00	(2.17)	0.00	0.00	0.00	0.00	0.00	(0.06)	0.09	0.16	(0.17)
1975	Wet	0.19	0.00	0.20	(0.39)	(0.13)	(0.26)	0.00	0.00	0.00	0.08	0.08	0.08	(0.01)
1976	Critical	0.09	0.00	0.12	0.05	0.01	(0.07)	0.00	0.00	0.00	0.00	0.00	(0.14)	0.01
1977	Critical	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00	0.01	0.00	0.00	0.00	(0.01)	0.00
1978	Above Normal	0.00	0.00	0.00	(0.13)	(9.13)	(4.81)	0.00	0.00	0.00	(6.47)	(5.85)	(10.05)	(3.04)
1979	Below Normal	0.00	0.00	(15.91)	3.69	1.95	3.47	0.00	0.00	0.00	3.84	4.01	3.45	0.38
1980	Above Normal	(0.30)	11.62	6.77	(13.55)	0.00	0.00	0.00	0.00	0.00	11.18	8.97	(1.26)	1.95
1981	Dry	0.00	0.00	25.10	(6.72)	(20.43)	(8.02)	0.00	0.00	0.00	(1.02)	0.00	1.28	(0.82)
1982	Wet	0.71	0.73	(0.37)	(1.74)	(1.70)	(0.39)	0.00	0.00	0.00	0.00	0.00	(0.31)	(0.26)
1983	Wet	(1.18)	(1.86)	0.20	2.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	(0.03)
1984	Wet	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	0.00	0.00
1985	Dry	(0.01)	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1986	Wet	0.00	(0.01)	0.00	0.00	(20.55)	21.41	0.00	0.00	0.00	0.00	0.00	(0.84)	0.00
1987	Dry	0.00	0.00	(0.40)	(0.09)	(0.10)	(0.09)	0.00	0.00	0.00	0.00	0.00	(0.02)	(0.06)
1988	Critical	0.00	0.02	0.24	0.05	(0.01)	0.03	0.00	0.00	0.00	(0.99)	0.00	0.00	(0.06)
1989	Dry	0.00	(0.41)	(0.11)	(0.05)	0.02	0.08	0.00	0.00	0.00	(0.21)	0.00	(0.41)	(0.09)
1990	Critical	(0.22)	0.00	(0.30)	0.40	0.27	0.00	0.00	0.00	0.00	(0.28)	0.00	0.00	(0.01)
1991	Critical	0.00	(0.01)	(0.16)	(0.29)	(0.19)	(0.04)	0.00	0.00	0.00	(0.26)	0.00	0.00	(0.08)
1992	Critical	(0.08)	0.00	(0.18)	(0.35)	(0.04)	(0.08)	0.00	0.00	0.00	0.00	0.00	0.25	(0.04)
1993	Above Normal	0.00	0.00	0.47	0.34	(0.03)	(0.22)	0.00	0.00	0.00	0.17	0.13	0.08	0.08
1994	Critical	0.01	0.00	0.58	(0.20)	(0.17)	(0.02)	0.00	0.00	0.00	0.04	0.00	0.00	0.02
1995	Wet	0.00	0.00	0.00	(0.03)	(0.03)	(0.97)	0.00	(1.52)	0.00	0.00	(1.50)	(6.10)	(0.85)
1996	Wet	0.00	0.07	0.00	0.04	0.27	(1.74)	0.00	0.00	0.00	0.04	0.13	0.17	(0.09)
1997	Wet	0.00	0.00	0.11	(0.11)	(0.03)	(0.36)	0.00	0.00	0.00	0.00	0.00	0.01	(0.03)
1998	Wet	0.00	0.00	0.02	0.04	(0.18)	(0.37)	0.00	0.00	0.34	0.34	0.36	0.24	0.07
1999	Wet	0.18	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.00	0.09
2000	Above Normal	0.00	0.00	0.00	0.00	(1.96)	(0.20)	0.00	0.00	0.00	(0.29)	(0.16)	(0.15)	(0.23)
2001	Dry	0.00	0.00	(1.10)	0.53	0.47	0.12	0.00	0.00	0.00	0.00	0.00	(0.06)	0.00
2002	Dry	0.00	(0.09)	(0.07)	(0.05)	(0.05)	(0.01)	0.00	0.00	0.00	0.07	0.00	0.69	0.04
2003	Above Normal	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Average	(0.05)	0.09	0.21	(0.09)	(0.45)	0.31	(0.02)	0.07	0.00	0.18	0.25	0.04	0.05
	Wet	(0.01)	(0.10)	(0.48)	(0.61)	(0.25)	1.45	(0.06)	0.22	0.01	0.53	0.61	0.37	0.14
	Above Normal	(0.03)	0.97	(0.08)	(0.10)	(1.10)	(0.59)	0.00	0.00	(0.00)	0.28	0.16	(0.87)	(0.11)
	Below Normal	(0.23)	(0.11)	(1.89)	0.91	(0.12)	0.78	0.00	0.00	0.00	0.07	0.19	0.22	(0.02)
	Dry	(0.03)	0.02	0.80	(0.43)	(1.03)	(0.42)	0.00	0.00	0.00	(0.09)	0.01	0.06	(0.09)
	Critical	(0.01)	(0.00)	3.57	0.39	0.26	(0.70)	0.00	0.00	0.00	(0.13)	0.00	0.01	0.28

Percent Difference in Energy Use (GWh) At Pumping Plant at SWP San Luis: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-3%	-1%	0%
1923	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1924	Critical	0%	2%	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	-1%	0%	0%
1926	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1928	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1929	Critical	0%	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%
1933	Critical	-1%	0%	-4%	0%	24%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	-3%	72%	5%	2%	-83%	0%	0%	0%	0%	0%	0%
1935	Below Normal	0%	-17%	-8%	-7%	-1%	0%	0%	0%	0%	-14%	-4%	1%
1936	Below Normal	-15%	45%	-21%	48%	2%	0%	0%	0%	0%	0%	0%	0%
1937	Below Normal	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%	0%
1938	Wet	0%	-2%	-49%	-6%	0%	73%	0%	0%	0%	0%	0%	-14%
1939	Dry	0%	0%	-18%	-24%	376%	0%	0%	0%	0%	422%	-100%	0%
1940	Above Normal	0%	0%	0%	2%	0%	1%	0%	0%	0%	2%	0%	0%
1941	Wet	0%	0%	1%	0%	-3%	0%	0%	0%	0%	-5%	-3%	-2%
1942	Wet	0%	0%	2%	0%	-13%	2%	0%	0%	0%	0%	0%	0%
1943	Wet	0%	0%	0%	-17%	3%	0%	0%	0%	0%	0%	12%	-1%
1944	Dry	0%	0%	-11%	5%	4%	3%	0%	0%	0%	0%	14%	0%
1945	Below Normal	-1%	0%	0%	0%	-10%	83%	0%	0%	0%	-1%	-1%	0%
1946	Below Normal	0%	0%	0%	4%	0%	0%	0%	0%	0%	-3%	-1%	0%
1947	Dry	-2%	2%	2%	4%	-6%	0%	0%	0%	0%	-2%	0%	-1%
1948	Below Normal	-21%	-48%	0%	19%	0%	2%	0%	0%	0%	-1%	0%	0%
1949	Dry	0%	-20%	-1%	0%	0%	0%	0%	0%	0%	-4%	0%	0%
1950	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1951	Above Normal	0%	0%	-12%	108%	0%	0%	0%	0%	0%	-1%	0%	1%
1952	Wet	0%	0%	0%	-8%	0%	-1%	0%	0%	0%	-	>1,000%	69%
1953	Wet	0%	0%	31%	0%	-100%	-100%	0%	0%	0%	9%	6%	10%
1954	Above Normal	0%	0%	14%	-8%	-100%	-13%	0%	0%	0%	-100%	4%	3%
1955	Dry	3%	6%	1%	1%	-1%	-6%	0%	0%	0%	-9%	0%	0%
1956	Wet	0%	-6%	-21%	8%	>1,000%	0%	0%	0%	0%	-2%	-2%	-1%
1957	Above Normal	0%	0%	0%	0%	0%	>1,000%	0%	0%	0%	0%	0%	0%
1958	Wet	0%	-2%	0%	0%	1%	0%	0%	0%	0%	0%	0%	-5%
1959	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1960	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1963	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1964	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	-1%	-1%	0%
1966	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1967	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-12%
1968	Below Normal	0%	0%	-9%	8%	-	3%	0%	0%	0%	-2%	-1%	-1%
1969	Wet	0%	-1%	0%	-24%	15%	0%	-100%	261%	0%	-	0%	9%
1970	Wet	0%	0%	-5%	-1%	1%	611%	0%	0%	0%	0%	0%	32%
1971	Wet	0%	0%	1%	0%	0%	-21%	0%	0%	0%	2%	1%	1%
1972	Below Normal	1%	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-8%	0%
1974	Wet	0%	0%	0%	-34%	0%	0%	0%	0%	0%	-1%	1%	1%
1975	Wet	2%	0%	0%	-16%	-7%	-1%	0%	0%	0%	1%	1%	0%
1976	Critical	0%	0%	0%	0%	14%	-1%	0%	0%	0%	0%	0%	-1%
1977	Critical	0%	0%	0%	0%	0%	0%	0%	5%	0%	0%	0%	-3%
1978	Above Normal	0%	0%	0%	0%	-16%	-21%	0%	0%	0%	-36%	-28%	-27%
1979	Below Normal	0%	0%	-24%	9%	3%	71%	0%	0%	0%	22%	20%	10%
1980	Above Normal	-2%	379%	10%	-32%	0%	0%	0%	0%	0%	-	-	-12%
1981	Dry	0%	0%	87%	-25%	-100%	-100%	0%	0%	0%	-18%	0%	10%
1982	Wet	182%	2%	-1%	-7%	-2%	-1%	0%	0%	0%	0%	0%	-2%
1983	Wet	-3%	-5%	0%	-	0%	0%	0%	0%	0%	0%	0%	0%
1984	Wet	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1985	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1986	Wet	0%	0%	0%	0%	-23%	>1,000%	0%	0%	0%	0%	0%	-6%
1987	Dry	0%	0%	-2%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	1%	1%	0%	0%	0%	0%	0%	0%	-4%	0%	0%
1989	Dry	0%	-1%	0%	0%	0%	2%	0%	0%	0%	-13%	0%	-2%
1990	Critical	-3%	0%	-1%	1%	2%	0%	0%	0%	0%	-1%	0%	0%
1991	Critical	0%	-1%	-4%	-6%	-2%	-1%	0%	0%	0%	-1%	0%	0%
1992	Critical	-2%	0%	-1%	-2%	0%	0%	0%	0%	0%	0%	0%	6%
1993	Above Normal	0%	0%	2%	1%	0%	-4%	0%	0%	0%	2%	1%	0%
1994	Critical	0%	0%	1%	-1%	-1%	0%	0%	0%	0%	3%	0%	0%
1995	Wet	0%	0%	0%	0%	0%	-1%	0%	-100%	0%	0%	-63%	-32%
1996	Wet	0%	-	0%	0%	0%	-3%	0%	0%	0%	0%	1%	1%
1997	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	0%	0%	0%	0%
1998	Wet	0%	0%	0%	0%	0%	-1%	0%	0%	3%	2%	2%	1%
1999	Wet	0%	2%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
2000	Above Normal	0%	0%	0%	0%	-8%	0%	0%	0%	0%	-5%	-1%	-1%
2001	Dry	0%	0%	-2%	1%	2%	0%	0%	0%	0%	0%	0%	-1%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	1%	0%	5%
2003	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
	Average	2%	4%	0%	0%	1%	6%	-1%	2%	0%	3%	-2%	0%
	Wet	7%	0%	-2%	-4%	-5%	21%	-4%	6%	0%	0%	-2%	2%
	Above Normal	0%	32%	1%	6%	-10%	-3%	0%	0%	0%	-12%	-3%	-3%
	Below Normal	-3%	-1%	-5%	6%	0%	11%	0%	0%	0%	0%	1%	1%
	Dry	0%	-1%	3%	-2%	15%	-5%	0%	0%	0%	21%	-5%	1%
	Critical	0%	0%	5%	0%	3%	-7%	0%	0%	0%	0%	0%	0%

Energy Use (GWh) At Pumping Plant at System Total: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1,094.41	947.92	902.50	287.47	631.37	766.09	675.50	691.90	791.16	829.53	829.57	793.90	9,241.32
1923	Below Normal	643.23	573.98	604.79	898.56	892.07	716.01	578.36	660.09	693.54	831.85	849.84	779.49	8,721.81
1924	Critical	556.80	483.15	427.54	246.81	233.76	220.86	324.48	392.35	397.76	502.67	359.70	315.26	4,461.14
1925	Dry	221.18	210.07	229.82	152.66	168.06	493.53	592.60	758.09	785.55	941.44	890.34	870.32	6,313.66
1926	Dry	601.50	540.44	466.69	182.19	166.66	281.15	447.47	627.94	669.18	807.94	741.77	671.50	6,204.43
1927	Wet	472.39	588.20	423.44	170.77	474.07	813.41	720.34	735.28	758.53	870.22	870.78	842.30	7,739.73
1928	Above Normal	674.43	625.31	760.54	530.79	563.47	500.90	819.75	830.82	844.43	941.07	951.34	920.66	8,963.51
1929	Critical	771.61	695.58	759.19	525.54	488.11	341.40	328.71	426.44	436.59	434.65	403.51	70.62	5,681.95
1930	Dry	222.37	270.56	311.04	146.44	186.99	285.81	500.70	582.64	616.25	749.77	641.69	669.99	5,184.25
1931	Critical	345.45	293.10	237.89	182.70	182.07	228.35	394.38	470.48	483.22	523.85	437.77	379.88	4,159.14
1932	Dry	219.79	193.88	366.51	190.05	371.80	588.99	435.53	577.90	605.83	675.67	715.12	587.33	5,528.40
1933	Critical	429.22	378.25	374.98	296.10	735.57	267.46	392.97	570.25	578.03	641.64	592.67	504.73	5,761.87
1934	Critical	342.91	301.11	360.28	286.37	249.00	257.53	449.07	547.23	557.81	556.45	311.16	37.42	4,256.34
1935	Below Normal	522.01	458.11	412.21	211.22	305.20	383.26	753.63	793.08	819.49	943.53	955.13	900.86	7,457.73
1936	Below Normal	733.38	653.43	649.12	390.96	641.23	1,152.66	718.66	812.42	832.66	943.01	944.72	913.35	9,385.60
1937	Below Normal	796.02	688.90	815.78	600.38	1,036.29	950.69	894.13	979.79	1,027.62	1,095.64	1,095.31	987.32	10,967.87
1938	Wet	916.84	947.98	912.92	769.56	1,056.64	1,169.09	1,010.90	1,103.36	1,095.29	1,129.86	1,128.13	1,076.65	12,317.22
1939	Dry	939.08	832.80	981.25	655.38	662.68	525.41	663.11	764.55	201.80	1,010.44	422.39	888.99	8,547.88
1940	Above Normal	189.25	150.73	821.48	145.11	197.05	500.18	653.87	759.47	624.66	927.95	1,007.45	906.85	6,884.05
1941	Wet	643.31	562.06	529.20	382.29	834.15	933.91	805.78	817.39	848.18	939.30	937.80	885.17	9,118.54
1942	Wet	737.62	647.55	718.85	937.46	935.01	959.29	620.59	668.77	717.69	820.61	830.74	753.67	9,347.85
1943	Wet	566.36	472.15	510.77	759.16	899.26	932.88	883.87	889.90	909.89	1,011.72	1,012.97	965.88	9,814.81
1944	Dry	820.13	37.05	1,119.46	418.18	405.31	351.49	503.73	584.23	618.03	750.12	672.76	556.37	6,836.86
1945	Below Normal	383.75	475.75	343.63	234.03	270.31	1,125.42	711.90	788.85	797.46	918.38	919.46	887.79	7,856.73
1946	Below Normal	784.31	793.14	753.68	924.14	891.70	1,019.88	615.67	641.44	642.92	784.78	786.01	757.01	9,394.68
1947	Dry	617.51	569.15	581.39	472.85	515.05	376.71	813.36	827.10	825.45	949.50	892.49	916.69	8,357.25
1948	Below Normal	783.57	719.17	691.65	451.00	391.07	319.97	398.31	310.49	127.10	1,006.71	1,030.61	925.23	7,154.88
1949	Dry	658.16	591.64	554.10	220.28	241.43	296.48	702.23	788.95	817.96	960.68	564.99	993.18	7,390.08
1950	Below Normal	671.99	334.18	437.76	160.29	175.89	315.13	597.99	681.13	84.55	988.17	1,008.93	905.37	6,361.38
1951	Above Normal	710.57	710.89	674.28	1,040.89	974.17	1,112.56	613.50	718.60	741.03	824.82	846.31	820.35	9,787.97
1952	Wet	658.36	648.30	634.00	940.46	937.62	1,166.53	817.01	943.52	991.85	1,042.36	1,041.13	1,006.71	10,827.85
1953	Wet	850.29	756.00	907.04	919.67	775.72	577.74	552.15	644.13	292.85	896.92	915.26	824.81	8,912.58
1954	Above Normal	549.18	468.92	479.81	174.55	455.92	457.18	623.15	722.05	723.27	860.28	940.81	845.64	7,300.76
1955	Dry	586.67	554.27	595.63	221.99	252.90	369.57	568.15	647.47	649.02	833.60	772.43	667.39	6,719.09
1956	Wet	495.33	509.03	511.52	841.21	1,009.36	1,122.09	726.04	814.98	860.62	938.20	936.61	894.43	9,659.42
1957	Above Normal	742.99	647.79	813.53	627.68	565.86	619.83	645.63	750.46	531.71	955.60	1,010.14	906.19	8,817.41
1958	Wet	747.53	581.57	519.29	168.30	759.05	928.83	1,014.33	1,030.31	1,070.26	1,132.60	1,132.28	1,083.87	10,168.22
1959	Below Normal	948.64	293.30	1,096.45	425.96	461.01	483.41	564.36	634.45	83.32	927.60	943.04	850.72	7,712.26
1960	Dry	587.24	517.60	422.49	176.49	152.03	307.32	707.90	809.94	627.63	1,011.59	796.70	997.43	7,114.36
1961	Dry	711.43	707.47	719.99	250.58	222.53	312.83	577.85	657.88	647.98	829.79	615.85	411.63	6,665.81
1962	Below Normal	17.79	584.31	672.84	148.53	180.84	421.92	614.60	703.71	95.84	1,015.45	1,037.81	929.52	6,423.16
1963	Wet	774.53	729.00	532.03	564.58	653.57	686.13	609.27	651.73	667.55	802.53	809.60	772.34	8,252.86
1964	Dry	593.69	586.28	586.10	491.45	913.67	680.43	668.51	696.42	682.26	841.97	766.71	799.91	8,307.40
1965	Wet	609.84	575.21	577.83	726.59	894.50	844.08	644.49	669.64	457.64	861.09	867.55	810.21	8,538.67
1966	Below Normal	611.12	605.89	698.89	828.81	849.21	654.40	587.24	662.94	685.26	829.48	846.05	779.39	8,638.68
1967	Wet	554.55	532.99	484.86	302.30	880.87	898.51	994.51	1,017.17	1,086.95	1,124.20	1,123.13	1,077.56	10,077.60
1968	Below Normal	941.97	832.22	962.57	497.93	542.17	511.43	573.47	650.28	88.52	941.08	959.11	865.71	8,366.46
1969	Wet	598.54	586.99	608.60	590.16	1,026.30	1,056.00	959.33	1,035.30	1,050.09	1,081.14	1,085.68	1,035.71	10,713.84
1970	Wet	908.23	798.56	843.83	1,117.50	945.13	1,112.13	678.25	706.73	714.46	844.63	839.78	749.83	10,259.06
1971	Wet	639.94	688.65	624.47	898.61	897.27	800.74	589.90	668.23	705.51	835.11	852.07	784.05	8,984.55
1972	Below Normal	557.57	455.37	595.80	393.76	689.17	642.76	618.95	691.15	717.35	864.37	885.91	808.67	7,920.83
1973	Above Normal	602.10	643.83	479.69	241.60	825.70	828.15	654.50	756.53	781.50	886.58	886.87	849.24	8,436.29
1974	Wet	736.03	762.74	683.64	938.59	906.81	1,073.48	942.96	765.94	804.59	895.57	894.46	861.91	10,266.72
1975	Wet	734.74	617.15	781.31	783.44	663.48	976.11	736.44	746.66	788.07	874.85	875.32	842.76	9,420.33
1976	Critical	732.57	598.18	764.49	528.63	514.38	481.22	640.07	735.61	616.29	925.69	650.56	931.21	8,118.90
1977	Critical	642.44	570.33	380.98	119.75	105.22	149.82	243.19	60.16	1.67	49.88	45.18	67.61	2,436.23
1978	Above Normal	17.58	317.18	557.33	152.25	306.49	778.82	710.25	750.53	802.26	897.89	903.55	859.12	7,053.25
1979	Below Normal	673.15	603.97	725.25	503.50	539.20	946.08	761.19	783.91	797.42	908.39	910.12	880.10	9,032.28
1980	Above Normal	766.20	672.60	798.47	774.18	952.19	1,058.45	901.20	996.54	1,045.18	1,116.69	1,117.75	1,072.37	11,271.82
1981	Dry	933.13	688.30	1,028.93	490.98	481.23	426.96	591.57	688.45	95.96	988.37	972.84	868.04	8,254.76
1982	Wet	632.14	691.32	516.81	540.40	834.25	945.55	1,063.44	1,017.75	1,045.58	1,108.39	1,106.61	1,065.71	10,567.95
1983	Wet	1,014.22	955.17	1,002.71	945.72	900.41	1,035.57	927.02	979.45	993.10	1,034.77	1,066.21	1,022.87	11,877.22
1984	Wet	1,044.98	950.12	1,089.45	1,023.08	1,004.36	1,112.34	605.67	715.81	739.28	839.95	850.71	757.54	10,733.29
1985	Dry	685.89	729.80	874.68	780.48	683.85	702.90	684.44	709.49	712.43	841.08	770.01	807.35	8,982.40
1986	Wet	682.51	673.60	637.08	492.65	797.84	1,071.82	939.26	1,023.55	1,047.05	1,133.11	1,130.36	1,085.83	10,714.66
1987	Dry	946.44	273.59	1,095.45	417.96	394.20	280.18	318.79	389.94	393.82	382.00	340.50	328.55	5,561.42
1988	Critical	154.05	133.35	198.17	112.83	138.46	187.64	261.87	303.44	293.91	390.23	267.76	247.17	2,688.88
1989	Dry	119.79	186.16	166.96	152.67	154.67	215.96	760.55	806.73	827.84	941.04	860.22	911.46	6,104.05
1990	Critical	737.02	646.32	667.28	387.08	348.04	270.32	351.70	423.22	423.06	571.09	384.20	359.20	5,568.53
1991	Critical	179.30	147.76	136.33	58.44	122.43	173.28	268.68	299.28	323.72	413.56	266.59	237.14	2,626.51
1992	Critical	135.79	93.53	124.38	64.25	118.62	209.99	333.02	388.47	417.84	391.76	341.76	345.52	2,964.93
1993	Above Normal	114.80	96.27	255.77	170.10	692.50	726.47	639.53	694.97	321.85	929.33	943.87	872.83	6,458.29
1994	Critical	671.52	560.20	661.02	365.41	382.81	436.49	637.40	733.22	477.05	950.99	248.82	567.00	6,691.93
1995	Wet	48.49	444.69	855.63	159.11	553.32	676.67	923.92	1,029.61	1,003.65	1,047.34	1,049.68	1,014.13	8,806.24
1996	Wet	838.50	391.26	699.65	432.49	570.39	819.27	706.76	712.69	741.01	839.44	839.64	807.07	8,398.17
1997	Wet	629.72	557.44	752.44	1,067.06	1,052.72	1,156.73	802.49	825.75	825.23	930.64	946.32	911.55	10,458.09
1998	Wet	738.20	678.71	808.24	611.81	1,039.97	1,150.54	785.68	784.79	862.79	895.80	899.97	868.77	10,125.27
1999	Wet	818.66	861.34	739.44	930.58	970.47	857.92	606.61	711.77	735.91	851.72	853.53	724.10	9,662.05
2000	Above Normal	638.18	556.38	733.51	542.43	915.40	776.57	669.14	724.03	755.26	865.64	892.82	831.53	8,900.89
2001	Dry	617.96	528.86	670.27	368.10	343.95	347.76	465.74	553.63	586.89	632.22	523.18	510.16	6,148.72
2002	Dry	265.46	290.43	283.37	163.20	281.93	376.32	778.72	791.96	789.89	919.12	514.51	941.45	6,396.36
2003	Above Normal	183.34	261.30	790.50	182.59	283.94	411.59	559.83	641.16	94.91	940.18	959.87	861.33	6,170.54
	Average	603.53	543.75	629.02	471.68	581.94	652.46	649.12	709.20	652.74	855.79	806.62	776.79	7,932.64
	Wet	695.84	661.84	688.66	692.83	856.64	956.82	794.89	835.01	838.99	953.16	957.55	904.82	9,837.03
	Above Normal	523.59	508.26	672.28	405.80	613.67	711.40	680.49	753.09	671.44	914.63	940.86	878.33	8,273.84
	Below Normal	647.75	576.55	675.74	476.36	561.81	688.79	642.03	699.55	535.22	928.46	940.86	869.32	8,242.45
	Dry	574.86	461.58	614.12	330.66	366.61	401.10	598.94	681.30	619.65	837.02	693.03	744.32	6,923.18
	Critical	474.89	408.41	424.38	264.49	301.54	268.70	385.46	445.85	417.25	529.37	359.14	338.56	4,618.03

Energy Use (GWh) At Pumping Plant at System Total: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	1,094.41	947.92	902.50	287.47	631.39	766.04	675.47	691.90	815.75	853.62	853.97	818.49	9,338.93
1923	Below Normal	667.83	598.53	629.36	897.64	891.53	711.72	578.20	660.45	718.55	856.66	874.82	804.04	8,889.33
1924	Critical	580.78	507.18	451.07	268.83	231.89	220.31	324.58	392.32	397.92	502.84	359.84	315.33	4,552.89
1925	Dry	221.16	210.02	229.80	152.68	167.98	491.74	592.97	758.53	792.07	947.97	897.02	876.81	6,338.75
1926	Dry	608.01	546.91	473.02	188.27	166.50	280.98	446.99	627.56	668.86	807.56	741.51	670.60	6,226.77
1927	Wet	472.06	587.93	423.22	170.78	473.77	813.43	720.36	735.29	783.16	894.84	895.41	866.91	7,837.16
1928	Above Normal	699.04	649.91	785.16	555.37	562.86	500.90	819.79	830.86	858.76	955.38	965.67	934.98	9,118.68
1929	Critical	785.93	709.89	773.47	539.82	488.09	341.33	328.59	426.27	436.40	434.46	403.34	71.08	5,738.67
1930	Dry	222.23	270.41	311.30	146.44	186.96	285.82	500.68	582.63	616.27	749.76	641.64	669.96	5,184.10
1931	Critical	345.39	293.00	237.80	182.71	182.01	228.36	394.25	470.30	483.03	523.42	437.60	379.72	4,157.59
1932	Dry	219.67	193.78	366.46	189.98	372.00	600.63	435.52	577.91	630.46	700.27	739.71	611.92	5,638.31
1933	Critical	453.79	402.82	396.38	320.55	726.43	267.46	392.98	570.26	578.05	641.32	592.62	504.65	5,847.31
1934	Critical	342.86	300.95	448.31	291.44	269.22	335.14	411.29	557.01	571.30	583.94	512.69	36.54	4,660.69
1935	Below Normal	505.62	487.49	443.89	203.22	303.32	380.45	741.65	793.64	847.08	973.47	988.78	926.22	7,594.83
1936	Below Normal	740.09	665.79	637.41	392.37	606.56	1,149.87	718.63	812.37	857.23	967.58	969.30	937.93	9,455.13
1937	Below Normal	820.56	713.48	840.57	600.76	1,036.34	950.61	889.21	977.97	1,053.21	1,120.28	1,119.95	1,011.94	11,134.88
1938	Wet	939.97	971.84	887.55	746.55	1,055.52	1,183.38	1,030.22	1,054.12	1,093.55	1,161.40	1,159.11	1,104.62	12,387.83
1939	Dry	972.03	864.67	1,005.21	716.92	645.06	458.73	583.40	653.19	75.16	966.43	502.03	773.35	8,216.18
1940	Above Normal	246.45	178.70	852.23	167.85	197.51	500.56	653.88	759.49	648.26	950.12	1,030.82	930.22	7,116.09
1941	Wet	666.67	585.67	541.35	382.24	829.82	931.53	803.41	814.84	870.25	960.79	959.48	906.90	9,252.95
1942	Wet	760.67	669.46	728.94	937.24	932.35	956.78	620.47	668.76	742.34	845.25	855.43	778.28	9,495.97
1943	Wet	590.85	496.55	535.18	745.74	893.85	926.83	879.60	885.38	922.36	1,031.70	1,033.30	985.22	9,926.56
1944	Dry	840.57	54.16	1,150.16	419.59	384.70	344.81	503.65	584.12	631.82	766.00	690.54	572.27	6,942.39
1945	Below Normal	399.67	491.42	359.58	250.06	260.29	1,055.13	712.78	789.96	823.16	943.94	945.08	913.38	7,944.45
1946	Below Normal	809.90	818.72	779.23	948.61	891.68	1,015.39	612.84	641.82	670.50	810.65	812.68	781.54	9,593.56
1947	Dry	637.38	590.64	600.26	485.87	517.21	363.71	814.91	829.36	834.73	958.65	901.29	925.80	8,459.81
1948	Below Normal	790.06	728.10	700.74	442.43	376.84	314.92	398.46	316.20	126.57	1,007.10	1,030.59	926.57	7,158.58
1949	Dry	658.96	591.66	551.45	219.83	240.99	296.03	700.16	788.61	818.20	961.40	559.53	995.34	7,382.16
1950	Below Normal	672.84	336.38	469.76	160.29	175.89	315.13	597.99	681.13	87.05	990.67	1,011.43	907.88	6,406.44
1951	Above Normal	713.07	713.39	649.74	1,066.20	977.33	1,112.61	614.17	719.20	766.23	849.98	871.48	846.64	9,900.04
1952	Wet	683.55	673.41	659.12	962.57	941.15	1,165.86	812.69	806.26	852.65	937.89	943.43	913.03	10,351.61
1953	Wet	746.06	659.15	825.20	943.36	905.23	833.52	571.44	663.81	712.92	860.52	879.79	802.74	9,403.74
1954	Above Normal	542.42	464.71	498.62	233.45	602.60	488.02	619.95	720.93	765.61	877.93	925.05	831.61	7,570.90
1955	Dry	574.08	543.82	587.22	219.37	256.85	376.18	580.63	662.64	664.81	848.38	790.37	687.17	6,791.52
1956	Wet	502.58	518.97	491.60	750.53	1,023.25	1,127.29	728.49	817.18	887.35	964.83	963.26	920.95	9,696.28
1957	Above Normal	769.70	674.45	839.92	652.71	565.79	610.79	645.54	750.15	544.46	978.45	1,034.34	930.25	8,996.55
1958	Wet	771.18	605.14	542.66	190.66	758.60	928.42	1,012.97	1,029.87	1,094.43	1,156.77	1,156.44	1,107.82	10,354.96
1959	Below Normal	973.05	310.21	1,120.50	451.11	461.07	483.59	564.37	634.45	90.70	934.97	950.42	858.10	7,832.54
1960	Dry	594.80	524.98	429.88	183.87	152.04	306.57	708.09	810.04	628.44	1,011.52	799.34	996.67	7,146.24
1961	Dry	710.79	706.98	719.62	250.82	222.76	312.93	577.91	657.96	647.66	829.74	615.75	411.89	6,664.81
1962	Below Normal	17.57	583.68	699.03	148.53	180.83	422.02	614.57	703.67	119.54	1,039.13	1,061.49	953.21	6,543.27
1963	Wet	798.23	752.70	555.73	588.31	653.58	686.14	609.27	651.72	692.32	827.11	834.20	796.96	8,446.27
1964	Dry	618.32	610.86	610.76	516.84	913.68	680.75	668.45	696.30	682.11	841.82	766.53	799.78	8,406.20
1965	Wet	609.71	575.16	577.85	726.65	894.52	844.00	644.38	669.65	481.17	885.81	892.41	835.10	8,636.41
1966	Below Normal	635.82	630.31	723.44	853.07	848.78	654.46	587.25	662.92	703.70	847.91	864.47	797.85	8,809.98
1967	Wet	573.06	551.49	503.41	321.00	880.94	898.72	993.10	1,015.61	1,084.92	1,148.83	1,147.76	1,100.90	10,219.74
1968	Below Normal	964.81	745.48	1,037.19	489.68	500.80	501.42	575.81	653.09	110.99	965.94	984.10	890.30	8,419.61
1969	Wet	623.01	610.80	632.10	572.68	1,044.39	1,057.14	885.10	1,070.49	1,051.05	1,111.07	1,111.30	1,063.86	10,832.99
1970	Wet	932.63	823.53	869.26	1,116.89	948.30	1,124.98	717.75	705.25	737.50	867.71	862.93	778.66	10,485.39
1971	Wet	663.13	712.22	648.00	923.07	897.31	805.94	590.31	667.36	719.74	849.08	865.65	798.78	9,140.59
1972	Below Normal	573.61	471.48	613.08	417.23	692.10	644.77	619.26	691.19	717.30	864.26	885.70	808.68	7,998.66
1973	Above Normal	602.39	644.11	480.23	242.81	825.70	828.15	654.50	756.53	805.63	910.64	909.67	873.30	8,533.66
1974	Wet	760.15	786.86	707.76	958.57	910.49	1,073.34	937.79	763.78	827.04	917.92	916.96	884.58	10,445.24
1975	Wet	757.48	639.44	804.21	811.99	664.67	974.35	735.37	745.52	811.28	898.11	898.57	866.05	9,607.04
1976	Critical	755.88	621.54	787.89	552.47	514.25	481.91	641.44	737.27	620.35	927.16	648.79	933.48	8,222.43
1977	Critical	643.98	571.97	369.69	119.73	105.22	149.83	243.20	59.31	1.67	49.65	45.18	67.76	2,427.19
1978	Above Normal	17.58	317.32	566.03	152.13	287.62	721.09	695.74	750.18	834.67	934.74	945.64	881.04	7,103.78
1979	Below Normal	683.37	610.84	676.34	458.62	474.36	892.20	731.54	752.11	790.47	904.34	906.17	877.16	8,757.52
1980	Above Normal	755.00	689.66	801.46	798.82	963.48	1,058.96	738.09	851.23	925.60	1,004.59	1,002.89	933.89	10,523.67
1981	Dry	818.50	719.98	875.03	645.99	776.26	619.74	644.01	751.58	698.14	966.77	959.47	859.57	9,335.04
1982	Wet	637.17	697.09	529.25	586.95	852.02	944.58	1,063.18	1,012.03	1,069.93	1,132.73	1,130.94	1,089.74	10,745.61
1983	Wet	1,037.40	953.06	993.48	960.16	903.94	1,021.26	974.85	926.37	924.06	1,033.55	1,090.83	1,047.33	11,866.29
1984	Wet	1,044.98	950.13	889.59	1,002.95	988.30	1,106.91	605.60	715.85	763.94	864.60	875.37	782.20	10,590.42
1985	Dry	710.53	754.46	899.05	805.10	683.85	702.88	684.45	709.49	727.30	855.94	784.86	822.22	9,140.13
1986	Wet	697.37	688.46	651.94	507.52	643.50	1,119.99	986.72	1,025.89	1,071.71	1,159.66	1,156.18	1,110.90	10,819.84
1987	Dry	974.82	223.05	1,119.78	442.20	393.83	279.99	318.70	389.80	394.60	381.82	340.59	328.36	5,587.54
1988	Critical	154.02	133.32	198.36	112.84	138.58	187.66	261.85	306.61	297.29	391.52	270.76	249.77	2,702.58
1989	Dry	121.17	186.78	167.81	152.30	154.37	214.97	758.70	807.06	828.86	942.57	817.87	922.89	6,075.35
1990	Critical	745.94	654.45	672.60	380.41	343.24	269.53	354.01	426.26	426.32	574.21	387.10	362.14	5,596.21
1991	Critical	180.94	148.89	136.95	58.35	122.24	173.32	268.68	299.28	323.70	413.44	266.59	237.10	2,629.48
1992	Critical	135.60	93.53	124.16	63.52	118.57	209.92	328.63	382.72	402.66	394.68	337.35	340.46	2,931.80
1993	Above Normal	122.23	96.16	245.73	165.77	693.32	728.10	640.11	694.71	355.24	951.48	965.35	895.96	6,554.16
1994	Critical	695.89	584.75	687.22	393.51	385.77	436.96	636.74	732.43	489.28	947.36	251.00	567.33	6,808.24
1995	Wet	47.18	444.53	868.52	159.09	553.26	675.68	920.66	961.72	1,026.45	981.78	1,090.26	1,049.58	8,778.71
1996	Wet	518.81	48.75	592.81	457.74	570.41	815.81	704.70	710.52	763.46	861.88	862.16	829.73	7,736.78
1997	Wet	651.61	579.79	775.22	1,066.73	1,052.73	1,155.19	796.64	825.64	848.87	955.70	970.83	936.08	10,615.03
1998	Wet	762.75	703.14	832.77	635.85	1,039.78	1,150.36	783.97	779.26	859.36	892.28	921.09	889.95	10,250.56
1999	Wet	839.84	883.20	760.47	954.87	970.47	857.91	606.59	711.76	760.51	876.33	878.14	748.68	9,848.77
2000	Above Normal	662.85	580.99	758.12	567.06	911.15	768.09	667.55	724.75	779.67	890.58	918.40	855.40	9,084.61
2001	Dry	639.54	550.22	685.99	382.92	337.26	345.78	466.12	553.91	587.10	634.28	524.02	510.84	6,217.98
2002	Dry	266.39	291.34	283.79	163.56	281.84	376.26	777.86	791.06	788.99	918.26	502.32	944.84	6,386.51
2003	Above Normal	200.08	263.73	811.37	182.59	283.93	411.58	559.83	641.16	103.13	948.40	968.10	869.55	6,243.45
	Average	609.73	549.25	635.35	482.11	584.94	656.17	646.49	703.51	672.13	864.44	819.94	785.82	8,009.89
	Wet	695.70	660.33	685.66	699.26	857.01	968.44	797.52	824.38	863.55	964.54	975.05	922.91	9,914.34
	Above Normal	535.44	518.42	682.59	422.69	625.22	707.91	665.39	740.92	683.58	925.49	949.28	883.44	8,340.38
	Below Normal	661.06	585.14	695.01	479.54	550.03	677.98	638.75	697.93	551.15	944.78	957.50	885.34	8,324.20
	Dry	578.28	468.60	614.81	349.03	380.79	407.69	597.96	679.54	650.87	838.29	698.58	743.35	7,007.77
	Critical	485.08	418.52	440.33	273.68	302.13	275.14	382.19	446.67	419.00	532.00	376.07	338.78	4,689.59

Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.02	(0.05)	(0.03)	0.00	24.59	24.09	24.40	24.59	8.13
1923	Below Normal	24.60	24.55	24.57	(0.92)	(0.54)	(4.29)	(0.16)	0.36	25.01	24.81	24.98	24.55	13.96
1924	Critical	23.98	24.03	23.53	22.02	(1.87)	(0.55)	0.10	(0.03)	0.16	0.17	0.14	0.07	7.65
1925	Dry	(0.02)	(0.05)	(0.02)	0.02	(0.08)	(1.79)	0.37	0.44	6.52	6.53	6.68	6.49	2.09
1926	Dry	6.51	6.47	6.33	6.08	(0.16)	(0.17)	(0.48)	(0.38)	(0.32)	(0.38)	(0.26)	(0.90)	1.86
1927	Wet	(0.33)	(0.27)	(0.22)	0.01	(0.30)	0.02	0.02	0.01	24.63	24.62	24.63	24.61	8.12
1928	Above Normal	24.61	24.60	24.62	24.58	(0.61)	0.00	0.04	0.04	14.33	14.31	14.33	14.32	12.93
1929	Critical	14.32	14.31	14.28	14.28	(0.02)	(0.07)	(0.12)	(0.17)	(0.19)	(0.19)	(0.17)	0.46	4.73
1930	Dry	(0.14)	(0.15)	0.26	0.00	(0.03)	0.01	(0.02)	(0.01)	0.02	(0.01)	(0.05)	(0.03)	(0.01)
1931	Critical	(0.06)	(0.10)	(0.09)	0.01	(0.06)	0.01	(0.13)	(0.18)	(0.19)	(0.43)	(0.17)	(0.16)	(0.13)
1932	Dry	(0.12)	(0.10)	(0.05)	(0.07)	0.20	11.64	(0.01)	0.01	24.63	24.60	24.59	24.59	9.16
1933	Critical	24.57	24.57	21.40	24.45	(9.14)	0.00	0.01	0.01	0.02	(0.32)	(0.05)	(0.08)	7.12
1934	Critical	(0.05)	(0.16)	88.03	5.07	20.22	77.61	(37.78)	9.78	13.49	27.49	201.53	(0.88)	33.70
1935	Below Normal	(16.39)	29.38	31.68	(8.00)	(1.88)	(2.81)	(11.98)	0.56	27.59	29.94	33.65	25.36	11.43
1936	Below Normal	6.71	12.36	(11.71)	1.41	(34.67)	(2.79)	(0.03)	(0.05)	24.57	24.57	24.58	24.58	5.79
1937	Below Normal	24.54	24.58	24.79	0.38	0.05	(0.08)	(4.92)	(1.82)	25.59	24.64	24.64	24.62	13.92
1938	Wet	23.13	23.86	(25.37)	(23.01)	(1.12)	14.29	19.32	(49.24)	(1.74)	31.54	30.98	27.97	5.88
1939	Dry	32.95	31.87	23.96	61.54	(17.62)	(66.68)	(79.71)	(111.36)	(126.64)	(44.01)	79.64	(115.64)	(27.64)
1940	Above Normal	57.20	27.97	30.75	22.74	0.46	0.38	0.01	0.02	23.60	22.17	23.37	23.37	19.34
1941	Wet	23.36	23.61	12.15	(0.05)	(4.33)	(2.38)	(2.37)	(2.55)	22.07	21.49	21.68	21.73	11.20
1942	Wet	23.05	21.91	10.09	(0.22)	(2.66)	(2.51)	(0.12)	(0.01)	24.65	24.64	24.69	24.61	12.34
1943	Wet	24.49	24.40	24.41	(13.42)	(5.41)	(6.05)	(4.27)	(4.52)	12.47	19.98	20.33	19.34	9.31
1944	Dry	20.44	17.11	30.70	1.41	(20.61)	(6.68)	(0.08)	(0.11)	13.79	15.88	17.78	15.90	8.79
1945	Below Normal	15.92	15.67	15.95	16.03	(10.02)	(70.29)	0.88	1.11	25.70	25.56	25.62	25.59	7.31
1946	Below Normal	25.59	25.58	25.55	24.47	(0.02)	(4.49)	(2.83)	0.38	27.58	25.87	26.67	24.53	16.57
1947	Dry	19.87	21.49	18.87	13.02	2.16	(13.00)	1.55	2.26	9.28	9.15	8.80	9.11	8.55
1948	Below Normal	6.49	8.93	9.09	(8.57)	(14.23)	(5.05)	0.15	5.71	(0.53)	0.39	(0.02)	1.34	0.31
1949	Dry	0.80	0.02	(2.65)	(0.45)	(0.44)	(0.45)	(2.07)	(0.34)	0.24	0.72	(5.46)	2.16	(0.66)
1950	Below Normal	0.85	2.20	32.00	0.00	0.00	0.00	0.00	0.00	2.50	2.50	2.50	2.51	3.76
1951	Above Normal	2.50	2.50	(24.54)	25.31	3.16	0.05	0.67	0.60	25.20	25.16	25.17	26.29	9.34
1952	Wet	25.19	25.11	25.12	22.11	3.53	(0.67)	(4.32)	(137.26)	(139.20)	(104.47)	(97.70)	(93.68)	(39.69)
1953	Wet	(104.23)	(96.85)	(81.84)	23.69	129.51	255.78	19.29	19.68	420.07	(36.40)	(35.47)	(22.07)	40.93
1954	Above Normal	(6.76)	(4.21)	18.81	58.90	146.68	30.84	(3.20)	(1.12)	42.34	17.65	(15.76)	(14.03)	22.51
1955	Dry	(12.59)	(10.45)	(8.41)	(2.62)	3.95	6.61	12.48	15.17	15.79	14.78	17.94	19.78	6.04
1956	Wet	7.25	9.94	(19.92)	(90.68)	13.89	5.20	2.45	2.20	26.73	26.63	26.65	26.52	3.07
1957	Above Normal	26.71	26.66	26.39	25.03	(0.07)	(9.04)	(0.09)	(0.31)	12.75	22.85	24.20	24.06	14.93
1958	Wet	23.65	23.57	23.37	22.36	(0.45)	(0.41)	(1.36)	(0.44)	24.17	24.17	24.16	23.95	15.56
1959	Below Normal	24.41	16.91	24.05	25.15	0.06	0.18	0.01	0.00	7.38	7.37	7.38	7.38	10.02
1960	Dry	7.56	7.38	7.39	7.38	0.01	(0.75)	0.19	0.10	0.81	(0.07)	2.64	(0.76)	2.66
1961	Dry	(0.64)	(0.49)	(0.37)	0.24	0.23	0.10	0.06	0.08	(0.32)	(0.05)	(0.10)	0.26	(0.08)
1962	Below Normal	(0.22)	(0.63)	26.19	0.00	(0.01)	0.10	(0.03)	(0.04)	23.70	23.68	23.68	23.69	10.01
1963	Wet	23.70	23.70	23.70	23.73	0.01	0.01	0.00	(0.01)	24.77	24.58	24.60	24.62	16.12
1964	Dry	24.63	24.58	24.66	25.39	0.01	0.32	(0.06)	(0.12)	(0.15)	(0.15)	(0.18)	(0.13)	8.23
1965	Wet	(0.13)	(0.05)	0.02	0.06	0.02	(0.08)	(0.11)	0.01	23.53	24.72	24.86	24.89	8.14
1966	Below Normal	24.70	24.42	24.55	24.26	(0.43)	0.06	0.01	(0.02)	18.44	18.43	18.42	18.46	14.28
1967	Wet	18.51	18.50	18.55	18.70	0.07	0.21	(1.41)	(1.56)	(2.03)	24.63	24.63	23.34	11.85
1968	Below Normal	22.84	(86.74)	74.62	(8.25)	(41.37)	(10.01)	2.34	2.81	22.47	24.86	24.99	24.59	4.43
1969	Wet	24.47	23.81	23.50	(17.48)	18.09	1.14	(74.23)	35.19	0.96	29.93	25.62	28.15	9.93
1970	Wet	24.40	24.97	25.43	(0.61)	3.17	12.85	39.50	(1.48)	23.04	23.08	23.15	28.83	18.86
1971	Wet	23.19	23.57	23.53	24.46	0.04	5.20	0.41	(0.87)	14.23	13.97	13.58	14.73	13.00
1972	Below Normal	16.04	16.11	17.28	23.47	2.93	2.01	0.31	0.04	(0.05)	(0.11)	(0.21)	0.01	6.49
1973	Above Normal	0.29	0.28	0.54	1.21	0.00	0.00	0.00	0.00	24.13	24.06	22.80	24.06	8.11
1974	Wet	24.12	24.12	24.12	19.98	3.68	(0.14)	(5.17)	(2.16)	22.45	22.35	22.50	22.67	14.88
1975	Wet	22.74	22.29	22.90	28.55	1.19	(1.76)	(1.07)	(1.14)	23.21	23.26	23.25	23.29	15.56
1976	Critical	23.31	23.36	23.40	23.84	(0.13)	0.69	1.37	1.66	4.06	1.47	(1.77)	2.27	8.63
1977	Critical	1.54	1.64	(11.29)	(0.02)	0.00	0.01	0.01	(0.85)	0.00	(0.23)	0.00	0.15	(0.75)
1978	Above Normal	0.00	0.14	8.70	(0.12)	(18.87)	(57.73)	(14.51)	(0.35)	32.41	36.85	42.09	21.92	4.21
1979	Below Normal	10.22	6.87	(48.91)	(44.88)	(64.84)	(53.88)	(29.65)	(31.80)	(6.95)	(4.05)	(3.95)	(2.94)	(22.90)
1980	Above Normal	(11.20)	17.06	2.99	24.64	11.29	0.51	(163.11)	(145.31)	(119.58)	(112.10)	(114.86)	(138.48)	(62.35)
1981	Dry	(114.63)	31.68	(153.90)	155.01	295.03	192.78	52.44	63.13	602.18	(21.60)	(13.37)	(8.47)	90.02
1982	Wet	5.03	5.77	12.44	46.55	17.77	(0.97)	(0.26)	(5.72)	24.35	24.34	24.33	24.03	14.81
1983	Wet	23.18	(2.11)	(9.23)	14.44	3.53	(14.31)	47.83	(53.08)	(69.04)	(1.22)	24.62	24.46	(0.91)
1984	Wet	0.00	0.01	(199.86)	(20.13)	(16.06)	(5.43)	(0.07)	0.04	24.66	24.65	24.66	24.66	(11.91)
1985	Dry	24.64	24.66	24.37	24.62	0.00	(0.02)	0.01	0.00	14.87	14.86	14.85	14.87	13.14
1986	Wet	14.86	14.86	14.86	14.87	(154.34)	48.17	47.46	2.34	24.66	26.55	25.82	25.07	8.77
1987	Dry	28.38	(50.54)	24.33	24.24	(0.37)	(0.19)	(0.09)	(0.14)	0.78	(0.18)	0.09	(0.19)	2.18
1988	Critical	(0.03)	(0.03)	0.19	0.01	0.12	0.02	(0.02)	3.17	3.38	1.29	3.00	2.60	1.14
1989	Dry	1.38	0.62	0.85	(0.37)	(0.30)	(0.99)	(1.85)	0.33	1.02	1.53	(42.35)	11.43	(2.39)
1990	Critical	8.92	8.13	5.32	(6.67)	(4.80)	(0.79)	2.31	3.04	3.26	3.12	2.90	2.94	2.31
1991	Critical	1.64	1.13	0.62	(0.09)	(0.19)	0.04	0.00	0.00	(0.02)	(0.12)	0.00	(0.04)	0.25
1992	Critical	(0.19)	0.00	(0.22)	(0.73)	(0.05)	(0.07)	(4.39)	(5.75)	(15.18)	2.92	(4.41)	(5.06)	(2.76)
1993	Above Normal	7.43	(0.11)	(10.04)	(4.33)	0.82	1.63	0.58	(0.26)	33.39	22.15	21.48	23.13	7.99
1994	Critical	24.37	24.55	26.20	28.10	2.96	0.47	(0.66)	(0.79)	12.23	(3.63)	2.18	0.33	9.69
1995	Wet	(1.31)	(0.16)	12.89	(0.02)	(0.06)	(0.99)	(3.26)	(67.89)	22.80	(65.56)	40.58	35.45	(2.29)
1996	Wet	(319.69)	(342.51)	(106.84)	25.25	0.02	(3.46)	(2.06)	(2.17)	22.45	22.44	22.52	22.66	(55.12)
1997	Wet	21.89	22.35	22.78	(0.33)	0.01	(1.54)	(5.85)	(0.11)	23.64	25.06	24.51	24.53	13.08
1998	Wet	24.55	24.43	24.53	24.04	(0.19)	(0.18)	(1.71)	(5.53)	(3.43)	(3.52)	21.12	21.18	10.44
1999	Wet	21.18	21.86	21.03	24.29	0.00	(0.01)	(0.02)	(0.01)	24.60	24.61	24.61	24.58	15.56
2000	Above Normal	24.67	24.61	24.61	24.63	(4.25)	(8.48)	(1.59)	0.72	24.41	24.94	25.58	23.87	15.31
2001	Dry	21.58	21.36	15.72	14.82	(6.69)	(1.98)	0.38	0.28	0.21	2.06	0.84	0.68	5.77
2002	Dry	0.93	0.91	0.42	0.36	(0.09)	(0.06)	(0.86)	(0.90)	(0.90)	(0.86)	(12.19)	3.39	(0.82)
2003	Above Normal	16.74	2.43	20.87	0.00	(0.01)	(0.01)	0.00	0.00	8.22	8.22	8.23	8.22	6.08
	Average	6.20	5.50	6.33	10.43	2.99	3.72	(2.63)	(5.69)	19.39	8.65	13.32	9.03	6.44
	Wet	(0.14)	(1.51)	(2.99)	6.43	0.37	11.61	2.64	(10.63)	24.57	11.39	17.50	18.08	6.44
	Above Normal	11.85	10.16	10.31	16.88	11.55	(3.49)	(15.10)	(12.16)	12.15	10.86	8.42	5.11	5.54
	Below Normal	13.31	8.59	19.26	3.18	(11.78)	(10.81)	(3.28)	(1.63)	15.93	16.32	16.64	16.02	6.81
	Dry	3.42	7.02	0.69	18.37	14.18	6.59	(0.99)	(1.75)	31.21	1.27	5.55	(0.97)	7.05
	Critical	10.19	10.12	15.95	9.19	0.59	6.45	(3.28)	0.82	1.75	2.63	16.93	0.22	5.97

Percent Difference in Energy Use (GWh) At Pumping Plant at System Total: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1923	Below Normal	4%	4%	4%	0%	0%	-1%	0%	0%	4%	3%	3%	3%
1924	Critical	4%	5%	6%	9%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	1%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1928	Above Normal	4%	4%	3%	5%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	1%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	4%	4%	3%	4%
1933	Critical	6%	6%	6%	8%	-1%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	24%	2%	8%	30%	-8%	2%	2%	5%	65%	-2%
1935	Below Normal	-3%	6%	8%	-4%	-1%	-1%	-2%	0%	3%	3%	4%	3%
1936	Below Normal	1%	2%	-2%	0%	-5%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	3%	4%	3%	0%	0%	0%	-1%	0%	2%	2%	2%	2%
1938	Wet	3%	3%	-3%	-3%	0%	1%	2%	-4%	0%	3%	3%	3%
1939	Dry	4%	4%	2%	9%	-3%	-13%	-12%	-15%	-63%	-4%	19%	-13%
1940	Above Normal	30%	19%	4%	16%	0%	0%	0%	0%	4%	2%	2%	3%
1941	Wet	4%	4%	2%	0%	-1%	0%	0%	0%	3%	2%	2%	2%
1942	Wet	3%	3%	1%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1943	Wet	4%	5%	5%	-2%	-1%	-1%	0%	-1%	1%	2%	2%	2%
1944	Dry	2%	46%	3%	0%	-5%	-2%	0%	0%	2%	2%	3%	3%
1945	Below Normal	4%	3%	5%	7%	-4%	-6%	0%	0%	3%	3%	3%	3%
1946	Below Normal	3%	3%	3%	3%	0%	0%	0%	0%	4%	3%	3%	3%
1947	Dry	3%	4%	3%	3%	0%	-3%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-2%	-4%	-2%	0%	2%	0%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	7%	0%	0%	0%	0%	0%	3%	0%	0%	0%
1951	Above Normal	0%	0%	-4%	2%	0%	0%	0%	0%	3%	3%	3%	3%
1952	Wet	4%	4%	4%	2%	0%	0%	-1%	-15%	-14%	-10%	-9%	-9%
1953	Wet	-12%	-13%	-9%	3%	17%	44%	3%	3%	143%	-4%	-4%	-3%
1954	Above Normal	-1%	-1%	4%	34%	32%	7%	-1%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-1%	-1%	2%	2%	2%	2%	2%	2%	2%	3%
1956	Wet	1%	2%	-4%	-11%	1%	0%	0%	0%	3%	3%	3%	3%
1957	Above Normal	4%	4%	3%	4%	0%	-1%	0%	0%	2%	2%	2%	3%
1958	Wet	3%	4%	5%	13%	0%	0%	0%	0%	2%	2%	2%	2%
1959	Below Normal	3%	6%	2%	6%	0%	0%	0%	0%	9%	1%	1%	1%
1960	Dry	1%	1%	2%	4%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	-1%	0%	4%	0%	0%	0%	0%	0%	25%	2%	2%	3%
1963	Wet	3%	3%	4%	4%	0%	0%	0%	0%	4%	3%	3%	3%
1964	Dry	4%	4%	4%	5%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	5%	3%	3%	3%
1966	Below Normal	4%	4%	4%	3%	0%	0%	0%	0%	3%	2%	2%	2%
1967	Wet	3%	3%	4%	6%	0%	0%	0%	0%	0%	2%	2%	2%
1968	Below Normal	2%	-10%	8%	-2%	-8%	-2%	0%	0%	25%	3%	3%	3%
1969	Wet	4%	4%	4%	-3%	2%	0%	-8%	3%	0%	3%	2%	3%
1970	Wet	3%	3%	3%	0%	0%	1%	6%	0%	3%	3%	3%	4%
1971	Wet	4%	3%	4%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	3%	4%	3%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	3%	3%	3%	3%
1974	Wet	3%	3%	4%	2%	0%	0%	-1%	0%	3%	2%	3%	3%
1975	Wet	3%	4%	3%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	3%	4%	3%	5%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-1%	0%	0%	0%	0%
1978	Above Normal	0%	0%	2%	0%	-6%	-7%	-2%	0%	4%	4%	5%	3%
1979	Below Normal	2%	1%	-7%	-9%	-12%	-6%	-4%	-4%	-1%	0%	0%	0%
1980	Above Normal	-1%	3%	0%	3%	1%	0%	-18%	-15%	-11%	-10%	-10%	-13%
1981	Dry	-12%	5%	-15%	32%	61%	45%	9%	9%	628%	-2%	-1%	-1%
1982	Wet	1%	1%	2%	9%	2%	0%	0%	-1%	2%	2%	2%	2%
1983	Wet	2%	0%	-1%	2%	0%	-1%	5%	-5%	-7%	0%	2%	2%
1984	Wet	0%	0%	-18%	-2%	-2%	0%	0%	0%	3%	3%	3%	3%
1985	Dry	4%	3%	3%	3%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	2%	2%	2%	3%	-19%	4%	5%	0%	2%	2%	2%	2%
1987	Dry	3%	-18%	2%	6%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	0%	1%	1%
1989	Dry	1%	0%	1%	0%	0%	0%	0%	0%	0%	0%	-5%	1%
1990	Critical	1%	1%	1%	-2%	-1%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	-1%	0%	0%	-1%	-1%	-4%	1%	-1%	-1%
1993	Above Normal	6%	0%	-4%	-3%	0%	0%	0%	0%	10%	2%	2%	3%
1994	Critical	4%	4%	4%	8%	1%	0%	0%	0%	3%	0%	1%	0%
1995	Wet	-3%	0%	2%	0%	0%	0%	0%	-7%	2%	-6%	4%	3%
1996	Wet	-38%	-88%	-15%	6%	0%	0%	0%	0%	3%	3%	3%	3%
1997	Wet	3%	4%	3%	0%	0%	0%	-1%	0%	3%	3%	3%	3%
1998	Wet	3%	4%	3%	4%	0%	0%	0%	-1%	0%	0%	2%	2%
1999	Wet	3%	3%	3%	3%	0%	0%	0%	0%	3%	3%	3%	3%
2000	Above Normal	4%	4%	3%	5%	0%	-1%	0%	0%	3%	3%	3%	3%
2001	Dry	3%	4%	2%	4%	-2%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	9%	1%	3%	0%	0%	0%	0%	0%	9%	1%	1%	1%
	Average	1%	1%	1%	3%	1%	1%	0%	-1%	11%	1%	2%	1%
	Wet	0%	-1%	0%	2%	0%	2%	0%	-1%	7%	1%	2%	2%
	Above Normal	5%	3%	1%	6%	2%	0%	-2%	-1%	3%	1%	1%	1%
	Below Normal	2%	2%	3%	1%	-2%	-1%	0%	0%	6%	2%	2%	2%
	Dry	1%	3%	0%	4%	3%	2%	0%	0%	32%	0%	1%	0%
	Critical	2%	2%	4%	3%	0%	2%	-1%	0%	0%	0%	5%	0%

Energy Use (GWh) At Pumping Plant at Teerink: CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	73.20	62.94	50.71	12.38	41.20	47.32	47.04	48.48	47.71	49.46	49.16	45.96	575.56
1923	Below Normal	40.75	36.87	35.33	58.68	58.77	47.30	41.27	47.68	47.62	50.80	51.30	45.26	561.63
1924	Critical	35.81	31.58	26.07	11.85	12.63	15.14	23.18	28.32	28.78	28.79	25.98	22.07	290.20
1925	Dry	11.42	8.61	7.37	2.78	7.11	27.40	42.17	54.59	55.13	58.87	60.08	52.14	387.67
1926	Dry	40.42	35.82	28.34	5.40	8.74	19.70	30.97	45.14	45.47	48.49	49.50	42.92	400.91
1927	Wet	32.71	28.78	22.52	6.64	26.87	52.76	50.33	51.77	50.76	52.42	52.04	49.15	476.75
1928	Above Normal	44.68	40.69	39.73	31.40	37.76	28.04	57.23	58.50	57.20	59.06	58.79	55.64	568.72
1929	Critical	51.09	46.91	45.89	31.58	29.51	18.32	21.59	31.06	31.57	31.66	28.64	4.81	372.63
1930	Dry	14.82	17.70	15.43	5.07	8.40	13.77	34.75	41.39	42.34	43.38	41.38	35.53	313.96
1931	Critical	22.97	18.64	14.32	5.07	8.19	14.83	28.28	34.32	35.00	35.14	31.70	26.88	275.34
1932	Dry	14.67	10.69	9.12	5.17	10.97	36.11	31.15	41.68	41.92	44.58	45.01	39.03	330.10
1933	Critical	28.82	25.13	19.50	5.19	44.37	16.66	27.62	41.14	41.88	43.35	41.69	35.82	371.17
1934	Critical	23.72	19.39	14.95	5.24	7.57	15.57	32.29	39.43	40.45	40.51	23.17	1.67	263.96
1935	Below Normal	35.33	27.74	20.81	5.24	10.87	20.04	53.01	56.32	55.96	58.33	58.49	53.65	455.79
1936	Below Normal	46.57	42.23	39.15	22.98	26.39	70.02	49.76	57.26	56.13	57.98	57.63	54.46	580.56
1937	Below Normal	49.87	45.62	44.61	33.19	60.16	59.77	61.98	68.90	67.61	69.82	69.51	65.82	696.86
1938	Wet	61.10	56.23	55.18	38.28	60.36	70.28	69.64	71.25	70.40	72.47	72.00	68.12	765.31
1939	Dry	63.29	57.97	56.99	41.26	44.09	35.47	47.52	54.91	15.03	64.84	26.16	59.50	567.03
1940	Above Normal	13.39	10.18	55.19	5.17	7.26	24.72	46.37	55.03	42.72	59.44	63.79	55.46	438.72
1941	Wet	43.16	38.31	30.34	18.84	43.63	51.26	55.74	57.14	56.10	57.99	57.53	54.31	564.35
1942	Wet	49.74	45.36	44.43	59.56	60.32	61.09	43.38	47.23	47.07	49.67	49.81	44.80	602.46
1943	Wet	37.02	32.93	28.91	44.34	55.00	51.29	61.59	63.07	61.97	64.06	63.60	60.14	623.92
1944	Dry	55.45	1.11	69.21	23.30	22.08	20.62	35.48	42.14	42.60	44.29	43.01	37.09	436.38
1945	Below Normal	25.03	20.77	16.11	8.76	10.78	69.98	49.49	55.59	54.56	56.35	55.97	52.92	476.31
1946	Below Normal	48.35	44.14	43.15	60.12	60.35	67.23	43.44	45.34	44.58	46.36	46.06	42.87	591.99
1947	Dry	37.60	33.87	32.21	27.96	30.44	26.11	57.02	58.21	56.91	58.69	58.43	55.37	532.82
1948	Below Normal	50.83	46.63	45.62	29.31	27.51	17.89	28.03	23.37	5.96	64.01	64.93	56.61	460.70
1949	Dry	43.99	39.30	31.32	8.36	10.27	17.79	50.43	56.86	57.25	60.71	37.30	61.63	475.21
1950	Below Normal	47.89	22.64	29.32	6.92	7.62	15.20	42.85	49.28	1.78	63.60	64.10	55.56	406.76
1951	Above Normal	42.99	38.01	30.24	62.28	60.36	69.87	42.83	50.68	49.85	51.37	50.94	48.05	597.47
1952	Wet	43.54	39.50	38.58	59.36	62.51	69.63	56.90	65.19	64.07	66.26	65.78	62.16	693.48
1953	Wet	57.51	52.46	51.52	61.13	50.80	35.29	39.36	46.53	19.98	55.83	56.33	49.03	575.77
1954	Above Normal	37.54	33.14	26.06	8.13	29.40	26.59	44.66	52.36	49.65	55.15	58.52	50.86	472.06
1955	Dry	39.25	34.67	27.27	7.25	11.80	22.56	40.54	46.79	46.98	50.29	51.22	44.45	423.07
1956	Wet	33.88	29.84	23.39	40.30	62.54	70.31	50.85	57.16	56.35	58.07	57.58	54.38	594.65
1957	Above Normal	49.75	45.27	44.33	39.44	38.38	40.60	46.16	54.26	37.36	60.93	63.63	55.41	575.52
1958	Wet	42.90	38.15	30.18	5.94	48.98	52.16	69.55	71.52	70.45	72.66	72.28	68.33	643.10
1959	Below Normal	63.61	19.78	67.28	27.16	28.57	28.51	39.89	45.55	1.92	58.85	59.17	51.27	491.56
1960	Dry	39.38	34.67	27.43	5.15	6.21	17.23	51.03	57.76	44.36	64.61	50.93	62.07	460.83
1961	Dry	50.22	45.03	37.65	10.50	12.33	15.00	41.33	47.41	47.92	51.10	42.00	27.54	428.03
1962	Below Normal	0.62	40.24	45.74	5.39	6.61	22.82	43.74	50.93	4.49	64.96	65.75	57.19	408.48
1963	Wet	44.38	39.48	31.43	36.41	43.16	43.79	43.08	46.28	45.67	47.72	47.60	43.81	512.81
1964	Dry	37.68	33.78	31.25	28.29	61.93	45.70	47.16	49.36	48.79	50.89	50.75	46.83	532.41
1965	Wet	40.82	36.74	34.37	41.78	58.69	53.27	45.01	47.65	30.19	52.52	52.44	48.06	541.54
1966	Below Normal	41.29	37.11	34.05	52.98	55.92	42.63	42.05	47.84	47.88	50.79	51.31	45.31	549.16
1967	Wet	36.10	31.87	26.53	12.82	58.85	57.99	68.62	70.83	69.80	72.06	71.64	67.74	644.85
1968	Below Normal	62.93	57.59	56.58	29.46	36.18	30.79	40.63	46.65	2.17	60.15	60.39	52.41	535.93
1969	Wet	40.24	35.50	28.07	33.55	60.37	70.03	63.02	66.84	67.37	69.49	69.01	65.22	668.71
1970	Wet	60.39	55.21	54.26	62.28	60.35	69.87	47.87	49.83	49.02	50.53	50.06	47.17	656.84
1971	Wet	42.71	38.70	37.80	59.29	60.32	51.89	42.07	47.97	48.05	50.99	51.40	45.55	576.74
1972	Below Normal	36.50	32.32	27.18	21.44	46.91	42.56	44.02	50.03	50.35	53.54	54.22	47.50	506.57
1973	Above Normal	37.26	32.91	26.71	10.19	53.22	53.86	45.69	53.32	52.47	53.95	53.54	50.54	523.66
1974	Wet	46.03	41.85	40.93	60.35	60.39	69.88	66.34	54.07	53.36	54.89	54.43	51.38	653.90
1975	Wet	46.83	42.46	41.54	51.06	43.72	60.60	51.47	52.61	51.67	53.20	52.83	49.95	597.94
1976	Critical	45.40	41.38	40.43	32.57	34.11	30.29	45.46	52.72	45.11	58.49	42.58	57.05	525.59
1977	Critical	44.21	39.26	25.66	5.29	6.38	10.00	17.22	4.04	0.00	3.09	2.81	3.15	161.11
1978	Above Normal	0.69	22.58	37.62	4.97	12.13	47.07	49.60	53.12	52.49	54.60	54.56	50.44	439.87
1979	Below Normal	44.41	40.12	37.73	28.11	28.32	60.44	53.23	54.67	53.67	55.26	54.91	51.96	562.83
1980	Above Normal	47.39	43.23	42.27	45.84	62.53	70.11	63.65	70.46	69.46	71.73	71.26	67.40	725.33
1981	Dry	62.66	47.72	61.79	28.89	29.11	26.90	41.77	49.39	4.00	63.13	63.75	55.40	534.51
1982	Wet	42.79	37.96	30.16	31.28	44.77	51.97	68.00	69.84	68.90	70.99	70.50	66.62	653.78
1983	Wet	61.88	56.58	55.60	62.28	60.39	69.99	61.64	65.50	66.11	68.11	67.69	63.96	759.73
1984	Wet	64.84	57.57	67.38	62.28	62.50	69.85	42.18	50.49	49.52	51.24	50.77	47.89	676.51
1985	Dry	43.32	39.33	48.23	50.05	44.80	46.63	47.60	49.77	49.07	50.52	50.04	47.15	566.51
1986	Wet	42.73	38.77	37.83	32.01	40.62	70.29	65.14	71.56	70.36	72.65	72.13	68.18	682.27
1987	Dry	63.75	18.75	67.21	23.53	22.32	15.18	22.33	26.39	26.72	26.66	24.20	20.57	357.61
1988	Critical	10.63	8.08	6.92	2.44	9.43	10.17	17.62	21.17	21.15	21.41	19.25	16.32	164.59
1989	Dry	8.26	6.16	5.32	2.97	9.82	13.71	53.40	57.11	56.68	59.34	56.77	55.11	384.65
1990	Critical	47.65	43.14	39.65	21.67	21.24	17.70	25.15	30.10	30.68	30.75	27.76	23.60	359.09
1991	Critical	12.55	9.33	7.95	3.01	6.42	10.03	18.08	21.01	21.03	21.26	19.15	16.32	166.14
1992	Critical	8.32	6.21	5.37	2.07	5.12	10.08	23.27	27.73	28.02	28.05	24.69	21.93	190.86
1993	Above Normal	8.02	6.16	11.10	4.92	43.96	45.93	45.62	49.77	19.37	57.97	58.37	52.63	403.82
1994	Critical	43.97	39.42	34.74	19.65	21.41	28.11	45.67	52.75	35.65	60.68	14.08	38.20	434.33
1995	Wet	3.42	31.05	57.40	5.35	34.23	32.31	63.88	65.48	64.31	66.42	66.12	62.58	552.55
1996	Wet	57.91	27.40	45.71	25.90	25.25	45.76	49.12	49.86	48.87	50.47	50.10	47.26	523.61
1997	Wet	42.80	38.96	38.04	58.75	60.36	70.05	56.61	58.21	57.22	59.03	58.60	55.34	653.97
1998	Wet	50.70	46.19	45.25	39.17	60.31	68.74	53.76	53.69	52.64	54.56	54.22	51.17	630.40
1999	Wet	46.57	48.94	46.81	60.43	60.36	54.63	42.42	50.19	49.26	51.07	50.67	47.73	609.08
2000	Above Normal	43.22	39.22	38.29	35.74	57.12	44.81	47.44	51.66	51.31	54.20	54.48	49.26	566.75
2001	Dry	41.37	37.15	33.20	18.96	18.94	18.77	32.60	39.87	40.85	41.27	37.89	32.33	393.20
2002	Dry	18.85	14.35	11.30	5.36	12.16	22.42	54.62	55.71	54.39	56.42	35.03	58.79	399.40
2003	Above Normal	13.57	16.90	52.05	8.10	14.07	23.32	40.25	46.33	1.58	59.94	60.27	52.24	388.62
	Average	39.51	34.35	35.65	26.51	34.95	40.00	45.42	50.04	43.92	53.48	50.89	47.66	502.38
	Wet	45.10	41.03	40.16	41.13	52.53	58.65	54.91	57.76	55.36	59.44	59.12	55.39	620.58
	Above Normal	34.31	32.60	37.86	22.38	38.12	43.52	48.05	53.66	44.26	57.32	58.11	52.82	523.01
	Below Normal	42.43	36.70	38.76	27.84	33.21	42.51	45.24	49.96	35.33	57.91	58.12	52.34	520.37
	Dry	38.13	28.70	33.37	16.68	20.64	24.50	42.33	48.58	43.13	52.12	45.75	46.30	440.24
	Critical	31.26	27.37	23.45	12.14	17.20	16.41	27.12	31.98	29.94	33.60	25.13	22.32	297.92

Energy Use (GWh) At Pumping Plant at Teerink: Alternative4_2020

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Total
1922	Above Normal	73.20	62.94	50.71	12.38	41.20	47.33	47.04	48.48	49.51	51.26	50.96	47.75	582.76
1923	Below Normal	42.54	38.66	37.12	58.67	58.74	47.00	41.27	47.72	49.43	52.62	53.13	47.06	573.96
1924	Critical	37.57	33.33	27.78	13.44	12.49	15.10	23.18	28.33	28.79	28.80	25.99	22.08	296.88
1925	Dry	11.42	8.62	7.37	2.78	7.10	27.23	42.20	54.63	55.60	59.35	60.56	52.62	389.48
1926	Dry	40.89	36.29	28.80	5.85	8.73	19.69	30.93	45.11	45.44	48.46	49.47	42.89	402.55
1927	Wet	32.69	28.76	22.50	6.64	26.85	52.76	50.33	51.77	52.55	54.21	53.84	50.94	483.84
1928	Above Normal	46.47	42.49	41.53	33.19	37.72	28.04	57.23	58.50	58.24	60.11	59.83	56.69	580.04
1929	Critical	52.13	47.95	46.93	32.62	29.51	18.32	21.58	31.05	31.56	31.64	28.63	4.80	376.72
1930	Dry	14.81	17.68	15.45	5.07	8.40	13.77	34.75	41.39	42.34	43.37	41.38	35.52	313.93
1931	Critical	22.96	18.63	14.31	5.07	8.19	14.83	28.27	34.31	34.98	35.12	31.69	26.87	275.23
1932	Dry	14.66	10.69	9.11	5.16	10.97	36.85	31.15	41.68	43.71	46.38	46.80	40.82	337.98
1933	Critical	30.61	26.92	21.29	6.99	43.63	16.66	27.62	41.14	41.88	43.36	41.69	35.82	377.61
1934	Critical	23.72	19.39	14.95	5.24	8.92	22.09	29.41	40.69	41.40	42.36	37.17	1.67	287.01
1935	Below Normal	34.32	30.14	23.40	5.28	10.78	19.84	52.34	56.56	58.10	60.75	61.09	55.60	468.20
1936	Below Normal	47.56	43.11	39.18	21.77	23.71	70.01	49.75	57.26	57.92	59.77	59.41	56.25	585.70
1937	Below Normal	51.66	47.41	46.40	33.18	60.16	59.76	61.98	68.90	69.40	71.62	71.30	67.61	709.38
1938	Wet	62.90	58.02	55.18	37.46	60.35	70.19	71.32	72.50	70.48	74.76	74.25	70.26	777.67
1939	Dry	65.62	60.28	59.30	45.96	42.56	30.45	40.75	46.72	3.55	61.92	32.50	52.10	541.71
1940	Above Normal	17.76	12.29	57.52	6.80	7.28	24.72	46.37	55.03	44.44	61.07	65.50	57.17	455.95
1941	Wet	44.87	40.00	31.21	18.83	43.63	51.08	55.57	56.96	57.71	59.59	59.13	55.93	574.51
1942	Wet	51.36	46.99	45.16	59.55	60.32	60.90	43.38	47.24	48.87	51.47	51.62	46.59	613.45
1943	Wet	38.80	34.71	30.68	44.30	54.53	50.87	61.28	62.74	63.43	65.52	65.06	61.61	633.53
1944	Dry	56.94	2.17	71.70	23.34	20.50	20.11	35.48	42.13	43.76	45.45	44.17	38.25	444.00
1945	Below Normal	26.19	21.94	17.27	9.93	10.78	65.27	49.57	55.66	56.43	58.23	57.84	54.79	483.90
1946	Below Normal	50.22	46.01	45.01	61.90	60.35	67.11	43.29	45.42	46.46	48.31	48.06	44.70	606.84
1947	Dry	39.19	35.43	33.54	28.85	30.52	25.29	57.17	58.37	57.59	59.37	59.10	56.04	540.46
1948	Below Normal	51.49	47.29	46.28	28.67	26.49	17.51	28.04	23.70	5.91	64.04	64.93	56.71	461.06
1949	Dry	44.04	39.34	31.18	8.33	10.24	17.75	50.31	56.87	57.29	60.79	36.96	61.80	474.90
1950	Below Normal	47.96	22.80	29.53	6.92	7.62	15.20	42.85	49.28	1.96	63.78	64.29	55.75	407.94
1951	Above Normal	43.17	38.19	30.24	62.28	60.36	69.87	42.88	50.72	51.68	53.21	52.77	49.88	605.25
1952	Wet	45.37	41.33	40.41	61.15	62.51	69.62	56.67	55.55	54.70	58.16	57.70	54.57	657.74
1953	Wet	50.06	45.63	44.71	63.34	60.31	54.87	40.92	47.95	49.73	53.15	53.71	47.23	611.61
1954	Above Normal	37.08	32.80	26.65	12.47	39.97	28.94	44.46	52.33	52.64	56.43	57.39	49.82	490.98
1955	Dry	38.40	33.87	26.59	7.00	12.12	23.10	41.46	47.91	48.14	51.52	52.47	45.54	428.12
1956	Wet	34.79	30.67	24.08	33.65	62.53	70.32	51.02	57.32	58.29	60.02	59.53	56.32	598.54
1957	Above Normal	51.69	47.20	46.27	41.26	38.37	39.91	46.15	54.23	38.32	62.59	65.40	57.16	588.55
1958	Wet	44.64	39.88	31.89	7.57	48.95	52.13	69.52	71.49	72.21	74.42	74.05	70.11	656.86
1959	Below Normal	65.37	20.92	69.02	28.99	28.57	28.52	39.89	45.55	2.46	59.38	59.71	51.81	500.19
1960	Dry	39.92	35.21	27.96	5.69	6.21	17.17	51.04	57.77	44.41	64.61	51.10	62.01	463.10
1961	Dry	50.18	44.99	37.62	10.52	12.34	15.00	41.34	47.42	47.93	51.11	41.99	27.55	427.99
1962	Below Normal	0.62	40.15	45.61	5.39	6.61	22.82	43.74	50.93	6.22	66.69	67.48	58.92	415.18
1963	Wet	46.11	41.20	33.16	38.14	43.16	43.79	43.08	46.28	47.46	49.51	49.39	45.61	526.89
1964	Dry	39.48	35.57	33.04	30.14	61.94	45.72	47.16	49.35	48.78	50.87	50.73	46.82	539.60
1965	Wet	40.82	36.74	34.37	41.80	58.69	53.27	45.00	47.65	31.91	54.34	54.26	49.87	548.72
1966	Below Normal	43.09	38.91	35.84	54.74	55.89	42.63	42.05	47.83	49.23	52.13	52.65	46.65	561.64
1967	Wet	37.44	33.22	27.88	14.18	58.86	58.01	68.62	70.83	69.80	73.86	73.43	69.53	655.66
1968	Below Normal	64.72	51.70	62.33	28.72	33.20	30.01	40.80	46.86	4.07	61.89	62.15	54.17	540.62
1969	Wet	41.97	37.24	29.79	33.42	60.37	70.04	61.61	68.39	67.44	71.35	70.88	67.08	679.58
1970	Wet	62.26	57.06	56.12	62.28	60.34	69.81	50.74	49.72	50.70	52.21	51.74	48.86	671.84
1971	Wet	44.40	40.41	39.51	61.07	60.32	52.29	42.08	47.89	49.07	51.98	52.36	46.59	587.97
1972	Below Normal	37.65	33.48	28.44	23.19	47.12	42.70	44.04	50.03	50.34	53.53	54.20	47.49	512.21
1973	Above Normal	37.28	32.93	26.75	10.28	53.22	53.86	45.69	53.32	54.23	55.71	55.30	52.30	530.87
1974	Wet	47.79	43.61	42.69	62.11	60.39	69.87	65.94	53.92	55.00	56.53	56.06	53.02	666.93
1975	Wet	48.47	44.12	43.19	53.16	43.81	60.52	51.40	52.53	53.36	54.89	54.53	51.65	611.63
1976	Critical	47.10	43.08	42.13	34.30	34.10	30.35	45.56	52.84	45.40	58.59	42.46	57.23	533.14
1977	Critical	44.34	39.38	24.89	5.29	6.38	10.00	17.22	3.98	0.00	3.07	2.81	3.13	160.49
1978	Above Normal	0.69	22.58	37.48	4.97	12.12	44.02	48.99	53.80	55.33	57.95	58.22	52.95	449.10
1979	Below Normal	45.29	40.82	36.98	24.69	23.63	56.45	51.10	52.40	53.19	54.72	54.37	51.54	545.18
1980	Above Normal	47.01	43.00	42.05	48.66	62.53	70.06	51.99	60.11	60.96	62.95	62.48	59.11	670.91
1981	Dry	54.53	49.78	48.85	40.42	51.54	41.21	45.71	54.00	49.19	61.26	62.13	54.45	613.07
1982	Wet	42.87	38.20	30.99	34.75	46.16	51.93	67.98	69.82	70.67	72.76	72.28	68.40	666.81
1983	Wet	63.66	56.57	55.58	62.28	60.39	69.99	66.95	63.56	62.72	68.11	69.48	65.76	765.05
1984	Wet	64.84	57.57	52.95	62.28	62.50	69.85	42.18	50.49	51.32	53.04	52.57	49.69	669.28
1985	Dry	45.12	41.12	50.01	51.84	44.80	46.63	47.60	49.77	50.15	51.60	51.12	48.24	578.00
1986	Wet	43.81	39.85	38.91	33.09	33.59	70.21	68.45	71.72	72.16	74.58	74.01	70.07	690.45
1987	Dry	65.82	14.60	69.01	25.31	22.30	15.17	22.33	26.38	26.70	26.65	24.19	20.56	359.02
1988	Critical	10.62	8.07	6.92	2.44	9.44	10.17	17.62	21.40	21.39	21.66	19.47	16.51	165.71
1989	Dry	8.36	6.23	5.39	2.95	9.80	13.62	53.30	57.17	56.77	59.48	53.95	55.99	383.01
1990	Critical	48.32	43.75	40.08	21.17	20.88	17.65	25.32	30.32	30.92	30.98	27.98	23.78	361.15
1991	Critical	12.67	9.40	8.01	3.05	6.42	10.03	18.08	21.02	21.04	21.26	19.15	16.32	166.45
1992	Critical	8.32	6.21	5.37	2.07	5.12	10.08	22.95	27.30	27.57	27.61	24.36	21.55	188.51
1993	Above Normal	8.52	6.15	10.37	4.56	44.03	46.06	45.65	49.74	21.74	59.55	59.90	54.29	410.56
1994	Critical	45.72	41.20	36.55	21.71	21.64	28.15	45.62	52.69	36.49	60.42	14.07	38.20	442.46
1995	Wet	3.32	31.03	57.44	5.35	34.23	32.31	63.88	65.48	66.10	61.96	69.18	65.60	555.88
1996	Wet	35.88	2.17	35.72	27.74	25.24	45.75	48.98	49.71	50.51	52.11	51.74	48.90	474.45
1997	Wet	44.44	40.62	39.70	58.73	60.36	70.05	56.16	58.21	59.00	60.82	60.38	57.13	665.60
1998	Wet	52.49	47.98	47.03	40.92	60.31	68.76	53.80	53.42	52.37	54.29	55.74	52.70	639.81
1999	Wet	48.11	50.49	48.21	62.20	60.36	54.63	42.42	50.19	51.05	52.86	52.46	49.52	622.50
2000	Above Normal	45.01	41.02	40.09	37.53	57.10	44.30	47.36	51.75	53.11	56.06	56.37	51.03	580.73
2001	Dry	42.96	38.72	34.61	20.02	18.43	18.62	32.63	39.89	40.87	41.30	37.95	32.38	398.38
2002	Dry	18.92	14.42	11.34	5.39	12.16	22.42	54.56	55.64	54.32	56.35	34.18	58.92	398.62
2003	Above Normal	14.87	16.91	52.07	8.10	14.07	23.32	40.25	46.33	2.18	60.54	60.87	52.84	392.35
	Average	40.01	34.73	36.02	27.30	35.22	40.27	45.32	49.79	45.37	54.10	51.84	48.34	508.32
	Wet	45.16	40.93	39.96	41.77	52.66	59.38	55.36	57.44	57.25	60.25	60.36	56.67	627.18
	Above Normal	35.23	33.21	38.48	23.54	39.00	43.37	47.01	52.86	45.20	58.12	58.75	53.42	528.17
	Below Normal	43.48	37.38	40.17	28.00	32.40	41.77	45.05	49.86	36.51	59.10	59.33	53.50	526.57
	Dry	38.40	29.17	33.38	18.03	21.70	24.99	42.22	48.46	45.36	52.21	46.15	46.25	446.33
	Critical	32.01	28.11	24.10	12.78	17.23	16.95	26.87	32.09	30.12	33.74	26.29	22.33	302.61

Difference in Energy Use (GWh) At Pumping Plant at Teerink: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September	Average
1922	Above Normal	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	1.80	1.80	1.80	1.79	0.60
1923	Below Normal	1.79	1.79	1.79	(0.01)	(0.03)	(0.30)	0.00	0.04	1.81	1.82	1.83	1.80	1.03
1924	Critical	1.76	1.75	1.71	1.59	(0.14)	(0.04)	0.00	0.01	0.01	0.01	0.01	0.01	0.56
1925	Dry	0.00	0.01	0.00	0.00	(0.01)	(0.17)	0.03	0.04	0.47	0.48	0.48	0.48	0.15
1926	Dry	0.47	0.47	0.46	0.45	(0.01)	(0.01)	(0.04)	(0.03)	(0.03)	(0.03)	(0.03)	(0.03)	0.14
1927	Wet	(0.02)	(0.02)	(0.02)	0.00	(0.02)	0.00	0.00	0.00	1.79	1.79	1.80	1.79	0.59
1928	Above Normal	1.79	1.80	1.80	1.79	(0.04)	0.00	0.00	0.00	1.04	1.05	1.04	1.05	0.94
1929	Critical	1.04	1.04	1.04	1.04	0.00	0.00	(0.01)	(0.01)	(0.01)	(0.02)	(0.01)	(0.01)	0.34
1930	Dry	(0.01)	(0.02)	0.02	0.00	0.00	0.00	0.00	0.00	0.00	(0.01)	0.00	(0.01)	0.00
1931	Critical	(0.01)	(0.01)	(0.01)	0.00	0.00	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	(0.01)	(0.01)
1932	Dry	(0.01)	0.00	(0.01)	(0.01)	0.00	0.74	0.00	0.00	1.79	1.80	1.79	1.79	0.66
1933	Critical	1.79	1.79	1.79	1.80	(0.74)	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.54
1934	Critical	0.00	0.00	0.00	0.00	1.35	6.52	(2.88)	1.26	0.95	1.85	14.00	0.00	1.92
1935	Below Normal	(1.01)	2.40	2.59	0.04	(0.09)	(0.20)	(0.67)	0.24	2.14	2.42	2.60	1.95	1.03
1936	Below Normal	0.99	0.88	0.03	(1.21)	(2.68)	(0.01)	(0.01)	0.00	1.79	1.79	1.78	1.79	0.43
1937	Below Normal	1.79	1.79	1.79	(0.01)	0.00	(0.01)	0.00	0.00	1.79	1.80	1.79	1.79	1.04
1938	Wet	1.80	1.79	0.00	(0.82)	(0.01)	(0.09)	1.68	1.25	0.08	2.29	2.25	2.14	1.03
1939	Dry	2.33	2.31	2.31	4.70	(1.53)	(5.02)	(6.77)	(8.19)	(11.48)	(2.92)	6.34	(7.40)	(2.11)
1940	Above Normal	4.37	2.11	2.33	1.63	0.02	0.00	0.00	0.00	1.72	1.63	1.71	1.71	1.44
1941	Wet	1.71	1.69	0.87	(0.01)	0.00	(0.18)	(0.17)	(0.18)	1.61	1.60	1.60	1.62	0.85
1942	Wet	1.62	1.63	0.73	(0.01)	0.00	(0.19)	0.00	0.01	1.80	1.80	1.81	1.79	0.92
1943	Wet	1.78	1.78	1.77	(0.04)	(0.47)	(0.42)	(0.31)	(0.33)	1.46	1.46	1.46	1.47	0.80
1944	Dry	1.49	1.06	2.49	0.04	(1.58)	(0.51)	0.00	(0.01)	1.16	1.16	1.16	1.16	0.64
1945	Below Normal	1.16	1.17	1.16	1.17	0.00	(4.71)	0.08	0.07	1.87	1.88	1.87	1.87	0.63
1946	Below Normal	1.87	1.87	1.86	1.78	0.00	(0.12)	(0.15)	0.08	1.88	1.95	2.00	1.83	1.24
1947	Dry	1.59	1.56	1.33	0.89	0.08	(0.82)	0.15	0.16	0.68	0.68	0.67	0.67	0.64
1948	Below Normal	0.66	0.66	0.66	(0.64)	(1.02)	(0.38)	0.01	0.33	(0.05)	0.03	0.00	0.10	0.03
1949	Dry	0.05	0.04	(0.14)	(0.03)	(0.03)	(0.04)	(0.12)	0.01	0.04	0.08	(0.34)	0.17	(0.03)
1950	Below Normal	0.07	0.16	0.21	0.00	0.00	0.00	0.00	0.00	0.18	0.18	0.19	0.19	0.10
1951	Above Normal	0.18	0.18	0.00	0.00	0.00	0.00	0.05	0.04	1.83	1.84	1.83	1.83	0.65
1952	Wet	1.83	1.83	1.83	1.79	0.00	(0.01)	(0.23)	(9.64)	(9.37)	(8.10)	(8.08)	(7.59)	(2.98)
1953	Wet	(7.45)	(6.83)	(6.81)	2.21	9.51	19.58	1.56	1.42	29.75	(2.68)	(2.62)	(1.80)	2.99
1954	Above Normal	(0.46)	(0.34)	0.59	4.34	10.57	2.35	(0.20)	(0.03)	2.99	1.28	(1.13)	(1.04)	1.58
1955	Dry	(0.85)	(0.80)	(0.68)	(0.25)	0.32	0.54	0.92	1.12	1.16	1.23	1.25	1.09	0.42
1956	Wet	0.91	0.83	0.69	(6.65)	(0.01)	0.01	0.17	0.16	1.94	1.95	1.95	1.94	0.32
1957	Above Normal	1.94	1.93	1.94	1.82	(0.01)	(0.69)	(0.01)	(0.03)	0.96	1.66	1.77	1.75	1.09
1958	Wet	1.74	1.73	1.71	1.63	(0.03)	(0.03)	(0.03)	(0.03)	1.76	1.76	1.77	1.78	1.15
1959	Below Normal	1.76	1.14	1.74	1.83	0.00	0.01	0.00	0.00	0.54	0.53	0.54	0.54	0.72
1960	Dry	0.54	0.54	0.53	0.54	0.00	(0.06)	0.01	0.01	0.05	0.00	0.17	(0.06)	0.19
1961	Dry	(0.04)	(0.04)	(0.03)	0.02	0.01	0.00	0.01	0.01	0.01	0.01	(0.01)	0.01	0.00
1962	Below Normal	0.00	(0.09)	(0.13)	0.00	0.00	0.00	0.00	0.00	1.73	1.73	1.73	1.73	0.56
1963	Wet	1.73	1.72	1.73	1.73	0.00	0.00	0.00	0.00	1.79	1.79	1.79	1.80	1.17
1964	Dry	1.80	1.79	1.79	1.85	0.01	0.02	0.00	(0.01)	(0.01)	(0.02)	(0.02)	(0.01)	0.60
1965	Wet	0.00	0.00	0.00	0.02	0.00	0.00	(0.01)	0.00	1.72	1.82	1.82	1.81	0.60
1966	Below Normal	1.80	1.80	1.79	1.76	(0.03)	0.00	0.00	(0.01)	1.35	1.34	1.34	1.34	1.04
1967	Wet	1.34	1.35	1.35	1.36	0.01	0.02	0.00	0.00	0.00	1.80	1.79	1.79	0.90
1968	Below Normal	1.79	(5.89)	5.75	(0.74)	(2.98)	(0.78)	0.17	0.21	1.90	1.74	1.76	1.76	0.39
1969	Wet	1.73	1.74	1.72	(0.13)	0.00	0.01	(1.41)	1.55	0.07	1.86	1.87	1.86	0.91
1970	Wet	1.87	1.85	1.86	0.00	(0.01)	(0.06)	2.87	(0.11)	1.68	1.68	1.68	1.69	1.25
1971	Wet	1.69	1.71	1.71	1.78	0.00	0.40	0.01	(0.08)	1.02	0.99	0.96	1.04	0.94
1972	Below Normal	1.15	1.16	1.26	1.75	0.21	0.14	0.02	0.00	(0.01)	(0.01)	(0.02)	(0.01)	0.47
1973	Above Normal	0.02	0.02	0.04	0.09	0.00	0.00	0.00	0.00	1.76	1.76	1.76	1.76	0.60
1974	Wet	1.76	1.76	1.76	1.76	0.00	(0.01)	(0.40)	(0.15)	1.64	1.64	1.63	1.64	1.09
1975	Wet	1.64	1.66	1.65	2.10	0.09	(0.08)	(0.07)	(0.08)	1.69	1.69	1.70	1.70	1.14
1976	Critical	1.70	1.70	1.70	1.73	(0.01)	0.06	0.10	0.12	0.29	0.10	(0.12)	0.18	0.63
1977	Critical	0.13	0.12	(0.77)	0.00	0.00	0.00	0.00	(0.06)	0.00	(0.02)	0.00	(0.02)	(0.05)
1978	Above Normal	0.00	0.00	(0.14)	0.00	(0.01)	(3.05)	(0.61)	0.68	2.84	3.35	3.66	2.51	0.77
1979	Below Normal	0.88	0.70	(0.75)	(3.42)	(4.69)	(3.99)	(2.13)	(2.27)	(0.48)	(0.54)	(0.54)	(0.42)	(1.47)
1980	Above Normal	(0.38)	(0.23)	(0.22)	2.82	0.00	(0.05)	(11.66)	(10.35)	(8.50)	(8.78)	(8.78)	(8.29)	(4.54)
1981	Dry	(8.13)	2.06	(12.94)	11.53	22.43	14.31	3.94	4.61	45.19	(1.87)	(1.62)	(0.95)	6.55
1982	Wet	0.08	0.24	0.83	3.47	1.39	(0.04)	(0.02)	(0.02)	1.77	1.77	1.78	1.78	1.09
1983	Wet	1.78	(0.01)	(0.02)	0.00	0.00	0.00	5.31	(1.94)	(3.39)	0.00	1.79	1.80	0.44
1984	Wet	0.00	0.00	(14.43)	0.00	0.00	0.00	0.00	0.00	1.80	1.80	1.80	1.80	(0.60)
1985	Dry	1.80	1.79	1.78	1.79	0.00	0.00	0.00	0.00	1.08	1.08	1.08	1.09	0.96
1986	Wet	1.08	1.08	1.08	1.08	(7.03)	(0.08)	3.31	0.16	1.80	1.93	1.88	1.89	0.68
1987	Dry	2.07	(4.15)	1.80	1.78	(0.02)	(0.01)	0.00	(0.01)	(0.02)	(0.01)	(0.01)	(0.01)	0.12
1988	Critical	(0.01)	(0.01)	0.00	0.00	0.01	0.00	0.00	0.23	0.24	0.25	0.22	0.19	0.09
1989	Dry	0.10	0.07	0.07	(0.02)	(0.02)	(0.09)	(0.10)	0.06	0.09	0.14	(2.82)	0.88	(0.14)
1990	Critical	0.67	0.61	0.43	(0.50)	(0.36)	(0.05)	0.17	0.22	0.24	0.23	0.22	0.18	0.17
1991	Critical	0.12	0.07	0.06	0.04	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.03
1992	Critical	0.00	0.00	0.00	0.00	0.00	0.00	(0.32)	(0.43)	(0.45)	(0.44)	(0.33)	(0.38)	(0.20)
1993	Above Normal	0.50	(0.01)	(0.73)	(0.36)	0.07	0.13	0.03	(0.03)	2.37	1.58	1.53	1.66	0.56
1994	Critical	1.75	1.78	1.81	2.06	0.23	0.04	(0.05)	(0.06)	0.84	(0.26)	(0.01)	0.00	0.68
1995	Wet	(0.10)	(0.02)	0.04	0.00	0.00	0.00	0.00	0.00	1.79	(4.46)	3.06	3.02	0.28
1996	Wet	(22.03)	(25.23)	(9.99)	1.84	(0.01)	(0.01)	(0.14)	(0.15)	1.64	1.64	1.64	1.64	(4.10)
1997	Wet	1.64	1.66	1.66	(0.02)	0.00	0.00	(0.45)	0.00	1.78	1.79	1.78	1.79	0.97
1998	Wet	1.79	1.79	1.78	1.75	0.00	0.02	0.04	(0.27)	(0.27)	(0.27)	1.52	1.53	0.78
1999	Wet	1.54	1.55	1.40	1.77	0.00	0.00	0.00	0.00	1.79	1.79	1.79	1.79	1.12
2000	Above Normal	1.79	1.80	1.80	1.79	(0.02)	(0.51)	(0.08)	0.09	1.80	1.86	1.89	1.77	1.17
2001	Dry	1.59	1.57	1.41	1.06	(0.51)	(0.15)	0.03	0.02	0.02	0.03	0.06	0.05	0.43
2002	Dry	0.07	0.07	0.04	0.03	0.00	0.00	(0.06)	(0.07)	(0.07)	(0.07)	(0.85)	0.13	(0.06)
2003	Above Normal	1.30	0.01	0.02	0.00	0.00	0.00	0.00	0.00	0.60	0.60	0.60	0.60	0.31
	Average	0.50	0.38	0.37	0.79	0.27	0.27	(0.10)	(0.25)	1.45	0.62	0.95	0.68	0.50
	Wet	0.06	(0.10)	(0.20)	0.64	0.13	0.72	0.45	(0.32)	1.89	0.81	1.24	1.29	0.55
	Above Normal	0.92	0.61	0.62	1.16	0.88	(0.15)	(1.04)	(0.80)	0.93	0.80	0.64	0.59	0.43
	Below Normal	1.05	0.68	1.41	0.16	(0.81)	(0.74)	(0.19)	(0.09)	1.17	1.19	1.21	1.16	0.52
	Dry	0.27	0.46	0.01	1.35	1.06	0.49	(0.11)	(0.13)	2.23	0.10	0.41	(0.05)	0.51
	Critical	0.75	0.74	0.65	0.65	0.03	0.54	(0.25)	0.11	0.18	0.14	1.16	0.01	0.39

Percent Difference in Energy Use (GWh) At Pumping Plant at Teerink: Alternative4_2020 minus CONV_NA

Year	Year Type	October	November	December	January	February	March	April	May	June	July	August	September
1922	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1923	Below Normal	4%	5%	5%	0%	0%	-1%	0%	0%	4%	4%	4%	4%
1924	Critical	5%	6%	7%	13%	-1%	0%	0%	0%	0%	0%	0%	0%
1925	Dry	0%	0%	0%	0%	0%	-1%	0%	0%	1%	1%	1%	1%
1926	Dry	1%	1%	2%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1927	Wet	0%	0%	0%	0%	0%	0%	0%	0%	4%	3%	3%	4%
1928	Above Normal	4%	4%	5%	6%	0%	0%	0%	0%	2%	2%	2%	2%
1929	Critical	2%	2%	2%	3%	0%	0%	0%	0%	0%	0%	0%	0%
1930	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1931	Critical	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1932	Dry	0%	0%	0%	0%	0%	2%	0%	0%	4%	4%	4%	5%
1933	Critical	6%	7%	9%	35%	-2%	0%	0%	0%	0%	0%	0%	0%
1934	Critical	0%	0%	0%	0%	18%	42%	-9%	3%	2%	5%	60%	0%
1935	Below Normal	-3%	9%	12%	1%	-1%	-1%	-1%	0%	4%	4%	4%	4%
1936	Below Normal	2%	2%	0%	-5%	-10%	0%	0%	0%	3%	3%	3%	3%
1937	Below Normal	4%	4%	4%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1938	Wet	3%	3%	0%	-2%	0%	0%	2%	2%	0%	3%	3%	3%
1939	Dry	4%	4%	4%	11%	-3%	-14%	-14%	-15%	-76%	-5%	24%	-12%
1940	Above Normal	33%	21%	4%	32%	0%	0%	0%	0%	4%	3%	3%	3%
1941	Wet	4%	4%	3%	0%	0%	0%	0%	0%	3%	3%	3%	3%
1942	Wet	3%	4%	2%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1943	Wet	5%	5%	6%	0%	-1%	-1%	-1%	-1%	2%	2%	2%	2%
1944	Dry	3%	95%	4%	0%	-7%	-2%	0%	0%	3%	3%	3%	3%
1945	Below Normal	5%	6%	7%	13%	0%	-7%	0%	0%	3%	3%	3%	4%
1946	Below Normal	4%	4%	4%	3%	0%	0%	0%	0%	4%	4%	4%	4%
1947	Dry	4%	5%	4%	3%	0%	-3%	0%	0%	1%	1%	1%	1%
1948	Below Normal	1%	1%	1%	-2%	-4%	-2%	0%	1%	-1%	0%	0%	0%
1949	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	-1%	0%
1950	Below Normal	0%	1%	1%	0%	0%	0%	0%	0%	10%	0%	0%	0%
1951	Above Normal	0%	0%	0%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1952	Wet	4%	5%	5%	3%	0%	0%	0%	-15%	-15%	-12%	-12%	-12%
1953	Wet	-13%	-13%	-13%	4%	19%	55%	4%	3%	149%	-5%	-5%	-4%
1954	Above Normal	-1%	-1%	2%	53%	36%	9%	0%	0%	6%	2%	-2%	-2%
1955	Dry	-2%	-2%	-2%	-3%	3%	2%	2%	2%	2%	2%	2%	2%
1956	Wet	3%	3%	3%	-17%	0%	0%	0%	0%	3%	3%	3%	4%
1957	Above Normal	4%	4%	4%	5%	0%	-2%	0%	0%	3%	3%	3%	3%
1958	Wet	4%	5%	6%	27%	0%	0%	0%	0%	2%	2%	2%	3%
1959	Below Normal	3%	6%	3%	7%	0%	0%	0%	0%	28%	1%	1%	1%
1960	Dry	1%	2%	2%	10%	0%	0%	0%	0%	0%	0%	0%	0%
1961	Dry	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%
1962	Below Normal	0%	0%	0%	0%	0%	0%	0%	0%	39%	3%	3%	3%
1963	Wet	4%	4%	6%	5%	0%	0%	0%	0%	4%	4%	4%	4%
1964	Dry	5%	5%	6%	7%	0%	0%	0%	0%	0%	0%	0%	0%
1965	Wet	0%	0%	0%	0%	0%	0%	0%	0%	6%	3%	3%	4%
1966	Below Normal	4%	5%	5%	3%	0%	0%	0%	0%	3%	3%	3%	3%
1967	Wet	4%	4%	5%	11%	0%	0%	0%	0%	0%	2%	2%	3%
1968	Below Normal	3%	-10%	10%	-3%	-8%	-3%	0%	0%	88%	3%	3%	3%
1969	Wet	4%	5%	6%	0%	0%	0%	-2%	2%	0%	3%	3%	3%
1970	Wet	3%	3%	3%	0%	0%	0%	6%	0%	3%	3%	3%	4%
1971	Wet	4%	4%	5%	3%	0%	1%	0%	0%	2%	2%	2%	2%
1972	Below Normal	3%	4%	5%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1973	Above Normal	0%	0%	0%	1%	0%	0%	0%	0%	3%	3%	3%	3%
1974	Wet	4%	4%	4%	3%	0%	0%	-1%	0%	3%	3%	3%	3%
1975	Wet	4%	4%	4%	4%	0%	0%	0%	0%	3%	3%	3%	3%
1976	Critical	4%	4%	4%	5%	0%	0%	0%	0%	1%	0%	0%	0%
1977	Critical	0%	0%	-3%	0%	0%	0%	0%	-1%	0%	-1%	0%	-1%
1978	Above Normal	0%	0%	0%	0%	0%	-6%	-1%	1%	5%	6%	7%	5%
1979	Below Normal	2%	2%	-2%	-12%	-17%	-7%	-4%	-4%	-1%	-1%	-1%	-1%
1980	Above Normal	-1%	-1%	-1%	6%	0%	0%	-18%	-15%	-12%	-12%	-12%	-12%
1981	Dry	-13%	4%	-21%	40%	77%	53%	9%	9%	>1,000%	-3%	-3%	-2%
1982	Wet	0%	1%	3%	11%	3%	0%	0%	0%	3%	2%	3%	3%
1983	Wet	3%	0%	0%	0%	0%	0%	9%	-3%	-5%	0%	3%	3%
1984	Wet	0%	0%	-21%	0%	0%	0%	0%	0%	4%	4%	4%	4%
1985	Dry	4%	5%	4%	4%	0%	0%	0%	0%	2%	2%	2%	2%
1986	Wet	3%	3%	3%	3%	-17%	0%	5%	0%	3%	3%	3%	3%
1987	Dry	3%	-22%	3%	8%	0%	0%	0%	0%	0%	0%	0%	0%
1988	Critical	0%	0%	0%	0%	0%	0%	0%	1%	1%	1%	1%	1%
1989	Dry	1%	1%	1%	-1%	0%	-1%	0%	0%	0%	0%	-5%	2%
1990	Critical	1%	1%	1%	-2%	-2%	0%	1%	1%	1%	1%	1%	1%
1991	Critical	1%	1%	1%	1%	0%	0%	0%	0%	0%	0%	0%	0%
1992	Critical	0%	0%	0%	0%	0%	0%	-1%	-2%	-2%	-2%	-1%	-2%
1993	Above Normal	6%	0%	-7%	-7%	0%	0%	0%	0%	12%	3%	3%	3%
1994	Critical	4%	5%	5%	10%	1%	0%	0%	0%	2%	0%	0%	0%
1995	Wet	-3%	0%	0%	0%	0%	0%	0%	0%	3%	-7%	5%	5%
1996	Wet	-38%	-92%	-22%	7%	0%	0%	0%	0%	3%	3%	3%	3%
1997	Wet	4%	4%	4%	0%	0%	0%	-1%	0%	3%	3%	3%	3%
1998	Wet	4%	4%	4%	4%	0%	0%	0%	-1%	-1%	0%	3%	3%
1999	Wet	3%	3%	3%	3%	0%	0%	0%	0%	4%	4%	4%	4%
2000	Above Normal	4%	5%	5%	5%	0%	-1%	0%	0%	4%	3%	3%	4%
2001	Dry	4%	4%	4%	6%	-3%	-1%	0%	0%	0%	0%	0%	0%
2002	Dry	0%	0%	0%	1%	0%	0%	0%	0%	0%	0%	-2%	0%
2003	Above Normal	10%	0%	0%	0%	0%	0%	0%	0%	38%	1%	1%	1%
	Average	2%	2%	1%	4%	1%	1%	0%	0%	5%	1%	2%	1%
	Wet	1%	-1%	1%	3%	0%	2%	1%	0%	7%	2%	2%	2%
	Above Normal	5%	3%	1%	8%	3%	0%	-2%	-1%	6%	2%	1%	1%
	Below Normal	2%	3%	4%	1%	-3%	-1%	0%	0%	13%	2%	2%	2%
	Dry	1%	6%	1%	5%	4%	2%	0%	0%	-3%	0%	1%	0%
	Critical	2%	2%	2%	6%	1%	3%	-1%	0%	0%	0%	5%	0%