

LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 93



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 94



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 95



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 96



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT
- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT
- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 97



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS
(OPTION 1)

JULY 1, 2015

FIGURE 98-1



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS
(OPTION 2)

JULY 1, 2015

FIGURE 98-2



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS
(OPTION 1)

JULY 1, 2015

FIGURE 99-1



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER
HEIGHTS & LOCATIONS
(OPTION 2)

JULY 1, 2015

figure 99-2



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 100



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 101



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 101A



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTDOOR USE AREA
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVE 2
NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 101B



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3
NADR RECOMMENDED BARRIER
HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 159



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT
- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT
- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 160



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 161



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 162



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT
- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT
- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 163



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 164



LEGEND

- RXX - RECEIVER SITE
- CAL - CALIBRATION SITE
- LT - LONG-TERM MEASUREMENT
- ST - SHORT-TERM MEASUREMENT

- SFR OR S - SINGLE FAMILY RESIDENCE
- MFR OR M - MULTI-FAMILY RESIDENCE
- COMM OR C - COMMERCIAL/NO OUTSIDE ACTIVITIES
- b - BENEFITED RESIDENCE
- HXX - IN/OUTDOOR MEASUREMENT

- EXISTING PROPERTY WALL
- EXISTING SOUNDWALL
- PROPOSED SOUNDWALL
- REPLACEMENT IN KIND SOUNDWALL
- NON-REASONABLE SOUNDWALL
- RETAINING WALL
- SAFETY BARRIER

1in : 200ft

0 ft 100ft 200ft 300ft

I-10 CORRIDOR ALTERNATIVES 2 AND 3 NADR RECOMMENDED BARRIER HEIGHTS & LOCATIONS

JULY 1, 2015

FIGURE 165